

BIBLIOGRAPHY



- Abbott LK, Robson AD, De Bore G (1984) The effect of phosphorus on the formation of hyphae in soil by the vesicular-arbuscular mycorrhizal fungus *Glomus fasciculatum*. *New Phytol.* **97**: 437–446
- Abd-Alla MH (1994) Solubilization of rock phosphates by *Rhizobium* and *Bradyrhizobium*. *Folia Microbiol.* **39**: 53–56
- Abd-Alla MH, Omar SA (2001) Survival of *rhizobia/bradyrhizobia* and a rock-phosphate-solubilizing fungus *Aspergillus niger* on various carriers from some agro-industrial wastes and their effects on nodulation and growth of faba bean and soybean. *J. Plant Nutr.* **24**: 261–272
- Abelson PH (1999) A potential phosphate crisis. *Science* **283**: 2015-2019
- Ae N, Arihara J, Okada K (1991) Phosphorus response of chick pea and evaluation of phosphorus availability in Indian alfisols and vertisols. In: Johansen C, Lee KK, Sharawat KL (eds) *Phosphorus Nutrition of Grain Legumes*, ICRISAT, India, 33–41
- Agnihotri VP (1970) Solubilization of insoluble phosphates by some soil fungi isolated from nursery seedbeds. *Can. J. Microbiol.* **16**: 877–880
- Algawadi AR, Gaur AC (1988) Associative effect of *Rhizobium* and phosphate solubilizing bacteria on the yield and nutrient uptake of chickpea. *Plant Soil* **105**: 241–246
- Alagawadi AR, Gaur AC (1992) Inoculation of *Azospirillum brasilense* and phosphate-solubilizing bacteria on yield of sorghum [*Sorghum bicolor*(L.) Moench] in dry land. *Trop. Agric.* **69**: 347–350
- Al-Niemi TS, Kahn ML, McDermott TR (1997) P metabolism in the *Rhizobium tropici*-bean symbiosis. *Plant Physiol.* **113**: 1233–1242
- Ames BN (1964) Assay of inorganic phosphate, total phosphate and phosphatases. *Methods Enzymol.* **8**: 115-118

- Ames RN, Reid CPP, Ingham ER (1984) Rhizosphere bacterial population responses to root colonization by a vesicular arbuscular mycorrhizal fungus *New Phytol.* **96**: 555–563
- Amijee F, Tinker PB, Stribley DP (1989) Effect of phosphorus on the morphology of vesicular-arbuscular mycorrhizal root system of leek (*Allium porrum* L.). *Plant Soil* **119**: 334–336
- Antoun H, Beauchamp CJ, Goussard N, Chabot R, Lalande R (1998) Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: effect on radishes (*Raphanus sativus* L.). *Plant Soil* **204**: 57–67
- Antunes V, Cardoso EJBE (1991) Growth and nutrient status of citrus plants as influenced by mycorrhiza and phosphorus application. *Plant Soil* **131**: 11–19
- Arcand MM, Schneider KD (2006) Plant- and microbial-based mechanisms to improve the agronomic effectiveness of phosphate rock: a review. *Annals. Brazilian Acad. Sci.* **78**: 791–807
- Asea PEA, Kucey RMN, Stewart JWB (1988) Inorganic phosphate solubilization by two *Penicillium* species in solution culture and soil. *Soil Biol. Biochem.* **20**: 459–464
- Azaizeh HA, Marshner A, Romheld V, Wittenmayer L (1995) Effects of a vesicular-arbuscular mycorrhizal fungus and other soil microorganisms on growth, mineral nutrient acquisition and root exudation of soil grown maize plants. *Mycorrhiza* **5**: 321–327
- Babu-Khan S, Yeo C, Martin WL, Duron MR, Rogers R, Goldstein AH (1995) Cloning of a mineral phosphate-solubilizing gene from *Pseudomonas cepacia*. *Appl. Environ. Microbiol.* **61**: 972–978
- Banik S, Dey BK (1982) Available phosphate content of an alluvial soil as influenced by inoculation of some isolated phosphate solubilizing microorganisms. *Plant Soil* **69**: 353–364.

- Banik S, Dey BK (1983) Phosphate solubilizing potentiality of the microorganisms capable of utilizing aluminium phosphate as a sole phosphate source. *Zbl. Microbiol.* **138**: 17–23
- Barea JM, El-Atrach F, Azcon R (1991) The role of VA mycorrhizas in improving plant N acquisition from soil as assessed with ^{15}N . The use of stable isotopes in plant nutrition, In: Fitton C. (Ed.), *Soil Fertility and Environmental Studies*, Joint AIEA, FAO, Division, Vienna, pp. 677–808
- Bashan Y, Puente ME, Rodriquez MN, Toledo G, Holguin G, Ferrera-Cerrato R, Pedrin S (1995) Survival of *Azorhizobium brasilense* in the bulk soil and rhizosphere of 23 soil types. *Appl. Environ. Microbiol.* **61**: 1938–1945
- Basu A, Apte SK, Phale PS (2006) Preferential Utilization of Aromatic Compounds over Glucose by *Pseudomonas putida* CSV86. *Appl. Environ. Microbiol.* **72**: 2226–2230
- Basu A, Phale PS (2006) Inducible uptake and metabolism of glucose by the phosphorylative pathway in *Pseudomonas putida* CSV86. *FEMS Microbiol. Lett.* **259**: 311–316
- Baya AM, Robert SB, Ramos CA (1981) Vitamin production in relation to phosphate solubilization by soil bacteria. *Soil Biol. Biochem.* **13**: 527–532
- Beever RE, Burns DJW (1980) Phosphorus uptake storage and utilization by fungi. *Adv. Bot. Res.* **8**: 127–219
- Belimov AA, Kojemiakov AP, Chuvarliyeva CV (1995) Interaction between barley and mixed cultures of nitrogen fixing and phosphate-solubilizing bacteria. *Plant Soil* **173**: 29–37
- Belimov AA, Safronova VI, Sergeyeva TA, Egorova TN, Matveyeva VA, Tsyganov VE, Borisov AY, Tikhonovich IA, Kluge C, Preisfeld A, Dietz KJ, Stepanok VV (2001) Characterization of plant growth promoting rhizobacteria isolated from polluted soils

- and containing 1-aminocyclopropane-1- carboxylate deaminase. *Can. J. Microbiol.* **47**: 642–652
- Bevivino A, Sarrocco S, Dalmastri C, Tabacchioni S, Cantale C, Chiarini L (1998) Characterization of a free-living maize rhizosphere population of *Burkholderia cepacia*: effect of seed treatment on disease suppression and growth promotion of maize. *FEMS Microbiol. Ecol.* **27**: 225–237
- Bielecki RL (1973) Phosphate pools, phosphate transport, and phosphate availability. *Annu. Rev. Plant physiol.* **24**: 225-252
- Bishop ML, Chang AC, Lee RWK (1994) Enzymatic mineralization of organic phosphorus in a volcanic soil in Chile. *Soil Sci.* **157**: 238–243
- Bolan NS, Robson AD, Barrow NI (1987) Effect of vesicular arbuscular mycorrhiza on availability of iron phosphates to plants. *Plant Soil* **99**: 401–410
- Bolan NS (1991) A critical review on the role of mycorrhizal fungi in the uptake of phosphorus by plant. *Plant Soil* **134**: 189–207
- Bolan NS, Mahimairaja S, Baskaran S (1994) Influence of low-molecular-weight organic acids on the solubilization of phosphates. *Biol. Fertil. soils* **18**: 311-319
- Bumb BL, Baanante CA (1996) The Role of Fertilizer in Sustaining Food Security and Protecting the Environment. Food, Agriculture and the Environment Discussion Paper 17. International Food Policy Research Institute, Washington, DC
- Burkert B, Robson A (1994) Zn uptake in subterranean clover (*Trifolium subterraneum* L.) by three vesicular-arbuscular mycorrhizal fungi in a root free sandy soil. *Soil Biol. Biochem.* **26**: 1117–1124
- Cases I, Velazquez F, de Lorenzo V (2001) Role of *ptsO* in carbon mediated inhibition of the *Pu* promoter belonging to the pWW0 *Pseudomonas putida* plasmid. *J. Bacteriol.* **183**:5128–5133

- Cattelan AJ, Hartel PG, Fuhrmann JJ (1999) Screening for plant growth-promoting rhizobacteria to promote early soybean growth. *Soil Sci. Soc. Am. J.* **63**: 1670–1680
- Cerezine PC, Nahas E, Banzatto DA (1988) Soluble phosphate accumulation by *Aspergillus niger* from fluorapatite. *Appl. Microbiol. Biotechnol.* **29**: 501-505
- Chabot R, Beauchamp CJ, Kloepper JW, Antoun H (1998) Effect of phosphorus on root colonization and growth promotion of maize by bioluminescent mutants of phosphate-solubilizing *Rhizobium leguminosarum* biovar *phaseoli*. *Soil Biol. Biochem.* **30**: 1615–1618
- Choi O, Kim J, Kim J, Jeong Y, Moon JS, Park CS, Hwang I (2008) Pyrroloquinoline Quinone Is a Plant Growth Promotion Factor Produced by *Pseudomonas fluorescens* B16. *Plant Physiol.* **146**: 657-668
- Collier DN, Hager PW, Phibbs PV Jr (1996) Catabolite repression control in the *Pseudomonads*. *Res. Microbiol.* **147**: 435-594
- Contiero J, Beatty C, Kumari S, DeSanti CL, Strohl ER, Wolfe A (2000) Effects of mutations in acetate metabolism on high-cell-density growth of *Escherichia coli*. *J. Ind. Microbiol. Biotechnol.* **24**: 421–430
- Conway T (1992) The Entner-Duoderoff pathway: history, physiology and molecular biology. *FEMS Microbiol. Rev.* **103**: 1-28
- Cunningham JE, Kuiack C (1992) Production of citric and oxalic acids and solubilization of calcium phosphate by *Penicillium bilaji*. *Appl. Environ. Microbiol.* **58**: 1451–1458
- de Freitas JR, Banerjee MR, Germida JJ (1997) Phosphate solubilizing rhizobacteria enhance the growth and yield but not phosphorus uptake of canola (*Brassica napus* L.). *Biol. Fertil. Soils* **24**: 358–364
- de Weert S, Vermeiren H, Mulders IH, Kuiper I, Hendrickx N, Bloemberg GV, Vanderleyden J, De Mot R, Lugtenberg BJ (2002) Flagella-driven chemotaxis towards

- exudate components is an important trait for tomato root colonization by *Pseudomonas fluorescens*. *Mol. Plant Microbe Interact.* **15**: 1173-1180
- Dey R, Pal KK, Bhatt DM, Chauhan SM (2004) Growth promotion and yield enhancement of peanut (*Arachis hypogaea* L.) by application of plant growth-promoting rhizobacteria. *Microbiol. Res.* **159**: 371-394
- Diab F, Bernard T, Bazire A, Haras D, Blanco C, Jebbar M (2006) Succinate-mediated catabolite repression control on the production of glycine betaine catabolic enzymes in *Pseudomonas aeruginosa* PAO1 under low and elevated salinities. *Microbiol.* **152**: 1395–1406
- Diaz-Ricci JC, Regan L, Bailey JE (1991) Effect of alteration of the acetic acid synthesis pathway on the fermentation pattern of *Escherichia coli*. *Biotechnol. Bioeng.* **38**: 1318–1324
- Dinamarca MA, Ruiz-Manzano A, Rojo F (2002) Inactivation of cytochrome *o* ubiquinol oxidase relieves catabolic repression of the *Pseudomonas putida* GPo1 alkane degradation pathway. *J. Bacteriol.* **184**:3785– 3793
- Downey J, Van Kessel C (1990) Dual inoculation of *Pisum sativum* with *Rhizobium leguminosarum* and *Penicillium bilaji*. *Biol. Fert. Soils* **10**: 194–196
- Dudeja SS, Khurana AL, Kundu BS (1981) Effect of *Rhizobium* and phosphomicroorganism on yield and nutrient uptake in chickpea *Curr. Sci.* **50**: 503-507
- Duetz WA, Marques S, de Jong C, Ramos JL, van Andel JG (1994) Inducibility of the TOL catabolic pathway in *Pseudomonas putida* (pWW0) growing on succinate in continuous culture: evidence of carbon catabolite repression control. *J. Bacteriol.* **176**: 2354–2361
- Duff RB, Webley DM (1959) 2-Ketogluconic acid as a natural chelator produced by soil bacteria. *Chem. Ind.* 1376–1377


- Duponnois R, Colombet A, Hien V, Thioulouse J (2005) The mycorrhizal fungus *Glomus intraradices* and rock phosphate amendment influence plant growth and microbial activity in the rhizosphere of *Acacia holosericea*. *Soil Biol. Biochem.* **37**: 1460–1468
- Elgala HM, Ishac YZ, Abdel-Monem M, El-Ghandour IAI, Hang PM, Berthelin J, Bollag JM, Mc Gill WB, Page AI (1995) Effect of single and combined inoculation with *Azotobacter* and VA mycorrhizal fungi on growth and nutrient content of maize and wheat plants. *Environ. Impact Soil Component Interactions* **2**: 109–116
- Elledge SJ, Mulligan JT, Ramer SW, Spottswood M, Davis RW (1991) λYES: A multifunctional cDNA expression vector for the isolation of genes by complementation of yeast and *Escherichia coli* mutations. *Proc. Natl. Acad. Sci. USA* **88**: 1731-1735
- El-Sawah MMA, Hauka FIA, El-Rafey HH (1993) Study on some enzymes cleaving phosphorus from organic substrates in soil. *J. Agric. Sci.* **18**: 2775–2785
- Feller C, Frossard E, Brossard M (1994) Phosphatase activity in low activity tropical clay soils. Distribution in the various particle size fractions. *Can. J. Soil Sci.* **74**: 121–129
- Frink CR, Waggoner PE, Ausubel SH (1999) Nitrogen fertilizer: retrospect and prospect. *Proc. Natl. Acad. Sci. USA* **96**: 1175-1180
- Gahoonia TS, Claassen N, Albrecht J (1992) Mobilization of phosphate in different soils by ryegrass supplied with ammonium or nitrate. *Plant Soil* **140**: 241– 248
- Garcia C, Fernandez T, Costa F, Cerranti B, Masciandaro G (1992) Kinetics of phosphatase activity in organic wastes. *Soil Biol. Biochem.* **25**: 361–365
- Gaur AC, Medan M, Ostwal KP (1973) Solubilization of phosphate ores by native microflora of rock phosphates. *Indian J. Expt. Biol.* **11**: 427–429
- Glick BR (1995) The enhancement of plant growth by free-living bacteria. *Can. J. Microbiol.* **41**: 109–117

- Golstein AH (1986) Bacterial phosphate solubilization: Historical perspective and future prospects. *Am. J. Alt. Agric.* **1**: 57–65
- Goldstein AH, Liu ST (1987) Molecular cloning and regulation of a mineral phosphate solubilizing gene from *Erwinia herbicola*. *Biotechnol.* **5**: 72–74
- Goldstein AH, Rogers RD, Mead G (1993) Mining by microbe. *Bio/Technol.* **11**: 1250–1254
- Goldstein AH (1994) Involvement of the quinoprotein glucose dehydrogenase in the solubilization of exogenous phosphates by gram-negative bacteria. In: Torriani-Gorini A, Yagil E, Silver, S, editors. *Phosphate in Microorganisms: Cellular and Molecular Biology*. Washington, DC: ASM Press, 1994. pp. 197–203
- Goldstein AH (1995) Recent progress in understanding the molecular genetics and biochemistry of calcium phosphate solubilization by gram negative bacteria. *Biol. Agric. Hor.* **12**: 185–193
- Greaves MP, Webley DM (1965) A study of the breakdown of organic phosphates by microorganisms from the root region of certain pasture grasses. *J. Appl. Bact.* **28**: 454–465
- Gugi B, Orange N, Hellio F, Burini JF, Guillou C, Leriche F, Guespin-Michel JF (1991) Effect of growth temperature on several exported enzyme activities in the psychrotropic bacterium *Pseudomonas fluorescens*. *J. Bacteriol.* **173**: 3814–3820
- Gulati A, Rahi P, Vyas P (2008) Characterization of phosphate-solubilizing fluorescent Pseudomonads from the rhizosphere of Seabuckthorn growing in the cold deserts of Himalayas. *Curr. Microbiol.* **56**: 73–79
- Gull M, Hafeez FY, Saleem M, Malik KA (2004) Phosphorus uptake and growth promotion of chickpea by co-inoculation of mineral phosphate solubilizing bacteria and a mixed rhizobial culture. *Aust. J. Exp. Agr.* **44**: 623–628

- Gyaneshwar P, Naresh Kumar G, Parekh LJ (1998a) Effect of buffering on the phosphate solubilizing ability of microorganisms. *World J. Microbiol. Biotechnol.* **14**: 669-673
- Gyaneshwar P, Naresh Kumar G, Parekh LJ (1998b) Cloning of mineral phosphate solubilizing genes from *Synechocystis* PCC 6803. *Curr. Sci. India* **74**: 1097-1099
- Gyaneshwar P, Parekh LJ, Archana G, Poole PS, Collins MD, Hutson RA, Naresh Kumar G (1999) Involvement of a phosphate starvation inducible glucose dehydrogenase in soil phosphate solubilization by *Enterobacter asburiae*. *FEMS Microbiol. Lett.* **171**: 223-229
- Gyaneshwar P, Naresh Kumar G, Parekh LJ, Poole PS (2002) Role of soil microorganisms in improving P nutrition of plants. *Plant Soil* **245**: 83-93
- Haas D, Defago G (2005) Biological control of soil-borne pathogens by fluorescent pseudomonads. *Nature Rev. Microbiol.* **3**: 307-319
- Hager PW, Phibbs PV Jr., Sokatch JR (2000) Crc is involved in catabolite repression control of the *bkd* operons of *Pseudomonas putida* and *Pseudomonas aeruginosa*. *J. Bacteriol.* **182**:1144-1149
- Halder AK, Mishra AK, Bhattacharyya P, Chakrabarty PK (1990) Solubilization of rock phosphate by *Rhizobium* and *Bradyrhizobium*. *J. Gen. Appl. Microbiol.* **36**: 81-92
- Halder AK, Chakrabarty PK (1993) Solubilization of inorganic phosphate by *Rhizobium*. *Folia. Microbiol.* **38**: 325-330
- Hameeda, B., Reddy, Y., Rupela, O. P., Kumar, G. N. and Reddy, G. (2006) Effect of carbon substrates on rock phosphate solubilization by bacteria from composts and macrofauna. *Curr. Microbiol.* **53**: 298-302
- Harrison MJ, Buuren V (1995) A phosphate transporter from mycorrhizal fungus *Glomus versiforme*. *Nature* **378**: 626-629

- Hayman DS (1974) Plant growth responses to vesicular-arbuscular mycorrhiza VI. Effects of light and temperature. *New Phytol.* **73** : 71–80
- Hayman DS (1983) The physiology of vesicular-arbuscular endomycorrhizal symbiosis. *Can. J. Bot.* **61**: 944–963
- He ZL, Wu J, O'Donnell AG, Syers JK (1997) Seasonal responses in microbial biomass carbon, phosphorus and sulphur in soils under pasture. *Biol. Fertil. Soils* **24**: 421–428
- Ho WC, Ko WH (1985) Effect of environmental edaphic factors. *Soil Biol. Biochem.* **17**: 167–170
- Hobbie SE (1992) Effects of plant species on nutrient cycling. *Trends Ecol. Evol.* **7**: 336–339
- Hoon H, Park RD, Kim YW, Rim YS, Park KH, Kim TH, Such JS, Kim KY (2003) 2-ketogluconic acid production and phosphate solubilization by *Enterobacter intermedius*. *Curr. Microbiol.* **47**: 87–92
- Hopkins CG, Whiting AL (1916) Soil bacteria and phosphates. III. *Agric. Exp. Stn. Bull.* **190**: 395–406
- Hylemon PB, Phibbs PV Jr (1972) Independent regulation of hexose catabolizing enzymes and glucose transport activity in *Pseudomonas aeruginosa*. *Biochem. Biophys. Res. Commun.* **48**: 1041-1048
- Illmer P, Schinner F (1992) Solubilization of inorganic phosphates by microorganisms isolated from forest soil. *Soil Biol. Biochem.* **24**: 389–395
- Jaeger III CH, Lindow SE, Miller W, Clark E, Firestone MK (1999) Mapping of sugar and amino acid availability in soil around roots with bacterial sensors of sucrose and tryptophan. *Appl. Environ. Microbiol.* **65**: 2685-2690

- Jeffries P (1987) Use of mycorrhizae in agriculture. *Crit. Rev. Biotechnol.* **5**: 319–357
- Jishage M, Kvint K, Shingler V, Nystrom T (2002) Regulation of sigma factor competition by the alarmone ppGpp. *Genes Dev.* **16**: 1260–1270
- Johri BN, Sharma A, Viridi JS (2003) Rhizobacterial diversity in India and its influence on soil and plant health. *Adv. Biochem. Engin/Biotechnol.* **84**: 49–89
- Jones DL (1998) Organic acids in the rhizosphere – a critical review. *Plant Soil* **205**: 25–44
- Kamilova F, Kravchenko LV, Shaposhnikov AI, Azarova T, Makarova N, Lugtenberg B (2006) Organic acids, sugars, and L-tryptophane in exudates of vegetables growing on stonewool and their effects on activities of rhizosphere bacteria. *Mol. Plant Microbe Interact.* **19**: 250–256
- Katznelson H, Bose B (1959) Metabolic activity and phosphate dissolving capability of bacterial isolates from wheat roots in the rhizosphere and non rhizosphere soil. *Can. J. Microbiol.* **5**: 79–85
- Khairnar NP, Misra HS, Apte SK (2003) Pyrroloquinoline–quinone synthesized in *Escherichia coli* by pyrroloquinoline–quinone synthase of *Deinococcus radiodurans* plays a role beyond mineral phosphate solubilization. *Biochem. Biophys. Res. Commun.* **312**: 303–308
- Khan MS, Aamil M, Zaidi A (1997) Associative effect of *Bradyrhizobium* sp. (vigna) and phosphate solubilizing bacteria on moongbean [*Vigna radiata* (L.) wilczek]. *Biojournal* **10**: 101–106
- Khan MS, Zaidi A, Wani PA (2006) Role of phosphate-solubilizing microorganisms in sustainable agriculture – A review. *Agron. Sustain. Dev.* **26**: 1–15



- Kim KY, McDonald GA, Jordan D (1997) Solubilization of hydroxyapatite by *Enterobacter agglomerans* and cloned *Escherichia coli* in culture medium. *Biol. Fert. Soils* **24**: 347–352
- Kim KY, Jordan D, Krishnan HB (1998a) Expression of genes from *Rahnella aquatilis* that are necessary for mineral phosphate solubilization in *Escherichia coli*. *FEMS Microbiol. Lett.* **159**: 121–127
- Kim KY, Jordan D, McDonald GA (1998b) Effect of phosphate solubilizing bacteria and vesicular–arbuscular mycorrhizae on tomato growth and soil microbial activity. *Biol. Fertil. Soils* **26**: 79–87
- Kloepper JW, Schroth MN, Miller TD (1980) Effects of rhizosphere colonization by plant growth promoting rhizobacteria on potato plant development and yield. *Phytopathol.* **70**: 1078–1082
- Koide TR, Shreiner PR (1992) Regulation of vesicular arbuscular mycorrhizal symbiosis. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* **43**: 557–581
- Kpombekou AK, Tabatabai MA (1994) Effect of organic acids on release of phosphorus from phosphate rocks. *Soil Sci.* **158**: 442–452
- Kravchenko LV, Azarova TS, Leonova-Erko EI, Shaposhnikov AI, Makarova NM, Tikhonovich IA (2003) Tomato root exudates and their effect on the growth and antifungal activity of *Pseudomonas* strains. *Mikrobiologiya* **72**: 48–53
- Krishnaraj PU, Sadasivam KV, Khanuja S PS (1999) Mineral phosphate soil defective mutants of *Pseudomonas* sp. express pleiotropic phenotypes. *Curr. Sci. India* **76**: 1032–1034
- Krishnaraj PU, Goldstein AH (2001) Cloning of a *Serratia marcescens* DNA fragment that induces quinoprotein glucose dehydrogenase-mediated gluconic acid production in

- Escherichia coli* in the presence of stationary phase *Serratia marcescens*. FEMS Microbiol. Lett. **205**: 215–220
- Kucey RMN (1983) Phosphate solubilizing bacteria and fungi in various cultivated and virgin Alberta soils. Can. J. Soil Sci. **63**: 671–678
- Kucey RMN (1987) Increased P uptake by wheat and field beans inoculated with a phosphorus solubilizing *Penicillium bilaji* strain and with vesicular arbuscular mycorrhizal fungi. Appl. Environ. Microbiol. **53**: 2699–2703
- Kucey RMN, (1988) Effect of *Penicillium bilaji* on the solubility and uptake of micronutrients from soil by wheat. Can. J. Soil Sci. **68**: 261–270
- Kucey RMN, Jenzen HH, Leggett ME (1989) Microbially mediated increases in plant available phosphorus. Adv. Agron. **42**: 199–228
- Kumar V, Narula N (1999) Solubilization of inorganic phosphates and growth emergence of wheat as affected by *Azotobacter chroococcum* mutants. Biol. Fertil. Soils **28**: 301–305
- Lapeyrie F (1988) Oxalate synthesis from soil bicarbonate by the mycorrhizal fungus *Paxillus involutus*. Plant Soil **110**: 3–8
- Lapeyrie F, Ranger J, Varelles D (1991) Phosphate solubilizing activity of ectomycorrhizal fungi in vitro. Can. J. Bot. **69**: 342–346
- Latour X, Delorme S, Mirleau P, Lemanceau P (2003) Identification of traits implicated in the rhizosphere competence of fluorescent pseudomonads: description of a strategy based on population and model strain studies. Agronomie **23**: 397–405
- Leopold H, Hofner W (1991) Improvement of clover yield and quality by inoculation with VAM fungi and Rhizobium bacteria. Angew. Bot. **65**: 23–33

- Lessie TG, Phibbs, PV Jr (1984) Alternative pathways of carbohydrate utilization in pseudomonads. *Annu. Rev. Microbiol.* **38**: 359–388
- Leyval C, Berthelin J (1989) Interaction between *Laccaria laccata*, *Agrobacterium radiobacter* and beech roots: influence on P, K, Mg and Fe mobilization from minerals and plant growth. *Plant Soil* **117**: 103–110
- Liu ST, Lee LY, Taj CY, Hung CH, Chang YS, Wolfrang JH, Rogers R, Goldstein AH (1992) Cloning of an *Erwinia herbicola* gene necessary for gluconic acid production and enhanced mineral phosphate solubilization in *Escherichia coli* HB101: nucleotide sequence and probable involvement in biosynthesis of the coenzyme Pyrroloquinoline Quinone. *J. Bacteriol.* **174**: 5814–5819
- Lugtenberg JJ, Kravchenko LV, Simons M (1999) Tomato seed and root exudate sugars: composition, utilisation by *Pseudomonas* biocontrol strains and role in rhizosphere colonisation. *Environ. Microbiol.* **1**: 439-446
- MacGregor CH, Wolff JA, Arora SK, Hylemon PB, Phibbs PV Jr (1992) Catabolite repression control in *Pseudomonas aeruginosa*. In: “*Pseudomonas: Molecular Biology and Biotechnology*” Eds. Galli E, Silver S and Witholt B American Society for Microbiology. Washington DC 198-206
- Marshner P, Crowley DE, Higashi M (1997) Root exudation and physiological status of a root colonizing fluorescent *Pseudomonad* in mycorrhizal and non-mycorrhizal pepper (*Capsicum annum* L.). *Plant Soil* **189**: 11–20
- Matsushita K, Ameyama M (1982) D-glucose dehydrogenase from *Pseudomonas fluorescens*, membrane bound. *Methods Enzymol.* **89**: 149-154
- Matsushita K, Shinagawa E, Ameyama M (1982) D-gluconate dehydrogenase from Bacteria, 2-Keto-D-gluconate yielding, Membrane-bound. *Methods Enzymol.* **89**: 187-193

- Matsushita K, Arents JC, Bader R, Yamada M, Adachi O, Postma PW (1997) *Escherichia coli* is unable to produce pyrroloquinolinequinone (PQQ). *Microbiol.* **143**: 3149–3156
- Mcfall SM, Abraham B, Narsolis CG, Chakrabarty AM (1997) A Tricarboxylic Acid Cycle Intermediate Regulating Transcription of a Chloroaromatic Biodegradative Pathway: Fumarate-Mediated Repression of the *clcABD* Operon. *J. Bacteriol.* **179**: 6729–6735
- Mcgrath JW, Wisdom GB, McMullan G, Lrakin MJ, Quinn JP (1995) The purification and properties of phosphonoacetate hydrolase, a novel carbon-phosphorus bond-cleaving enzyme from *Pseudomonas fluorescens* 23F. *Eur. J. Biochem.* **234**: 225–230
- Mcgrath JW, Hammerschmidt F, Quinn JP (1998) Biodegradation of phosphonomycin by *Rhizobium huakuii* PMY1. *Appl. Environ. Microbiol.* **64**: 356–358
- McLaughlin MJ, Alston AM, Martin JK (1988) Phosphorus cycling in wheat-pasture rotations. II. The role of the microbial biomass in phosphorus cycling. *Aust. J. Soil Res.* **26**: 333–342
- Mehana TA, Wahid OAA (2002) Associative effect of phosphate dissolving fungi, *Rhizobium* and phosphate fertilizer on some soil properties, yield components and the phosphorus and nitrogen concentration and uptake by *Vicia faba* L. under field conditions. *Pakistan J. Biol. Sci.* **5**: 1226–1231
- Miller GL (1959) Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Anal. Chem.* **31**: 426
- Molla MAZ, Chowdary AA (1984) Microbial mineralization of organic phosphate in soil. *Plant Soil* **78**: 393–399
- Morales G, Linares JF, Beloso A, Albar JP, Martinez JL, Rojo F (2004) The *Pseudomonas putida* Crc global regulator controls the expression of genes from several

- chromosomal catabolic pathways for aromatic compounds. *J. Bacteriol.* **186**:1337–1344
- Narsian V, Thakkar J, Patel HH (1995) Mineral phosphate solubilization by *Aspergillus aculeatus*. *Ind. J. Expt. Biol.* **33**: 91-93
- Nautiyal CS, Bhadauria S, Kumar P, Lal H, Mondal R, Verma D (2000) Stress induced phosphate solubilization in bacteria isolated from alkaline soils. *FEMS Microbiol. Lett.* **182**: 291–296
- Oberson A, Friesen DK, Rao IM, Bühler S, Frossard E (2001) Phosphorus transformations in an oxisol under contrasting land-use systems: The role of the microbial biomass. *Plant Soil* **237**: 197-210
- Odunfa SA, Werner D (1981) Root exudates in relation to growth and nitrogenase activity of *Rhizobium japonicum*. *Z. Allg. Mikrobiol.* **21**: 601-606
- Oehl F, Oberson A, Probst M, Fliessbach A, Roth HR, Frossard E (2001) Kinetics of microbial phosphorus uptake in cultivated soils. *Biol. Fertil. Soils* **34**: 32-41
- Omar SA (1998) The role of rock phosphate solubilizing fungi and vesicular arbuscular mycorrhiza (VAM) in growth of wheat plants fertilized with rock phosphate. *World J. Microbiol. Biotechnol.* **14**: 211–219
- Pal SS (1998) Interactions of an acid tolerant strain of phosphate solubilizing bacteria with a few acid tolerant crops. *Plant Soil* **198**: 169–177
- Pandey A, Trivedi P, Kumar B, Lok Man S, Palni LMS (2006) Characterization of a phosphate solubilizing and antagonistic strain of *Pseudomonas putida* (B0) isolated from a sub-Alpine location in the Indian central Himalaya. *Curr. Microbiol.* **53**: 102-107
- Paul NB, Sundara Rao WVB (1971) Phosphate dissolving bacteria and VAM fungi in the rhizosphere of some cultivated legumes. *Plant Soil* **35**: 127–132

- Peterson GL (1979) Review of the Folin phenol quantitation method of Lowry, Rosenberg, Farr and Randall. *Anal. Biochem.* **100**: 201
- Petruschka L, Burchhardt G, Muller C, Weihe C, Herrmann H (2001) The *cyo* operon of *Pseudomonas putida* is involved in carbon catabolite repression of phenol degradation. *Mol. Genet. Genomics* **266**:199–206
- Poi SC, Ghosh G, Kabi MC (1989) Response of chickpea (*Cicer arietinum* L.) to combined inoculation with *Rhizobium*, phosphobacteria and mycorrhizal organisms. *Zbl. Microbiol.* **114**: 249–253
- Postma PW, Lengeler JW, Jacobson GR (1993) Phosphoenolpyruvate: carbohydrate phosphotransferase systems of bacteria. *Microbiol. Rev.* **57**: 543-594
- Raghothama KG (1999) Phosphate acquisition. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **50**: 665-693
- Raul R, Velazquez E, Zurdo-Pineiro JL, Mateos PF, Molina EM (2004) Identification of microorganisms by PCR amplification and sequencing of a universal amplified ribosomal region present in both prokaryotes and eukaryotes. *J. Microbiol. Methods* **56**: 413-426
- Remy W, Taylor TN, Hass H, Kerp H (1994) Four hundred-million-year-old vesicular arbuscular mycorrhizae, *Proc. Natl. Acad. Sci. USA* **91**: 11841–11843
- Rentz JA, Alvarez PJJ, Schnoor JL (2004) Repression of *Pseudomonas putida* phenanthrene degrading activity by plant root extracts and exudates. *Environ. Microbiol.* **6**: 574–583
- Reyes I, Bernier L, Simard RR, Antoun H (1999a) Effect of nitrogen source on the solubilization of different inorganic phosphates by an isolate of *Penicillium rugulosum* and two UV-induced mutants. *FEMS Microbiol. Ecol.* **28**: 281-290

- Reyes I, Bernier L, Simard RR, Tanguay P, Antoun H (1999b) Characteristics of phosphate solubilization by an isolate of a tropical *Penicillium rugulosum* and two UV-induced mutants. *FEMS Microbiol. Ecol.* **28**: 291-295
- Richardson AE (1994) Soil micro-organisms and phosphate availability. In: *Soil Biota Management in Sustainable Agriculture*. Eds. CE Pankhurst, BM Doube, VVSR Gupts and PR Grace CSIRO, Melbourne, Australia. pp. 50–62
- Richardson AE, Hadobas PA (1997) Soil isolates of *Pseudomonas* spp. that utilize inositol phosphates. *Can. J. Microbiol.* **43**: 509–516
- Richardson AE (2001) Prospects for using soil microorganisms to improve the acquisition of phosphorus by plants. *Aust. J. Plant Physiol.* **28**: 897–906
- Rodriguez H, Fraga R (1999) Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnol. Adv.* **17**: 319–339
- Rodriguez H, Gonzalez T, Selman G (2000) Expression of a mineral phosphate solubilizing gene from *Erwinia herbicola* in two rhizobacterial strains. *J. Biotechnol.* **84**: 155–161
- Rodriguez H, Fraga R, Gonzalez T, Bashan Y (2006) Genetics of phosphate solubilization and its potential applications for improving plant growth-promoting bacteria. *Plant Soil* **287**: 15–21
- Roos W, Luckner M (1984) Relationships between proton extrusion and fluxes of ammonium ions and organic acid in *Penicillium cyclopium*. *J. Gen. Microbiol.* **130**: 1007–1014
- Rovira AD (1965) Plant root exudates and their influence upon soil microorganisms. In: Baker KF, Snyder WC (eds) *Ecology of soil-borne plant pathogens; prelude to biological control*, Murray, London, pp. 170-186

- Rudolfs W (1922) Influence of sulfur oxidation upon growth of soy beans and its effect on bacterial flora of soil. *Soil Sci.* **14**: 247–262
- Sagoe CI, Ando T, Kouno K, Nagaoka T (1998) Relative importance of protons and solution calcium concentration in phosphate rock dissolution by organic acids. *Soil Sci. Plant Nutr.* **44**: 617–625
- Sambrook J, Russel DW (2001) *Molecular Cloning: A Laboratory Manual*, 3rd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. USA
- Sanders FE, Tinker PB (1973) Phosphate flow into mycorrhizal roots. *Pest.Sci.* **4**: 385–395
- Sarojini V, Verma S, Mathur MS (1989) Biocoenotic association between nitrogen fixing and phosphate solubilizing microorganisms. *Curr. Sci. India* **59**: 1099–1100
- Schreiner RP, Mishra RL, Mc Daniel KL, Benthlenfalvay GJ (2003) Mycorrhizal fungi influence plant and soil functions and interactions. *Plant Soil* **188**: 199–209
- Shachar-Hill Y, Pfeffer PE, Douds D, Osman SF, Doner LW, Ratcliffe RG (1995) Partitioning of intermediary carbon metabolism in vesicular-arbuscular mycorrhizal leeks. *Plant Physiol.* **108**: 7–15
- Sharma V, Kumar V, Archana G, Naresk Kumar G (2005) Substrate specificity of glucose dehydrogenase (GDH) of *Enterobacter asburiae* PSI3 and rock phosphate solubilization with GDH substrates as C sources. *Can. J. Microbiol.* **51**: 477–482
- Singh HP, Singh TA (1993) The interaction of rock phosphate, *Bradyrhizobium*, vesicular arbuscular mycorrhizae and phosphate solubilizing microbes on soybean grown in a sub-Himalyan mollisol. *Mycorrhiza* **4**: 37–43
- Singh S, Kapoor KK (1999) Inoculation with phosphate solubilizing microorganisms and a vesicular arbuscular mycorrhizal fungus improves dry matter yield and nutrient uptake by wheat grown in a sandy soil. *Biol. Fertil. Soils* **28**: 139–144

- Skrary FA, Cameron DC (1998) Purification and characterization of a *Bacillus licheniformis* phosphatase specific for D- α -glycerophosphate. Arch. Biochem. Biophys. **349**: 27–35
- Son CL, Smith SE (1995) Mycorrhizal growth responses: interaction between photon irradiance and phosphorus nutrition. New Phytol. **108**: 305–314
- Sperber JI (1958) The incidence of apatite-solubilizing organisms in the rhizosphere and soil. Aust. J. Agric. Res. **9**: 778–781
- Staijen IE, Marcionelli R, Witholt B (1999) The $P_{alkBFGHJKL}$ Promoter Is under Carbon Catabolite Repression Control in *Pseudomonas oleovorans* but Not in *Escherichia coli alk⁺* Recombinants. J. Bacteriol. **181**: 1610–1616
- Subba Rao NS (1982) In: Advances in Agricultural Microbiology. Ed. NS Subba Rao. Oxford and IBH Publ. Co. pp. 229–305
- Suh SJ, Runyen-Janecky LJ, Maleniak TC, Hager P, MacGregor CH, Zielinski-Mozny NA, Phibbs PV Jr., West SE (2002) Effect of *vfr* mutation on global gene expression and catabolite repression control of *Pseudomonas aeruginosa*. Microbiol. **148**: 1561–1569
- Tandon HLS (1987) Phosphorus Research and Production in India. Fertilizer Development and Consultation Organization New Delhi. pp.160
- Tarafdar JC, Junk A (1987) Phosphatase activity in the rhizosphere and its relation to the depletion of soil organic phosphorus. Biol. Fertil. Soil **3**: 199–204
- Tarafdar JC, Claassen N (1988) Organic phosphorus compounds as a phosphorus source for higher plants through the activity of phosphatases produced by plant roots and microorganisms. Biol. Fertil. Soils **5**: 308–312
- Thaller MC, Berlutti F, Schippa S, Iori P, Passariello C, Rossolini GM (1995) Heterogeneous patterns of acid phosphatases containing low-molecular-mass

- Polipeptides in members of the family *Enterobacteriaceae*. *Int. J. Syst. Bacteriol.* **4**: 255–261
- Theodorou ME, Plaxton WC (1993) Metabolic adaptations of Plant respiration to nutritional phosphate deprivation. *Plant Physiol.* **101**: 339-344
- Thiagrajan TR, Ames RN, Ahmad MH (1992) Response of cowpea (*Vigna unguiculata*) to inoculated with co-selected vesicular arbuscular mycorrhizal fungi and *Rhizobium* strains in field trials. *Can. J. Microbiol.* **38**: 573–576
- Tisdall JM (1994) Possible role of soil microorganisms in aggregation in soils. *Plant Soil* **159**: 115–121
- Torriani-Gorini A (1994) Regulation of phosphate metabolism and transport. In: Torriani-Gorini A, Yagil E, Silver S, editors. *Phosphate in Microorganisms: Cellular and Molecular Biology*. Washington, DC: ASM Press, pp. 1–4
- Trolove SN, Hedley MJ, Kirk GJD, Bolan NS, Loganathan P (2003) Progress in selected areas of rhizosphere research on P acquisition. *Aust. J. Soil Res.* **41**: 471– 499
- Tsay SS, To KY (1987) Citric acid production using immobilized conidia of *Aspergillus niger* TMB 2022. *Biotechnol. Bioeng.* **29**: 297-304
- Vance CP, Graham PH, Allan DL (2000) Biological nitrogen fixation: Phosphorus Ba critical future need? In: FO Pederosa, M Hungria, MG Yates, WE Newton, eds, *Nitrogen Fixation from Molecules to Crop Productivity*. Kluwer Academic Publishers, Dordrecht, The Netherlands, pp 509-518
- Vance CP (2001) Symbiotic Nitrogen Fixation and Phosphorus Acquisition. *Plant Nutrition in a World of Declining Renewable Resources*. *Plant Physiol.* **127**: 390-397
- Van Elsas JD, Van Overbeek LS, Fouchier R (1991) A specific marker pat for studying the fate of introduced bacteria and their DNA in soil using a combination of detection techniques. *Plant Soil* **138**: 49–60

- Van Veen JA, Leonard S, Van Overbeek LS, Van Ellsas JD (1997) Fate and activity of microorganisms introduced into soil. *Microbiol. Mol. Biol. Rev.* **61**: 121–135
- Vassilev N, Franco I, Vassileva M, Azcon R (1996) Improved plant growth with rock phosphate solubilized by *Aspergillus Niger* grown on sugar-beet waste. *Bioresource Technol.* **55**: 237-241
- Vassileva M, Vassilev N, Azcon R (1998) Rock phosphate solubilization by *Aspergillus niger* on olive cake-based medium and its further application in a soil–plant system. *World J. Microbiol. Biotechnol.* **14**:281-284
- Vazquez P, Holguin G, Puente ME, Lopez-Cortez A, Bashan Y (2000) Phosphate-solubilizing microorganisms associated with the rhizosphere of mangroves in a semiarid coastal lagoon. *Biol. Fertil. Soils* **30**: 460–468
- Venkateswarlu B, Rao AV, Raina P, Ahmad N (1984) Evaluation of phosphorus solubilization by microorganisms isolated from arid soil. *J. Ind. Soc. Soil Sci.* **32**: 273–277
- Vessey JK (2003) Plant growth promoting rhizobacteria as biofertilizers. *Plant Soil* **255**: 571–586
- Vig AC, Dev G (1984) Phosphorus adsorption characteristics of some acid and alkaline soils. *J. Ind. Soc. Soil Sci.* **32**: 235–239
- Vora MS, Shelat HN (1998) Impact of addition of different carbon and nitrogen sources on solubilization of rock phosphate by phosphate-solubilizing micro-organisms. *Ind. J. Agr. Sci.* **68**: 292– 294
- Wakelin SA, Warren RA, Harvey PR, Ryder MH (2004) Phosphate solubilization by *Penicillium* spp. closely associated with wheat roots. *Biol. Fertil. Soils* **40**: 36–43
- Wanner BL (1987) Cellular and molecular biology phosphate regulation of gene expression in *E. coli*. In: Niedhardt FC, Ingraham JL, Low KB, Magasanik B,

- Schaechter M, Umberger HE, editors. *Escherichia coli* and *Salmonella typhimurium*. Washington, DC: ASM Press, pp. 1326–1333
- Wanner BL, Chang BD (1987) The *pho* BR operon in *E. coli* K12. *J. Bacteriol.* **169**: 5569–5574
- Wanner BL (1994) Multiple controls of the *Escherichia coli pho* regulon by the Pi sensor Pho R, the catabolic regulatory protein Cre C and acetyl phosphate. In: Phosphate in Micro-organisms: Cellular and Molecular Biology. Eds. A Torriani-Gorrini, E Yagil and S Silver. ASM Press, Washington. pp. 13–21
- Wanner BL (1996) Phosphorus assimilation and control of phosphate regulon. In: *Escherichia coli* and *Salmonella*: Cellular and Molecular Biology. Eds. FC Neidhart, R Curtiss, JL Ingraham, M Schaechter and HE Umberger. ASM Press. Washington. pp. 1357–1381
- Welch SA, Taunton AE, Banfield JF (2002) Effect of microorganisms and microbial metabolites on apatite dissolution. *Geomicrobiol. J.* **19**: 343–367
- Whitelaw MA, Harden TJ, Helyar KR (1999) Phosphate solubilisation in solution culture by the soil fungus *Penicillium radicum*. *Soil Biol. Biochem.* **31**: 655–665
- Whitelaw MA (2000) Growth promotion of plants inoculated with phosphate-solubilizing fungi. *Adv. Agron.* **69**: 100–151
- Willsky GR, Malamy MH (1976) Control of Synthesis of alkaline phosphatase and the phosphate binding protein in *Escherichia coli*. *J. Bacteriol.* **127**: 595–609
- Xu JG, Johnson RL (1995) Root growth, microbial activity and phosphatase activity in oil-contaminated, remediated and uncontaminated soils planted to barley and field pea. *Plant Soil* **173**: 3–10
- Xu RK, Zhu YG, Chittleborough D (2004) Phosphorus release from phosphate rock and an iron phosphate by low-molecular-weight organic acids. *J. Environ. Sci.* **16**: 5–8

- Yadav KS, Dadarwal KR (1997) In: Biotechnological Approaches in Soil Microorganisms for sustainable crop production, Scientific Publishers, Jodhpur, India, pp 293-308
- Yang YT, San KY, Bennett GN (1999a) Metabolic flux analysis of *E. coli* deficient in the acetate production pathway and expressing the *B. subtilis* acetolactate synthase. *Metab. Eng.* **1**: 26-34
- Yang YT, San KY, Bennett GN (1999b) Redistribution of metabolic fluxes in *Escherichia coli* with fermentative lactate dehydro-genase overexpression and deletion. *Metab. Eng.* **1**: 141-152
- Yuste L, Rojo F (2001) Role of the *crc* gene in catabolic repression of the *Pseudomonas putida* GPo1 alkane degradation pathway. *J. Bacteriol.* **183**: 6197–6206
- Zaidi A, Khan MS, Amil M (2003) Interactive effect of rhizotrophic microorganisms on yield and nutrient uptake of chickpea (*Cicer arietinum* L.). *Eur. J. Agron.* **19**: 15–21
- Zaidi A, Khan MS, Aamil M (2004) Bio-associative effect of rhizospheric microorganisms on growth, yield and nutrient uptake of greengram. *J. Plant Nutr.* **27**: 599–610
- Zaidi A, Khan MS (2005) Interactive effect of rhizospheric microorganisms on growth, yield and nutrient uptake of wheat. *J. Plant Nutr.* **28**: 2079–2092
- Zheng Z, Yao S, Lin D (2005) Using a kinetic model that considers cell segregation to optimize hEGF expression in fed-batch cultures of recombinant *Escherichia coli*. *Bioprocess Biosyst. Eng.* **27**: 143–152