

Index

Chapter Number	Chapter Name	Page Number
1	Introduction	1
	1.1 Fragile X-associated tremor/ataxia syndrome (FXTAS)	2
	1.2 Expansion of CGG repeats at 5'UTR of FMR1 gene	3
	1.3 Prevalence	3
	1.4 Molecular mechanisms underlying FXTAS pathology	4
	1.5 Altered miRNA biogenesis in FXTAS	4
	1.6 Subcellular localization of miRNAs	5
	1.7 Mito-miRs can regulate mitochondrial functions	6
	1.8 Mitochondrial dysfunction in premutation	6
2	Review of literature	8
	2.1 FXTAS: an overview of pathology	9
	2.2 Radiological features of FXTAS	9
	2.3 FMR1 mutation: Genetics and molecular mechanisms	12
	2.3.1. Range of expanded CGG repeats and associated pathologies	12
	2.3.1a Normal alleles. ~5-44 repeats	13
	2.3.1b Intermediate alleles. ~45-54 repeats	13
	2.3.1c Premutation alleles. ~55-200 repeats	13
	2.3.1d Full-mutation alleles. > 200 repeats	14
	2.3.2 Pathogenicity induced by expanded CGG repeats	15
	2.4 Fragile X mental retardation protein (FMRP)	16
	2.5 FMRP and translational regulation of mRNAs by miRNA pathway	18
	2.6 miRNA biogenesis pathway dysregulation in FXTAS	19
	2.7 Mitochondria and neurodegeneration	20
	2.8 Mitochondrial dysfunctions in FXTAS	21
	2.9 Emerging mechanisms for mitochondrial dysfunction in FXTAS	24
	2.9.1 Altered zinc transporter function and iron metabolism	24
	2.9.2 Transcription of CGG repeats and RNA gain of function	24
	2.9.3 FMRpolyG protein toxicity	25
	2.9.4 Decreased expression of FMRP	26
	2.10 miRNAs translocation to mitochondria: implications in FXTAS	27
3	Aims and objectives	28
	3.1 Rationale of hypothesis	29
	3.2 Specific objectives	30
4	Materials and methods	31
	4.1 Materials	32
	4.1.1 Cell culture and reagents	32
	4.1.2 Generation of stable cell lines	32
	4.1.3 Kits and reagent	32
	4.1.4 Construct details	33
	4.1.5 FXTAS transgenic mouse model	33
	4.1.6 Patient brain tissue samples	34
	4.2 Methods	34

	4.2.1 Cell death assay and Caspase 3/7 activity	34
	4.2.2 Immunohistochemistry and Confocal Microscopy	34
	4.2.3 Western blotting and antibodies	35
	4.2.4 ATP assay	36
	4.2.5 Membrane Potential	36
	4.2.6 BN-PAGE, Colloidal Coomassie Blue Staining and In-gel activity of mitochondrial respiratory chain complexes	36
	4.2.7 Analysis of relative mtDNA content and mitochondrial transcripts by qPCR	37
	4.2.8 Transfection of mimic	37
	4.2.9 Isolation of mitochondria (MT), mitoplast (MP) and inter membrane space (IMS)	38
	4.2.10 RNase Treatment	38
	4.2.11 miRNAs expression analysis by next generation sequencing and qPCR	38
	4.2.12 Droplet Digital PCR workflow	39
	4.2.13 ROS Estimation	39
	4.2.14 Bioinformatics analysis and validations	40
	4.2.15 Details for primer sequences	40
	4.2.16 Statistical Analysis	41
5-7	Results and discussion	43
5	Expression of expanded CGG repeats of premutation range are cytotoxic in different cell models	43
	5.1 Validation of plasmid constructs used to mimic in vitro FXTAS condition	44
	5.2 Expression of plasmid containing expanded CGG repeats decreases cellular Viability	45
	5.3 FMRpolyG induce caspase activation and increased cell death markers	48
	5.4 Discussion	50
6	FMRpolyG aggregates associate with mitochondria and alters mitochondrial functions	51
	6.1 Expanded CGG repeats translated into toxic protein FMRpolyG and forms intranuclear inclusion	52
	6.2 FMRpolyG forms cytosolic inclusions that interacts with mitochondria	53
	6.3 Expression of FMRpolyG affects mitochondrial functions	56
	6.4 CGG permutation alters mitochondrial supercomplexes assembly and affects respiratory chain complex activity	58
	6.5 FMRpolyG expression alters the level of mitochondrial DNA encoded transcripts	60
	6.6 Discussion	62
7	Expression of expanded FMRI-CGG repeats alters mitochondrial miRNAs and modulates mitochondrial functions and cell death	64
	7.1 Expanded CGG repeats alter miRNAs expression and their association with Mitochondria	65
	7.2 Mito-miR, miR-320a translocates to mitoplast in FXTAS condition	69
	7.3 miR-320a binds to Ago2 and mitochondrial transcripts in mitochondria	73
	7.4 miR-320a improves mitochondrial transcripts levels and mitochondrial functions in FXTAS conditions	77
	7.5 miR-320a improves cell survival in FXTAS condition	78
	7.6 Discussion	80
8	Summary and conclusion	82

	8.1 Summary	83
	8.1.1 FMRpolyG formed via RAN translation of CGG repeats at 5'-UTR of FMR1 gene is pathogenic in FXTAS.	83
	8.1.2 FMRpolyG protein forms small cytosolic aggregates that dynamically interacts with mitochondria and alters mitochondrial functions.	83
	8.1.3 Expression of expanded CGG repeats affects miRNA expression profile in FXTAS.	83
	8.1.4 Expression of expanded CGG repeats affects miRNA expression profile in FXTAS.	83
	8.1.5 Exogenous expression of miR-320a improves mitochondrial function and shows cytoprotective effect in FXTAS condition.	84
	8.2 Conclusion	85
	8.3 Future perspectives	86
	8.4 Limitations of the study	87
9	Bibliography	88
10	List of publications	100
	10.1 Publications from Ph.D. thesis work	101
	10.2 Publications from other associated projects	102
	10.3 Reprints of Published Articles	103