REFERENCE

Agrawal, B.N.P., Das, L.K., Chakraborty, K., and Sivaji, C.H. (1995): Analysis of the Bouguer Anomaly Over Central India, A Regional Perspective. *Memoir Geological Society of India, v-31, pp469-493.*

Atherton, M.P and Tarney, J (1979): Origin of granite batholith, *Shiva Pub.Ltd., Kent, U.K.,*

Bell, T.H. (1985): Deformation partitioning and porphyroblast rotation in metamorphic rocks; a radical reinterpretation, *J. Metamorphic Geol; v-.3,pp109-118.*

Bandopadhaya, B.K, and Roy, Abhinaba and Huin, A.K. (1995): Structure and tectonics of apart of the Central Indian Shield. *Memoir Geological Society of India, no-31, pp433-467.*

Bhattacharya, A., (1986): Some geobarometers involving cordierite in the FeO - Al_2O_3 – SiO_2 ($\pm H_2O$) system: refinements, thermodynamic calibration, and applicability in granulite facies of rocks. *Contributions to Mineralogy and Petrology. v-94. pp 387-394.*

Blanford, W.T. (1869): On the Geology of Tapti and Lower Narbuda Valleys and some adjoining districts. *Memoir, Geological Survey of India*, v-*6. pp 90 - 95.*

Bucher-Nurimen, K. and Droop, G. (1983): The metamorphic evolution of garnet-cordierite-sillimanite gneisses of Gulf C-Complex, Eastern Pennine Alps. *Contributions to Mineralogy and Petrology. v-84. pp 215-227.*

Bhoumik, S.K, Pal T and Pant, N.C. (1999): Evidence of Pre Grenvillian high-pressure metamorphism from northern margin of Sausar mobile belt in Central India.

Chappel, B.W., and White, A.J.R. (1974): Two contrasting granite types. *Pacific Geology. v- 8, pp.173-174.*

Collersion, K.D. (1982): Geochemistry and Rb/Sr geochronology of associated peralkaline and sub alkaline anorogenic granites of Labrador. *Contribution to Mineralogy and Petrology.v-81, pp2981-2994.*

Chatterjee, N.D. and W, Johannes (1974): Thermal Stability of M1 Synthetic Muscovite. *Contribution to Mineralogy and petrology-48, pp89-114.*

Crawford, A.R. (1975): Rb/Sr age determination from Mt Abu Granite and related rocks in Gujarat. *Jour. Geological Society of India, v-16 (1), pp20-28.*

Das, S. and Saha, T. K. (1998): Status of Precambrian granitic rocks in Gujarat. *The Indian Mineralogist*, v-32, pp 40-41.

Das, S. (1998) : Study of Granitic rocks in Champaner Fold Belt, *Unpublished report of Geological Survey of India, Operations Gujarat.* .

Fermor, L. L. (1909): The manganese Ore Deposit of India. *Memoir, Geological Survey of India.* V- xxxviii (2), pp 281-282.

Ferry, J. M. and Spear, F.S. (1978): Experimental calibration of the partitioning of Fe and Mg between biotite and garnet. *Contribution to Mineralogy and Petrology. V-66. pp 113-117.*

Ghosh, S. K. and Chatterjee, A., (1985): Patterns of deformed early lineations over later folds formed by buckling and flattening. *Structural Geology, v- 7, pp 651-666.*

Gopalan, K., Trivedi J. R., Patel, S.G.and Merh, S. S. (1979a): Rb/Sr Age of Godhra Granite, Gujarat, India. *Proc. Ind. Acad. Sc.,* v-88A,*part II,pp 7-17.*

Gopinath, K., Rao, A. D. P., Agrawal G. G. and Krishnaunni, K. (1977): Precambrians of Baroda and Panchmahals Districts. Elucidation of Stratigraphy and Structure. *Records of the Geological Survey of India, v-73, pp 1-52.*

Guha, D.B. and Bhattacharya, A.K :(1995): Metamorphic evolution and High grade reworking of the Sandmata Complex granulites. *Memoir, Geological Society of India. no-31,pp163-198.*

Gupta, S. N., Mathur R. K. and Arora, Y. K. (1992): Lithosratigraphy of the Proterozoic Rocks of Southern Rajasthan and Northern Gujarat. *Records of the Geological Survey of India. v-115, pp 63-85.*

Gupta, B.C. and Mukherji, P.N.(1938): The geology of Gujarat and southern Rajputana. , *Records of the Geological Survey of India v-73,pp163-202.*

Harris, N.B.W.and Inger, S. (1992): Trace element modeling of pelite-derived granites. *Contribution to mineralogy and Petrology.v-110,pp46-56.*

Henson, B.J and Green, D.H: (1971): Experimental study on the stability of cordierite and garnet in pelitic composition. *Contributions to Mineralogy and Petrology. v-94. pp 387-394.*

Henson, B.J and Green, D.H: (1973): Experimental study on the stability of cordierite and garnet in pelitic composition III, synthesis of experimental data. *Contributions to Mineralogy and Petrology. v-94. pp*

Heron, A. M. (1934): Geology of Aravalli Fold Belt. *Memoir Geological Survey Of India, v-LXVIII, part I, pp 50-54.*

Hobson, G.V. (1926): The metamorphic rocks and intrusive granite of Chhota Udepur State. *Records of the Geological Survey of India, v-LIX, pp 304-357.*

Holdaway, M.J and Lee, S. M (1977): Fe-Mg Cordierite stability in high-grade pelitic rocks based on experimental, theoretical and natural observation. *Contributions to Mineralogy and Petrology. v-63. pp 175-198.*

Holdaway M.J., Mukhopadhyay B., Dyar. M.D., Guidotti C.V. and Dutrow B.L. (1997): Garnet biotite geothermometry revised: New Margules parameters and natural specimen data set from Maine. *American Mineralogist. v-82, pp582-595.*

Jambusaria, B.B. (1967): Deformed Greywacke conglomerate of Jaban near Shivrajpur, Panch mahals District, Gujarat. *The Indian Mineralogist, v-8, pp6-10.*

Jambusaria, B.B. (1970): Geology of the area around Shivrajpur (Dist Panchmahals, Gujarat). *Unpublished Ph. D. thesis. M. S University of Baroda.*

Karanth, R.V. and Das, S (2000): Deformational history of the Pre-Champaner Gneissic complex in Chhota Udepur area, Vadodara district, Gujarat. *Indian Journal of Geology. v-72.pp43-54.*

Le Barton, N and Thomson, A.B. (1988): Fluid absent (dehydration) melting of biotite in metapelites in the early stages of crustal anatexis. *Contribution to Mineralogy and Petrology.v-99,pp226-237.*

Merh, S. S. (1995): Geology of Gujarat. *Geol. Soc. India. Text Book Series 10.*

Maithani,P.B, Rathhaiah, Y.V., Varghughese S.K., and Singh, R. (1998): Granites of Zoz area, Baroda District, Gujarat and its economic significance. *Journ. Geol. Soc Ind. V-51, pp201-206.*

Mukhopadhyay, D. and Ghosh, K.P (1980): Deformation of early lineation in the Aravalli rocks around Fatepur, Udaipur district, Sothern Rajasthan, India. *Indian Journal of Earth Sciences. v-7,pp64-75.*

Mamtani, M.A. (1998): Deformational mechanisms of the Lunavada Precambrian rocks, Panchmahals districts Gujarat.*Unpublished Ph.D. thesis, M.S. University of Baroda.*

Moniar, P.D. and Piccoli, P.M. (1989): Tectonic discrimination of Granitoids. *Geol Soc. Am Bull,.v-101,pp635-645.*

Nabalek, P and Russ Nabalek, C. (1992): The generation and crystallisation of Proterozoic Ahrney peak leucogranite, South Dakota, USA. *Contribution to Mineralogy and Petrology.v-110, pp173-191.*

NGRI(1977): Bouger gravity anomaly map of India , *NGRI, Hyderabad. India*

Pearce, J. A. (1984): Trace element discrimination diagram and tectonic interpretation of granitic rocks. *Journal of Petrology. v-125, pp956-983.*

Pal, T and Bhowmik, S.K. (1988): Metamorphic history of Sausar group of rocks of rocks. *Unpublished report of Geological Survey of India.*

Powell, C.A. (1979): A morphological classification of rock cleavage. *Tectonophysics. v-58,pp21-34.*

Narayanswami, S. Chakraborty, and S.C, Vemban, N.A. (1963): The geology of manganese ore deposits of the manganese belt of Madhya Pradesh and adjoining parts of Maharashtra. *Bull, Geol. Survey of India. v-22 (1), p69.*

Radhakrisna, B.P (1986): Suspect tectonostratigraphic terrane elements in the Indian Subcontinent. *J. Geological Society of India, v- 34,pp1-24*

Radhakrisna, B.P and Naqvi, S.M. (1986): Precambrian Continental crust of of India and its evolution. *J. Geological Society of India, v- 94,pp145-166.*

Ramsay, J.G (1967): Folding and fracturing of rocks. *MaGraw-Hill Inc., New York. pp 562-569*

Rama Rao, B. (1931): Geology of Baria State, *Govt of Baria Publications. pp 44-50.*

Rausal, S.H. (1963): The chemical composition and original nature of Dharwar phyllites of Shivrajpur-Bamankuva area. Dist-Panchmahals. Gujarat State. *Proc. Ind Aca. Sc.* v-5, *pp343-353.*

Reddy, A.G.B and Ramakrisna, T.S (1988a): Bouguer gravity atlas of western India (Rajasthan and Gujarat) shield, *Publication Geological Survey of India.*

Reddy, A.G.B and Ramakrisna, T.S (1988b): Subsurface structure of the shield area of Rajasthan-Gujarat as inferred from Gravity, Precambrian of the Aravalli Mountains, Rajasthan, India. *Memoir, Geological Society of India, v-3, pp 279-284*

Roy A. B. (1988): Precambrians of Aravalli Mountains, Rajasthan, India. *Memoir, Geological Society of India No 7. pp 3-32.*

Roychoudhury, M. (1998): Elucidation of Structure and Stratigraphy of Aravalli Supergroup of rocks and search for phosphorites: *Records Geological Survey of India v-131, part.7.pp9-10*

Sarkar, N Trivedi J.R. and Gopalan K. (1986): Rb/Sr whole rock and mineral isochron age of the Tirodi gneiss, Sausar group, Bhandara District, Maharashtra. *J. Geological Society of India, v 27,pp30-37.*

Spear, F. S. (1993): Metamorphic phase equilibria and pressure – temperature – time paths. *Mineralogical Society of America, Washington D. C.*

Spry, A. (1969): Metamorphic Textures., *Pergamon Press, Oxford, series, 350.*

Sinha-Roy, S (2001): Plate tectonics controlled Precambrian Metallotects in Rajasthan: Their role in predictive metallogeny. *Geological Survey of India Special publication v-72,pp11-34.*

Sivkumar, K Maithani P.B. Parthasarathy R.N. and Dwevedi K.K. (1993): Proterozoic rift in Lower Champaners and its bearing on Uranium mineralisation in Panchmahals District Gujarat. *Abs. Annual Convention of Geological Society of India. M.S. University of Baroda.*

Srikarni, C and Das, S.(1996): Stratigraphy and Sedimentation History of Champaner Group, Gujarat, *Journ. Indian Association of Sedimentologists. ,v15, pp93-108.*

Srikarni, C and Das Sanjay. (1999): Elucidation of Geological History of Champaner Fold Belt in parts of Vadodara and Panchmahals districts in Gujarat, *Records of the Geological Survey of India, v-129,pt7,pp11-16.*

Srimal, N and Das, S (1998): On the tectonic affinity of the Champaner Group of rocks, Eastern Gujarat. *Abs. volume, International Seminar on the Precambrian Crustal Evolution of Central and Eastern India. UNESCO– IUGS- IGCP–368. Bhubaneswar. pp227-230.*

Sychanthanthavong, S. P. H. and Desai S. D. (1977): Protoplate Tectonics Controlling The Precambrian Deformations and Metallogenic epochs of north-western Peninsular India. *Miner. Sci.. Engngs.,v- 9, pp 218-237.*

Yardley,B. (1977): An empirical study on diffusion of garnet. *American Mineralogist .v-62, pp793-800.*