

Chapter 10: Bibliography

- (2020). The global, regional, and national burden of inflammatory bowel disease in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet Gastroenterol Hepatol* 5, 17-30.
- Afonina, I.S., Zhong, Z., Karin, M., and Beyaert, R. (2017). Limiting inflammation—the negative regulation of NF-kappaB and the NLRP3 inflammasome. *Nat Immunol* 18, 861-869.
- Ahmed, A.U., Williams, B.R., and Hannigan, G.E. (2015). Transcriptional Activation of Inflammatory Genes: Mechanistic Insight into Selectivity and Diversity. *Biomolecules* 5, 3087-3111.
- Alexander, A., Kim, J., and Walker, C.L. (2010). ATM engages the TSC2/mTORC1 signaling node to regulate autophagy. *Autophagy* 6, 672-673.
- Alvarez, S.E., Harikumar, K.B., Hait, N.C., Allegood, J., Strub, G.M., Kim, E.Y., Maceyka, M., Jiang, H., Luo, C., Kordula, T., *et al.* (2010). Sphingosine-1-phosphate is a missing cofactor for the E3 ubiquitin ligase TRAF2. *Nature* 465, 1084-1088.
- Ardizzoia, A., Lissoni, P., Brivio, F., Tisi, E., Perego, M.S., Grassi, M.G., Pittalis, S., Crispino, S., Barni, S., and Tancini, G. (1992). Tumor necrosis factor in solid tumors: increased blood levels in the metastatic disease. *J Biol Regul Homeost Agents* 6, 103-107.
- Arican, O., Aral, M., Sasmaz, S., and Ciragil, P. (2005). Serum levels of TNF-alpha, IFN-gamma, IL-6, IL-8, IL-12, IL-17, and IL-18 in patients with active psoriasis and correlation with disease severity. *Mediators Inflamm* 2005, 273-279.
- Arnott, C.H., Scott, K.A., Moore, R.J., Hewer, A., Phillips, D.H., Parker, P., Balkwill, F.R., and Owens, D.M. (2002). Tumour necrosis factor-alpha mediates tumour promotion via a PKC alpha- and AP-1-dependent pathway. *Oncogene* 21, 4728-4738.
- Bell, J.L., Malyukova, A., Holien, J.K., Koach, J., Parker, M.W., Kavallaris, M., Marshall, G.M., and Cheung, B.B. (2012). TRIM16 acts as an E3 ubiquitin ligase and can heterodimerize with other TRIM family members. *PLoS One* 7, e37470.
- Biton, S., and Ashkenazi, A. (2011). NEMO and RIP1 control cell fate in response to extensive DNA damage via TNF-alpha feedforward signaling. *Cell* 145, 92-103.
- Boisson, B., Laplantine, E., Dobbs, K., Cobat, A., Tarantino, N., Hazen, M., Lidov, H.G., Hopkins, G., Du, L., Belkadi, A., *et al.* (2015). Human HOIP and LUBAC deficiency underlies autoinflammation, immunodeficiency, amylopectinosis, and lymphangiectasia. *J Exp Med* 212, 939-951.
- Borden, K.L. (1998). RING fingers and B-boxes: zinc-binding protein-protein interaction domains. *Biochem Cell Biol* 76, 351-358.
- Bradley, J.R. (2008). TNF-mediated inflammatory disease. *J Pathol* 214, 149-160.
- Bratton, S.B., Walker, G., Srinivasula, S.M., Sun, X.M., Butterworth, M., Alnemri, E.S., and Cohen, G.M. (2001). Recruitment, activation and retention of caspases-9 and -3 by Apaf-1 apoptosome and associated XIAP complexes. *EMBO J* 20, 998-1009.
- Braumuller, H., Wieder, T., Brenner, E., Assmann, S., Hahn, M., Alkhaled, M., Schilbach, K., Essmann, F., Kneilling, M., Griessinger, C., *et al.* (2013). T-helper-1-cell cytokines drive cancer into senescence. *Nature* 494, 361-365.
- Brinkmann, K., Schell, M., Hoppe, T., and Kashkar, H. (2015). Regulation of the DNA damage response by ubiquitin conjugation. *Front Genet* 6, 98.
- Browning, J.L. (2008). Inhibition of the lymphotoxin pathway as a therapy for autoimmune disease. *Immunol Rev* 223, 202-220.
- Cabrita, M.A., Hobman, T.C., Hogue, D.L., King, K.M., and Cass, C.E. (1999). Mouse transporter protein, a membrane protein that regulates cellular multidrug resistance, is localized to lysosomes. *Cancer Res* 59, 4890-4897.
- Cainarca, S., Messali, S., Ballabio, A., and Meroni, G. (1999). Functional characterization of the Opitz syndrome

- gene product (midin): evidence for homodimerization and association with microtubules throughout the cell cycle. *Hum Mol Genet* **8**, 1387-1396.
- Caratozzolo, M.F., Micale, L., Turturo, M.G., Cornacchia, S., Fusco, C., Marzano, F., Augello, B., D'Erchia, A.M., Guerrini, L., Pesole, G., *et al.* (2012). TRIM8 modulates p53 activity to dictate cell cycle arrest. *Cell Cycle* **11**, 511-523.
- Caratozzolo, M.F., Valletti, A., Gigante, M., Aiello, I., Mastropasqua, F., Marzano, F., Ditunno, P., Carrieri, G., Simonnet, H., D'Erchia, A.M., *et al.* (2014). TRIM8 anti-proliferative action against chemo-resistant renal cell carcinoma. *Oncotarget* **5**, 7446-7457.
- Carthagen, L., Bergamaschi, A., Luna, J.M., David, A., Uchil, P.D., Margottin-Goguet, F., Mothes, W., Hazan, U., Transy, C., Pancino, G., *et al.* (2009). Human TRIM gene expression in response to interferons. *PLoS One* **4**, e4894.
- Chauhan, S., Kumar, S., Jain, A., Ponpuak, M., Mudd, M.H., Kimura, T., Choi, S.W., Peters, R., Mandell, M., Bruun, J.A., *et al.* (2016). TRIMs and Galectins Globally Cooperate and TRIM16 and Galectin-3 Co-direct Autophagy in Endomembrane Damage Homeostasis. *Dev Cell* **39**, 13-27.
- Chelbi-Alix, M.K., Quignon, F., Pelicano, L., Koken, M.H., and de The, H. (1998). Resistance to virus infection conferred by the interferon-induced promyelocytic leukemia protein. *J Virol* **72**, 1043-1051.
- Cheng, Y., Yan, Z., Liu, Y., Liang, C., Xia, H., Feng, J., Zheng, G., and Luo, H. (2014). Analysis of DNA methylation patterns associated with the gastric cancer genome. *Oncol Lett* **7**, 1021-1026.
- Chittaranjan, S., Bortnik, S., and Gorski, S.M. (2015). Monitoring Autophagic Flux by Using Lysosomal Inhibitors and Western Blotting of Endogenous MAP1LC3B. *Cold Spring Harb Protoc* **2015**, 743-750.
- Chua, J.P., Reddy, S.L., Merry, D.E., Adachi, H., Katsuno, M., Sobue, G., Robins, D.M., and Lieberman, A.P. (2014). Transcriptional activation of TFEB/ZKSCAN3 target genes underlies enhanced autophagy in spinobulbar muscular atrophy. *Hum Mol Genet* **23**, 1376-1386.
- Colleran, A., Ryan, A., O'Gorman, A., Mureau, C., Liptrot, C., Dockery, P., Fearnhead, H., and Egan, L.J. (2011). Autophagosomal I κ B α degradation plays a role in the long term control of tumor necrosis factor- α -induced nuclear factor- κ B (NF- κ B) activity. *J Biol Chem* **286**, 22886-22893.
- Copetti, T., Bertoli, C., Dalla, E., Demarchi, F., and Schneider, C. (2009). p65/RelA modulates BECN1 transcription and autophagy. *Mol Cell Biol* **29**, 2594-2608.
- Criollo, A., Chereau, F., Malik, S.A., Niso-Santano, M., Marino, G., Galluzzi, L., Maiuri, M.C., Baud, V., and Kroemer, G. (2012). Autophagy is required for the activation of NF κ B. *Cell Cycle* **11**, 194-199.
- Croft, M., and Siegel, R.M. (2017). Beyond TNF: TNF superfamily cytokines as targets for the treatment of rheumatic diseases. *Nat Rev Rheumatol* **13**, 217-233.
- Curnis, F., Sacchi, A., Borgna, L., Magni, F., Gasparri, A., and Corti, A. (2000). Enhancement of tumor necrosis factor α antitumor immunotherapeutic properties by targeted delivery to aminopeptidase N (CD13). *Nat Biotechnol* **18**, 1185-1190.
- D'Cruz, A.A., Babon, J.J., Norton, R.S., Nicola, N.A., and Nicholson, S.E. (2013). Structure and function of the SPRY/B30.2 domain proteins involved in innate immunity. *Protein Sci* **22**, 1-10.
- Day, T.W., Wu, C.H., and Safa, A.R. (2009). Etoposide induces protein kinase C δ and caspase-3-dependent apoptosis in neuroblastoma cancer cells. *Mol Pharmacol* **76**, 632-640.
- Deshaies, R.J., and Joazeiro, C.A. (2009). RING domain E3 ubiquitin ligases. *Annu Rev Biochem* **78**, 399-434.
- Deveraux, Q.L., Takahashi, R., Salvesen, G.S., and Reed, J.C. (1997). X-linked IAP is a direct inhibitor of cell-death proteases. *Nature* **388**, 300-304.

- Devin, A., Cook, A., Lin, Y., Rodriguez, Y., Kelliher, M., and Liu, Z. (2000). The distinct roles of TRAF2 and RIP in IKK activation by TNF-R1: TRAF2 recruits IKK to TNF-R1 while RIP mediates IKK activation. *Immunity* *12*, 419-429.
- Djavaheri-Mergny, M., Amelotti, M., Mathieu, J., Besancon, F., Bauvy, C., and Codogno, P. (2007). Regulation of autophagy by NF-kappaB transcription factor and reactive oxygen species. *Autophagy* *3*, 390-392.
- Eliopoulos, A.G., Havaki, S., and Gorgoulis, V.G. (2016). DNA Damage Response and Autophagy: A Meaningful Partnership. *Front Genet* *7*, 204.
- Erol, A. (2011). Genotoxic stress-mediated cell cycle activities for the decision of cellular fate. *Cell Cycle* *10*, 3239-3248.
- Esposito, D., Koliopoulos, M.G., and Rittinger, K. (2017). Structural determinants of TRIM protein function. *Biochem Soc Trans* *45*, 183-191.
- Fagerlund, R., Kinnunen, L., Kohler, M., Julkunen, I., and Melen, K. (2005). NF-kappaB is transported into the nucleus by importin alpha3 and importin alpha4. *J Biol Chem* *280*, 15942-15951.
- Fan, Y., Yu, Y., Shi, Y., Sun, W., Xie, M., Ge, N., Mao, R., Chang, A., Xu, G., Schneider, M.D., et al. (2010). Lysine 63-linked polyubiquitination of TAK1 at lysine 158 is required for tumor necrosis factor alpha- and interleukin-1beta-induced IKK/NF-kappaB and JNK/AP-1 activation. *J Biol Chem* *285*, 5347-5360.
- Feng, L., and Chen, J. (2012). The E3 ligase RNF8 regulates KU80 removal and NHEJ repair. *Nat Struct Mol Biol* *19*, 201-206.
- Franks, A.L., and Slansky, J.E. (2012). Multiple associations between a broad spectrum of autoimmune diseases, chronic inflammatory diseases and cancer. *Anticancer Res* *32*, 1119-1136.
- Garcia-Martinez, C., Lopez-Soriano, F.J., and Argiles, J.M. (1993). Acute treatment with tumour necrosis factor-alpha induces changes in protein metabolism in rat skeletal muscle. *Mol Cell Biochem* *125*, 11-18.
- Gholkar, A.A., Senese, S., Lo, Y.C., Vides, E., Contreras, E., Hodara, E., Capri, J., Whitelegge, J.P., and Torres, J.Z. (2016). The X-Linked-Intellectual-Disability-Associated Ubiquitin Ligase Mid2 Interacts with Astrin and Regulates Astrin Levels to Promote Cell Division. *Cell Rep* *14*, 180-188.
- Grivennikov, S.I., Greten, F.R., and Karin, M. (2010). Immunity, inflammation, and cancer. *Cell* *140*, 883-899.
- Haas, T.L., Emmerich, C.H., Gerlach, B., Schmukle, A.C., Cordier, S.M., Rieser, E., Feltham, R., Vince, J., Warnken, U., Wenger, T., et al. (2009). Recruitment of the linear ubiquitin chain assembly complex stabilizes the TNF-R1 signaling complex and is required for TNF-mediated gene induction. *Mol Cell* *36*, 831-844.
- Ham, B., Fernandez, M.C., D'Costa, Z., and Brodt, P. (2016). The diverse roles of the TNF axis in cancer progression and metastasis. *Trends Cancer Res* *11*, 1-27.
- Hanahan, D., and Weinberg, R.A. (2011). Hallmarks of cancer: the next generation. *Cell* *144*, 646-674.
- Hatakeyama, S. (2017). TRIM Family Proteins: Roles in Autophagy, Immunity, and Carcinogenesis. *Trends Biochem Sci* *42*, 297-311.
- Hayden, M.S., and Ghosh, S. (2008). Shared principles in NF-kappaB signaling. *Cell* *132*, 344-362.
- Hayden, M.S., and Ghosh, S. (2014). Regulation of NF-kappaB by TNF family cytokines. *Semin Immunol* *26*, 253-266.
- Herro, R., and Croft, M. (2016). The control of tissue fibrosis by the inflammatory molecule LIGHT (TNF Superfamily member 14). *Pharmacol Res* *104*, 151-155.
- Holbrook, J., Lara-Reyna, S., Jarosz-Griffiths, H., and McDermott, M. (2019). Tumour necrosis factor signalling in health and disease. *F1000Res* *8*.
- Hou, W., Han, J., Lu, C., Goldstein, L.A., and Rabinowich, H. (2010). Autophagic degradation of active caspase-8: a crosstalk mechanism between autophagy and apoptosis. *Autophagy* *6*, 891-900.

- Hu, M.M., Liao, C.Y., Yang, Q., Xie, X.Q., and Shu, H.B. (2017). Innate immunity to RNA virus is regulated by temporal and reversible sumoylation of RIG-I and MDA5. *J Exp Med* *214*, 973-989.
- Hu, M.M., and Shu, H.B. (2017). Multifaceted roles of TRIM38 in innate immune and inflammatory responses. *Cell Mol Immunol* *14*, 331-338.
- Hu, M.M., Yang, Q., Xie, X.Q., Liao, C.Y., Lin, H., Liu, T.T., Yin, L., and Shu, H.B. (2016). Sumoylation Promotes the Stability of the DNA Sensor cGAS and the Adaptor STING to Regulate the Kinetics of Response to DNA Virus. *Immunity* *45*, 555-569.
- Hu, M.M., Yang, Q., Zhang, J., Liu, S.M., Zhang, Y., Lin, H., Huang, Z.F., Wang, Y.Y., Zhang, X.D., Zhong, B., *et al.* (2014). TRIM38 inhibits TNF α - and IL-1 β -triggered NF- κ B activation by mediating lysosome-dependent degradation of TAB2/3. *Proc Natl Acad Sci U S A* *111*, 1509-1514.
- Huang, B., and Baek, S.H. (2017). Trim13 Potentiates Toll-Like Receptor 2-Mediated Nuclear Factor κ B Activation via K29-Linked Polyubiquitination of Tumor Necrosis Factor Receptor-Associated Factor 6. *Mol Pharmacol* *91*, 307-316.
- Ikeda, F., and Dikic, I. (2008). Atypical ubiquitin chains: new molecular signals. 'Protein Modifications: Beyond the Usual Suspects' review series. *EMBO Rep* *9*, 536-542.
- Jamil, S., Lam, I., Majd, M., Tsai, S.H., and Duronio, V. (2015). Etoposide induces cell death via mitochondrial-dependent actions of p53. *Cancer Cell Int* *15*, 79.
- Ji, C.H., Kim, H.Y., Heo, A.J., Lee, S.H., Lee, M.J., Kim, S.B., Srinivasrao, G., Mun, S.R., Cha-Molstad, H., Ciechanover, A., *et al.* (2019). The N-Degron Pathway Mediates ER-phagy. *Mol Cell* *75*, 1058-1072 e1059.
- Jia, P., and Zhao, Z. (2019). Characterization of Tumor-Suppressor Gene Inactivation Events in 33 Cancer Types. *Cell Rep* *26*, 496-506 e493.
- Jiang, M.X., Hong, X., Liao, B.B., Shi, S.Z., Lai, X.F., Zheng, H.Y., Xie, L., Wang, Y., Wang, X.L., Xin, H.B., *et al.* (2017). Expression profiling of TRIM protein family in THP1-derived macrophages following TLR stimulation. *Sci Rep* *7*, 42781.
- Joazeiro, C.A., and Weissman, A.M. (2000). RING finger proteins: mediators of ubiquitin ligase activity. *Cell* *102*, 549-552.
- Kalliolias, G.D., and Ivashkiv, L.B. (2016). TNF biology, pathogenic mechanisms and emerging therapeutic strategies. *Nat Rev Rheumatol* *12*, 49-62.
- Kanety, H., Feinstein, R., Papa, M.Z., Hemi, R., and Karasik, A. (1995). Tumor necrosis factor α -induced phosphorylation of insulin receptor substrate-1 (IRS-1). Possible mechanism for suppression of insulin-stimulated tyrosine phosphorylation of IRS-1. *J Biol Chem* *270*, 23780-23784.
- Kang, C., Xu, Q., Martin, T.D., Li, M.Z., Demaria, M., Aron, L., Lu, T., Yankner, B.A., Campisi, J., and Elledge, S.J. (2015). The DNA damage response induces inflammation and senescence by inhibiting autophagy of GATA4. *Science* *349*, aaa5612.
- Katerinaki, E., Evans, G.S., Lorigan, P.C., and MacNeil, S. (2003). TNF- α increases human melanoma cell invasion and migration in vitro: the role of proteolytic enzymes. *Br J Cancer* *89*, 1123-1129.
- Kemp, W.L., Brown, T.G., and Burns, D.K. (2013). Pathology : the big picture.
- Kimura, S., Noda, T., and Yoshimori, T. (2007). Dissection of the autophagosome maturation process by a novel reporter protein, tandem fluorescent-tagged LC3. *Autophagy* *3*, 452-460.
- Kimura, T., Jain, A., Choi, S.W., Mandell, M.A., Johansen, T., and Deretic, V. (2016a). TRIM-Directed Selective Autophagy Regulates Immune Activation. *Autophagy*, 0.
- Kimura, T., Jain, A., Choi, S.W., Mandell, M.A., Schroder, K., Johansen, T., and Deretic, V. (2015). TRIM-mediated precision autophagy targets cytoplasmic regulators of innate immunity. *J Cell Biol* *210*, 973-989.

- Kimura, T., Mandell, M., and Deretic, V. (2016b). Precision autophagy directed by receptor regulators - emerging examples within the TRIM family. *J Cell Sci* 129, 881-891.
- Kingston, R.E., Chen, C.A., and Rose, J.K. (2003). Calcium phosphate transfection. *Curr Protoc Mol Biol Chapter 9*, Unit 9 1.
- Kitada, T., Asakawa, S., Hattori, N., Matsumine, H., Yamamura, Y., Minoshima, S., Yokochi, M., Mizuno, Y., and Shimizu, N. (1998). Mutations in the parkin gene cause autosomal recessive juvenile parkinsonism. *Nature* 392, 605-608.
- Koliopoulos, M.G., Esposito, D., Christodoulou, E., Taylor, I.A., and Rittinger, K. (2016). Functional role of TRIM E3 ligase oligomerization and regulation of catalytic activity. *EMBO J* 35, 1204-1218.
- Komander, D., and Rape, M. (2012). The ubiquitin code. *Annu Rev Biochem* 81, 203-229.
- Kozakova, L., Vondrova, L., Stejskal, K., Charalabous, P., Kolesar, P., Lehmann, A.R., Uldrijan, S., Sanderson, C.M., Zdrahal, Z., and Palecek, J.J. (2015). The melanoma-associated antigen 1 (MAGEA1) protein stimulates the E3 ubiquitin-ligase activity of TRIM31 within a TRIM31-MAGEA1-NSE4 complex. *Cell Cycle* 14, 920-930.
- Kumar, S., Chauhan, S., Jain, A., Ponpuak, M., Choi, S.W., Mudd, M., Peters, R., Mandell, M.A., Johansen, T., and Deretic, V. (2017). Galectins and TRIMs directly interact and orchestrate autophagic response to endomembrane damage. *Autophagy* 13, 1086-1087.
- Kundu, M., and Thompson, C.B. (2008). Autophagy: basic principles and relevance to disease. *Annu Rev Pathol* 3, 427-455.
- Kwon, Y.T., and Ciechanover, A. (2017). The Ubiquitin Code in the Ubiquitin-Proteasome System and Autophagy. *Trends Biochem Sci* 42, 873-886.
- Kyriakou, A., Patsatsi, A., Vyzantiadis, T.A., and Sotiriadis, D. (2014). Serum levels of TNF-alpha, IL-12/23p40, and IL-17 in plaque psoriasis and their correlation with disease severity. *J Immunol Res* 2014, 467541.
- Lan, Y.Y., Londono, D., Bouley, R., Rooney, M.S., and Hacohen, N. (2014). Dnase2a deficiency uncovers lysosomal clearance of damaged nuclear DNA via autophagy. *Cell Rep* 9, 180-192.
- Lecoq, L., Raiola, L., Chabot, P.R., Cyr, N., Arseneault, G., Legault, P., and Omichinski, J.G. (2017). Structural characterization of interactions between transactivation domain 1 of the p65 subunit of NF-kappaB and transcription regulatory factors. *Nucleic Acids Res* 45, 5564-5576.
- Lee, E.Y., and Muller, W.J. (2010). Oncogenes and tumor suppressor genes. *Cold Spring Harb Perspect Biol* 2, a003236.
- Lee, O.H., Lee, J., Lee, K.H., Woo, Y.M., Kang, J.H., Yoon, H.G., Bae, S.K., Songyang, Z., Oh, S.H., and Choi, Y. (2015). Role of the focal adhesion protein TRIM15 in colon cancer development. *Biochim Biophys Acta* 1853, 409-421.
- Levine, B., and Abrams, J. (2008). p53: The Janus of autophagy? *Nat Cell Biol* 10, 637-639.
- Li, Q., Yan, J., Mao, A.P., Li, C., Ran, Y., Shu, H.B., and Wang, Y.Y. (2011). Tripartite motif 8 (TRIM8) modulates TNFalpha- and IL-1beta-triggered NF-kappaB activation by targeting TAK1 for K63-linked polyubiquitination. *Proc Natl Acad Sci U S A* 108, 19341-19346.
- Li, T., Fan, J., Wang, B., Traugh, N., Chen, Q., Liu, J.S., Li, B., and Liu, X.S. (2017). TIMER: A Web Server for Comprehensive Analysis of Tumor-Infiltrating Immune Cells. *Cancer Res* 77, e108-e110.
- Li, Y., Wu, H., Wu, W., Zhuo, W., Liu, W., Zhang, Y., Cheng, M., Chen, Y.G., Gao, N., Yu, H., et al. (2014). Structural insights into the TRIM family of ubiquitin E3 ligases. *Cell Res* 24, 762-765.
- Lin, F., Ghislat, G., Luo, S., Renna, M., Siddiqi, F., and Rubinsztein, D.C. (2015). XIAP and cIAP1 amplifications induce Beclin 1-dependent autophagy through NFkappaB activation. *Hum Mol Genet* 24, 2899-2913.

- Liu, T., Zhang, L., Joo, D., and Sun, S.C. (2017). NF-kappaB signaling in inflammation. *Signal Transduct Target Ther* 2.
- Lizzul, P.F., Aphale, A., Malaviya, R., Sun, Y., Masud, S., Dombrovskiy, V., and Gottlieb, A.B. (2005). Differential expression of phosphorylated NF-kappaB/RelA in normal and psoriatic epidermis and downregulation of NF-kappaB in response to treatment with etanercept. *J Invest Dermatol* 124, 1275-1283.
- Lotzer, K., Dopping, S., Connert, S., Grabner, R., Spanbroek, R., Lemser, B., Beer, M., Hildner, M., Hehlgans, T., van der Wall, M., *et al.* (2010). Mouse aorta smooth muscle cells differentiate into lymphoid tissue organizer-like cells on combined tumor necrosis factor receptor-1/lymphotoxin beta-receptor NF-kappaB signaling. *Arterioscler Thromb Vasc Biol* 30, 395-402.
- Lu, M., Lin, S.C., Huang, Y., Kang, Y.J., Rich, R., Lo, Y.C., Myszka, D., Han, J., and Wu, H. (2007). XIAP induces NF-kappaB activation via the BIR1/TAB1 interaction and BIR1 dimerization. *Mol Cell* 26, 689-702.
- Maeda, M., Watanabe, N., Neda, H., Yamauchi, N., Okamoto, T., Sasaki, H., Tsuji, Y., Akiyama, S., Tsuji, N., and Niitsu, Y. (1992). Serum tumor necrosis factor activity in inflammatory bowel disease. *Immunopharmacol Immunotoxicol* 14, 451-461.
- Mallette, F.A., and Richard, S. (2012). K48-linked ubiquitination and protein degradation regulate 53BP1 recruitment at DNA damage sites. *Cell Res* 22, 1221-1223.
- Mandell, M.A., Jain, A., Arko-Mensah, J., Chauhan, S., Kimura, T., Dinkins, C., Silvestri, G., Munch, J., Kirchhoff, F., Simonsen, A., *et al.* (2014). TRIM proteins regulate autophagy and can target autophagic substrates by direct recognition. *Dev Cell* 30, 394-409.
- Marin, I. (2012). Origin and diversification of TRIM ubiquitin ligases. *PLoS One* 7, e50030.
- Medzhitov, R. (2008). Origin and physiological roles of inflammation. *Nature* 454, 428-435.
- Meroni, G., and Diez-Roux, G. (2005). TRIM/RBCC, a novel class of 'single protein RING finger' E3 ubiquitin ligases. *Bioessays* 27, 1147-1157.
- Metzger, M.B., Pruneda, J.N., Klevit, R.E., and Weissman, A.M. (2014). RING-type E3 ligases: master manipulators of E2 ubiquitin-conjugating enzymes and ubiquitination. *Biochim Biophys Acta* 1843, 47-60.
- Micale, L., Fusco, C., Fontana, A., Barbano, R., Augello, B., De Nittis, P., Copetti, M., Pellico, M.T., Mandriani, B., Cocciadiferro, D., *et al.* (2015). TRIM8 downregulation in glioma affects cell proliferation and it is associated with patients survival. *BMC Cancer* 15, 470.
- Michalaki, V., Syrigos, K., Charles, P., and Waxman, J. (2004). Serum levels of IL-6 and TNF-alpha correlate with clinicopathological features and patient survival in patients with prostate cancer. *Br J Cancer* 90, 2312-2316.
- Mizushima, N. (2007). Autophagy: process and function. *Genes Dev* 21, 2861-2873.
- Moore, R.J., Owens, D.M., Stamp, G., Arnott, C., Burke, F., East, N., Holdsworth, H., Turner, L., Rollins, B., Pasparakis, M., *et al.* (1999). Mice deficient in tumor necrosis factor-alpha are resistant to skin carcinogenesis. *Nat Med* 5, 828-831.
- Moriwaki, K., Bertin, J., Gough, P.J., Orłowski, G.M., and Chan, F.K. (2015). Differential roles of RIPK1 and RIPK3 in TNF-induced necroptosis and chemotherapeutic agent-induced cell death. *Cell Death Dis* 6, e1636.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Methods* 65, 55-63.
- Napolitano, L.M., and Meroni, G. (2012). TRIM family: Pleiotropy and diversification through homomultimer and heteromultimer formation. *IUBMB Life* 64, 64-71.

- Nelson, D.E., Ihekweba, A.E., Elliott, M., Johnson, J.R., Gibney, C.A., Foreman, B.E., Nelson, G., See, V., Horton, C.A., Spiller, D.G., *et al.* (2004). Oscillations in NF-kappaB signaling control the dynamics of gene expression. *Science* *306*, 704-708.
- Nguyen, T.N., Padman, B.S., and Lazarou, M. (2016). Deciphering the Molecular Signals of PINK1/Parkin Mitophagy. *Trends Cell Biol* *26*, 733-744.
- Niu, J., Shi, Y., Iwai, K., and Wu, Z.H. (2011). LUBAC regulates NF-kappaB activation upon genotoxic stress by promoting linear ubiquitination of NEMO. *EMBO J* *30*, 3741-3753.
- Oeckinghaus, A., and Ghosh, S. (2009). The NF-kappaB family of transcription factors and its regulation. *Cold Spring Harb Perspect Biol* *1*, a000034.
- Ohman, T., Rintahaka, J., Kalkkinen, N., Matikainen, S., and Nyman, T.A. (2009). Actin and RIG-I/MAVS signaling components translocate to mitochondria upon influenza A virus infection of human primary macrophages. *J Immunol* *182*, 5682-5692.
- Okumura, F., Matsunaga, Y., Katayama, Y., Nakayama, K.I., and Hatakeyama, S. (2010). TRIM8 modulates STAT3 activity through negative regulation of PIAS3. *J Cell Sci* *123*, 2238-2245.
- Pacis, A., Mailhot-Leonard, F., Tailleur, L., Randolph, H.E., Yotova, V., Dumaine, A., Grenier, J.C., and Barreiro, L.B. (2019). Gene activation precedes DNA demethylation in response to infection in human dendritic cells. *Proc Natl Acad Sci U S A* *116*, 6938-6943.
- Pahl, H.L. (1999). Activators and target genes of Rel/NF-kappaB transcription factors. *Oncogene* *18*, 6853-6866.
- Pankiv, S., Clausen, T.H., Lamark, T., Brech, A., Bruun, J.A., Outzen, H., Overvatn, A., Bjorkoy, G., and Johansen, T. (2007). p62/SQSTM1 binds directly to Atg8/LC3 to facilitate degradation of ubiquitinated protein aggregates by autophagy. *J Biol Chem* *282*, 24131-24145.
- Papin, S., Cuenin, S., Agostini, L., Martinon, F., Werner, S., Beer, H.D., Grutter, C., Grutter, M., and Tschopp, J. (2007). The SPRY domain of Pyrin, mutated in familial Mediterranean fever patients, interacts with inflammasome components and inhibits proIL-1beta processing. *Cell Death Differ* *14*, 1457-1466.
- Petersen, S.L., Chen, T.T., Lawrence, D.A., Marsters, S.A., Gonzalez, F., and Ashkenazi, A. (2015). TRAF2 is a biologically important necroptosis suppressor. *Cell Death Differ* *22*, 1846-1857.
- Pickart, C.M., and Eddins, M.J. (2004). Ubiquitin: structures, functions, mechanisms. *Biochim Biophys Acta* *1695*, 55-72.
- Plomgaard, P., Nielsen, A.R., Fischer, C.P., Mortensen, O.H., Broholm, C., Penkowa, M., Krogh-Madsen, R., Erikstrup, C., Lindgaard, B., Petersen, A.M., *et al.* (2007). Associations between insulin resistance and TNF-alpha in plasma, skeletal muscle and adipose tissue in humans with and without type 2 diabetes. *Diabetologia* *50*, 2562-2571.
- Polewska, J., Skwarska, A., Augustin, E., and Konopa, J. (2013). DNA-damaging imidazoacridinone C-1311 induces autophagy followed by irreversible growth arrest and senescence in human lung cancer cells. *J Pharmacol Exp Ther* *346*, 393-405.
- Prabakaran, S., Lippens, G., Steen, H., and Gunawardena, J. (2012). Post-translational modification: nature's escape from genetic imprisonment and the basis for dynamic information encoding. *Wiley Interdiscip Rev Syst Biol Med* *4*, 565-583.
- Pusztai, L., Lewis, C.E., and McGee, J.O. (1993). Growth arrest of the breast cancer cell line, T47D, by TNF alpha; cell cycle specificity and signal transduction. *Br J Cancer* *67*, 290-296.
- Qiang, L., Wu, C., Ming, M., Viollet, B., and He, Y.Y. (2013). Autophagy controls p38 activation to promote cell survival under genotoxic stress. *J Biol Chem* *288*, 1603-1611.

- Rajsbaum, R., Garcia-Sastre, A., and Versteeg, G.A. (2014a). TRIM E3-ubiquitin ligase family in innate antiviral immunity. *J Mol Biol* *426*, 1265-1284.
- Rajsbaum, R., Stoye, J.P., and O'Garra, A. (2008). Type I interferon-dependent and -independent expression of tripartite motif proteins in immune cells. *Eur J Immunol* *38*, 619-630.
- Rajsbaum, R., Versteeg, G.A., Schmid, S., Maestre, A.M., Belicha-Villanueva, A., Martinez-Romero, C., Patel, J.R., Morrison, J., Pisanelli, G., Miorin, L., *et al.* (2014b). Unanchored K48-linked polyubiquitin synthesized by the E3-ubiquitin ligase TRIM6 stimulates the interferon-IKKEpsilon kinase-mediated antiviral response. *Immunity* *40*, 880-895.
- Ran, F.A., Hsu, P.D., Wright, J., Agarwala, V., Scott, D.A., and Zhang, F. (2013). Genome engineering using the CRISPR-Cas9 system. *Nat Protoc* *8*, 2281-2308.
- Rape, M. (2018). Ubiquitylation at the crossroads of development and disease. *Nat Rev Mol Cell Biol* *19*, 59-70.
- Reiley, W.W., Jin, W., Lee, A.J., Wright, A., Wu, X., Tewalt, E.F., Leonard, T.O., Norbury, C.C., Fitzpatrick, L., Zhang, M., *et al.* (2007). Deubiquitinating enzyme CYLD negatively regulates the ubiquitin-dependent kinase Tak1 and prevents abnormal T cell responses. *J Exp Med* *204*, 1475-1485.
- Reymond, A., Meroni, G., Fantozzi, A., Merla, G., Cairo, S., Luzi, L., Riganelli, D., Zanaria, E., Messali, S., Cainarca, S., *et al.* (2001). The tripartite motif family identifies cell compartments. *EMBO J* *20*, 2140-2151.
- Rhodes, D.R., Yu, J., Shanker, K., Deshpande, N., Varambally, R., Ghosh, D., Barrette, T., Pandey, A., and Chinnaiyan, A.M. (2004). ONCOMINE: a cancer microarray database and integrated data-mining platform. *Neoplasia* *6*, 1-6.
- Riedl, S.J., Ratus, M., Schwarzenbacher, R., Zhou, Q., Sun, C., Fesik, S.W., Liddington, R.C., and Salvesen, G.S. (2001). Structural basis for the inhibition of caspase-3 by XIAP. *Cell* *104*, 791-800.
- Rodriguez-Rocha, H., Garcia-Garcia, A., Panayiotidis, M.I., and Franco, R. (2011). DNA damage and autophagy. *Mutat Res* *711*, 158-166.
- Roos, W.P., and Kaina, B. (2006). DNA damage-induced cell death by apoptosis. *Trends Mol Med* *12*, 440-450.
- Roos, W.P., and Kaina, B. (2013). DNA damage-induced cell death: from specific DNA lesions to the DNA damage response and apoptosis. *Cancer Lett* *332*, 237-248.
- Roy, M., Tomar, D., Singh, K., Lakshmi, S., Prajapati, P., Bhatelia, K., Gohel, D., and Singh, R. (2018). TRIM8 regulated autophagy modulates the level of cleaved Caspase-3 subunit to inhibit genotoxic stress induced cell death. *Cell Signal* *48*, 1-12.
- Ryden, M., Arvidsson, E., Blomqvist, L., Perbeck, L., Dicker, A., and Arner, P. (2004). Targets for TNF-alpha-induced lipolysis in human adipocytes. *Biochem Biophys Res Commun* *318*, 168-175.
- Ryter, S.W., Cloonan, S.M., and Choi, A.M. (2013). Autophagy: a critical regulator of cellular metabolism and homeostasis. *Mol Cells* *36*, 7-16.
- Salminen, A., Hyttinen, J.M., Kauppinen, A., and Kaarniranta, K. (2012). Context-Dependent Regulation of Autophagy by IKK-NF-kappaB Signaling: Impact on the Aging Process. *Int J Cell Biol* *2012*, 849541.
- Sanchez, J.G., Okreglicka, K., Chandrasekaran, V., Welker, J.M., Sundquist, W.I., and Pornillos, O. (2014). The tripartite motif coiled-coil is an elongated antiparallel hairpin dimer. *Proc Natl Acad Sci U S A* *111*, 2494-2499.
- Sardiello, M., Cairo, S., Fontanella, B., Ballabio, A., and Meroni, G. (2008). Genomic analysis of the TRIM family reveals two groups of genes with distinct evolutionary properties. *BMC Evol Biol* *8*, 225.
- Sato, W., Ikeda, K., Urano, T., Abe, Y., Nakasato, N., Horie-Inoue, K., Takeda, S., and Inoue, S. (2018). Efp promotes in vitro and in vivo growth of endometrial cancer cells along with the activation of nuclear factor-kappaB signaling. *PLoS One* *13*, e0208351.

- Sawai, H. (2014). Characterization of TNF-induced caspase-independent necroptosis. *Leuk Res* 38, 706-713.
- Schreiber, S., Nikolaus, S., and Hampe, J. (1998). Activation of nuclear factor kappa B inflammatory bowel disease. *Gut* 42, 477-484.
- Schwenzer, R., Siemienski, K., Liptay, S., Schubert, G., Peters, N., Scheurich, P., Schmid, R.M., and Wajant, H. (1999). The human tumor necrosis factor (TNF) receptor-associated factor 1 gene (TRAF1) is up-regulated by cytokines of the TNF ligand family and modulates TNF-induced activation of NF-kappaB and c-Jun N-terminal kinase. *J Biol Chem* 274, 19368-19374.
- Scott, F.L., Denault, J.B., Riedl, S.J., Shin, H., Renatus, M., and Salvesen, G.S. (2005). XIAP inhibits caspase-3 and -7 using two binding sites: evolutionarily conserved mechanism of IAPs. *EMBO J* 24, 645-655.
- Settembre, C., Di Malta, C., Polito, V.A., Garcia Arencibia, M., Vetrini, F., Erdin, S., Erdin, S.U., Huynh, T., Medina, D., Colella, P., *et al.* (2011). TFEB links autophagy to lysosomal biogenesis. *Science* 332, 1429-1433.
- Shen, R.R., Zhou, A.Y., Kim, E., O'Connell, J.T., Hagerstrand, D., Beroukham, R., and Hahn, W.C. (2015). TRAF2 is an NF-kappaB-activating oncogene in epithelial cancers. *Oncogene* 34, 209-216.
- Shi, M., Cho, H., Inn, K.S., Yang, A., Zhao, Z., Liang, Q., Versteeg, G.A., Amini-Bavil-Olyae, S., Wong, L.Y., Zlokovic, B.V., *et al.* (2014). Negative regulation of NF-kappaB activity by brain-specific TRIPartite Motif protein 9. *Nat Commun* 5, 4820.
- Shi, M., Deng, W., Bi, E., Mao, K., Ji, Y., Lin, G., Wu, X., Tao, Z., Li, Z., Cai, X., *et al.* (2008). TRIM30 alpha negatively regulates TLR-mediated NF-kappa B activation by targeting TAB2 and TAB3 for degradation. *Nat Immunol* 9, 369-377.
- Silke, J., and Meier, P. (2013). Inhibitor of apoptosis (IAP) proteins-modulators of cell death and inflammation. *Cold Spring Harb Perspect Biol* 5.
- Smale, S.T., and Natoli, G. (2014). Transcriptional control of inflammatory responses. *Cold Spring Harb Perspect Biol* 6, a016261.
- Sparrer, K.M.J., and Gack, M.U. (2018). TRIM proteins: New players in virus-induced autophagy. *PLoS Pathog* 14, e1006787.
- Spit, M., Rieser, E., and Walczak, H. (2019). Linear ubiquitination at a glance. *J Cell Sci* 132.
- Stehlik, C., de Martin, R., Binder, B.R., and Lipp, J. (1998). Cytokine induced expression of porcine inhibitor of apoptosis protein (iap) family member is regulated by NF-kappa B. *Biochem Biophys Res Commun* 243, 827-832.
- Stewart, M.D., Ritterhoff, T., Klevit, R.E., and Brzovic, P.S. (2016). E2 enzymes: more than just middle men. *Cell Res* 26, 423-440.
- Swatek, K.N., and Komander, D. (2016). Ubiquitin modifications. *Cell Res* 26, 399-422.
- Takahashi, R., Deveraux, Q., Tamm, I., Welsh, K., Assa-Munt, N., Salvesen, G.S., and Reed, J.C. (1998). A single BIR domain of XIAP sufficient for inhibiting caspases. *J Biol Chem* 273, 7787-7790.
- Tan, P., He, L., Cui, J., Qian, C., Cao, X., Lin, M., Zhu, Q., Li, Y., Xing, C., Yu, X., *et al.* (2017). Assembly of the WHIP-TRIM14-PPP6C Mitochondrial Complex Promotes RIG-I-Mediated Antiviral Signaling. *Mol Cell* 68, 293-307 e295.
- Tang, J., Di, J., Cao, H., Bai, J., and Zheng, J. (2015). p53-mediated autophagic regulation: A prospective strategy for cancer therapy. *Cancer Lett* 363, 101-107.
- Tang, Z., Li, C., Kang, B., Gao, G., and Zhang, Z. (2017). GEPIA: a web server for cancer and normal gene expression profiling and interactive analyses. *Nucleic Acids Res* 45, W98-W102.
- Taniguchi, K., and Karin, M. (2018). NF-kappaB, inflammation, immunity and cancer: coming of age. *Nat Rev Immunol* 18, 309-324.
- Tasdemir, E., Maiuri, M.C., Galluzzi, L., Vitale, I., Djavaheri-Mergny, M., D'Amelio, M., Criollo, A., Morselli, E., Zhu, C., Harper, F., *et al.* (2008). Regulation of

- autophagy by cytoplasmic p53. *Nat Cell Biol* 10, 676-687.
- Tenev, T., Bianchi, K., Darding, M., Broemer, M., Langlais, C., Wallberg, F., Zachariou, A., Lopez, J., MacFarlane, M., Cain, K., *et al.* (2011). The Ripoptosome, a signaling platform that assembles in response to genotoxic stress and loss of IAPs. *Mol Cell* 43, 432-448.
- Thilagar, S., Theyagarajan, R., Sudhakar, U., Suresh, S., Saketharaman, P., and Ahamed, N. (2018). Comparison of serum tumor necrosis factor-alpha levels in rheumatoid arthritis individuals with and without chronic periodontitis: A biochemical study. *J Indian Soc Periodontol* 22, 116-121.
- Thompson, S., Pearson, A.N., Ashley, M.D., Jessick, V., Murphy, B.M., Gafken, P., Henshall, D.C., Morris, K.T., Simon, R.P., and Meller, R. (2011). Identification of a novel Bcl-2-interacting mediator of cell death (Bim) E3 ligase, tripartite motif-containing protein 2 (TRIM2), and its role in rapid ischemic tolerance-induced neuroprotection. *J Biol Chem* 286, 19331-19339.
- Tian, B., Nowak, D.E., and Brasier, A.R. (2005). A TNF-induced gene expression program under oscillatory NF-kappaB control. *BMC Genomics* 6, 137.
- Tokunaga, F., Sakata, S., Saeki, Y., Satomi, Y., Kirisako, T., Kamei, K., Nakagawa, T., Kato, M., Murata, S., Yamaoka, S., *et al.* (2009). Involvement of linear polyubiquitylation of NEMO in NF-kappaB activation. *Nat Cell Biol* 11, 123-132.
- Tomar, D., Prajapati, P., Lavie, J., Singh, K., Lakshmi, S., Bhatelia, K., Roy, M., Singh, R., and Benard, G. (2015). TRIM4; a novel mitochondrial interacting RING E3 ligase, sensitizes the cells to hydrogen peroxide (H₂O₂) induced cell death. *Free Radic Biol Med* 89, 1036-1048.
- Tomar, D., Prajapati, P., Sripada, L., Singh, K., Singh, R., and Singh, A.K. (2013a). TRIM13 regulates caspase-8 ubiquitination, translocation to autophagosomes and activation during ER stress induced cell death. *Biochim Biophys Acta* 1833, 3134-3144.
- Tomar, D., Prajapati, P., Sripada, L., Singh, K., Singh, R., and Singh, A.K. (2013b). TRIM13 regulates caspase-8 ubiquitination, translocation to autophagosomes and activation during ER stress induced cell death. *Biochim Biophys Acta* 1833, 3134-3144.
- Tomar, D., and Singh, R. (2014). TRIM13 regulates ubiquitination and turnover of NEMO to suppress TNF induced NF-kappaB activation. *Cell Signal* 26, 2606-2613.
- Tomar, D., and Singh, R. (2015). TRIM family proteins: emerging class of RING E3 ligases as regulator of NF-kappaB pathway. *Biol Cell* 107, 22-40.
- Tomar, D., Singh, R., Singh, A.K., and Pandya, C.D. (2012a). TRIM13 regulates ER stress induced autophagy and clonogenic ability of the cells. *Biochim Biophys Acta* 1823, 316-326.
- Tomar, D., Sripada, L., Prajapati, P., Singh, R., and Singh, A.K. (2012b). Nucleo-cytoplasmic trafficking of TRIM8, a novel oncogene, is involved in positive regulation of TNF induced NF-kappaB pathway. *PLoS One* 7, e48662.
- Truebestein, L., and Leonard, T.A. (2016). Coiled-coils: The long and short of it. *Bioessays* 38, 903-916.
- Uchil, P.D., Pawliczek, T., Reynolds, T.D., Ding, S., Hinz, A., Munro, J.B., Huang, F., Floyd, R.W., Yang, H., Hamilton, W.L., *et al.* (2014). TRIM15 is a focal adhesion protein that regulates focal adhesion disassembly. *J Cell Sci* 127, 3928-3942.
- Uchil, P.D., Quinlan, B.D., Chan, W.T., Luna, J.M., and Mothes, W. (2008). TRIM E3 ligases interfere with early and late stages of the retroviral life cycle. *PLoS Pathog* 4, e16.
- Ueyama, K., Ikeda, K., Sato, W., Nakasato, N., Horie-Inoue, K., Takeda, S., and Inoue, S. (2010). Knockdown of Efp by DNA-modified small interfering RNA inhibits breast cancer cell proliferation and in vivo tumor growth. *Cancer Gene Ther* 17, 624-632.
- van Gent, M., Sparrer, K.M.J., and Gack, M.U. (2018). TRIM Proteins and Their

- Roles in Antiviral Host Defenses. *Annu Rev Virol* 5, 385-405.
- Versteeg, G.A., Rajsbaum, R., Sanchez-Aparicio, M.T., Maestre, A.M., Valdiviezo, J., Shi, M., Inn, K.S., Fernandez-Sesma, A., Jung, J., and Garcia-Sastre, A. (2013). The E3-ligase TRIM family of proteins regulates signaling pathways triggered by innate immune pattern-recognition receptors. *Immunity* 38, 384-398.
- Vincent, S.R., Kwasnicka, D.A., and Fretier, P. (2000). A novel RING finger-B box-coiled-coil protein, GERP. *Biochem Biophys Res Commun* 279, 482-486.
- Wajant, H. (2009). The role of TNF in cancer. *Results Probl Cell Differ* 49, 1-15.
- Wajant, H., Pfizenmaier, K., and Scheurich, P. (2003). Tumor necrosis factor signaling. *Cell Death Differ* 10, 45-65.
- Wajant, H., and Scheurich, P. (2011). TNFR1-induced activation of the classical NF-kappaB pathway. *FEBS J* 278, 862-876.
- Walsh, C. (2006). Posttranslational modification of proteins : expanding nature's inventory (Englewood, Colo.: Roberts and Co. Publishers).
- Walsh, L.A., Alvarez, M.J., Sabio, E.Y., Reingold, M., Makarov, V., Mukherjee, S., Lee, K.W., Desrichard, A., Turcan, S., Dalin, M.G., *et al.* (2017). An Integrated Systems Biology Approach Identifies TRIM25 as a Key Determinant of Breast Cancer Metastasis. *Cell Rep* 20, 1623-1640.
- Wang, C.Y., Mayo, M.W., Korneluk, R.G., Goeddel, D.V., and Baldwin, A.S., Jr. (1998). NF-kappaB antiapoptosis: induction of TRAF1 and TRAF2 and c-IAP1 and c-IAP2 to suppress caspase-8 activation. *Science* 281, 1680-1683.
- Wang, Y., Zhang, N., Zhang, L., Li, R., Fu, W., Ma, K., Li, X., Wang, L., Wang, J., Zhang, H., *et al.* (2016). Autophagy Regulates Chromatin Ubiquitination in DNA Damage Response through Elimination of SQSTM1/p62. *Mol Cell* 63, 34-48.
- Waters, J.P., Pober, J.S., and Bradley, J.R. (2013). Tumour necrosis factor and cancer. *J Pathol* 230, 241-248.
- Weber, J., Polo, S., and Maspero, E. (2019). HECT E3 Ligases: A Tale With Multiple Facets. *Front Physiol* 10, 370.
- Werner, S.L., Kearns, J.D., Zadorozhnaya, V., Lynch, C., O'Dea, E., Boldin, M.P., Ma, A., Baltimore, D., and Hoffmann, A. (2008). Encoding NF-kappaB temporal control in response to TNF: distinct roles for the negative regulators Ikbalpha and A20. *Genes Dev* 22, 2093-2101.
- Wertz, I.E., and Dixit, V.M. (2010). Signaling to NF-kappaB: regulation by ubiquitination. *Cold Spring Harb Perspect Biol* 2, a003350.
- Wolczyk, D., Zaremba-Czogalla, M., Hryniewicz-Jankowska, A., Tabola, R., Grabowski, K., Sikorski, A.F., and Augoff, K. (2016). TNF-alpha promotes breast cancer cell migration and enhances the concentration of membrane-associated proteases in lipid rafts. *Cell Oncol (Dordr)* 39, 353-363.
- Woodsmith, J., Jenn, R.C., and Sanderson, C.M. (2012). Systematic analysis of dimeric E3-RING interactions reveals increased combinatorial complexity in human ubiquitination networks. *Mol Cell Proteomics* 11, M111 016162.
- Wu, X., Wu, M.Y., Jiang, M., Zhi, Q., Bian, X., Xu, M.D., Gong, F.R., Hou, J., Tao, M., Shou, L.M., *et al.* (2017). TNF-alpha sensitizes chemotherapy and radiotherapy against breast cancer cells. *Cancer Cell Int* 17, 13.
- Xu, D., Shan, B., Sun, H., Xiao, J., Zhu, K., Xie, X., Li, X., Liang, W., Lu, X., Qian, L., *et al.* (2016). USP14 regulates autophagy by suppressing K63 ubiquitination of Beclin 1. *Genes Dev* 30, 1718-1730.
- Xue, Q., Zhou, Z., Lei, X., Liu, X., He, B., Wang, J., and Hung, T. (2012). TRIM38 negatively regulates TLR3-mediated IFN-beta signaling by targeting TRIF for degradation. *PLoS One* 7, e46825.
- Yang, Y., He, S., Wang, Q., Li, F., Kwak, M.J., Chen, S., O'Connell, D., Zhang, T., Pirooz, S.D., Jeon, Y., *et al.* (2016). Autophagic UVRAG Promotes UV-Induced Photolesion Repair by Activation of the CRL4(DDB2) E3 Ligase. *Mol Cell* 62, 507-519.

- Ye, Y.C., Yu, L., Wang, H.J., Tashiro, S., Onodera, S., and Ikejima, T. (2011). TNF α -induced necroptosis and autophagy via suppression of the p38-NF- κ B survival pathway in L929 cells. *J Pharmacol Sci* *117*, 160-169.
- Zambrano, S., De Toma, I., Piffer, A., Bianchi, M.E., and Agresti, A. (2016). NF- κ B oscillations translate into functionally related patterns of gene expression. *Elife* *5*, e09100.
- Zeng, J., Wang, Y., Luo, Z., Chang, L.C., Yoo, J.S., Yan, H., Choi, Y., Xie, X., Deverman, B.E., Gradinaru, V., *et al.* (2019). TRIM9-Mediated Resolution of Neuroinflammation Confers Neuroprotection upon Ischemic Stroke in Mice. *Cell Rep* *27*, 549-560 e546.
- Zhang, C., Mukherjee, S., Tucker-Burden, C., Ross, J.L., Chau, M.J., Kong, J., and Brat, D.J. (2017a). TRIM8 regulates stemness in glioblastoma through PIAS3-STAT3. *Mol Oncol* *11*, 280-294.
- Zhang, Q., Lenardo, M.J., and Baltimore, D. (2017b). 30 Years of NF- κ B: A Blossoming of Relevance to Human Pathobiology. *Cell* *168*, 37-57.
- Zhang, Q., Li, X., Cui, K., Liu, C., Wu, M., Prochownik, E.V., and Li, Y. (2019). The MAP3K13-TRIM25-FBXW7 α axis affects c-Myc protein stability and tumor development. *Cell Death Differ.*
- Zhang, R., Xu, Y., Ekman, N., Wu, Z., Wu, J., Alitalo, K., and Min, W. (2003). Etk/Bmx transactivates vascular endothelial growth factor 2 and recruits phosphatidylinositol 3-kinase to mediate the tumor necrosis factor-induced angiogenic pathway. *J Biol Chem* *278*, 51267-51276.
- Zhao, P., and Zhang, Z. (2018). TNF- α promotes colon cancer cell migration and invasion by upregulating TROP-2. *Oncol Lett* *15*, 3820-3827.
- Zhao, W., Wang, L., Zhang, M., Wang, P., Yuan, C., Qi, J., Meng, H., and Gao, C. (2012a). Tripartite motif-containing protein 38 negatively regulates TLR3/4- and RIG-I-mediated IFN- β production and antiviral response by targeting NAP1. *J Immunol* *188*, 5311-5318.
- Zhao, W., Wang, L., Zhang, M., Yuan, C., and Gao, C. (2012b). E3 ubiquitin ligase tripartite motif 38 negatively regulates TLR-mediated immune responses by proteasomal degradation of TNF receptor-associated factor 6 in macrophages. *J Immunol* *188*, 2567-2574.
- Zheng, N., and Shabek, N. (2017). Ubiquitin Ligases: Structure, Function, and Regulation. *Annu Rev Biochem* *86*, 129-157.
- Zhong, Z., Umemura, A., Sanchez-Lopez, E., Liang, S., Shalapour, S., Wong, J., He, F., Boassa, D., Perkins, G., Ali, S.R., *et al.* (2016). NF- κ B Restricts Inflammasome Activation via Elimination of Damaged Mitochondria. *Cell* *164*, 896-910.