

INDEX

CONTENT OVERVIEW

S.No.	Content	Page No.
1.	ABSTRACT	1
2.	Chapter 1: Introduction	5
3.	Chapter 2: Review of Literature	12
4.	Chapter 3: Aims & Objectives	47
5.	Chapter 4: Materials & Methods	51
6.	Chapter 5: Identification of novel feedback regulators of TNF- α -induced NF- κ B pathway: Screening of TRIMs	67
7.	Chapter 6: MID2/TRIM1 transcriptionally inhibits TRAF2 oncogene and negatively regulates TNF- α -induced NF- κ B pathway	71
8.	Chapter 7: Novel DUB-like activity of TRIM15: RING E3 ligase; regulates TNF- α -induced NF- κ B pathway in a feedback manner	90
9.	Chapter 8: TRIM8 regulated autophagy modulates the level of cleaved Caspase-3 subunit to inhibit genotoxic stress induced cell death	114
10.	Chapter 9: Summary and Conclusion	141
11.	Chapter 10: Bibliography	153
12.	List of publications	166
13.	Reprints of Published articles	171

DETAILED CONTENTS

Content	Page No.
ABSTRACT	1-4
1. INTRODUCTION (Chapter 1)	5-11
1.1. Inflammation: Essential but consequential	6
1.2. TNF- α induced signaling: role in health and diseases	6
1.3. Ubiquitination: Determinants of substrate fate and signaling pathways	7
1.4. TNF- α -induced NF- κ B pathway and its regulation by ubiquitination	8
1.5. TRIMs; RING E3 ligases: The emerging regulator of innate and inflammatory pathways	10
2. REVIEW OF LITERATURE (Chapter 2)	12-46
2.1. Inflammation: A friend and a foe	13
2.1.1. Inflammation: The protective barrier and defense coordinator	13
2.1.2. Inflammation: A double edged sword	14
2.2. TNF- α : physiology, functions and signaling	14
2.2.1. TNF- α ; a pleiotropic cytokine with immunomodulatory and inflammatory functions: A member for TNF super family	14
2.2.2. TNF- α in disease manifestation	17
2.2.3. Dual role of TNF- α in cancers	18
2.2.4. TNF- α activated signaling: Activation of proinflammatory transcription factors	19
2.3. NF- κ B: The proinflammatory mediator	20
2.3.1. NF- κ B family of transcription factors: The master regulators of inflammatory response	20
2.3.2. TNF- α -induced NF- κ B pathway: Activation and Regulation	22
2.3.3. Oscillatory NF- κ B activation and temporal gene expression in response to TNF- α	25
2.4. Ubiquitination: mechanism, physiology and functions	27
2.4.1. Ubiquitination: Adding diversity to the limited genome	27
2.4.2. Mechanism of Ubiquitination	29
2.4.3. Ubiquitin E3 ligases	31
2.4.3.1. HECT E3 ligases	31

2.4.3.2. RING-Between-RING E3 ligases	32
2.4.3.3. RING E3 ligases	33
2.5. Limiting inflammation: Ubiquitin dependent and independent inhibition of TNF- α -induced NF- κ B pathway	33
2.6. Tripartite Motif containing Proteins (TRIMs)	35
2.6.1. RING Domain	36
2.6.2. B-Box Domain	37
2.6.3. Coiled-coils (CC) Domain	38
2.7. TRIMs: Dynamic subcellular spatial localization	38
2.8. Stimuli and stress induced TRIMs and their role in cellular homeostasis	40
2.8.1. Induction of TRIMs by type I and type II cytokines	40
2.8.2. Expression of TRIMs by innate immune receptors	41
2.9. TRIMs: Emerging regulators of crosstalk between TNF- α and TLR induced NF- κ B pathway	42
2.10. TRIMs: Emerging regulators of stimulus specific autophagy and cell death pathways	44
3. AIMS AND OBJECTIVES (Chapter 3)	47-50
3.1. Rationale and Hypothesis	48
3.2. Objectives of the study	49
4. MATERIALS AND METHODS (Chapter 4)	51-66
4.1. Materials	52
4.1.1. Cell lines	52
4.1.2. Chemicals and reagents	52
4.1.3. Generation of stable cell lines	53
4.1.4. Constructs	53
4.1.5. Antibodies	55
4.2. Methodology	56
4.2.1. Guide RNA cloning and validation of clones	56
4.2.2. Screening of positive guide RNA clones	57
4.2.3. Transfection of cell lines	57
4.2.4. Cell survival and cell death assays	57
4.2.4.1. Trypan blue dye exclusion assay	57
4.2.4.2. Cellular proliferation assay using MTT	58

4.2.5. Caspase-3/7 luciferase assay	58
4.2.6. NF- κ B luciferase reporter assay	58
4.2.7. Fluorescence microscopy	59
4.2.7.1. Detection and quantitation of TRIM15	59
4.2.7.2. Autophagy and autophagic flux measurement using GFP-LC3, mCherry-GFP-LC3 and mCherry-GFP-p62 constructs	59
4.2.8. Confocal microscopy	60
4.2.8.1. Cellular localization and dynamics of TRIM15	60
4.2.8.2. Subcellular localization of MID2/TRIM1	61
4.2.9. Quantitative analysis of gene expression	61
4.2.9.1. Gene expression analysis of TRIM family proteins using TaqMan probes	61
4.2.9.2. Gene expression using SYBR Green chemistry	61
4.2.10. Nuclear-cytoplasmic fractionation	62
4.2.11. SDS-polyacrylamide gel electrophoresis (SDS-PAGE) and western blotting	63
4.2.12. Co-immunoprecipitation and western blotting	64
4.2.13. Analysis of public cancer databases	64
4.2.13.1. TIMER Database Analysis for expression correlation	64
4.2.13.2. Gene expression analysis in GEPIA and Oncomine	65
4.2.13.3. Gene expression analysis from GEO datasets	65
4.2.14. Statistical analysis	65
RESULTS AND DISCUSSION	
5. Identification of novel feedback regulators of TNF-α-induced NF-κB pathway: Screening of TRIMs (Chapter 5)	67-70
5.1. TRIMs are late response TNF- α -induced genes and inhibits TNF- α -induced NF- κ B activation	68
5.2. Discussion	70
6. MID2/TRIM1 transcriptionally inhibits TRAF2 oncogene and negatively regulates TNF-α-induced NF-κB pathway (Chapter 6)	71-89
6.1. MID2/TRIM1 is a 'late' response NF- κ B target gene	73
6.2. TNF- α inhibits turnover of MID2/TRIM1	74
6.3. MID2/TRIM1 inhibits TNF- α -induced NF- κ B activation	78
6.4. MID2/TRIM1 mediated E3 ligase activity regulates TNF- α -	79

induced NF- κ B activity	
6.5. MID2/TRIM1 acts at TRAF2 to regulate TNF- α -induced NF- κ B activity and often downregulated in cancers	81
6.6. Discussion	86
7. Novel DUB-like activity of TRIM15: RING E3 ligase; regulates TNF-α-induced NF-κB pathway in a feedback manner (Chapter 7)	90-113
7.1. TRIM15 is a late response TNF- α induced gene and inhibits TNF- α -induced NF- κ B activation	92
7.2. TRIM15 acts downstream of TRAF2 and inhibits I κ B α phosphorylation	95
7.3. TRIM15: RING E3 Ligase possesses DUB-like activity and inhibits various ubiquitin chain topologies	98
7.4. PRY/SPRY domain mediated DUB-like activity of TRIM15 is essential for inhibition of TNF- α -induced NF- κ B activity	101
7.5. Spatiotemporal localization and dynamics of TRIM15	102
7.6. TRIM15 interacts with TRIM8 inhibits its cytoplasmic translocation and TNF- α -induced NF- κ B activity	106
7.7. TRIM15 inhibits NF- κ B activation by inhibiting K63-linked ubiquitination of TAK1	109
7.8. Discussion	110
8. TRIM8 regulated autophagy modulates the level of cleaved Caspase-3 subunit to inhibit genotoxic stress induced cell death (Chapter 8)	114-140
8.1. TRIM8 regulates autophagic flux	117
8.2. RING domain of TRIM8 is required for autophagy	120
8.3. TRIM8 stabilizes during genotoxic stress and modulates autophagy	122
8.4. TRIM8 promotes lysosomal biogenesis	126
8.5. TRIM8 protects cells from genotoxic stress induced cell death	128
8.6. TRIM8 mediated autophagy promotes the degradation of cleaved subunit of caspase-3	130
8.7. TRIM8 stabilizes XIAP during genotoxic stress and inhibits caspase-3 activation	133
8.8. Discussion	137
9. SUMMARY AND CONCLUSION (Chapter 9)	141-152
9.1. Summary	142
9.1.1. TRIM proteins are novel feedback regulators of TNF- α -induced NF- κ B pathway	142
9.1.2. MID2/TRIM1; downregulated in cancers, transcriptionally inhibits TRAF2 oncogene and negatively regulates TNF- α -induced NF- κ B pathway	143

9.1.3. Novel DUB-like activity of TRIM15: RING E3 ligase; regulates TNF- α -induced NF- κ B pathway in a feedback manner	144
9.1.4. TRIM8 regulated autophagy modulates the level of cleaved Caspase-3 subunit to inhibit genotoxic stress induced cell death	146
9.2. Conclusion	147
9.3. Limitations of the study	151
9.4. Future Perspective	152
10. BIBLIOGRAPHY (Chapter 10)	153-165
11. LIST OF PUBLICATIONS	166-170
11.1. Publications from Ph.D. thesis work	167
11.2. Publications from other associated projects during Ph.D. tenure	168
12. REPRINT OF PUBLISHED ARTICLES	171