List of Figures

2.1 Block diagram of State Space Representation 22
2.2 Single Machine Infinite Bus System 27
2.3 Block diagram representaion of SMIB system 30
2.4 SMIB with PSS 31
2.5 CPSS with state variables 31
2.6 Block diagram represntaion of SMIB with PSS 34
2.7 Basic module of TCSC 35
2.8 Model of TCSC 36
2.9 SMIB wiht PSS and TCSC 36
2.10 TCSC state diagram 37
2.11 TCSC delay Equation 37
2.12 Block diagram of System with PSS and TCSC 40

3.1 Flow Chart of GA based PSSs 46
3.2 Numbers of population versus convergence of fitness function with PSS at Normal operating condition 50
3.3 Flow chart of GA based PSS and TCSC 54
3.4 Numbers of population versus convergence of Fitness Function with TCSC at Normal Operating Condition 57
3.5 Numbers of population versus convergence of Fitness Function with PSS and TCSC at Normal Operating Condition 57
3.6 Case I: Speed deviation between 0s to 10s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 61

3.7 Case I : Speed deviation between 0s to 30s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 62
3.8 Case I : Speed deviation between 30s to 60s with damping coefficient $D = 0$ and without controllers(PSS and TCSC) 62
3.9 Case I : Speed deviation between 60s to 90s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 63
3.10 Case I : Speed deviation between 1s to 1.2s with zero damping coefficient $D = 0$ and without controller(PSS and TCSC) 63
3.11 Case I: Rotor angle with GA based PSSs 63
3.12 Case I: Speed deviation with GA based PSSs 64
3.13 Case I: Speed deviation with GA based TCSC and PSS-TCSC 64
3.14 Case I: Line reactance with GA based TCSC and PSS-TCSC 64
3.15 Case II: Speed deviation with damping coefficient $D = 0$ and without controller (PSS and TCSC) 65
3.16 Case II: Rotor angle with GA based PSSs 66
3.17 Case II: Speed deviation with GA based PSSs 66
3.18 Case II: Speed deviation with GA based TCSC and PSS-TCSC 67
3.19 Case III : Speed deviation between 1s to 1.2s with damping coefficient $D = 0$ and without controller(PSS and TCSC) 68
3.20 Case III : Speed deviation between 1s to 2s with damping coefficient $D = 0$ and without controllers (PSS and TCSC) 68
3.21 Case III : Speed deviation between 2s to 7s with damping coefficient $D = 0$ and without controller(PSS and TCSC) 69
3.22 Case III: Speed deviation between 0s to 10s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 69
3.23 Case III: Speed deviation with GA based PSSs 69
3.24 Case III: Speed deviation with GA based TCSC and PSS-TCSC 70
3.25 Case IV: Speed deviation between 1s to 4s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 71
3.26 Case IV: Speed deviation between 0s to 10s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 71

3.27 Case IV: Speed deviation with GA based PSSs 71
3.28 Case IV: Speed deviation with GA based TCSC and PSS-TCSC 72
3.29 Case V: Speed deviation between 1s to 4s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 72
3.30 Case V: Speed response between 0s to 10s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 73
3.31 Case V: Speed deviation with GA based PSSs 73
3.32 Case V: Speed deviation with GA based PSS and PSS-TCSC 73
3.33 Case VI: Speed deviation between 1s to 3s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 74
3.34 Case VI: Speed deviation between 0s to 10s with damping coefficient $D = 0$ and without controller (PSS and TCSC) 74
3.35 Case VI: Rotor angle with GA based PSSs 75
3.36 Case VI: Speed deviation with GA based PSSs 75
3.37 Case VI: Speed deviation with GA based PSS and PSS-TCSC 75

4.1 Takagi-Sugeno Fuzzy Model 79
4.2 Adaptive Neuro Fuzzy Architecture 79
4.3 Fuzzy Logic Control based PSS 82
4.4 ANFIS-PSS Structure 84
4.5 Membership Functions of Speed (Input :1)-PSS 84
4.6 Membership Functions of Change in Speed (Input :2)-PSS 84
4.7 Decision-Surface Viewer of PSS 85
4.8 ANFIS-TCSC Structure 86
4.9 Membership Functions of Speed (Input: 1)-TCSC 87
4.10 Membership Functions of Change in Speed (Input :2)-TCSC 87
4.11 Decision-Surface Viewer of TCSC 87
4.12 Training data and Actual data PSS 92
4.13 Mean Square Error 92
4.14 Case I: Speed response of ANFIS and LMNN based PSS-TCSC 94
4.15 Case II: Speed response of ANFIS and LMNN based PSS-TCSC 95

4.16 Case III: Speed response of ANFIS and LMNN based PSS-TCSC 96
4.17 Case IV: Speed response of ANFIS and LMNN based PSS-TCSC 96
4.18 Case V: Speed response of ANFIS and LMNN based PSS-TCSC 97

5.1 Identification Stage 102
5.2 NARMA-L2 Controller 102
5.3 Identification of the Plant 103
5.4 Plant Input, Plant Output, NN Output and Error 104
5.5 Implementation of NARMA-L2 Controller 105
5.6 Convergence rate of GA 107
5.7 Best Value of NN Parameters 108
5.8 Error Between Actual and Target Value 109
5.9 Output of GANN 110
5.10 Case I: Speed response of NARMA-L2 and GA-ANN based PSS 111
5.11 Case I: Speed response of NARMA-L2 and GA-ANN based PSS and ANFIS-TCSC 111
5.12 Case II: Speed response of NARMA-L2 and GA-ANN based PSS 112
5.13 Case II: Speed response of NARMA-L2 and GA-ANN based PSS and ANFIS-TCSC 113
5.14 Case III: Speed response of NARMA-L2 and GA-ANN based PSS 113
5.15 Case III: Speed response of NARMA-L2 and GA-ANN based PSS and ANFIS-TCSC 114
5.16 Case IV: Speed response of NARMA-L2 and GA-ANN based PSS and ANFIS-TCSC 114
5.17 Case V: Speed response of NARMA-L2 and GA-ANN based PSS and ANFIS-TCSC 115
5.18 Case VI: Speed response of NARMA-L2 and GA-ANN based PSS and ANFIS-TCSC 116
5.19 Case I: All Intelligent Techniques based PSS 117
5.20 Case I: ANFIS-TCSC with Intelligent Techniques based PSS 117
5.21 Case II: All Intelligent Techniques based PSS 118

5.22 Case II: ANFIS-TCSC with Intelligent Techniques based PSS 118
5.23 Case III: All Intelligent Techniques based PSS 119
5.24 Case III: ANFIS-TCSC with Intelligent Techniques based PSS 119
5.25 Case IV: All Intelligent Techniques based PSS 120
5.26 Case IV: ANFIS-TCSC with Intelligent Techniques based PSS 120

6.1 Schematic Diagram of Two area system in Restructured Market 124
6.2 Restructured System with TCSC in Series with Tie-Line 125
6.3 First Order Power System 127
6.4 Intelligent techniques based TCSC for two area system under restructured market 133
6.5 Case I: Speed deviation in Restructured Market without Tie Line Controller 138
6.6 Case I: Speed deviation in Restructured Market with GA-TCSC Tie Line controller 138
6.7 Case I: Speed Deviation in Restructured Market with ANFIS-TCSC Tie Line controller 139
6.8 Case I: Tie Line Power Change with Controllers 139
6.9 Case II: Speed deviation In Restructured Market without Tie Line Controller 139
6.10 Case II: Speed deviation in Restructured Market with GA-TCSC Tie Line Controller 140
6.11 Case II : Speed deviation in Restructured Market with ANFIS-TCSC Tie Line Controller 140
6.12 Case II: Tie Line Power Change With Controllers 140
6.13 Two area interconnection system with multiple PSS in restructured market . 144
6.14 Case I: First O.C. : Response of speed deviation in Area 1 and Area 2 . . . 155
6.15 Case I : First O.C.: Response of speed deviation in Area 1 with Multiple PSS and TCSC 155
6.16 Case I: First O.C.: Response of speed deviation in Area 2 with Multiple PSS and TCSC 155
6.17 Case I: First O.C.: Change in Tie Line Power with Controllers 156
6.18 Case I: Second O.C.: Response of speed deviation in Area 1 and Area 2 . . 156

6.19 Case I: Second O.C.: Response of speed deviation in Area 1 with Multiple PSS and TCSC 156
6.20 Case I: Second O.C.: Response of speed deviation in Area 2 with Multiple PSS and TCSC 157
6.21 Case I: Second O. C.: Change in Tie Line Power with Controllers 157
6.22 Case II: First O.C.: Response of Apeed deviation in Area 1 and Area 2 . . . 158
6.23 Case II: First O.C.: Response of Apeed deviation in Area 1 with Multiple PSS and TCSC 159
6.24 Case II: First O.C.: Response of Speed deviation in Area 2 with Multiple PSS and TCSC 159
6.25 Case II: First O.C.: Change in Tie Line Power with Controllers 159
6.26 Case II: Second O.C.: Response of Speed deviation in Area 1 and Area 2 . . 160
6.27 Case II: Second O.C.: Response of Speed deviation in Area 1 with Multiple PSS and TCSC 160
6.28 Case II: Second O.C.: Response of speed deviation in Area 2 with Multiple PSS and TCSC 160
6.29 Case II: Second O.C.: Change in Tie Line Power with Controllers 161