

CHAPTER 8

REFERENCES

CHAPTER-8: REFERENCES

- Aggarwal, S., & Pittenger, M. F. (2005). Human mesenchymal stem cells modulate allogeneic immune cell responses. *Blood*, *105*(4), 1815-1822.
- Aguayo-Mazzucato, C., & Bonner-Weir, S. (2018). Pancreatic beta Cell Regeneration as a Possible Therapy for Diabetes. *Cell Metab*, *27*(1), 57-67. doi:10.1016/j.cmet.2017.08.007
- Agulnick, A. D., Ambruzs, D. M., Moorman, M. A., Bhoumik, A., Cesario, R. M., Payne, J. K., Kelly, J. R., Haakmeester, C., Srijemac, R., & Wilson, A. Z. (2015). Insulin-producing endocrine cells differentiated in vitro from human embryonic stem cells function in macroencapsulation devices in vivo. *Stem cells translational medicine*, *4*(10), 1214-1222.
- Ahearn, A. J., Parekh, J. R., & Posselt, A. M. (2015). Islet transplantation for Type 1 diabetes: where are we now? *Expert Rev Clin Immunol*, *11*(1), 59-68. doi:10.1586/1744666X.2015.978291
- Akiyama, K., You, Y.-O., Yamaza, T., Chen, C., Tang, L., Jin, Y., Chen, X.-D., Gronthos, S., & Shi, S. (2012). Characterization of bone marrow derived mesenchymal stem cells in suspension. *Stem cell research & therapy*, *3*(5), 40.
- Al-Khawaga, S., Memon, B., Butler, A. E., Taheri, S., Abou-Samra, A. B., & Abdelalim, E. M. (2018). Pathways governing development of stem cell-derived pancreatic β cells: lessons from embryogenesis. *Biological Reviews*, *93*(1), 364-389.
- Albano, R., Godsave, S., Huylebroeck, D., Van Nimmen, K., Isaacs, H., Slack, J., & Smith, J. (1990). A mesoderm-inducing factor produced by WEHI-3 murine myelomonocytic leukemia cells is activin A. *Development*, *110*(2), 435-443.
- Alehagen, U., Johansson, P., Aaseth, J., Alexander, J., & Wågsäter, D. (2017). Significant changes in circulating microRNA by dietary supplementation of selenium and coenzyme Q10 in healthy elderly males. A subgroup analysis of a prospective randomized double-blind placebo-controlled trial among elderly Swedish citizens. *PLoS One*, *12*(4).
- Alejandro, E. U., Gregg, B., Blandino-Rosano, M., Cras-Meneur, C., & Bernal-Mizrachi, E. (2015). Natural history of beta-cell adaptation and failure in type 2 diabetes. *Mol Aspects Med*, *42*, 19-41. doi:10.1016/j.mam.2014.12.002
- Aloysious, N., & Nair, P. D. (2014). Enhanced survival and function of islet-like clusters differentiated from adipose stem cells on a three-dimensional natural polymeric scaffold: an in vitro study. *Tissue Engineering Part A*, *20*(9-10), 1508-1522.
- Ameri, J., Ståhlberg, A., Pedersen, J., Johansson, J. K., Johannesson, M. M., Artner, I., & Semb, H. (2010). FGF2 specifies hESC-derived definitive endoderm into foregut/midgut cell lineages in a concentration-dependent manner. *Stem cells*, *28*(1), 45-56.
- American Diabetes, A. (2009). Diagnosis and classification of diabetes mellitus. *Diabetes care*, *32 Suppl 1*, S62-67. doi:10.2337/dc09-S062
- Andolina, D., & Di Segni Matteo, R. V. (2017). MiRNA-34 and stress response. *Oncotarget*, *8*(4), 5658.

- Aramata, S., Han, S.-I., & Kataoka, K. (2007). Roles and regulation of transcription factor MafA in islet β -cells. *Endocrine journal*, *54*(5), 659-666.
- Aramata, S., Han, S.-i., Yasuda, K., & Kataoka, K. (2005). Synergistic activation of the insulin gene promoter by the β -cell enriched transcription factors MafA, Beta2, and Pdx1. *Biochimica et Biophysica Acta (BBA)-Gene Structure and Expression*, *1730*(1), 41-46.
- Aranha, M. M., Santos, D. M., Solá, S., Steer, C. J., & Rodrigues, C. M. (2011). miR-34a regulates mouse neural stem cell differentiation. *PLoS One*, *6*(8).
- Backe, M. B., Novotny, G. W., Christensen, D. P., Grunnet, L. G., & Mandrup-Poulsen, T. (2014). Altering β -cell number through stable alteration of miR-21 and miR-34a expression. *Islets*, *6*(1), e27754.
- Baek, D., Lee, K.-M., Park, K. W., Suh, J. W., Choi, S. M., Park, K. H., Lee, J. W., & Kim, S.-H. (2018). Inhibition of miR-449a promotes cartilage regeneration and prevents progression of osteoarthritis in in vivo rat models. *Molecular Therapy-Nucleic Acids*, *13*, 322-333.
- Baeyens, L., Bonn e, S., German, M. S., Ravassard, P., Heimberg, H., & Bouwens, L. (2006). Ngn3 expression during postnatal in vitro beta cell neogenesis induced by the JAK/STAT pathway. *Cell Death & Differentiation*, *13*(11), 1892-1899.
- Baeyens, L., Lemper, M., Staels, W., De Groef, S., De Leu, N., Heremans, Y., German, M. S., & Heimberg, H. (2018). (Re) generating human beta cells: status, pitfalls, and perspectives. *Physiol Rev*, *98*(3), 1143-1167.
- Baglio, S. R., Devescovi, V., Granchi, D., & Baldini, N. (2013). MicroRNA expression profiling of human bone marrow mesenchymal stem cells during osteogenic differentiation reveals Osterix regulation by miR-31. *Gene*, *527*(1), 321-331.
- Bankaitis, E. D., Bechard, M. E., & Wright, C. V. (2015). Feedback control of growth, differentiation, and morphogenesis of pancreatic endocrine progenitors in an epithelial plexus niche. *Genes & development*, *29*(20), 2203-2216.
- Baroukh, N., Ravier, M. A., Loder, M. K., Hill, E. V., Bounacer, A., Scharfmann, R., Rutter, G. A., & Van Obberghen, E. (2007). MicroRNA-124a regulates Foxa2 expression and intracellular signaling in pancreatic beta-cell lines. *J Biol Chem*, *282*(27), 19575-19588. doi:10.1074/jbc.M611841200
- Baroukh, N., Ravier, M. A., Loder, M. K., Hill, E. V., Bounacer, A., Scharfmann, R., Rutter, G. A., & Van Obberghen, E. (2007). MicroRNA-124a regulates Foxa2 expression and intracellular signaling in pancreatic β -cell lines. *Journal of Biological Chemistry*, *282*(27), 19575-19588.
- Bartholomeus, K., Jacobs-Tulleneers-Thevissen, D., Shouyue, S., & Suenens, K. (2013). Omentum is better site than kidney capsule for growth, differentiation, and vascularization of immature porcine β -cell implants in immunodeficient rats. *Transplantation*, *96*(12), 1026.
- Bastidas-Ponce, A., Scheibner, K., Lickert, H., & Bakhti, M. (2017). Cellular and molecular mechanisms coordinating pancreas development. *Development*, *144*(16), 2873-2888.
- Ben-Shushan, E., Marshak, S., Shoshkes, M., Cerasi, E., & Melloul, D. (2001). A Pancreatic β -Cell-specific Enhancer in the HumanPDX-1 Gene Is Regulated by Hepatocyte

- Nuclear Factor 3 β (HNF-3 β), HNF-1 α , and SPs Transcription Factors. *Journal of Biological Chemistry*, 276(20), 17533-17540.
- Ber, I., Shternhall, K., Perl, S., Ohanuna, Z., Goldberg, I., Barshack, I., Benvenisti-Zarum, L., Meivar-Levy, I., & Ferber, S. (2003). Functional, persistent, and extended liver to pancreas transdifferentiation. *Journal of Biological Chemistry*, 278(34), 31950-31957.
- Bernardo, A. S., Hay, C. W., & Docherty, K. (2008). Pancreatic transcription factors and their role in the birth, life and survival of the pancreatic β cell. *Molecular and cellular endocrinology*, 294(1-2), 1-9.
- Bhatt, N. M., Barua, S., & Gupta, S. (2009). Protective effect of *Enicostemma littorale* Blume on rat model of diabetic neuropathy. *American Journal of Infectious Diseases*, 5(2), 99-105.
- Bhatt, N. M., Chauhan, K., Gupta, S., Pillai, P., Pandya, C. D., Thaikootathil, J. V., & Gupta, S. S. (2011). Protective effect of *Enicostemma littorale* Blume methanolic extract on gentamicin-induced nephrotoxicity in rats. *American Journal of Infectious Diseases*, 7(4), 83-90.
- Bhatt, N. M., Chavda, M., Desai, D., Zalawadia, R., Patel, V. B., Burade, V., Sharma, A. K., Singal, P. K., & Gupta, S. (2012). Cardioprotective and antihypertensive effects of *Enicostemma littorale* Blume extract in fructose-fed rats. *Canadian journal of physiology and pharmacology*, 90(8), 1065-1073.
- Bhushan, A., Itoh, N., Kato, S., Thiery, J. P., Czernichow, P., Bellusci, S., & Scharfmann, R. (2001). Fgf10 is essential for maintaining the proliferative capacity of epithelial progenitor cells during early pancreatic organogenesis. *Development*, 128(24), 5109-5117.
- BILEZIKJIAN, L. M., CORRIGAN, A. Z., & VALE, W. (1990). Activin-A modulates growth hormone secretion from cultures of rat anterior pituitary cells. *Endocrinology*, 126(5), 2369-2376.
- Blyszczuk, P., Asbrand, C., Rozzo, A., Kania, G., St-onge, L., Rupnik, M., & Wobus, A. M. (2004). Embryonic stem cells differentiate into insulin-producing cells without selection of nestin-expressing cells. *International Journal of Developmental Biology*, 48(10), 1095-1104.
- Blyszczuk, P., & Wobus, A. M. (2006). In vitro differentiation of embryonic stem cells into the pancreatic lineage *Embryonic Stem Cell Protocols* (pp. 373-385): Springer.
- Bochenek, M. A., Veiseh, O., Vegas, A. J., McGarrigle, J. J., Qi, M., Marchese, E., Omami, M., Doloff, J. C., Mendoza-Elias, J., & Nourmohammadzadeh, M. (2018). Alginate encapsulation as long-term immune protection of allogeneic pancreatic islet cells transplanted into the omental bursa of macaques. *Nature biomedical engineering*, 2(11), 810-821.
- Boettler, T., Schneider, D., Cheng, Y., Kadoya, K., Brandon, E. P., Martinson, L., & Von Herrath, M. (2016). Pancreatic tissue transplanted in TheraCyte™ encapsulation devices is protected and prevents hyperglycemia in a mouse model of immune-mediated diabetes. *Cell transplantation*, 25(3), 609-614.

- Bolmeson, C., Esguerra, J. L., Salehi, A., Speidel, D., Eliasson, L., & Cilio, C. M. (2011). Differences in islet-enriched miRNAs in healthy and glucose intolerant human subjects. *Biochemical and biophysical research communications*, 404(1), 16-22.
- Bonner-Weir, S., Baxter, L. A., Schupp, G. T., & Smith, F. E. (1993). A second pathway for regeneration of adult exocrine and endocrine pancreas. A possible recapitulation of embryonic development. *Diabetes*, 42(12), 1715-1720. doi:10.2337/diab.42.12.1715
- Bonner-Weir, S., Toschi, E., Inada, A., Reitz, P., Fonseca, S. Y., Aye, T., & Sharma, A. (2004). The pancreatic ductal epithelium serves as a potential pool of progenitor cells. *Pediatr Diabetes*, 5 Suppl 2, 16-22. doi:10.1111/j.1399-543X.2004.00075.x
- Borowiak, M., & Melton, D. A. (2009). How to make β cells? *Current opinion in cell biology*, 21(6), 727-732.
- Bose, B., & Sudheer, P. S. (2015). In Vitro Differentiation of Pluripotent Stem Cells into Functional β Islets Under 2D and 3D Culture Conditions and In Vivo Preclinical Validation of 3D Islets *Embryonic Stem Cell Protocols* (pp. 257-284): Springer.
- Bottino, R., Knoll, M. F., Knoll, C. A., Bertera, S., & Trucco, M. M. (2018). The Future of Islet Transplantation Is Now. *Front Med (Lausanne)*, 5, 202. doi:10.3389/fmed.2018.00202
- Bravo-Egana, V., Rosero, S., Molano, R. D., Pileggi, A., Ricordi, C., Domínguez-Bendala, J., & Pastori, R. L. (2008). Quantitative differential expression analysis reveals miR-7 as major islet microRNA. *Biochemical and biophysical research communications*, 366(4), 922-926.
- Brennan, J., Lu, C. C., Norris, D. P., Rodriguez, T. A., Beddington, R. S., & Robertson, E. J. (2001). Nodal signalling in the epiblast patterns the early mouse embryo. *Nature*, 411(6840), 965-969.
- Brown, R. J., Wijewickrama, R. C., Harlan, D. M., & Rother, K. I. (2011). Uncoupling intensive insulin therapy from weight gain and hypoglycemia in type 1 diabetes. *Diabetes Technol Ther*, 13(4), 457-460. doi:10.1089/dia.2010.0159
- Bruin, J. E., Erener, S., Vela, J., Hu, X., Johnson, J. D., Kurata, H. T., Lynn, F. C., Piret, J. M., Asadi, A., & Reznica, A. (2014). Characterization of polyhormonal insulin-producing cells derived in vitro from human embryonic stem cells. *Stem cell research*, 12(1), 194-208.
- Brun, T., & Gauthier, B. R. (2008). A focus on the role of Pax4 in mature pancreatic islet beta-cell expansion and survival in health and disease. *Journal of molecular endocrinology*, 40(2), 37-45.
- Burrack, A. L., Martinov, T., & Fife, B. T. (2017). T Cell-Mediated Beta Cell Destruction: Autoimmunity and Alloimmunity in the Context of Type 1 Diabetes. *Front Endocrinol (Lausanne)*, 8, 343. doi:10.3389/fendo.2017.00343
- Cai, J., Yu, C., Liu, Y., Chen, S., Guo, Y., Yong, J., Lu, W., Ding, M., & Deng, H. (2010). Generation of homogeneous PDX1+ pancreatic progenitors from human ES cell-derived endoderm cells. *Journal of molecular cell biology*, 2(1), 50-60.
- Calafiore, R., Basta, G., Luca, G., Lemmi, A., Montanucci, M. P., Calabrese, G., Racanicchi, L., Mancuso, F., & Brunetti, P. (2006). Microencapsulated pancreatic islet allografts

- into nonimmunosuppressed patients with type 1 diabetes: first two cases. *Diabetes care*, 29(1), 137-138.
- Carrasco, M., Delgado, I., Soria, B., Martín, F., & Rojas, A. (2012). GATA4 and GATA6 control mouse pancreas organogenesis. *The Journal of clinical investigation*, 122(10), 3504-3515.
- Chae, J. H., Stein, G. H., & Lee, J. E. (2004). NeuroD: the predicted and the surprising. *Molecules & Cells (Springer Science & Business Media BV)*, 18(3).
- Champeris, S. T., & Jones, P. M. (2010). Generating pancreatic beta-cells from embryonic stem cells by manipulating signaling pathways. *The Journal of endocrinology*, 206(1), 13-26.
- Chandra, V., Phadnis, S., Nair, P. D., & Bhonde, R. R. (2009). Generation of pancreatic hormone-expressing islet-like cell aggregates from murine adipose tissue-derived stem cells. *Stem cells*, 27(8), 1941-1953.
- Chandra, V., Swetha, G., Muthyala, S., Jaiswal, A. K., Bellare, J. R., Nair, P. D., & Bhonde, R. R. (2011). Islet-like cell aggregates generated from human adipose tissue derived stem cells ameliorate experimental diabetes in mice. *PLoS One*, 6(6).
- Chao, K. C., Chao, K. F., Fu, Y. S., & Liu, S. H. (2008). Islet-like clusters derived from mesenchymal stem cells in Wharton's Jelly of the human umbilical cord for transplantation to control type 1 diabetes. *PLoS One*, 3(1), e1451.
- Cheleschi, S., De Palma, A., Pascarelli, N. A., Giordano, N., Galeazzi, M., Tenti, S., & Fioravanti, A. (2017). Could oxidative stress regulate the expression of MicroRNA-146a and MicroRNA-34a in human osteoarthritic chondrocyte cultures? *International journal of molecular sciences*, 18(12), 2660.
- Chen, B. Z., Yu, S. L., Singh, S., Kao, L. P., Tsai, Z. Y., Yang, P. C., Chen, B. H., & Shoei-Lung Li, S. (2011). Identification of microRNAs expressed highly in pancreatic islet-like cell clusters differentiated from human embryonic stem cells. *Cell Biol Int*, 35(1), 29-37. doi:10.1042/CBI20090081
- Chen, B. Z., Yu, S. L., Singh, S., Kao, L. P., Tsai, Z. Y., Yang, P. C., Chen, B. H., & Shoei-Lung Li, S. (2011). Identification of microRNAs expressed highly in pancreatic islet-like cell clusters differentiated from human embryonic stem cells. *Cell biology international*, 35(1), 29-37.
- Chen, H., Lan, H.-Y., Roukos, D. H., & Cho, W. C. (2014). Application of microRNAs in diabetes mellitus. *Journal of Endocrinology*, 222(1), R1-R10.
- Chen, K., & Rajewsky, N. (2007). The evolution of gene regulation by transcription factors and microRNAs. *Nature Reviews Genetics*, 8(2), 93-103.
- Chen, L.-B., Jiang, X.-B., & Yang, L. (2004). Differentiation of rat marrow mesenchymal stem cells into pancreatic islet beta-cells. *World journal of gastroenterology: WJG*, 10(20), 3016.
- Chen, X., Zhang, Z., Su, C., Gu, W., Li, H., & Zhou, G. (2010). Protective effect of heme oxygenase-1 to pancreas islet xenograft. *Journal of Surgical Research*, 164(2), 336-343.
- Chen, Y., Gao, D.-Y., & Huang, L. (2015). In vivo delivery of miRNAs for cancer therapy: challenges and strategies. *Advanced drug delivery reviews*, 81, 128-141.

- Chen, Y. J., Finkbeiner, S. R., Weinblatt, D., Emmett, M. J., Tameire, F., Yousefi, M., Yang, C., Maehr, R., Zhou, Q., Shemer, R., Dor, Y., Li, C., Spence, J. R., & Stanger, B. Z. (2014). De novo formation of insulin-producing "neo-beta cell islets" from intestinal crypts. *Cell Rep*, 6(6), 1046-1058. doi:10.1016/j.celrep.2014.02.013
- Chhabra, P., Sutherland, D. E., & Brayman, K. L. (2014). Overcoming barriers in clinical islet transplantation: current limitations and future prospects. *Current problems in surgery*, 51(2), 49-86.
- Chiang, M.-K., & Melton, D. A. (2003). Single-cell transcript analysis of pancreas development. *Developmental cell*, 4(3), 383-393.
- Cho, Y. M., Lim, J. M., Yoo, D. H., Kim, J. H., Chung, S. S., Park, S. G., Kim, T. H., Oh, S. K., Choi, Y. M., & Moon, S. Y. (2008). Betacellulin and nicotinamide sustain PDX1 expression and induce pancreatic β -cell differentiation in human embryonic stem cells. *Biochemical and biophysical research communications*, 366(1), 129-134.
- Choi, J., Uchino, H., Azuma, K., Iwashita, N., Tanaka, Y., Mochizuki, H., Migita, M., Shimada, T., Kawamori, R., & Watada, H. (2003). Little evidence of transdifferentiation of bone marrow-derived cells into pancreatic beta cells. *Diabetologia*, 46(10), 1366-1374.
- Chun, K.-S., Keum, Y.-S., Han, S. S., Song, Y.-S., Kim, S.-H., & Surh, Y.-J. (2003). Curcumin inhibits phorbol ester-induced expression of cyclooxygenase-2 in mouse skin through suppression of extracellular signal-regulated kinase activity and NF- κ B activation. *Carcinogenesis*, 24(9), 1515-1524.
- Churchill, A. J., Gutiérrez, G. D., Singer, R. A., Lorberbaum, D. S., Fischer, K. A., & Sussel, L. (2017). Genetic evidence that Nkx2. 2 acts primarily downstream of Neurog3 in pancreatic endocrine lineage development. *Elife*, 6, e20010.
- Cito, M., Pellegrini, S., Piemonti, L., & Sordi, V. (2018). The potential and challenges of alternative sources of beta cells for the cure of type 1 diabetes. *Endocr Connect*, 7(3), R114-R125. doi:10.1530/EC-18-0012
- Collombat, P., Mansouri, A., Hecksher-Sørensen, J., Serup, P., Krull, J., Gradwohl, G., & Gruss, P. (2003). Opposing actions of Arx and Pax4 in endocrine pancreas development. *Genes & development*, 17(20), 2591-2603.
- Conlon, F. L., Lyons, K. M., Takaesu, N., Barth, K. S., Kispert, A., Herrmann, B., & Robertson, E. J. (1994). A primary requirement for nodal in the formation and maintenance of the primitive streak in the mouse. *Development*, 120(7), 1919-1928.
- Correa-Medina, M., Bravo-Egana, V., Rosero, S., Ricordi, C., Edlund, H., Diez, J., & Pastori, R. L. (2009). MicroRNA miR-7 is preferentially expressed in endocrine cells of the developing and adult human pancreas. *Gene Expr Patterns*, 9(4), 193-199. doi:10.1016/j.gep.2008.12.003
- Courtney, M., Gjernes, E., Druelle, N., Ravaud, C., Vieira, A., Ben-Othman, N., Pfeifer, A., Avolio, F., Leuckx, G., Lacas-Gervais, S., Burel-Vandenbos, F., Ambrosetti, D., Hecksher-Sorensen, J., Ravassard, P., Heimberg, H., Mansouri, A., & Collombat, P. (2013). The inactivation of Arx in pancreatic alpha-cells triggers their neogenesis and conversion into functional beta-like cells. *PLoS Genet*, 9(10), e1003934. doi:10.1371/journal.pgen.1003934

- Czech, M. P. (2006). MicroRNAs as therapeutic targets. *New England journal of medicine*, 354(11), 1194-1195.
- Czubak, P., Bojarska-Junak, A., Tabarkiewicz, J., & Putowski, L. (2014). A modified method of insulin producing cells' generation from bone marrow-derived mesenchymal stem cells. *Journal of diabetes research*, 2014.
- D'Amour, K. A., Agulnick, A. D., Eliazer, S., Kelly, O. G., Kroon, E., & Baetge, E. E. (2005). Efficient differentiation of human embryonic stem cells to definitive endoderm. *Nature biotechnology*, 23(12), 1534.
- D'Amour, K. A., Bang, A. G., Eliazer, S., Kelly, O. G., Agulnick, A. D., Smart, N. G., Moorman, M. A., Kroon, E., Carpenter, M. K., & Baetge, E. E. (2006). Production of pancreatic hormone-expressing endocrine cells from human embryonic stem cells. *Nature biotechnology*, 24(11), 1392-1401.
- Dadheech, N., Soni, S., Srivastava, A., Dadheech, S., Gupta, S., Gopurappilly, R., Bhonde, R. R., & Gupta, S. (2013). A small molecule Swertisin from *Enicostemma littorale* differentiates NIH3T3 cells into islet-like clusters and restores Normoglycemia upon transplantation in diabetic balb/c mice. *Evidence-Based Complementary and Alternative Medicine*, 2013.
- Dadheech, N., Srivastava, A., Paranjape, N., Gupta, S., Dave, A., Shah, G. M., Bhonde, R. R., & Gupta, S. (2015). Swertisin an Anti-Diabetic Compound Facilitate Islet Neogenesis from Pancreatic Stem/Progenitor Cells via p-38 MAP Kinase-SMAD Pathway: An In-Vitro and In-Vivo Study. *PLoS One*, 10(6), e0128244.
- Dahe, G. J., Kadam, S. S., Sabale, S. S., Kadam, D. P., Sarkate, L. B., & Bellare, J. R. (2011). In vivo evaluation of the biocompatibility of surface modified hemodialysis polysulfone hollow fibers in rat. *PLoS One*, 6(10).
- Dahe, G. J., Teotia, R. S., Kadam, S. S., & Bellare, J. R. (2011). The biocompatibility and separation performance of antioxidative polysulfone/vitamin E TPGS composite hollow fiber membranes. *Biomaterials*, 32(2), 352-365.
- Dahl, U., Sjodin, A., & Semb, H. (1996). Cadherins regulate aggregation of pancreatic beta-cells in vivo. *Development*, 122(9), 2895-2902.
- Dalvi, M. P., Umrani, M. R., Joglekar, M. V., & Hardikar, A. A. (2009). Human pancreatic islet progenitor cells demonstrate phenotypic plasticity in vitro. *Journal of biosciences*, 34(4), 523-528.
- Dang, T. T., Thai, A. V., Cohen, J., Slosberg, J. E., Siniakowicz, K., Doloff, J. C., Ma, M., Hollister-Lock, J., Tang, K. M., & Gu, Z. (2013). Enhanced function of immunoisolated islets in diabetes therapy by co-encapsulation with an anti-inflammatory drug. *Biomaterials*, 34(23), 5792-5801.
- Dassaye, R., Naidoo, S., & Cerf, M. E. (2016). Transcription factor regulation of pancreatic organogenesis, differentiation and maturation. *Islets*, 8(1), 13-34. doi:10.1080/19382014.2015.1075687
- de Vos, P., Spasojevic, M., & Faas, M. M. (2010). Treatment of diabetes with encapsulated islets *Therapeutic Applications of Cell Microencapsulation* (pp. 38-53): Springer.
- de Vos, P., van Hoogmoed, C. G., de Haan, B. J., & Busscher, H. J. (2002). Tissue responses against immunoisolating alginate-PLL capsules in the immediate posttransplant period.

- Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, 62(3), 430-437.
- Decker, K., Goldman, D. C., Grash, C. L., & Sussel, L. (2006). Gata6 is an important regulator of mouse pancreas development. *Developmental biology*, 298(2), 415-429.
- DeFronzo, R. A., Ratner, R. E., Han, J., Kim, D. D., Fineman, M. S., & Baron, A. D. (2005). Effects of exenatide (exendin-4) on glycemic control and weight over 30 weeks in metformin-treated patients with type 2 diabetes. *Diabetes care*, 28(5), 1092-1100.
- Demeterco, C., Beattie, G. M., Dib, S. A., Lopez, A. D., & Hayek, A. (2000). A role for activin A and betacellulin in human fetal pancreatic cell differentiation and growth. *The Journal of Clinical Endocrinology & Metabolism*, 85(10), 3892-3897.
- Dennis, J. E., Carbillet, J.-P., Caplan, A. I., & Charbord, P. (2002). The STRO-1+ marrow cell population is multipotential. *Cells Tissues Organs*, 170(2-3), 73-82.
- Desai, P. D., Ganguly, A.K, Govindachari, T.R, Joshi, B.S, Kamat, V.N., Manmade,, A.H., M., P.A., Nagle, S.K., Nayak,R.H., Saksena, A.K., Sathe, S.S., & Viswanathan, N. (1966). Chemical investigation of some Indian Medicinal Plants: Part II. *Indian Journal of Chemistry*(4), 457-459.
- Desai, T., & Shea, L. D. (2017). Advances in islet encapsulation technologies. *Nature reviews Drug discovery*, 16(5), 338.
- Desai, T. A., & Tang, Q. (2018). Islet encapsulation therapy—racing towards the finish line? *Nature Reviews Endocrinology*, 14(11), 630-632.
- Desai, T. A., West, T., Cohen, M., Boiarski, T., & Rampersaud, A. (2006). Nanoporous Microsystems for Islet Cell Replacement *BioMEMS and Biomedical Nanotechnology* (pp. 171-192): Springer.
- Desgraz, R., & Herrera, P. L. (2009). Pancreatic neurogenin 3-expressing cells are unipotent islet precursors. *Development*, 136(21), 3567-3574.
- Deutsch, G., Jung, J., Zheng, M., Lórá, J., & Zaret, K. S. (2001). A bipotential precursor population for pancreas and liver within the embryonic endoderm. *Development*, 128(6), 871-881.
- Dhanasekaran, M., Indumathi, S., Kanmani, A., Poojitha, R., Revathy, K., Rajkumar, J., & Sudarsanam, D. (2012). Surface antigenic profiling of stem cells from human omentum fat in comparison with subcutaneous fat and bone marrow. *Cytotechnology*, 64(5), 497-509.
- Diana, Z. Y., Tai, M.-H., Linning, K. D., Szabo, C., & Olson, L. K. (2006). MafA expression and insulin promoter activity are induced by nicotinamide and related compounds in INS-1 pancreatic β -cells. *Diabetes*, 55(3), 742-750.
- Dolgin, E. (2016). Diabetes: Encapsulating the problem. *Nature*, 540(7632), S60-S62.
- Dominici, M., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F., Krause, D., Deans, R., Keating, A., Prockop, D., & Horwitz, E. (2006). Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*, 8(4), 315-317.

- Donath, M. Y., Ehses, J. A., Maedler, K., Schumann, D. M., Ellingsgaard, H., Eppler, E., & Reinecke, M. (2005). Mechanisms of beta-cell death in type 2 diabetes. *Diabetes*, *54 Suppl 2*, S108-113.
- Downing, S., Zhang, F., Chen, Z., & Tzanakakis, E. S. (2019). MicroRNA-7 directly targets Reg1 in pancreatic cells. *American Journal of Physiology-Cell Physiology*, *317*(2), C366-C374.
- Duester, G. (2008). Retinoic acid synthesis and signaling during early organogenesis. *Cell*, *134*(6), 921-931.
- Dumortier, O., Fabris, G., & Van Obberghen, E. (2016). Shaping and preserving β -cell identity with microRNAs. *Diabetes, Obesity and Metabolism*, *18*, 51-57.
- Dusseault, J., Tam, S. K., Ménard, M., Polizu, S., Jourdan, G., Yahia, L. H., & Hallé, J. P. (2006). Evaluation of alginate purification methods: effect on polyphenol, endotoxin, and protein contamination. *Journal of Biomedical Materials Research Part A*, *76*(2), 243-251.
- Eisenbarth, G. S. (1986). Type I diabetes mellitus. *New England journal of medicine*, *314*(21), 1360-1368.
- Eizirik, D. L., Korbitt, G. S., & Hellerström, C. (1992). Prolonged exposure of human pancreatic islets to high glucose concentrations in vitro impairs the beta-cell function. *The Journal of clinical investigation*, *90*(4), 1263-1268.
- Ellis, C., Ramzy, A., & Kieffer, T. J. (2017). Regenerative medicine and cell-based approaches to restore pancreatic function. *Nature Reviews Gastroenterology & Hepatology*, *14*(10), 612.
- Eng, J., Kleinman, W., Singh, L., Singh, G., & Raufman, J.-P. (1992). Isolation and characterization of exendin-4, an exendin-3 analogue, from *Heloderma suspectum* venom. Further evidence for an exendin receptor on dispersed acini from guinea pig pancreas. *Journal of Biological Chemistry*, *267*(11), 7402-7405.
- Eto, Y., Tsuji, T., Takezawa, M., Takano, S., Yokogawa, Y., & Shibai, H. (1987). Purification and characterization of erythroid differentiation factor (EDF) isolated from human leukemia cell line THP-1. *Biochemical and biophysical research communications*, *142*(3), 1095-1103.
- Federici, M., Hribal, M., Perego, L., Ranalli, M., Caradonna, Z., Perego, C., Usellini, L., Nano, R., Bonini, P., & Bertuzzi, F. (2001). High glucose causes apoptosis in cultured human pancreatic islets of Langerhans: a potential role for regulation of specific Bcl family genes toward an apoptotic cell death program. *Diabetes*, *50*(6), 1290-1301.
- Ferber, S., Halkin, A., Cohen, H., Ber, I., Einav, Y., Goldberg, I., Barshack, I., Seiffers, R., Kopolovic, J., Kaiser, N., & Karasik, A. (2000). Pancreatic and duodenal homeobox gene 1 induces expression of insulin genes in liver and ameliorates streptozotocin-induced hyperglycemia. *Nat Med*, *6*(5), 568-572. doi:10.1038/75050
- Fernández-Hernando, C., Ramírez, C. M., Goedeke, L., & Suárez, Y. (2013). MicroRNAs in metabolic disease. *Arteriosclerosis, thrombosis, and vascular biology*, *33*(2), 178-185.
- Fernandez-Valverde, S. L., Taft, R. J., & Mattick, J. S. (2011). MicroRNAs in β -cell biology, insulin resistance, diabetes and its complications. *Diabetes*, *60*(7), 1825-1831.

- Filios, S. R., & Shalev, A. (2015). β -Cell microRNAs: small but powerful. *Diabetes*, *64*(11), 3631-3644.
- Filippi, C. M., & von Herrath, M. G. (2008). Viral trigger for type 1 diabetes: pros and cons. *Diabetes*, *57*(11), 2863-2871.
- Finegood, D. T., Scaglia, L., & Bonner-Weir, S. (1995). Dynamics of beta-cell mass in the growing rat pancreas. Estimation with a simple mathematical model. *Diabetes*, *44*(3), 249-256. doi:10.2337/diab.44.3.249
- Friedman, R. C., Farh, K. K.-H., Burge, C. B., & Bartel, D. P. (2009). Most mammalian mRNAs are conserved targets of microRNAs. *Genome research*, *19*(1), 92-105.
- Fritschy, W. M., de Vos, P., Pasma, A., Wolters, G., van Schilfgaarde, R., & Klatter, H. G. F. (1994). The capsular overgrowth on microencapsulated pancreatic islet graft in streptozotocin and autoimmune diabetic rats. *Transplant international*, *7*(4), 264-271.
- Fu, Y., Chen, J., & Huang, Z. (2019). Recent progress in microRNA-based delivery systems for the treatment of human disease. *ExRNA*, *1*(1), 1-14.
- Fu, Z., Gilbert, E. R., & Liu, D. (2013). Regulation of insulin synthesis and secretion and pancreatic Beta-cell dysfunction in diabetes. *Curr Diabetes Rev*, *9*(1), 25-53.
- Fujimoto, K., & Polonsky, K. S. (2009). Pdx1 and other factors that regulate pancreatic beta-cell survival. *Diabetes Obes Metab*, *11 Suppl 4*, 30-37. doi:10.1111/j.1463-1326.2009.01121.x
- Fujimoto, K., & Polonsky, K. S. (2009). Pdx1 and other factors that regulate pancreatic β -cell survival. *Diabetes, Obesity and Metabolism*, *11*, 30-37.
- Fusco, J., Xiao, X., Prasad, K., Sheng, Q., Chen, C., Ming, Y.-C., & Gittes, G. (2017). GLP-1/Exendin-4 induces β -cell proliferation via the epidermal growth factor receptor. *Scientific reports*, *7*(1), 1-6.
- Gabr, M. M., Zakaria, M. M., Refaie, A. F., Abdel-Rahman, E. A., Reda, A. M., Ali, S. S., Khater, S. M., Ashamallah, S. A., Ismail, A. M., & Ismail, H. E.-D. A. (2017). From human mesenchymal stem cells to insulin-producing cells: comparison between bone marrow-and adipose tissue-derived cells. *BioMed research international*, *2017*.
- Gabr, M. M., Zakaria, M. M., Refaie, A. F., Ismail, A. M., Abou-El-Mahasen, M. A., Ashamallah, S. A., Khater, S. M., El-Halawani, S. M., Ibrahim, R. Y., & Uin, G. S. (2013). Insulin-producing cells from adult human bone marrow mesenchymal stem cells control streptozotocin-induced diabetes in nude mice. *Cell transplantation*, *22*(1), 133-145.
- Gabr, M. M., Zakaria, M. M., Refaie, A. F., Ismail, A. M., Abou-El-Mahasen, M. A., Ashamallah, S. A., Khater, S. M., El-Halawani, S. M., Ibrahim, R. Y., Uin, G. S., Kloc, M., Calne, R. Y., & Ghoneim, M. A. (2013). Insulin-producing cells from adult human bone marrow mesenchymal stem cells control streptozotocin-induced diabetes in nude mice. *Cell Transplant*, *22*(1), 133-145. doi:10.3727/096368912X647162
- Gabr, M. M., Zakaria, M. M., Refaie, A. F., Khater, S. M., Ashamallah, S. A., Ismail, A. M., El-Badri, N., & Ghoneim, M. A. (2014). Generation of insulin-producing cells from human bone marrow-derived mesenchymal stem cells: comparison of three differentiation protocols. *Biomed Res Int*, *2014*, 832736. doi:10.1155/2014/832736

- Gabr, M. M., Zakaria, M. M., Refaie, A. F., Khater, S. M., Ashamalla, S. A., Ismail, A. M., El-Badri, N., & Ghoneim, M. A. (2014). Generation of insulin-producing cells from human bone marrow-derived mesenchymal stem cells: comparison of three differentiation protocols. *BioMed research international*, 2014.
- Gao, F., Wu, D.-Q., Hu, Y.-H., Jin, G.-X., Li, G.-D., Sun, T.-W., & Li, F.-J. (2008). In vitro cultivation of islet-like cell clusters from human umbilical cord blood-derived mesenchymal stem cells. *Translational research*, 151(6), 293-302.
- Gao, N., LeLay, J., Vatamaniuk, M. Z., Rieck, S., Friedman, J. R., & Kaestner, K. H. (2008). Dynamic regulation of Pdx1 enhancers by Foxa1 and Foxa2 is essential for pancreas development. *Genes & development*, 22(24), 3435-3448.
- Gao, N., White, P., Doliba, N., Golson, M. L., Matschinsky, F. M., & Kaestner, K. H. (2007). Foxa2 controls vesicle docking and insulin secretion in mature β cells. *Cell Metab*, 6(4), 267-279.
- Gao, Y., Zhang, R., Dai, S., Zhang, X., Li, X., & Bai, C. (2019). Role of TGF- β /Smad Pathway in the Transcription of Pancreas-Specific Genes During Beta Cell Differentiation. *Frontiers in Cell and Developmental Biology*, 7, 351.
- Gasa, R., Mrejen, C., Leachman, N., Otten, M., Barnes, M., Wang, J., Chakrabarti, S., Mirmira, R., & German, M. (2004). Proendocrine genes coordinate the pancreatic islet differentiation program in vitro. *Proceedings of the National Academy of Sciences*, 101(36), 13245-13250.
- Gasa, R., Mrejen, C., Lynn, F. C., Skewes-Cox, P., Sanchez, L., Yang, K. Y., Lin, C. H., Gomis, R., & German, M. S. (2008). Induction of pancreatic islet cell differentiation by the neurogenin–neuroD cascade. *Differentiation*, 76(4), 381-391.
- Gauthier, B. R., & Wollheim, C. B. (2006). MicroRNAs: 'ribo-regulators' of glucose homeostasis. *Nat Med*, 12(1), 36-38.
- Gavrilas, L. I., Ionescu, C., Tudoran, O., Lisencu, C., Balacescu, O., & Miere, D. (2016). The role of bioactive dietary components in modulating miRNA expression in colorectal cancer. *Nutrients*, 8(10), 590.
- Gerdes, J. M., Christou-Savina, S., Xiong, Y., Moede, T., Moruzzi, N., Karlsson-Edlund, P., Leibiger, B., Leibiger, I. B., Östenson, C.-G., & Beales, P. L. (2014). Ciliary dysfunction impairs beta-cell insulin secretion and promotes development of type 2 diabetes in rodents. *Nature communications*, 5(1), 1-13.
- Ghosal, S., Jaiswal, D.K., . (1980). Chemical constituents of Gentianaceae XXVIII: flavonoids of *Enicostemma hyssopifolium* (Willd.). *Verd. Journal of Pharmaceutical Sciences*(69), 53-56.
- Gilbert, E. R., & Liu, D. (2013). Anti-diabetic functions of soy isoflavone genistein: mechanisms underlying its effects on pancreatic β -cell function. *Food & function*, 4(2), 200-212.
- Gittes, G. K. (2009). Developmental biology of the pancreas: a comprehensive review. *Developmental biology*, 326(1), 4-35.
- Goginashvili, A., Zhang, Z., Erbs, E., Spiegelhalter, C., Kessler, P., Mihlan, M., Pasquier, A., Krupina, K., Schieber, N., Cinque, L., Morvan, J., Sumara, I., Schwab, Y., Settembre,

- C., & Ricci, R. (2015). Insulin granules. Insulin secretory granules control autophagy in pancreatic beta cells. *science*, 347(6224), 878-882. doi:10.1126/science.aaa2628
- Goicoa, S., Álvarez, S., Ricordi, C., Inverardi, L., & Dominguez-Bendala, J. (2006). Sodium butyrate activates genes of early pancreatic development in embryonic stem cells. *Cloning and stem cells*, 8(3), 140-149.
- Goodge, K. A., & Hutton, J. C. (2000). *Translational regulation of proinsulin biosynthesis and proinsulin conversion in the pancreatic β -cell*. Paper presented at the Seminars in cell & developmental biology.
- Gotfredsen, C., Stewart, M., O'Shea, G., Vose, J., Horn, T., & Moody, A. (1990). The fate of transplanted encapsulated islets in spontaneously diabetic BB/Wor rats. *Diabetes research (Edinburgh, Scotland)*, 15(4), 157-163.
- Gouzi, M., Kim, Y. H., Katsumoto, K., Johansson, K., & Grapin-Botton, A. (2011). Neurogenin3 initiates stepwise delamination of differentiating endocrine cells during pancreas development. *Developmental Dynamics*, 240(3), 589-604.
- Govindasamy, V., Ronald, V., Abdullah, A., Nathan, K. G., Ab. Aziz, Z., Abdullah, M., Musa, S., Kasim, N. A., & Bhonde, R. (2011). Differentiation of dental pulp stem cells into islet-like aggregates. *Journal of dental research*, 90(5), 646-652.
- Gradwohl, G., Dierich, A., LeMeur, M., & Guillemot, F. (2000). neurogenin3 is required for the development of the four endocrine cell lineages of the pancreas. *Proceedings of the National Academy of Sciences*, 97(4), 1607-1611.
- Gregg, B. E., Moore, P. C., Demozay, D., Hall, B. A., Li, M., Husain, A., Wright, A. J., Atkinson, M. A., & Rhodes, C. J. (2012). Formation of a human beta-cell population within pancreatic islets is set early in life. *J Clin Endocrinol Metab*, 97(9), 3197-3206. doi:10.1210/jc.2012-1206
- Greve, T. S., Judson, R. L., & Belloch, R. (2013). microRNA control of mouse and human pluripotent stem cell behavior. *Annu Rev Cell Dev Biol*, 29, 213-239. doi:10.1146/annurev-cellbio-101512-122343
- Grover, J., & Vats, V. (2001). Shifting paradigm: from conventional to alternative medicines—an introduction on traditional Indian medicines. *Asia-Pacific Biotech News*, 5(01), 28-32.
- Gruessner, R. W., & Gruessner, A. C. (2013). The current state of pancreas transplantation. *Nat Rev Endocrinol*, 9(9), 555-562. doi:10.1038/nrendo.2013.138
- Gu, C., Stein, G. H., Pan, N., Goebbels, S., Hörnberg, H., Nave, K.-A., Herrera, P., White, P., Kaestner, K. H., & Sussel, L. (2010). Pancreatic β cells require NeuroD to achieve and maintain functional maturity. *Cell Metab*, 11(4), 298-310.
- Gu, C., Stein, G. H., Pan, N., Goebbels, S., Hornberg, H., Nave, K. A., Herrera, P., White, P., Kaestner, K. H., Sussel, L., & Lee, J. E. (2010). Pancreatic beta cells require NeuroD to achieve and maintain functional maturity. *Cell Metab*, 11(4), 298-310. doi:10.1016/j.cmet.2010.03.006
- Gu, G., Dubauskaite, J., & Melton, D. A. (2002). Direct evidence for the pancreatic lineage: NGN3+ cells are islet progenitors and are distinct from duct progenitors. *Development*, 129(10), 2447-2457.

- Guney, M. A., & Gannon, M. (2009). Pancreas cell fate. *Birth Defects Res C Embryo Today*, 87(3), 232-248. doi:10.1002/bdrc.20156
- Gupta S, Dadheech N, Singh A, and, S. S., & RR, B. (2010). Enicostemma littorale: A new therapeutic for islet neogenesis. *International Journal of Integrative biology*, 9(1), 49-53.
- Gupta, S., Dadheech, N., Singh, A., Soni, S., & Bhonde, R. (2010). Enicostemma littorale: a new therapeutic target for islet neogenesis. *Int. J. Integr. Biol*, 9(1), 49-53.
- Haegel, H., Larue, L., Ohsugi, M., Fedorov, L., Herrenknecht, K., & Kemler, R. (1995). Lack of beta-catenin affects mouse development at gastrulation. *Development*, 121(11), 3529-3537.
- Haider, H. K., & Ashraf, M. (2008). Strategies to promote donor cell survival: combining preconditioning approach with stem cell transplantation. *Journal of molecular and cellular cardiology*, 45(4), 554-566.
- Han, S.-i., Yasuda, K., & Kataoka, K. (2011). ATF2 interacts with β -cell-enriched transcription factors, MafA, Pdx1, and Beta2, and activates insulin gene transcription. *Journal of Biological Chemistry*, 286(12), 10449-10456.
- Hang, Y., & Stein, R. (2011). MafA and MafB activity in pancreatic beta cells. *Trends Endocrinol Metab*, 22(9), 364-373. doi:10.1016/j.tem.2011.05.003
- Hang, Y., & Stein, R. (2011). MafA and MafB activity in pancreatic β cells. *Trends in Endocrinology & Metabolism*, 22(9), 364-373.
- Hansson, M., Tonning, A., Frandsen, U., Petri, A., Rajagopal, J., Englund, M. C., Heller, R. S., Håkansson, J., Fleckner, J., & Sköld, H. N. (2004). Artfactual insulin release from differentiated embryonic stem cells. *Diabetes*, 53(10), 2603-2609.
- Hardikar, A. A., Marcus-Samuels, B., Geras-Raaka, E., Raaka, B. M., & Gershengorn, M. C. (2003). Human pancreatic precursor cells secrete FGF2 to stimulate clustering into hormone-expressing islet-like cell aggregates. *Proceedings of the National Academy of Sciences*, 100(12), 7117-7122.
- Hart, A., Papadopoulou, S., & Edlund, H. (2003). Fgf10 maintains notch activation, stimulates proliferation, and blocks differentiation of pancreatic epithelial cells. *Developmental dynamics: an official publication of the American Association of Anatomists*, 228(2), 185-193.
- Hashimot, M., Kondo, S., Sakurai, T., Etoh, Y., Shibai, H., & Muramatsu, M. (1990). Activin/EDF as an inhibitor of neural differentiation. *Biochemical and biophysical research communications*, 173(1), 193-200.
- Haumaitre, C., Lenoir, O., & Scharfmann, R. (2008). Histone deacetylase inhibitors modify pancreatic cell fate determination and amplify endocrine progenitors. *Molecular and cellular biology*, 28(20), 6373-6383.
- Hayek, A., Beattie, G. M., Cirulli, V., Lopez, A. D., Ricordi, C., & Rubin, J. S. (1995). Growth factor/matrix-induced proliferation of human adult β -cells. *Diabetes*, 44(12), 1458-1460.
- He, L., & Hannon, G. J. (2004). MicroRNAs: small RNAs with a big role in gene regulation. *Nature Reviews Genetics*, 5(7), 522-531.

- Hering, B. J., Clarke, W. R., Bridges, N. D., Eggerman, T. L., Alejandro, R., Bellin, M. D., Chaloner, K., Czarniecki, C. W., Goldstein, J. S., Hunsicker, L. G., Kaufman, D. B., Korsgren, O., Larsen, C. P., Luo, X., Markmann, J. F., Najj, A., Oberholzer, J., Posselt, A. M., Rickels, M. R., Ricordi, C., Robien, M. A., Senior, P. A., Shapiro, A. M., Stock, P. G., Turgeon, N. A., & Clinical Islet Transplantation, C. (2016). Phase 3 Trial of Transplantation of Human Islets in Type 1 Diabetes Complicated by Severe Hypoglycemia. *Diabetes care*, *39*(7), 1230-1240. doi:10.2337/dc15-1988
- Hermansen, K., Fontaine, P., Kukolja, K. K., Peterkova, V., Leth, G., & Gall, M. A. (2004). Insulin analogues (insulin detemir and insulin aspart) versus traditional human insulins (NPH insulin and regular human insulin) in basal-bolus therapy for patients with type 1 diabetes. *Diabetologia*, *47*(4), 622-629. doi:10.1007/s00125-004-1365-z
- Herrera-Carrillo, E., Liu, Y. P., & Berkhout, B. (2017). Improving miRNA delivery by optimizing miRNA expression cassettes in diverse virus vectors. *Human gene therapy methods*, *28*(4), 177-190.
- Hisanaga, E., Park, K.-Y., Yamada, S., Hashimoto, H., Takeuchi, T., Mori, M., Seno, M., Umezawa, K., Takei, I., & Kojima, I. (2008). A simple method to induce differentiation of murine bone marrow mesenchymal cells to insulin-producing cells using conophylline and betacellulin-delta4. *Endocrine journal*, *55*(3), 535-543.
- Hrvatín, S., O'Donnell, C. W., Deng, F., Millman, J. R., Pagliuca, F. W., DiIorio, P., Rezanía, A., Gifford, D. K., & Melton, D. A. (2014). Differentiated human stem cells resemble fetal, not adult, β cells. *Proceedings of the National Academy of Sciences*, *111*(8), 3038-3043.
- Huang, C., Geng, J., & Jiang, S. (2016). MicroRNAs in regulation of osteogenic differentiation of mesenchymal stem cells. *Cell and Tissue Research*, 1-10.
- Huang, H.-P., Liu, M., El-Hodiri, H. M., Chu, K., Jamrich, M., & Tsai, M.-J. (2000). Regulation of the Pancreatic Islet-Specific Gene BETA2 (neuroD) by Neurogenin 3. *Molecular and cellular biology*, *20*(9), 3292-3307.
- HUTTON, J. C., PESHAVARIA, M., JOHNSTON, C. F., RAVAZZOLA, M., & ORCI, L. (1988). Immunolocalization of betagranin: a chromogranin A-related protein of the pancreatic B-cell. *Endocrinology*, *122*(3), 1014-1020.
- Ichihara, Y., Utoh, R., Yamada, M., Shimizu, T., & Uchigata, Y. (2016). Size effect of engineered islets prepared using microfabricated wells on islet cell function and arrangement. *Heliyon*, *2*(6), e00129.
- IDF Diabetes Atlas, t. e. (2019). International Diabetes Federation. Brussels, Belgium.
- Ilonen, J., Lempainen, J., & Veijola, R. (2019). The heterogeneous pathogenesis of type 1 diabetes mellitus. *Nat Rev Endocrinol*, *15*(11), 635-650. doi:10.1038/s41574-019-0254-y
- In't Veld, P., & Marichal, M. (2010). Microscopic anatomy of the human islet of Langerhans. *Adv Exp Med Biol*, *654*, 1-19. doi:10.1007/978-90-481-3271-3_1
- Jackson, A. M., Kanak, M. A., Grishman, E. K., Chaussabel, D., Levy, M. F., & Naziruddin, B. (2012). Gene expression changes in human islets exposed to type 1 diabetic serum. *Islets*, *4*(4), 312-319.

- Jacobs-Tulleneers-Thevissen, D., Chintinne, M., Ling, Z., Gillard, P., Schoonjans, L., Delvaux, G., Strand, B. L., Gorus, F., Keymeulen, B., & Pipeleers, D. (2013). Sustained function of alginate-encapsulated human islet cell implants in the peritoneal cavity of mice leading to a pilot study in a type 1 diabetic patient. *Diabetologia*, *56*(7), 1605-1614.
- Jacobson, E. F., & Tzanakakis, E. S. (2017). Human pluripotent stem cell differentiation to functional pancreatic cells for diabetes therapies: Innovations, challenges and future directions. *Journal of biological engineering*, *11*(1), 21.
- Jafarian, A., Taghikani, M., Abroun, S., Allahverdi, A., Lamei, M., Lakpour, N., & Soleimani, M. (2015). The Generation of Insulin Producing Cells from Human Mesenchymal Stem Cells by MiR-375 and Anti-MiR-9. *PLoS One*, *10*(6), e0128650. doi:10.1371/journal.pone.0128650
- Jafarian, A., Taghikani, M., Abroun, S., Pourpak, Z., Allahverdi, A., & Soleimani, M. (2014). Generation of high-yield insulin producing cells from human bone marrow mesenchymal stem cells. *Molecular biology reports*, *41*(7), 4783-4794.
- Jain, R., & Lammert, E. (2009). Cell–cell interactions in the endocrine pancreas. *Diabetes, Obesity and Metabolism*, *11*, 159-167.
- Jansson, L., Barbu, A., Bodin, B., Drott, C. J., Espes, D., Gao, X., Grapensparr, L., Kallskog, O., Lau, J., Liljebäck, H., Palm, F., Quach, M., Sandberg, M., Stromberg, V., Ullsten, S., & Carlsson, P. O. (2016). Pancreatic islet blood flow and its measurement. *Ups J Med Sci*, *121*(2), 81-95. doi:10.3109/03009734.2016.1164769
- Jennings, R. E., Berry, A. A., Kirkwood-Wilson, R., Roberts, N. A., Hearn, T., Salisbury, R. J., Blaylock, J., Hanley, K. P., & Hanley, N. A. (2013). Development of the human pancreas from foregut to endocrine commitment. *Diabetes*, *62*(10), 3514-3522.
- Jennings, R. E., Berry, A. A., Strutt, J. P., Gerrard, D. T., & Hanley, N. A. (2015). Human pancreas development. *Development*, *142*(18), 3126-3137.
- Jensen, J., Heller, R. S., Funder-Nielsen, T., Pedersen, E. E., Lindsell, C., Weinmaster, G., Madsen, O. D., & Serup, P. (2000). Independent development of pancreatic alpha-and beta-cells from neurogenin3-expressing precursors: a role for the notch pathway in repression of premature differentiation. *Diabetes*, *49*(2), 163-176.
- Jerram, S. T., & Leslie, R. D. (2017). The Genetic Architecture of Type 1 Diabetes. *Genes (Basel)*, *8*(8). doi:10.3390/genes8080209
- Jiang, J., Au, M., Lu, K., Eshpeter, A., Korbitt, G., Fisk, G., & Majumdar, A. S. (2007). Generation of insulin-producing islet-like clusters from human embryonic stem cells. *Stem cells*, *25*(8), 1940-1953.
- Jiang, W., Shi, Y., Zhao, D., Chen, S., Yong, J., Zhang, J., Qing, T., Sun, X., Zhang, P., & Ding, M. (2007). In vitro derivation of functional insulin-producing cells from human embryonic stem cells. *Cell research*, *17*(4), 333-344.
- Jiang, Y., & Zhong, F. (2019). Endogenous pancreatic β -cell regeneration: a potential strategy for the recovery of β -cell deficiency in diabetes. *Front Endocrinol (Lausanne)*, *10*, 101.
- Jing, G., Westwell-Roper, C., Chen, J., Xu, G., Verchere, C. B., & Shalev, A. (2014). Thioredoxin-interacting protein promotes islet amyloid polypeptide expression through miR-124a and FoxA2. *Journal of Biological Chemistry*, *289*(17), 11807-11815.

- Joglekar, M. V., Joglekar, V. M., & Hardikar, A. A. (2009). Expression of islet-specific microRNAs during human pancreatic development. *Gene Expression Patterns*, 9(2), 109-113.
- Joglekar, M. V., Parekh, V. S., Mehta, S., Bhonde, R. R., & Hardikar, A. A. (2007). MicroRNA profiling of developing and regenerating pancreas reveal post-transcriptional regulation of neurogenin3. *Developmental biology*, 311(2), 603-612.
- Johannesson, M., Ståhlberg, A., Ameri, J., Sand, F. W., Norrman, K., & Semb, H. (2009). FGF4 and retinoic acid direct differentiation of hESCs into PDX1-expressing foregut endoderm in a time-and concentration-dependent manner. *PLoS One*, 4(3).
- Johnson, M., Koukoulis, G., Matsumoto, K., Nakamura, T., & Iyer, A. (1993). Hepatocyte growth factor induces proliferation and morphogenesis in nonparenchymal epithelial liver cells. *Hepatology*, 17(6), 1052-1061.
- Jonas, J.-C., Plant, T., Gilon, P., Detimary, P., Nenquin, M., & Henquin, J.-C. (1995). Multiple effects and stimulation of insulin secretion by the tyrosine kinase inhibitor genistein in normal mouse islets. *British journal of pharmacology*, 114(4), 872-880.
- Jonatan, D., Spence, J. R., Method, A. M., Kofron, M., Sinagoga, K., Haataja, L., Arvan, P., Deutsch, G. H., & Wells, J. M. (2014). Sox17 regulates insulin secretion in the normal and pathologic mouse β cell. *PLoS One*, 9(8).
- Júnior, R. F. M., Salvalaggio, P., & Pacheco-Silva, A. (2015). Pancreas transplantation. *Einstein (Sao Paulo)*, 13(2), 305-309.
- Kadam, S. S., Sudhakar, M., Nair, P. D., & Bhonde, R. R. (2010). Reversal of experimental diabetes in mice by transplantation of neo-islets generated from human amnion-derived mesenchymal stromal cells using immuno-isolatory macrocapsules. *Cytotherapy*, 12(8), 982-991.
- Kahraman, S., Dirice, E., Hapil, F. Z., Ertosun, M. G., Ozturk, S., Griffith, T. S., Sanlioglu, S., & Sanlioglu, A. D. (2011). Tracing of islet graft survival by way of in vivo fluorescence imaging. *Diabetes/metabolism research and reviews*, 27(6), 575-583.
- Kalis, M., Bolmeson, C., Esguerra, J. L., Gupta, S., Edlund, A., Tormo-Badia, N., Speidel, D., Holmberg, D., Mayans, S., & Khoo, N. K. (2011). Beta-cell specific deletion of Dicer1 leads to defective insulin secretion and diabetes mellitus. *PLoS One*, 6(12).
- Kanafı, M. M., Rajeshwari, Y. B., Gupta, S., Dadheech, N., Nair, P. D., Gupta, P. K., & Bhonde, R. R. (2013). Transplantation of islet-like cell clusters derived from human dental pulp stem cells restores normoglycemia in diabetic mice. *Cytotherapy*, 15(10), 1228-1236.
- Kanai-Azuma, M., Kanai, Y., Gad, J. M., Tajima, Y., Taya, C., Kurohmaru, M., Sanai, Y., Yonekawa, H., Yazaki, K., & Tam, P. P. (2002). Depletion of definitive gut endoderm in Sox17-null mutant mice. *Development*, 129(10), 2367-2379.
- Kanitkar, M., & Bhonde, R. R. (2008). Curcumin treatment enhances islet recovery by induction of heat shock response proteins, Hsp70 and heme oxygenase-1, during cryopreservation. *Life sciences*, 82(3-4), 182-189.
- Kanitkar, M., Gokhale, K., Galande, S., & Bhonde, R. (2008). Novel role of curcumin in the prevention of cytokine-induced islet death in vitro and diabetogenesis in vivo. *British journal of pharmacology*, 155(5), 702-713.

- Karnieli, O., Izhar-Prato, Y., Bulvik, S., & Efrat, S. (2007). Generation of insulin-producing cells from human bone marrow mesenchymal stem cells by genetic manipulation. *Stem cells*, 25(11), 2837-2844.
- Kassem, D. H., Kamal, M. M., El-Kholy, A. E.-L. G., & El-Mesallamy, H. O. (2016). Exendin-4 enhances the differentiation of Wharton's jelly mesenchymal stem cells into insulin-producing cells through activation of various β -cell markers. *Stem cell research & therapy*, 7(1), 108.
- Kelly, O. G., Pinson, K. I., & Skarnes, W. C. (2004). The Wnt co-receptors Lrp5 and Lrp6 are essential for gastrulation in mice. *Development*, 131(12), 2803-2815.
- Kelly, W., Lillehei, R., Merkel, F., Idezuki, Y., & Goetz, F. (1967). Allograft transplantation of the pancreas and duodenum along with the kidney in diabetic nephropathy. *Surgery*, 61(6), 827-837.
- Kharroubi, A. T., & Darwish, H. M. (2015). Diabetes mellitus: The epidemic of the century. *World J Diabetes*, 6(6), 850-867. doi:10.4239/wjd.v6.i6.850
- Khvorova, A., Reynolds, A., & Jayasena, S. D. (2003). Functional siRNAs and miRNAs exhibit strand bias. *Cell*, 115(2), 209-216.
- Kim, S.-Y., Lee, S., Hong, S.-W., Min, B.-H., Lee, K.-U., Bendayan, M., & Park, I.-S. (2010). Nestin action during insulin-secreting cell differentiation. *Journal of Histochemistry & Cytochemistry*, 58(6), 567-576.
- Kim, Y., Kim, H., Ko, U. H., Oh, Y., Lim, A., Sohn, J.-W., Shin, J. H., Kim, H., & Han, Y.-M. (2016). Islet-like organoids derived from human pluripotent stem cells efficiently function in the glucose responsiveness in vitro and in vivo. *Scientific reports*, 6, 35145.
- Kitamura, R.-i., Ogata, T., Tanaka, Y., Motoyoshi, K., Seno, M., Takei, I., Umezawa, K., & Kojima, I. (2007). Conophylline and betacellulin- δ 4: an effective combination of differentiation factors for pancreatic β cells. *Endocrine journal*, 0702150035-0702150035.
- Klein, D., Misawa, R., Bravo-Egana, V., Vargas, N., Rosero, S., Piroso, J., Ichii, H., Umland, O., Zhijie, J., & Tsinoremas, N. (2013). MicroRNA expression in alpha and beta cells of human pancreatic islets. *PLoS One*, 8(1), e55064.
- Klinke, D. J., 2nd. (2008). Extent of beta cell destruction is important but insufficient to predict the onset of type 1 diabetes mellitus. *PLoS One*, 3(1), e1374. doi:10.1371/journal.pone.0001374
- Kobinger, G. P., Deng, S., Louboutin, J.-P., Vatamaniuk, M., Rivera, V. M., Lian, M.-M., Markmann, J. F., Clackson, T., Raper, S. E., & Matschinsky, F. (2005). Pharmacologically regulated regeneration of functional human pancreatic islets. *Molecular Therapy*, 11(1), 105-111.
- Kobolak, J., Dinnyes, A., Memic, A., Khademhosseini, A., & Mobasheri, A. (2016). Mesenchymal stem cells: Identification, phenotypic characterization, biological properties and potential for regenerative medicine through biomaterial micro-engineering of their niche. *Methods*, 99, 62-68. doi:10.1016/j.ymeth.2015.09.016
- Kolb, H., & Burkart, V. (1999). Nicotinamide in type 1 diabetes. *Diabetes care*, 22, B16.

- Komatsu, H., Omori, K., Parimi, M., Rawson, J., Kandeel, F., & Mullen, Y. (2016). Determination of Islet Viability Using a Zinc-Specific Fluorescent Dye and a Semiautomated Assessment Method. *Cell transplantation*, 25(10), 1777-1786.
- Komatsu, M., Takei, M., Ishii, H., & Sato, Y. (2013). Glucose-stimulated insulin secretion: A newer perspective. *Journal of diabetes investigation*, 4(6), 511-516.
- Krakowski, M. L., Kritzik, M., Jones, E., Krahl, T., Lee, J., Arnush, M., Gu, D., Mroczkowski, B., & Sarvetnick, N. (1999). Transgenic expression of epidermal growth factor and keratinocyte growth factor in beta-cells results in substantial morphological changes. *J Endocrinol*, 162(2), 167-175.
- Kredo-Russo, S., Mandelbaum, A. D., Ness, A., Alon, I., Lennox, K. A., Behlke, M. A., & Hornstein, E. (2012). Pancreas-enriched miRNA refines endocrine cell differentiation. *Development*, 139(16), 3021-3031. doi:10.1242/dev.080127
- Krek, A., Grün, D., Poy, M. N., Wolf, R., Rosenberg, L., Epstein, E. J., MacMenamin, P., Da Piedade, I., Gunsalus, K. C., & Stoffel, M. (2005). Combinatorial microRNA target predictions. *Nature genetics*, 37(5), 495-500.
- Kroon, E., Martinson, L. A., Kadoya, K., Bang, A. G., Kelly, O. G., Eliazar, S., Young, H., Richardson, M., Smart, N. G., & Cunningham, J. (2008). Pancreatic endoderm derived from human embryonic stem cells generates glucose-responsive insulin-secreting cells in vivo. *Nature biotechnology*, 26(4), 443-452.
- Kruh, J. (1981). Effects of sodium butyrate, a new pharmacological agent, on cells in culture. *Molecular and cellular biochemistry*, 42(2), 65-82.
- Kubo, A., Stull, R., Takeuchi, M., Bonham, K., Gouon-Evans, V., Sho, M., Iwano, M., Saito, Y., Keller, G., & Snodgrass, R. (2011). Pdx1 and Ngn3 overexpression enhances pancreatic differentiation of mouse ES cell-derived endoderm population. *PLoS One*, 6(9).
- Kumar, S. S., Alarfaj, A. A., Munusamy, M. A., Singh, A., Peng, I., Priya, S. P., Hamat, R. A., & Higuchi, A. (2014). Recent developments in β -cell differentiation of pluripotent stem cells induced by small and large molecules. *International journal of molecular sciences*, 15(12), 23418-23447.
- Kumar, V. B., Yuan, T.-C., Liou, J.-W., Yang, C.-J., Sung, P.-J., & Weng, C.-F. (2011). Antroquinonol inhibits NSCLC proliferation by altering PI3K/mTOR proteins and miRNA expression profiles. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 707(1-2), 42-52.
- Kurien, B. T., Singh, A., Matsumoto, H., & Scofield, R. H. (2007). Improving the solubility and pharmacological efficacy of curcumin by heat treatment. *Assay and drug development technologies*, 5(4), 567-576.
- Lahmy, R., Soleimani, M., Sanati, M. H., Behmanesh, M., Kouhkan, F., & Mobarra, N. (2014). miRNA-375 promotes beta pancreatic differentiation in human induced pluripotent stem (hiPS) cells. *Molecular biology reports*, 41(4), 2055-2066.
- Lahmy, R., Soleimani, M., Sanati, M. H., Behmanesh, M., Kouhkan, F., & Mobarra, N. (2016). Pancreatic islet differentiation of human embryonic stem cells by microRNA overexpression. *Journal of Tissue Engineering and Regenerative Medicine*, 10(6), 527-534.

- Lal, R. A., Ekhlaspour, L., Hood, K., & Buckingham, B. (2019). Realizing a Closed-Loop (Artificial Pancreas) System for the Treatment of Type 1 Diabetes. *Endocr Rev*, 40(6), 1521-1546. doi:10.1210/er.2018-00174
- Langer, R., & Vacanti, J. (1993). Tissue engineering. *Science* 260: 920-926. *TISSUE ENGINEERING: THE UNION OF BIOLOGY AND ENGINEERING*, 98.
- Langer, R., & Vacanti, J. P. (1993). Tissue engineering. *science*, 260(5110), 920-926.
- Lantz, K. A., Vatamaniuk, M. Z., Brestelli, J. E., Friedman, J. R., Matschinsky, F. M., & Kaestner, K. H. (2004). Foxa2 regulates multiple pathways of insulin secretion. *The Journal of clinical investigation*, 114(4), 512-520.
- Larsen, H. L., & Grapin-Botton, A. (2017). *The molecular and morphogenetic basis of pancreas organogenesis*. Paper presented at the Seminars in cell & developmental biology.
- Lechner, A., Yang, Y.-G., Blacken, R. A., Wang, L., Nolan, A. L., & Habener, J. F. (2004). No evidence for significant transdifferentiation of bone marrow into pancreatic β -cells in vivo. *Diabetes*, 53(3), 616-623.
- Lee, C. S., Sund, N. J., Vatamaniuk, M. Z., Matschinsky, F. M., Stoffers, D. A., & Kaestner, K. H. (2002). Foxa2 controls Pdx1 gene expression in pancreatic β -cells in vivo. *Diabetes*, 51(8), 2546-2551.
- Lee, J. S., Ward, W. O., Knapp, G., Ren, H., Vallanat, B., Abbott, B., Ho, K., Karp, S. J., & Corton, J. C. (2012). Transcriptional ontogeny of the developing liver. *BMC genomics*, 13(1), 33.
- Lee, Y.-S., & Jun, H.-S. (2014). Anti-diabetic actions of glucagon-like peptide-1 on pancreatic beta-cells. *Metabolism*, 63(1), 9-19.
- Lee, Y., Ahn, C., Han, J., Choi, H., Kim, J., Yim, J., Lee, J., Provost, P., Rådmark, O., & Kim, S. (2003). The nuclear RNase III Drosha initiates microRNA processing. *Nature*, 425(6956), 415-419.
- Lee, Y., Jeon, K., Lee, J. T., Kim, S., & Kim, V. N. (2002). MicroRNA maturation: stepwise processing and subcellular localization. *The EMBO journal*, 21(17), 4663-4670.
- Lerner, S. M. (2008). Kidney and pancreas transplantation in type 1 diabetes mellitus. *Mt Sinai J Med*, 75(4), 372-384. doi:10.1002/msj.20056
- Li, H., Lam, A., Xu, A.-m., Lam, K. S., & Chung, S. K. (2010). High dosage of Exendin-4 increased early insulin secretion in differentiated beta cells from mouse embryonic stem cells. *Acta Pharmacologica Sinica*, 31(5), 570-577.
- Li, S., Chen, X., Zhang, H., Liang, X., Xiang, Y., Yu, C., Zen, K., Li, Y., & Zhang, C.-Y. (2009). Differential expression of microRNAs in mouse liver under aberrant energy metabolic status. *Journal of lipid research*, 50(9), 1756-1765.
- Li, W. C., Rukstalis, J. M., Nishimura, W., Tchipashvili, V., Habener, J. F., Sharma, A., & Bonner-Weir, S. (2010). Activation of pancreatic-duct-derived progenitor cells during pancreas regeneration in adult rats. *J Cell Sci*, 123(Pt 16), 2792-2802. doi:10.1242/jcs.065268
- Li, X. (2014). MiR-375, a microRNA related to diabetes. *Gene*, 533(1), 1-4.

- Li, X., Ootani, A., & Kuo, C. (2016). An air–liquid interface culture system for 3D organoid culture of diverse primary gastrointestinal tissues *Gastrointestinal Physiology and Diseases* (pp. 33-40): Springer.
- Liang, G., Zhu, Y., Jing, A., Wang, J., Hu, F., Feng, W., Xiao, Z., & Chen, B. (2016). Cationic microRNA-delivering nanocarriers for efficient treatment of colon carcinoma in xenograft model. *Gene therapy*, 23(12), 829-838.
- Liew, L. C., Gailhouse, L., Tan, G. C., Yamamoto, Y., Takeshita, F., Nakagama, H., & Ochiya, T. (2019). MicroRNA-124a Inhibits Endoderm Lineage Commitment by Targeting Sox17 and Gata6 in Mouse Embryonic Stem Cells. *Stem cells*.
- Liu, D., Zhen, W., Yang, Z., Carter, J. D., Si, H., & Reynolds, K. A. (2006). Genistein acutely stimulates insulin secretion in pancreatic β -cells through a cAMP-dependent protein kinase pathway. *Diabetes*, 55(4), 1043-1050.
- Liu, K., Liu, Y., Mo, W., Qiu, R., Wang, X., Wu, J. Y., & He, R. (2011). MiR-124 regulates early neurogenesis in the optic vesicle and forebrain, targeting NeuroD1. *Nucleic acids research*, 39(7), 2869-2879.
- Liu, P., Wakamiya, M., Shea, M. J., Albrecht, U., Behringer, R. R., & Bradley, A. (1999). Requirement for Wnt3 in vertebrate axis formation. *Nature genetics*, 22(4), 361-365.
- Locke, J., da Silva Xavier, G., Dawe, H., Rutter, G., & Harries, L. (2014). Increased expression of miR-187 in human islets from individuals with type 2 diabetes is associated with reduced glucose-stimulated insulin secretion. *Diabetologia*, 57(1), 122-128.
- Logsdon, C. D., & Ji, B. (2013). The role of protein synthesis and digestive enzymes in acinar cell injury. *Nat Rev Gastroenterol Hepatol*, 10(6), 362-370. doi:10.1038/nrgastro.2013.36
- López-Beas, J., Capilla-González, V., Aguilera, Y., Mellado, N., Lachaud, C. C., Martín, F., Smani, T., Soria, B., & Hmadcha, A. (2018). miR-7 modulates hESC differentiation into insulin-producing beta-like cells and contributes to cell maturation. *Molecular Therapy-Nucleic Acids*, 12, 463-477.
- LOPEZ, M., AIGUEPERSE, J., CHARBORD, P., GORIN, N. C., THIERRY, D., MAZURIER, L. F., BOUCHET, S., BERTHO, J. M., & GOURMELON, P. (2004). Homing of in vitro expanded Stro-1-or Stro-1+ human mesenchymal.
- Lorenzo, P. I., Juárez-Vicente, F., Cobo-Vuilleumier, N., García-Domínguez, M., & Gauthier, B. R. (2017). The Diabetes-Linked Transcription Factor PAX4: From Gene to Functional Consequences. *Genes*, 8(3), 101.
- Lovis, P., Roggli, E., Laybutt, D. R., Gattesco, S., Yang, J.-Y., Widmann, C., Abderrahmani, A., & Regazzi, R. (2008). Alterations in microRNA expression contribute to fatty acid–induced pancreatic β -cell dysfunction. *Diabetes*, 57(10), 2728-2736.
- Lumelsky, N., Blondel, O., Laeng, P., Velasco, I., Ravin, R., & McKay, R. (2001). Differentiation of embryonic stem cells to insulin-secreting structures similar to pancreatic islets. *science*, 292(5520), 1389-1394.
- Lynn, F. C., Skewes-Cox, P., Kosaka, Y., McManus, M. T., Harfe, B. D., & German, M. S. (2007). MicroRNA expression is required for pancreatic islet cell genesis in the mouse. *Diabetes*, 56(12), 2938-2945.

- Lysy, P. A., Weir, G. C., & Bonner-Weir, S. (2013). Making beta cells from adult cells within the pancreas. *Curr Diab Rep*, 13(5), 695-703. doi:10.1007/s11892-013-0400-1
- Maciel-Dominguez, A., Swan, D., Ford, D., & Hesketh, J. (2013). Selenium alters miRNA profile in an intestinal cell line: Evidence that miR-185 regulates expression of GPX2 and SEPSH2. *Molecular nutrition & food research*, 57(12), 2195-2205.
- Maedler, K., Spinas, G. A., Lehmann, R., Sergeev, P., Weber, M., Fontana, A., Kaiser, N., & Donath, M. Y. (2001). Glucose induces β -cell apoptosis via upregulation of the Fas receptor in human islets. *Diabetes*, 50(8), 1683-1690.
- Maestre, I., Jordán, J. n., Calvo, S., Reig, J. A., Ceña, V. n., Soria, B., Prentki, M., & Roche, E. (2003). Mitochondrial dysfunction is involved in apoptosis induced by serum withdrawal and fatty acids in the β -cell line INS-1. *Endocrinology*, 144(1), 335-345.
- Makeyev, E. V., Zhang, J., Carrasco, M. A., & Maniatis, T. (2007). The MicroRNA miR-124 promotes neuronal differentiation by triggering brain-specific alternative pre-mRNA splicing. *Molecular cell*, 27(3), 435-448.
- Marappagounder, D., Somasundaram, I., Dorairaj, S., & Sankaran, R. J. (2013). Differentiation of mesenchymal stem cells derived from human bone marrow and subcutaneous adipose tissue into pancreatic islet-like clusters in vitro. *Cell Mol Biol Lett*, 18(1), 75-88. doi:10.2478/s11658-012-0040-5
- Marappagounder, D., Somasundaram, I., Dorairaj, S., & Sankaran, R. J. (2013). Differentiation of mesenchymal stem cells derived from human bone marrow and subcutaneous adipose tissue into pancreatic islet-like clusters in vitro. *Cellular & molecular biology letters*, 18(1), 75-88.
- Maroo, J., Ghosh, A., Mathur, R., Vasu, V. T., & Gupta, S. (2003). Antidiabetic efficacy of *Enicostemma littorale* methanol extract in alloxan-induced diabetic rats. *Pharmaceutical biology*, 41(5), 388-391.
- Maroo, J., Vasu, V., & Gupta, S. (2003). Dose dependent hypoglycemic effect of aqueous extract of *Enicostemma littorale* Blume in alloxan induced diabetic rats. *Phytomedicine*, 10(2-3), 196-199.
- Maroo, J., Vasu, V. T., Aalinkeel, R., & Gupta, S. (2002). Glucose lowering effect of aqueous extract of *Enicostemma littorale* Blume in diabetes: a possible mechanism of action. *Journal of ethnopharmacology*, 81(3), 317-320.
- Márquez-Aguirre, A., Canales-Aguirre, A., Padilla-Camberos, E., Esquivel-Solis, H., & Díaz-Martínez, N. (2015). Development of the endocrine pancreas and novel strategies for β -cell mass restoration and diabetes therapy. *Brazilian Journal of Medical and Biological Research*, 48(9), 765-776.
- Mashima, H., Shibata, H., Mine, T., & Kojima, I. (1996). Formation of insulin-producing cells from pancreatic acinar AR42J cells by hepatocyte growth factor. *Endocrinology*, 137(9), 3969-3976.
- Massumi, M., Poursagari, F., Nalla, A., Batchuluun, B., Nagy, K., Neely, E., Gull, R., Nagy, A., & Wheeler, M. B. (2016). An abbreviated protocol for in vitro generation of functional human embryonic stem cell-derived beta-like cells. *PLoS One*, 11(10), e0164457.

- McCall, A. L., & Farhy, L. S. (2013). Treating type 1 diabetes: from strategies for insulin delivery to dual hormonal control. *Minerva Endocrinol*, 38(2), 145-163.
- McQuilling, J., Arenas-Herrera, J., Childers, C., Pareta, R., Khanna, O., Jiang, B., Brey, E., Farney, A., & Opara, E. (2011). *New alginate microcapsule system for angiogenic protein delivery and immunoisolation of islets for transplantation in the rat omentum pouch*. Paper presented at the Transplantation proceedings.
- Meghana, K., Sanjeev, G., & Ramesh, B. (2007). Curcumin prevents streptozotocin-induced islet damage by scavenging free radicals: a prophylactic and protective role. *European journal of pharmacology*, 577(1), 183-191.
- Meivar-Levy, I., Sapir, T., Gefen-Halevi, S., Aviv, V., Barshack, I., Onaca, N., Mor, E., & Ferber, S. (2007). Pancreatic and duodenal homeobox gene 1 induces hepatic dedifferentiation by suppressing the expression of CCAAT/enhancer-binding protein β . *Hepatology*, 46(3), 898-905.
- Melkman-Zehavi, T., Oren, R., Kredon-Russo, S., Shapira, T., Mandelbaum, A. D., Rivkin, N., Nir, T., Lennox, K. A., Behlke, M. A., & Dor, Y. (2011). miRNAs control insulin content in pancreatic β -cells via downregulation of transcriptional repressors. *The EMBO journal*, 30(5), 835-845.
- Melloul, D., Marshak, S., & Cerasi, E. (2002). Regulation of insulin gene transcription. *Diabetologia*, 45(3), 309-326.
- Méndez-Ferrer, S., Michurina, T. V., Ferraro, F., Mazloom, A. R., MacArthur, B. D., Lira, S. A., Scadden, D. T., Ma'ayan, A., Enikolopov, G. N., & Frenette, P. S. (2010). Mesenchymal and haematopoietic stem cells form a unique bone marrow niche. *Nature*, 466(7308), 829-834.
- Mfopou, J. K., Chen, B., Mateizel, I., Sermon, K., & Bouwens, L. (2010). Noggin, retinoids, and fibroblast growth factor regulate hepatic or pancreatic fate of human embryonic stem cells. *Gastroenterology*, 138(7), 2233-2245. e2214.
- Mfopou, J. K., Chen, B., Sui, L., Sermon, K., & Bouwens, L. (2010). Recent advances and prospects in the differentiation of pancreatic cells from human embryonic stem cells. *Diabetes*, 59(9), 2094-2101.
- Milanesi, A., Lee, J.-W., Xu, Q., Perin, L., & John, S. Y. (2011). Differentiation of nestin-positive cells derived from bone marrow into pancreatic endocrine and ductal cells in vitro. *Journal of Endocrinology*, 209(2), 193-201.
- Milanesi, A., Lee, J.-W., Xu, Q., Perin, L., & Yu, J. S. (2011). Differentiation of nestin-positive cells derived from bone marrow into pancreatic endocrine and ductal cells in vitro. *Journal of Endocrinology*, 209(2), 193.
- Milanesi, A., Lee, J. W., Li, Z., Da Sacco, S., Villani, V., Cervantes, V., Perin, L., & Yu, J. S. (2012). beta-Cell regeneration mediated by human bone marrow mesenchymal stem cells. *PLoS One*, 7(8), e42177. doi:10.1371/journal.pone.0042177
- Milanesi, A., Lee, J. W., Xu, Q., Perin, L., & Yu, J. S. (2011). Differentiation of nestin-positive cells derived from bone marrow into pancreatic endocrine and ductal cells in vitro. *J Endocrinol*, 209(2), 193-201. doi:10.1530/JOE-10-0344
- Millman, J. R., & Pagliuca, F. W. (2017). Autologous pluripotent stem cell-derived β -like cells for diabetes cellular therapy. *Diabetes*, 66(5), 1111-1120.

- Millman, J. R., Xie, C., Van Dervort, A., Gürtler, M., Pagliuca, F. W., & Melton, D. A. (2016). Generation of stem cell-derived β -cells from patients with type 1 diabetes. *Nature communications*, 7(1), 1-9.
- Minami, K. (2013). GATA transcription factors: New key regulators in pancreas organogenesis. *Journal of diabetes investigation*, 4(5), 426.
- Miralles, F., Czernichow, P., & Scharfmann, R. (1998). Follistatin regulates the relative proportions of endocrine versus exocrine tissue during pancreatic development. *Development*, 125(6), 1017-1024.
- Mitutsova, V., Yeo, W. W. Y., Davaze, R., Franckhauser, C., Hani, E.-H., Abdullah, S., Mollard, P., Schaeffer, M., Fernandez, A., & Lamb, N. J. (2017). Adult muscle-derived stem cells engraft and differentiate into insulin-expressing cells in pancreatic islets of diabetic mice. *Stem cell research & therapy*, 8(1), 86.
- Moriscot, C., De Fraipont, F., Richard, M. J., Marchand, M., Savatier, P., Bosco, D., Favrot, M., & Benhamou, P. Y. (2005). Human bone marrow mesenchymal stem cells can express insulin and key transcription factors of the endocrine pancreas developmental pathway upon genetic and/or microenvironmental manipulation in vitro. *Stem cells*, 23(4), 594-603.
- Movassat, J., Beattie, G. M., Lopez, A. D., & Hayek, A. (2002). Exendin 4 up-regulates expression of PDX 1 and hastens differentiation and maturation of human fetal pancreatic cells. *The Journal of Clinical Endocrinology & Metabolism*, 87(10), 4775-4781.
- Movassat, J., Lopez, A. D., Beattie, G. M., & Hayek, A. (2001). Exendin-4 upregulates expression of PDX-1 and hastens differentiation and maturation of human fetal pancreatic B cells. *Diabetes*, 50, A341.
- Muller, Y. D., Mai, G., Morel, P., Serre-Beinier, V., Gonelle-Gispert, C., Yung, G. P., Ehrchiou, D., Wyss, J.-C., Bigenzahn, S., & Irla, M. (2010). Anti-CD154 mAb and rapamycin induce T regulatory cell mediated tolerance in rat-to-mouse islet transplantation. *PLoS One*, 5(4).
- Murtaugh, L. C. (2007). Pancreas and beta-cell development: from the actual to the possible. *Development*, 134(3), 427-438. doi:10.1242/dev.02770
- Natarajan PN, P. S. (1972). Chemical investigation of *Enicotemma littorale*. *Planta Med*(22), 42–46.
- Nathan, G., Kredon-Russo, S., Geiger, T., Lenz, A., Kaspi, H., Hornstein, E., & Efrat, S. (2015). MiR-375 promotes redifferentiation of adult human β cells expanded in vitro. *PLoS One*, 10(4), e0122108.
- Nekanti, U., Mohanty, L., Venugopal, P., Balasubramanian, S., Totey, S., & Ta, M. (2010). Optimization and scale-up of Wharton's jelly-derived mesenchymal stem cells for clinical applications. *Stem cell research*, 5(3), 244-254.
- Nelson, S. B., Schaffer, A. E., & Sander, M. (2007). The transcription factors Nkx6.1 and Nkx6.2 possess equivalent activities in promoting beta-cell fate specification in Pdx1+ pancreatic progenitor cells. *Development*, 134(13), 2491-2500. doi:10.1242/dev.002691

- Neumüller, R. A., & Knoblich, J. A. (2009). Dividing cellular asymmetry: asymmetric cell division and its implications for stem cells and cancer. *Genes & development*, 23(23), 2675-2699.
- Niclauss, N., Bosco, D., Morel, P., Giovannoni, L., Berney, T., & Parnaud, G. (2011). Rapamycin impairs proliferation of transplanted islet β cells. *Transplantation*, 91(7), 714-722.
- Nita, M., & Grzybowski, A. (2016). The role of the reactive oxygen species and oxidative stress in the pathomechanism of the age-related ocular diseases and other pathologies of the anterior and posterior eye segments in adults. *Oxidative Medicine and Cellular Longevity*, 2016.
- Niu, G., McQuilling, J. P., Zhou, Y., Opara, E. C., Orlando, G., & Soker, S. (2016). In Vitro Proliferation of Porcine Pancreatic Islet Cells for β -Cell Therapy Applications. *Journal of diabetes research*, 2016.
- Nostro, M. C., Sarangi, F., Yang, C., Holland, A., Elefanty, A. G., Stanley, E. G., Greiner, D. L., & Keller, G. (2015). Efficient generation of NKX6-1+ pancreatic progenitors from multiple human pluripotent stem cell lines. *Stem cell reports*, 4(4), 591-604.
- Nyitray, C. E., Chang, R., Faleo, G., Lance, K. D., Bernardis, D. A., Tang, Q., & Desai, T. A. (2015). Polycaprolactone thin-film micro-and nanoporous cell-encapsulation devices. *ACS nano*, 9(6), 5675-5682.
- O'rahilly, R., & Müller, F. (2010). Developmental stages in human embryos: revised and new measurements. *Cells Tissues Organs*, 192(2), 73-84.
- O'Sullivan, E. S., Vegas, A., Anderson, D. G., & Weir, G. C. (2011). Islets transplanted in immunoisolation devices: a review of the progress and the challenges that remain. *Endocr Rev*, 32(6), 827-844.
- Obad, S., dos Santos, C. O., Petri, A., Heidenblad, M., Broom, O., Ruse, C., Fu, C., Lindow, M., Stenvang, J., & Straarup, E. M. (2011). Silencing of microRNA families by seed-targeting tiny LNAs. *Nature genetics*, 43(4), 371.
- Ogata, T., Li, L., Yamada, S., Yamamoto, Y., Tanaka, Y., Takei, I., Umezawa, K., & Kojima, I. (2004). Promotion of β -cell differentiation by conophylline in fetal and neonatal rat pancreas. *Diabetes*, 53(10), 2596-2602.
- Oh, S.-H., Muzzonigro, T. M., Bae, S.-H., LaPlante, J. M., Hatch, H. M., & Petersen, B. E. (2004). Adult bone marrow-derived cells trans-differentiating into insulin-producing cells for the treatment of type I diabetes. *Laboratory Investigation*, 84(5), 607-617.
- Oh, Y. S. (2015). Plant-derived compounds targeting pancreatic beta cells for the treatment of diabetes. *Evidence-Based Complementary and Alternative Medicine*, 2015.
- Oh, Y. S., & Jun, H.-S. (2014). Role of bioactive food components in diabetes prevention: Effects on Beta-cell function and preservation. *Nutrition and metabolic insights*, 7, NMI. S13589.
- Ohneda, K., Ee, H., & German, M. (2000). *Regulation of insulin gene transcription*. Paper presented at the Seminars in cell & developmental biology.
- Orive, G., Hernández, R. M., Gascón, A. R., Calafiore, R., Chang, T. M., De Vos, P., Hortelano, G., Hunkeler, D., Lacik, I., & Shapiro, A. J. (2003). Cell encapsulation: promise and progress. *Nat Med*, 9(1), 104-107.

- Ornitz, D. M., & Itoh, N. (2001). Fibroblast growth factors. *Genome biology*, 2(3), reviews3005. 3001.
- Ørom, U. A., Kauppinen, S., & Lund, A. H. (2006). LNA-modified oligonucleotides mediate specific inhibition of microRNA function. *Gene*, 372, 137-141.
- Otonkoski, T., Beattie, G., Lopez, A., & Hayek, A. (1994). *Use of hepatocyte growth factor/scatter factor to increase transplantable human fetal islet cell mass*. Paper presented at the Transplantation proceedings.
- Otonkoski, T., Beattie, G. M., Mally, M. I., Ricordi, C., & Hayek, A. (1993). Nicotinamide is a potent inducer of endocrine differentiation in cultured human fetal pancreatic cells. *The Journal of clinical investigation*, 92(3), 1459-1466.
- Otonkoski, T., Cirulli, V., Beattie, M., Mally, M. I., Soto, G., Rubin, J. S., & Hayek, A. (1996). A role for hepatocyte growth factor/scatter factor in fetal mesenchyme-induced pancreatic beta-cell growth. *Endocrinology*, 137(7), 3131-3139.
- Owens, D. R. (2011). Insulin preparations with prolonged effect. *Diabetes Technol Ther*, 13 Suppl 1, S5-14. doi:10.1089/dia.2011.0068
- Özcan, S. (2014). Minireview: microRNA function in pancreatic β cells. *Molecular Endocrinology*, 28(12), 1922-1933.
- Pal, R., Hanwate, M., Jan, M., & Totey, S. (2009). Phenotypic and functional comparison of optimum culture conditions for upscaling of bone marrow-derived mesenchymal stem cells. *Journal of Tissue Engineering and Regenerative Medicine*, 3(3), 163-174.
- Pan, F. C., & Wright, C. (2011). Pancreas organogenesis: from bud to plexus to gland. *Developmental Dynamics*, 240(3), 530-565.
- Pan, H., Lu, H., Hu, W.-M., Tian, B.-L., Liu, X.-B., Zhang, Z.-D., & Mai, G. (2007). *Anti-CD25 mAb, anti-IL2 mAb, and IL2 block tolerance induction through anti-CD154 mAb and rapamycin in xenogeneic islet transplantation*. Paper presented at the Transplantation proceedings.
- Patel, T. P., Rawal, K., Soni, S., & Gupta, S. (2016). Swertiamarin ameliorates oleic acid induced lipid accumulation and oxidative stress by attenuating gluconeogenesis and lipogenesis in hepatic steatosis. *Biomedicine & Pharmacotherapy*, 83, 785-791.
- Patel, T. P., Soni, S., Parikh, P., Gosai, J., Chruvattil, R., & Gupta, S. (2013). Swertiamarin: An active lead from *Enicostemma littorale* regulates hepatic and adipose tissue gene expression by targeting PPAR- γ and improves insulin sensitivity in experimental NIDDM rat model. *Evidence-Based Complementary and Alternative Medicine*, 2013.
- Pathak, S., Regmi, S., Gupta, B., Poudel, B. K., Pham, T. T., Kim, J.-R., Park, P.-H., Yong, C. S., Kim, J. O., & Bae, Y. K. (2016). Hybrid congregation of islet single cells and curcumin-loaded polymeric microspheres as an interventional strategy to overcome apoptosis associated with pancreatic islets transplantation. *ACS applied materials & interfaces*, 8(39), 25702-25713.
- Pathak, V., Pathak, N. M., O'Neill, C. L., Guduric-Fuchs, J., & Medina, R. J. (2019). Therapies for Type 1 Diabetes: Current Scenario and Future Perspectives. *Clin Med Insights Endocrinol Diabetes*, 12, 1179551419844521. doi:10.1177/1179551419844521
- Peloso, A., Citro, A., Zoro, T., Cobianchi, L., Kahler-Quesada, A., Bianchi, C. M., Andres, A., Berishvili, E., Piemonti, L., Berney, T., Toso, C., & Oldani, G. (2018). Regenerative

- Medicine and Diabetes: Targeting the Extracellular Matrix Beyond the Stem Cell Approach and Encapsulation Technology. *Front Endocrinol (Lausanne)*, 9, 445. doi:10.3389/fendo.2018.00445
- Perri, M., Caroleo, M. C., Liu, N., Gallelli, L., De Sarro, G., Kagechika, H., & Cione, E. (2017). 9-cis Retinoic acid modulates myotrophin expression and its miR in physiological and pathophysiological cell models. *Experimental cell research*, 354(1), 25-30.
- Petersen, M., & Wengel, J. (2003). LNA: a versatile tool for therapeutics and genomics. *Trends Biotechnol*, 21(2), 74-81. doi:10.1016/S0167-7799(02)00038-0
- Petri, A., Ahnfelt-Rønne, J., Frederiksen, K. S., Edwards, D. G., Madsen, D., Serup, P., Fleckner, J., & Heller, R. S. (2006). The effect of neurogenin3 deficiency on pancreatic gene expression in embryonic mice. *Journal of molecular endocrinology*, 37(2), 301-316.
- Pezzolla, D., Lopez-Beas, J., Lachaud, C. C., Domínguez-Rodríguez, A., Smani, T., Hmadcha, A., & Soria, B. (2015). Resveratrol ameliorates the maturation process of β -cell-like cells obtained from an optimized differentiation protocol of human embryonic stem cells. *PLoS One*, 10(3).
- Phadnis, S. M., Joglekar, M. V., Dalvi, M. P., Muthyala, S., Nair, P. D., Ghaskadbi, S. M., Bhonde, R. R., & Hardikar, A. A. (2011). Human bone marrow-derived mesenchymal cells differentiate and mature into endocrine pancreatic lineage in vivo. *Cytotherapy*, 13(3), 279-293.
- Piemonti, L., & Pileggi, A. (2013). 25 Years of the Ricordi Automated Method for Islet Isolation. *CellR4 Repair Replace Regen Reprogram*, 1(1).
- Piñero-Piloña, A., & Raskin, P. (2001). Idiopathic type 1 diabetes. *Journal of Diabetes and its Complications*, 15(6), 328-335.
- Piper, K., Brickwood, S., Turnpenny, L., Cameron, I., Ball, S., Wilson, D., & Hanley, N. (2004). Beta cell differentiation during early human pancreas development. *Journal of Endocrinology*, 181(1), 11-24.
- Pittenger, M. F., Mackay, A. M., Beck, S. C., Jaiswal, R. K., Douglas, R., Mosca, J. D., Moorman, M. A., Simonetti, D. W., Craig, S., & Marshak, D. R. (1999). Multilineage potential of adult human mesenchymal stem cells. *science*, 284(5411), 143-147.
- Plaisance, V., Waeber, G., Regazzi, R., & Abderrahmani, A. (2014). Role of microRNAs in islet beta-cell compensation and failure during diabetes. *Journal of diabetes research*, 2014.
- Pociot, F., Akolkar, B., Concannon, P., Erlich, H. A., Julier, C., Morahan, G., Nierras, C. R., Todd, J. A., Rich, S. S., & Nerup, J. (2010). Genetics of type 1 diabetes: what's next? *Diabetes*, 59(7), 1561-1571. doi:10.2337/db10-0076
- Pokrywczynska, M., Lewandowska, M. A., Krzyzanowska, S., Jundzill, A., Rasmus, M., Warda, K., Gagat, M., Deptula, A., Helmin-Basa, A., Holysz, M., Nowacki, M., Buchholz, L., Bodnar, M., Marszalek, A., Grzanka, A., Jozwicki, W., Michalkiewicz, J., & Drewa, T. (2015). Transdifferentiation of Bone Marrow Mesenchymal Stem Cells into the Islet-Like Cells: the Role of Extracellular Matrix Proteins. *Arch Immunol Ther Exp (Warsz)*, 63(5), 377-384. doi:10.1007/s00005-015-0340-3

- Polak, D. J. (2010). Regenerative medicine. Opportunities and challenges: a brief overview. *Journal of the Royal Society Interface*, 7(Suppl 6), S777-S781.
- Powers, A. C., Philippe, J., Hermann, H., & Habener, J. F. (1988). Sodium butyrate increases glucagon and insulin gene expression by recruiting immunocytochemically negative cells to produce hormone. *Diabetes*, 37(10), 1405-1410.
- Poy, M. N., Eliasson, L., Krutzfeldt, J., Kuwajima, S., Ma, X., MacDonald, P. E., Pfeffer, S., Tuschl, T., Rajewsky, N., & Rorsman, P. (2004). A pancreatic islet-specific microRNA regulates insulin secretion. *Nature*, 432(7014), 226-230.
- Rabe, T., Shamsi, F., & Mansouri, A. (2013). The roles of micro RNA in pancreas development and regeneration. *Biomedical Reviews*, 24, 57-64.
- Rabinovitch, A. (1998). An update on cytokines in the pathogenesis of insulin-dependent diabetes mellitus. *Diabetes/metabolism reviews*, 14(2), 129-151.
- Rajagopal, J., Anderson, W. J., Kume, S., Martinez, O. I., & Melton, D. A. (2003). Insulin staining of ES cell progeny from insulin uptake. *science*, 299(5605), 363-363.
- Rattananinsruang, P., Dechsukhum, C., & Leraanansaksiri, W. (2018). Establishment of insulin-producing cells from human embryonic stem cells under hypoxic condition for cell based therapy. *Frontiers in Cell and Developmental Biology*, 6, 49.
- Rewers, M., & Ludvigsson, J. (2016). Environmental risk factors for type 1 diabetes. *Lancet*, 387(10035), 2340-2348. doi:10.1016/S0140-6736(16)30507-4
- Reyhaneh Lahmy, M. S., Mohammad H. Sanati. (2013). Pancreatic islet differentiation of human embryonic stem cells by microRNA overexpression. *Journal of Tissue Engineering and Regenerative Medicine*.
- Rezania, A., Bruin, J. E., Arora, P., Rubin, A., Batushansky, I., Asadi, A., O'Dwyer, S., Quiskamp, N., Mojibian, M., Albrecht, T., Yang, Y. H., Johnson, J. D., & Kieffer, T. J. (2014). Reversal of diabetes with insulin-producing cells derived in vitro from human pluripotent stem cells. *Nat Biotechnol*, 32(11), 1121-1133. doi:10.1038/nbt.3033
- Rhodes, L. V., Tilghman, S. L., Boue, S. M., Wang, S., Khalili, H., Muir, S. E., Bratton, M. R., Zhang, Q., Wang, G., & Burow, M. E. (2012). Glyceollins as novel targeted therapeutic for the treatment of triple-negative breast cancer. *Oncology letters*, 3(1), 163-171.
- Riekstina, U., Cakstina, I., Parfejevs, V., Hoogduijn, M., Jankovskis, G., Muiznieks, I., Muceniece, R., & Ancans, J. (2009). Embryonic stem cell marker expression pattern in human mesenchymal stem cells derived from bone marrow, adipose tissue, heart and dermis. *Stem Cell Reviews and Reports*, 5(4), 378-386.
- Risbridger, G. P., Schmitt, J. F., & Robertson, D. M. (2001). Activins and inhibins in endocrine and other tumors. *Endocr Rev*, 22(6), 836-858.
- Robertson, R. P., Lanz, K. J., Sutherland, D. E., & Kendall, D. M. (2001). Prevention of diabetes for up to 13 years by autoislet transplantation after pancreatectomy for chronic pancreatitis. *Diabetes*, 50(1), 47-50.
- Robles, L., Storrs, R., Lamb, M., Alexander, M., & Lakey, J. R. (2014). Current status of islet encapsulation. *Cell transplantation*, 23(11), 1321-1348.
- Roder, P. V., Wu, B., Liu, Y., & Han, W. (2016). Pancreatic regulation of glucose homeostasis. *Exp Mol Med*, 48, e219. doi:10.1038/emm.2016.6

- Rodolosse, A., Campos, M. L., Rooman, I., Lichtenstein, M., & Real, F. X. (2009). p/CAF modulates the activity of the transcription factor p48/Ptf1a involved in pancreatic acinar differentiation. *Biochem J*, 418(2), 463-473. doi:10.1042/BJ20080293
- Roggli, E., Britan, A., Gattesco, S., Lin-Marq, N., Abderrahmani, A., Meda, P., & Regazzi, R. (2010). Involvement of microRNAs in the cytotoxic effects exerted by proinflammatory cytokines on pancreatic β -cells. *Diabetes*, 59(4), 978-986.
- Rook, G. A. (2007). The hygiene hypothesis and the increasing prevalence of chronic inflammatory disorders. *Trans R Soc Trop Med Hyg*, 101(11), 1072-1074. doi:10.1016/j.trstmh.2007.05.014
- Rorsman, P., & Ashcroft, F. M. (2018). Pancreatic beta-Cell Electrical Activity and Insulin Secretion: Of Mice and Men. *Physiol Rev*, 98(1), 117-214. doi:10.1152/physrev.00008.2017
- Roscioni, S. S., Migliorini, A., Gegg, M., & Lickert, H. (2016). Impact of islet architecture on β -cell heterogeneity, plasticity and function. *Nature Reviews Endocrinology*, 12(12), 695.
- Rosero, S., Bravo-Egana, V., Jiang, Z., Khuri, S., Tsinoremas, N., Klein, D., Sabates, E., Correa-Medina, M., Ricordi, C., & Domínguez-Bendala, J. (2010). MicroRNA signature of the human developing pancreas. *BMC genomics*, 11(1), 1.
- Røsland, G. V., Svendsen, A., Torsvik, A., Sobala, E., McCormack, E., Immervoll, H., Mysliwietz, J., Tonn, J.-C., Goldbrunner, R., & Lønning, P. E. (2009). Long-term cultures of bone marrow-derived human mesenchymal stem cells frequently undergo spontaneous malignant transformation. *Cancer research*, 69(13), 5331-5339.
- Rukstalis, J. M., & Habener, J. F. (2007). Snail2, a mediator of epithelial-mesenchymal transitions, expressed in progenitor cells of the developing endocrine pancreas. *Gene Expression Patterns*, 7(4), 471-479.
- Rukstalis, J. M., & Habener, J. F. (2009). Neurogenin3: a master regulator of pancreatic islet differentiation and regeneration. *Islets*, 1(3), 177-184.
- Sabek, O. M., Farina, M., Fraga, D. W., Afshar, S., Ballerini, A., Filgueira, C. S., Thekkedath, U. R., Grattoni, A., & Gaber, A. O. (2016). Three-dimensional printed polymeric system to encapsulate human mesenchymal stem cells differentiated into islet-like insulin-producing aggregates for diabetes treatment. *Journal of tissue engineering*, 7, 2041731416638198.
- Sander, M., Sussel, L., Connors, J., Scheel, D., Kalamaras, J., Cruz, F. D., Schwitzgebel, V., Hayes-Jordan, A., & German, M. (2000). Homeobox gene Nkx6. 1 lies downstream of Nkx2. 2 in the major pathway of beta-cell formation in the pancreas. *Development*, 127(24), 5533-5540.
- Sanlioglu, A. D., Altunbas, H. A., Balci, M. K., Griffith, T. S., & Sanlioglu, S. (2013). Clinical utility of insulin and insulin analogs. *Islets*, 5(2), 67-78. doi:10.4161/isl.24590
- Santos, D. I., Saraiva, J. M. A., Vicente, A. A., & Moldão-Martins, M. (2019). Methods for determining bioavailability and bioaccessibility of bioactive compounds and nutrients *Innovative Thermal and Non-Thermal Processing, Bioaccessibility and Bioavailability of Nutrients and Bioactive Compounds* (pp. 23-54): Elsevier.

- Sapir, T., Shternhall, K., Meivar-Levy, I., Blumenfeld, T., Cohen, H., Skutelsky, E., Eventov-Friedman, S., Barshack, I., Goldberg, I., & Pri-Chen, S. (2005). Cell-replacement therapy for diabetes: Generating functional insulin-producing tissue from adult human liver cells. *Proceedings of the National Academy of Sciences*, *102*(22), 7964-7969.
- Sasada, R., Ono, Y., Taniyama, Y., Shing, Y., Folkman, J., & Igarashi, K. (1993). Cloning and expression of cDNA encoding human betacellulin, a new member of the EGF family. *Biochemical and biophysical research communications*, *190*(3), 1173-1179.
- Sasidharan, V., Marepally, S., Elliott, S. A., Baid, S., Lakshmanan, V., Nayyar, N., Bansal, D., Alvarado, A. S., Vemula, P. K., & Palakodeti, D. (2017). The miR-124 family of microRNAs is crucial for regeneration of the brain and visual system in the planarian *Schmidtea mediterranea*. *Development*, *144*(18), 3211-3223.
- Sasikala, M., Rao, G. V., Vijayalakshmi, V., Pradeep, R., Pothani, S., Kumar, P. P., Gaddipati, R., Sirisha, G., Cheemalakonda, R., & Tandam, M. (2013). Long-term functions of encapsulated islets grafted in nonhuman primates without immunosuppression. *Transplantation*, *96*(7), 624-632.
- Scharp, D. W., & Marchetti, P. (2014). Encapsulated islets for diabetes therapy: history, current progress, and critical issues requiring solution. *Advanced drug delivery reviews*, *67*, 35-73.
- Schisler, J. C., Jensen, P. B., Taylor, D. G., Becker, T. C., Knop, F. K., Takekawa, S., German, M., Weir, G. C., Lu, D., & Mirmira, R. G. (2005). The Nkx6. 1 homeodomain transcription factor suppresses glucagon expression and regulates glucose-stimulated insulin secretion in islet beta cells. *Proceedings of the National Academy of Sciences*, *102*(20), 7297-7302.
- Schroeder, I. S., Rolletschek, A., Blyszczuk, P., Kania, G., & Wobus, A. M. (2006). Differentiation of mouse embryonic stem cells to insulin-producing cells. *Nature Protocols*, *1*(2), 495.
- Schwitzgebel, V. M., Scheel, D. W., Connors, J. R., Kalamaras, J., Lee, J. E., Anderson, D. J., Sussel, L., Johnson, J. D., & German, M. S. (2000). Expression of neurogenin3 reveals an islet cell precursor population in the pancreas. *Development*, *127*(16), 3533-3542.
- Sebastiani, G., Mancarella, F., Ventriglia, G., Nigi, L., Valentini, M., Grieco, G. E., & Dotta, F. (2015). MicroRNA miR-124a, a negative regulator of insulin secretion, is hyperexpressed in human pancreatic islets of type 2 diabetic patients. *RNA & DISEASE*, *2*.
- Sebastiani, G., Po, A., Miele, E., Ventriglia, G., Ceccarelli, E., Bugliani, M., Marselli, L., Marchetti, P., Gulino, A., Ferretti, E., & Dotta, F. (2015). MicroRNA-124a is hyperexpressed in type 2 diabetic human pancreatic islets and negatively regulates insulin secretion. *Acta Diabetol*, *52*(3), 523-530. doi:10.1007/s00592-014-0675-y
- Sempere, L. F., Freemantle, S., Pitha-Rowe, I., Moss, E., Dmitrovsky, E., & Ambros, V. (2004). Expression profiling of mammalian microRNAs uncovers a subset of brain-expressed microRNAs with possible roles in murine and human neuronal differentiation. *Genome biology*, *5*(3), R13.
- Seymour, P. A. (2014). Sox9: a master regulator of the pancreatic program. *The review of diabetic studies: RDS*, *11*(1), 51.

- Seymour, P. A., Freude, K. K., Tran, M. N., Mayes, E. E., Jensen, J., Kist, R., Scherer, G., & Sander, M. (2007). SOX9 is required for maintenance of the pancreatic progenitor cell pool. *Proceedings of the National Academy of Sciences*, *104*(6), 1865-1870.
- Shaer, A., Azarpira, N., & Karimi, M. H. (2014). Differentiation of human induced pluripotent stem cells into insulin-like cell clusters with miR-186 and miR-375 by using chemical transfection. *Applied biochemistry and biotechnology*, *174*(1), 242-258.
- Shahid, Z., & Singh, G. (2019). Physiology, Islets of Langerhans *StatPearls*. Treasure Island (FL).
- Shapiro, A. J., Lakey, J. R., Ryan, E. A., Korbitt, G. S., Toth, E., Warnock, G. L., Kneteman, N. M., & Rajotte, R. V. (2000). Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen. *New England journal of medicine*, *343*(4), 230-238.
- Shapiro, A. M., Lakey, J. R., Ryan, E. A., Korbitt, G. S., Toth, E., Warnock, G. L., Kneteman, N. M., & Rajotte, R. V. (2000). Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen. *N Engl J Med*, *343*(4), 230-238. doi:10.1056/NEJM200007273430401
- Shapiro, A. M., Ricordi, C., Hering, B. J., Auchincloss, H., Lindblad, R., Robertson, R. P., Secchi, A., Brendel, M. D., Berney, T., Brennan, D. C., Cagliero, E., Alejandro, R., Ryan, E. A., DiMercurio, B., Morel, P., Polonsky, K. S., Reems, J. A., Bretzel, R. G., Bertuzzi, F., Froud, T., Kandaswamy, R., Sutherland, D. E., Eisenbarth, G., Segal, M., Preiksaitis, J., Korbitt, G. S., Barton, F. B., Viviano, L., Seyfert-Margolis, V., Bluestone, J., & Lakey, J. R. (2006). International trial of the Edmonton protocol for islet transplantation. *N Engl J Med*, *355*(13), 1318-1330. doi:10.1056/NEJMoa061267
- Shi, Y. (2010). Generation of functional insulin-producing cells from human embryonic stem cells in vitro *Cellular Programming and Reprogramming* (pp. 79-85): Springer.
- Shi, Y., Hou, L., Tang, F., Jiang, W., Wang, P., Ding, M., & Deng, H. (2005). Inducing embryonic stem cells to differentiate into pancreatic β cells by a novel three-step approach with activin A and all-trans retinoic acid. *Stem cells*, *23*(5), 656-662.
- Silva, A. I., de Matos, A. N., Brons, I. G., & Mateus, M. (2006). An overview on the development of a bio-artificial pancreas as a treatment of insulin-dependent diabetes mellitus. *Medicinal research reviews*, *26*(2), 181-222.
- Silver, K., Tolea, M., Wang, J., Pollin, T. I., Yao, F., & Mitchell, B. D. (2005). The exon 1 Cys7Gly polymorphism within the betacellulin gene is associated with type 2 diabetes in African Americans. *Diabetes*, *54*(4), 1179-1184.
- Simon, B., Merchant, J. L., Eissele, R., Köhler, K., & Arnold, R. (1997). Transient transcriptional activation of gastrin during sodium butyrate-induced differentiation of islet cells. *Regulatory peptides*, *70*(2-3), 143-148.
- Skyler, J. S. (2018). Hope vs hype: where are we in type 1 diabetes? *Diabetologia*, *61*(3), 509-516. doi:10.1007/s00125-017-4530-x
- Smith, S. B., Gasa, R., Watada, H., Wang, J., Griffen, S. C., & German, M. S. (2003). Neurogenin3 and hepatic nuclear factor 1 cooperate in activating pancreatic expression of Pax4. *Journal of Biological Chemistry*, *278*(40), 38254-38259.

- Smith, S. B., Watada, H., Scheel, D. W., Mrejen, C., & German, M. S. (2000). Autoregulation and maturity onset diabetes of the young transcription factors control the human PAX4 promoter. *Journal of Biological Chemistry*, 275(47), 36910-36919.
- Soltis, R. D., Hasz, D., Morris, M., & Wilson, I. (1979). The effect of heat inactivation of serum on aggregation of immunoglobulins. *Immunology*, 36(1), 37.
- Sommer, L., Ma, Q., & Anderson, D. J. (1996). neurogenins, a Novel Family ofatonal-Related bHLH Transcription Factors, Are Putative Mammalian Neuronal Determination Genes That Reveal Progenitor Cell Heterogeneity in the Developing CNS and PNS. *Molecular and Cellular Neuroscience*, 8(4), 221-241.
- Soon-Shiong, P., Heintz, R. E., Merideth, N., Yao, Q. X., Yao, Z., Zheng, T., Murphy, M., Moloney, M. K., Schmehl, M., & Harris, M. (1994). Insulin independence in a type 1 diabetic patient after encapsulated islet transplantation. *The Lancet*, 343(8903), 950-951.
- Soria, B., Roche, E., Berna, G., Leon-Quinto, T., Reig, J. A., & Martin, F. (2000). Insulin-secreting cells derived from embryonic stem cells normalize glycemia in streptozotocin-induced diabetic mice. *Diabetes*, 49(2), 157-162. doi:10.2337/diabetes.49.2.157
- Sosa-Pineda, B., Chowdhury, K., Torres, M., Oliver, G., & Gruss, P. (1997). The Pax4 gene is essential for differentiation of insulin-producing β cells in the mammalian pancreas. *Nature*, 386(6623), 399-402.
- Soto, C., Raya, L., Juárez, J., Pérez, J., & González, I. (2014). Effect of Silymarin in Pdx-1 expression and the proliferation of pancreatic β -cells in a pancreatectomy model. *Phytomedicine*, 21(3), 233-239.
- Southard, S. M., Kotipatruni, R. P., & Rust, W. L. (2018). Generation and selection of pluripotent stem cells for robust differentiation to insulin-secreting cells capable of reversing diabetes in rodents. *PLoS One*, 13(9).
- Srivastava, A., Bhatt, N. M., Patel, T. P., Dadheech, N., Singh, A., & Gupta, S. (2016). Anti-apoptotic and cytoprotective effect of *Enicostemma littorale* against oxidative stress in Islets of Langerhans. *Pharmaceutical biology*, 54(10), 2061-2072.
- Srivastava, A., Dadheech, N., Vakani, M., & Gupta, S. (2018). *Swertisin ameliorates diabetes by triggering pancreatic progenitors for islet neogenesis in Streptozotocin treated BALB/c mice* (Vol. 100).
- Srivastava, A., Dadheech, N., Vakani, M., & Gupta, S. (2019). Pancreatic resident endocrine progenitors demonstrate high islet neogenic fidelity and committed homing towards diabetic mice pancreas. *Journal of cellular physiology*, 234(6), 8975-8987.
- Straub, S. G., & Sharp, G. W. (2002). Glucose-stimulated signaling pathways in biphasic insulin secretion. *Diabetes/metabolism research and reviews*, 18(6), 451-463.
- Subramanian, S., Baidal, D., Skyler, J. S., & Hirsch, I. B. (2000). The Management of Type 1 Diabetes. In K. R. Feingold, B. Anawalt, A. Boyce, G. Chrousos, K. Dungan, A. Grossman, J. M. Hershman, G. Kaltsas, C. Koch, P. Kopp, M. Korbonits, R. McLachlan, J. E. Morley, M. New, L. Perreault, J. Purnell, R. Rebar, F. Singer, D. L. Trencce, A. Vinik, & D. P. Wilson (Eds.), *Endotext*. South Dartmouth (MA).

- Sudirman, S., Lai, C.-S., Yan, Y.-L., Yeh, H.-I., & Kong, Z.-L. (2019). Histological evidence of chitosan-encapsulated curcumin suppresses heart and kidney damages on streptozotocin-induced type-1 diabetes in mice model. *Scientific reports*, 9(1), 1-11.
- Sulyok, S., Wankell, M., Alzheimer, C., & Werner, S. (2004). Activin: an important regulator of wound repair, fibrosis, and neuroprotection. *Molecular and cellular endocrinology*, 225(1-2), 127-132.
- Sun, B., Roh, K.-H., Lee, S.-R., Lee, Y.-S., & Kang, K.-S. (2007). Induction of human umbilical cord blood-derived stem cells with embryonic stem cell phenotypes into insulin producing islet-like structure. *Biochemical and biophysical research communications*, 354(4), 919-923.
- Sun, J., Wang, Y., Li, Y., & Zhao, G. (2014). Downregulation of PPAR γ by miR-548d-5p suppresses the adipogenic differentiation of human bone marrow mesenchymal stem cells and enhances their osteogenic potential. *Journal of translational medicine*, 12(1), 1.
- Sun, M., Estrov, Z., Ji, Y., Coombes, K. R., Harris, D. H., & Kurzrock, R. (2008). Curcumin (diferuloylmethane) alters the expression profiles of microRNAs in human pancreatic cancer cells. *Molecular cancer therapeutics*, 7(3), 464-473.
- Sun, Y., Chen, L., Hou, X.-g., Hou, W.-k., Dong, J.-j., Sun, L., Tang, K.-x., Wang, B., Song, J., & Li, H. (2007). Differentiation of bone marrow-derived mesenchymal stem cells from diabetic patients into insulin-producing cells in vitro. *CHINESE MEDICAL JOURNAL-BEIJING-ENGLISH EDITION*-, 120(9), 771.
- Sun, Y., Chen, L., Hou, X. G., Hou, W. K., Dong, J. J., Sun, L., Tang, K. X., Wang, B., Song, J., Li, H., & Wang, K. X. (2007). Differentiation of bone marrow-derived mesenchymal stem cells from diabetic patients into insulin-producing cells in vitro. *Chin Med J (Engl)*, 120(9), 771-776.
- Sund, N. J., Vatamaniuk, M. Z., Casey, M., Ang, S.-L., Magnuson, M. A., Stoffers, D. A., Matschinsky, F. M., & Kaestner, K. H. (2001). Tissue-specific deletion of Foxa2 in pancreatic β cells results in hyperinsulinemic hypoglycemia. *Genes & development*, 15(13), 1706-1715.
- Sutherland, D. E., Matas, A. J., & Najarian, J. S. (1977). Pancreas and islet transplantation. *World J Surg*, 2(1), 185-195.
- Tada, S., Era, T., Furusawa, C., Sakurai, H., Nishikawa, S., Kinoshita, M., Nakao, K., Chiba, T., & Nishikawa, S.-I. (2005). Characterization of mesendoderm: a diverging point of the definitive endoderm and mesoderm in embryonic stem cell differentiation culture. *Development*, 132(19), 4363-4374.
- Talele, N. P., Fradette, J., Davies, J. E., Kapus, A., & Hinz, B. (2015). Expression of α -smooth muscle actin determines the fate of mesenchymal stromal cells. *Stem cell reports*, 4(6), 1016-1030.
- Tang, D.-Q., Cao, L.-Z., Burkhardt, B. R., Xia, C.-Q., Litherland, S. A., Atkinson, M. A., & Yang, L.-J. (2004). In vivo and in vitro characterization of insulin-producing cells obtained from murine bone marrow. *Diabetes*, 53(7), 1721-1732.
- Tarabra, E., Pelengaris, S., & Khan, M. (2012). A simple matter of life and death—the trials of postnatal beta-cell mass regulation. *International journal of endocrinology*, 2012.

- Tejedo, J., Bernabe, J., Ramirez, R., Sobrino, F., & Bedoya, F. (1999). NO induces a cGMP-independent release of cytochrome c from mitochondria which precedes caspase 3 activation in insulin producing RINm5F cells. *FEBS letters*, *459*(2), 238-243.
- Tellez, N., Vilaseca, M., Marti, Y., Pla, A., & Montanya, E. (2016). beta-Cell dedifferentiation, reduced duct cell plasticity, and impaired beta-cell mass regeneration in middle-aged rats. *Am J Physiol Endocrinol Metab*, *311*(3), E554-563. doi:10.1152/ajpendo.00502.2015
- Teotia, R. S., Kadam, S., Singh, A. K., Verma, S. K., Bahulekar, A., Kanetkar, S., & Bellare, J. (2017). Islet encapsulated implantable composite hollow fiber membrane based device: A bioartificial pancreas. *Materials Science and Engineering: C*, *77*, 857-866.
- Thorens, B. (2010). Central control of glucose homeostasis: the brain--endocrine pancreas axis. *Diabetes Metab*, *36 Suppl 3*, S45-49. doi:10.1016/S1262-3636(10)70466-3
- Tiedge, M., Lortz, S., Drinkgern, J., & Lenzen, S. (1997). Relation between antioxidant enzyme gene expression and antioxidative defense status of insulin-producing cells. *Diabetes*, *46*(11), 1733-1742.
- Tili, E., Michaille, J.-J., Adair, B., Alder, H., Limagne, E., Taccioli, C., Ferracin, M., Delmas, D., Latruffe, N., & Croce, C. M. (2010). Resveratrol decreases the levels of miR-155 by upregulating miR-663, a microRNA targeting JunB and JunD. *Carcinogenesis*, *31*(9), 1561-1566.
- Timper, K., Seboek, D., Eberhardt, M., Linscheid, P., Christ-Crain, M., Keller, U., Müller, B., & Zulewski, H. (2006). Human adipose tissue-derived mesenchymal stem cells differentiate into insulin, somatostatin, and glucagon expressing cells. *Biochemical and biophysical research communications*, *341*(4), 1135-1140.
- Totsuka, Y., Tabuchi, M., Kojima, I., Shibai, H., & Ogata, E. (1988). A novel action of activin A: stimulation of insulin secretion in rat pancreatic islets. *Biochemical and biophysical research communications*, *156*(1), 335-339.
- Tourrel, C., Bailbé, D., Meile, M.-J., Kergoat, M., & Portha, B. (2001). Glucagon-like peptide-1 and exendin-4 stimulate β -cell neogenesis in streptozotocin-treated newborn rats resulting in persistently improved glucose homeostasis at adult age. *Diabetes*, *50*(7), 1562-1570.
- Tsai, P.-J., Wang, H.-S., Lin, C.-H., Weng, Z.-C., Chen, T.-H., & Shyu, J.-F. (2014). Intraportal injection of insulin-producing cells generated from human bone marrow mesenchymal stem cells decreases blood glucose level in diabetic rats. *Endocrine Research*, *39*(1), 26-33.
- Tuch, B. E., Keogh, G. W., Williams, L. J., Wu, W., Foster, J. L., Vaithilingam, V., & Philips, R. (2009). Safety and viability of microencapsulated human islets transplanted into diabetic humans. *Diabetes care*, *32*(10), 1887-1889.
- Tunca, B., Tezcan, G., Cecener, G., Egeli, U., Ak, S., Malyer, H., Tumen, G., & Bilir, A. (2012). Olea europaea leaf extract alters microRNA expression in human glioblastoma cells. *Journal of cancer research and clinical oncology*, *138*(11), 1831-1844.
- Uzan, B., Figeac, F., Portha, B., & Movassat, J. (2009). Mechanisms of KGF mediated signaling in pancreatic duct cell proliferation and differentiation. *PLoS One*, *4*(3).

- Vaca, P., Berná, G., Araujo, R., Carneiro, E. M., Bedoya, F. J., Soria, B., & Martín, F. (2008). Nicotinamide induces differentiation of embryonic stem cells into insulin-secreting cells. *Experimental cell research*, 314(5), 969-974.
- Vaithilingam, V., & Tuch, B. E. (2011). Islet transplantation and encapsulation: an update on recent developments. *The review of diabetic studies: RDS*, 8(1), 51.
- Valamehr, B., Jonas, S. J., Polleux, J., Qiao, R., Guo, S., Gschwend, E. H., Stiles, B., Kam, K., Luo, T.-J. M., & Witte, O. N. (2008). Hydrophobic surfaces for enhanced differentiation of embryonic stem cell-derived embryoid bodies. *Proceedings of the National Academy of Sciences*, 105(38), 14459-14464.
- Vallier, L., Touboul, T., Chng, Z., Brimpari, M., Hannan, N., Millan, E., Smithers, L. E., Trotter, M., Rugg-Gunn, P., & Weber, A. (2009). Early cell fate decisions of human embryonic stem cells and mouse epiblast stem cells are controlled by the same signalling pathways. *PLoS One*, 4(6).
- Vasu, V. T., Ashwinikumar, C., Maroo, J., Gupta, S., & Gupta, S. (2003). Antidiabetic effect of *Enicostemma littorale* Blume aqueous extract in newly diagnosed non-insulin-dependent diabetes mellitus patients (NIDDM): a preliminary investigation. *Oriental Pharmacy and Experimental Medicine*, 3(2), 84-89.
- Vasu, V. T., Thaikootathil, J. V., & Gupta, S. (2005). Hypoglycemic effect of a polyherbal aqueous extract in experimentally induced diabetic rats. *Oriental Pharmacy and Experimental Medicine*, 5(2), 160-166.
- Velazco-Cruz, L., Song, J., Maxwell, K. G., Goedegebuure, M. M., Augsornworawat, P., Hoglebe, N. J., & Millman, J. R. (2019). Acquisition of dynamic function in human stem cell-derived β cells. *Stem cell reports*, 12(2), 351-365.
- Verma, S. K., Modi, A., Singh, A. K., Teotia, R., & Bellare, J. (2018). Improved hemodialysis with hemocompatible polyethersulfone hollow fiber membranes: In vitro performance. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 106(3), 1286-1298.
- Vija, L., Farge, D., Gautier, J. F., Vexiau, P., Dumitrache, C., Bourgarit, A., Verrecchia, F., & Larghero, J. (2009). Mesenchymal stem cells: Stem cell therapy perspectives for type 1 diabetes. *Diabetes Metab*, 35(2), 85-93. doi:10.1016/j.diabet.2008.10.003
- Vijayvargia, R., Kumar, M., & Gupta, S. (2000). Hypoglycemic effect of aqueous extract of *Enicostemma littorale* Blume (chhota chirayata) on alloxan induced diabetes mellitus in rats.
- Villasenor, A., Chong, D. C., & Cleaver, O. (2008). Biphasic Ngn3 expression in the developing pancreas. *Dev Dyn*, 237(11), 3270-3279. doi:10.1002/dvdy.21740
- Villasenor, A., Chong, D. C., Henkemeyer, M., & Cleaver, O. (2010). Epithelial dynamics of pancreatic branching morphogenesis. *Development*, 137(24), 4295-4305.
- Von Herrath, M., Sanda, S., & Herold, K. (2007). Type 1 diabetes as a relapsing–remitting disease? *Nature Reviews Immunology*, 7(12), 988-994.
- Wang, H., Brun, T., Kataoka, K., Sharma, A., & Wollheim, C. (2007). MAFA controls genes implicated in insulin biosynthesis and secretion. *Diabetologia*, 50(2), 348-358.
- Wang, H., Gauthier, B. R., Hagenfeldt-Johansson, K. A., Iezzi, M., & Wollheim, C. B. (2002). Foxa2 (HNF3 β) controls multiple genes implicated in metabolism-secretion coupling

- of glucose-induced insulin release. *Journal of Biological Chemistry*, 277(20), 17564-17570.
- Wang, J., Elghazi, L., Parker, S. E., Kizilocak, H., Asano, M., Sussel, L., & Sosa-Pineda, B. (2004). The concerted activities of Pax4 and Nkx2. 2 are essential to initiate pancreatic β -cell differentiation. *Developmental biology*, 266(1), 178-189.
- Wang, P., Rodriguez, R. T., Wang, J., Ghodasara, A., & Kim, S. K. (2011). Targeting SOX17 in human embryonic stem cells creates unique strategies for isolating and analyzing developing endoderm. *Cell stem cell*, 8(3), 335-346.
- Wang, R., Yashpal, N., Bacchus, F., & Li, J. (2004). Hepatocyte growth factor regulates proliferation and differentiation of epithelial monolayers derived from islets of postnatal rat pancreas. *Journal of Endocrinology*, 183(1), 163-171.
- Wang, S., Yan, J., Anderson, D. A., Xu, Y., Kanal, M. C., Cao, Z., Wright, C. V., & Gu, G. (2010). Neurog3 gene dosage regulates allocation of endocrine and exocrine cell fates in the developing mouse pancreas. *Developmental biology*, 339(1), 26-37.
- Wei, R., Yang, J., Liu, G. Q., Gao, M. J., Hou, W. F., Zhang, L., Gao, H. W., Liu, Y., Chen, G. A., & Hong, T. P. (2013). Dynamic expression of microRNAs during the differentiation of human embryonic stem cells into insulin-producing cells. *Gene*, 518(2), 246-255. doi:10.1016/j.gene.2013.01.038
- Weiss, M., Steiner, D. F., & Philipson, L. H. (2000). Insulin Biosynthesis, Secretion, Structure, and Structure-Activity Relationships. In K. R. Feingold, B. Anawalt, A. Boyce, G. Chrousos, K. Dungan, A. Grossman, J. M. Hershman, G. Kaltsas, C. Koch, P. Kopp, M. Korbonits, R. McLachlan, J. E. Morley, M. New, L. Perreault, J. Purnell, R. Rebar, F. Singer, D. L. Trencle, A. Vinik, & D. P. Wilson (Eds.), *Endotext*. South Dartmouth (MA).
- Wells, J. M., & Melton, D. A. (2000). Early mouse endoderm is patterned by soluble factors from adjacent germ layers. *Development*, 127(8), 1563-1572.
- White, P., May, C. L., Lamounier, R. N., Brestelli, J. E., & Kaestner, K. H. (2008). Defining pancreatic endocrine precursors and their descendants. *Diabetes*, 57(3), 654-668.
- Wilson, M. E., Scheel, D., & German, M. S. (2003). Gene expression cascades in pancreatic development. *Mechanisms of development*, 120(1), 65-80.
- Wimalawansa, S. J. (1997). Amylin, calcitonin gene-related peptide, calcitonin, and adrenomedullin: a peptide superfamily. *Critical Reviews™ in Neurobiology*, 11(2-3).
- Winter, J., Jung, S., Keller, S., Gregory, R. I., & Diederichs, S. (2009). Many roads to maturity: microRNA biogenesis pathways and their regulation. *Nature cell biology*, 11(3), 228-234.
- Wong, R. S. (2011). Extrinsic factors involved in the differentiation of stem cells into insulin-producing cells: an overview. *Exp Diabetes Res*, 2011, 406182. doi:10.1155/2011/406182
- Woodruff, T. K., & Mather, J. P. (1995). Inhibin, activin and the female reproductive axis. *Annual review of physiology*, 57(1), 219-244.
- Wu, K.-L., Gannon, M., Peshavaria, M., Offield, M. F., Henderson, E., Ray, M., Marks, A., Gamer, L. W., Wright, C., & Stein, R. (1997). Hepatocyte nuclear factor 3beta is

- involved in pancreatic beta-cell-specific transcription of the pdx-1 gene. *Molecular and cellular biology*, 17(10), 6002-6013.
- Xiao, J., Luo, X., Lin, H., Zhang, Y., Lu, Y., Wang, N., Zhang, Y., Yang, B., & Wang, Z. (2007). MicroRNA miR-133 represses HERG K⁺ channel expression contributing to QT prolongation in diabetic hearts. *Journal of Biological Chemistry*, 282(17), 12363-12367.
- Xie, Q.-P., Huang, H., Xu, B., Dong, X., Gao, S.-L., Zhang, B., & Wu, Y.-L. (2009). Human bone marrow mesenchymal stem cells differentiate into insulin-producing cells upon microenvironmental manipulation in vitro. *Differentiation*, 77(5), 483-491.
- Xie, Q. P., Huang, H., Xu, B., Dong, X., Gao, S. L., Zhang, B., & Wu, Y. L. (2009). Human bone marrow mesenchymal stem cells differentiate into insulin-producing cells upon microenvironmental manipulation in vitro. *Differentiation*, 77(5), 483-491. doi:10.1016/j.diff.2009.01.001
- Xie, Y., Chu, A., Feng, Y., Chen, L., Shao, Y., Luo, Q., Deng, X., Wu, M., Shi, X., & Chen, Y. (2018). MicroRNA-146a: a comprehensive indicator of inflammation and oxidative stress status induced in the brain of chronic T2DM rats. *Frontiers in pharmacology*, 9, 478.
- Xin, Y., Jiang, X., Wang, Y., Su, X., Sun, M., Zhang, L., Tan, Y., Wintergerst, K. A., Li, Y., & Li, Y. (2016a). Insulin-producing cells differentiated from human bone marrow mesenchymal stem cells in vitro ameliorate streptozotocin-induced diabetic hyperglycemia. *PLoS One*, 11(1).
- Xin, Y., Jiang, X., Wang, Y., Su, X., Sun, M., Zhang, L., Tan, Y., Wintergerst, K. A., Li, Y., & Li, Y. (2016b). Insulin-producing cells differentiated from human bone marrow mesenchymal stem cells in vitro ameliorate streptozotocin-induced diabetic hyperglycemia. *PloS one*, 11(1), e0145838.
- Xu, G., Stoffers, D. A., Habener, J. F., & Bonner-Weir, S. (1999). Exendin-4 stimulates both beta-cell replication and neogenesis, resulting in increased beta-cell mass and improved glucose tolerance in diabetic rats. *Diabetes*, 48(12), 2270-2276.
- Xu, L., Liu, Y., Sun, Y., Wang, B., Xiong, Y., Lin, W., Wei, Q., Wang, H., He, W., & Li, G. (2017). Tissue source determines the differentiation potentials of mesenchymal stem cells: a comparative study of human mesenchymal stem cells from bone marrow and adipose tissue. *Stem cell research & therapy*, 8(1), 1-11.
- Xuan, S., & Sussel, L. (2016). GATA4 and GATA6 regulate pancreatic endoderm identity through inhibition of hedgehog signaling. *Development*, 143(5), 780-786.
- Yabe, S. G., Fukuda, S., Nishida, J., Takeda, F., Nashiro, K., & Okochi, H. (2019). Induction of functional islet-like cells from human iPS cells by suspension culture. *Regenerative therapy*, 10, 69-76.
- Yamamoto, K., Miyagawa, J.-i., Waguri, M., Sasada, R., Igarashi, K., Li, M., Nammo, T., Moriwaki, M., Imagawa, A., & Yamagata, K. (2000). Recombinant human betacellulin promotes the neogenesis of beta-cells and ameliorates glucose intolerance in mice with diabetes induced by selective alloxan perfusion. *Diabetes*, 49(12), 2021-2027.
- Yang, N. (2015). An overview of viral and nonviral delivery systems for microRNA. *International journal of pharmaceutical investigation*, 5(4), 179.

- Yang, Z., Chen, M., Carter, J. D., Nunemaker, C. S., Garmey, J. C., Kimble, S. D., & Nadler, J. L. (2006). Combined treatment with lisofylline and exendin-4 reverses autoimmune diabetes. *Biochemical and biophysical research communications*, 344(3), 1017-1022.
- Yao, S., Chen, S., Clark, J., Hao, E., Beattie, G. M., Hayek, A., & Ding, S. (2006). Long-term self-renewal and directed differentiation of human embryonic stem cells in chemically defined conditions. *Proceedings of the National Academy of Sciences*, 103(18), 6907-6912.
- Yasunaga, M., Tada, S., Torikai-Nishikawa, S., Nakano, Y., Okada, M., Jakt, L. M., Nishikawa, S., Chiba, T., Era, T., & Nishikawa, S.-I. (2005). Induction and monitoring of definitive and visceral endoderm differentiation of mouse ES cells. *Nature biotechnology*, 23(12), 1542-1550.
- Yoshida, S., Kajimoto, Y., Yasuda, T., Watada, H., Fujitani, Y., Kosaka, H., Gotow, T., Miyatsuka, T., Umayahara, Y., Yamasaki, Y., & Hori, M. (2002). PDX-1 induces differentiation of intestinal epithelioid IEC-6 into insulin-producing cells. *Diabetes*, 51(8), 2505-2513. doi:10.2337/diabetes.51.8.2505
- Yu, S., Li, C., Hou, X.-g., Hou, W.-k., Dong, J.-j., Lei, S., Tang, K.-x., Bin, W., Jun, S., & Hui, L. (2007). Differentiation of bone marrow-derived mesenchymal stem cells from diabetic patients into insulin-producing cells in vitro. *Chinese medical journal*, 120(9), 771-776.
- Zalesna, I., Osrodek, M., Hartman, M. L., Rozanski, M., Sztiller-Sikorska, M., Niewinna, K., Nejc, D., & Czyz, M. (2017). Exogenous growth factors bFGF, EGF and HGF do not influence viability and phenotype of V600EBRAF melanoma cells and their response to vemurafenib and trametinib in vitro. *PLoS One*, 12(8).
- Zalzman, M., Anker-Kitai, L., & Efrat, S. (2005). Differentiation of human liver-derived, insulin-producing cells toward the β -cell phenotype. *Diabetes*, 54(9), 2568-2575.
- Zanini, C., Bruno, S., Mandili, G., Baci, D., Cerutti, F., Cenacchi, G., Izzi, L., Camussi, G., & Forni, M. (2011). Differentiation of mesenchymal stem cells derived from pancreatic islets and bone marrow into islet-like cell phenotype. *PLoS One*, 6(12), e28175.
- Zaret, K. S., & Grompe, M. (2008). Generation and regeneration of cells of the liver and pancreas. *science*, 322(5907), 1490-1494.
- Zeng, X., Ma, Y. h., Chen, Y. f., Qiu, X. c., Wu, J. l., Ling, E. A., & Zeng, Y. s. (2016). Autocrine fibronectin from differentiating mesenchymal stem cells induces the neurite elongation in vitro and promotes nerve fiber regeneration in transected spinal cord injury. *Journal of Biomedical Materials Research Part A*, 104(8), 1902-1911.
- Zhang, D.-w., Fu, M., Gao, S.-H., & Liu, J.-L. (2013). Curcumin and diabetes: a systematic review. *Evidence-Based Complementary and Alternative Medicine*, 2013.
- Zhang, D., Jiang, W., Liu, M., Sui, X., Yin, X., Chen, S., Shi, Y., & Deng, H. (2009). Highly efficient differentiation of human ES cells and iPS cells into mature pancreatic insulin-producing cells. *Cell research*, 19(4), 429-438.
- Zhang, H., Shykind, B., & Sun, T. (2013). Approaches to manipulating microRNAs in neurogenesis. *Frontiers in neuroscience*, 6, 196.

- Zhang, J., Gao, Y., Yu, M., Wu, H., Ai, Z., Wu, Y., Liu, H., Du, J., Guo, Z., & Zhang, Y. (2015). Retinoic acid induces embryonic stem cell differentiation by altering both encoding RNA and microRNA expression. *PLoS One*, *10*(7).
- Zhang, T., Wang, H., Wang, T., Wei, C., Jiang, H., Jiang, S., Yang, J., Shao, J., & Ma, L. (2019). Pax4 synergistically acts with Pdx1, Ngn3 and MafA to induce HuMSCs to differentiate into functional pancreatic β -cells. *Experimental and therapeutic medicine*, *18*(4), 2592-2598.
- Zhang, W.-J., Xu, S.-Q., Cai, H.-Q., Men, X.-L., Wang, Z., Lin, H., Chen, L., Jiang, Y.-W., Liu, H.-L., & Li, C.-H. (2013). Evaluation of islets derived from human fetal pancreatic progenitor cells in diabetes treatment. *Stem cell research & therapy*, *4*(6), 141.
- Zhang, X., Wang, Y., Gao, Y., Liu, X., Bai, T., Li, M., Li, L., Chi, G., Xu, H., & Liu, F. (2013). Maintenance of high proliferation and multipotent potential of human hair follicle-derived mesenchymal stem cells by growth factors. *International Journal of Molecular Medicine*, *31*(4), 913-921.
- Zhang, Y., & Dou, Z. (2014). Under a nonadherent state, bone marrow mesenchymal stem cells can be efficiently induced into functional islet-like cell clusters to normalize hyperglycemia in mice: a control study. *Stem cell research & therapy*, *5*(3), 66.
- Zhang, Y., Shen, W., Hua, J., Lei, A., Lv, C., Wang, H., Yang, C., Gao, Z., & Dou, Z. (2010). Pancreatic islet-like clusters from bone marrow mesenchymal stem cells of human first-trimester abortus can cure streptozocin-induced mouse diabetes. *Rejuvenation research*, *13*(6), 695-706.
- Zhou, H., Zhang, T., Harmon, J. S., Bryan, J., & Robertson, R. P. (2007). Zinc, not insulin, regulates the rat α -cell response to hypoglycemia in vivo. *Diabetes*, *56*(4), 1107-1112.
- Zhou, J., Pineyro, M. A., Wang, X., Doyle, M. E., & Egan, J. M. (2002). Exendin-4 differentiation of a human pancreatic duct cell line into endocrine cells: involvement of PDX-1 and HNF3 β transcription factors. *Journal of cellular physiology*, *192*(3), 304-314.
- Zhou, Q., Brown, J., Kanarek, A., Rajagopal, J., & Melton, D. A. (2008). In vivo reprogramming of adult pancreatic exocrine cells to β -cells. *Nature*, *455*(7213), 627-632.
- Zulewski, H., Abraham, E. J., Gerlach, M. J., Daniel, P. B., Moritz, W., Müller, B., Vallejo, M., Thomas, M. K., & Habener, J. F. (2001). Multipotential nestin-positive stem cells isolated from adult pancreatic islets differentiate ex vivo into pancreatic endocrine, exocrine, and hepatic phenotypes. *Diabetes*, *50*(3), 521-533.