

- Abdel-Aleem, H., Ahmed, A., Sabra, A. M., Zakhari, M., Soliman, M., Hamed, H. (1996). Serum alpha L-fucosidase enzyme activity in ovarian and other female genital tract tumors. *International Journal of Gynecology and Obstetrics*, 55(3), 273-279.
- Adhikary, A., Chakraborty, S., Mazumdar, M., Ghosh, S., Mukherjee, S., Manna, A. *et al.* (2014). Inhibition of Epithelial to Mesenchymal Transition by E-cadherin Up-regulation via Repression of Slug Transcription and Inhibition of E-cadherin Degradation: Dual role of SMAR1 in breast cancer cells. *Journal of Biological Chemistry*, 289(37), 25431-25444.
- Alley Jr, W. R., Novotny, M. V. (2010). Glycomic analysis of sialic acid linkages in glycans derived from blood serum glycoproteins. *Journal of Proteome Research*, 9(6), 3062-3072.
- Almaraz, R. T., Tian, Y., Bhattacharya, R., Tan, E., Chen, S. H., Dallas, M. R., *et al.* (2012). Metabolic flux increases glycoprotein sialylation: implications for cell adhesion and cancer metastasis. *Molecular & Cellular Proteomics*, 11(7), M112-017558.
- Al-Rawi, N. H., Al-Kassam, T. K., Majed, A. H. (2014). Expression of matrix metalloproteinase -2 and 9 with their inhibitors, tissue inhibitors of matrix metalloproteinase-1 and 2 in oral lichen planus. *Journal of Orofacial Science* 6(1), 25-30.
- Amagasa, T., Yamashiro, M., Uzawa, N. (2011). Oral premalignant lesions: from a clinical perspective. *International Journal of Clinical Oncology*, 16(1), 5-14.
- Aminoff, D. (1961). Methods for the quantitative estimation of N-acetylneuraminic acid and their application to hydrolysates of sialomucoids. *Biochemistry Journal*, 81(2), 384.
- Andl, C. D., Rustgi, A. K. (2005) No one-way street: cross-talk between E-cadherin and receptor tyrosine kinase (RTK) signaling: a mechanism to regulate RTK activity. *Cancer Biological Therapeutics*, 4(1), 28-31.
- Andersen, H., Mejlvang, J., Mahmood, S., Gromova, I., Gromov, P., Lukanidin, E., *et al.* (2005). Immediate and delayed effects of E-cadherin inhibition on gene regulation and cell motility in human epidermoid carcinoma cells. *Molecular and Cellular Biology*, 25(20), 9138-9150.
- Anderson, M., Cawston, T., Cheeseman, G. C. (1974). Molecular-weight estimates of milk-fat-globule-membrane protein-sodium dodecyl sulphate complexes by electrophoresis in gradient acrylamide gels. *Biochemistry Journal*, 139(3), 653-660.
- Aoyagi, Y., Isemura, M., Yosizawa, Z., Suzuki, Y., Sekine, C., Ono, T., *et al.* (1985). Fucosylation of serum α -fetoprotein in patients with primary hepatocellular carcinoma. *Biochimica et Biophysica Acta (BBA)-Protein Structure and Molecular Enzymology*, 830(3), 217-223.
- Ayude, D., de la Cadena, M. P., Cordero, O. J., Nogueira, M., Ayude, J., Fernández-Briera, A., *et al.* (2004). Clinical interest of the combined use of serum CD26 and alpha-L-fucosidase in the early diagnosis of colorectal cancer. *Disease markers*, 19(6), 267-272.
- Ayude, D., Paez De La Cadena, M., Martínez-Zorzano, V. S., Fernández-Briera, A., Rodríguez-Bercoacal, F. J. (2003). Preoperative serum alpha-L-fucosidase activity as a prognostic marker in colorectal cancer. *Oncology*, 64(1), 36-45.
- Bae, G. Y., Choi, S.J., Lee, J.S., Jo, J., Lee, J., Kim, J., *et al.* (2013). Loss of E-cadherin activates EGFR-MEK/ERK signaling, which promotes invasion via the ZEB1/MMP2 axis in non-small cell lung cancer. *Oncotarget*, 4(12), 2512-2522.
- Baselga, J., Trigo, J. M., Bourhis, J., Tortochaux, J., Cortés-Funes, H., Hitt, R., *et al.* (2005). Phase II multicenter study of the antiepidermal growth factor receptor monoclonal antibody cetuximab in

combination with platinum-based chemotherapy in patients with platinum-refractory metastatic and/or recurrent squamous cell carcinoma of the head and neck. *Journal of Clinical Oncology*, 23(24), 5568-5577.

Baskies, A. M., Chretien, P. B., Weiss, J. F., Makuch, R. W., Beveridge, R. A., Catalona, W. J., *et al.* (1980). Serum glycoproteins in cancer patients: first report of correlations with in vitro and in vivo parameters of cellular immunity. *Cancer*, 45(12), 3050-3060.

Bates, S. E. (1991). Clinical applications of serum tumor markers. *Annals of Internal Medicine*, 115(8), 623-638.

Batlle, E., Sancho, E., Francí, C., Domínguez, D., Monfar, M., Baulida, J., de Herreros, A. G. (2000). The transcription factor snail is a repressor of E-cadherin gene expression in epithelial tumour cells. *Nature Cell Biology*, 2(2), 84-89.

Becker, S., Wandel, E., Wobus, M., Schneider, R., Amasheh, S., Sittig, D., *et al.* (2010). Overexpression of CD97 in intestinal epithelial cells of transgenic mice attenuates colitis by strengthening adherens junctions. *PLoS one*, 5(1), e8507.

Beckman microzone electrophoresis manual, Beckman instruments division (1973) Fullerton, California, chapter 7; 7.1-7.6

Behrens, J., Vakaet, L., Friis, R., Winterhager, E., Van Roy, F., Mareel, M. M., *et al.* (1993). Loss of epithelial differentiation and gain of invasiveness correlates with tyrosine phosphorylation of the E-cadherin/beta-catenin complex in cells transformed with a temperature-sensitive v-SRC gene. *The Journal of Cell Biology*, 120(3), 757-766.

Berx, G., Becker, K. F., Hofler, H., Van Roy, F. (1998). Mutations of the human E-cadherin (CDH1) gene. *Human Mutation*, 12(4), 226-237.

Berx, G., Van Roy, F. (2009). Involvement of members of the cadherin superfamily in cancer. *Cold Spring Harbor Perspectives in Biology*, 1(6), a003129.

Birkle, S., Gao, L., Zeng, G., Yu, R. K. (2000). Down-Regulation of GD3 Ganglioside and its O-Acetylated derivative by stable transfection with antisense V. *Journal of Neurochemistry*, 74(2), 547-554.

Blau, L., Knirsh, R., Ben-Dror, I., Oren, S., Kuphal, S., Hau, P., *et al.* (2012). Aberrant expression of c-Jun in glioblastoma by internal ribosome entry site (IRES)-mediated translational activation. *Proceedings of the National Academy of Sciences*, 109(42), E2875-E2884.

Blomme, B., Van Steenkiste, C., Callewaert, N., Van Vlierberghe, H. (2009). Alteration of protein glycosylation in liver diseases. *Journal of Hepatology*, 50(3), 592-603.

Bolos, V., Peinado, H., Pérez-Moreno, M. A., Fraga, M. F., Esteller, M., Cano, A. (2003). The transcription factor Slug represses E-cadherin expression and induces epithelial to mesenchymal transitions: a comparison with Snail and E47 repressors. *Journal of Cell Science*, 116(3), 499-511.

Brachman, D. G., Graves, D., Vokes, E., Beckett, M., Haraf, D., Montag, A., *et al.* (1992). Occurrence of p53 gene deletions and human papilloma virus infection in human head and neck cancer. *Cancer Research*, 52(17), 4832-4836.

Bauvois, B. (2012). New facets of matrix metalloproteinases MMP-2 and MMP-9 as cell surface transducers: outside-in signaling and relationship to tumor progression. *Biochimica et Biophysica Acta (BBA)-Reviews on Cancer*, 1825(1), 29-36.

- Bremm, A., Walch, A., Fuchs, M., Mages, J., Duyster, J., Keller, G., *et al.* (2008) Enhanced activation of epidermal growth factor receptor caused by tumor-derived E-cadherin mutations. *Cancer Research*, 68(3), 707-714.
- Brown, J. R., Crawford, B. E., Esko, J. D. (2007). Glycan antagonists and inhibitors: a fount for drug discovery. *Critical Reviews in Biochemistry and Molecular Biology*, 42(6), 481-515.
- Buonato, M., Lazzara, M. J. (2014) ERK1/2 blockade prevents EMT in lung cancer cells and promotes their sensitivity to EGFR inhibition. *Cancer Res*, 74(1), 309-319.
- Bull, C., Boltje, T. J., Wassink, M., de Graaf, A. M., Van Delft, F. L., Den Brok, M. H., *et al.* (2013). Targeting aberrant sialylation in cancer cells using a fluorinated sialic acid analog impairs adhesion, migration, and in vivo tumor growth. *Molecular Cancer Therapeutics*, 12(10), 1935-1946.
- Burchell, J., Poulson, R., Hanby, A., Whitehouse, C., Cooper, L., Clausen, H., *et al.* (1999). An α 2, 3 sialyltransferase (ST3Gal I) is elevated in primary breast carcinomas. *Glycobiology*, 9(12), 1307-1311
- Campbell, C. T., Yarema, K. J. (2005). Large-scale approaches for glycobiology. *Genome Biology*, 6(11), 236.
- Cano, A., Perez-Moreno, M. A., Rodrigo, I., Locascio, A., Blanco, M. J., del Barrio, M. G., *et al.* (2000). The transcription factor snail controls epithelial-mesenchymal transitions by repressing E-cadherin expression. *Nature Cell Biology*, 2(2), 76-83.
- Carvalho, A. S., Harduin-Lepers, A., Magalhaes, A., Machado, E., Mendes, N., Costa, L. T. (2010). Differential expression of α -2, 3-sialyltransferases and α -1, 3/4-fucosyltransferases regulates the levels of sialyl Lewis x and sialyl Lewis x in gastrointestinal carcinoma cells. *The International Journal of Biochemistry and Cell Biology*, 42(1), 80-89.
- Cavallaro, U., Christofori, G. (2004). Cell adhesion and signalling by cadherins and Ig-CAMs in cancer. *Nature Reviews Cancer*, 4(2), 118-132.
- Castellsague, X., Quintana, M. J., Martinez, M. C., Nieto, A., Sanchez, M. J., Juan, A. (2004) The role of type of tobacco and type of alcoholic beverage in oral carcinogenesis. *International Journal of Cancer* 108(5), 741-749.
- Chang, K.H., Lee, L., Chen, J., Li, W.S. (2006). Lithocholic acid analogues, new and potent α -2,3-sialyltransferase inhibitors. *Chem Commun (Camb)* 6, 629-631.
- Chaturvedi, P. (2009). Head and neck surgery. *Journal of Cancer Research and Therapeutics*, 5(2), 143.
- Chaussain-Miller, C., Fioretti, F., Goldberg, M., Menashi, S. (2006). The role of matrix metalloproteinases (MMPs) in human caries. *Journal of Dental Research*, 85(1), 22-32.
- Chen, J. Y., Tang, Y. A., Huang, S. M., Juan, H. F., Wu, L. W., Sun, Y. C., *et al.* (2011). A novel sialyltransferase inhibitor suppresses FAK/paxillin signaling and cancer angiogenesis and metastasis pathways. *Cancer Research*, 71(2), 473-483.
- Chen, I. H., Chang, J. T., Liao, C. T., Wang, H. M., Hsieh, L. L., Chen, A. J. (2003). Prognostic significance of EGFR and Her-2 in oral cavity cancer in betel quid prevalent area. *British Journal of Cancer*, 89(4), 681-686.
- Chen, X., Varki, A. (2010). Advances in the biology and chemistry of sialic acids. *ACS Chemical Biology*, 5(2), 163-176.

- Cheng, Y. S. L., Rees, T., Wright, J. (2014). A review of research on salivary biomarkers for oral cancer detection. *Clinical and Translational Medicine*, 3(3),1-10.
- Chiang, C. H., Wang, C. H., Chang, H. C., More, S. V., Li, W. S., Hung, W. C. (2010). A novel sialyltransferase inhibitor AL10 suppresses invasion and metastasis of lung cancer cells by inhibiting integrin-mediated signaling. *Journal of Cellular Physiology*, 223(2), 492-499.
- Chiu, C. T., Chuang, C. Y., Chang, S. W., Lee, S. Y., Wang, D. J., Liu, Y. C., *et al.* (2008). Expression of Matrix Metalloproteinases in oral cancer patients who are betel quid users. *Taiwan Journal of Oral and Maxillofacial Surgery*, 19, 313-327.
- Choi, Y., Song, Y. J., Lee, H.S., Jur, W. J., Sung, K. H., Kim, K. U., *et al.* (2013) Epidermal growth factor receptor is related to poor survival in glioblastoma:single-Institutional experience. *Yonse Med J*, 54(1), 101-107.
- Chong, C. R., Janne, P. A. (2013). The quest to overcome resistance to EGFR-targeted therapies in cancer. *Nature Medicine*, 19(11), 1389-1400.
- Chrostek, L., Cylwik, B., Krawiec, A., Korcz, W., Szmitkowski, M. (2007). Relationship between serum sialic acid and sialylated glycoproteins in alcoholics. *Alcohol and Alcoholism*, 42(6), 588-592.
- Comijn, J., Berx, G., Vermassen, P., Verschuere, K., Van Grunsven, L., Bruyneel, E., *et al.* (2001). The two-handed E box binding zinc finger protein SIP1 downregulates E-cadherin and induces invasion. *Molecular Cell*, 7(6), 1267-1278.
- Croix, B. S., Sheehan, C., Rak, J. W., Flørenes, V. A., Slingerland, J. M., Kerbel, R. S. (1998). E-cadherin-dependent growth suppression is mediated by the cyclin-dependent kinase inhibitor p27KIP1. *The Journal of Cell Biology*, 142(2), 557-571.
- Cruz, M. C. F. N. D., Pereira, A. L. A., Lopes, F. F., Nonaka, C. F. W., Silva, R. R. D., Freitas, R. D. A., *et al.* (2009). Immunohistochemical expression of E-cadherin and CD44v6 in squamous cell carcinomas of the lower lip and tongue. *Brazilian Dental Journal*, 20(1), 64-69.
- Cylwik, B., Chrostek, L., Szmitkowski, M. (2005). Diagnostic value of total and lipid-bound sialic acid in malignancies. *Polski merkuriusz lekarski: organ Polskiego Towarzystwa Lekarskiego*, 19(110), 237-241.
- Dabelsteen, E., Clausen, H., Mandel, U. (1991). Carbohydrate changes in squamous cell carcinomas. *APMIS. Supplementum*, 27, 130-138.
- Dadhich, M., Prabhu, V., Pai, V. R., D'Souza, J., Harish, S., Jose, M (2014) Serum and salivary sialic acid as a biomarker in oral potentially malignant disorders and oral cancer. *Indian J Cancer*, 51(3):214-218.
- Dahl, K. D. C., Symowicz, J., Ning, Y., Gutierrez, E., Fishman, D. A., Adley, B. P., *et al.* (2008). Matrix metalloproteinase 9 is a mediator of epidermal growth factor-dependent E-cadherin loss in ovarian carcinoma cells. *Cancer Research*, 68(12), 4606-4613.
- Dall'Olio, F., Chiricolo, M., D'Errico, A., Gruppioni, E., Altimari, A., Fiorentino, M., *et al.* (2004). Expression of β -galactoside α 2, 6 sialyltransferase and of α 2, 6-sialylated glycoconjugates in normal human liver, hepatocarcinoma, and cirrhosis. *Glycobiology*, 14(1), 39-49.
- Dall'Olio, F., Chiricolo, M. (2001). Sialyltransferases in cancer. *Glycoconjugate Journal*, 18(11-12), 841-850.

- Dall'Olio, F., Malagolini, N., Trinchera, M., Chiricolo, M. (2012). Mechanisms of cancer-associated glycosylation changes. *Frontiers in Bioscience*, 17, 670-699.
- Danaei, G., Vander Hoorn, S., Lopez, A. D., Murray, C. J., Ezzati, M. (2005). Causes of cancer in the world: comparative risk assessment of nine behavioural and environmental risk factors. *The Lancet*, 366(9499), 1784-1793.
- De Freitas Silva, B. S., Yamamoto-Silva, F. P., Pontes, H. A., Pinto Junior, D. D. (2013). E-cadherin downregulation and Twist over-expression since early stages of oral carcinogenesis. *Journal of Oral Pathology and Medicine*, 43(2), 125-131.
- De Sousa, S. O. M., Mesquita, R. A., Pinto, D. S., Gutkind, S. (2002). Immunolocalization of c-Fos and c-Jun in human oral mucosa and in oral squamous cell carcinoma. *Journal of Oral Pathology and Medicine*, 31(2), 78-81.
- Dennis, J. W., Granovsky, M., Warren, C. E. (1999). Glycoprotein glycosylation and cancer progression. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1473(1), 21-34.
- Dhakar, N., Astekar, M., Jain, M., Saawarn, S., Saawarn, N. (2013). Total sialic acid, total protein and total sugar levels in serum and saliva of oral squamous cell carcinoma patients: A case control study. *Dental Research Journal*, 10(3), 343-347.
- Di Croce, L., Pelicci, P. G. (2003). Tumour-associated hypermethylation: silencing E-cadherin expression enhances invasion and metastasis. *European Journal of Cancer*, 39(4), 413-414.
- Diniz-Freitas, M., García-Caballero, T., Antúnez-Lopez, J., Gándara-Rey, J. M., García-García, A. (2006). Reduced E-cadherin expression is an indicator of unfavourable prognosis in oral squamous cell carcinoma. *Oral Oncology*, 42(2), 190-200.
- Doki, Y., Shiozaki, H., Tahara, H., Inoue, M., Oka, H., Iihara, K., *et al.* (1993). Correlation between E-cadherin expression and invasiveness in vitro in a human esophageal cancer cell line. *Cancer Research*, 53(14), 3421-3426.
- Dorudi, S., Hanby, A. M., Poulson, R., Northover, J., Hart, I. R. (1995). Level of expression of E-cadherin mRNA in colorectal cancer correlates with clinical outcome. *British Journal of Cancer*, 71(3), 614-616.
- Downer, C. S., Speight, P. M. (1993). E-cadherin expression in normal, hyperplastic and malignant oral epithelium. *European Journal of Cancer Part B: Oral Oncology*, 29(4), 303-305.
- Drake, P. M., Cho, W., Li, B., Prakobphol, A., Johansen, E., Anderson, N. L., *et al.* (2010). Sweetening the pot: adding glycosylation to the biomarker discovery equation. *Clinical Chemistry*, 56(2), 223-236
- Eger, A., Aigner, K., Sonderegger, S., Dampier, B., Oehler, S., Schreiber, M., *et al.* (2005). Delta EF1 is a transcriptional repressor of E-cadherin and regulates epithelial plasticity in breast cancer cells. *Oncogene*, 24(14), 2375-2385.
- Esco, J. D., Selleck, S. B. (2002). Order Out of Chaos: Assembly of Ligand Binding Sites in Heparan Sulfate 1. *Annual Review of Biochemistry*, 71(1), 435-471.
- Fan, H. X., Li, H. X., Chen, D., Gao, Z. X., Zheng, J. H. (2012). Changes in the expression of MMP2, MMP9, and ColIV in stromal cells in oral squamous tongue cell carcinoma: relationships and prognostic implications. *Journal of Experimental and Clinical Cancer Research*, 31, 90.
- Farina, A. R., Mackay, A. R. (2014). Gelatinase B/MMP-9 in tumour pathogenesis and progression. *Cancers*, 6(1), 240-296.

- Fernández-Rodríguez, J., Ayude, D., De La Cadena, M. P., Martínez-Zorzano, V. S., De Carlos, A., Caride-Castro, A., *et al.* (1999). Alpha-L-fucosidase enzyme in the prediction of colorectal cancer patients at high risk of tumor recurrence. *Cancer Detection and Prevention*, 24(2), 143-149.
- Fujita, Y., Krause, G., Scheffner, M., Zechner, D., Leddy, H. E. M., Behrens, J., *et al.* (2002). Hakai, a c-Cbl-like protein, ubiquitinates and induces endocytosis of the E-cadherin complex. *Nature Cell Biology*, 4(3), 222-231.
- Gamboa-Dominguez, A., Dominguez-Fonseca, C., Quintanill-Martinez, L., Reyes-Gutierrez, E., Green, D., Angeles-Angeles, A., Busch, R. (2004) Epidermal growth factor receptor expression correlates with poor survival in gastric adenocarcinoma from Mexican patients: a multivariate analysis using a standardized immunohistochemical detection system. *Modern Pathology*, 17(5), 579-587.
- Garinis, G. A., Manolis, E. N., Spanakis, N. E., Patrinos, G. P., Peros, G., Menounos, P. G. (2003). High frequency of concomitant nm23-H1 and E-cadherin transcriptional inactivation in primary non-inheriting colorectal carcinomas. *Journal of Molecular Medicine*, 81(4), 256-263.
- Gavard, J., Gutkind, S. (2008). A molecular cross talk between E-cadherin and EGFR signaling networks. EGFR signaling networks in cancer therapy. *Cancer drug discovery and development*, 131-146.
- Gessner, P., Riedl, S., Quentmaier, A., Kemmner, W. (1993). Enhanced activity of CMP-NeuAc: Gal β 1-4GlcNAc: α 2, 6-sialyltransferase in metastasizing human colorectal tumor tissue and serum of tumor patients. *Cancer Letters*, 75(3), 143-149.
- Ghazarian, H., Idoni, B., Oppenheimer, S. B. (2011). A glycobiology review: carbohydrates, lectins and implications in cancer therapeutics. *Acta Histochemica*, 113(3), 236-247.
- Gheldorf, A., & Berx, G. (2013). Cadherins and epithelial-to-mesenchymal transition. *Prog Mol Biol Transl Sci*, 116, 317-336.
- Gialeli, C., Theocharis, A. D., Karamanos, N. K. (2011). Roles of matrix metalloproteinases in cancer progression and their pharmacological targeting. *FEBS Journal*, 278(1), 16-27.
- Giardina, M. G., Matarazzo, M., Morante, R., Lucariello, A., Varriale, A., Guardasole, V., *et al.* (1998). Serum α -L-fucosidase activity and early detection of hepatocellular carcinoma. *Cancer*, 83(12), 2468-2474.
- Glossmann, H., Neville, D. M. (1971). Glycoproteins of cell surfaces a comparative study of three different cell surfaces of the rat. *Journal of Biological Chemistry*, 246(20), 6339-6346.
- Goetz, J. A., Mechref, Y., Kang, P., Jeng, M. H., Novotny, M. V. (2009). Glycomic profiling of invasive and non-invasive breast cancer cells. *Glycoconjugate Journal*, 26(2), 117-131.
- Goldman, R., Ransom, H. W., Varghese, R. S., Goldman, L., Bascug, G., Loffredo, C. A., *et al.* (2009). Detection of hepatocellular carcinoma using glycomic analysis. *Clinical Cancer Research*, 15(5), 1808-1813
- Goncalves, R. P., Damante, C. A., Lima, F. L. S., Imbroni, A. V., Nunes, F. D., Pustiglioni, F. E. (2009). Detection of MMP-2 and MMP-9 salivary levels in patients with chronic periodontitis before and after periodontal treatment. *Rev Odonto Cienc*, 24(3), 264-269.
- Gonsalves, W. C., Chi, A. C., Neville, B. W. (2007). Common oral lesions: Part II. Masses and neoplasia. *American family physician*, 75(4), 509-512.

- González-Moles, M. A., Bravo, M., Ruiz-Avila, I., Gil-Montoya, J. A., Acebal, F., Esteban, F. (2013). E-cadherin in non-tumor epithelium adjacent to oral cancer as risk marker for the development of multiple tumors. *British Journal of Oral and Maxillofacial Surgery*, 51(2), 157-163.
- Gottardi, C. J., Wong, E., Gumbiner, B. M. (2001). E-cadherin suppresses cellular transformation by inhibiting β -catenin signaling in an adhesion-independent manner. *The Journal of Cell Biology*, 153(5), 1049-1060.
- Goyal, A., Martin, T. A., Mansel, R. E., Jiang, W. G. (2008). Real time PCR analyses of expression of E-cadherin, alpha-, beta- and gamma-catenin in human breast cancer for predicting clinical outcome. *World Journal of Surgical Oncology*, 6(56), 1-6.
- Greene, F.I., Page, D.L., Fleming, I.D. (2002). American joint committee on cancer (AJCC). Head and neck sites. In: *Cancer staging manual*. 6th ed. Philadelphia, PA: JB Lippincott 17-87.
- Gu, Y., Zhang, J., Mi, W., Yang, J., Han, F., Lu, X., et al. (2008). Silencing of GM3 synthase suppresses lung metastasis of murine breast cancer cells. *Breast Cancer Research*, 10(1), R1.
- Guilford, P., Hopkins, J., Harraway, J., McLeod, M., McLeod, N., Harawira, P., et al. (1998). E-cadherin germline mutations in familial gastric cancer. *Nature*, 392(6674), 402-405.
- Guo, H. B., Johnson, H., Randolph, M., Nagy, T., Blalock, R., Pierce, M. (2010). Specific posttranslational modification regulates early events in mammary carcinoma formation. *Proceedings of the National Academy of Sciences*, 107(49), 21116-21121.
- Guo, H. B., Lee, I., Kamar, M., Akiyama, S. K., Pierce, M. (2002). Aberrant N-glycosylation of β 1 integrin causes reduced α 5 β 1 integrin clustering and stimulates cell migration. *Cancer Research*, 62(23), 6837-6845.
- Guo, H. B., Lee, I., Kamar, M., Pierce, M. (2003). N-acetylglucosaminyltransferase V expression levels regulate cadherin-associated homotypic cell-cell adhesion and intracellular signaling pathways. *Journal of Biological Chemistry*, 278(52), 52412-52424.
- Guo, H. B., Randolph, M., Pierce, M. (2007). Inhibition of a Specific N-Glycosylation Activity Results in Attenuation of Breast Carcinoma Cell Invasiveness-related Phenotypes inhibition of epidermal growth factor-induced dephosphorylation of focal adhesion kinase. *Journal of Biological Chemistry*, 282(30), 22150-22162.
- Hadler-Olsen, E., Winberg, J. O., Uhlén-Hansen, L. (2013) Matrix metalloproteinases in cancer: their value as diagnostic and prognostic markers and therapeutic targets. *Tumour Biology*, 34(4), 2041-2051.
- Hakomori, S. I. (1981). Glycosphingolipids in cellular interaction, differentiation, and oncogenesis. *Annual Review of Biochemistry*, 50(1), 733-764.
- Hamaguchi, M., Matsuyoshi, N., Ohnishi, Y., Gotoh, B., Takeichi, M., Nagai, Y. (1993). p60v-src causes tyrosine phosphorylation and inactivation of the N-cadherin-catenin cell adhesion system. *The EMBO Journal*, 12(1), 307-314.
- Hansson, G. C., Zopf, D. (1998) Biosynthesis of the cancer associated sialyl-Le^a antigen. *Journal of Biological Chemistry*, 260(16), 9388-9392.
- Hanski, C., Klussmann, E., Wang, J., Böhm, C., Ogorek, D., Hanski, M. L., et al. (1996). Fucosyltransferase III and sialyl-Lex expression correlate in cultured colon carcinoma cells but not in colon carcinoma tissue. *Glycoconjugate Journal*, 13(5), 727-733.

- Harduin-Lepers, A. (2010). Comprehensive analysis of sialyltransferases in vertebrate genomes. *Glycobiology Insights*, 2, 29-61.
- Harduin-Lepers, A., Vallejo-Ruiz, V., Krzewinski-Recchi, M. A., Samyn-Petit, B., Julien, S., Delannoy, P. (2001). The human sialyltransferase family. *Biochimie*, 83(8), 727-737.
- Hart, G. W., Copeland, R. J. (2010). Glycomics hits the big time. *Cell*, 143(5), 672-676.
- Hata, K., Koseki, K., Yamaguchi, K., Moriya, S., Suzuki, Y., Yingsakmongkon, S., et al. (2008). Limited inhibitory effects of oseltamivir and zanamivir on human sialidases. *Antimicrobial agents and Chemotherapy*, 52(10), 3484-3491.
- Heck, J. E., Berthiller, J., Vaccarella, S., Winn, D. M., Smith, E. M., Shan'gina, O., et al. (2010). Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. *International Journal of Epidemiology*, 39(1), 166-181.
- Hemalatha, V. T., Austin, R. D., Manisundar, N., Sarumathi, T., Nisha, V. A. (2013). Evaluation of salivary sialic Acid in patients with different clinico-pathological stages of oral leukoplakia and oral squamous cell carcinoma-A cross sectional study. *Bioscience Biotechnology Research Asia* 10(1), 419-425.
- Hiraishi, Y., Wada, T., Nakatani, K., Tojyo, I., Matsumoto, T., Kiga, N., et al. (2008). EGFR inhibitor enhances cisplatin sensitivity of oral squamous cell carcinoma cell lines. *Pathology & Oncology Research*, 14(1), 39-43.
- Hiraiwa, N., Ito, H., Zenita, K., Kannagi, R. (1995). Structures, synthesis and functions of sialyl Le (a)/sialyl Le (x) antigens. *Nihon rinsho. Japanese Journal of Clinical Medicine*, 53(7), 1729-1734.
- Hizal, D. B., Wolozny, D., Colao, J., Jacobson, E., Tian, Y., Krag, S. S., et al. (2014). Glycoproteomic and glycomic databases. *Clinical Proteomics*, 11(1), 15.
- Holmes, E. H., Ostrander, G. K., Hakomori, S. (1985). Enzymatic basis for the accumulation of glycolipids with X and dimeric X determinants in human lung cancer cells (NCI-H69). *Journal of Biological Chemistry*, 260(12), 7619-7627.
- Hong, Q., Jun, T., Lei, J., Xiling, J., Tamamura, R. (2006). Expression and clinical significance of matrix metalloproteinase-2 and its inhibitor TIMP-2 in oral squamous cell carcinoma. *Journal of Hard Tissue Biology*, 15(2), 54-60.
- <http://seer.cancer.gov>
- Hu, S., Wang, J., Meijer, J., Jeong, S., Xie, Y., Yu, T., et al. (2007). Salivary proteomic and genomic biomarkers for primary Sjogren's syndrome. *Arthritis & Rheumatism*, 56(11), 3588-3600.
- Ingman, T., Sorsa, T., Lindy, O., Koski, H., Kontinen, Y. T. (1994). Multiple forms of gelatinases/type IV collagenases in saliva and gingival crevicular fluid of periodontitis patients. *Journal of Clinical Periodontology*, 21(1), 26-31.
- Ino, Y., Gotoh, M., Sakamoto, M., Tsukagoshi, K., Hirohashi, S. (2002). Dysadherin, a cancer-associated cell membrane glycoprotein, down-regulates E-cadherin and promotes metastasis. *Proceedings of the National Academy of Sciences*, 99(1), 365-370.
- Ito, H., Hiraiwa, N., Sawada-Kasugai, M., Akamatsu, S., Tachikawa, T., Kasai, Y., et al. (1997). Altered mRNA expression of specific molecular species of fucosyl- and sialyl-transferases in human colorectal cancer tissues. *International Journal of Cancer*, 71(4), 556-564.

- Jacob, T. V., Varghese, A. S. (2011). Salivary diagnostics. *Oral and Maxillofacial Pathology Journal* 2,111-114.
- Jamora C., Fuchs, E. (2002). Intercellular adhesion, signalling and the cytoskeleton. *Nature Cell Biology* 4(4), E101-E108.
- Jemal, A., Bray, F., Center, M. M., Ferlay, J., Ward, E., Forman, D. (2011). Global cancer statistics. *CA: A Cancer J for Clinicians*, 61(2), 69-90.
- Jiao, X., Katiyar, S., Willmarth, N. E., Liu, M., Ma, X., Flomenberg, N., *et al.* (2010). c-Jun induces mammary epithelial cellular invasion and breast cancer stem cell expansion. *Journal of Biological Chemistry*, 285(11), 8218-8226.
- Jin, G. (2010). Using biomarkers to detect oral cancer holds potential for saving lives when the cancer is most curable. *Biomarkers in Medicine*, 4(6), 835-838.
- Johnson, N. W., Warnakulasuriya, S., Gupta, P. C., Dimba, E., Chindia, M., Otoh, E. C., *et al.*, (2011). Global oral health inequalities in incidence and outcomes for oral cancer causes and solutions. *Advances in Dental Research*, 23(2), 237-246.
- Jordan, R. C, Macabeo-Ong, M., Shiboski, C. H., Dekker, N., Ginzinger, D. G., Wong, D. T., *et al.* (2004). Overexpression of matrix metalloproteinase-1 and -9 mRNA is associated with progression of oral dysplasia to cancer. *Clinical Cancer Research* 10(19), 6460-6465.
- Joshi, M., Patil, R. (2010). Estimation and comparative study of serum total sialic acid levels as tumor markers in oral cancer and precancer. *Journal of Cancer Research and Therapeutics*, 6(3), 263-266.
- Kadam, C.Y., Katkam, R.V., Suryakar, A.N., Kumbar, K.M., Kadam, D.P. (2011). Biochemical markers in oral cancer. *Biomedical Research* 22, 76-80.
- Kakugawa, Y., Wada, T., Yamaguchi, K., Yamanami, H., Ouchi, K., Sato, I., *et al.* (2002). Up-regulation of plasma membrane-associated ganglioside sialidase (Neu3) in human colon cancer and its involvement in apoptosis suppression. *Proceedings of the National Academy of Sciences*, 99(16), 10718-10723.
- Kam, R. K., Poon, T. C. (2008). The potentials of glycomics in biomarker discovery. *Clinical Proteomics*, 4(3-4), 67-79.
- Katsutoshi S. Molecular cloning and characterization of sialyltransferase. (1996). *Trends in Glycoscience Glycotechnology*, 8(41),195-215.
- Kaur, G., Carnelio, S., Rao, N., Rao, L. (2009). Expression of E-cadherin in primary oral squamous cell carcinoma and metastatic lymph nodes: an immunohistochemical study. *Indian Journal of Dental Research*, 20(1), 71-76.
- Kaur, J., Sawhney, M., Datta Gupta, S., Shukla, N. K., Srivastava, A., Walfish, P. G., *et al.* (2013). Clinical Significance of Altered Expression of β -Catenin and E-Cadherin in Oral Dysplasia and Cancer: Potential Link with ALCAM Expression. *PLoS One*, 8(6), e67361.
- Kawamura, S., Sato, I., Wada, T., Yamaguchi, K., Li, Y., Li, D., *et al.* (2011). Plasma membrane-associated sialidase (NEU3) regulates progression of prostate cancer to androgen-independent growth through modulation of androgen receptor signaling. *Cell Death and Differentiation*, 19(1), 170-179.

- Kemmner, W., Kruck, D., Schlag, P. (1994). Different sialyltransferase activities in human colorectal carcinoma cells from surgical specimens detected by specific glycoprotein and glycolipid acceptors. *Clinical and Experimental Metastasis*, 12(3), 245-254.
- Khan, Z. U. (2012). An overview of oral Cancer in Indian subcontinent and recommendations to decrease its incidence. *Webmed Central Cancer* 3(8), 1-29.
- Kijima-Suda, I., Miyamoto, Y., Toyoshima, S., Itoh, M., Osawa, T. (1986). Inhibition of experimental pulmonary metastasis of mouse colon adenocarcinoma 26 sublines by a sialic acid: nucleoside conjugate having sialyltransferase inhibiting activity. *Cancer Research*, 46(2), 858-862.
- Knirsh, R., Ben-Dror, I., Spangler, B., Matthews, G. D., Kuphal, S., Bosserhoff, A. K., Vardimon, L. (2009). Loss of E-Cadherin-mediated Cell-Cell Contacts Activates a Novel Mechanism for Up-Regulation of the Proto-Oncogene c-Jun. *Molecular Biology of the Cell*, 20(7), 2121-2129.
- Ko, K., Furukawa, K., Takahashi, T., Urano, T., Sanai, Y., Nagino, M., *et al.* (2006). Fundamental study of small interfering RNAs for ganglioside GD3 synthase gene as a therapeutic target of lung cancers. *Oncogene*, 25(52), 6924-6935.
- Kobayashi, H., Kumagai, K., Gotoh, A., Eguchi, T., Yamada, H., Hamada, Y., *et al.* (2013). Upregulation of epidermal growth factor receptor 4 in oral leukoplakia. *International Journal of Oral Science*, 5(1), 14-20.
- Kokoglu, E., Sonmez, H., Uslu, E., Uslu, I. (1992). Sialic acid levels in various types of cancer. *Cancer Biochemistry Biophysics*, 13(1), 57-64.
- Kramer, I. R., Lucas, R. B., Pindborg, J. J., Sobin, L. H. (1978). World Health Organization Collaborating Centre for Oral Precancerous Lesions. Definition of leukoplakia and related lesions: an aid to studies on oral precancer. *Oral Surgery Oral Medicine Oral Pathology*, 46(4), 518-539.
- Kreisel, W., Hanski, C., Tran-Thi, T. A., Katz, N., Decker, K., Reutter, W., Gerok, W. (1988). Remodeling of a rat hepatocyte plasma membrane glycoprotein. De- and reglycosylation of dipeptidyl peptidase IV. *Journal of Biological Chemistry*, 263(24), 11736-11742.
- Kudo, T., Ikehara, Y., Togayachi, A., Morozumi, K., Watanabe, M., Nakamura, M., *et al.* (1998). Up-regulation of a set of glycosyltransferase genes in human colorectal cancer. *Laboratory Investigation; A Journal of Technical Methods and Pathology*, 78(7), 797-811.
- Kuefer, R., Hofer, M. D., Gschwend, J. E., Pienta, K. J., Sanda, M. G., Chinnaiyan, A. M., *et al.* (2003). The role of an 80 kDa fragment of E-cadherin in the metastatic progression of prostate cancer. *Clinical Cancer Research*, 9(17), 6447-6452.
- Kulkarni, M. R. (2013). Head and neck cancer burden in India. *International Journal of Head and Neck Surgery*, 4(1), 29-35.
- Kumar, V., Cotran, R. S., Robbins, S. L., Kumar, V., Cotran, R. S., Robbins, S. L. (2003) *Robbins Basic Pathology. Seventh edition. Sanders, Philadelphia.*
- Kuo, R. C., Lin, C. Y., Kuo, M. Y. P. (2006). Prognostic role of c-Jun activation in patients with areca quid chewing-related oral squamous cell carcinomas in Taiwan. *Journal of the Formosan Medical Association*, 105(3), 229-234.
- Kurtul, N., Cil, M.Y., Pacaci, S.D. (2005). Serum total sialic acid levels in smokers and users of smokeless tobacco inform of oral powder (maras powder). *Journal of Biomedical Science* 12(3), 559-563.

- Lau, K. S., Partridge, E. A., Grigorian, A., Silvescu, C. I., Reinhold, V. N., Demetriou, M., *et al.* (2007). Complex N-glycan number and degree of branching cooperate to regulate cell proliferation and differentiation. *Cell*, *129*(1), 123-134.
- Lee, C. H., Min-Shan Ko, A., Warnakulasuriya, S., Ling, T. Y., Rajapakse, P. S., Zain, R. B., *et al.* (2012). Population burden of betel quid abuse and its relation to oral premalignant disorders in South, Southeast, and East Asia: an Asian Betel-quid Consortium Study. *American Journal of Public Health*, *102*(3), e17-e24.
- Li, X., Zhang, L., Shao, Y., Liang, Z., Shao, C., Wang, B., *et al.* (2011). Effects of a human plasma membrane-associated sialidase siRNA on prostate cancer invasion. *Biochemical and Biophysical Research Communications*, *416*(3), 270-276.
- Lin, W. J., Jiang, R. S., Wu, S. H., Chen, F. J., Liu, S. A. (2011) Smoking, alcohol, and betel quid and oral cancer. A prospective cohort study. *Journal of oncology* 2011, 525976.
- Listinsky, J. J., Siegal, G. P., Listinsky, C. M. (2011). The emerging importance of α -L-fucose in human breast cancer: a review. *American Journal of Translational Research*, *3*(4), 292-322.
- Liu, H., Zhang, N., Wan, D., Cui, M., Liu, Z., Liu, S. (2014). Mass spectrometry-based analysis of glycoproteins and its clinical applications in cancer biomarker discovery. *Clinical Proteomics*, *11*(1), 14.
- Liu, S. Y., Lin, M. H., Yang, S. C., Huang, G. C., Chang, L., Chang, S., *et al.* (2005). Areca quid chewing enhances the expression of salivary matrix metalloproteinase-9. *Journal of the Formosan Medical Association Taiwan*, *104*(2), 113-119.
- Liu, Y., He, J., Li, C., Benitez, R., Fu, S., Marrero, J., *et al.* (2009). Identification and confirmation of biomarkers using an integrated platform for quantitative analysis of glycoproteins and their glycosylations. *Journal of Proteome Research*, *9*(2), 798-805.
- Lopes-Morales, D., Velasquez-Marquez, N., Valenzuela, O., Santos-Lopez, G., Reyes-Levy, J., Vallejo-Ruiz, V. (2009). Enhanced sialyltransferases transcription in cervical epithelial neoplasia. *Investigation Clinica*, *50*(1), 45-53.
- Lorenzo, J. A., Pilbeam, C. C., Kalinowski, J. F., Hibbs, M. S. (1992). Production of both 92- and 72-kDa gelatinases by bone cells. *Matrix*, *12*(4), 282-290.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., Randall, R. J. (1951). Protein measurement with the Folin phenol reagent. *Journal of Biological Chemistry*, *193*(1), 265-275.
- Lu, D.Y., Xu, J., Lu, T.R., Wu, H.Y., Xu, B. (2013). Inhibition of several antineoplastic drugs on serum sialic acid levels in mice bearing tumors. *Sci Pharm* *81*(1), 223-231.
- Lu, Z., Ghosh, S., Wang, Z., Hunter, T. (2003) Downregulation of caveolin-1 function by EGF leads to the loss of E-cadherin, increased transcriptional activity of beta-catenin, and enhanced tumor cell invasion. *Cancer Cell*, *4*(6), 499-515.
- Lumerman, H., Freedman, P., Kerpel, S. (1995). Oral epithelial dysplasia and the development of invasive squamous cell carcinoma. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, *79*(3), 321-329.
- Luo, S. L., Xie, Y. G., Li, Z., Ma, J. H., Xu, X. (2014). E-cadherin expression and prognosis of oral cancer: a meta-analysis. *Tumor Biology*, *35*(6), 5533-5537.

- Madani, A. H., Dikshit, M., Bhaduri, D. (2012). Risk for oral cancer associated to smoking, smokeless and oral dip products. *Indian Journal of Public health*, 56(1), 57-60.
- Macauley, M. S., Arlian, B. M., Rillahan, C. D., Pang, P. C., Bortell, N., Marcondes, M. C. *et al.* (2014). Systemic blockade of sialylation in mice with a global inhibitor of sialyltransferases. *Journal of Biological Chemistry*, 289(51), 35149-35158
- Mahendra A, Shreedhar B, Kamboj M, Singh A, Singh A, Agrawal A, Kumar S, *et al.* (2014) Epidermal growth factor receptor protein: A biological marker for oral cancer and cancer. *J Dental Surg*, 2014 (2014) 1-7.
- Mann, B., Madera, M., Klouckova, I., Mechref, Y., Dobrolecki, L. E., Hickey, R. J., *et al.* (2010). A quantitative investigation of fucosylated serum glycoproteins with application to esophageal adenocarcinoma. *Electrophoresis*, 31(11), 1833-1841.
- Marchal, I., Golfier, G., Dugas, O., Majed, M. (2003). Bioinformatics in glycobiology. *Biochimie*, 85(1), 75-81.
- Markman, B., Javier Ramos, F., Capdevila, J., Taberner, J. (2010) EGFR and KRAS in colorectal cancer. *Adv Clin Chem*, 51, 71-119.
- Masuda, H., Zhang, D., Bartholomeusz, C., Doihara, H., Hortobagyi, G.N., Ueno, N.T. (2012) Role of epidermal growth factor receptor in breast cancer. *Breast Cancer Research Treatment*, 136(2), 331-345.
- Mashberg, A., Samit, A. (1995). Early diagnosis of asymptomatic oral and oropharyngeal squamous cancers. *CA: A Cancer Journal for Clinicians*, 45(6), 328-351.
- Mateus, A. R., Seruca, R., Machado, J. C., Keller, G., Oliveira, M. J., Suriano, G., *et al.* (2007). EGFR regulates RhoA-GTP dependent cell motility in E-cadherin mutant cells. *Human Molecular Genetics*, 16(13), 1639-1647.
- Matsuura, N., Narita, T., Hiraiwa, N., Hiraiwa, M., Murai, H., Iwase, T., *et al.* (1998). Gene expression of fucosyl- and sialyl-transferases which synthesize sialyl Lewis x, the carbohydrate ligands for E-selectin, in human breast cancer. *International Journal of Oncology*, 12(5), 1157-1221.
- Mattox, S., Walrath, K., Ceiler, D., Smith, D. F., Cummings, R. D. (1992). A solid-phase assay for the activity of CMP Neu Ac: Galbeta1-4GlcNac-R, alpha2,6-sialyltransferase. *Analytical Biochemistry*, 206(2), 430-436.
- Mishra, A., Bharti, A. C., Saluja, D., Das, B. C. (2010). Transactivation and expression patterns of Jun and Fos/AP-1 super-family proteins in human oral cancer. *International Journal of Cancer*, 126(4), 819-829.
- Mishra, M., Mohanty, J., Sengupta, S., Tripathy, S. (2005). Epidemiological and clinicopathological study of oral leukoplakia. *Indian Journal of Dermatology, Venereology, and Leprology*, 71(3), 161-165.
- Mithani, S. K., Mydlarz, W. K., Grumbine, F. L., Smith, I. M., Califano, J. A. (2007). Molecular genetics of premalignant oral lesions. *Oral Diseases*, 13(2), 126-133.
- Miyagi, T., Yamaguchi, K. (2012). Mammalian sialidases: physiological and pathological roles in cellular functions. *Glycobiology*, 22(7), 880-896.
- Miyagi, T. (2008). Aberrant expression of sialidase and cancer progression. *Proceedings of the Japan Academy. Series B, Physical and Biological Sciences*, 84(10), 407-417.

- Miyoshi, Y., Watanabe, M., Takahashi, N. (2010). Autoactivation of Proteolytic Activity in Human Whole Saliva. *Journal of Oral Biosciences*, 52(4), 402-408.
- Montreuil, J., Vliegenthart, J. F. G., Schachter, H., eds. (1997) Glycoproteins II (New Comprehensive Biochemistry). Amsterdam, the Netherlands: Elsevier.
- Moriwaki, K., Miyoshi, E. (2010). Fucosylation and gastrointestinal cancer. *World Journal of Hepatology*, 2(4), 151-161.
- Myers, J. N., Holsinger, F. C., Bekele, B. N., Li, E., Jasser, S. A., Killioon, J. J., Fidler, I. J. (2002). Targeted molecular therapy for oral cancer with epidermal growth factor receptor blockade: a preliminary report. *Archives of Otolaryngology Head and Neck Surgery* 128(8), 875-879.
- Nair, A. U., Thavarajah, R., Ranganathan, K. (2012). Saliva and dental practice. *Journal of Dr. NTR University of Health Sciences*, 1(2), 72-76.
- Nawrocki-Raby, B., Gilles, C., Polette, M., Bruyneel, E., Laronze, J. Y., Bonnet, N., *et al.* (2003). Upregulation of MMPs by soluble E-cadherin in human lung tumor cells. *International Journal of Cancer*, 105(6), 790-795.
- Neville, B. W., Day, T. A. (2002). Oral cancer and precancerous lesions. *CA: A Cancer Journal for Clinicians*, 52(4), 195-215.
- Noda, T., Miyoshi, E., Kitada, T., Nakahara, S., Gao, C.X., Honke, K., *et al.* (2002). The enzymatic basis for the conversion of non-fucosylated to fucosylated alpha-fetoprotein by acyclic retinoid treatment in human hepatoma cells: activation of alpha 1,6 fucosyltransferase. *Tumor Biology* 23(4), 202-211.
- Okeley, N. M., Alley, S. C., Anderson, M. E., Boursalian, T. E., Burke, P. J., Emmerton, K. M., *et al.* (2013). Development of orally active inhibitors of protein and cellular fucosylation. *Proceedings of the National Academy of Sciences*, 110(14), 5404-5409.
- Ogawa, J.I., Inoue, H., Koide, S. (1997). α -2,3 sialyltransferase type 3N and α -1,3fucosyl transferase type VII are related to sialyl Lewis (x) synthesis and patients survival from lung carcinoma. *Cancer* 79(9), 1678-1685.
- O'Shea, L. K., Abdulkhalek, S., Allison, S., Neufeld, R. J., Szewczuk, M. R. (2014). Therapeutic targeting of Neu1 sialidase with oseltamivir phosphate (Tamiflu®) disables cancer cell survival in human pancreatic cancer with acquired chemoresistance. *OncoTargets and Therapy*, 7, 117-134.
- Ozturk, L. K., Emekli-Alturfan, E., Kasikci, E., Demir, G., Yarat, A. (2011). Salivary total sialic acid levels increase in breast cancer patients: a preliminary study. *Medicinal Chemistry*, 7(5), 443-447.
- Park, J. J., Lee, M. (2013). Increasing the α 2, 6 sialylation of glycoproteins may contribute to metastatic spread and therapeutic resistance in colorectal cancer. *Gut and liver*, 7(6), 629-641.
- Pannone, G., Santoro, A., Feola, A., Bufo, P., Papagerakis, P., Lo Muzio, L., *et al.* (2014). The role of E-cadherin down-regulation in oral cancer: CDH1 gene expression and epigenetic blockage. *Current Cancer Drug Targets*, 14(2), 115-127.
- Paszowska, A., Berbec, H., Semczuk, A., Cybulski, M. (1998). Sialic acid concentration in serum and tissue of endometrial cancer patients. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 76(2), 211-215.

- Patel, B. P., Shah, P. M., Rawal, U. M., Desai, A. A., Shah, S. V., Rawal, R. M., *et al.* (2005). Activation of MMP-2 and MMP-9 in patients with oral squamous cell carcinoma. *Journal of Surgical Oncology*, *90*(2), 81-88.
- Patel, P. S., Adhvaryu, S. G., Balar, D. B., Parikh, B. J., Shah, P. M. (1993). Clinical application of serum levels of sialic acid, fucose and seromucoid fraction as tumour markers in human leukemias. *Anticancer Research*, *14*(2B), 747-751.
- Patel, P. S., Rawal, R. M., Raval, G. N., Patel, B. P., Patel, Y. V., Shah, S. G., *et al.* (1997). Glycoprotein electrophoretic pattern in sera of patients with oral precancerous conditions and upper aerodigestive tract cancer. *Journal of Experimental and Clinical Cancer Research: CR*, *16*(1), 65-70.
- Pece, S., Gutkind, J. S. (2000). Signaling from E-cadherins to the MAPK pathway by the recruitment and activation of epidermal growth factor receptors upon cell-cell contact formation. *Journal of Biological Chemistry*, *275*(52), 41227-41233.
- Pérez-Moreno, M. A., Locascio, A., Rodrigo, I., Dhondt, G., Portillo, F., Nieto, M. A., Cano, A. (2001). A new role for E12/E47 in the repression of E-cadherin expression and epithelial-mesenchymal transitions. *Journal of Biological Chemistry*, *276*(29), 27424-27431.
- Peschos, D., Damala, C., Stefanou, D., Tsanou, E., Assimakopoulos, D., Vougiouklakis, T., *et al.* (2006). Expression of matrix metalloproteinase-9 (gelatinase B) in benign, premalignant and malignant laryngeal lesions. *Histo Histopathol*, *21*(6), 603-608.
- Petretti, T., Kemmner, W., Schulze, B., Schlag, P. M. (2000). Altered mRNA expression of glycosyltransferases in human colorectal carcinomas and liver metastases. *Gut*, *46*(3), 359-366.
- Petti, S. (2009). Lifestyle risk factors for oral cancer. *Oral Oncology*, *45*(4), 340-350.
- Pfaffe, T., Cooper-White, J., Beyerlein, P., Kostner, K., Punyadeera, C. (2011). Diagnostic potential of saliva: current state and future applications. *Clinical Chemistry*, *57*(5), 675-687.
- Picco, G., Julien, S., Brockhausen, I., Beatson, R., Antonopoulos, A., Haslam, S., *et al.* (2010). Over-expression of ST3Gal-I promotes mammary tumorigenesis. *Glycobiology*, *20*(10), 1241-1250.
- Pidone Ribeiro, F. A., Noguti, J., Fujimaya Oshima, C. T., Araki Ribeiro, D. (2014). Effective targeting of the epidermal growth factor receptor (EGFR) for treating oral cancer: A promising approach. *Anticancer Research*, *34*(4), 1547-1552.
- Pindborg JJ. Histological Typing of Cancer and Precancer of the Oral Mucosa. (1997). *Springer-Verlag Press, Germany*, 11 – 31.
- Pitiyage, G., Tilakaratne, W. M., Tavassoli, M., Warnakulasuriya, S. (2009). Molecular markers in oral epithelial dysplasia: review. *Journal of Oral Pathology and Medicine*, *38*(10), 737-752.
- Polak, P., Oren, A., Ben-Dror, I., Steinberg, D., Sapoznik, S., Arditi-Duvdevany, A., Vardimon, L. (2005). The cytoskeletal network controls c-Jun translation in a UTR-dependent manner. *Oncogene*, *25*(5), 665-676.
- Popov, Z., de Medina, S. G. D., Lefrere-Belda, M. A., Hoznek, A., Bastuji-Garin, S., Abbou, C. C., *et al.* (2000). Low E-cadherin expression in bladder cancer at the transcriptional and protein level provides prognostic information. *British Journal of Cancer*, *83*(2), 209.
- Potier, M., Marnett, L., Belisle, M., Dallaire, L., Melancon, S. B. (1979). Fluorometric assay of neuraminidase with a sodium 4-methylumbelliferyl α -D-N-Acetyl neuramate) substrate. *Analytical Biochemistry*, *94*(2), 287-296.

- Rajpura, K. B., Patel P. S., Chawda, J. G., Shah, R. M. (2005). Clinical significance of total and lipid bound sialic acid levels in oral pre-cancerous conditions and oral cancer. *Journal of Oral Pathology and Medicine*, 34(5), 263-267.
- Rashid, M. G., Sanda, M. G., Vallorosi, C. J., Rios-Doria, J., Rubin, M. A., Day, M. L. (2001). Posttranslational truncation and inactivation of human E-cadherin distinguishes prostate cancer from matched normal prostate. *Cancer Research*, 61(2), 489-492.
- Rasool, M., Khan, S. R., Malik, A., Khan, K. M., Zahid, S., Manan, A., *et al.* (2014). Comparative studies of salivary and blood sialic acid, lipid peroxidation and antioxidative status in Oral Squamous Cell Carcinoma (OSCC). *Pakistan Journal of Medical Science*, 30(3), 466-471.
- Raval, G. N., Parekh, L. J., Patel, D. D., Jha, F. P., Sainger, R. N., Patel, P. S. (2004). Clinical usefulness of alterations in sialic acid, sialyl transferase and sialoproteins in breast cancer. *Indian Journal of Clinical Biochemistry*, 19(2), 60-71.
- Recchi, M. A., Hebbbar, M., Hornez, L., Harduin-Lepers, A., Peyrat, J. P., Delannoy, P. (1998). Multiplex reverse transcription polymerase chain reaction assessment of sialyltransferase expression in human breast cancer. *Cancer Research*, 58(18), 4066-4070.
- Reddy, P., Liu, L., Ren, C., Lindgren, P., Boman, K., Shen, Y., *et al.* (2005) Formation of E-cadherin-mediated cell-cell adhesion activates AKT and mitogen activated protein kinase via phosphatidylinositol 3 kinase and ligand-independent activation of epidermal growth factor receptor in ovarian cancer cells. *Molecular Endocrinology* 19, 2564-2578.
- Reis, C. A., Osorio, H., Silva, L., Gomes, C., David, L. (2010). Alterations in glycosylation as biomarkers for cancer detection. *Journal of Clinical Pathology*, 63(4), 322-329.
- Rek, A., Krenn, A., Kunjl, A.J. (2009). Therapeutically targeting protein glycan interactions. *British Journal of Pharmacology*, 157(5),686-694.
- Rek, A., Krenn, A., Kunjl, A.J. (2009). Therapeutically targeting protein glycan interactions. *British Journal of Pharmacology*, 157(5),686-694.
- Renkonen, J., Paavonen, T., Renkonen, R. (1997). Endothelial and epithelial expression of sialyl Lewis(x) and sialyl Lewis(a) in lesions of breast carcinoma. *International Journal of Cancer* 74(3):296–300.
- Rethman, M. P., Carpenter, W., Cohen, E. E., Epstein, J., Evans, C. A., Flaitz, C. M., *et al.* (2012). Evidence-based clinical recommendations regarding screening for oral squamous cell carcinomas. *Texas Dental Journal*, 129(5), 491-507.
- Reuters, G., Struwe, R., Feigel, J., Brede, R., Bumm, P., Schauer, R. (1992). Analysis of carbohydrate composition and sialidase activity in oral secretions of patients with tumors in the upper aerodigestive tract. *European Archives of Oto-rhino-laryngology*, 249(1), 5-11.
- Ribeiro, F. A., Noguti, J., Oshima, C. T., Ribeiro, D. A. (2014). Effective targeting of epidermal growth factor receptor (EGFR) for treating oral cancer: a promising approach. *Anticancer Research*, 34(4), 1547-1552.
- Rillahan, C. D., Antonopoulos, A., Lefort, C. T., Sonon, R., Azadi, P., Ley, K., *et al.* (2012). Global metabolic inhibitors of sialyl-and fucosyltransferases remodel the glycome. *Nature Chemical Biology*, 8(7), 661-668.
- Roomi, M. W., Monterrey, J. C., Kalinovsky, T., Rath, M., Niedzwiecki, A. (2009). Patterns of MMP-2 and MMP-9 expression in human cancer cell lines. *Oncology Reports*, 21(5), 1323-1333.

- Rosado, P., Lequerica-Fernandez, P., Fernandez, S., Allonca, E., Villallain, L., de Vicente, J. C. (2013). E-cadherin and β -catenin expression in well-differentiated and moderately-differentiated oral squamous cell carcinoma: relations with clinical variables. *British Journal of Oral and Maxillofacial Surgery*, 51(2), 149-156.
- Roy, R., Yang, J., Moses, M. A. (2009). Matrix metalloproteinases as novel biomarkers and potential therapeutic targets in human cancer. *Journal of Clinical Oncology*, 27(31), 5287-5297.
- Sakaki T, Wato M, Tamura I, Nakajima M, Morita S, Kakudo K *et al.* (1999). Correlation of E-cadherin and alpha-catenin expression with differentiation of oral squamous cell carcinoma. *Journal of Osaka Dental University* 33(2), 75-81.
- Saldova, R., Fan, Y., Fitzpatrick, J. M., Watson, R. W. G., Rudd, P. M. (2011). Core fucosylation and α 2-3 sialylation in serum N-glycome is significantly increased in prostate cancer comparing to benign prostate hyperplasia. *Glycobiology*, 21(2), 195-205.
- Sambrook, J., Russel, D.W. Molecular cloning, A Laboratory manual, 3rd edition. (2001). *CSHL press. Cold spring Harbour Laboratory Press, Newyork*, IIB, A8.43
- Sanjay, P. R., Hallikeri, K., Shivashankara, A. R. (2008). Evaluation of salivary sialic acid, total protein, and total sugar in oral cancer: a preliminary report. *Indian Journal of Dental Research*, 19(4), 288-291.
- Sankaranarayanan, R., Black, R. J., Swaminathan, R., Parkin, D. M. (1998). An overview of cancer survival in developing countries. *IARC Scientific Publications*, 145, 135-157.
- Sarin, R. (2005). Indian national cancer control programme: Setting sight on shifting targets. *Journal of Cancer Research and Therapeutics*, 1, 240-280.
- Sarkis, S. A., Abdullah, B. H., Abdul Majeed, B. A., Talabani, N. G. (2010). Immunohistochemical expression of epidermal growth factor receptor (EGFR) in oral squamous cell carcinoma in relation to proliferation, apoptosis, angiogenesis and lymphangiogenesis. *Head and Neck Oncology*, 2, 13.
- Sawhney, H., Kumar, C. A. (2011). Correlation of serum biomarkers (TSA & LSA) and epithelial dysplasia in early diagnosis of oral precancer and oral cancer. *Cancer Biomarkers*, 10(1), 43-49.
- Scanlon, C. S., Van Tubergen, E. A., Inglehart, R. C., D'Silva, N. J. (2013). Biomarkers of epithelial-mesenchymal transition in squamous cell carcinoma. *Journal of dental research*, 92(2), 114-121.
- Schipper, J. H., Frixen, U. H., Behrens, J., Unger, A., Jahnke, K., Birchmeir W. (1991). E-cadherin expression in squamous cell carcinomas of head and neck: inverse correlation with tumor dedifferentiation and lymph node metastasis. *Cancer Research*, 51(23 Part 1), 6328-6337.
- Schneider, F., Kemmer, W., Haensch, W., Franke, G., Gretschel, S., Karsten, U., *et al.* (2001). Overexpression of Sialyltransferase CMP-Sialic Acid: Gal β 1, 3GalNAc-R α 6-Sialyltransferase is related to poor patient survival in human colorectal carcinomas. *Cancer Research*, 61(11), 4605-4611.
- Sebastian, S., Settleman, J., Reshkin, S. J., Azzariti, A., Bellizzi, A., Paradiso, A. (2006). The complexity of targeting EGFR signalling in cancer: from expression to turnover. *Biochimica et Biophysica Acta (BBA)-Reviews on Cancer*, 1766(1), 120-139.
- Shah, F. D., Begum, R., Vajaria, B. N., Patel, K. R., Patel, J. B., Shukla, S. N., *et al.* (2011). A review on salivary genomics and proteomics biomarkers in oral cancer. *Indian Journal of Clinical Biochemistry*, 26(4), 326-334.

Shah, M. H., Sainger, R. N., Telang, S. D., Pancholi, G. H., Shukla, S. N., Patel, P. S. (2008). E-Cadherin truncation and sialyl Lewis-X overexpression in oral squamous cell carcinoma and oral precancerous conditions. *Neoplasma*, 56(1), 40-47.

^aShah, M. H., Telang, S. D., Shah, P. M., Patel, P. S. (2008). Tissue and serum α 2-3- and α 2-6-linkage specific sialylation changes in oral carcinogenesis. *Glycoconjugate Journal*, 25(3), 279-290.

^bShah, M., Telang, S., Raval, G., Shah, P., Patel, P. S. (2008). Serum fucosylation changes in oral cancer and oral precancerous conditions. *Cancer*, 113(2), 336-346.

Shetty, P. K., Pattabiraman, T. N. (2004). Salivary glycoproteins as indicators of oral diseases. *Indian Journal of Clinical Biochemistry*, 19(1), 97-101.

Shetty, V., Hafner, J., Shah, P., Nickens, Z., Philip, R. (2012). Investigation of ovarian cancer associated sialylation changes in N-linked glycopeptides by quantitative proteomics. *Clinical Proteomics*, 9(1), 10.

Shi, Z. G., Li, J. P., Shi, L. L., Li, X. (2012). An updated patent therapeutic agents targeting MMPs. *Recent Patents on Anti-cancer Drug Discovery*, 7(1), 74-101.

Shiozaki, K., Yamaguchi, K., Sato, I., Miyagi, T. (2009). Plasma membrane-associated sialidase (NEU3) promotes formation of colonic aberrant crypt foci in azoxymethane-treated transgenic mice. *Cancer Science*, 100(4), 588-594.

Shirahama, T., Ikoma, M., Muramatsu, T., Kayajima, T., Ohi, Y., Tsushima, T. (1993) The binding site for fucose-binding proteins of *Lotus tetragonolobus* is a prognostic marker for transitional cell carcinoma of the human urinary bladder. *Cancer*, 72(4), 1329-1334.

Shrestha, B., Subedi, S., Bajracharya, D., Radhakrisnan, R. (2014). Immunohistochemical expression of MMP-2 in an experimental progression of oral cancer. *Journal of Chitwan Medical College* 4, 3-8.

Shubhada, C., Swamy, B. M. (2012). Salivary Expression of Sclerotium Rolfsii Lectin-Binding Mucin-Type Glycoprotein in Human Oral Cancer. *Journal of Bioscience Technology*, 3(1), 455-461.

Siddhartha, Bhandary, S., Kumari, S., Shetty, R., Babu, S., Shetty, S. (2011). Status of serum sialic acid, antioxidant and lipid peroxidation in head and neck cancer patients. *Research Journal of Pharmacological Biological Chemical Science* 2(1), 1-5.

Siegel, R., Ma, J., Zou, Z., Jemal, A. (2014). Cancer statistics, 2014. *CA: A Cancer Journal for Clinicians*, 64(1), 9-29.

Singh, R. D., Haridas, N., Patel, J. B., Shah, F. D., Shukla, S. N., Shah, P. M., *et al.* (2010). Matrix metalloproteinases and their inhibitors: correlation with invasion and metastasis in oral cancer. *Indian Journal of Clinical Biochemistry*, 25(3), 250-259.

Singh, R. D., Nilayangode, H., Patel, J. B., Shah, F. D., Shukla, S. N., Shah, P. M., *et al.* (2010). Combined evaluation of matrix metalloproteinases and their inhibitors has better clinical utility in oral cancer. *The International Journal of Biological Markers*, 26(1), 27-36.

Skoza, L., Mohos, S. (1976). Stable thiobarbituric acid chromophore with dimethyl sulphoxide. Application to sialic acid assay in analytical de-O-acetylation. *Biochemistry Journal*, 159(3), 457-462.

Skropeta, D., Schworer, R., Haag, T., Schmidt, R. R. (2004). Asymmetric synthesis and affinity of potent sialyltransferase inhibitors based on transition-state analogues. *Glycoconjugate Journal*, 21(5), 205-219.

- Sonmez, H., Suer, S., Gungor, Z., Baloglu, H., Kokoglu, E. (1999). Tissue and serum sialidase levels in breast cancer. *Cancer Letters*, 136(1), 75-78.
- Spangler, B., Vardimon, L., Bosserhoff, A. K., Kuphal, S. (2011). Post-transcriptional regulation controlled by E-cadherin is important for c-Jun activity in melanoma. *Pigment Cell and Melanoma Research*, 24(1), 148-164.
- Spano, J. P., Lagorce, C., Atlan, D., Milano, G., Domornt, J., Benamouzig, R., *et al.* (2005) Impact of EGFR expression on colorectal cancer patient prognosis and survival. *Annals of Oncology*, 16(1), 102-108.
- Subapriya, R., Thangavelu, A., Mathavan, B., Ramachandran, C. R., Nagini, S. (2007). Assessment of risk factors for oral squamous cell carcinoma in Chidambaram, Southern India: a case-control study. *European Journal of Cancer Prevention*, 16(3), 251-256.
- Suer Gokmen, S., Kazezoglu, C., Tabakoglu, E., Altay, G., Gungor, O., Ture, M. (2004). Serum total sialic acid levels in lung cancer patients of different histological types with and no extrapulmonary metastases. *Turkish Journal of Biochemistry*, 29, 262-267.
- Sutinen, M., Kainulainen, T., Hurskainen, T., Vesterlund, E., Alexander, J. P., Overall, C. M., *et al.* (1998). Expression of matrix metalloproteinases (MMP-1 and-2) and their inhibitors (TIMP-1,-2 and-3) in oral lichen planus, dysplasia, squamous cell carcinoma and lymph node metastasis. *British Journal of Cancer*, 77(12), 2239.
- Takeichi, M. (1993). Cadherins in cancer: implications for invasion and metastasis. *Current Opinion in Cell Biology*, 5(5), 806-811.
- Tanaka, N., Odajima, T., Ogi, K., Ikeda, T., Satoh, M. (2003). Expression of E-cadherin, α -catenin, and β -catenin in the process of lymph node metastasis in oral squamous cell carcinoma. *British Journal of Cancer*, 89(3), 557-563.
- Tanaka, T., Ishigamori, R. (2011). Understanding carcinogenesis for fighting oral cancer. *Journal of Oncology*, 2011, 1-10.
- Taneja, N., Bathi, R. J., Parveen, S., Bhat, K. (2009). Serum glycoproteins as prognosticator in oral cancer patients-A follow up study. *International Journal of Oral-Medical Sciences*, 8(2), 74-82.
- Taniguchi, N., Hancock, W., Lubman, D. M., Rudd, P. M. (2009). The second golden age of glycomics: from functional glycomics to clinical applications. *Journal of Proteome Research*, 8(2), 425-426.
- Tao, D. T., Gao, Z. L., Zhou, J. P., He, L. P., Shi, L. X., Fang, Y., *et al.* (2014). Zinc dependent endopeptidases of matrix metalloproteinases-9 expressions is associated with tumor metastases of oral squamous cell carcinoma in Chinese population: a meta-analysis. *International Journal of Clinical and Experimental Medicine*, 7(6), 1531-1536.
- Taylor, A. D., Hancock, W. S., Hincapie, M., Taniguchi, N., Hanash, S. M. (2009). Towards an integrated proteomic and glycomic approach to finding cancer biomarkers. *Genome Med*, 1(6), 57.
- Therasse, P., Arbuck, S. G., Eisenhauer, E. A., Wanders, J., Kaplan, R. S., Rubinstein, L., *et al.* (2000). New guidelines to evaluate the response to treatment in solid tumors. *Journal of the National Cancer Institute*, 92(3), 205-216.
- Thiery, J. P., Chopin, D. (1999). Epithelial cell plasticity in development and tumor progression. *Cancer and Metastasis Reviews*, 18(1), 31-42.

- Thiery, J. P. (2003). Epithelial–mesenchymal transitions in development and pathologies. *Current Opinion in Cell Biology*, 15(6), 740-746.
- Thomas, G. J., Speight, P. M. (2001). Cell adhesion molecules and oral cancer. *Critical Reviews in Oral Biology & Medicine*, 12(6), 479-498.
- Thompson, S., Turner, G. A. (1987). Elevated levels of abnormally-fucosylated haptoglobins in cancer sera. *British Journal of Cancer*, 56(5), 605-610.
- Tian, Y., Esteva, F. J., Song, J., Zhang, H. (2012). Altered expression of sialylated glycoproteins in breast cancer using hydrazide chemistry and mass spectrometry. *Molecular and Cellular Proteomics*, 11(6), M111-011403.
- Tian, Y., Zhang, H. (2010). Glycoproteomics and clinical applications. *Proteomics Clinical Applications*, 4, 124-132.
- Triebel, S., Blaser, J., Relinke, H., Tschesche, H. (1992). A 25 kDa alpha 2-microglobulin-related protein is a component of the 125 kDa form of human gelatinase. *FEBS Letters* 314(3), 386-388.
- Trincherà, M., Malagolini, N., Chiricolo, M., Santini, D., Minni, F., Caretti, A., *et al.* (2011). The biosynthesis of the selectin-ligand sialyl Lewis x in colorectal cancer tissues is regulated by fucosyltransferase VI and can be inhibited by an RNA interference-based approach. *The International Journal of Biochemistry and Cell Biology*, 43(1), 130-139.
- Trivedi, D.J., Trivedi, C.D., Hallikeri, K., Udupa, R. (2012). Salivary sialic acid as marker of oral cancer. *Int. J. Int sci. Inn. Tech. Sec. B*, 1(1), 48-50.
- Tsai, C. S., Yen, H. Y., Lin, M. I., Tsai, T. I., Wang, S. Y., Huang, W. I., *et al.* (2013) Cell-permeable probe for identification and imaging of human sialidases. *Proceedings of National Academy of Science U S A* 110(7): 2466-2471.
- Ueno, S., Saito, S., Wada, T., Yamaguchi, K., Satoh, M., Arai, Y., *et al.* (2006). Plasma membrane-associated sialidase is up-regulated in renal cell carcinoma and promotes interleukin-6-induced apoptosis suppression and cell motility. *Journal of Biological Chemistry*, 281(12), 7756-7764.
- Vairaktaris, E., Loukeri, S., Vassiliou, S., Nkenke, E., Spyridonidou, S., Vylliotis, A., *et al.* (2007). EGFR and c-Jun exhibit the same pattern of expression and increase gradually during the progress of oral oncogenesis. *In Vivo*, 21(5), 791-796.
- Vanhara, P., Smarda, J. (2006). Jun: the master regulator in healthy and cancer cells. *Journal of Applied Biomedicine*, 4(4), 163-170.
- Varki, A., Cummings, R., Esko, J.D., Freeze, H.H., Stanley, P., Bertozzi, C.R., Hart, *et al.* (2009) Essentials of Glycobiology, *Cold Spring Harbor (NY): Cold Spring Harbor Laboratory Press* 2nd edition.
- Varley, H., Gowenlock, A., Bell, M. (1984) Practical Clinical Biochemistry, *CBS publisher*, 5th edition. 1, 542-543.
- Varun, B.R., Jair, B.J., Shivakumar, T.T., Joseph, A.P. (2012). Matrix metalloproteinase and their role in oral diseases. *Oral and Maxillofacial Pathology Journal* 3,186-191.
- Vasquez-Martin, C., Gil-Martin, E., Fernandez-Briera, A. (2004). Alteration of CMP-NeuAc:asialofetuin sialyltransferase activities in human colorectal adenocarcinoma. *Oncology*, 64, 74-82.

- Vered, M., Allon, I., Buchner, A., Dayan, D. (2012). E-cadherin in oral SCC: an analysis of the confusing literature and new insights related to its immunohistochemical expression. *Histology and Histopathology*, 27(2), 141-150.
- Videira, P. A., Correia, M., Malagolini, N., Crespo, H. J., Ligeiro, D., Calais, F. M., *et al.* (2009). ST3Gal I sialyltransferase relevance in bladder cancer tissues and cell lines. *BMC Cancer*, 9, 357.
- Vihinen, P., Kahari, V. M. (2002). Matrix metalloproteinases in cancer: prognostic markers and therapeutic targets. *International Journal of Cancer*, 99(2), 157-166.
- Vleugel, M. M., Greijer, A. E., Bos, R., Van der Wall, E., Van Diest, P. J. (2006). c-Jun activation is associated with proliferation and angiogenesis in invasive breast cancer. *Human Pathology*, 37(6), 668-674.
- Von Zeidler, S. V., de Souza Botelho, T., Mendonca, E. F., Batista, A. C. (2014). E-cadherin as a potential biomarker of malignant transformation in oral leukoplakia: a retrospective cohort study. *BMC cancer*, 14(1), 972.
- Vosoughhosseini, S., Lotfi, M., Fakhrjou, A., Aghbali, A., Moradzadeh, M., Sina, M., *et al.* (2014). Analysis of epidermal growth factor receptor in histopathologically tumor-free surgical margins in patients with oral squamous cell carcinoma. *African Journal of Biotechnology*, 11(2), 516-520.
- Wang, H. D., Ren, J., Zhang, L. (2004). CDH1 germline mutation in hereditary gastric carcinoma. *World Journal of Gastroenterology*, 10(21), 3088-3093.
- Wang, J.W., Ambros, R.A., Weber, P.B., Rosana, T.G. (1995). Fucosyltransferase and alpha-L-fucosidase activities and fucose levels in normal and malignant endometrial tissue. *Cancer Research* 55(16), 3654-3658.
- Wang, P. H., Lee, W. L., Juang, C. M., Yang, Y. H., Lo, W. H., Lai, C. R., *et al.* (2005). Altered mRNA expressions of sialyltransferases in ovarian cancers. *Gynecologic Oncology*, 99(3), 631-639.
- Wang, P. H., Li, Y. F., Juang, C. M., Lee, Y. R., Chao, H. T., Ng, H. T. (2002). Expression of sialyltransferase family members in cervix squamous cell carcinoma correlates with lymph node metastasis. *Gynecologic Oncology*, 86(1), 45-52.
- Wang, P. H., Feng Li, Y., Juang, C. M., Lee, Y. R., Chao, H. T., Tsai, Y. C., *et al.* (2001). Altered mRNA expression of sialyltransferase in squamous cell carcinomas of the cervix. *Gynecologic Oncology*, 83(1), 121-127.
- Wang, X., Zhang, L. H., Ye, X. S. (2003) Recent development in the design of sialyltransferase inhibitors. *Medical Research Review* 23(1), 32-47.
- Wei, X., Wang, S., Rui, J. (2000). The value of serum alpha-L-fucosidase activity in the diagnosis of primary liver cancer. *Zhonghua Zhong Liu Za Zhi Chinese Journal of Oncology*, 22(2), 148-150.
- Weinberg, M. A., Estefan, D. J. (2002). Assessing oral malignancies. *American Family Physician*, 65(7), 1379-1384.
- Whalen, L. J., McEvoy, K. A., Halcomb, R. L. (2003). Synthesis and evaluation of phosphoramidate amino acid-based inhibitors of sialyltransferases. *Bioorganic and Medicinal Chemistry Letters*, 13(2), 301-304.
- Wiederschain, G. Y., Rosenfeld, E. L., Brusilovsky, A. I., Kolibaba, L. G. (1971). α -L-Fucosidase and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation. *Clinica Chimica Acta*, 35(1), 99-107.

Wilding, J., Vousden, K. H., Soutter, W. P., McCrea, P. D., Del Buono, R., Pignatelli, M. (1996). E-cadherin transfection down-regulates the epidermal growth factor receptor and reverses the invasive phenotype of human papilloma virus-transfected keratinocytes. *Cancer Research*, 56(22), 5285-5292.

Wilding, G. (2002). Integrated targeted therapies into prostate cancer, *Orlando Fil presentation* 1-6.

Wong, C. H. (2005). Protein glycosylation: new challenges and opportunities. *The Journal of Organic Chemistry*, 70(11), 4219-4225.

Wong, D. T. W. Salivaomics. (2012). *Journal of American Dental Association* 143(10suppl), 19S-24S.

Wong, T. S., Gao, W., Chan, J. Y. W. (2014). Interactions between E-Cadherin and MicroRNA Deregulation in Head and Neck Cancers: The Potential Interplay. *BioMed Research International*, 2014, 126038.

Wong, A. S., Gumbiner, B. M. (2003). Adhesion-independent mechanism for suppression of tumor cell invasion by E-cadherin. *The Journal of Cell Biology*, 161(6), 1191-1203.

www.lifetechnologies.com

www.scienceblogs.com

Wu, C. Y., Hsu, C. C., Chen, S. T., Tsai, Y. C. (2001) Soyasaponin I, a potent and specific sialyltransferase inhibitor. *Biochemical Biophysical Research Communication* 284(2), 466-469.

Yadav, L., Puri, N., Rastogi, V., Satpute, P., Ahmad, R., & Kaur, G. (2014). Matrix Metalloproteinases and Cancer-Roles in Threat and Therapy. *Asian Pacific Journal of Cancer prevention*, 15(3), 1085-1091.

Yakob, M., Fuentes, L., Wang, M. B., Abemayor, E., Wong, D. T. (2014). Salivary Biomarkers for Detection of Oral Squamous Cell Carcinoma: Current State and Recent Advances. *Current Oral Health Reports*, 1(2), 133-141.

Yamamoto, H., Saito, T., Kaneko, Y., Kersey, D., Yong, V. W., Bremer, E. G., *et al.* (1997). $\alpha 2$, 3-Sialyltransferase mRNA and $\alpha 2$, 3-linked glycoprotein sialylation are increased in malignant gliomas. *Brain Research*, 755(1), 175-179.

Yan, A., Lennarz, W. J. (2005). Unraveling the mechanism of protein N-glycosylation. *Journal of Biological Chemistry*, 280(5), 3121-3124.

Yeh, J. C., Cummings, R. D. (1996). Absorbance-and Light-Based Solid-Phase Assays for CMPNeuAc: Gal β 1-4GlcNAc-R α -2, 3-Sialyltransferase. *Analytical Biochemistry*, 236(1), 126-133.

Yewale, C., Baradia, D., Vhora, I., Patil, S., Misra, A. (2013). Epidermal growth factor receptor targeting in cancer: A review of trends and strategies. *Biomaterials*, 34(34), 8690-8707.

You, T. K., Kim, K. M., Noh, S. J., Bae, J. S., Jang, K. Y., Chung, M. J., *et al.* (2012). Expressions of E-cadherin, cortactin and MMP-9 in pseudoepitheliomatous hyperplasia and squamous cell carcinoma of the head and neck: their relationships with clinicopathologic factors and prognostic implication. *Korean Journal of pathology*, 46(4), 331-340.

Youakim, A., & Herscovics, A. (1985). Cell surface glycopeptides from human intestinal epithelial cell lines derived from normal colon and colon adenocarcinomas. *Cancer Research*, 45(11 Part 1), 5505-5511.

- Yuwanati, M. B., Tupkari, J. V., Avadhani, A. (2011). Expression of E-cadherin in oral epithelial dysplasia and oral squamous cell carcinoma: An in vivo study. *Journal of Clinical Experimental Investigation*, 2(4), 347-353.
- Zandi, R., Larsen, A. B., Andersen, P., Stockhausen, M. T., Poulsen, H. S. (2007). Mechanisms for oncogenic activation of the epidermal growth factor receptor. *Cell Signalling* 19(10), 2013-2023.
- Zeng, G., Gao, L., Birkle, S., Robert, K. Y. (2000). Suppression of ganglioside GD3 expression in a rat F-11 tumor cell line reduces tumor growth, angiogenesis, and vascular endothelial growth factor production. *Cancer Research*, 60(23), 6670-6676.
- Zeng, Z., Hincapie, M., Pitteri, S. J., Hanash, S., Schalkwijk, J., Hogan, J. M., *et al.* (2011). A proteomics platform combining depletion, multi-lectin affinity chromatography (M-LAC), and isoelectric focusing to study the breast cancer proteome. *Analytical Chemistry*, 83(12), 4845-4854.
- Zhang, C., Man, D. P., Ma, S. M., Cao, S. W., Li, D. W. (2012). Expressions and significance of CD 147, OPN and MMP-2 in oral squamous cell carcinoma. *Sichuan Da xue Xue Bao Yi Xue Ban* 43(5), 686-686.
- Zhang, G., Luo, X., Sumithran, E., Pua, VSC., Barnetson, RStC., Halliday, G. M., *et al.* (2006). Squamous cell carcinoma growth in mice and in culture is regulated by c-Jun and its control of matrix metalloproteinase-2 and -9 expression. *Oncogene* 25, 7260-7266.
- Zhang, H., Cotter, R. J. (2008). Glycoproteomics: new technology developments and applications provide renewed interest in glycoproteins. *Clinical Proteomics*, 4(1), 1-4.
- Zhang, Y., Jiao, J., Yang, P., Lu, H. (2014). Mass spectrometry-based N-glycoproteomics for cancer biomarker discovery. *Clinical Proteomics*, 11(1), 18.
- ^aZhang, Y., Pu, X., Shi, M., Chen, L., Qian, L., Song, Y., *et al.* (2007). c-Jun, a crucial molecule in metastasis of breast cancer and potential target for biotherapy. *Oncology Reports*, 18(5), 1207-1212.
- ^bZhang, Y., Pu, X., Shi, M., Chen, L., Song, Y., Qian, L., *et al.* (2007). Critical role of c-Jun overexpression in liver metastasis of human breast cancer xenograft model. *BMC Cancer*, 7(1), 145.
- Zhao, D., Tang, X. F., Yang, K., Liu, J. Y., Ma, X. R. (2012). Over-expression of integrin-linked kinase correlates with aberrant expression of Snail, E-cadherin and N-cadherin in oral squamous cell carcinoma: implications in tumor progression and metastasis. *Clinical and Experimental Metastasis*, 29(8), 957-969.
- Zhi, L., Yi, R., Su-xia, L., Ying-Jie, L., Hui-zhen, L. (2004). Association of E-cadherin and β -catenin with metastasis in nasopharyngeal carcinoma. *Chinese Medical Journal* 117(8), 1232-1239.
- Zhu, Y., Srivatana, U., Ullah, A., Gagneja, H., Berenson, C. S., Lance, P. (2001). Suppression of a sialyltransferase by antisense DNA reduces invasiveness of human colon cancer cells in vitro. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1536(2), 148-160.
- Zuo, J. H., Zhu, W., Li, M. Y., Li, X. H., Yi, H., Zeng, G. Q., *et al.* (2011). Activation of EGFR promotes squamous carcinoma SCC10A cell migration and invasion via inducing EMT-like phenotype change and MMP-9-mediated degradation of E-cadherin. *Journal of Cell Biochemistry*, 112(9), 2508-2517.