LIST OF FIGURES

FIG. NO.	TITLE	PAGE NO.
1.1	Photograph of *Echinops echinatus* Roxb.	17
1.2	Structures of echinozolinone and 7-hydroxy echinozolinone.	21
1.3	Structures of ecinacin, apigenin and apigenin-O-glucoside.	21
1.4	Photograph of *Tricholepis glaberrima* DC.	24
2.1	Roots of *Echinops echinatus* Roxb.	59
2.2	T.S of the roots of *E. echinatus*.	61
2.3	T.S of the stems of *E. echinatus*.	62
2.4	T.S of the leaf of *E. echinatus*.	64
2.5	Powder characteristics of the roots of *E. echinatus*.	66
2.6	T.S of the roots of *T. glaberrima*.	67
2.7	T.S of the stems of *T. glaberrima*.	69
2.8	T.S of the leaves of *T. glaberrima*.	71
2.9	Powder characteristics of the aerial parts of *T. glaberrima*.	72
2.10	Physico chemical constants for *E. echinatus* roots.	74
2.11	Physico chemical constants for *T. glaberrima* aerial parts.	75
2.12	HPTLC chromatograms of methanol extract *E. echinatus* roots in solvent system 1.	79
2.13	HPTLC chromatograms of methanol extract *E. echinatus* roots in solvent system 2.	81
2.14	HPTLC chromatograms of methanol extract *E. echinatus* roots in solvent system 3.	82
2.15	HPTLC chromatograms of methanol extract of the aerial parts of *T. glaberrima* in solvent system 1.	84

2.16	HPTLC chromatograms of methanol extract of the aerial parts of *T. glaberrima* in solvent system 2.	86
2.17	HPTLC chromatograms of methanol extract of the aerial parts of *T. glaberrima* in solvent system 3.	88
2.18	Separation of components in methanol extract of the roots of *E. echinatus* on HPTLC layers using different solvents.	89
2.19	Separation of components in methanol extract of the aerial parts of *T. glaberrima* on HPTLC layers using different solvents.	90
2.20	Calibration curve of gallic acid and quercetin used for quantification of total phenolic and flavonoid contents.	92
2.21	Calibration curve of Sodium and potassium.	94
2.22	Calibration curve of Zinc and manganese.	95
2.23	Calibration curve of Copper and Iron.	96
2.24	Calibration curve of Lead.	97
2.25	Gel photograph of purified DNA of *E. echinatus*, *T. glaberrima*, a 10 kbps molecular weight marker (M) and λ-DNA.	100
3.1	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on mounting latency (ML).	131
3.2	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on mounting frequency (MF).	132
3.3	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on intromission latency (IL).	133
3.4	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on intromission frequency (IF).	134

3.5	Histogram showing the effect of methanol extracts of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on post ejaculatory interval (PEI).	135
3.6	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on anogenital sniffing (SNF).	136
3.7	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on licking (LCK).	137
3.8	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on genital grooming (GG).	138
3.9	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on non genital grooming (NGG).	139
3.10	Histogram showing the effect of methanol extract of the roots of *E. echinatus* and aerial parts of *T. glaberrima* on climbing (CMB).	140
3.11	Photographs showing seminiferous tubular diameter and germinal epithelial cell thickness after treatment in different groups.	148
3.12	Histology of testis in different groups after treatment showing successive stages of transformation of seminiferous epithelium into spermatozoa.	149
3.13	Reducing power activity of the methanol extract of *E. echinatus* and *T. glaberrima*.	153
3.14	DPPH scavenging activity of the methanol extract of *E. echinatus* and *T. glaberrima*.	153
3.15	Superoxide scavenging activity of the methanol extract of *E. echinatus* and *T. glaberrima*.	154

3.16	Histology of the testis treated with terpenoid rich fraction of petroleum ether extract showing stages of transformation of the seminiferous epithelium into spermatozoa.	160
3.17	Effect of TRFPE on seminiferous tubular diameter and germinal epithelial cell thickness.	161
4.1	IR spectrum of the compound EEPE-1.	177
4.2	^{1}H-NMR spectrum of the compound EEPE-1.	178
4.3	Structure of EEPE-1.	179
4.4	IR spectrum of the compound EEPE-2.	180
4.5	^{1}H-NMR spectrum of the compound EEPE-2.	181
4.6	Calibration curve for quantification of lupeol.	187
4.7	Overlaid spectra of lupeol standard and sample in absorption mode in the UV range and Chromatogram of methanol extract of the roots of *E. echinatus*, aerial parts of *T. glaberrima* and standard lupeol, recorded at 366 nm.	188
4.8	Detection of terpenoids in TRFPE on TLC using anisaldehyde sulfuric acid reagent.	190
4.9	Chromatogram of TRFPE and standard lupeol (LP) recorded at 366 nm.	190