REFERENCES

REFERENCES

Acquarone, E., Monacelli, F., Borghi, R., Nencioni, A., & Odetti, P. (2019). Resistin: A reappraisal. *Mechanisms of ageing and development*.

Ahima, R. S. (2008). Revisiting leptin's role in obesity and weight loss. *The Journal of clinical investigation, 118*(7), 2380-2383.

Ahirwar, R., & Mondal, P. R. (2018). Prevalence of obesity in India: a systematic review. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*.

Armiñán, A., Gandía, C., García-Verdugo, J. M., Lledó, E., Trigueros, C., Ruiz-Saurí, A., . . . Montero, J. A. (2010). Mesenchymal stem cells provide better results than hematopoietic precursors for the treatment of myocardial infarction. *Journal of the American College of Cardiology, 55*(20), 2244-2253.

Asada, N., Kunisaki, Y., Pierce, H., Wang, Z., Fernandez, N. F., Birbrair, A., . . . Frenette, P. S. (2017). Differential cytokine contributions of perivascular haematopoietic stem cell niches. *Nature cell biology, 19*(3), 214.

Awad, M. E., Hussein, K. A., Helwa, I., Abdelsamid, M. F., Aguilar-Perez, A., Mohsen, I., . . . Elsalanty, M. (2019). Meta-Analysis and Evidence Base for the Efficacy of Autologous Bone Marrow Mesenchymal Stem Cells in Knee Cartilage Repair: Methodological Guidelines and Quality Assessment. *Stem cells international, 2019*.

Aziz, N., Kallur, S. D., & Nirmalan, P. K. (2014). Implications of the revised consensus body mass indices for Asian Indians on clinical obstetric practice. *Journal of clinical and diagnostic research: JCDR, 8*(5), OC01.

Bajaj, S. (2018). RSSDI clinical practice recommendations for the management of type 2 diabetes mellitus 2017. *International journal of diabetes in developing countries, 38*(1), 1-115.

Baptista, L. S., Da Silva, K. R., da Pedrosa, C. S. G., Claudio-da-Silva, C., Carneiro, J. R. I., Aniceto, M., . . . Borojevic, R. (2009). Adipose tissue of control and ex-obese patients exhibit differences in blood vessel content and resident mesenchymal stem cell population. *Obesity surgery, 19*(9), 1304-1312.

Barberá, M. J., Schlüter, A., Pedraza, N., Iglesias, R., Villarroya, F., & Giralt, M. (2001). Peroxisome Proliferator-activated Receptor α Activates Transcription of the Brown Fat Uncoupling Protein-1 Gene A LINK BETWEEN REGULATION OF THE THERMOGENIC AND LIPID OXIDATION PATHWAYS IN THE BROWN FAT CELL. *Journal of Biological Chemistry, 276*(2), 1486-1493.

Bedinger, D. H., & Adams, S. H. (2015). Metabolic, anabolic, and mitogenic insulin responses: A tissue-specific perspective for insulin receptor activators. *Molecular and cellular endocrinology, 415*, 143-156.

Beederman, M., Lamplot, J. D., Nan, G., Wang, J., Liu, X., Yin, L., . . . Kim, S. H. (2013). BMP signaling in mesenchymal stem cell differentiation and bone formation. *Journal of biomedical science and engineering, 6*(8A), 32.

Behl, S., & Misra, A. (2017). Management of obesity in adult Asian Indians. *Indian heart journal, 69*(4), 539-544.

Belfiore, A., Malaguarnera, R., Vella, V., Lawrence, M. C., Sciacca, L., Frasca, F., . . . Vigneri, R. (2017). Insulin receptor isoforms in physiology and disease: an updated view. *Endocrine reviews, 38*(5), 379-431.

Benomar, Y., & Taouis, M. (2019). Molecular Mechanisms Underlying Obesity-Induced Hypothalamic Inflammation and Insulin Resistance: Pivotal Role of Resistin/TLR4 Pathways. *Frontiers in endocrinology, 10*.

Berebichez-Fridman, R., & Montero-Olvera, P. R. (2018). Sources and Clinical Applications of Mesenchymal Stem Cells: State-of-the-art review. *Sultan Qaboos University Medical Journal, 18*(3), e264.

Berndt, J., Kovacs, P., Ruschke, K., Klöting, N., Fasshauer, M., Schön, M., . . . Blüher, M. (2007). Fatty acid synthase gene expression in human adipose tissue: association with obesity and type 2 diabetes. *Diabetologia, 50*(7), 1472-1480.

Betz, M. J., & Enerbäck, S. (2015). Human brown adipose tissue: what we have learned so far. *Diabetes, 64*(7), 2352-2360.

Bhansali, S., Dutta, P., Kumar, V., Yadav, M. K., Jain, A., Mudaliar, S., . . . Marwaha, N. (2017). Efficacy of autologous bone marrow-derived mesenchymal stem cell and mononuclear cell transplantation in type 2 diabetes mellitus: a randomized, placebo-controlled comparative study. *Stem cells and development, 26*(7), 471-481.

Bhatt, N. M., Barua, S., & Gupta, S. (2009). Protective effect of Enicostemma littorale Blume on rat model of diabetic neuropathy. *Am J Infect Dis, 5*(2), 106-112.

Bhatt, N. M., Chauhan, K., Gupta, S., Pillai, P., Pandya, C., Thaikoottathil, J. V., & Gupta, S. S. (2011). Protective effect of Enicostemma littorale Blume methanolic extract on gentamicin-induced nephrotoxicity in rats. *American Journal of Infectious Diseases, 7*(4), 83-90.

Bhatt, N. M., Chavda, M., Desai, D., Zalawadia, R., Patel, V. B., Burade, V., . . . Gupta, S. (2012). Cardioprotective and antihypertensive effects of Enicostemma littorale Blume extract in fructose-fed rats. *Canadian journal of physiology and pharmacology, 90*(8), 1065-1073.

Blüher, M. (2010). The distinction of metabolically 'healthy'from 'unhealthy'obese individuals. *Current opinion in lipidology, 21*(1), 38-43.

Blüher, M. (2019). Obesity: global epidemiology and pathogenesis. *Nature Reviews Endocrinology*, 1.

Boland, M. J., Nazor, K. L., & Loring, J. F. (2014). Epigenetic regulation of pluripotency and differentiation. *Circulation research, 115*(2), 311-324.

Bora, K., Pathak, M. S., Borah, P., & Das, D. (2015). Variation in lipid profile across different patterns of obesity–Observations from Guwahati, Assam. *Journal of clinical and diagnostic research: JCDR, 9*(11), OC17.

Bora, P., & Majumdar, A. S. (2017). Adipose tissue-derived stromal vascular fraction in regenerative medicine: a brief review on biology and translation. *Stem cell research & therapy, 8*(1), 145.

Bramante, C. T., Lee, C. J., & Gudzune, K. A. (2017). Treatment of obesity in patients with diabetes. *Diabetes Spectrum, 30*(4), 237-243.

Cameron, A. R., Morrison, V. L., Levin, D., Mohan, M., Forteath, C., Beall, C., . . . Wong, A. K. (2016). Anti-inflammatory effects of metformin irrespective of diabetes status. *Circulation research, 119*(5), 652-665.

Cao, Z., Umek, R. M., & McKnight, S. L. (1991). Regulated expression of three C/EBP isoforms during adipose conversion of 3T3-L1 cells. *Genes & development, 5*(9), 1538-1552.

Carlson, C. J., Koterski, S., Sciotti, R. J., Poccard, G. B., & Rondinone, C. M. (2003). Enhanced basal activation of mitogen-activated protein kinases in adipocytes from type 2 diabetes: potential role of p38 in the downregulation of GLUT4 expression. *Diabetes, 52*(3), 634-641.

Carobbio, S., Rosen, B., & Vidal-Puig, A. (2013). Adipogenesis: new insights into brown adipose tissue differentiation. *Journal of molecular endocrinology, 51*(3), T75-T85.

Castoldi, A., Naffah de Souza, C., Câmara, N. O. S., & Moraes-Vieira, P. M. (2016). The macrophage switch in obesity development. *Frontiers in immunology, 6*, 637.

Cawthorn, W. P., Scheller, E. L., & MacDougald, O. A. (2012). Adipose tissue stem cells: the great WAT hope. *Trends in Endocrinology & Metabolism, 23*(6), 270-277.

Cawthorn, W. P., & Sethi, J. K. (2008). TNF-α and adipocyte biology. *FEBS letters, 582*(1), 117-131.

Cedikova, M., Kripnerová, M., Dvorakova, J., Pitule, P., Grundmanova, M., Babuska, V., . . . Kuncova, J. (2016). Mitochondria in white, brown, and beige adipocytes. *Stem cells international, 2016*.

Chahal, J., Gómez-Aristizábal, A., Shestopaloff, K., Bhatt, S., Chaboureau, A., Fazio, A., . . . Keating, A. (2019). Bone Marrow Mesenchymal Stromal Cells in Patients with Osteoarthritis Results in Overall Improvement in Pain and Symptoms and Reduces Synovial Inflammation. *Stem cells translational medicine*.

Chandra, V., Huang, P., Hamuro, Y., Raghuram, S., Wang, Y., Burris, T. P., & Rastinejad, F. (2008). Structure of the intact PPAR-γ–RXR-α nuclear receptor complex on DNA. *Nature, 456*(7220), 350.

Chen, D., Wang, Y., Wu, K., & Wang, X. (2018). Dual Effects of Metformin on Adipogenic Differentiation of 3T3-L1 Preadipocyte in AMPK-Dependent and Independent Manners. *International journal of molecular sciences, 19*(6), 1547.

Chen, L., Chen, R., Wang, H., & Liang, F. (2015). Mechanisms linking inflammation to insulin resistance. *International journal of endocrinology, 2015*.

Chen, M.-j., Yan, X., Chen, Y.-q., & Zhao, C. (2017). Phytochemicals for Non-insulin Diabetes Mellitus: A Minireview on Plant-Derived Compounds Hypoglycemic Activity. *Journal of Food and Nutrition Sciences, 5*(2), 23-27.

Chen, Q., Shou, P., Zheng, C., Jiang, M., Cao, G., Yang, Q., . . . Zhang, X. (2016). Fate decision of mesenchymal stem cells: adipocytes or osteoblasts? *Cell death and differentiation, 23*(7), 1128.

Chosa, N., & Ishisaki, A. (2018). Two novel mechanisms for maintenance of stemness in mesenchymal stem cells: SCRG1/BST1 axis and cell–cell adhesion through N-cadherin. *Japanese Dental Science Review, 54*(1), 37-44.

Coelho, M., Oliveira, T., & Fernandes, R. (2013). State of the art paper Biochemistry of adipose tissue: an endocrine organ. *Archives of Medical Science, 9*(2), 191-200.

Collaborators, G. O. (2017). Health effects of overweight and obesity in 195 countries over 25 years. *New England Journal of Medicine, 377*(1), 13-27.

Comella, K., Parcero, J., Bansal, H., Perez, J., Lopez, J., Agrawal, A., & Ichim, T. (2016). Effects of the intramyocardial implantation of stromal vascular fraction in patients with chronic ischemic cardiomyopathy. *Journal of translational medicine, 14*(1), 158.

Cook, D., & Genever, P. (2013). Regulation of mesenchymal stem cell differentiation *Transcriptional and Translational Regulation of Stem Cells* (pp. 213-229): Springer.

Corsi, D. J., & Subramanian, S. (2019). Socioeconomic Gradients and Distribution of Diabetes, Hypertension, and Obesity in India. *JAMA network open, 2*(4), e190411-e190411.

Curtis, T. M., Hannett, J. M., Harman, R. M., Puoplo, N. A., & Van de Walle, G. R. (2018). The secretome of adipose-derived mesenchymal stem cells protects SH-SY5Y cells from arsenic-induced toxicity, independent of a neuron-like differentiation mechanism. *Neurotoxicology, 67*, 54-64.

Cyranoski, D. (2018). The cells that sparked a revolution: Nature Publishing Group MACMILLAN BUILDING, 4 CRINAN ST, LONDON N1 9XW, ENGLAND.

Dadheech, N., Soni, S., Srivastava, A., Dadheech, S., Gupta, S., Gopurappilly, R., . . . Gupta, S. (2013). A small molecule Swertisin from Enicostemma littorale differentiates NIH3T3 cells into islet-like clusters and restores Normoglycemia upon transplantation in diabetic balb/c mice. *Evidence-based complementary and alternative medicine, 2013*.

Dadheech, N., Srivastava, A., Paranjape, N., Gupta, S., Dave, A., Shah, G. M., . . . Gupta, S. (2015). Swertisin an anti-diabetic compound facilitate islet neogenesis from pancreatic stem/progenitor cells via p-38 MAP kinase-SMAD pathway: an in-vitro and in-vivo study. *PloS one, 10*(6), e0128244.

Daniele, S., Natali, L., Giacomelli, C., Campiglia, P., Novellino, E., Martini, C., & Trincavelli, M. L. (2017). Osteogenesis is improved by low tumor necrosis factor alpha concentration through the modulation of Gs-coupled receptor signals. *Molecular and cellular biology, 37*(8), e00442-00416.

Daquinag, A. C., Zhang, Y., Amaya-Manzanares, F., Simmons, P. J., & Kolonin, M. G. (2011). An isoform of decorin is a resistin receptor on the surface of adipose progenitor cells. *Cell stem cell, 9*(1), 74-86.

Dave, S. D., Patel, C. N., Vanikar, A. V., & Trivedi, H. L. (2018). In vitro differentiation of neural cells from human adipose tissue derived stromal cells. *Neurology India, 66*(3), 716.

Dave, S. D., Trivedi, H. L., Gopal, S. C., & Chandra, T. (2014). Combined therapy of insulin-producing cells and haematopoietic stem cells offers better diabetic control

than only haematopoietic stem cells' infusion for patients with insulin-dependent diabetes. *Case Reports, 2014*, bcr2013201238.

Dave, S. D., Vanikar, A. V., & Trivedi, H. L. (2013). Co-infusion of adipose tissue derived mesenchymal stem cell-differentiated insulin-making cells and haematopoietic cells with renal transplantation: a novel therapy for type 1 diabetes mellitus with end-stage renal disease. *Case Reports, 2013*, bcr2013009901.

de Ferranti, S., & Mozaffarian, D. (2008). The perfect storm: obesity, adipocyte dysfunction, and metabolic consequences. *Clinical chemistry, 54*(6), 945-955.

DeFronzo, R. A., & Tripathy, D. (2009). Skeletal muscle insulin resistance is the primary defect in type 2 diabetes. *Diabetes care, 32*(suppl 2), S157-S163.

Desbuquois, B., Carré, N., & Burnol, A. F. (2013). Regulation of insulin and type 1 insulin-like growth factor signaling and action by the Grb10/14 and SH2B1/B2 adaptor proteins. *The FEBS journal, 280*(3), 794-816.

Domenis, R., Cifù, A., Quaglia, S., Pistis, C., Moretti, M., Vicario, A., . . . Soon-Shiong, P. (2018). Pro inflammatory stimuli enhance the immunosuppressive functions of adipose mesenchymal stem cells-derived exosomes. *Scientific reports, 8*.

Dreyer, C., Krey, G., Keller, H., Givel, F., Helftenbein, G., & Wahli, W. (1992). Control of the peroxisomal β-oxidation pathway by a novel family of nuclear hormone receptors. *Cell, 68*(5), 879-887.

El-Safadi, M., Shinwari, T., Al-Malki, S., Manikandan, M., Mahmood, A., Aldahmash, A., . . . Alajez, N. M. (2019). Convergence of TGFβ and BMP signaling in regulating human bone marrow stromal cell differentiation. *Scientific reports, 9*(1), 4977.

Engin, A. (2017). Adiponectin-resistance in obesity *Obesity and Lipotoxicity* (pp. 415-441): Springer.

Esser, N., L'homme, L., De Roover, A., Kohnen, L., Scheen, A. J., Moutschen, M., . . . Paquot, N. (2013). Obesity phenotype is related to NLRP3 inflammasome activity and immunological profile of visceral adipose tissue. *Diabetologia, 56*(11), 2487-2497.

Farmer, S. R. (2006). Transcriptional control of adipocyte formation. *Cell metabolism, 4*(4), 263-273.

Fernández, O., Izquierdo, G., Fernández, V., Leyva, L., Reyes, V., Guerrero, M., . . . Páramo, M. D. (2018). Adipose-derived mesenchymal stem cells (AdMSC) for the treatment of secondary-progressive multiple sclerosis: A triple blinded, placebo controlled, randomized phase I/II safety and feasibility study. *PloS one, 13*(5), e0195891.

Ferretti, F., & Mariani, M. (2019). Sugar-sweetened beverage affordability and the prevalence of overweight and obesity in a cross section of countries. *Globalization and health, 15*(1), 30.

Fischer, I., Irmler, M., Meyer, C., Sachs, S., Neff, F., de Angelis, M. H., . . . Ussar, S. (2018). A history of obesity leaves an inflammatory fingerprint in liver and adipose tissue. *International journal of obesity, 42*(3), 507.

Fotino, C., Ricordi, C., Lauriola, V., Alejandro, R., & Pileggi, A. (2010). Bone marrow-derived stem cell transplantation for the treatment of insulin-dependent diabetes. *The review of diabetic studies: RDS, 7*(2), 144.

Fox, A., Feng, W., & Asal, V. (2019). What is driving global obesity trends? Globalization or "modernization"? *Globalization and health, 15*(1), 32.

Freitag, J., Wickham, J., Shah, K., & Tenen, A. (2019). Effect of autologous adipose-derived mesenchymal stem cell therapy in the treatment of acromioclavicular joint osteoarthritis. *BMJ Case Reports CP, 12*(2), e227865.

Friedenstein, A., Piatetzky-Shapiro, I., & Petrakova, K. (1966). Osteogenesis in transplants of bone marrow cells. *Development, 16*(3), 381-390.

Gadelkarim, M., Abushouk, A. I., Ghanem, E., Hamaad, A. M., Saad, A. M., & Abdel-Daim, M. M. (2018). Adipose-derived stem cells: Effectiveness and advances in delivery in diabetic wound healing. *Biomedicine & Pharmacotherapy, 107*, 625-633.

Gaur, M., Dobke, M., & Lunyak, V. V. (2018). Methods and Strategies for Procurement, Isolation, Characterization, and Assessment of Senescence of Human Mesenchymal Stem Cells from Adipose Tissue.

Gebler, A., Zabel, O., & Seliger, B. (2012). The immunomodulatory capacity of mesenchymal stem cells. *Trends in molecular medicine, 18*(2), 128-134.

Gesta, S., Tseng, Y.-H., & Kahn, C. R. (2007). Developmental origin of fat: tracking obesity to its source. *Cell, 131*(2), 242-256.

Ghoshal, K., & Bhattacharyya, M. (2015). Adiponectin: Probe of the molecular paradigm associating diabetes and obesity. *World journal of diabetes, 6*(1), 151.

Giusti, V., Suter, M., Verdumo, C., Gaillard, R., Burckhardt, P., & Pralong, F. (2004). Molecular determinants of human adipose tissue: differences between visceral and subcutaneous compartments in obese women. *The Journal of Clinical Endocrinology & Metabolism, 89*(3), 1379-1384.

Gomez-Hernandez, A., Beneit, N., Diaz-Castroverde, S., & Escribano, O. (2016). Differential role of adipose tissues in obesity and related metabolic and vascular complications. *International journal of endocrinology, 2016*.

Greely, H. T., Cho, M. K., Hogle, L. F., & Satz, D. M. (2007). Response to open peer commentaries on "Thinking about the human neuron mouse". *The American Journal of Bioethics, 7*(5), W4-W6.

Gulati, S., & Misra, A. (2014). Sugar intake, obesity, and diabetes in India. *Nutrients, 6*(12), 5955-5974.

Gulati, S., Misra, A., & Sharma, M. (2017). Dietary fats and oils in India. *Current diabetes reviews, 13*(5), 438-443.

Gustafson, B., Gogg, S., Hedjazifar, S., Jenndahl, L., Hammarstedt, A., & Smith, U. (2009). Inflammation and impaired adipogenesis in hypertrophic obesity in man. *American Journal of Physiology-Endocrinology and Metabolism, 297*(5), E999-E1003.

Hairul-Islam, M., Saravanan, S., Thirugnanasambantham, K., Chellappandian, M., Raj, C. S. D., Karikalan, K., . . . Ignacimuthu, S. (2017). Swertiamarin, a natural steroid, prevent bone erosion by modulating RANKL/RANK/OPG signaling. *International immunopharmacology, 53*, 114-124.

Hammarstedt, A., Isakson, P., Gustafson, B., & Smith, U. (2007). Wnt-signaling is maintained and adipogenesis inhibited by TNFα but not MCP-1 and resistin. *Biochemical and biophysical research communications, 357*(3), 700-706.

Han, S.-M., Han, S.-H., Coh, Y.-R., Jang, G., Ra, J. C., Kang, S.-K., . . . Youn, H.-Y. (2014). Enhanced proliferation and differentiation of Oct4-and Sox2-overexpressing human adipose tissue mesenchymal stem cells. *Experimental & molecular medicine, 46*(6), e101.

Hass, R., Kasper, C., Böhm, S., & Jacobs, R. (2011). Different populations and sources of human mesenchymal stem cells (MSC): a comparison of adult and neonatal tissue-derived MSC. *Cell Communication and Signaling, 9*(1), 12.

He, X., Yao, M.-W., Zhu, M., Liang, D.-L., Guo, W., Yang, Y., . . . Wang, W. (2018). Metformin induces apoptosis in mesenchymal stromal cells and dampens their therapeutic efficacy in infarcted myocardium. *Stem cell research & therapy, 9*(1), 306.

Hill, D. A., Lim, H.-W., Kim, Y. H., Ho, W. Y., Foong, Y. H., Nelson, V. L., . . . Habertheuer, A. (2018). Distinct macrophage populations direct inflammatory versus physiological changes in adipose tissue. *Proceedings of the National Academy of Sciences, 115*(22), E5096-E5105.

Hotamisligil, G. (2000). Molecular mechanisms of insulin resistance and the role of the adipocyte. *International journal of obesity, 24*(S4), S23.

Hsia, D. S., Grove, O., & Cefalu, W. T. (2017). An update on SGLT2 inhibitors for the treatment of diabetes mellitus. *Current opinion in endocrinology, diabetes, and obesity, 24*(1), 73.

Hunma, S., Ramuth, H., Miles-Chan, J. L., Schutz, Y., Montani, J.-P., Joonas, N., & Dulloo, A. G. (2016). Body composition-derived BMI cut-offs for overweight and obesity in Indians and Creoles of Mauritius: comparison with Caucasians. *International journal of obesity, 40*(12), 1906.

Ikeda, Y., Tsuchiya, H., Hama, S., Kajimoto, K., & Kogure, K. (2013). Resistin affects lipid metabolism during adipocyte maturation of 3T3-L1 cells. *The FEBS journal, 280*(22), 5884-5895.

Indulekha, K., Surendar, J., Anjana, R. M., Geetha, L., Gokulakrishnan, K., Pradeepa, R., & Mohan, V. (2015). Metabolic obesity, adipocytokines, and inflammatory markers in Asian Indians—CURES-124. *Diabetes technology & therapeutics, 17*(2), 134-141.

Isakson, P., Hammarstedt, A., Gustafson, B., & Smith, U. (2009). Impaired preadipocyte differentiation in human abdominal obesity: role of Wnt, tumor necrosis factor-α, and inflammation. *Diabetes, 58*(7), 1550-1557.

Jahng, J. W. S., Song, E., & Sweeney, G. (2016). Crosstalk between the heart and peripheral organs in heart failure. *Experimental & molecular medicine, 48*(3), e217.

James, A. W. (2013). Review of signaling pathways governing MSC osteogenic and adipogenic differentiation. *Scientifica, 2013*.

Jang, J. C., Li, J., Gambini, L., Batugedara, H. M., Sati, S., Lazar, M. A., . . . Nair, M. G. (2017). Human resistin protects against endotoxic shock by blocking LPS–TLR4 interaction. *Proceedings of the National Academy of Sciences, 114*(48), E10399-E10408.

Jeong, J. H. (2008). Adipose stem cells as a clinically available and effective source of adult stem cell therapy. *International journal of stem cells, 1*(1), 43.

Jung, H. S., Park, K.-H., Cho, Y. M., Chung, S. S., Cho, H. J., Cho, S. Y., . . . Park, K. S. (2006). Resistin is secreted from macrophages in atheromas and promotes atherosclerosis. *Cardiovascular research, 69*(1), 76-85.

Jung, U., & Choi, M.-S. (2014). Obesity and its metabolic complications: the role of adipokines and the relationship between obesity, inflammation, insulin resistance, dyslipidemia and nonalcoholic fatty liver disease. *International journal of molecular sciences, 15*(4), 6184-6223.

Kadle, R. L., Abdou, S. A., Villarreal-Ponce, A. P., Soares, M. A., Sultan, D. L., David, J. A., . . . Ceradini, D. J. (2018). Microenvironmental cues enhance mesenchymal stem cell-mediated immunomodulation and regulatory T-cell expansion. *PloS one, 13*(3), e0193178.

Kahn, S. (2003). The relative contributions of insulin resistance and beta-cell dysfunction to the pathophysiology of type 2 diabetes. *Diabetologia, 46*(1), 3-19.

Kalinina, N., Kharlampieva, D., Loguinova, M., Butenko, I., Pobeguts, O., Efimenko, A., . . . Alekseev, D. (2015). Characterization of secretomes provides evidence for adipose-derived mesenchymal stromal cells subtypes. *Stem cell research & therapy, 6*(1), 221.

Kamiya, N., Ye, L., Kobayashi, T., Mochida, Y., Yamauchi, M., Kronenberg, H. M., . . . Mishina, Y. (2008). BMP signaling negatively regulates bone mass through sclerostin by inhibiting the canonical Wnt pathway. *Development, 135*(22), 3801-3811.

Kapur, S. K., & Katz, A. J. (2013). Review of the adipose derived stem cell secretome. *Biochimie, 95*(12), 2222-2228.

Kersten, S. (2002). Peroxisome proliferator activated receptors and obesity. *European journal of pharmacology, 440*(2-3), 223-234.

Kim, B.-S., Tilstam, P. V., Springenberg-Jung, K., Boecker, A. H., Schmitz, C., Heinrichs, D., . . . Kopp, R. (2017). Characterization of adipose tissue macrophages and adipose-derived stem cells in critical wounds. *PeerJ, 5*, e2824.

Kim, K.-H., Zhao, L., Moon, Y., Kang, C., & Sul, H. S. (2004). Dominant inhibitory adipocyte-specific secretory factor (ADSF)/resistin enhances adipogenesis and improves insulin sensitivity. *Proceedings of the National Academy of Sciences, 101*(17), 6780-6785.

Kim, Y.-W., Kim, J.-Y., Park, Y.-H., Park, S.-Y., Won, K.-C., Choi, K.-H., . . . Moon, K.-H. (2006). Metformin restores leptin sensitivity in high-fat–fed obese rats with leptin resistance. *Diabetes, 55*(3), 716-724.

Kirkham, G., & Cartmell, S. (2007). Genes and proteins involved in the regulation of osteogenesis. *Topics in tissue engineering, 3*, 1-22.

Klemm, D. J., Leitner, J. W., Watson, P., Nesterova, A., Reusch, J. E.-B., Goalstone, M. L., & Draznin, B. (2001). Insulin-induced Adipocyte Differentiation ACTIVATION OF CREB RESCUES ADIPOGENESIS FROM THE ARREST CAUSED BY INHIBITION OF PRENYLATION. *Journal of Biological Chemistry, 276*(30), 28430-28435.

Klonoff, D. C., Buse, J. B., Nielsen, L. L., Guan, X., Bowlus, C. L., Holcombe, J. H., . . . Maggs, D. G. (2008). Exenatide effects on diabetes, obesity, cardiovascular risk factors and hepatic biomarkers in patients with type 2 diabetes treated for at least 3 years. *Current medical research and opinion, 24*(1), 275-286.

Komori, T. (2006). Regulation of osteoblast differentiation by transcription factors. *Journal of cellular biochemistry, 99*(5), 1233-1239.

Kovesdy, C. P., Furth, S. L., Zoccali, C., & Committee, W. K. D. S. (2017). Obesity and kidney disease: hidden consequences of the epidemic: Oxford University Press US.

Kumar, R., Sharma, A., Pattnaik, A. K., & Varadwaj, P. K. (2010). Stem cells: An overview with respect to cardiovascular and renal disease. *Journal of natural science, biology, and medicine, 1*(1), 43.

Kusminski, C. M., da Silva, N. F., Creely, S. J., Fisher, F. M., Harte, A. L., Baker, A. R., . . . McTernan, P. G. (2007). The in vitro effects of resistin on the innate immune signaling pathway in isolated human subcutaneous adipocytes. *The Journal of Clinical Endocrinology & Metabolism, 92*(1), 270-276.

Lafontan, M. (2009). Advances in adipose tissue metabolism. *International journal of obesity, 32*(S7), S39.

Langenbach, F., & Handschel, J. (2013). Effects of dexamethasone, ascorbic acid and β-glycerophosphate on the osteogenic differentiation of stem cells in vitro. *Stem cell research & therapy, 4*(5), 117.

Lee, J., Hong, E. M., Kim, J. H., Jung, J. H., Park, S. W., Koh, D. H., . . . Kae, S. H. (2019). Metformin Induces Apoptosis and Inhibits Proliferation through the AMP-Activated Protein Kinase and Insulin-like Growth Factor 1 Receptor Pathways in the Bile Duct Cancer Cells. *J Cancer, 10*(7), 1734-1744. doi:10.7150/jca.26380

Lee, M.-J., Wu, Y., & Fried, S. K. (2013). Adipose tissue heterogeneity: implication of depot differences in adipose tissue for obesity complications. *Molecular aspects of medicine, 34*(1), 1-11.

Li, Z., Xu, Z., Duan, C., Liu, W., Sun, J., & Han, B. (2018). Role of TCF/LEF transcription factors in bone development and osteogenesis. *International journal of medical sciences, 15*(12), 1415.

Lira, F. S., Rosa, J. C., Pimentel, G. D., Tarini, V. A., Arida, R. M., Faloppa, F., . . . Seelaender, M. (2010). Inflammation and adipose tissue: effects of progressive load training in rats. *Lipids in health and disease, 9*(1), 109.

Lo, B., & Parham, L. (2009). Ethical issues in stem cell research. *Endocrine reviews, 30*(3), 204-213.

Lu, Z., Wang, G., Dunstan, C. R., Chen, Y., Yenn-Ru Lu, W., Davies, B., & Zreiqat, H. (2013). Activation and promotion of adipose stem cells by tumour necrosis factor-alpha preconditioning for bone regeneration. *Journal of cellular physiology, 228*(8), 1737-1744.

Luo, K. (2017). Signaling cross talk between TGF-β/Smad and other signaling pathways. *Cold Spring Harbor perspectives in biology, 9*(1), a022137.

Luo, L., & Liu, M. (2016). Adipose tissue in control of metabolism. *Journal of Endocrinology, 231*(3), R77-R99.

MacLaren, R., Cui, W., Simard, S., & Cianflone, K. (2008). Influence of obesity and insulin sensitivity on insulin signaling genes in human omental and subcutaneous adipose tissue. *Journal of Lipid Research, 49*(2), 308-323.

Mahadev, K., Motoshima, H., Wu, X., Ruddy, J. M., Arnold, R. S., Cheng, G., . . . Goldstein, B. J. (2004). The NAD (P) H oxidase homolog Nox4 modulates insulin-stimulated generation of H2O2 and plays an integral role in insulin signal transduction. *Molecular and cellular biology, 24*(5), 1844-1854.

Mahadik, S. R., Deo, S. S., & Mehtalia, S. D. (2008). Association of adiposity, inflammation and atherosclerosis: the role of adipocytokines and CRP in Asian Indian subjects. *Metabolic syndrome and related disorders, 6*(2), 121-128.

Mahla, R. S. (2016). Stem cells applications in regenerative medicine and disease therapeutics. *International journal of cell biology, 2016*.

Maroo, J., Ghosh, A., Mathur, R., Vasu, V. T., & Gupta, S. (2003). Antidiabetic efficacy of Enicostemma littorale methanol extract in alloxan-induced diabetic rats. *Pharmaceutical Biology, 41*(5), 388-391.

Matulewicz, N., Stefanowicz, M., Nikołajuk, A., & Karczewska-Kupczewska, M. (2017). Markers of adipogenesis, but not inflammation, in adipose tissue are independently related to insulin sensitivity. *The Journal of Clinical Endocrinology & Metabolism, 102*(8), 3040-3049.

Mazor, R., Friedmann-Morvinski, D., Alsaigh, T., Kleifeld, O., Kistler, E. B., Rousso-Noori, L., . . . Schmid-Schönbein, G. W. (2018). Cleavage of the leptin receptor by matrix metalloproteinase–2 promotes leptin resistance and obesity in mice. *Science translational medicine, 10*(455), eaah6324.

McArdle, M. A., Finucane, O. M., Connaughton, R. M., McMorrow, A. M., & Roche, H. M. (2013). Mechanisms of obesity-induced inflammation and insulin resistance: insights into the emerging role of nutritional strategies. *Frontiers in endocrinology, 4*, 52.

McTernan, P. G., Fisher, F. M., Valsamakis, G., Chetty, R., Harte, A., McTernan, C. L., . . . Kumar, S. (2003). Resistin and type 2 diabetes: regulation of resistin expression by insulin and rosiglitazone and the effects of recombinant resistin on lipid and glucose metabolism in human differentiated adipocytes. *The Journal of Clinical Endocrinology & Metabolism, 88*(12), 6098-6106.

Mens, M. M., & Ghanbari, M. (2018). Cell cycle regulation of stem cells by microRNAs. *Stem Cell Reviews and Reports, 14*(3), 309-322.

Mishra, N., Kaushal, K., Mishra, R. C., & Sharma, A. K. (2017). An ayurvedic herb: Enicostemma littorale blume-A review article. *Journal of Medicinal Plants Studies, 5*(1), 78-82.

Misra, A., Chowbey, P., Makkar, B., Vikram, N., Wasir, J., Chadha, D., & Joshi, S. R. (2009). Consensus statement for diagnosis of obesity, abdominal obesity and the metabolic syndrome for Asian Indians and recommendations for physical activity, medical and surgical management. *JAPI, 57*(2), 163-170.

Misra, A., Soares, M. J., Mohan, V., Anoop, S., Abhishek, V., Vaidya, R., & Pradeepa, R. (2018). Body Fat, Metabolic Syndrome and Hyperglycemia in South Asians. *Journal of diabetes and its complications*.

Mitchell, R., Mellows, B., Sheard, J., Antonioli, M., Kretz, O., Chambers, D., . . . Musante, L. (2019). Secretome of adipose-derived mesenchymal stem cells promotes skeletal muscle regeneration through synergistic action of extracellular vesicle cargo and soluble proteins. *Stem cell research & therapy, 10*(1), 116.

Moonen, M. P., Nascimento, E. B., & van Marken Lichtenbelt, W. D. (2019). Human brown adipose tissue: Underestimated target in metabolic disease? *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids, 1864*(1), 104-112.

Morris, A. (2018). Mechanisms of leptin resistance revealed. *Nature Reviews Endocrinology, 14*(11), 628.

Moseti, D., Regassa, A., & Kim, W.-K. (2016). Molecular regulation of adipogenesis and potential anti-adipogenic bioactive molecules. *International journal of molecular sciences, 17*(1), 124.

Najjar, S. M. (2002). Regulation of insulin action by CEACAM1. *Trends in Endocrinology & Metabolism, 13*(6), 240-245.

Nemali, M. R., Usuda, N., Reddy, M. K., Oyasu, K., Hashimoto, T., Osumi, T., . . . Reddy, J. K. (1988). Comparison of constitutive and inducible levels of expression of peroxisomal β-oxidation and catalase genes in liver and extrahepatic tissues of rat. *Cancer research, 48*(18), 5316-5324.

Ng, A. P., & Alexander, W. S. (2017). Haematopoietic stem cells: past, present and future. *Cell death discovery, 3*, 17002.

Niada, S., Giannasi, C., Gualerzi, A., Banfi, G., & Brini, A. T. (2018). Differential proteomic analysis predicts appropriate applications for the secretome of adipose-derived mesenchymal stem/stromal cells and dermal fibroblasts. *Stem cells international, 2018*.

Nigro, E., Scudiero, O., Monaco, M. L., Palmieri, A., Mazzarella, G., Costagliola, C., . . . Daniele, A. (2014). New insight into adiponectin role in obesity and obesity-related diseases. *BioMed research international, 2014*.

Ogawa, M., LaRue, A. C., & Mehrotra, M. (2013). Hematopoietic stem cells are pluripotent and not just “hematopoietic”. *Blood Cells, Molecules, and Diseases, 51*(1), 3-8.

Oh, M., Kim, S., An, K.-Y., Min, J., Yang, H. I., Lee, J., . . . Lee, J.-W. (2018). Effects of alternate day calorie restriction and exercise on cardio-metabolic risk factors in

overweight and obese adults: an exploratory randomized controlled study. *BMC public health, 18*(1), 1124.

Olefsky, J. M., & Glass, C. K. (2010). Macrophages, inflammation, and insulin resistance. *Annual review of physiology, 72*, 219-246.

Oñate, B., Vilahur, G., Camino-López, S., Díez-Caballero, A., Ballesta-López, C., Ybarra, J., . . . Badimon, L. (2013). Stem cells isolated from adipose tissue of obese patients show changes in their transcriptomic profile that indicate loss in stemcellness and increased commitment to an adipocyte-like phenotype. *BMC genomics, 14*(1), 625.

Orgun, D., & Mizuno, H. (2017). Multipotency and secretome: the mechanisms behind the regenerative potential of adipose-derived stem cells. *Plastic and Aesthetic Research, 4*(3), 32-40.

Pajvani, U. B., Du, X., Combs, T. P., Berg, A. H., Rajala, M. W., Schulthess, T., . . . Scherer, P. E. (2003). Structure-function studies of the adipocyte-secreted hormone Acrp30/adiponectin implications for metabolic regulation and bioactivity. *Journal of Biological Chemistry, 278*(11), 9073-9085.

Parameswaran, N., & Patial, S. (2010). Tumor necrosis factor-α signaling in macrophages. *Critical Reviews™ in Eukaryotic Gene Expression, 20*(2).

Park, A., Kim, W. K., & Bae, K.-H. (2014). Distinction of white, beige and brown adipocytes derived from mesenchymal stem cells. *World journal of stem cells, 6*(1), 33.

Park, H. K., Kwak, M. K., Kim, H. J., & Ahima, R. S. (2017). Linking resistin, inflammation, and cardiometabolic diseases. *The Korean journal of internal medicine, 32*(2), 239.

Patel, T. P., Rawal, K., Bagchi, A. K., Akolkar, G., Bernardes, N., da Silva Dias, D., . . . Singal, P. K. (2016). Insulin resistance: an additional risk factor in the pathogenesis of cardiovascular disease in type 2 diabetes. *Heart failure reviews, 21*(1), 11-23.

Patel, T. P., Soni, S., Parikh, P., Gosai, J., Chruvattil, R., & Gupta, S. (2013). Swertiamarin: An active lead from Enicostemma littorale regulates hepatic and adipose tissue gene expression by targeting PPAR-γ and improves insulin sensitivity in experimental NIDDM rat model. *Evidence-based complementary and alternative medicine, 2013*.

Peptan, I. A., Hong, L., & Mao, J. J. (2006). Comparison of osteogenic potentials of visceral and subcutaneous adipose-derived cells of rabbits. *Plastic and reconstructive surgery, 117*(5), 1462.

Pérez, L. M., Bernal, A., de Lucas, B., San Martin, N., Mastrangelo, A., García, A., . . . Gálvez, B. G. (2015). Altered metabolic and stemness capacity of adipose tissue-derived stem cells from obese mouse and human. *PloS one, 10*(4), e0123397.

Pérez, L. M., de Lucas, B., Lunyak, V. V., & Gálvez, B. G. (2017). Adipose stem cells from obese patients show specific differences in the metabolic regulators vitamin D and Gas5. *Molecular genetics and metabolism reports, 12*, 51-56.

Perlee, D., van Vught, L. A., Scicluna, B. P., Maag, A., Lutter, R., Kemper, E. M., . . . Richard, M. P. (2018). Intravenous Infusion of Human Adipose Mesenchymal Stem

Cells Modifies the Host Response to Lipopolysaccharide in Humans: A Randomized, Single-Blind, Parallel Group, Placebo Controlled Trial. *Stem Cells, 36*(11), 1778-1788.

Pernicova, I., & Korbonits, M. (2014). Metformin—mode of action and clinical implications for diabetes and cancer. *Nature Reviews Endocrinology, 10*(3), 143.

Petersen, M. C., & Shulman, G. I. (2018). Mechanisms of insulin action and insulin resistance. *Physiological reviews, 98*(4), 2133-2223.

Petrangeli, E., Coroniti, G., Brini, A. T., De Girolamo, L., Stanco, D., Niada, S., . . . Russo, M. A. (2016). Hypoxia promotes the inflammatory response and stemness features in visceral fat stem cells from obese subjects. *Journal of cellular physiology, 231*(3), 668-679.

Philp, A. M., Collier, R. L., Grover, L. M., Davis, E. T., & Jones, S. W. (2017). Resistin promotes the abnormal Type I collagen phenotype of subchondral bone in obese patients with end stage hip osteoarthritis. *Scientific reports, 7*(1), 4042.

Pitrone, M., Pizzolanti, G., Tomasello, L., Coppola, A., Morini, L., Pantuso, G., . . . Giorgino, F. (2017). NANOG plays a hierarchical role in the transcription network regulating the pluripotency and plasticity of adipose tissue-derived stem cells. *International journal of molecular sciences, 18*(6), 1107.

Praga, M., & Morales, E. (2017). The fatty kidney: obesity and renal disease. *Nephron, 136*(4), 273-276.

Pratley, R. E., Kipnes, M., Fleck, P., Wilson, C., Mekki, Q., & Group, A. S. (2009). Efficacy and safety of the dipeptidyl peptidase-4 inhibitor alogliptin in patients with type 2 diabetes inadequately controlled by glyburide monotherapy. *Diabetes, Obesity and Metabolism, 11*(2), 167-176.

Proks, P., Reimann, F., Green, N., Gribble, F., & Ashcroft, F. (2002). Sulfonylurea stimulation of insulin secretion. *Diabetes, 51*(suppl 3), S368-S376.

Qatanani, M., & Lazar, M. A. (2007). Mechanisms of obesity-associated insulin resistance: many choices on the menu. *Genes & development, 21*(12), 1443-1455.

Qin, Z., Fang, Z., Zhao, L., Chen, J., Li, Y., & Liu, G. (2015). High dose of TNF-α suppressed osteogenic differentiation of human dental pulp stem cells by activating the Wnt/β-catenin signaling. *Journal of molecular histology, 46*(4-5), 409-420.

Raajendiran, A., Tsiloulis, T., & Watt, M. J. (2016). Adipose tissue development and the molecular regulation of lipid metabolism. *Essays in biochemistry, 60*(5), 437-450.

Rahman, M. S., Akhtar, N., Jamil, H. M., Banik, R. S., & Asaduzzaman, S. M. (2015). TGF-β/BMP signaling and other molecular events: regulation of osteoblastogenesis and bone formation. *Bone research, 3*, 15005.

Rauch, A., Haakonsson, A. K., Madsen, J. G., Larsen, M., Forss, I., Madsen, M. R., . . . Tencerova, M. (2019). Osteogenesis depends on commissioning of a network of stem cell transcription factors that act as repressors of adipogenesis. *Nature genetics, 51*(4), 716.

Reaven, G. (2005). All obese individuals are not created equal: insulin resistance is the major determinant of cardiovascular disease in overweight/obese individuals. *Diabetes and Vascular Disease Research, 2*(3), 105-112.

Reaven, G. M. (2004). Insulin resistance, cardiovascular disease, and the metabolic syndrome: how well do the emperor's clothes fit? *Diabetes care, 27*(4), 1011-1012.

Reilly, S. M., & Saltiel, A. R. (2017). Adapting to obesity with adipose tissue inflammation. *Nature Reviews Endocrinology, 13*(11), 633.

Reinders, M. E., Bank, J. R., Dreyer, G. J., Roelofs, H., Heidt, S., Roelen, D. L., . . . Claas, F. H. (2014). Autologous bone marrow derived mesenchymal stromal cell therapy in combination with everolimus to preserve renal structure and function in renal transplant recipients. *Journal of translational medicine, 12*(1), 331.

Rizvanov, A. A., Persson, J., Şahin, F., Bellusci, S., & Oliveira, P. J. (2016). Hematopoietic and Mesenchymal Stem Cells in Biomedical and Clinical Applications. *Stem cells international, 2016*.

Roldan, M., Macias-Gonzalez, M., Garcia, R., Tinahones, F. J., & Martin, M. (2011). Obesity short-circuits stemness gene network in human adipose multipotent stem cells. *The FASEB Journal, 25*(12), 4111-4126.

Ruschke, K., Fishbein, L., Dietrich, A., Klöting, N., Tönjes, A., Oberbach, A., . . . Stumvoll, M. (2010). Gene expression of PPARγ and PGC-1α in human omental and subcutaneous adipose tissues is related to insulin resistance markers and mediates beneficial effects of physical training. *European journal of endocrinology, 162*(3), 515-523.

Saha, P. K., Kojima, H., Martinez-Botas, J., Sunehag, A. L., & Chan, L. (2004). Metabolic Adaptations in the Absence of Perilipin increased β-oxidation and decreased hepatic glucose production associated with peripheral insulin resistance but normal glucose tolerance in perilipin-null mice. *Journal of Biological Chemistry, 279*(34), 35150-35158.

Salamon, A., Adam, S., Rychly, J., & Peters, K. (2014). Long-term tumor necrosis factor treatment induces NFκB activation and proliferation, but not osteoblastic differentiation of adipose tissue-derived mesenchymal stem cells in vitro. *The international journal of biochemistry & cell biology, 54*, 149-162.

Saleh, F., Carstairs, A., Etheridge, S. L., & Genever, P. (2016). Real-time analysis of endogenous Wnt signalling in 3D mesenchymal stromal cells. *Stem cells international, 2016*.

Sánchez-Solana, B., Laborda, J., & Baladrón, V. (2012). Mouse resistin modulates adipogenesis and glucose uptake in 3T3-L1 preadipocytes through the ROR1 receptor. *Molecular Endocrinology, 26*(1), 110-127.

Saranya, R., Thirumalai, T., Hemalatha, M., Balaji, R., & David, E. (2013). Pharmacognosy of Enicostemma littorale: A review. *Asian Pacific journal of tropical biomedicine, 3*(1), 79-84.

Saravanan, S., Islam, V. H., Babu, N. P., Pandikumar, P., Thirugnanasambantham, K., Chellappandian, M., . . . Ignacimuthu, S. (2014). Swertiamarin attenuates inflammation mediators via modulating NF-κB/I κB and JAK2/STAT3 transcription

factors in adjuvant induced arthritis. *European Journal of Pharmaceutical Sciences, 56*, 70-86.

Schulz, T. J., & Tseng, Y.-H. (2009). Emerging role of bone morphogenetic proteins in adipogenesis and energy metabolism. *Cytokine & growth factor reviews, 20*(5-6), 523-531.

Seale, P., Bjork, B., Yang, W., Kajimura, S., Chin, S., Kuang, S., . . . Erdjument-Bromage, H. (2008). PRDM16 controls a brown fat/skeletal muscle switch. *Nature, 454*(7207), 961.

Seo, J. B., Noh, M. J., Yoo, E. J., Park, S. Y., Park, J., Lee, I. K., . . . Kim, J. B. (2003). Functional characterization of the human resistin promoter with adipocyte determination-and differentiation-dependent factor 1/sterol regulatory element binding protein 1c and CCAAT enhancer binding protein-α. *Molecular Endocrinology, 17*(8), 1522-1533.

Serbulea, V., Upchurch, C. M., Schappe, M. S., Voigt, P., DeWeese, D. E., Desai, B. N., . . . Leitinger, N. (2018). Macrophage phenotype and bioenergetics are controlled by oxidized phospholipids identified in lean and obese adipose tissue. *Proceedings of the National Academy of Sciences*, 201800544.

Serena, C., Keiran, N., Ceperuelo-Mallafre, V., Ejarque, M., Fradera, R., Roche, K., . . . Fernández-Veledo, S. (2016). Obesity and type 2 diabetes alters the immune properties of human adipose derived stem cells. *Stem Cells, 34*(10), 2559-2573.

Shapiro, S. A., Smith, C. G., Arthurs, J. R., & Master, Z. (2019). Preparing regenerative therapies for clinical application: proposals for responsible translation: Future Medicine.

Shetty, G. K., Economides, P. A., Horton, E. S., Mantzoros, C. S., & Veves, A. (2004). Circulating adiponectin and resistin levels in relation to metabolic factors, inflammatory markers, and vascular reactivity in diabetic patients and subjects at risk for diabetes. *Diabetes care, 27*(10), 2450-2457.

Shiraki, N., Ogaki, S., & Kume, S. (2014). Profiling of embryonic stem cell differentiation. *The review of diabetic studies: RDS, 11*(1), 102.

Shridhar, K., Dhillon, P. K., Bowen, L., Kinra, S., Bharathi, A. V., Prabhakaran, D., . . . Group, I. M. S. (2014). The association between a vegetarian diet and cardiovascular disease (CVD) risk factors in India: the Indian Migration Study. *PloS one, 9*(10), e110586.

Shui, C., Spelsberg, T. C., Riggs, B. L., & Khosla, S. (2003). Changes in Runx2/Cbfa1 expression and activity during osteoblastic differentiation of human bone marrow stromal cells. *Journal of Bone and Mineral Research, 18*(2), 213-221.

Sinha, K. M., & Zhou, X. (2013). Genetic and molecular control of osterix in skeletal formation. *Journal of cellular biochemistry, 114*(5), 975-984.

Skalnikova, H. K. (2013). Proteomic techniques for characterisation of mesenchymal stem cell secretome. *Biochimie, 95*(12), 2196-2211.

Smieszek, A., Tomaszewski, K. A., Kornicka, K., & Marycz, K. (2018). Metformin promotes osteogenic differentiation of adipose-derived stromal cells and exerts pro-

osteogenic effect stimulating bone regeneration. *Journal of clinical medicine, 7*(12), 482.

Sniderman, A. D., Bhopal, R., Prabhakaran, D., Sarrafzadegan, N., & Tchernof, A. (2007). Why might South Asians be so susceptible to central obesity and its atherogenic consequences? The adipose tissue overflow hypothesis. *International journal of epidemiology, 36*(1), 220-225.

Soni, S., & Gupta, S. (2009). In vitro anti plasmodial activity of Enicostemma littorale. *Am. J. Infect. Dis, 5*, 259-262.

Sorop, O., Olver, T. D., van de Wouw, J., Heinonen, I., van Duin, R. W., Duncker, D. J., & Merkus, D. (2017). The microcirculation: a key player in obesity-associated cardiovascular disease. *Cardiovascular research, 113*(9), 1035-1045.

Speakman, J. R. (2008). Thrifty genes for obesity, an attractive but flawed idea, and an alternative perspective: the 'drifty gene'hypothesis. *International journal of obesity, 32*(11), 1611.

Sridhar, G. R., & Sanjana, N. S. N. (2016). Sleep, circadian dysrhythmia, obesity and diabetes. *World journal of diabetes, 7*(19), 515.

Srivastava, A., Dadheech, N., Vakani, M., & Gupta, S. (2018). Swertisin ameliorates diabetes by triggering pancreatic progenitors for islet neogenesis in Streptozotocin treated BALB/c mice. *Biomedicine & Pharmacotherapy, 100*, 221-225.

Stephens, J. M. (2012). The fat controller: adipocyte development. *PLoS biology, 10*(11), e1001436.

Strong, A. L., Hunter, R. S., Jones, R. B., Bowles, A. C., Dutreil, M. F., Gaupp, D., . . . McNulty, M. A. (2016). Obesity inhibits the osteogenic differentiation of human adipose-derived stem cells. *Journal of translational medicine, 14*(1), 27.

Styner, M., Sen, B., Xie, Z., Case, N., & Rubin, J. (2010). Indomethacin promotes adipogenesis of mesenchymal stem cells through a cyclooxygenase independent mechanism. *Journal of cellular biochemistry, 111*(4), 1042-1050.

Sun, C., Zhang, F., Ge, X., Yan, T., Chen, X., Shi, X., & Zhai, Q. (2007). SIRT1 improves insulin sensitivity under insulin-resistant conditions by repressing PTP1B. *Cell metabolism, 6*(4), 307-319.

Sun, K., Kusminski, C. M., & Scherer, P. E. (2011). Adipose tissue remodeling and obesity. *The Journal of clinical investigation, 121*(6), 2094-2101.

Teoh, S. L., & Das, S. (2018). Phytochemicals and their effective role in the treatment of diabetes mellitus: a short review. *Phytochemistry reviews, 17*(5), 1111-1128.

Teoh, S. L., Latiff, A. A., & Das, S. (2010). Histological changes in the kidneys of experimental diabetic rats fed with Momordica charantia (bitter gourd) extract. *Rom J Morphol Embryol, 51*(1), 91-95.

Thakkar, U., Vanikar, A., & Trivedi, H. (2014). Co-infusion of autologous adipose tissue derived neuronal differentiated mesenchymal stem cells and bone marrow derived hematopoietic stem cells, a viable therapy for post-traumatic brachial plexus injury: A case report. *Biomedical journal, 37*(4), 237.

Thakkar, U. G., Trivedi, H. L., Vanikar, A. V., & Dave, S. D. (2015). Insulin-secreting adipose-derived mesenchymal stromal cells with bone marrow–derived hematopoietic stem cells from autologous and allogenic sources for type 1 diabetes mellitus. *Cytotherapy, 17*(7), 940-947.

Thommesen, L., Stunes, A. K., Monjo, M., Grøsvik, K., Tamburstuen, M. V., Kjøbli, E., . . . Syversen, U. (2006). Expression and regulation of resistin in osteoblasts and osteoclasts indicate a role in bone metabolism. *Journal of cellular biochemistry, 99*(3), 824-834.

Timmons, J. A., Wennmalm, K., Larsson, O., Walden, T. B., Lassmann, T., Petrovic, N., . . . Baar, K. (2007). Myogenic gene expression signature establishes that brown and white adipocytes originate from distinct cell lineages. *Proceedings of the National Academy of Sciences, 104*(11), 4401-4406.

Tong, Q., & Hotamisligil, G. S. (2001). Molecular mechanisms of adipocyte differentiation. *Reviews in endocrine and metabolic disorders, 2*(4), 349-355.

Tsekouras, A., Mantas, D., Tsilimigras, D. I., Moris, D., Kontos, M., & Zografos, G. C. (2017). Comparison of the viability and yield of adipose-derived stem cells (ASCs) from different donor areas. *in vivo, 31*(6), 1229-1234.

Tzanavari, T., Giannogonas, P., & Karalis, K. P. (2010). TNF-α and obesity *TNF Pathophysiology* (Vol. 11, pp. 145-156): Karger Publishers.

Uccelli, A., Laroni, A., Brundin, L., Clanet, M., Fernandez, O., Nabavi, S. M., . . . Sellner, J. (2019). MEsenchymal StEm cells for Multiple Sclerosis (MESEMS): a randomized, double blind, cross-over phase I/II clinical trial with autologous mesenchymal stem cells for the therapy of multiple sclerosis. *Trials, 20*(1), 263.

Vaidya, H., Goyal, R. K., & Cheema, S. K. (2013). Anti-diabetic Activity of Swertiamarin is due to an Active Metabolite, Gentianine, that Upregulates PPAR-γ Gene Expression in 3T3-L1 cells. *Phytotherapy Research, 27*(4), 624-627.

Vaidya, H., Prajapati, A., Rajani, M., Sudarsanam, V., Padh, H., & Goyal, R. K. (2012). Beneficial Effects of Swertiamarin on Dyslipidaemia in Streptozotocin-induced Type 2 Diabetic Rats. *Phytotherapy Research, 26*(8), 1259-1261.

Vaidya, H., Rajani, M., Sudarsanam, V., Padh, H., & Goyal, R. (2009). Swertiamarin: A lead from Enicostemma littorale Blume. for anti-hyperlipidaemic effect. *European journal of pharmacology, 617*(1-3), 108-112.

van Baar, M. J., van Ruiten, C. C., Muskiet, M. H., van Bloemendaal, L., IJzerman, R. G., & van Raalte, D. H. (2018). SGLT2 inhibitors in combination therapy: from mechanisms to clinical considerations in type 2 diabetes management. *Diabetes care, 41*(8), 1543-1556.

Vanikar, A. V., & Trivedi, H. L. (2012). Stem cell transplantation in living donor renal transplantation for minimization of immunosuppression. *Transplantation, 94*(8), 845-850.

Vanikar, A. V., Trivedi, H. L., Gopal, S. C., Kumar, A., & Dave, S. D. (2014). Pre-transplant co-infusion of donor-adipose tissue derived mesenchymal stem cells and

hematopoietic stem cells may help in achieving tolerance in living donor renal transplantation. *Renal failure, 36*(3), 457-460.

Vanikar, A. V., Trivedi, H. L., Kumar, A., Gopal, S. C., Patel, H. V., Gumber, M. R., . . . Dave, S. D. (2014). Co-infusion of donor adipose tissue-derived mesenchymal and hematopoietic stem cells helps safe minimization of immunosuppression in renal transplantation–single center experience. *Renal failure, 36*(9), 1376-1384.

Vanikar, A. V., Trivedi, H. L., & Thakkar, U. G. (2018). Six years' experience of tolerance induction in renal transplantation using stem cell therapy. *Clinical Immunology, 187*, 10-14.

Vasan, S. K., & Thomas, N. (2012). Developmental origins of adult metabolic disease: the Indian scenario, driving toward a unified hypothesis. *Indian journal of endocrinology and metabolism, 16*(4), 493.

Vasu, V. T., Ashwinikumar, C., Maroo, J., Gupta, S., & Gupta, S. (2003). Antidiabetic effect of Enicostemma littorale Blume aqueous extract in newly diagnosed non-insulin-dependent diabetes mellitus patients (NIDDM): a preliminary investigation. *Oriental Pharmacy and Experimental Medicine, 3*(2), 84-89.

Vasu, V. T., Modi, H., Thaikoottathil, J. V., & Gupta, S. (2005). Hypolipidaemic and antioxidant effect of Enicostemma littorale Blume aqueous extract in cholesterol fed rats. *Journal of ethnopharmacology, 101*(1-3), 277-282.

Vijayvargia, R., Kumar, M., & Gupta, S. (2000). Hypoglycemic effect of aqueous extract of Enicostemma littorale Blume (chhota chirayata) on alloxan induced diabetes mellitus in rats.

Vizoso, F., Eiro, N., Cid, S., Schneider, J., & Perez-Fernandez, R. (2017). Mesenchymal stem cell secretome: toward cell-free therapeutic strategies in regenerative medicine. *International journal of molecular sciences, 18*(9), 1852.

Wajchenberg, B. L. (2000). Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome. *Endocrine reviews, 21*(6), 697-738.

Wang, L., Zhao, N., Zhang, J., Sun, Q., Yang, C., & Yang, P. (2018). Tumor necrosis factor-alpha inhibits osteogenic differentiation of pre-osteoblasts by downregulation of EphB4 signaling via activated nuclear factor-kappaB signaling pathway. *Journal of periodontal research, 53*(1), 66-72.

Wang, M., Yuan, Q., & Xie, L. (2018). Mesenchymal stem cell-based immunomodulation: properties and clinical application. *Stem cells international, 2018*.

Wang, R. N., Green, J., Wang, Z., Deng, Y., Qiao, M., Peabody, M., . . . Denduluri, S. (2014). Bone Morphogenetic Protein (BMP) signaling in development and human diseases. *Genes & diseases, 1*(1), 87-105.

Wang, Z., Oron, E., Nelson, B., Razis, S., & Ivanova, N. (2012). Distinct lineage specification roles for NANOG, OCT4, and SOX2 in human embryonic stem cells. *Cell stem cell, 10*(4), 440-454.

Wang, Z. V., & Scherer, P. E. (2016). Adiponectin, the past two decades. *Journal of molecular cell biology, 8*(2), 93-100.

White, U., & Ravussin, E. (2019). Dynamics of adipose tissue turnover in human metabolic health and disease. *Diabetologia, 62*(1), 17-23.

Wilding, J. P. (2018). Medication use for the treatment of diabetes in obese individuals. *Diabetologia, 61*(2), 265-272.

Wutz, A. (2013). Epigenetic Regulation of Stem Cells *Transcriptional and Translational Regulation of Stem Cells* (pp. 307-328): Springer.

Zainabadi, K., Liu, C. J., & Guarente, L. (2017). SIRT1 is a positive regulator of the master osteoblast transcription factor, RUNX2. *PloS one, 12*(5), e0178520.

Zhang, D.-m., Pang, X.-l., Huang, R., Gong, F.-y., Zhong, X., & Xiao, Y. (2018). Adiponectin, Omentin, Ghrelin, and Visfatin Levels in Obese Patients with Severe Obstructive Sleep Apnea. *BioMed research international, 2018*.

Zhang, T., Lin, S., Shao, X., Shi, S., Zhang, Q., Xue, C., . . . Cai, X. (2018). Regulating osteogenesis and adipogenesis in adipose-derived stem cells by controlling underlying substrate stiffness. *Journal of cellular physiology, 233*(4), 3418-3428.

Zhou, S., Tang, X., & Chen, H.-Z. (2018). Sirtuins and insulin resistance. *Frontiers in endocrinology, 9*.

Zhou, W., Lin, J., Zhao, K., Jin, K., He, Q., Hu, Y., . . . Liu, H. (2019). Single-Cell Profiles and Clinically Useful Properties of Human Mesenchymal Stem Cells of Adipose and Bone Marrow Origin. *The American journal of sports medicine*, 0363546519848678.

Zubkova, E. S., Beloglazova, I. B., Makarevich, P. I., Boldyreva, M. A., Sukhareva, O. Y., Shestakova, M. V., . . . Menshikov, M. Y. (2016). Regulation of adipose tissue stem cells angiogenic potential by tumor necrosis factor-alpha. *Journal of cellular biochemistry, 117*(1), 180-196.

Zvonic, S., Lefevre, M., Kilroy, G., Floyd, Z. E., DeLany, J. P., Kheterpal, I., . . . Wu, X. (2007). Secretome of primary cultures of human adipose-derived stem cells: modulation of serpins by adipogenesis. *Molecular & Cellular Proteomics, 6*(1), 18-28.