

TABLE OF CONTENTS

Chapter 1- General Introduction	1 – 26
Chapter 2- Materials and methods	27 – 46
Chapter 3- Characterization of chromomycin deletion mutant - JP1	47 – 67
Chapter 4 - PKS null mutant JP1 exhibits enhanced oxidative stress	68 – 95
Chapter 5 - Alteration in central carbon metabolism in chromomycin deletion JP1 mutant	96 – 115
Chapter 6 - <i>In vivo</i> relevance of antioxidant properties of chromomycin	116 – 134
Chapter 7 - Partial characterization of the chromomycin overproducer mutant - #OP	135 - 168
Appendix 1 - List of genes of chromomycin biosynthetic cluster from gene bank accession number KC249518.1*	169 – 175
Summary	176 – 180
Achievements	181 – 183
Publication	-

\

Chapter 1

1.1	General characteristics of <i>Streptomyces</i>	2
1.1.1	Actinomycetes phylogeny.....	2
1.1.2	<i>Streptomyces</i>	2
1.1.3	Genetic Characteristics of <i>Streptomyces</i>	2
1.1.4	Life Cycle of <i>Streptomyces</i>	4
1.1.5	Different phases of growth of Gram positive bacteria - <i>Streptomyces</i>	5
1.1.6	Differentiation in liquid culture	6
1.1.7	The programmed cell death in <i>Streptomyces</i>	6
1.1.8	New perspective on germination, hyphal growth and sporulation.....	6
1.1.8.1	Germination.....	6
1.1.8.2	Hyphal Growth	7
1.1.8.3	Division of cytoplasm of vegetative hyphae into compartments	7
1.1.8.4	Hydrophobic cover formation, septation and sporulation.....	7
1.2	Primary metabolism in <i>Streptomyces</i>	8
1.3	Secondary metabolism in <i>Streptomyces</i>	8
1.3.1	Polyketide Synthases	9
1.3.2	Types of polyketides.....	10
1.4	Regulation of antibiotic production	11
1.4.1	Transcriptional regulation of antibiotic production	11
1.4.2	Effect of amino acid limitation and ribosome mediated effect on antibiotic biosynthesis (effect of <i>relA</i> on antibiotic production)	12
1.4.3	Phosphate regulation of antibiotic production	12
1.4.4	Regulation of secondary metabolism by nitrogen.....	13
1.4.5	Control of antibiotic production by carbon source.....	13
1.4.6	Regulation of “cryptic polyketide” gene cluster	14
1.4.7	Regulation of antibiotic production by N-acetylglucosamine	14
1.4.8	<i>Streptomyces</i> Antibiotic Regulatory Proteins (SARPs)	15
1.5	<i>Streptomyces flaviscleroticus</i>: A producer of antibiotic chromomycin...	15
1.5.1	Chromomycin chemical structure and its mode of action	16
1.5.2	Chromomycin biosynthesis.....	17
1.5.2.1	PKS genes:	17
1.5.2.2	Genes involved in glycosylation.....	17
1.5.2.3	Regulation of chromomycin biosynthesis	18
1.5.2.4	Genes for self-resistance	18
1.6	References	19

Chapter 2

2.1	Bacterial strains and plasmids used are as listed in Table 2.1	28
2.2	Growth media and reagent preparation	29
2.2.1	Culture Media for <i>Streptomyces</i>	29
2.2.2	R2YE medium.....	29
2.2.3	Soyabean Mannitol Medium (SM).....	29
2.2.4	Tryptone Soya Broth (TSB).....	29
2.2.5	Buffered R4 medium (Minimal media)	30
2.2.6	Carbon/nitrogen ratio of minimal media:	30
2.3	Reagents for plasmid preparation	30
2.3.1	Alkaline lysis solution I (GTE).....	30
2.3.2	Alkaline lysis solution II.....	30
2.3.3	Buffered phenol.....	30
2.3.4	10 X Tris EDTA (TE), pH 8.0	30
2.3.5	Sodium Acetate (3 M, pH 5.2).....	31
2.4	Buffers.....	31
2.4.1	P (protoplast) buffer	31
2.4.2	T (Transformation) buffer.....	31
2.4.3	Tris – Maleic acid buffer	31
2.4.4	Running buffer: 50X TAE	31
2.5	List of antibiotics used are listed in Table 2.2	32
2.6	Experimental Procedures.....	32
2.6.1	Extraction of antibiotic chromomycin.....	32
2.6.2	Testing purity and concentration of chromomycin by HPLC.....	32
2.6.3	Southern hybridization and blotting	33
2.6.4	Quantitation of growth.....	33
2.6.5	Protein estimation.....	33
2.6.6	Viability measurements:	33
2.6.7	Measurement of minimum-inhibitory concentration (MIC) of chromomycin for JP1.....	34
2.6.8	Enzyme assay methods.....	34
2.6.9	Catalase enzyme activity	35
2.6.10	Alkyl hydroperoxidase reductase activity	35
2.6.11	Superoxide dismutase enzyme activity	35
2.6.12	Phosphofructo kinase enzyme activity	35
2.6.13	Aconitase enzyme activity	36

2.6.14	Glucose 6-Phosphate dehydrogenase activity and 6-Phosphogluconate dehydrogenase activity	36
2.6.15	NAD/NADP isocitrate dehydrogenase activity assay	36
2.6.16	Estimation of α -ketoglutarate.....	36
2.6.17	Quantification of intracellular Reactive Oxygen Species.....	36
2.6.18	Extracellular H ₂ O ₂ estimation	37
2.6.19	Extraction of intracellular NADPH for HPLC.....	37
2.6.20	HPLC conditions for NADPH	38
2.6.21	NADPH estimation by enzymatic cycling method	38
2.6.22	Determination of intracellular concentration of acetyl-CoA	38
2.6.23	Assay of <i>in vivo</i> role of chromomycin	39
2.6.24	Preparation of samples for RT-PCR for expression analysis of chromomycin biosynthesis genes:.....	39
2.6.25	Diamide and H ₂ O ₂ sensitivity test	40
2.6.26	<i>In vitro</i> antioxidant property of chromomycin.....	41
2.7	General methods.....	42
2.7.1	DNA ISOLATION	42
	Plasmid isolation from <i>E. coli</i> by alkali lysis method (23)	42
2.7.2	Introduction of DNA into cells	42
2.7.2.1	Electroporation in <i>E. coli</i>	42
	Electroporation	43
2.7.2.2	Transformation of <i>E. coli</i> using CaCl ₂ (23).....	43
2.7.3	Transformation in <i>Streptomyces</i>	43
2.7.3.1	Preparation of protoplasts.....	43
2.7.3.2	Conjugation between <i>E. coli</i> and <i>Streptomyces</i>	45
2.8	Genomic DNA library preparation.....	45
2.9	References	45

Chapter 3

3.1	Introduction	48
3.2	Results.....	49
3.2.1	Construction of PKS deletion mutant.....	49
3.2.2	Genetic evidence for the deletion of PKS genes	52
3.2.3	Structural characterization of the aromatic polyketide produced by <i>S. flaviscleroticus</i>	55
3.2.4	Unexpected phenotypes exhibited by chromomycin null-mutant JP1 ..	55
3.2.5	Construction of single gene mutant for chromomycin biosynthesis	56

3.2.6	Growth of the JP1 is slower than that of wild type	60
3.2.7	Chromomycin non-producer JP1 mutant loses viability early in stationary phase	60
3.3	Discussion.....	62
3.4	References.....	66

Chapter 4

4.1	Introduction	69
4.1.1	Generation of intracellular oxidative stress	69
4.1.2	Damage caused by ROS in cells	70
4.1.3	Role of iron in generating oxidative stress	72
4.1.4	Combating oxidative stress	72
4.1.5	Link between oxidative stress and viability of an organism.....	73
4.1.5.1	Stationary phase physiology in Gram negative <i>E. coli</i> bacteria.....	74
4.1.5.1.1	Different phases of growth of bacteria	74
4.1.5.1.2	Alterations in physiology and metabolism in stationary phase.....	74
4.1.5.1.3	Alteration in regulation of fatty acid degradative (<i>fad</i>) genes in stationary phase	76
4.1.5.1.4	Catabolic modulation during starvation.....	76
4.1.5.1.5	Role of autophagy during starvation	77
4.1.5.2	Response to oxidative stress in Gram positive – <i>Streptomyces</i>	78
4.1.5.2.1	Development program in Gram positive - <i>Streptomyces</i> is linked to oxidative stress	78
4.1.5.2.2	Adaptation to oxidative stress in gram positive bacteria	78
4.1.5.2.3	Oxidative stress regulatory sensor system	78
4.1.5.2.4	Single transcriptional regulator (OxyR and FurS)	79
4.1.5.2.5	Two component signal transduction systems (TCS)	79
4.1.5.2.6	Three component system	79
4.2	Results.....	80
4.2.1	Deletion of chromomycin biosynthesis genes is associated with oxidative stress in JP1 mutant.....	80

4.2.2	Status of antioxidant enzymes catalase(s) in JP1 mutant (activity and expression):	81
4.2.2.1	Catalase enzyme activity:	81
4.2.2.2	Interpretation of functional equivalents of catalase genes in <i>S. flaviscleroticus</i> by comparing with catalases identified from other <i>Streptomyces</i> :	82
4.2.2.3	Transcription analysis of catalase genes in WT and JP1 mutant	83
4.2.2.4	Analysis of H ₂ O ₂ inducible genes in <i>S. flaviscleroticus</i> wild type	84
4.2.2.5	Sensitivity of JP1 mutant to killing by H ₂ O ₂ in mid-log and stationary phase	85
4.2.2.6	Alkylhydroperoxidase enzyme activity	85
4.2.2.7	Superoxide Dismutase activity in WT and JP1	86
4.2.3	Reactive Oxygen Species measurement in WT, INT & JP1	86
4.2.4	Detection of extracellular H ₂ O ₂ production by JP1 mutant	88
4.3	Discussion	89
4.4	References	91

Chapter 5

5.1	Introduction	97
5.1.1	Influence of oxidative stress on central carbon metabolism	97
5.1.2	Combating ROS via ketoacid accumulation	98
5.1.3	Global metabolic changes in different organisms in response to oxidative stress	99
5.2	Results	101
5.2.1	JP1 fails to grow on mineral media with glucose as the sole carbon source	101
5.2.2	Glucose uptake defect is ruled out in JP1 mutant	102
5.2.3	Oxidative stress in JP1 mutant reconfigures central carbon metabolism	103
5.2.3.1	The glycolytic phosphofructokinase (PFK) activity and expression are deficient in JP1	103
5.2.3.2	Deciphering functional equivalents of <i>pfk</i> genes comparing genome sequence information of <i>S. flaviscleroticus</i> (Gene Bank Accession No. MAZZ00000000) and other <i>Streptomyces</i>	103
5.2.3.3	PFK activity measurement	104
5.2.3.4	Transcription analysis of <i>pfk</i> genes	104
5.2.3.5	Reduction in amounts of acetyl-CoA in JP1	105
5.2.3.6	Pentose Phosphate Pathway (PPP) in JP1 is upregulated.	105

5.2.3.7	Transcription analysis of glucose 6-phosphate dehydrogenase (<i>zwf</i>)	107
5.2.3.8	JP1 presents an impaired TCA cycle	107
5.2.4	<i>S. flaviscleroticus</i> preferentially utilizes amino acids as a carbon source over glucose and the effect of the preference on its tolerance to oxidative stress	109
5.3	Discussion.....	110
5.4	References.....	114

Chapter 6

6.1	Introduction.....	117
6.1.1	‘Secondary’ roles of secondary metabolites	117
6.1.2	Antibiotics show hormesis.....	118
6.1.3	Physiological roles of antibiotic to its producer organism	119
6.1.4	Cross talk between oxidative stress and secondary metabolism.....	121
6.2	Results.....	122
6.2.1	Chromomycin <i>in vitro</i> can act as antioxidant	122
6.2.1.1	DPPH assay	122
6.2.1.2	FRAP assay	123
6.2.1.3	Ferric ferrozine assay.....	123
6.2.2	Rescue functions of <i>ex vivo</i> supplementation of chromomycin.....	124
6.2.2.1	Chromomycin significantly enhances the viability of the JP1 mutant in the stationary phase.....	124
6.2.2.2	Chromomycin reduces the intracellular levels of the reactive oxygen species, NADPH and extracellular production of H ₂ O ₂	126
6.2.2.3	Chromomycin reverses the loss of activity/expression of PFK and catalase and activities of TCA cycle enzymes.....	126
6.2.3	Chromomycin biosynthesis genes are expressed early in the exponential phase of growth and induced by H ₂ O ₂ stress	128
6.2.4	Induction of chromomycin biosynthesis by external supplementation of H ₂ O ₂	129
6.3	Discussion:	130
6.4	References.....	132

Chapter 7

7.1	Introduction.....	136
7.1.1	Effect of alteration of primary metabolite on secondary metabolism .	136
7.1.2	Antibiotic overproduction.....	138
7.2	Results.....	140

7.2.1	Quantitation of growth rate of #OP and the wild type	140
7.2.2	Quantitation of antibiotic production by #OP in comparison to wild type on different growth media.....	141
7.2.3	Oxidative status of the overproducer mutant in comparison to the wild type.....	142
7.2.4	Metabolic alterations in #OP mutant: Glycolysis is upregulated in #OP	143
7.2.5	NADPH production is limited in #OP.....	144
7.2.6	Modification of apramycin by <i>aac3 (IV)</i> gene encoding the aminoglycoside acetyltransferase does not result in chromomycin overproduction	146
7.2.7	Cloning of apramycin resistance mutation	147
7.2.7.1	Genomic DNA library preparation of #OP	149
7.2.8	Attempt to uncover nature of apramycin resistance mutation	150
7.2.8.1	Generating other ribosome acting drug resistant mutants of #OP and their effect on the overproducer phenotype.....	150
7.2.8.2	Whole Genome sequencing of #OP.....	154
7.2.9	Assessing the prospect of apramycin resistance mutation for overproduction of important metabolites: construction of chromomycin non-producer mutant as a heterologous host.....	155
7.3	Discussion.....	157
7.4	References.....	165