Bibliography

Abassi, A. R., Hajirezaei, M., Hofius, D., Sonnewald, U. and Voll, L. M., (2007) Specific roles of a- and c-tocopherol in abiotic stress responses of transgenic tobacco. Plant Physiology, 143, 1720–1738.

Abba, E. J. and Lovato, A., (1999) Effect of seed storage temperature and relative humidity on maize (*Zea mays* L.) seed viability and vigour. Seed Science and Technology, 27(1), 101–114.

Abdellah, A. M. and Ishag, K. E. A., (2012) Effect of Storage Packaging on Sunflower Oil Oxidative Stability. Am J Food Technol., 7, 700-707.

Abdulhamid, A., Fakai, I. M., Sani, I., Warra, A. A., Bello, F. and Nuhu, B. G., (2013) Extraction, Physicochemical characterization and phytochemical screening of *Jatropha curcas* L. seed oil. J.Nat.Prod. Plant Resoures, 3(5), 26-30.

Abreu, L. A. D. S., Carvalho, M. L. M. D., Pinto, C. A. G., Kataoka, V. Y. and Silva, T. T. D. A., (2013) Deterioration of sunflower seeds during storage. Journal of Seed Science, 35(2), 240-247.

Achten, W. M. J., Verchot, L., Franken, Y. J., Mathijs, E., Singh, V. P., Aerts, R. and Muys, B., (2008) *Jatropha* bio-diesel production and use. Biomass and Bioenergy, 32(12), 1063-1084.

Adams, S., Vinkenoog, R., Spielman, M., Dickinson, H. G. and Scott, R. J., (2000) Parent -of-origin effects on seed development in *Arabidopsis thaliana* require DNA methylation. Development, 127(11), 2493–2502.

Adebowale, K. O. and Adedire, C. O., (2006) Chemical composition and insecticidal properties of underutilized *Jatropha curcas* seed oil. African Journal of Biotechnology, 5(10), 901-906.

Aderibigbe, A., Johnson, C., Makkar, H., Becker, K. and Foidl, N., (1997) Chemical composition and effect of heat on organic matter-and nitrogen-degradability and some anti nutritional components of *Jatropha* meal. Animal feed science and technology, 67(2), 223-243.

Adolf, W., Opferkuch, H. J. and Hecker. E., (1984) Irritant phorbol esters derivatives from four *Jatropha* species. Phytochemistry, 23(1), 129-132.

Aebi H, (1984) Catalase *in Vitro*. Method Enzym., 105, 121- 126.

Agaceta, L. M., Dumag, P.U., Batolos, J. A. and Bandiola, F.C., (1981) Studies on the control of snail vectors of fasciolasis. Molluscicidal activity of some indigenous plants. National Science Development Board (NSDB) Technology Journal, (Philippines), 6(2), 30-34.

Agamuthu, P., Abioye, O. P. and Aziz, A. A., (2010) Phytoremediation of soil contaminated with used lubricating oil using *Jatropha curcas*. Journal of Hazardous Materials, 179(1-3), 891-894.

Agarwal, A. K. and Das, L. M., (2001) Biodiesel development and characterization for use as a fuel in compression ignition engine. Journal of Engineering for Gas Turbines and Power, 123(2), 440–447.

Agarwal, A. K., (2006) Biofuels (alcohols and biodiesel) applications as fuels for internal combustion engines. Progress in Energy and Combustion Science, 33(3), 233–271.

Agbogidi, O. M. and Ekeke, E. A., (2011) *Jatropha curcas* Linn an important but neglected plant species in Nigeria. Journal of Biological and Chemical Research, 28(1), 52-62.

Agbogidi, O. M. and Eruotor, P. G., (2012) Morphological changes due to spent engine oil contamination and its heavy metal components of *Jatropha curcas* (Linn.) seedlings. In: Baby, S. and Sandhu, P.S. (eds) Proceedings of the International Conference on Bioscience, Biotechnology and Healthcare Sciences (ICBBHS) organized by Planetary Science Centre Research, December 14 and 15, Singapore. pp. 14-15.

Ahmadkhan, M. and Shahidi, F., (2000) Oxidative stability of stripped and non- stripped Borage and Evening primrose oils and their oil- in- water emulsions. (Doctoral dissertation, Memorial University of Newfoundland). Journal of the American Oil Chemistry Society, 77(9), 963-968.

Aiazzi, M. T., Arguello, J. A., Pe´rez, A. DiRienzo, J. and Guzman, C. A., (1997) Deterioration in *Atriplex cordobensis* (Gandoger et Stuckert) seeds: natural and accelerated ageing. Seed Science and Technology, l25, 147–155.

Ajayebi, A., Gnansounou, E. and Raman, J. K., (2013) Comparative life cycle assessment of biodiesel from algae and *Jatropha*: A case study of India. Bioresource technology, 150, 429-437.

Akbar, E., Yaakob, Z., Kamarudin, S. K., Ismail, M. and Salimon, J., (2009) Characteristic and composition of *Jatropha curcas* oil seed from Malaysia and its potential as biodiesel feedstock. European Journal of Scientific Research, 29(3), 396-403.

Akintayo, E. T., (2004) Characteristics and composition of *Parkia biglobbossa and Jatropha curcas* oils and cakes. Bioresource Technology, 92(3), 307-310.

Akminul Islam, A. K. M., Primandari, S. R. P., Yaakob, Z., Anuar, N. and Osman, M., (2013) The properties of *Jatropha curcas* L. seed oil from seven different countries, energy sources, part a: recovery, Utilization, and Environmental Effects, 35(18), 1698-1703.

Aliya, R., Zarina, A. and Shameel, M., (2009) Survey of fresh water Algae from Karachi. Pakistan, Pakistan Journal of Botany, 41(2), 861-870.

Aliyu, B. S., (2006) Some ethnomdicinal plants of the Savannah regions of West Africa: description and phytochemicals. Triumph Publishing Company Limited, Gidan.

Almansouri, M., Kinet, J. M. and Lutts, S., (2001) Effect of salt and osmotic stresses on germination in durum wheat (*Triticum durum* Desf.). Plant and soil, 231(2), 243-254.

Al-Mulali, U., Tang, C. F. and Ozturk, I., (2015) Estimating the environment Kuznets curve hypothesis: evidence from Latin America and the Caribbean countries, Renewable and Sustainable Energy Reviews, 50, 918–924.

American Standards for Testing Materials (ASTM D7042-11), (2011) Standard test method for dynamic viscosity and density of liquids by stabinger viscometer (and the calculation of kinematic viscosity) ASTM international, West Conshohocken, PA. www.astm.org.

American Standards for Testing of Materials (ASTM), (2003) D 189-01, D 240-02, D 4052-96, D 445-03, D 482- 74,D 5555-95, D 6751-02, D 93-02a, D 95-990, D 97-02.

Anonymous, (1959) The Wealth of India-Raw Material. Vol. 4, CSIR, New Delhi, pp. 293-297.

Arango, Y. and Heise, K. P., (1998) Localization of alpha-tocopherol synthesis in chromoplast envelope membranes of *Capsicum annuum* L. fruits. Journal Experimental Botany, 49(324), 1259–1262.

Arango, y. and Heise, K. P., (1998) Tocopherol synthesis from homogentisate in *Capsicum anuum* L. (yellow pepper) chromoplast membranes: evidence for tocopherol cyclase. Biochemical journal, 336(3), 531-533.

Arc, E., Galland, M., Cueff, G., Godin, B., Lounifi, I. Job, D. and Rajjou, L., (2011) Reboot the system thanks to protein post-translational modifications and proteome diversity: how quiescent seeds restart their metabolism to prepare seedling establishment. Proteomics, 11, 1606–1618.

Arc, E., Oge, L., Grappin, P. and Rajjou, L., (2011) Plant seed: A relevant model to study aging processes. The Field of Biological Aging: Past, Present and Future, 87–102.

Asada, K., (1999) The water–water cycle in chloroplast: scavenging of active oxygens and dissipation of excess photons. Annual Review of Plant Biology, 50(1), 601–639.

Ashok verghese., (1998) New and Renewable Energy Resources, Proceedings of International conference on Alternate Energy resources, Asian Institute of Technology, Thailand, pp. 403 – 410.

Ashtamker, C., Kiss, V., Sagi, M., Davydov, O. and Fluhr, R., (2007) Diverse sub cellular locations of cryptogenin-induced reactive oxygen species production in tobacco bright yellow-2 cells. Plant Physiology, 143(4), 1817–1826.

Association of Official Analytical Chemists (AOAC), (1975) Official methods of analysis. Association of Official Agricultural Chemists, 2nd ed. Washington D.C. 832.

Atadashi, I. M. Aroua, M. K. and Abdul Aziz, A., (2010) High quality biodiesel and its diesel engine application: a review. Renewable and Sustainable Energy Reviews, 14(7), 1999–2008.

Augustus, G. D. P.S., Jayabalan, M. and Seiler, G. J., (2002) Evaluation and bio induction of energy components of *Jatropha curcas*. Biomass and Bioenergy, 23(3), 161-164.

Azam, M. M., Waris, A. and Nahar, N. M., (2005) Prospects and potential of fatty acid methyl esters of some non-traditional seed oils for use as biodiesel in India. Biomass and Bioenergy, 29(4), 293–302.

Bailly, C., (2004) Active oxygen species and antioxidants in seed biology. Seed Science Research, 14(2), 93-109.

Bailly, C., Benamar, A., Corbineau, F. and Côme, D., (1998) Free radical scavenging as affected by accelerated ageing and subsequent priming in sunflower seeds. Physiologiae Plantarum, 104(4), 646–652.

Bailly, C., El-Maarouf-Bouteau, H. and Corbineau, F., (2008) From intracellular signaling networks to cell death: the dual role of reactive oxygen species in seed physiology. Comptes rendus biologies, 331(10), 806-814.

Balašević-Tubić, S., Malenčić, Đ., Tatić, M. and Miladinović, J., (2005) Influence of aging process on biochemical changes in sunflower seed. Helia, 28(42), 107-114.

Balesevic-Tubic, S., Tatic, M., Dordevic, Z., Nikolic, Z., Subic, J. and Dukic, V., (2011) Changes in soybean seeds as affected by accelerated and natural aging. Romanian Biotechnological Letters, 6(6), 6740-6747.

Bao, J., Sha, S. and Zhang, S., (2011) Changes in germinability, lipid peroxidation, and antioxidant enzyme activities in pear stock seeds during room-and low-temperature storage. Acta physiologiae plantarum, 33(5), 2035-2040.

Bar, H., Bhui, D. K., Sahoo, G. P., Sarkar, P., De, S. P. and Misra, A., (2009) Green synthesis of silver nanoparticles using latex of *Jatropha curcas*. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 339, 134-139.

Barcellona, M. L. and Gratton, E., (1990) The fluorescence properties of a DNA probe. European Biophysics Journal, 17(6), 315-323.

Barnett, T., Zwiers, F., Hegerl, G., Allen, M., Crowley, T., Gillett, N., Hasselmann, K., Jones P., Santer, B., Schnur, R., Scott, P., Taylor, K. and Tett, S., (2005) Detecting and attributing external influences on the climate system: A review of recent advances. Journal of climate, 18(9), 1291-1314.

Barreto, L. C. and Garcia, Q. S., (2017) Accelerated ageing and subsequent imbibition affect seed viability and the efficiency of antioxidant system in macaw palm seeds. Acta Physiologiae Plantarum, 39(3), 72.

Basra, S. M. A., Rehman, K. U. and Iqbal, S., (2000) Cotton Seed Deterioration: Assessment of some Physiological, and Biochemical Aspects, International Journal of Agriculture & Biology, 2(3), 195–198.

Bates, P. D., Stymne, S. and Ohlrogge, J., (2013) Biochemical pathways in seed oil synthesis. Curr Opin Plant Biol., 16, 358–364.

Begum, A. J., Jerlin, R. and Jayanthi, M., (2013) Seed quality changes during storage of oil seeds- A Review. International Journal of Scientific Research, 2(1), 1-2.

Berchmans, H. J. and Hirata, S., (2008) Biodiesel production from crude *Jatropha curcas* L. seed oil with a high content of free fatty acids. Bioresource Technology, 99(6), 1716-1721.

Bhagat, R. B. and Kulkarni, D. K., (2009) *Jatropha* nana Dalz. & Gibs. : A plant for future energy. Published in the net.

Bhattacharjee, S., (2005) Reactive oxygen species and oxidative burst: roles in stress, senescence and signal transduction in plants. Current Science India, 89, 1113−1121.

Bhattacharya, A., Datta, K. and Datta, S. K., (2005) Floral biology, floral resource constraints and pollination limitation in *Jatropha curcas* L. Pakistan Journal of Biological Sciences, 8(3), 456-460.

Bhattacharya, K. and Raha, S., (2002) Deteriorative changes of maize, groundnut and soybean seeds by fungi in storage. Mycopathologia, 155(3), 135-141.

Biabani, A., Boggs, L. C., Katozi, M. and Sabouri, H., (2011) Effects of seed deterioration and inoculation with *Mesorhizobium ciceri* on yield and plant performance of chickpea. Australian Journal of Crop Science, 5(1), 66-70.

Biedermann, S., Mooney, S. and Hellmann, H., (2011) Recognition and repair pathways of damaged DNA in higher plants. In Selected Topics in DNA Repair. Edited by Chen, C.C. In Tech Publishing, New York. pp. 201–236.

Bienert, G.P., Schjoerring, J.K. and Jahn, P.T., (2006) Membrane transport of hydrogen peroxide. Biochimica et Biophysica Acta, 1758, 994–1003.

Bode, A. M., Cunningham, I. and Rose, R. C., (1990) Spontaneous decay of oxidized ascorbic acid (dehydro-L ascorbicacid) evaluated by high-pressure liquid chromatography. Clinical Chemistry, 36(1), 1807-1809.

Bouaid, A., Martinez, Z. and Aracil, J., (2007) Long storage stability of biodiesel from vegetable and used frying oils. Fuel, 86(16), 2596–2602.

Boubriak, I., Polischuk, V., Grodzinsky, A. and Osborne, D. J., (2007) Telomeres and seed banks. Cytology and Genetics, 41(1), 18–24.

Bozbas, K., (2006) Biodiesel as an alternative motor fuel. Production and policies in the European Union. Renewable and Sustainable Energy Reviews, 12(2), 542-552.

Bra¨utigam, K., Vining, K. J. and Lafon-Placette, C., Fossdal, C. G., Mirouze, M., Marcos, J. G. and Johnsen, Ø., (2013) Epigenetic regulation of adaptive responses of forest tree species to the environment. Ecology and Evolution, 3(2), 399–415.

Brainina, K. Z., Ivanova, A. V., Sharafutdinova, E. N., Lozovskaya, E. L. and Shkarina, E. I., (2007) Potentiometry as a method of antioxidant activity investigation. Talanta, 71(1), 13–18.

Bray, C. M. and West, C. E., (2005) DNA repair mechanisms in plants: crucial sensors and effectors for the maintenance of genome integrity. New Phytology, 168(3), 511–528.

Brittaine, R. and Lutaladio, N., (2010) *Jatropha*: A Smallholder Bioenergy Crop: The Potential for Pro-Poor Development. Food and Agriculture Organization of the United Nations, Rome, Italy, ISBN-13: 9789251064382, p.96.

Brooker, J. D., Tomaszewski, M. and Marcus, A., (1978) Preformed messenger RNAs and early wheat embryo germination. Plant Physiology, 61(12), 145–149.

Buitink, J. and Leprince, O., (2008) Intracellular glasses and seed survival in the dry state. Comptes Rendus Biologies, 331(10), 788–795.

Burkill, H. M., (1994) The Useful Plants of West Tropical Africa. (Families EI). Royal Botanical Gardens, Kew, pp. 90-94.

Burton, G. W. and Ingold, K. U., (1989) Vitamin E as an *in vitro* and *in vivo* antioxidant. Ann. N.Y. Acad. Sci., 570, 7-22.

Byung, P. Y., Suescun, E. A. and Yang, S. Y., (1992) Effect of age-related lipid peroxidation on membrane fluidity and phospholipase A2: modulation by dietary restriction. Mechanism of Ageing and Development, 65(1), 17–33.

Capuano, F., Beaudoin, F., Napier, J. A. and Shewry, P. R., (2007) Properties and exploitation of oelosins, Biotechnology Advances, 25(2), 203-206.

Carvalho, C. R., Clarindo, W. R., Praca, M. M., Araujo, F.S. and Carels, N., (2008) Genome size, base composition and karyotype of *Jatropha curcas* L., an important biofuel plant. Plant Science, 174(6), 613-617.

Causevic, A., Delaunay, A. and Ounnar, S., (2005) DNA methylation and demethylation treatments modify phenotype and cell wall differentiation state in sugar beet cell lines. Plant Physiology and Biochemistry, 43(7), 681–691.

Cerchiara, T., Chidichimo, G., Ragusa, M. I., Belsito, E. L., Liguori, A. and Arioli, A., (2010) Characterization and utilization of Spanish Broom (*Spartium junceum* L.) seed oil. Industrial crops and products, 31(2), 423-426.

Chance, B. and Maehly A.C., (1955) Assay of catalases and peroxidases. In: Colowick, S.P. Kaplan, N.O. (Eds), Method in Enzymology. Academic Press, New York, 764-765.

Chapman, K. D. and Ohlrogge, J. B., (2012) Compartmentation of triacylglycerol accumulation in plants. Journal of Biological Chemistry, 287(4), 2288–2294.

Chapman, K. D., Dyer, J. M. and Mullen, R. T., (2012) Biogenesis and functions of lipid droplets in plants. Thematic review series: lipid droplet synthesis and metabolism from yeast to man. Journal of Lipid Research, 53(2), 215–226.

Cheah, K. S. E. and Osborne, D. J., (1978) DNA lesions occur with loss of viability in embryos of ageing rye seeds. Nature, 272(5654), 593–599.

Cheeseman, K. H., (1993) Mechanisms and effects of lipid peroxidation. Molecular Aspects of Medicine, 14(3), 191–197.

Chelikani, P., Fita, I. and Loewen, P. C., (2004) Diversity of structures and properties among catalases. Cellular and Molecular Life Sciences, 61(2), 192–208.

Chen, H. Y., Osuna, D., Colville, L., Lorenzo, O., Graeber, K., Ku¨ster, H., Leubner-Metzger, G. and Kranner, I., (2013) Transcriptome-Wide mapping of pea seed ageing reveals a pivotal role for genes related to oxidative stress and programmed cell death. PLoS one, 8(10), e78471.

Chen, H., Chu, P., Zhou, Y., Li, Y., Liu, J., Ding, Y. and Huang, S., (2012) Over expression of AtOGG1, a DNA glycosylase/AP lyase, enhances seed longevity and abiotic stress tolerance in *Arabidopsis*. Journal of Experimental Botany, 63(11), 4107–4121.

Chen, J. C., Tsai, C. C. and Tzen, J. T., (1999) Cloning and secondary structure analysis of caleosin, a unique calcium- binding protein in oil bodies of plant seeds. Plant and cell physiology, 40(10), 1079-1086.

Chew, S. C., Tan, C. P. and Nyam, K. L., (2017) Comparative study of crude and refined kenaf (*Hibiscus cannabinus* L.) seed oil during accelerated storage. Food Science and Biotechnology, 26(1), 63-69.

Chirchir, G. J., Mwangi, M., Nyamongo, D. O. and Gweyi-Onyango, J. P., (2017) Effects of genotype and agro-ecological conditions on storability of soybean [*Glycine max* (L.) Merr.] seed. Trophical Plant Research: An agricultural journal, 4(1), 126–133.

Choudhury, S. S. and Mandi, S. S., (2012) Natural ultra violet radiation on field grown rice (*Oryza sativa* L.) plants confer protection against oxidative stress in seed during storage under subtropical ambience. Environment Pollution, 1(2), 21–32.

Chua, A. C., Jiang, P. L., Shi, L. S., Chou, W. M. and Tzen, J. T., (2008) "Characterization of oil bodies in jelly fig achenes," Plant Physiology and Biochemistry, 46(5-6), 525–532.

Chuah, L. F., Yusup, S., Abd Aziz, A. R., Klemeš, J. J., Bokhari, A. and Abdullah, M. Z., (2016) Influence of fatty acids content in non-edible oil for biodiesel. Clean Technologies and Environmental Policies, 18(2), 473-482.

Cox, H. E. and D. Pearson., (1962) The Chemical Analysis of Foods, Chemical Publishing Co. INC, New York. pp. 420.

Das Gupta, D., Haque, M. E., Islam, M. N., Mondal, M. S. I. and Shibib, B. A., (2010) Antimicrobial and Cytotoxic activities of *Jatropha curcas* (Euphorbiaceae). Dhaka University Journal of Pharmaceutical Sciences, 9(2), 139-142.

Das, L. M., Bora D. K., Pradhan, S., K., Naik, M. K. and Naik, S. N., (2009) Long-term storage stability of biodiesel produced from Karanja oil. Fuel, 88, 2315–2318.

De Camargo, A. C., Vieira, T. M. F. D. S., Regitano-D'Arce, M. A. B., de Alencar, S. M., Calori-Domingues, M. A. and Canniatti-Brazaca, S. G., (2012) Gamma radiation induced oxidation and tocopherols decrease in in-shell, peeled and blanched peanuts. International Journal of molecular sciences, 13(3), 2827-2845.

De Gara, L., de Pinto, M. C., Moliterni, V. M. and d'Egidio, M. G., (2003) Redox regulation and storage processes during maturation in kernels of *Triticum durum*. Journal of Experimental Botany, 54(381), 249−258.

De La Rue du Can, S. and Price, L., (2008) Sectoral trends in global energy use and greenhouse gas emissions. Energy Policy, 36(4), 1386–1403.

De Oliveira, J. S., Leite, P. M., de Souza, L. B., Mello, V. M. and Silva, E. C., (2009). Characteristics and composition of *Jatropha gossypiifolia* and *Jatropha curcas* L. oils and application for biodiesel production. Biomass Bioenergy, 33(3), 449-453.

Debnath, M. and Bisen, P. S., (2008) *Jatropha curcas* L., a multipurpose stress resistant plant with a potential for ethno-medicine and renewable energy. Current pharmaceutical biotechnology, 9(4), 288-306.

Demirkaya, M., (2013) Relationships between antioxidant enzymes and physiological variations occur during ageing of pepper seeds. Horticulture, Environment, and Biotechnology, 54(2), 97-102.

Devasagayam, T. P. A., Boloor, K. K. and Ramasarma, T., (2003) Methods for estimating lipid peroxidation: an analysis of merits and demerits.

Devasagayam, T. P., Tilak, J. C., Boloor, K. K., Sane, K. S., Ghaskadbi, S. S. and Lele, R. D., (2004) Free radicals and antioxidants in human health: current status and future prospects. Japi., 52(794804), 4.

Doyle, J. J. and Doyle, J. L., (1990) Isolation of plant DNA from fresh tissue. Focus, 12, 13–15.

Draganić, I., Lekić, S., Branković, T. and Todorović, G., (2011) Fatty acids and tocopherol content in sunflower seeds affected by accelerated ageing and priming with antioxidant solutions. Turkish Journal of Field Crops, 16(2), 100-104.

Dringen, R., Pawlowski, P. G. and Hirrlinger, J., (2005) Peroxide detoxification by brain cells. Journal of Neuroscience Research, 79(1-2), 157–165.

Duke, J. A., (1994) Biologically active compounds in important species. In: Charalambous, E. ed. Spices, herbs and edible fungi. Elsevier Science Oxford. pp. 225-250.

Duke, J. A., (2002) Handbook of medicinal herbs. 2nd Edition, Boca Raton, CRC Press.

Dunn Robert, O., (2008) Effect of temperature on the oil stability index (OSI) of biodiesel. Energy and Fuels, 22(1), 657–662.

Dure, L. and Waters, L., (1965) Long-lived messenger RNA: evidence from cottonseed germination. Science 147(3656), 410–412.

Edeoga, H. O., Okwu, D. E. and Mbaebre, B. O., (2005) Phytochemical constituents of some Nigerian plants. African Journal of Biotechnology, 4(7), 685-688.

El Kinawy, O. S., (2009) Characterization of Egyptian *Jatropha* Oil and Its Oxidative Stability, Energy Sources, Part A: Recovery, Utilization, and Environmental Effects, 32(2), 119-127.

El-Maarouf-Bouteau, H., Mazury, C., Corbineau, F. and Bailly, C., (2011) DNA alteration and programmed cell death during ageing of sunflower seed. Journal of Experimental Botany, 62(14), 5003–5011.

Emanuel, N. M. and Lyaskovskaya, Y. N., (1967) The Inhibition of Fat Oxidation Processes. Pergamon Press Ltd., Headington Hill Hall, Oxford 4 & 5 Fitzroy Square, London.

Environmental Protection Agency, Causes of Climate Change, (2016) Retrieved from http://www3.epa.gov/climatechange/science/causes.html#ref2.

Esterbauer, H and Cheeseman, K. H., (1990) Determination of aldehydic lipid peroxidation products: malonaldehyde and 4-hydroxynonenal. Methods in Enzymology, 186, 407–421.

Esterbauer, H., Dieber-Rotheneder, M., Waeg, G., Striegl, G. and Juergens, G., (1990) Biochemical structural and functional properties of oxidized low-density lipoprotein. Chemical research in toxicology, 3(2), 77-92.

Fairless, D., (2007) Biofuel: The little shrub that could-maybe. Nature News, 449(7163), 652-655.

Falk, J. and Munne´-Bosch, S., (2010) Tocochromanol functions in plants: antioxidant and beyond. Journal of Experimental Botany, 61(6), 1549–1566.

Fantazzini, T. B., Rosa, D. V. F. D., Pereira, C. C., Pereira, D. D. S., Cirillo, M. Â. and Ossani, P. C., (2018). Association between the artificial aging test and the natural storage of coffee seeds. Journal of Seed Science, 40(2), 164-172.

Farooqui, A. A. and Horrocks, L. A., (1998) Lipid peroxides in the free radical pathophysiology of brain diseases. Cellular and Molecular Neurobiology, 18(6), 599–608.

Fleming, M. B., Patterson, E. L., Reeves, P. A., Richards, C. M., Gaines, T. A. and Walters, C. (2018) Exploring the fate of mRNA in aging Seeds: Protection, Destruction, or Slow Decay?. Journal of experimental botany, 68(9), 4309-4321.

Fleming, M. B., Richards, C. M. and Walters, C., (2017) Decline in RNA integrity of dry-stored soybean seeds correlates with loss of germination potential. Journal of Experimental Botany, 68(9), 2219-2230.

Focacci, A., (2005) Empirical analysis of the environmental and energy policies in some developing countries using widely employed macroeconomic indicators: the cases of Brazil, China and India. Energy Policy, 33(4), 543–554.

Fojas, F. R., Garcia, L. L., Venzon, E. L., Sison, F. M., Villanueva, B. A., Fojas, A. J. and Llave, I., (1986) Pharmacological studies on *Jatropha curcas* as a possible source of anti-arrhythmic (beta-blocker) agent. Philippians Journal of Sciences. 115(4), 317-328.

Fotouo-M, H., du Toit, E. S. and Robbertse, P. J., (2016) Effect of storage conditions on *Moringa oleifera* Lam. seed oil: Biodiesel feedstock quality. Industrial Crops and Products, 84, 80-86.

Fotouo-M, H., Vorster, J., du Toit, E. S. and Robbertse, P. J., (2018) The effect of natural long-term packaging methods on antioxidant components and malondialdehyde content and seed viability *Moringa oleifera* oilseed. South African Journal of Botany.

Foyer, C. H., Descourvières, P. and Kunert, K. J., (1994) Protection against oxygen radicals: An important defence mechanism studied in transgenic plants. Plant, Cell, and Environment, 17(5), 507–523.,

Foyer, C. H., Lo´ pez-Delgado, H., Dat, J. and Scott, I. M., (1997) Hydrogen peroxide and glutathione-associated mechanisms of acclimatory stress tolerance and signalling. Physiologia Plantarum, 100(2), 241–254.

Francis, A. and Coolbear, P., (1984) Changes in the membrane phospholipid composition of tomato seeds accompanying loss of germination capacity caused by controlled deterioration. Journal of Experimental Botany, 35(12), 1764-1770.

Franklin T. Bonner., (2008) Storage of seeds (chapter 4), in the woody plant seed manual, United state Department of Agriculture, Forest service, Agricultural hand book, 1223, pp. 727.

Freitas, R. A., Dias, D. C. F. S., Dias, L. A. S. and Oliveira, M. G. A., (2006) Alterações fisiológicas e bioquímicas emsementes de algodão submetidas ao envelhecimentoartificial. Bioscience Journal, Uberlândia, 22(1), 67-76.

Fridovich, I., (1995) Superoxide radical and superoxide dismutases. Annual Review of Biochemistry, 64(1), 97–112.

Friedlingstein, P., (2008) A steep road to climate stabilization. Nature, 451(7176), 297-298.

Fuster, M. D., Lampi, A. M., Hopia, A. and Kamal-Eldin, A., (1998) Effects of alfa- and gamma-tocopherol on the autoxidation of purified sunflower triacylglycerols. Lipids, 33(7), 715–722.

Galland, M., Huguet, R., Arc, E., Cueff, G., Job, D. and Rajjou, L., (2014) Dynamic proteomics emphasizes the importance of selective mRNA translation and protein turnover during *Arabidopsis* seed germination. Molecular and Cellular Proteomics, 13(1), 252–268.

Garcia, R. P. and Lawas, P., (1990) Note: Potential plant extracts for the control of *Azolla* fungal pathogens. Philippians Agricultural, 73(3/4), 343-348.

Garnczarska, M., Bednarski, W. and Jancelewicz, M., (2009) Ability of lupine seeds to germinate and to tolerate desiccation as related to changes in free radical level and antioxidants in freshly harvested seeds. Plant Physiology and Biochemistry, 47(1), 56–62.

Gawrysiak-Witulska M., Siger A. and Nogala-Kalucka M., (2009) Degradation of tocopherols during near-ambient rapeseed drying. Journal of Food Lipids, 16(4), 524-539.

Gawrysiak-Witulska M., Siger A., Wawrzyniak J. and Nogala-Kałucka M., (2011) Changes in tocochromanol content in seeds of *Brassica napus* L. during adverse conditions of storage. Journal of American Oil Chemists' Society, 88(9), 1379-1385.

Gawrysiak-Witulska, M., Siger, A. and Rusinek, R., (2016) Degradation of tocopherols during rapeseed storage in simulated conditions of industrial silos. International Agrophysics, 30(1), 39-45.

Gawrysiak-Witulska, M., Siger, A., Rudzińska, M., Stuper-Szablewska, K. and Rusinek, R., (2018) Effect of self-heating on the processing quality of rapeseed. International Agrophysics, 32(3), 313-323.

Gehring, M., Bubb, K. L. and Henikoff, S., (2009) Extensive demethylation of repetitive elements during seed development underlines gene imprinting. Science, 324(5933), 1447–1451.

Genfa, Z. and Dasgupta, P. K., (1992) Haematin as a peroxidise substitute in hydrogen peroxide determinations. Analytical Chemistry, 64(5), 517–522.

Ghasemnezhad, A. and Honermeier, B., (2007) Seed yield, oil content and fatty acid composition of *Oenothera biennis* L. affected by harvest date and harvest method. Industrial crops and products, 25(3), 274-281.

Ghasemnezhad, A. and Honermeier, B., (2009) Influence of storage conditions on quality and viability of high and low oleic sunflower seeds. International Journal of Plant Production, 3(4), 39-48.

Ghassemi-Golezani, K., Bakhshy, J., Raey, Y. And Hossainzadeh-Mahootchy, A., (2010) Seed Vigor and Field Performance of Winter Oilseed Rape (*Brassica napus* L.) Cultivars. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 38(3), 146-150.

Ghirardi, M. L., Togasaki, R. K. and Seibert, M., (1997) Oxygen sensitivity of algal H_2-production. Applied Biochemistry and Biotechnology, 63(1), 141-151.

Gidrol, X., Serghini, H., Noubhani, A., Mocouot, B. and Mazliak, P (1989). Biochemical changes induced by accelerated aging in sunflower seeds. I. Lipid peroxidation and membrane damage. Physiologia Plantarum, 76(4), 591-597.

Gidrol, X. A., Noubhani, B., Mocquot, A., Fournier, and Pradet, A., (1998) Effect of accelerated aging on protein synthesis in two legume seeds. Plant Physiology and Biochemistry, 26(3), 281-288.

Giera, M., Lingeman, H. and Niessen, W. M. A., (2012) Recent advancements in the LC- and GC-based analysis of malondialdehyde (MDA): a brief overview. Chromatographia, 75(9-10), 433–440.

Gill, L. S., (1992) Ethnomedical uses of plants in Nigeria. *Benin:* Uniben Press.

Gill, S. S. and Tuteja, N., (2010) Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. Plant Physiology and Biochemistry, 48(12), 909–930.

Goel, A., Goel, A. K. and Sheoran, I. S., (2003) Changes in oxidative stress enzymes during artificial aging in cotton (*Gossypium hirsutum* L.) seeds. Journal of Plant Physiology, 160(9), 1093–1100.

Goel, A. and Sheoran, I. S., (2003) Lipid peroxidation and peroxide-scavenging enzymes in cotton seeds under natural ageing. Biologia plantarum, 46(3), 429-434.

Goffman, F. D. and Mollers C., (2000) Changes in tocopherol and plastochromanol-8 contents in seeds and oil of oilseed rape (*Brassica napus* L.) during storage as influenced by temperature and air oxygen. Journal of Agriculture and Food Chemistry, 48(5), 1605-1609.

González, J. D., Benitez Fernández, B. and Soto Carreño, F., (2012) Influência de diferentes métodos de conservación en la germinación de semillas de palma areca (*Dypsis lutescens*, H. Wendel). Cultivos Tropicales, 33(2), 56-60. 2012.

Gopalakrishnan, N., Cherian, G. and Sim, J. S., (1996) Chemical changes in the lipids of canola and flax seed during storage. Fett/Lipid, 98(5), 168-171.

Góth, L., Rass, P. and Páy, A., (2004) Catalase enzyme mutations and their association with diseases. Molecular Diagnosis, 8(3), 141–149.

Gubitz, G. M., Mittelbach, M. and Trabi, M., (1999) Exploitation of the tropical oil seed plant *Jatropha curcas* L. Bioresources Technology, 67(1), 73-82.

Gulla, S. and Waghray, K., (2011) Effect of storage on physic-chemical characteristics and fatty acid composition of selected oil blends. Journal of life Sciences, 3(1), 35–46.

Gupta, R. C. and Rao, G., (2008) Effect of storage time on yield and free fatty acid (FFA) content on raw *Jatropha* oil. In: XXXII National Systems Conference, NSC December, 17–19.

Hajduch, M., Matusova, R., Houston, N. L. and Thelen, J. J., (2011) Comparative proteomics of seed maturation in oilseeds reveals differences in intermediary metabolism. Proteomics, 11(9), 1619–1629.

Halder, S. and Gupta, K., (1980) Effect of storage of sunflower seeds in high and low relative humidity on solute leaking and internal biochemical changes. Seed Sci. and Technol., 8, 317-321.

Halliwell, B., (2006) Oxidative stress and neuro degeneration: where are we now? J Neurochem., 97:1634–1658.

Halliwell, B., (2006) Reactive Species and Antioxidants. Redox Biology Is a Fundamental Theme of Aerobic Life, Plant Physiology, 141(2), 312-322.

Halliwell, B., and Gutteridge, J. M., (1984) Oxygen toxicity, oxygen radicals, transition metals and disease. The Biochemical journal, 219(1), 1.

Harhar, H., Gharby, S., Guillaume, D. and Charrouf, Z., (2010) Effect of argan kernel storage conditions on argan oil quality. Europen Journal of Lipid Science and Technology, 112(8), 915–920.

Heath, R L. and Packer, L., (1968) Photoperoxidation in isolated chloroplasts I. Kinetics and stoichiometry of fatty acid peroxidation. Archives in Biochemistry and Biophysics, 125, 189–198.

Heller, J., (1996) Physic nut *Jatropha curcas* Linn, promoting the conservation and use of underutilized and neglected crops. Ph.D. Thesis, Institute of Plant Genetics and Crops Plant Research, Gatersleben International Plant Genetics Resource, Institute, Rome, Italy.

Henning, R. K., (2007) Using the indigenous knowledge of *Jatropha*. Indigenous Knowledge Notes, 47, 1-4.

Horn, P. J., James, C. N., Gidda, S. K., Kilaru, A., Dyer, J. M. and Mullen, R. T., (2013) Identification of a new class of lipid droplet-associated proteins in plants. Plant Physiology, 162(4), 1926–1936.

Hsieh, K. and Huang, A. H. C., (2004) Endoplasmic reticulum, oleosins, and oil in seeds and tapetum cells, Plant Physiology, 136(3), 3427-3434.

Hu, D., Ma, G., Wang, Q., Yao, J. H., Wang, Y., Pritchard, H. and Wang, X., (2012) Spatial and temporal nature of reactive oxygen species production and programmed cell death in elm (*Ulmus pumila* L.) seeds during controlled deterioration. Plant, Cell and Environment, 35(11), 2045–2059.

Hu, X., Bidney, D. L., Yalpani, N., Duvick, J. P., Crasta, O., Folkerts, O. and Lu, G., (2003) Over expression of a gene encoding hydrogen peroxide-generating oxalate oxidase evokes defense responses in sunflower. Plant Physiology, 133(1), 170–181.

Hu, Z., Wang, X., Zhan, G., Liu, G., Hua, W. and Wang, H., (2009) Unusually large oil bodies are highly correlated with lower oil content in *Brassica napus*. Plant Cell Reports, 28(4), 541-549.

Huang, A. H. C., (1992) Oil bodies and oleosins in seeds. Annual Review of plant Biology, 43(1), 177–200.

Huang, A. H., (1996) Oleosins and oil bodies in seeds and other organs, Plant Physiology, 110(4), 1055-1061.

Huschka, R., Neumann, O., Barhoumi, A. and Halas, N. J., (2010) Visualizing light-triggered release of molecules inside living cells. Nano letters, 10(10), 4117-4122.

Hussein, H. J., (2011) Effect of accelerated aging conditions on viability of sunflower (*Helianthus annus* L.) seeds. Euphrates Journal of Agriculture Science, 3(3), 123-136.

Igbinosa, O. O., Igbinosa, E. O. and Aiyegoro, O. A., (2009) Antimicrobial activity and phytochemical screening of stem bark extracts from *Jatropha curcas* (Linn). African Journal of Pharmacy and Pharmacology, 3(2), 58-62.

Ighodaro, O. M. and Akinloye, O. A., (2017) First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their

fundamental role in the entire antioxidant defence grid. Alexandria Journal of Medicine, 54(4), 287-293.

International energy Agency, Global energy and CO2 status report – 2017, (2018), OECD/IEA, weo@iea.org.

Iqbal, N. A., Shahzad, M., Basra and Khalil Ur Rehman., (2002) Evaluation of vigour and oil quality in cottonseed during accelerated ageing. International Journal of Agricultural and Biology, 4(3), 318-322.

Irwin Fridovich, (1995) Superoxide radicals and superoxide dismutases. Annual review of Biochemistry, 64(1), 97-112.

Isnardy, B., Wagner, K. H. and Elmadfa, I., (2003) Effects of alpha, gamma and delta tocopherols on the autoxidation of purified rapeseed oil triacylglycerols in a system containing low oxygen. Journal of Agriculture and Food Chemistry, 51(26), 7775–7780.

ISTA., (2009) International Seed Testing Association. International Rules for Seed Testing. Basserdorf, Switzerland: International Seed Testing Association.

Jain, S. and Sharma, M. P., (2010) Stability of biodiesel and its blends: a review. Renewable and Sustainable Energy Reviews, 14(2), 667–678.

Jain, S. and Sharma, M. P., (2014) Effect of metal contents on oxidation stability of biodiesel/diesel blends. Fuel, 116, 14–18.

Jamil, S., Abhilash, P. C., Singh, N. and Sharma, P.N., (2009) *Jatropha curcas*: A potential crop for phytoremediation of coal fly ash. Journal of Hazardous Materials, 172(1), 269-275.

Jha, T. B., Mukherjee, P. and Datta, M. M., (2007) Somatic embryogenesis in *Jatropha curcas* L., an important biofuel plant. Plant Biotechnology Reports, 1(3), 135-140.

Jiang, M. and Zhang, J., (2003) Cross-talk between calcium and reactive oxygen species originated from NADPH oxidase in abscisic acid-induced antioxidant defence in leaves of maize seedlings. Plant, Cell and Environment, 26(6), 929–939.

Jingura, R. M., (2011) Technical options for optimization of production of *Jatropha* as a biofuel feedstock in arid and semi-arid areas of Zimbabwe. Biomass and Bioenergy, 35(5), 2127-2132.

Job, C., Rajjou, L., Lovigny, Y., Belghazi, M. and Job, D., (2005) Patterns of protein oxidation in *Arabidopsis* seeds and during germination. Plant Physiology, 138(2), 790–802.

Joseph, P. and Srivastava, S. K., (1995) Photoregulation of diamine oxidase from pea seedlings. J. Plant Physiol., 146: 108.

Joseph, P., Datta, S. and Srivastava, S. K., (1996) Photoregulation of polyamine oxidase from maize seedlings. Physiol. Mol. Biol. Plant, 2, 163- 168.

Joubert, P. H., Brown, J. M., Hay, I. T. and Sebata, P. D., (1984) Acute poisoning with *Jatropha curcas* (purging nut tree) in children. South African Medical Journal, 65(18), 729-730.

Juan, J. C., Kartika, D. A., Wu, T.Y. and Hin, T.Y.Y., (2011) Biodiesel production from *Jatropha* oil by catalytic and non-catalytic approaches: An overview. Bioresource Technology, 102(2), 452-460.

Jung, M.Y. and Min, D. B., (1990) Effects of alpha-gamma-delta-tocopherols on oxidative stability of soybean oil. Journal of Food Science, 55(55), 1464–1465.

Kaewnaree, P., Vichitphan, S., Klanrit, P., Siri, B. and Vichitphan, K., (2011) Effect of accelerated aging on seed quality and biochemical changes in sweet pepper seeds. Biotechnology, 10(2), 175 – 182.

Kamal-Eldin, A. and Appelqvist, L-A., (1996) The chemistry and antioxidant properties of tocopherols and tocotrienols. Lipids, 31(7), 671–701.

Kamal-Eldin, A., (2006) Effect of fatty acids and tocopherols on the oxidative stability of vegetable oils. European Journal of Lipid Science and Technology, 108(12), 1051–1061.

Kapoor, N., Arya, A., Siddiqui, M. A., Amir, A. and Kumar, H., (2010) Seed deterioration in chickpea (*Cicer arietinum* L.) under accelerated aging. Asian J. Plant Sci., 9(3), 152-162.

Kapoor, N., Arya, A., Siddiqui, Mohd. A., Kumar, H. and Amir, A., (2011) Physiological and biochemical changes during seed deterioration in aged seeds of rice (*Oryza sativa* L.). American Journal of plant physiology, 6(1), 28-35.

Karmakar, A., Karmakar, S. and Mukherze, S., (2010) Properties of various plants and animals feed stocks for biodiesel production. Bioresource Technology, 101(19), 7201–7210.

Karuppanapandian, T., Moon, J. C., Kim, C., Manoharan, K., and Kim, W., (2011) Reactive oxygen species in plants: their generation, signal transduction, and scavenging mechanisms. Australian Journal of Crop Science, 5(6), 709.

Kates, M., (1986) Techniques in Lipodology. Isolation and Identification of Lipids. In laboratory techniques in Biochemistry and Molecular Biology, 2nd ed, Elsevier, New York.

Kermode, A. R. and Finch Savage, B. E., (2002) Desiccation sensitivity in orthodox and recalcitrant seeds in relation to development, in: M. Black, H.W. Pritchard (Eds.), Desiccation and Survival in Plants: Drying without Dying. CABI Publishing, Wallingford, 149–184.

Khatun, A., Kabir, G., and Bhuiyan, M. A. H., (2009) Effect of harvesting stages on the seed quality of Lentil (*Lens culinaris* L.) during storage. Bangladesh Journal of Agricultural Research, 34(4), 565-576.

Kibinza, S., Bazina, J., Bailly, C., Farrant, J. M., Corbineaua, O. and Bouteaua, H., (2011) Catalase is a key enzyme in seed recovery from ageing during priming. Plant Science, 181(3), 309–315.

Kibinza, S., Vinel, D., Coˆme, D., Bailly, C. and Corbineau, F., (2006) Sunflower seed deterioration as related to moisture content during ageing, energy metabolism and active oxygen species scavenging. Physiologia Plantarum, 128(3), 496–506.

Kindle, K. L., (1987). Expression of a gene for a light-harvesting chlorophyll a/b-binding protein in *Chlamydomonas reinhardtii*: effect of light and acetate. Plant molecular biology, 9(6), 547-563.

King, A. J., He, W., Cuevas, J. A., Freudenberger, M., Ramiaramanana, D. and Graham, I., (2009) Potential of *Jatropha curcas* as a source of renewable oil and animal feed. Journal of experimental botany, 60(10), 2897-2905.

Knight, J. A., Pieper, R. K. and McClellan, L., (1988) Specificity of the thiobarbituric acid reaction: its use in studies of lipid peroxidation. Clinical Chemistry, 34(12), 2433-2438.

Knothe, G., (2002) Structure indices in FA chemistry. How relevant is the iodine value? Journal of the American Oil Chemists' Society, 79(9), 847–853.

Knothe, G., (2005) Dependence of biodiesel fuel properties on the structure of fatty acid alkyl esters. Fuel Processing Technology, 86(10), 1059–1070.

Knothe, G., (2006) Analyzing biodiesel: standards and other methods. Journal of American Oil Chemists' Society, 83(10), 823–833.

Knothe, G., (2007) Some aspects of biodiesel oxidative stability. Fuel Processing Technology, 88(7), 669–677.

Kojo, S., (2004) Vitamin C: basic metabolism and its function as an index of oxidative stress. Current medicinal chemistry, 11(8), 1041-1064.

Koltin, D., Uziel, Y., Schneidermann, D., Kotzki, S., Wolach, B. and Fainmesser, P., (2006) A case of *Jatropha multifida* poisoning resembling organophosphate intoxication. Clinical Toxicology, 44(3), 337-338.

Kranner, I., Chen, H., Pritchard, H. W., Pearce, S. R. and Birtić, S., (2011) Inter-nucleosomal DNA fragmentation and loss of RNA integrity during seed ageing. Plant Growth Regulation, 63(1), 63–72.

Krieger-Liszkay, A. and Trebst, A., (2006) Tocopherol is the scavenger of singlet oxygen produced by the triplet states of chlorophyll in the PSII reaction centre. Journal of Experimental Botany, 57 (8), 1677–1684.

Krishnamurty, K V., (1988) Methods in the plant histochemistry. Vishwanandan Pvt. Limited; Madras, 1-74.

Kulkarni, M. G. and Dalai, A. K., (2006) Waste cooking oil an economical source for biodiesel: a review. Industrial and Engineering Chemistry Research, 45(9), 2901–2913.

Kumar, A. and Sharma, S., (2008) An evaluation of multipurpose oil seed crop for industrial uses: A Review. Industrial Crops and Products, 28(1), 1-10.

Kumar, D. and Mishra, D. K., (2014) Variability in permeability and integrity of cell membrane and depletion of food reserves in neem (*Azadirachta indica*) seeds from trees of different age classes. J Forestry Research, 25(1), 147–153.

Larrauri J A., Ruperez, P., Bravo L. and Saura-Calixto, F., (1996) High dietary fibre powders from orange and lime peels: Associated polyphenols and antioxidant capacity. Food Res. Intern, 29(8): 757-762.

Lazar, S. L., Mira, S., Pamfil, D. and Martinez-laborde, J. B., (2014). Germination and electrical conductivity tests on artificially aged seed lots of 2 wall-rocket species. Turkish Journal of Agriculture and Forestry, 38(6), 857-864.

Lee, J., Lee, Y. and Choe, E., (2007) Temperature dependence of the autoxidation and antioxidants of soybean, sunflower, and olive oil. European Food Research and Technology, 226(1-2), 239–246.

Leprince, O., van Aelst, A. C., Pritchard, H. W. and Murphy, D. J., (1998) Oleosins prevent oil-body coalescence during seed imbibition as suggested by a low-temperature scanning electron microscope study of desiccation-tolerant and sensitive oilseeds. Planta, 204(1), 109-119.

Levin, Y., Sherer, Y., Bibi, H., Schlesinger, M., and Hay, E., (2000) Rare *Jatropha multifida* intoxication in two children. The Journal of Emergency Medicines, 19(2), 173-175.

Li, H., Geng, M., Liu, Q., Jin, C., Zhang, Q. and Chen, C., (2014) Characteristics of cytosine methylation statusand methyltransferase genes in the early development stage of cauliflower (*Brassica oleracea* L. var. botrytis). Plant Cell, Tissue and Organ Culture, 117(2), 187–199.

Li, L., Wang, X. L., Li, X. F. and Wang, N. L., (2010) A new compound with anti-oxidative activity from seeds of *Jatropha curcas*. Chinese Herbal Medicines, 2(4), 245-247.

Li, M., Murphy, D. J., Lee, K. K., Wilson, R., Smith, L. J. and Clark, D. C., and Sung, J. Y., (2002) Purification and structural characterization of the central hydrophobic domain of oleosin. The Journal of Biological Chemistry, 277(40), 37888-37895.

Li, Y., Wang, Y., Xue, H., Pritchard, H. W. and Wang, X., (2017) Changes in the mitochondrial protein profile due to ROS eruption during ageing of elm (*Ulmus pumila* L.) seeds. Plant Physiology and Biochemistry, 114, 72-87.

Lin, C Y. and Lee, J. C., (2010) Oxidative stability of biodiesel produced from the crude fish oil from the waste parts of marine fish. Journal of Food, Agriculture and Environment, 8(2), 992–995.

Lin, S. S., (1990) Alteracoes na lixiviacao eletrolítica, germinaco¸ e vigor da semente de fejao envelhecida sob alta umidade relativa do ar e alta temperatura. Revista Brasileira de Fisiologia Vegetal, 2, 1–6.

Lin, X., Wu, J., Zhu, R., Chen, P., Huang, G., Li, Y., Ye, N., Huang, B., Lai, Y., Zhang, H., Wanyu Lin, W., Lin, J., Wang, Z., Zhang, H., and Ruan, R., (2012) California almond shelf life: lipid deterioration during storage. J. Food Sci., 77, 583–593.

Lins, S. R. D. O., Moreira de Carvalho, M. L., das Gracas Cardoso, M., Miranda, D. H. and de Andrade, J., (2014) Physiological, enzymatic, and microstructural analyses of sunflower seeds during storage. Australian Journal of Crop Science, 8(7), 1038.

List, G. R., Wang, T. and Shukla, V. K., (2005) Storage, handling, and transport of oils and fats. In: Bailey's Industrial Oil and Fat Products. Macmillan, London, 146.

Liu, J., Gui, J., Gao, W., Ma, J. and Wang, Q., (2016) Review of the physiological and biochemical reactions and molecular mechanisms of seed aging. Acta Ecol. Sinica, 36, 4997–5006.

Liu, S., Dunwell, T. L., Pfeifer, G. P., Dunwell, J. M., Ullah, I. and Wang, Y., (2013) Detection of oxidation products of 5-methyl-29-deoxycytidine in *Arabidopsis* DNA. PLoS One, 8(12), e84620.

Lobo, V., Patil, A., Phatak, A. and Chandra, N., (2010) Free radicals, antioxidants and functional foods: impact on human health. Pharmacognosy Reviews, 4(8), 118.

Lowenson, J. D. and Clarke, S., (1992) Recognition of D-aspartyl residues in polypeptides by the erythrocyte L-isoaspartyl/D-aspartyl proteinmethyl transferase. Implications for the repair hypothesis. Journal of Biological Chemistry, 267(9), 5985–5995.

Lozano-Isla, F., Campos, M. L., Endres, L., Bezerra-Neto, E. and Pompelli, M. F., (2018) Effects of seed storage time and salt stress on the germination of *Jatropha curcas* L. Industrial Crops and Products, 118, 214-224.

Maeda, J. A., Razera, L. F., Lago, A. A. and Ungaro, M. R. G., (1986) Discrimination among sunflower seed lots by the accelerated aging test. Bragantia, 45(1), 133–141.

Mahjabin, S., Bilal, and A B Abidi., (2015) Physiological and biochemical changes during seed deterioration. International Journal of Recent Scientific Research, 6(4), 3416-3422.

Makwana, V., Shukla, P. and Robin, P., (2010) GA application induces alteration in sex ratio and cell death in *Jatropha curcas* L. Plant Growth Regulation,61(2), 121-125.

Mangkoedihardjo, S. and Surahmaida, (2008) *Jatropha curcas* L. for phytoremediation of lead and cadmium polluted soil. World Applied Science Journal, 4(4), 519-522.

Marklund, S, and Marklund, G., (1974) Involvement of the Superoxide Anion Radical in the Autoxidation of Pyrogallol and a convenient assay for superoxide dismutase. Eur J Biochem., 47, 469 – 474.

Marklund, S. L., (1984) Extracellular superoxide dismutase and other superoxide dismutase isoenzymes in tissues from nine mammalian species. Biochemical Journal, 222(3), 649–655.

Marroquin, E. A., Bainco, J. A., Granados, S., Caceres, A. and Morales, C., (1997) Clinical trial of *Jatropha curcas* sap in treatment of common warts. Fitoterapia, 68(2), 160-162.

Martin, C. and Northcote, D. H., (1981) Qualitative and quantitative changes in mRNA of castor beans during the initial stages of germination. Planta, 151(2), 189–197.

Martinez-Herrera, J. P., Siddhuraju, G., Francis, G., Davila-Ortiz, and Becker, K., (2006) Chemical composition, toxic/antimetabolic constituents, and effects of different

treatments on their levels, in four provenances of *Jatropha curcas* L. from Mexico. Food Chemistry, 96(1), 80-89.

Mathews, J., (2007) Seven steps to curb global warming. Energy Policy, 35(8), 4247–4259.

McDonald, M. B., (1999) Seed deterioration: physiology, repair and assessment. Seed Science Technology, 27, 177-237.

Mendonca, E.A.F., Azevedo, S.C., Guimarães, S.C., Albuquerque, M.C.F., (2008) Testes de vigor em sementes de algodoeiro herbáceo. Rev. Bras. Sem., 30, 1–9.

Meng, X., Yang, J., Xu, X., Zhang, L., Nie, Q. and Xian, M., (2009) Biodiesel production from oleaginous microorganisms. Renewable Energy, 34(1), 1–5.

Michalak, M., Plitta-Michalak, B. P., Naskręt-Barciszewska, M., Barciszewski, J., Bujarska-Borkowska, B. and Chmielarz, P., (2015) Global 5-methylcytosine alterations in DNA during ageing of *Quercus robur* seeds. Annals of botany, 116(3), 369-376.

Mira, S., Estrelles, E., González-Benito, M. E. and Corbineau, F., (2011) Biochemical changes induced in seeds of Brassicaceae wild species during ageing. Acta Physiologiae Plantarum, 33(5), 1803-1809.

Mitrovic, A., Ducic, T., Rajlic, I. L., Radotic, K. and Zivanovic, B., (2005) Changes in *Chenopodium rubrum* seeds with ageing. Annals of New York Academy of Sciences, 1048(1), 505–508.

Mittler, R., (2002) Oxidative stress, antioxidants and stress tolerance. Trends in Plant Science, 7(9), 405–410.

Mittler, R., Vanderauwera, S., Gollery, M. and Van Breusegem, F., (2004) Reactive oxygen gene network of plants, Trends in Plant Science, 9(10), 490–498.

Mohamed, H. M. A. and Awatif, I. I., (1998) The use of sesame oil unsaponifiable matter as natural antioxidant. Food Chemistry, 62(3), 269-276.

Mohammadi, H., Soltani, A., Sadeghipour, H. R. and Zeinali, E. (2012). Effects of seed aging on subsequent seed reserve utilization and seedling growth in soybean. International Journal of Plant Production, 5(1), 65-70.

Moller, I. M., (2001) Plant mitochondria and oxidative stress: electron transport, NADPH turnover, and metabolism of reactive species. Annual Review of Plant Biology, 52(1), 561–591.

Moller, I. M., Jensen, P. E. and Hansson, A., (2007) Oxidative modifications to cellular components in plants. Annual Review of Plant Biology, 58:459–481.

Moncaleano-Escandon, J., Silva, B. C., Silva, S. R., Granja, J. A., Alves, M. C. J. and Pompelli, M. F., (2013) Germination responses of *Jatropha curcas* L. seeds to storage and aging. Industrial Crops and Products, 44, 684-690.

Monyem, A. and Van Gerpen, J. H., (2001) The effect of biodiesel oxidation on engine performance and emissions. Biomass and Bioenergy, 20(4), 317–25.

Moon, J. and Shibamoto, T., (2009) Antioxidant assays for plants and food components. Journal of Agricultural and Food Chemistry, 57(5), 1655–1666.

Morello J. R., Motilva, M. J., Tovar, M. J. and Romero, M. P., (2004) Changes in commercial virgin olive oil (CVArbequina) during storage with special emphasis on the phenolic fraction. Journal of Food Chemistry, 85(3), 357-364.

Motlagh, Z. R. and Shaban, M., (2014) Effect of seed ageing in physiological traits of plants. Scientia Agriculture, 2(3), 126-129.

Muanza, D. N., Euler, K. L., Williams, L. and Newman, D. J., (1995) Screening for antitumor and anti-HIV activities of nine medicinal plants from Zaire. International Journal of Pharmacognosy, 33(2), 98-106.

Mudgett, M. B., Lowenson, J. D. and Clarke, S., (1997) Protein repair L-isoaspartyl methyltransferase in plants. Phylogenetic distribution and the accumulation of substrate proteins in aged barley seeds. Plant Physiology, 115(4), 1481–1489.

Muhammad, N., Bamishaiye, E., Bamishaiye, O., Usman, L., Salawu, M. O., Nafiu, M. O. and Oloyede, O., (2011) Physicochemical Properties and Fatty Acid Composition of *Cyperus esculentus* (Tiger Nut) Tuber Oil. Biores. Bull., 5, 51-54.

Munneé-Bosch, S., (2005) The role of α-tocopherol in plant stress tolerance. Journal of Plant Physiology, 162(5), 743–748.

Murthy, N. U. M., Liang, Y., Kumar, P. P. and Sun, W. Q., (2002) Non-enzymatic protein modification by Maillard reaction reduces the activity scavenging enzymes in *Vigna radiata*. Physiologia Plantarum, 115(2), 210-220.

Murthy, U. M. N., Kumar, P. P. and Sun, W. Q., (2003) Mechanisms of seed ageing under different storage conditions for *Vigna radiata* (L.) Wilczek: lipid peroxidation, sugar hydrolysis, Maillard reactions and their relationship to glass state transition. Journal of experimental Botony, 54(384), 1057-1067.

Nakabayashi, K., Okamoto, M., Koshiba, T., Kamiya, Y. and Nambara, E., (2005) Genome- wide profiling of stored mRNA in *Arabidopsis thaliana* seed germination: epigenetic and genetic regulation of transcription in seed. The plant journal, 41(5), 697-709.

Nath, L. K, and Dutta, S.K., (1992) Wound healing responses of the proteolytic enzyme curcain. Indian J. Pharmacol, 24, 114-115.

Nath, L. K. and Dutta, S. K., (1991) Extraction and purification of curcain, a protease from the latex of *Jatropha curcas* Linn. Journal of Pharmacy and Pharmacology, 43(2), 111-114.

National Policy on Biofuels, (2009) Government of India ministry of new and renewable energy.http://mnre.gov.in/file-manager/UserFiles/biofuel_policy.

Ndhlala, A., Moyo, M. and Van Staden, J., (2010) Natural antioxidants: fascinating or mythical biomolecules?. Molecules, 15(10), 6905-6930.

Neely, W. C., Martin, M. and Barker, S. A., (1988) Products and relative reaction rates of the oxidation of tocopherols with singlet molecular oxygen. Photochemistry Photobiology, 48(4), 423–428.

Neill, S., Desikan, R. and Hancock, J., (2002) Hydrogen peroxide signalling. Current opinion in Plant Biology, 5(5), 388–395.

Niki, E., (1993) Antioxidant defences in eukaryotic cells. In: Poli G, Albano, E., Dianzani, M. U., eds. Free radicals: from basic science to medicine. Basel, Switzerland: BirkhauserVerlag, 365–373.

Noctor, G., Veljoric-Jovanovic, S. D., Riscoll, S., Novitskaya, L. and Foyer, C. H., (2002) Drought and oxidative load in wheat leaves. A predominant role for photorespiration? Annals of Botony, 89(7), 841–850.

Ntaganda, J., Ndagijimana, A. and Benimana, O., (2014) Characterization of physical and chemical properties of biodiesel produced from *Jatropha curcas* seeds oil cultivated in Rwanda. Science Journal of Energy Engineering, 2(2), 8-12.

OECD/FAO (2016), “Biofuel”, in OECD-FAO, Agricultural outlook 2016-2025, OECD Publishing, Paris.

Ohlrogge, J. and Browse, J., (1995) Lipid biosynthesis. Plant Cell, 7(7), 957.

Openshaw, K., (2000) A review of *Jatropha curcas*: An oil plant of unfulfilled promise. Biomass and Bioenergy, 19(1), 1-15.

Oracz, K., El-Maarouf-Bouteau, H., Farrant, J., Cooper, K., Belgazhi, M., Job, C., Job, D., Corbineau, F. and Bailly, C., (2007) ROS production and protein oxidation as novel mechanism of seed dormancy alleviation, The Plant Journal, 50(3), 452–465.

Orozco-Ca´rdenas, M. L., Narvea´z-Va´squez, J. and Ryan, C. A., (2001) Hydrogen peroxide acts as a second messenger for the induction of defense genes in tomato plants in response to wounding, system in, and methyl jasmonate. The Plant Cell, 13(1), 179–191.

Osborne, D. J., (1994) DNA and desiccation tolerance. Seed Science and Research, 4, 175–185.

Osborne, D. J., (2000) Hazards of a germinating seed: available water and the maintenance of genomic integrity. Israel Journal of Plant Science, 48(3), 173–179.

Oskoueian, E., Abdullah, N., Saad, W. Z., Omar, A. R. and Ahmad, S., (2011) Antioxidant, anti-inflammatory and anticancer activities of methanolic extracts from *Jatropha curcas* Linn. Journal of Medicinal Plants Research, 5(1), 49-57.

Ouzouline, M., Tahani, N., Demandre, C., El Amrani, E., Benhassaine-Kesri, G. and Caid, H. S., (2009) Effects of accelerated aging upon the lipid composition of seeds from two soft wheat varieties from Morocco. Grasas y aceites, 60(4), 367-374.

Pallavi, M., Sudheer, S. K., Dangi, K. S. and Reddy, A. V., (2003) Effect of seed ageing on physiological, biochemical and yield attributes in sunflower (*Helianthus Annus* L.) cv. Morden. Seed Research. 31(2), 161–168.

Pandey, V.C., Singh, K., Singh, J.S., Kumar, A., Singh, B. and Singh, R. P., (2012) *Jatropha curcas*: A potential biofuel plant for sustainable environmental development. Renewable and Sustainable Energy Reviews, 16(5), 2870-2883.

Pant, K. S., Kumar, D. and Gairola, S., (2006) Seed oil content variation in *Jatropha curcas* L. in different altitudinal ranges and site conditions in HP India. Lyonia, 11(2), 31–34.

Park, Y., Nam, S., Yi, H. J., Hong, H. J. and Lee, M., (2009) Dietary n-3 polyunsaturated fatty acids increase oxidative stress in rats with intra cerebral hemorrhagic stroke. Nutrition research, 29(11), 812-818.

Pasquini, S., Mizzau, M., Petrussa, E., Braidot, E., Patui, S., Gorian, F. and Vianello, A., (2012) Seed storage in polyethylene bags of a recalcitrant species (*Quercus ilex*): analysis of some bio-energetic and oxidative parameters. Acta physiologiaeplantarum, 34(5), 1963-1974.

Patterson, B. D., Macrae, E. A. and Ferguson, I. B., (1984) Estimation of hydrogen peroxide in plant extracts using titanium (IV). Analytical Biochemistry, 139(2), 487–492.

Pe´rez, F. J. and Rubio, S., (2006) An improved chemiluminescence method for hydrogen peroxide determination in plant tissues. Plant Growth Regulation, 48(1), 89–95.

Pearce, R. S. and Abdel Samad, I. M., (1980) Change in fatty acid content of polar lipids during aging of seeds of peanut (*Arachis hypogea* L.). Journal of Experimental Botany, 31(5), 1283-1290.

Popluechai, S., (2010) Molecular characterisation of *Jatropha curcas*: towards an understanding of its potential as a non-edible oilseed-based source of biodiesel. PhD thesis.

Popluechai, S., Froissard, M., Jolivet, P., Breviario, D., Gatehouse, A. M., O'Donnell, A. G. and Kohli, A., (2011) Jatropha curcas oil body proteome and oleosins: L-form JcOle3 as a potential phylogenetic marker. Plant Physiology and Biochemistry, 49(3), 352-356.

Popluechai, S., Raorane, M., O'Donnell, A. G. and Kohli, A., (2008) Research progress towards *Jatropha* as alternate oilseed for biodiesel. Proc. International Technical Workshop on the Feasibility of Non-edible Oil Seed Crops for Biofuel Production May 25-27, 2007. Chaing Rai, Thailand. Eds. Syers KJ, Wood D and Thongbai P., pp. 136-145.

Porter, N. A., Caldwell, S. E. and Mills, K. A., (1995) Mechanisms of free radical oxidation of unsaturated lipids. Lipids, 30(4), 277–290.

Powell, A. A. and Matthews, S., (1977) Deteriorative changes in pea seeds (*Pisum sativum* L.) stored in humid or dry conditions. Journal of Experimental Botany, 28(1), 225-234.

Powell, A. A. and Matthews, S., (1981) Association of phospholipids changes with early stages of seed aging. Annals of Botany, 47(5), 709-712.

Powell, A. A. and Matthews, S., (1984) Application of the controlled deterioration test to detect seed lots of Brussels sprouts with low potential for storage under commercial conditions. Seed Science and Technology, 12, 649 – 657.

Pradhan, B. K. and Badola, H. K., (2012). Effect of storage conditions and storage periods on seed germination in eleven populations of *Swertia chirayita*: a critically endangered medicinal herb in Himalaya. The scientific world journal, 2012.

Prasad, D. M. R., Izam, A. and Khan, M. R., (2012) *Jatropha curcas*: Plant of medical benefits. Journal of Medicinal Plants Research, 6(14), 2691-2699.

Prasad, T. K., Anderson, M. D. and Stewart, C. R., (1994) Acclimation, hydrogen peroxide, and abscisic acid protect mitochondria against irreversible chilling injury in maize seedlings. Plant Physiology, 105(2), 619–627.

Priestley, D. A. and Leopold, A. C., (1979) Absence of lipid oxidation during accelerated aging of soybean seeds. Plant Physiology, 63(4), 726–729.

Priestley, D. A. and Leopold, A. C., (1983) Lipid changes during natural ageing of soybean seeds. Physiologia Plantarum, 59(3), 467–470.

Priestley, D.A., (1986) Seed Aging, Implications for Seed Storage and Persistence in the Soil, Cornell University Press, Ithaca.

Pryor, W. A., (1989) On the detection of lipid hydroperoxides in biological samples, Free Radical Biology and Medicine, 7(2), 177–178.

Pukacka, S. and Ratajczak, E., (2005) Production and scavenging of reactive oxygen species in *Fagus sylvatica* seeds during storage at varied temperature and humidity. Journal of Plant Physiology, 162(8), 873–885.

Pukacka, S. and Ratajczak, E., (2007) Age-related biochemical changes during storage of beech (*Fagus sylvatica* L.) seeds. Seed Science Research, 17(1), 45–53.

Pukacka, S., Hoffmann, S. K., Goslar, J., Pukacki, P. M. and Wójkiewicz, E., (2003) Water and lipid relations in beech (*Fagus sylvatica* L.) seeds and its effect on storage behaviour. Biophys Biochimistry Acta, 1621(1), 48−56.

Pukacka, S., Ratajczak, E. and Kalemba, E., (2009) Non-reducing sugar levels in beech (*Fagus sylvatica*) seeds as related to withstanding desiccation and storage. Journal of Plant Physioloy, 166(13), 1381–1390.

Radha, B. N., Channakeshava, B. C., Bhanuprakash, K., Pandurange Gowda, K. T., Ramachandrappa, B. K., and Munirajappa, R., (2014) DNA Damage During Seed Ageing IOSR Journal of Agriculture and Veterinary Science (IOSR-JAVS), 7(1), 34-39.

Radi, R., Turrens, J. F., Chang, L. Y., Bush, K. M., Crapo, J. D. and Freeman, B. A., (1991) Detection of catalase in rat heart mitochondria. Journal of Biology and Chemistry, 266(32), 22028–22034.

Radmer, R. and Kok, B., (1977) Photosynthesis: Limited Yields, Unlimited Dreams. Bioscience, 27(9), 599–605.

Rai, D. K. and Lakhanpal, P., (2008) *Jatropha curcas* poisoning in pediatric patients, Mauritius. Internet Journal of Pediatrics Neonatol, 8, 1-6.

Rajjou, L. and Debeaujon, I., (2008) Seed longevity: survival and maintenance of high germination ability of dry seeds. Comptes Rendus Biologies, 331(10), 796–805.

Rajjou, L., Lovigny, Y., Groot, S. P. C., Belghazi, M., Job, C. and Job, D., (2008) Proteome-wide characterization of seed aging in *Arabidopsis*: a comparison between artificial and natural aging protocols. Plant Physiology, 148(1), 620–641.

Raju, A. J. S. and Ezradanam, V., (2002) Pollination ecology and fruiting behaviour in a monoecious species *Jatropha curcas* L. (Euphorbiaceae). Currunt Science, 83, 1395-1397.

Ramos, M. J., Fernandez, C. M., Casas, A., Rodriguez, L. and Perez, A., (2009) Influence of fatty acid composition of raw materials on biodiesel properties. Bioresource Technology, 100(1), 261–268.

Ratajczak, E. and Pukacka, S., (2005) Decrease in beech (*Fagus sylvatica*) seed viability caused by temperature and humidity conditions as related to membrane damage and lipid composition. Acta Physiologiae Plantarum, 27(1), 3–12.

Ratajczak, E., Małecka, A., Bagniewska-Zadworna, A. and Kalemba, E. M., (2015) The production, localization and spreading of reactive oxygen species contributes to the low vitality of long-term stored common beech (*Fagus sylvatica* L.) seeds. Journal of plant physiology, 174, 147-156.

Rawat, D. S., Joshi, G., Lamba, B. Y., Tiwari, A. K. and Mallick, S., (2014) Impact of additives on storage stability of Karanja (*Pongamia pinnata*) biodiesel blends with conventional diesel sold at retail outlets. Fuel, 120, 30–37.

Rawat, I., Kumar, R. R., Mutanda, T. and Bux, F., (2013) Biodiesel from microalgae: A critical evaluation from laboratory to large scale production. Applied Energy, 103,444–467.

Reinton, R. and Rogstad, A., (1981) Antioxidant activity of tocopherols and ascorbic acid. Journal of Food Science, 46(3), 970–971.

Reksowardojo, I. K., Dung, N. N., Tuyen, T. Q., Sopheak, R., Brodjonegoro, T. P., Soerwidjaja, T. H., Ogawa, I. H. and Arismunandar, W., (2006) The comparison of

effect of biodiesel fuel from palm oil and physic nut oil (*Jatropha curcas*) on an direct injection (DI) diesel engine. In: Proceedings of FISITA 2006 conference in Yokohama, Japan.

Roach, T., Beckett, R. P., Minibayeva, F. V., Minibayeva, F. V., Colville, L., Whitaker, C., Chen, H., Bailly, C. and Kranner, I., (2010) Extracellular superoxide production, viability and redox poise in response to desiccation in recalcitrant *Castanea sativa* seeds. Plant Cell and Environment, 33(1), 59–75.

Roberts, E. H., (1973) Predicting the storage life of seeds. Seed Science and Technology, 1, 499-514.

Rodrigues, J., Miranda, I., Furquim, L., Gominho, J., Vasconcelos, M., Barradas, G. and Ferreira-Dias, S., (2015) Storage stability of *Jatropha curcas* L. oil naturally rich in gamma-tocopherol. Industrial Crops and Products, 64, 188-193.

Ruzin, S., (1999) Plant Microtechnique and Microscopy. Oxford University Press, New York, pp 334.

Sahoo, P. K. and Das, L. M., (2009) Process optimization for biodiesel production from *Jatropha*, Karanja and Polanga oils. Fuel, 88(9), 1588–1594.

Sahu, A. K., Sahu, B. and Soni, A., (2017) Active oxygen species metabolism in neem (*Azadirachta indica*) seeds exposed to natural ageing and controlled deterioration. Acta Physiologiae Plantarum, 39(9), 197.

Sahu, B., Sahu, A. K., Chennareddy, S. R., Soni, A. and Naithani, S. C., (2017) Insights on germinability and desiccation tolerance in developing neem seeds (*Azadirachta indica*): role of AOS, antioxidative enzymes and dehydrin-like protein. Plant Physiology and Biochemistry, 112, 64–73.

Sahu, P. P., Pandey, G., Sharma, N., Puranik, S., Muthamilarasan, M. and Prasad, M., (2013) Epigenetic mechanisms of plant stress responses and adaptation. Plant Cell Reports, 32(8), 1151–1159.

Saloua, F., Eddine, N. I. and Hedi, Z., (2009) Chemical composition and profile characteristics of Osage orange *Maclura pomifera* (Rafin.) Schneider seed and seed oil. Industrial crops and products, 29(1), 1-8.

Sandquist, J. and Matas, B., (2012) Overview of Biofuels for Aviation, Chemical Engineering Transactions, 29, 1147-1152.

Sano, N., Ono, H., Murata, K., Yamada, T., Hirasawa, T. and Kanekatsu, M., (2015) Accumulation of long-lived mRNAs associated with germination in embryos during seed development of rice. Journal of Experimental Botany, 66(13), 4035–4046.

Sano, N., Rajjou, L., North, H. M., Debeaujon, I., Marion-Poll, A. and Seo, M., (2016) Staying alive: molecular aspects of seed longevity. Plant and Cell Physiology, 57(4), 660-674.

Sarin, R., Sharma, M., Sinharay, S. and Malhotra, R. K., (2007) *Jatropha*-Palm biodiesel blend: An optimum mix for Asia. Fuel, 86(10-11), 1365-1371.

Sathya, G., Jayas, D. S. and White, N. D. G., (2006) Effect of storage conditions on deterioration of rye and canola. In: The Canadian Society for engineering in Agricultural, Food, Environmental and Biological Systems: CSBE/SGGAB 2006 Annual Conferences, Edmonton, Albertia.

Sattler, S. E., Gilliland, L. U., Magallanes-Lundback, M., Pollard, M. and DellaPenna, D., (2004) Vitamin E is essential for seed longevity and for preventing lipid peroxidation during germination. The plant cell, 16(6), 1419-1432.

Savi´c, T. B., Kriˇcka, T., Vo´ca, N., Juriˇsi´c, V. and Matin, A., (2009) Effect of storage temperature on rapeseed quality. Agriculturae Conspectus Scientificus, 74(3), 143-147.

Schmidt, M. A. and Herman, E. M., (2008) Suppression of soybean oleosin produces micro-oil bodies that aggregate into oil body/ER complexes. Molecular Plant, 1(6), 910–924.

Scialabba, A., Bellani, L. M. and Dell'aquila, A., (2002) Effects of ageing on peroxidase activity and localization in radish (*Raphanus sativus* L.) seeds. European Journal of Histochemistry, 46 (4), 351–358.

Senou, H., Xiazheng, C., Traore, M. B., Sissoko, B., Kamate, M. and Niangaly, O., (2017) Oil Content and Fatty Acids Composition during Seeds Storage of Two Ecotypes of *Jatropha curcas* L. from Mali. Science and Education, 5(1), 9-14.

Seppanen, C. M., Song, Q. and Csallany, A. S., (2010) The antioxidant functions of tocopheroland tocotrienol homologues in oils, fats, and food systems. Journal of the American Oil Chemists' Society, 87(5), 469–481.

Shahidi, F., Liyana-Pathirana, C. M. and Wall, D. S., (2006) Antioxidant activity of white and black sesame seeds and their hull fractions. Food Chemistry, 99(3), 478–483.

Sharma, D. K. and Pandey, A. K., (2009) Use of *Jatropha curcas* hull biomass for bioactive compost production. Biomass Bioenergy, 33(1), 159-162.

Sharma, S., Gambhir, S. and Munshi, S. K., (2006) Effect of temperature on vigour and biochemical composition of soybean seed during storage. Journal of Research Punjab Agricultural University, 41, 34–38.

Sharma, S., Kaur, A., Bansal, A. and Gill, B. S., (2013) Positional effects on soybean seed composition during storage. Journal of food science and technology, 50(2), 353-359.

Shelar, V. R., Shaikh, R. S. and Nikam, A. S., (2008) Soybean seed quality during storage: A review, Agricultural Review, 29(2), 125-131.

Sheppard, A. J., Pennington, J. A. T. and Weihrauch, J. L., (1993) Analysis and distribution of vitamin E in vegetable oils and foods. Vitamin E in Health and Disease, L. Packer and J. Fuchs, eds (NewYork: Marcel Dekker), pp. 9–31.

Shimada, T. L. and Hara-Nishimura, I., (2010) Oil-body-membrane proteins and their physiological functions in plants. Biological and Pharmaceutical Bulletin, 33(3), 360–363.

Shimada, T. L., Shimada, T., Takahashi, H., Fukao, Y. and Hara., Nishimura, I. (2008) A novel role for oleosins in freezing tolerance of oilseeds in *Arabidopsis thaliana*. The Plant Journal, 55(5), 798-809.

Shuit, S. H., TeongLee, K., Kamaruddin, A. H. and Yusupb, S., (2010) Reactive extraction and in situ esterification of *Jatropha curcas* L. seeds for the production of biodiesel. Fuel, 89(2), 527-530.

Siloto, R. M., Findlay, K., Lopez-Villalobos, A., Yeung, E. C., Nykiforuk, C. L. and Moloney, M. M., (2006) The accumulation of oleosins determines the size of seed oil bodies in *Arabidopsis*. The Plant Cell, 18(8), 1961-1974.

Šimić, B., Popović, R., Sudarić, A., Rozman, V., Kalinović, I. and Ćosić, J., (2007) Influence of storage condition on seed oil content of maize, soybean and sunflower. Agriculturae Conspectus Scientificus, 72(3), 211-213.

Simkin, A. J., Qian, T. and Caillet, V., (2006) "Oleosin gene family of Coffeacanephora: quantitative expression analysis of five oleosins genes in developing and germinating coffee grain," Journal of Plant Physiology, 163(7), 691–708.

Simon, E. W., (1974) Phospholipids and plant membrane permeability. New Phytologist, 73(3), 377–420.

Singh, B., Swaminathan, R., Ponraj, V. (eds), (2006) Boidiesel Conference Towards Energy Independence – Focus on *Jatropha*. Papers presented at the Conference Rashtrapati Nilayam, Bolaram, Hyderabad on 9-10 June.

Singh, R.P., (1970) Structure and development of seeds in Euphorbiaceae, *Jatropha* species. Beitrage zur Biologie der Pflanzen, 47, 79-90.

Sisman, C. and Delibas L., (2004) Storing sunflower seed and quality losses during storage. Journal of Central European Agriculture, 5(4), 239-250.

Slesak, ´ I., Libik, M., Karpinska, ´ B., Karpinski, ´ S. and Miszalski, Z., (2007) The role of hydrogen peroxide in regulation of plant metabolism and cellular signalling in response to environmental stress. Acta Biochim Pol., 54, 39–50.

Sokoto, M. A., Hassan, L. G., Salleh, M. A., Dangoggo, S. M. and Ahmad, H. G., (2013) Quality assessment and optimization of biodiesel from *Lagenaria vulgaris* (Calabash) seeds oil. International Journal of Pure and Applied Science and Technology, 15(1), 55–66 ISSN 2229–6107.

Song, Y., Wang, X. D. and Rose, R. J., (2017) Oil body biogenesis and biotechnology in legume seeds. Plant Cell Reports, 36(10), 1519-1532.

Soontornchainaksaeng, P. and Jenjittikul, T., (2003) Karyology of *Jatropha* (Euphorbiaceae) in Thailand. Thai Forest Bulletin (Botany), 31, 105-112.

Stadtman, E. R., (2006) Protein oxidation and aging. Free Radical Research, 40(12), 1250–1258.

Staubmann, R., Ncube, I., Gubitz, G. M., Steiner, W. and Read, J. S., (1999) Esterase and lipase activity in *Jatropha curcas* L. seeds. Journal of Biotechnology, 75(2-3), 117–126.

Stavarache, C., Vintoru, M., Maeda, Y. and Bandow, H., (2007) Ultrasonically driven continuous process for vegetable oil transesterification. Ultrasonic Sonochemistry, 14(4), 413-417.

Stepanenko, B. N., (1977) Chemistry and Biochemistry of Carbohydrates (Monosaccharides).Vysshaya Shkola, Moscow.

Stewart, R. R. C. and Bewley, J. D., (1980) Lipid peroxidation associated with accelerated aging of soybean axes. Plant Physiology, 65(2), 245-248.

Suma, A., Sreenivasan, K., Singh, A. K. and Radhamani, J., (2013) Role of relative humidity in processing and storage of seeds and assessment of variability in storage behaviour in *Brassica spp*. and *Eruca sativa*. The Scientific World Journal.

Sun, S. and Hansen, J. E., (2003) Climate simulations for 1951-2050 with a coupled atmosphere-ocean model. Journal of Climate, 16(17), 2807-2826.

Sun, W.Q. and Leopold, A. C., (1995) The Maillard reaction and oxidative stress during aging of soybean seeds. Physiologiae Plantarum, 94, 94–104.

Sung, J. M. and Jeng, T. L., (1994) Lipid peroxidation and peroxide-scavenging enzymes associated with accelerated ageing of peanut seed. Physiologia Plantarum, 91(1), 51–55.

Suriyong, S., (2007) Studies about mechanisms of oil seed deterioration under different storage conditions in oilseed rape (*Brassica napus* L.) Cuvillier verlag. Gottinger, p.2.

Sushma, B., (2014) Analysis of oil content of Jatropha curcas L. seeds under storage condition. Journal of Environmental Biology, 35, 571-575.

Tai, S. S., Chen, M. C., Peng, C. C. and Tzen, J. T., (2002) "Gene family of oleosin isoforms and their structural stabilization in sesame seed oil bodies." Bioscience, Biotechnology and Biochemistry, 66(10), 2146–2153.

Tammela, P., Hopia, A., Hiltunen, R., Vuorela, H. and Nygren, M., (2000) Aging in *Pinus sylvestris* L. seeds: changes in viability and lipids. Biochemical Society Transactions, 28, 878-879.

Tatić, M., Balešević-Tubić, S., Đorđević, V., Nikolić, Z., Đukić, V., Vujaković, M. and Cvijanovic, G., (2012) Soybean seed viability and changes of fatty acids content as affected by seed aging. African Journal of Biotechnology, 11(45), 10310-10316.

Tchiegang, C., Aboubakar Dandjouna, A. K., Kapseu, C. and Parmentier, M., (2005) Optimisation de l'extraction de l'huile par pressage des amandes de Ricinodendron heudelotii Pirrees Pax. Journal of Food Engineering, 68(1), 79–87.

Tekrony, D. M., (2006) Seeds: the delivery system for crop science. Crop Science, 46(5), 2263–2269.

Thimmaiah, S. K., (2006) Standard Methods of Biochemical Analysis. Kalyani publishers (1st Edition), New Delhi. pp. 243-256.

Thomas, R., Sah, N. K. and Sharma, P. B., (2008) Therapeutic biology of *Jatropha curcas*: A mini review. Current Pharmaceutical Biotechnology, 9(4), 315-324.

Tigere, T. A., Gatsi, T. C., Mudita, I. I., Chikuvire, T. J., Thamangani, S. and Mavunganidze, Z., (2006) Potential of *Jatropha curcas* in improving smallholder farmers livelihoods in Zimbabwe. Journal of Sustainable Development in Africa, 8(3), 1-9.

Ting J. T., Lee K., Ratnayake C., Platt, K. A., Balsamo, R. A. and Huang, A. H. C., (1996) Oleosin genes in maize kernels having diverse oil contents are constitutively expressed independent of oil contents - Size and shape of intracellular oil bodies are determined by the oleosins oils ratio, Planta, 199(1), 158-165.

Tiwari, A. K., Kumar, A. and Raheman, H., (2007) Biodiesel production from *Jatropha* oil (*Jatropha curcas*) with high free fatty acids: An optimized process. Biomass and Bioenergy, 31(8), 569-575.

Tolentino Jr, E. L., Elam, W. W. and Bonner, F. T., (2003) DNA changes in naturally and artificially aged longleaf pine (*Pinus palustris* Mill.) seeds. Seed Technology, 149-167.

Tommasi, F., Paciolla, C., De Pinto, M. C. and Gara, L., (2006) Effect of storage temperature on viability, germination and antioxidant metabolismin *Ginkgo biloba* L. seeds. Plant Physiology and Biochemistry, 44(5-6), 359–368.

Torres, A. A. and Andrews, P. K., (2006) Developmental changes in antioxidant metabolites, enzymes and pigments in fruit exocarp of four tomato (*Lycopresicon esculentum* Mill.) genotypes: β-carotene, high pigment-1, ripening inhibitor and Rutgers. Plant Physiology and Biochemistry, 44(11-12), 806-818.

Trinder, P., (1969) Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor. Annals of Clinical Biochemistry, 6(1), 24-27.

Tuberoso, C. I., Kowalczyk, A., Sarritzu, E. and Cabras, P., (2007) Determination of antioxidant compounds and antioxidant activity in commercial oilseeds for food use. Food Chemistry, 103(4), 1494-1501.

Tzen, J. T. and Huang, A. H., (1998) Surface structure and properties of plant seed oil bodies. The Journal of Cell Biology, 117(2), 327–335.

Tzen, J. T. C. and Huang, A. H. C., (1992) Surface structure and properties of plant seed oil bodies. The Journal of Cell Biology, 117(2), 327-335.

Tzen, J. T. C., (2012) Integral proteins in plant oil bodies. ISRN Botany: Article ID 173954.

Tzen, J. T. C., Cao, Y. Z., Laurent, P., Ratnayake, C. and Huang, A. H. C., (1993) Lipids, proteins, and structure of seed oil bodies from diverse species. Plant Physiology, 101(1), 267–276.

Tzen, J. T. C., Lie, G. C. and Huang, A. H., (1992) Characterization of the charged components and their topology on the surface of plant seed oil bodies. Journal of Biological Chemistry, 267(12), 15626–15634.

Tzen, J. T. C., Wang, M. M. C., Tai, S. S. K., Lee, T. T. T. and Peng, C. C., (2003) The abundant proteins in sesame seed: storage proteins in protein bodies and oleosins in oil bodies. Advances in Plant Physiolology, 6, 93–105.

Tzen, J. T., Lai, Y. K., Chan, K. L. and Huang, A. H., (1990) Oleosin isoforms of high and low molecular weights are present in the oil bodies of diverse seed species. Plant Physiology, 94(3), 1282–1289.

Union of Concerned Scientists, www.ucsusa.org/global-warming/science-and-impacts/science/each-countrys-share-of-co2.html#.W7mdgGgzbIU.

US EIA, 2013. India, Overview: India is the fourth largest energy consumer in the world after the United States, China, and Russia. US Energy InformationAdministration.http://www.eia.gov/countries/cab.cfm?fips=IN.

Vacca, R. A., de Pinto, M. C., Valenti, D., Passatella, S., Marra, E. and De Gara, L., (2004) Production of reactive oxygen species, alteration of cytosolic ascorbate peroxidase, and impairment of mitochondrial metabolism are early events in heat shock-induced programme cell death in tobacco bright-yellow 2 cells. Plant Physiology, 34(3), 1100–1112.

Vaidya, B. and Eun, J. B., (2013) Effect of roasting on oxidative and tocopherol stability of walnut oil during storage in the dark. European Journal of Lipid Science and Technology, 115(3), 348-355.

Van Aardt, M., Duncan, S. E., Long, T. E., O'Keefe, S. F., Marcy, J. E. and Sims, S. R., (2004) Effect of antioxidants on oxidative stability of edible fats and oils: thermogravimetric analysis. Journal of Agricultural and Food Chemistry, 52(3), 587–591.

Van den Berg, A. J. J., Horsten, S. F. A. J., Kettenes-van den Bosch, J. J., Kroes, B. H., Beukelman, C. J., Leeflang, B. R. and Labadie, R. P., (1995) Curcacycline A-a novel cyclic octapeptide isolated from the latex of *Jatropha curcas* L. FEBS Letters, 358(3), 215-218.

Van Gerpen, J H., in: J. S. Cundiff, E .E.Gavett, C. Hansen, C. Peterson, M. A. Sanderson, H. Shapouri, and D. L.VanDyne, D.L (Eds.), (1996) Proc., Third Liquid Fuel Conference: Liquid Fuel and Industrial Products from Renewable Resources, American Society of Agricultural Engineers, St. Joseph, MI, pp.197–206.

Varghese, B. and Naithani, S. C., (2008) Oxidative metabolism related changes in cryogenically stored neem (*Azadirachta indica* A. Juss.) seeds. Journal of Plant Physiology, 165(7), 755–765.

Vashisth, A. and Nagarajan, S., (2009) Germination Characteristics of Seeds of Maize (*Zea mays* L.) Exposed to Magnetic Fields under Accelerated Ageing Condition. Journal of Agricultural Physics, 9, 50-58.

Veljkovic, V. B., Lakicevic, S. H., Stamenkovic, O. S., Todorovic, Z. B. and Lazic, K. L., (2006) Biodiesel production from tobacco (*Nicotiana tabacum* L.) seed oil with a high content of free fatty acids. Fuel, 85, 2671-2675.

Verma, K. C., Verma, S. K. and Gaur, A. K., (2015) Biophysicochemical Evaluation of *Jatropha curcas* L. Collections for Biodiesel Production, Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 37(21), 2302-2308.

Vertucci, C. W. and Farrant, J. M., (1995) Acquisition and loss of desiccation tolerance, in: J. Kigel, G. Galili (Eds.), Seed Development and Germination, Marcel Dekker, New York, pp. 237–271.

Veselova, T. V., Veselovsky, V. A. and Obroucheva, N. V., (2015) Deterioration mechanisms in air-dry pea seeds during early aging. Plant Physiology and Biochemistry, 87, 133-139.

Vinayak, P. and Kanwarjit, S., (1991) Oil gloom to oil boom (Jatropha curcas). In Agro-Forestry Federation Maharastra. Shree press India.

Vranová, E., Inzé, D. and Van-breusegen, F., (2002) Signal transduction during oxidative stress. Journal of Experimental Botany, 53 (372), 1227-1236.

Walters, C., (1998) Understanding the mechanisms and kinetics of seed ageing. Seed Sci Res, 8(2), 223-244.

Wang, L. B., Yu, H. Y., He, X. H. and Liu, R. Y. (2012) Influence of fatty acid composition of woody biodiesel plants on the fuel properties. Journal of Fuel Chemistry and Technology, 40(4), 397-404.

Wang, R., Hanna, M. A., Zhou, W., Bhadury, P. S., Chen, Q., Song, B. and Yang, S., (2011) Production and selected fuel properties of biodiesel from promising non-edible oils: *Euphorbia lathyris* L., *Sapium sebiferum* L. and *Jatropha curcas* L. Bioresource Technology, 102, 1194–1199.

Wang, W., He, A., Peng, S., Huang, J., Cui, K. and Nie, L., (2018) The effect of storage condition and duration on the deterioration of primed rice seeds. Frontiers in plant science, 9, 172.

Wang, X. D., Song, Y., Sheahan, M. B, Garg, M. L. and Rose, R. J., (2012) From embryo sac to oil and protein bodies: embryo development in the model legume *Medicago truncatula*. New Phytologist, 193(2), 327–338.

Warra, A. A., (2012) Cosmetic potentials of physic nut (*Jatropha curcas* Linn.) seed oil: A review. American Journal of Scientific and Industrial Research, 3(6), 358-366.

Waynick, J. A., (2005) Characterization of biodiesel oxidation and oxidation products: technical literature review. task 1 results. National Renewable Energy Laboratory.

Weissbach, H., Resnick, L. and Brot, N., (2005) Methionine sulfoxide reductases: history and cellular role in protecting against oxidative damage. Biochimica et Biophysica Acta (BBA)-Proteins and Proteomics, 1703(2), 203-212.

Wettlaufer, S. H. and Leopold, A. C., (1991) Relevance of Amadori and Maillard products to seed deterioration. Plant Physiology, 97(1), 165-169.

Wheeler, G. M. C., Arias, C. L., Righini, S., Badia, M. B., Andreo, C. S. and Drincovich, M. F., (2016) Differential contribution of malic enzymes during soybean and castor seeds maturation. PLoS One, 11(6), e0158040.

Wills, E. D., (1971) Effects of lipid peroxidation on membrane-bound enzymes of the endoplasmic reticulum. Biochemical Journal, 123(5), 983–991.

Wilson, S. C., Matthews, M., Austin, G. and Von Blottnitz, H., (2005) Review of the Status of Biodiesel Related Activities in South Africa. Report for the City of Cape Town, South Africa, pp. 76.

Wohlgemuth, H., Mittelstrass, K., Kschieschan, S., Bender, J., Weigel, H. J., Overmyer, K., Kangasjaˇ rvi, J., Sandermann, H. and Langerbartels, C., (2002) Activation of an oxidative burst is a general feature of sensitive plants exposed to the air pollutant ozone. Plant, Cell and Environment, 25(6), 717–726.

Wurtmann, E. J. and Wolin, S. L., (2010) A role for a bacterial ortholog of the Roauto antigen in starvation-induced rRNA degradation. Proceedings of the National Academy of Sciences, USA, 107(9), 4022–4027.

www.biodiesel.org/cold

www.freefincal.com/india-petrol-diesel-historical-price-data

Xia, F., Chen, L., Sun, Y. and Mao, P., (2015) Relationships between ultrastructure of embryo cells and biochemical variations during ageing of oat (*Avena sativa* L.) seeds with different moisture content. Acta physiologiae plantarum, 37(4), 89.

Xiao, W., Brown, R. C., Lemmon, B. E., Harada, J. J., Goldberg, R. B. and Fischer, R. L., (2006) a. Regulation of seed size by hypomethylation of maternal and paternalgenomes. Plant Physiology, 142(3), 1160–1168.

Xin, X., Tian, Q., Yin, G., Chen, X., Zhang, J. and Ng, S., (2014) Reduced mitochondrial and ascorbate–glutathione activity after artificial ageing in soybean seed. Journal of Plant Physiology, 171(2), 140–147.

Xu, C. and Shanklin, J., (2016) Triacylglycerol metabolism, function, and accumulation in plant vegetative tissues. Annual Review of Plant Biology, 67,179–206.

Yaakob, Z., Narayanan, B. N., Padikkaparambil, S., UnniK, S. and Akbar, M. P., (2014) A review on the oxidation stability of biodiesel. Renewable and Sustainable Energy Reviews, 35, 136–153.

Yamane, K., Kawasaki, K., Sone, K., Hara, T. and Prakoso, T., (2007) Oxidation stability of biodiesel and its effect on diesel combustion and emission characteristics. International Journal of Engine Research, 8(3), 307–19.

Zacheo, G., Cappello, A. R., Perrone, L. M. and Gnoni, G. V., (1998) Analysis of factors influencing lipid oxidation of almond seeds during accelerated ageing. LWT-Food Science and Technology, 31(1), 6-9.

Zhang, X. and Guo, H., (2017) mRNA decay in plants: both quantity and quality matter. Current Opinion in Plant Biology, 35, 138–144.

Zhou, B., Guo, Z. and Liu, Z., (2005) Effects of abscisic acid on antioxidant systems of *Stylosanthes guianensis* (Aublet) Sw. under chilling stress. Crop Science, 45(2), 599–605.

Zhou, B., Wang, J., Guo, Z., Tan, H. and Zhu, X., (2006) A simple colorimetric method for determination of hydrogen peroxide in plant tissues. Plant Growth Reg., 61, 121-125.