

Reference

- Afolabi, O. K., Wusu, A. D., Ogunrinola, O. O., Abam, E. O., Babayemi, D. O., Dosumu, O. A., ... & Ademuyiwa, O. (2015). Arsenic-induced dyslipidemia in male albino rats: comparison between trivalent and pentavalent inorganic arsenic in drinking water. *BMC Pharmacology and Toxicology*, 16(1), 15.
- Ademuyiwa, O., Agarwal, R., Chandra, R., & Behari, J. R. (2009). Lead-induced phospholipidosis and cholesterogenesis in rat tissues. *Chemico-biological interactions*, 179(2), 314-320.
- Ademuyiwa, O., Ugbaja, R. N., Idumebor, F., & Adebawo, O. (2005). Plasma lipid profiles and risk of cardiovascular disease in occupational lead exposure in Abeokuta, Nigeria. *Lipids in health and disease*, 4(1), 19.
- Adhikary, H., Sanghavi, P. B., Macwan, S. R., Archana, G., & Kumar, G. N. (2014). Artificial citrate operon confers mineral phosphate solubilization ability to diverse fluorescent pseudomonads. *PloS one*, 9(9), e107554.
- Akagawa, M., Nakano, M., & Ikemoto, K. (2016). Recent progress in studies on the health benefits of pyrroloquinoline quinone. *Bioscience, biotechnology, and biochemistry*, 80(1), 13-22.
- Albores, A., Cebrian, M. E., Bach, P. H., Connelly, J. C., Hinton, R. H., & Bridges, J. W. (1989). Sodium arsenite induced alterations in bilirubin excretion and heme metabolism. *Journal of biochemical toxicology*, 4(2), 73-78.
- Al-Modhefer, A. J. A., Bradbury, M. W. B., & Simons, T. J. B. (1991). Observations on the chemical nature of lead in human blood serum. *Clinical science*, 81(6), 823-829.
- Aposhian, H. V., Gurzau, E. S., Le, X. C., Gurzau, A., Healy, S. M., Lu, X., ... & Dart, R. C. (2000). Occurrence of monomethylarsonous acid in urine of humans exposed to inorganic arsenic. *Chemical research in toxicology*, 13(8), 693-697.
- ATSDR, (2012). Toxicological Profile for Cadmium. Agency for Toxic Substances and Disease Registry, U.S. Department of Health and Human Services, Public Health Services, Atlanta, GA.
- ATSDR, U. (2007). Toxicological profile for arsenic. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- ATSDR, U. (2007). Toxicological Profile for lead. US Department of Health and Human Services, 1, 582.
- Author, A. (2005). The toxicity of trimethylarsine: an urban myth. *Journal of Environmental Monitoring*, 7(1), 11-15.
- Badger, M. J. R. T. M., & Roberson, S. J. S. P. K. (1998). Endocrine mechanisms underlying the growth effects of developmental lead exposure in the rat. *Journal of Toxicology and Environmental Health Part A*, 54(2), 101-120.
- Basaran, N., & Ündeğer, Ü. (2000). Effects of lead on immune parameters in occupationally exposed workers. *American journal of industrial medicine*, 38(3), 349-354.

- Bauerly, K. A., Storms, D. H., Harris, C. B., Hajizadeh, S., Sun, M. Y., Cheung, C. P., ... & Rucker, R. B. (2006). Pyrroloquinoline quinone nutritional status alters lysine metabolism and modulates mitochondrial DNA content in the mouse and rat. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1760(11), 1741-1748.
- Bauerly, K., Harris, C., Chowanadisai, W., Graham, J., Havel, P. J., Tchaparian, E., ... & Rucker, R. B. (2011). Altering pyrroloquinoline quinone nutritional status modulates mitochondrial, lipid, and energy metabolism in rats. *PloS one*, 6(7), e21779.
- Beers, R. F., & Sizer, I. W. (1952). A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. *Journal of biological chemistry*, 195(1), 133-140.
- Behnsen, J., Deriu, E., Sassone-Corsi, M., & Raffatellu, M. (2013). Probiotics: properties, examples, and specific applications. *Cold Spring Harbor perspectives in medicine*, 3(3), a010074.
- Benramdane, L., Accominotti, M., Fanton, L., Malicier, D., & Vallon, J. J. (1999). Arsenic speciation in human organs following fatal arsenic trioxide poisoning—a case report. *Clinical chemistry*, 45(2), 301-306.
- Bentley, R., & Chasteen, T. G. (2002). Microbial methylation of metalloids: arsenic, antimony, and bismuth. *Microbiology and Molecular Biology Reviews*, 66(2), 250-271.
- Berlin, A., & Schaller, K. H. (1974). European standardized method for the determination of delta-aminolevulinic acid dehydratase activity in blood. *Z klin Chem klin Biochem*, 12(8), 389-390.
- Bernard, A. (2008). Cadmium & its adverse effects on human health. *Indian Journal of Medical Research*, 128(4), 557.
- Bernhoft, R. A. (2013). Cadmium toxicity and treatment. *The Scientific World Journal*, 2013.
- Beutler, E., Duron, O., & Kelly, B. M. (1963). Improved method for the determination of blood glutathione. *Journal of laboratory and Clinical Medicine*, 61, 882-888.
- Biagi, G., Piva, A., Moschini, M., Vezzali, E., & Roth, F. X. (2006). Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology. *Journal of animal science*, 84(2), 370-378.
- Bordin, M., D'Atri, F., Guillemot, L., & Citi, S. (2004). Histone Deacetylase Inhibitors Up-Regulate the Expression of Tight Junction Proteins. Swiss Cancer League, Swiss National Science Foundation, Ministry for Italian University and Research, ERASMUS Program (M. Bordin), and Roche Research Foundation fellowship (L. Guillemot). *Molecular Cancer Research*, 2(12), 692-701.
- Brambila, E. M., Achanzar, W. E., Qu, W., Webber, M. M., & Waalkes, M. P. (2002). Chronic arsenic-exposed human prostate epithelial cells exhibit stable arsenic tolerance: mechanistic implications of altered cellular glutathione and glutathione S-transferase. *Toxicology and applied pharmacology*, 183(2), 99-107.
- Bressler, J., Kim, K. A., Chakraborti, T., & Goldstein, G. (1999). Molecular mechanisms of lead neurotoxicity. *Neurochemical research*, 24(4), 595-600.

Brown, J. F., Chafee, K. A., & Tepperman, B. L. (1998). Role of mast cells, neutrophils and nitric oxide in endotoxin-induced damage to the neonatal rat colon. *British journal of pharmacology*, 123(1), 31-38.

Buch, A. D., Archana, G., & Kumar, G. N. (2009). Enhanced citric acid biosynthesis in *Pseudomonas fluorescens* ATCC 13525 by overexpression of the *Escherichia coli* citrate synthase gene. *Microbiology*, 155(8), 2620-2629.

Buchet, J. P., Roels, H., Bernard, A., & Lauwerys, R. (1981). Assessment of renal function of workers simultaneously exposed to inorganic lead and cadmium. *Journal of Occupational and Environmental Medicine*, 23(5), 348-352.

Buege, J. A., & Aust, S. D. (1978). Microsomal lipid peroxidation. *Methods in enzymology*, 52, 302-310.

Byrne, C. S., Chambers, E. S., Morrison, D. J., & Frost, G. (2015). The role of short chain fatty acids in appetite regulation and energy homeostasis. *International journal of obesity*, 39(9), 1331-1338.

Calatayud, M., Gimeno, J., Vélez, D., Devesa, V., & Montoro, R. (2010). Characterization of the intestinal absorption of arsenate, monomethylarsonic acid, and dimethylarsinic acid using the Caco-2 cell line. *Chemical research in toxicology*, 23(3), 547-556.

Canani, R. B., Di Costanzo, M., Leone, L., Pedata, M., Meli, R., & Calignano, A. (2011). Potential beneficial effects of butyrate in intestinal and extraintestinal diseases. *World journal of gastroenterology: WJG*, 17(12), 1519.

Casalino, E., Calzaretto, G., Landriscina, M., Sblano, C., Fabiano, A., & Landriscina, C. (2007). The Nrf2 transcription factor contributes to the induction of alpha-class GST isoenzymes in liver of acute cadmium or manganese intoxicated rats: comparison with the toxic effect on NAD (P) H: quinone reductase. *Toxicology*, 237(1), 24-34.

Casalino, E., Sblano, C., & Landriscina, C. (1997). Enzyme activity alteration by cadmium administration to rats: the possibility of iron involvement in lipid peroxidation. *Archives of Biochemistry and Biophysics*, 346(2), 171-179.

Chen, F., Ding, M., Castranova, V., & Shi, X. (2001). Carcinogenic metals and NF- κ B activation. In *Molecular Mechanisms of Metal Toxicity and Carcinogenesis*, 159-171.

Chen, J., Qin, J., Zhu, Y. G., de Lorenzo, V., & Rosen, B. P. (2013). Engineering the soil bacterium *Pseudomonas putida* for arsenic methylation. *Applied and environmental microbiology*, 79(14), 4493-4495.

Chia, S. E., Yap, E., & Chia, K. S. (2004). δ -Aminolevulinic acid dehydratase (ALAD) polymorphism and susceptibility of workers exposed to inorganic lead and its effects on neurobehavioral functions. *Neurotoxicology*, 25(6), 1041-1047.

Chiba, M., Shinohara, A., Matsushita, K., Watanabe, H., & Inaba, Y. (1996). Indices of lead-exposure in blood and urine of lead-exposed workers and concentrations of major and trace elements and activities of SOD, GSH-Px and catalase in their blood. *The Tohoku journal of experimental medicine*, 178(1), 49-62.

- Chung, J., Nartey, N. O., & Cheria, M. G. (1986). Metallothionein levels in liver and kidney of Canadians—a potential indicator of environmental exposure to cadmium. *Archives of Environmental Health: An International Journal*, 41(5), 319-323.
- Cocco, P. (1998). Occupational lead exposure and screening of glucose-6-phosphate dehydrogenase polymorphism: useful prevention or nonvoluntary discrimination? *International archives of occupational and environmental health*, 71(2), 148-150.
- Cohen, S. M., Arnold, L. L., Eldan, M., Lewis, A. S., & Beck, B. D. (2006). Methylated arsenicals: the implications of metabolism and carcinogenicity studies in rodents to human risk assessment. *Critical reviews in toxicology*, 36(2), 99-133.
- Cohen, S. M., Arnold, L. L., Uzvolgyi, E., Cano, M., St. John, M., Yamamoto, S., ... & Le, X. C. (2002). Possible role of dimethylarsinous acid in dimethylarsinic acid-induced urothelial toxicity and regeneration in the rat. *Chemical research in toxicology*, 15(9), 1150-1157.
- Cox, M. A., Jackson, J., Stanton, M., Rojas-Triana, A., Bober, L., Lavery, M., ... & Monsma, F. (2009). Short-chain fatty acids act as antiinflammatory mediators by regulating prostaglandin E (2) and cytokines. *World J Gastroenterol*, 15(44), 5549-5557.
- Crisponi, G., Nurchi, V. M., Lachowicz, J. I., Crespo-Alonso, M., Zoroddu, M. A., & Peana, M. (2015). Kill or cure: Misuse of chelation therapy for human diseases. *Coordination Chemistry Reviews*, 284, 278-285.
- Cullen, W. R., McBride, B. C., & Reglinski, J. (1984). The reaction of methylarsenicals with thiols: some biological implications. *Journal of Inorganic Biochemistry*, 21(3), 179-193.
- Cummings, J. H., & Macfarlane, G. T. (1991). The control and consequences of bacterial fermentation in the human colon. *Journal of Applied Bacteriology*, 70(6), 443-459.
- Damek-Poprawa, M., & Sawicka-Kapusta, K. (2004). Histopathological changes in the liver, kidneys, and testes of bank voles environmentally exposed to heavy metal emissions from the steelworks and zinc smelter in Poland. *Environmental research*, 96(1), 72-78.
- De Winter, B. Y., Van Nassauw, L., De Man, J. G., De Jonge, F., Bredenoord, A. J., Seerden, T. C., ... & Pelckmans, P. A. (2005). Role of oxidative stress in the pathogenesis of septic ileus in mice. *Neurogastroenterology & Motility*, 17(2), 251-261.
- Debray, F. G., Lambert, M., & Mitchell, G. A. (2008). Disorders of mitochondrial function. *Current opinion in pediatrics*, 20(4), 471-482.
- Delnomdedieu, M., Basti, M. M., Otvos, J. D., & Thomas, D. J. (1994). Reduction and binding of arsenate and dimethylarsinate by glutathione: a magnetic resonance study. *Chemico-biological interactions*, 90(2), 139-155.
- Delzenne, N. M., & Roberfroid, M. R. (1994). Physiological effects of non-digestible oligosaccharides. *LWT-Food Science and Technology*, 27(1), 1-6.
- Djukic-Cosic, D., Bulat, Z. P., Ninkovic, M., Malicevic, Z., & Matovic, V. (2007). Effect of subacute cadmium intoxication on iron and lipid peroxidation in mouse liver. *Toxicology Letters*, 172, S209.

- Donaldson, W. E. (1991). Interactions of dietary lead with fish oil and antioxidant in chicks. *Biological trace element research*, 31(3), 215.
- Dong, Z. (2002). The molecular mechanisms of arsenic-induced cell transformation and apoptosis. *Environmental health perspectives*, 110(Suppl 5), 757.
- Drobna, Z., Walton, F. S., Paul, D. S., Xing, W., Thomas, D. J., & Stýblo, M. (2010). Metabolism of arsenic in human liver: the role of membrane transporters. *Archives of toxicology*, 84(1), 3-16.
- Dubuquoy, L., Rousseaux, C., Thuru, X., Peyrin-Biroulet, L., Romano, O., Chavatte, P., ... & Desreumaux, P. (2006). PPAR γ as a new therapeutic target in inflammatory bowel diseases. *Gut*, 55(9), 1341-1349.
- Ekong, E. B., Jaar, B. G., & Weaver, V. M. (2006). Lead-related nephrotoxicity: a review of the epidemiologic evidence. *Kidney international*, 70(12), 2074-2084.
- Elsenhans, B., Hunder, G., Strugala, G., & Schumann, K. (1999). Environmental Contamination and Toxicology Developmental Abnormalities in Horseshoe Crab Embryos Caused by Exposure to Heavy Metals. *Arch Environ Contam Toxicol*, 36, 341-6.
- Ercal, N., Gurer-Orhan, H., & Aykin-Burns, N. (2001). Toxic metals and oxidative stress part I: mechanisms involved in metal-induced oxidative damage. *Current topics in medicinal chemistry*, 1(6), 529-539.
- Eriyamremu, G. E., Asagba, S. O., Onyeneke, E. C., & Adaikpoh, M. A. (2005). Changes in carboxypeptidase A, dipeptidase and Na⁺/K⁺ ATPase activities in the intestine of rats orally exposed to different doses of cadmium. *Biometals*, 18(1), 1-6.
- Ewaschuk, J., Endersby, R., Thiel, D., Diaz, H., Backer, J., Ma, M., ... & Madsen, K. (2007). Probiotic bacteria prevent hepatic damage and maintain colonic barrier function in a mouse model of sepsis. *Hepatology*, 46(3), 841-850.
- Exon, J. H., Koller, L. D., & Kerkvliet, N. I. (1978). Lead-cadmium interaction: effects on viral-induced mortality and tissue residues in mice. *Archives of environmental health*, 34(6), 469-475.
- Faderl, M., Noti, M., Corazza, N., & Mueller, C. (2015). Keeping bugs in check: the mucus layer as a critical component in maintaining intestinal homeostasis. *IUBMB life*, 67(4), 275-285.
- Fadowski, J. J., Navas-Acien, A., Tellez-Plaza, M., Guallar, E., Weaver, V. M., & Furth, S. L. (2010). Blood lead level and kidney function in US adolescents: The Third National Health and Nutrition Examination Survey. *Archives of internal medicine*, 170(1), 75-82.
- Farnworth ER .Probiotics and prebiotics. In: Wildman REC [ed] *Handbook of nutraceuticals and functional foods* (2001). CRC Press, Boca Raton, pp 407-422.
- Fierens, S., Mairesse, H., Heilier, J. F., Focant, J. F., Eppe, G., Pauw, E. D., & Bernard, A. (2007). Impact of iron and steel industry and waste incinerators on human exposure to dioxins, PCBs, and heavy metals: results of a cross-sectional study in Belgium. *Journal of Toxicology and Environmental Health, Part A*, 70(3-4), 222-226.

- Flohe, S. B., Brüggemann, J., Herder, C., Goebel, C., & Kolb, H. (2002). Enhanced proinflammatory response to endotoxin after priming of macrophages with lead ions. *Journal of leukocyte biology*, 71(3), 417-424.
- Flora, G., Gupta, D., & Tiwari, A. (2012). Toxicity of lead: a review with recent updates. *Interdiscip Toxicol*, 5(2), 47-58.
- Flora, S. J. S. (2002). Nutritional components modify metal absorption, toxic response and chelation therapy. *Journal of nutritional & environmental medicine*, 12(1), 53-67.
- Flora, S. J. S., Mittal, M., & Mehta, A. (2008). Heavy metal induced oxidative stress & its possible reversal by chelation therapy. *Indian Journal of Medical Research*, 128(4), 501.
- Flora, S. J., Chouhan, S., Kannan, G. M., Mittal, M., & Swarnkar, H. (2008). Combined administration of taurine and monoisoamyl DMSA protects arsenic induced oxidative injury in rats. *Oxidative medicine and cellular longevity*, 1(1), 39-45.
- Flora, S. J., Flora, G., & Saxena, G. (2006). Environmental occurrence, health effects and management of lead poisoning. Lead chemistry, analytical aspects, environmental impacts and health effects.
- Flora, S. J., Flora, G., Saxena, G., & Mishra, M. (2007a). Arsenic and lead induced free radical generation and their reversibility following chelation. *Cell Mol Biol*, 53(1), 26-47.
- Flora, S. J., Saxena, G., & Mehta, A. (2007b). Reversal of lead-induced neuronal apoptosis by chelation treatment in rats: role of reactive oxygen species and intracellular Ca²⁺. *Journal of Pharmacology and Experimental Therapeutics*, 322(1), 108-116.
- Flora, S. J., Pande, M., Bhadauria, S., & Kannan, G. M. (2004). Combined administration of taurine and meso 2, 3-dimercaptosuccinic acid in the treatment of chronic lead intoxication in rats. *Human & experimental toxicology*, 23(4), 157-166.
- Flora, S. J., Pande, M., Kannan, G. M., & Mehta, A. (2003). Lead induced oxidative stress and its recovery following co-administration of melatonin or N-acetylcysteine during chelation with succimer in male rats. *Cellular and molecular biology* (Noisy-le-Grand, France), 50, OL543-51.
- Flora, S. J., & Pachauri, V. (2010). Chelation in metal intoxication. *International journal of environmental research and public health*, 7(7), 2745-2788.
- Forrest, B. D., Pride, M. W., Dunning, A. J., Capeding, M. R. Z., Chotpitayasunondh, T., Tam, J. S., ... & Gruber, W. C. (2008). Correlation of cellular immune responses with protection against culture-confirmed influenza virus in young children. *Clinical and vaccine immunology*, 15(7), 1042-1053.
- Fotiadis, C. I., Stoidis, C. N., Spyropoulos, B. G., & Zografos, E. D. (2008). Role of probiotics, prebiotics and synbiotics in chemoprevention for colorectal cancer. *World J Gastroenterol*, 14(42), 6453-6457.
- Fowler, B. A. (2009). Monitoring of human populations for early markers of cadmium toxicity: a review. *Toxicology and applied pharmacology*, 238(3), 294-300.

Francis, A. J. (1990). Microbial dissolution and stabilization of toxic metals and radionuclides in mixed wastes. *Experientia*, 46(8), 840-851.

Galan, A., García-Bermejo, L., Troyano, A., Vilaboa, N. E., Fernández, C., de Blas, E., & Aller, P. (2001). The role of intracellular oxidation in death induction (apoptosis and necrosis) in human promonocytic cells treated with stress inducers (cadmium, heat, X-rays). *European journal of cell biology*, 80(4), 312-320.

Ganger, R., Garla, R., Mohanty, B. P., Bansal, M. P., & Garg, M. L. (2016). Protective effects of zinc against acute arsenic toxicity by regulating antioxidant defense system and cumulative metallothionein expression. *Biological trace element research*, 169(2), 218-229.

Garcia-Niño, W. R., & Pedraza-Chaverri, J. (2014). Protective effect of curcumin against heavy metals-induced liver damage. *Food and Chemical Toxicology*, 69, 182-201.

Gautam, P., Flora, S. J. (2010). Oral supplementation of gossypin during lead exposure protects alteration in heme synthesis pathway and brain oxidative stress in rats. *Nutrition*, 26, 563-570.

Gebel, T. W. (2002). Arsenic methylation is a process of detoxification through accelerated excretion. *International journal of hygiene and environmental health*, 205(6), 505-508.

Gerbino, E., Mobili, P., Tymczyszyn, E., Fausto, R., & Gómez-Zavaglia, A. (2011). FTIR spectroscopy structural analysis of the interaction between Lactobacillus kefir S-layers and metal ions. *Journal of Molecular Structure*, 987(1), 186-192.

Gesquiere, L., Loreau, N., Minnich, A., Davignon, J., & Blache, D. (1999). Oxidative stress leads to cholesterol accumulation in vascular smooth muscle cells. *Free Radical Biology and Medicine*, 27(1), 134-145.

Gibson, G. R., & Roberfroid, M. B. (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *The Journal of nutrition*, 125(6), 1401.

Gibson, G. R., Scott, K. P., Rastall, R. A., Tuohy, K. M., Hotchkiss, A., Dubert-Ferrandon, A., ... & Macfarlane, S. (2010). Dietary prebiotics: current status and new definition. *Food Sci Technol Bull Funct Foods*, 7, 1-19.

Goosen, N., Horsman, H. P., Huinen, R. G., & Van de Putte, P. (1989). Acinetobacter calcoaceticus genes involved in biosynthesis of the coenzyme pyrrolo-quinoline-quinone: nucleotide sequence and expression in Escherichia coli K-12. *Journal of bacteriology*, 171(1), 447-455.

Green, L. C., Wagner, D. A., Glogowski, J., Skipper, P. L., Wishnok, J. S., & Tannenbaum, S. R. (1982). Analysis of nitrate, nitrite, and [15N] nitrate in biological fluids. *Analytical biochemistry*, 126(1), 131-138.

Gulson, B. L., Mizon, K. J., Korsch, M. J., Palmer, J. M., & Donnelly, J. B. (2003). Mobilization of lead from human bone tissue during pregnancy and lactation—a summary of long-term research. *Science of the Total Environment*, 303(1), 79-104.

Gupta, R., & Flora, S. J. (2005). Protective value of Aloe vera against some toxic effects of arsenic in rats. *Phytotherapy research*, 19(1), 23-28.

- Gyaneshwar, P., Parekh, L. J., Archana, G., Poole, P. S., Collins, M. D., Hutson, R. A., & Kumar, G. N. (1999). Involvement of a phosphate starvation inducible glucose dehydrogenase in soil phosphate solubilization by *Enterobacter asburiae*. *FEMS microbiology letters*, 171(2), 223-229.
- Halttunen, T., Finell, M., & Salminen, S. (2007a). Arsenic removal by native and chemically modified lactic acid bacteria. *International journal of food microbiology*, 120(1), 173-178.
- Halttunen, T., Salminen, S., & Tahvonen, R. (2007b). Rapid removal of lead and cadmium from water by specific lactic acid bacteria. *International journal of food microbiology*, 114(1), 30-35.
- Hamadouche, N. A. (2009). Reproductive toxicity of lead acetate in adult male rats. *Am. J. Sci. Res.*, 3, 38-50.
- Hamlett, N. V., Landale, E. C., Davis, B. H., & Summers, A. O. (1992). Roles of the Tn21 merT, merP, and merC gene products in mercury resistance and mercury binding. *Journal of bacteriology*, 174(20), 6377-6385.
- Harris, C. B., Chowanadisai, W., Mishchuk, D. O., Satre, M. A., Slupsky, C. M., & Rucker, R. B. (2013). Dietary pyrroloquinoline quinone (PQQ) alters indicators of inflammation and mitochondrial-related metabolism in human subjects. *The Journal of nutritional biochemistry*, 24(12), 2076-2084.
- Hassan, A. A., & Jassim, H. M. (2010). Effect of treating lactating rats with lead acetate and its interaction with vitamin E or C on neurobehavior, development and some biochemical parameters in their pups. *Iraqi Journal of Veterinary Sciences*, 24(1), 45-52.
- Hassoun, H. T., Kone, B. C., Mercer, D. W., Moody, F. G., Weisbrodt, N. W., & Moore, F. A. (2001). Post-injury multiple organ failure: the role of the gut. *shock*, 15(1), 1-10.
- Hemdan, N. Y., Emmrich, F., Adham, K., Wichmann, G., Lehmann, I., El-Massry, A., ... & Sack, U. (2005). Dose-dependent modulation of the in vitro cytokine production of human immune competent cells by lead salts. *Toxicological Sciences*, 86(1), 75-83.
- Hester, K. L., Lehman, J., Najar, F., Song, L., Roe, B. A., MacGregor, C. H., ... & Sokatch, J. R. (2000). Crc Is Involved in Catabolite Repression Control of the bkd Operons of *Pseudomonas putida* and *Pseudomonas aeruginosa*. *Journal of bacteriology*, 182(4), 1144-1149.
- Hirakawa, A., Shimizu, K., Fukumitsu, H., & Furukawa, S. (2009). Pyrroloquinoline quinone attenuates iNOS gene expression in the injured spinal cord. *Biochemical and biophysical research communications*, 378(2), 308-312.
- Hiratsuka, H., Satoh, S. I., Satoh, M., Nishijima, M., Katsuki, Y., Suzuki, J., ... & Tanaka-Kagawa, T. (1999). Tissue distribution of cadmium in rats given minimum amounts of cadmium-polluted rice or cadmium chloride for 8 months. *Toxicology and applied pharmacology*, 160(2), 183-191.
- Hjortsro, E., Fomsgaard, J. S., & Fogh-Andersen, N. (1990). Does N-acetylcysteine increase the excretion of trace metals (calcium, magnesium, iron, zinc and copper) when given orally? *European journal of clinical pharmacology*, 39(1), 29-31.

- Hoffmaster, K. A., Turncliff, R. Z., LeCluyse, E. L., Kim, R. B., Meier, P. J., & Brouwer, K. L. (2004). P-glycoprotein expression, localization, and function in sandwich-cultured primary rat and human hepatocytes: relevance to the hepatobiliary disposition of a model opioid peptide. *Pharmaceutical research*, 21(7), 1294-1302.
- Hultberg, B., Andersson, A., & Isaksson, A. (2001). Interaction of metals and thiols in cell damage and glutathione distribution: potentiation of mercury toxicity by dithiothreitol. *Toxicology*, 156(2), 93-100.
- Ibrahim, F., Halttunen, T., Tahvonen, R., & Salminen, S. (2006). Probiotic bacteria as potential detoxification tools: assessing their heavy metal binding isotherms. *Canadian journal of microbiology*, 52(9), 877-885.
- Itoh, Y., Hine, K., Miura, H., Uetake, T., Nakano, M., Takemura, N., & Sakatani, K. (2016). Effect of the antioxidant supplement pyrroloquinoline quinone disodium salt (BioPQQ™) on cognitive functions. In *Oxygen Transport to Tissue XXXVII* (319-325). Springer New York.
- Jia, D., Duan, F., Peng, P., Sun, L., Ruan, Y., & Gu, J. (2015). Pyrroloquinoline-quinone suppresses liver fibrogenesis in mice. *PloS one*, 10(3), e0121939.
- Jin, Y., Duan, L., Lee, S. H., Kloosterboer, H. J., Blair, I. A., & Penning, T. M. (2009). Human Cytosolic Hydroxysteroid Dehydrogenases of the Aldo-ketoreductase Superfamily Catalyze Reduction of Conjugated Steroids IMPLICATIONS FOR PHASE I AND PHASE II STEROID HORMONE METABOLISM. *Journal of Biological Chemistry*, 284(15), 10013-10022.
- Johri, N., Jacquillet, G., & Unwin, R. (2010). Heavy metal poisoning: the effects of cadmium on the kidney. *Biometals*, 23(5), 783-792.
- Jomova, K., Jenisova, Z., Feszterova, M., Baros, S., Liska, J., Hudecova, D., ... & Valko, M. (2011). Arsenic: toxicity, oxidative stress and human disease. *Journal of Applied Toxicology*, 31(2), 95-107.
- Kameue, C., Tsukahara, T., Yamada, K., Koyama, H., Iwasaki, Y., Nakayama, K., & Ushida, K. (2004). Dietary sodium gluconate protects rats from large bowel cancer by stimulating butyrate production. *The Journal of nutrition*, 134(4), 940-944.
- Kang, M. Y., Cho, S. H., Lim, Y. H., Seo, J. C., & Hong, Y. C. (2013). Effects of environmental cadmium exposure on liver function in adults. *Occupational and environmental medicine*, 70(4), 268-273.
- Karmaus, W., Brooks, K. R., Nebe, T., Witten, J., Obi-Osius, N., & Kruse, H. (2005). Immune function biomarkers in children exposed to lead and organochlorine compounds: a cross-sectional study. *Environmental Health*, 4(1), 5.
- Kety SS, Letonoff TV. Treatment of lead poisoning with sodium citrate. *Experimental Biology and Medicine* 1941;46: 476-477.
- Khairnar, N. P., Misra, H. S., & Apte, S. K. (2003). Pyrroloquinoline-quinone synthesized in Escherichia coli by pyrroloquinoline-quinone synthase of Deinococcus radiodurans plays a role beyond mineral phosphate solubilization. *Biochemical and biophysical research communications*, 312(2), 303-308.

- Khalil-Manesh, F., Gonick, H. C., Weiler, E. W., Prins, B., Weber, M. A., & Purdy, R. E. (1993). Lead-induced hypertension: possible role of endothelial factors. *American Journal of Hypertension*, 6(9), 723-729.
- Kilic, N. E. D. R. E. T. (1993). The effect of ascorbic acid on liver and plasma cholesterol levels of male rats. *WWW J. Islamic Acad. Sci*, 6.
- Kim, D. W., Kim, K. Y., Choi, B. S., Youn, P., Ryu, D. Y., Klaassen, C. D., & Park, J. D. (2007). Regulation of metal transporters by dietary iron, and the relationship between body iron levels and cadmium uptake. *Archives of toxicology*, 81(5), 327-334.
- Kimura, T., Itoh, N., Takehara, M., Oguro, I., Ishizaki, J. I., Nakanishi, T., ... & Tanaka, K. (2003). Protective effect of zinc against lipopolysaccharide/D-galactosamine-induced lethality. *Journal of health science*, 49(1), 40-44.
- Klaassen, C. D., Liu, J., & Choudhuri, S. (1999). Metallothionein: an intracellular protein to protect against cadmium toxicity. *Annual review of pharmacology and toxicology*, 39(1), 267-294.
- Kojima, M., Masui, T., Nemoto, K., & Degawa, M. (2004). Lead nitrate-induced development of hypercholesterolemia in rats: sterol-independent gene regulation of hepatic enzymes responsible for cholesterol homeostasis. *Toxicology letters*, 154(1), 35-44.
- Kojima, S., Kiyozumi, M., & Saito, K. (1976). Studies on poisonous metals. II. Effect of chelating agents on excretion of cadmium through bile and gastrointestinal mucosa in rats. *Chemical and Pharmaceutical Bulletin*, 24(1), 16-21.
- Kondo, T., Kishi, M., Fushimi, T., & Kaga, T. (2009). Acetic acid upregulates the expression of genes for fatty acid oxidation enzymes in liver to suppress body fat accumulation. *Journal of agricultural and food chemistry*, 57(13), 5982-5986.
- Kopp, S. J., Glonek, T., Erlanger, M., Perry, E. F., Bárány, M., & Perry, H. M. (1980). Altered metabolism and function of rat heart following chronic low level cadmium/lead feeding. *Journal of Molecular and Cellular Cardiology*, 12(12), 1407-1425.
- Krawisz, J. E., Sharon, P., & Stenson, W. F. (1984). Quantitative assay for acute intestinal inflammation based on myeloperoxidase activity. *Gastroenterology*, 87(6), 1344-1350.
- Kristal-Boneh, E., Coller, D., Froom, P., Harari, G., & Ribak, J. (1999). The association between occupational lead exposure and serum cholesterol and lipoprotein levels. *American journal of public health*, 89(7), 1083-1087.
- Kruger, M. C., Bertin, P. N., Heipieper, H. J., & Arsène-Ploetze, F. (2013). Bacterial metabolism of environmental arsenic—mechanisms and biotechnological applications. *Applied microbiology and biotechnology*, 97(9), 3827-3841.
- Kulczycki, E., Fowle, D. A., Fortin, D., & Ferris, F. G. (2005). Sorption of cadmium and lead by bacteria-ferrihydrite composites. *Geomicrobiology Journal*, 22(6), 299-310.
- Kumana, C., Au, W., Lee, N., Kou, M., Mak, R., Lam, C., & Kwong, Y. (2002). Systemic availability of arsenic from oral arsenic-trioxide used to treat patients with hematological malignancies. *European journal of clinical pharmacology*, 58(8), 521-526.

- Kumar, D. (2012). Role of non-enzymatic antioxidants in stimulation of metallothionein against metal toxicity. *Int J Environ Sci*, 2, 1596-1604.
- Kumar, M., Yadav, A. K., Verma, V., Singh, B., Mal, G., Nagpal, R., & Hemalatha, R. (2016). Bioengineered probiotics as a new hope for health and diseases: an overview of potential and prospects. *Future microbiology*, 11(4), 585-600.
- Kumar, P., Ranawade, A. V., & Kumar, N. G. (2014). Potential probiotic *Escherichia coli* 16 harboring the *Vitreoscilla* hemoglobin gene improves gastrointestinal tract colonization and ameliorates carbon tetrachloride induced hepatotoxicity in rats. *BioMed research international*, 2014.
- Kumazawa, T., Hiwasa, T., Takiguchi, M., Suzuki, O., & Sato, K. (2007). Activation of Ras signaling pathways by pyrroloquinoline quinone in NIH3T3 mouse fibroblasts. *International journal of molecular medicine*, 19(5), 765-770.
- Lancranjan, I., Popescu, H. I., Găvănescu, O., Klepsch, I., & Serbănescu, M. (1975). Reproductive ability of workmen occupationally exposed to lead. *Archives of Environmental Health: An International Journal*, 30(8), 396-401.
- Lanphear, B. P., Dietrich, K., Auinger, P., & Cox, C. (2000). Cognitive deficits associated with blood lead concentrations < 10 microg/dL in US children and adolescents. *Public health reports*, 115(6), 521.
- Lauwerys, R. R. (1969). Colorimetric determination of free fatty acids. *Analytical biochemistry*, 32(2), 331-333.
- Lauwerys, R., Hardy, R., Job, M., Buchet, J. P., Roels, H., Bruaux, P., & Rondia, D. (1984). Environmental pollution by cadmium and cadmium body burden: an autopsy study. *Toxicology letters*, 23(3), 287-289.
- Lawrence, D. A., & McCabe, M. J. (2002). Immunomodulation by metals. *International Immunopharmacology*, 2(2), 293-302.
- Le, X. C., Lu, X., Ma, M., Cullen, W. R., Aposhian, H. V., & Zheng, B. (2000). Speciation of key arsenic metabolic intermediates in human urine. *Analytical chemistry*, 72(21), 5172-5177.
- Lee, J. E., & Dietert, R. R. (2003). Developmental immunotoxicity of lead: impact on thymic function. *Birth Defects Research Part A: Clinical and Molecular Teratology*, 67(10), 861-867.
- Lehmann, V., Freudenberg, M. A., & Galanos, C. (1987). Lethal toxicity of lipopolysaccharide and tumor necrosis factor in normal and D-galactosamine-treated mice. *The Journal of experimental medicine*, 165(3), 657-663.
- Leonard, S. S., Harris, G. K., & Shi, X. (2004). Metal-induced oxidative stress and signal transduction. *Free Radical Biology and Medicine*, 37(12), 1921-1942.
- Li, Z., Piao, F., Liu, S., Wang, Y., & Qu, S. (2010). Subchronic exposure to arsenic trioxide-induced oxidative DNA damage in kidney tissue of mice. *Experimental and Toxicologic Pathology*, 62(5), 543-547.

- Lin, H. V., Frassetto, A., Kowalik Jr, E. J., Nawrocki, A. R., Lu, M. M., Kosinski, J. R., ... & Marsh, D. J. (2012). Butyrate and propionate protect against diet-induced obesity and regulate gut hormones via free fatty acid receptor 3-independent mechanisms. *PloS one*, 7(4), e35240.
- Liochev, S. I. (1998). The mechanism of " Fenton-like" reactions and their importance for biological systems. A biologist's view. *Metal ions in biological systems*, 36, 1-39.
- Liu, J., Chen, H., Miller, D. S., Saavedra, J. E., Keefer, L. K., Johnson, D. R., ... & Waalkes, M. P. (2001). Overexpression of glutathione S-transferase II and multidrug resistance transport proteins is associated with acquired tolerance to inorganic arsenic. *Molecular Pharmacology*, 60(2), 302-309.
- Lowry, J. A. (2010). Oral chelation therapy for patients with lead poisoning. *Am Acad Pediatr*, 116, 1036-1046.
- Lu, M., Wang, H., Li, X. F., Lu, X., Cullen, W. R., Arnold, L. L., ... & Le, X. C. (2004). Evidence of hemoglobin binding to arsenic as a basis for the accumulation of arsenic in rat blood. *Chemical research in toxicology*, 17(12), 1733-1742.
- Luhrs, H., Gerke, T., Müller, J. G., Melcher, R., Schaubert, J., Boxberger, F., ... & Menzel, T. (2002). Butyrate inhibits NF- κ B activation in lamina propria macrophages of patients with ulcerative colitis. *Scandinavian journal of gastroenterology*, 37(4), 458-466.
- Lutz, P. M., Wilson, T. J., Ireland, J., Jones, A. L., Gorman, J. S., Gale, N. L., ... & Hewett, J. E. (1999). Elevated immunoglobulin E (IgE) levels in children with exposure to environmental lead. *Toxicology*, 134(1), 63-78.
- Mahaffey, K. R., & Annet, J. L. (1986). Association of erythrocyte protoporphyrin with blood lead level and iron status in the second National Health and Nutrition Examination Survey, 1976–1980. *Environmental Research*, 41(1), 327-338.
- Mahaffey, K. R., & Fowler, B. A. (1977). Effects of concurrent administration of lead, cadmium, and arsenic in the rat. *Environmental Health Perspectives*, 19, 165.
- Mahaffey, K. R., Capar, S. G., Gladen, B. C., & Fowler, B. A. (1981). Concurrent exposure to lead, cadmium, and arsenic. Effects on toxicity and tissue metal concentrations in the rat. *The Journal of laboratory and clinical medicine*, 98(4), 463-481.
- Mahaffey, K. R., Clickner, R. P., & Bodurow, C. C. (2004). Blood organic mercury and dietary mercury intake: National Health and Nutrition Examination Survey, 1999 and 2000. *Environmental health perspectives*, 112(5), 562.
- Mahagita, C., Grassl, S. M., Piyachaturawat, P., & Ballatori, N. (2007). Human organic anion transporter 1B1 and 1B3 function as bidirectional carriers and do not mediate GSH-bile acid cotransport. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 293(1), G271-G278.
- Mahboob, M., Shireen, K. F., Atkinson, A., & Khan, A. T. (2001). Lipid peroxidation and antioxidant enzyme activity in different organs of mice exposed to low level of mercury. *Journal of Environmental Science and Health, Part B*, 36(5), 687-697.
- Manna, P., Sinha, M., & Sil, P. C. (2008). Arsenic-induced oxidative myocardial injury: protective role of arjunolic acid. *Archives of toxicology*, 82(3), 137-149.

- Manton, W. I., Rothenberg, S. J., & Manalo, M. (2001). The lead content of blood serum. *Environmental research*, 86(3), 263-273.
- Marg, B. Z. (2011). Hazardous Metals and Minerals Pollution in India: Sources, Toxicity and Management. A position paper, Indian National Science Academy, New Delhi.
- Maria, B., Koizumi, S., & Jonai, H. (2000). Cytokine production by human peripheral blood mononuclear cells after exposure to heavy metals. *Journal of health science*, 46(5), 358-362.
- Marklund, S., & Marklund, G. (1974). Involvement of the superoxide anion radical in the autoxidation of pyrogallol and a convenient assay for superoxide dismutase. *European journal of biochemistry*, 47(3), 469-474.
- Martens, E. C., Lowe, E. C., Chiang, H., Pudlo, N. A., Wu, M., McNulty, N. P., ... & Gordon, J. I. (2011). Recognition and degradation of plant cell wall polysaccharides by two human gut symbionts. *PLoS Biol*, 9(12), e1001221.
- Matovic, V., Buha, A., Đukić-Ćosić, D., & Bulat, Z. (2015). Insight into the oxidative stress induced by lead and/or cadmium in blood, liver and kidneys. *Food and Chemical Toxicology*, 78, 130-140.
- McCabe, M. J., & Lawrence, D. A. (1991). Lead, a major environmental pollutant, is immunomodulatory by its differential effects on CD4+ T cell subsets. *Toxicology and Applied Pharmacology*, 111(1), 13-23.
- McFarland, L. V. (2015). From yaks to yogurt: the history, development, and current use of probiotics. *Clinical Infectious Diseases*, 60(suppl 2), S85-S90.
- McKenzie, G. J., & Craig, N. L. (2006). Fast, easy and efficient: site-specific insertion of transgenes into Enterobacterial chromosomes using Tn 7 without need for selection of the insertion event. *Bmc Microbiology*, 6(1), 39.
- McMurray, C. T., & Tainer, J. A. (2003). Cancer, cadmium and genome integrity. *Nature genetics*, 34(3), 239-242.
- Merishiba, S. D., Dassprakash, M. V., & Saraswathy, S. D. (2013). Protective effect of naringenin on hepatic and renal dysfunction and oxidative stress in arsenic intoxicated rats. *Molecular biology reports*, 40(5), 3681-3691.
- Miltonprabu, S., & Sumedha, N. C. (2015). Diallyl trisulfide ameliorates arsenic induced dyslipidemia in rats. *Food Sci. Biotechnol*, 24(1), 1-9.
- Monachese, M., Burton, J. P., & Reid, G. (2012). Bioremediation and tolerance of humans to heavy metals through microbial processes: a potential role for probiotics?. *Applied and environmental microbiology*, 78(18), 6397-6404.
- Morgan, H., & Sherlock, J. C. (1984). Cadmium intake and cadmium in the human kidney. *Food Additives & Contaminants*, 1(1), 45-51.
- Mowll, J. L., & Gadd, G. M. (1984). Cadmium uptake by *Aureobasidium pullulans*. *Microbiology*, 130(2), 279-284.

- Muoio, D. M., & Koves, T. R. (2007). Skeletal muscle adaptation to fatty acid depends on coordinated actions of the PPARs and PGC1 α : implications for metabolic disease. *Applied Physiology, Nutrition, and Metabolism*, 32(5), 874-883.
- Muthumani, M., & Miltonprabu, S. (2015). Ameliorative efficacy of tetrahydrocurcumin against arsenic induced oxidative damage, dyslipidemia and hepatic mitochondrial toxicity in rats. *Chemico-biological interactions*, 235, 95-105.
- Nagpal, R., Kumar, A., Kumar, M., Behare, P. V., Jain, S., & Yadav, H. (2012). Probiotics, their health benefits and applications for developing healthier foods: a review. *FEMS microbiology letters*, 334(1), 1-15.
- Naik, S. R., Thakare, V. N., & Patil, S. R. (2011). Protective effect of curcumin on experimentally induced inflammation, hepatotoxicity and cardiotoxicity in rats: evidence of its antioxidant property. *Experimental and Toxicologic Pathology*, 63(5), 419-431.
- Namgung, U. K., & Xia, Z. (2001). Arsenic induces apoptosis in rat cerebellar neurons via activation of JNK3 and p38 MAP kinases. *Toxicology and applied pharmacology*, 174(2), 130-138.
- Nation, J. R., Frye, G. D., Von Stultz, J., & Bratton, G. R. (1989). Effects of combined lead and cadmium exposure: Changes in schedule-controlled responding and in dopamine, serotonin, and their metabolites. *Behavioral neuroscience*, 103(5), 1108.
- Nation, J. R., Grover, C. A., Bratton, G. R., & Salinas, J. A. (1990). Behavioral antagonism between lead and cadmium. *Neurotoxicology and teratology*, 12(2), 99-104.
- Navas-Acien, A., Tellez-Plaza, M., Guallar, E., Muntner, P., Silbergeld, E., Jaar, B., & Weaver, V. (2009). Blood cadmium and lead and chronic kidney disease in US adults: a joint analysis. *American journal of epidemiology*, 170(9), 1156-1164.
- Necib, Y., Bahi, A., Zerizer, S., Abdennour, C., & Boulakoud, M. S. (2014). Protective effect of virgin olive oil (*Olea europea* L.) against oxidative damage induced by mercuric chloride in rat albinos Wistar. *Journal of Stress Physiology & Biochemistry*, 10(1).
- Nordberg M, Nordberg GF 2002. Chapter 8, In: Sarkar, B. (Eds.), Heavy Metal in the Environment. Marcel Dekker, New York, USA; 2002, p. 231–270.
- Noriega, G. O., Tomaro, M. L., & del Batlle, A. M. (2003). Bilirubin is highly effective in preventing in vivo δ -aminolevulinic acid-induced oxidative cell damage. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1638(2), 173-178.
- Nriagu, J., Oleru, N. T., Cudjoe, C., & Chine, A. (1997). Lead poisoning of children in Africa, III. Kaduna, Nigeria. *Science of the Total Environment*, 197(1-3), 13-19.
- Ognjanovic, B. I., Pavlovic, S. Z., Maletic, S. D., Zikic, R. V., Stajn, A. S., Radojicic, R. M., ... & Petrovic, V. M. (2003). Protective influence of vitamin E on antioxidant defense system in the blood of rats treated with cadmium. *Physiological Research*, 52(5), 563-570.
- Oldereid, N. B., Thomassen, Y., Attramadal, A., Olaisen, B., & Purvis, K. (1993). Concentrations of lead, cadmium and zinc in the tissues of reproductive organs of men. *Journal of reproduction and fertility*, 99(2), 421-425.

- Ou, B., Yang, Y., Tham, W. L., Chen, L., Guo, J., & Zhu, G. (2016). Genetic engineering of probiotic *Escherichia coli* Nissle 1917 for clinical application. *Applied microbiology and biotechnology*, 100(20), 8693-8699.
- Pande, M., & Flora, S. J. S. (2002). Lead induced oxidative damage and its response to combined administration of α -lipoic acid and succimers in rats. *Toxicology*, 177(2), 187-196.
- Pandey, S., Singh, A., Chaudhari, N., Nampoothiri, L. P., & Kumar, G. N. (2015). Protection against 1, 2-Di-methylhydrazine-induced systemic oxidative stress and altered brain neurotransmitter status by probiotic *Escherichia coli* CFR 16 secreting pyrroloquinoline quinone. *Current microbiology*, 70(5), 690-697.
- Pandey, S., Singh, A., Kumar, P., Chaudhari, A., & Nareshkumar, G. (2014). Probiotic *Escherichia coli* CFR 16 producing pyrroloquinoline quinone (PQQ) ameliorates 1, 2-dimethylhydrazine-induced oxidative damage in colon and liver of rats. *Applied biochemistry and biotechnology*, 173(3), 775-786.
- Pari, L., Karthikeyan, A., Karthika, P., & Rathinam, A. (2015). Protective effects of hesperidin on oxidative stress, dyslipidaemia and histological changes in iron-induced hepatic and renal toxicity in rats. *Toxicology Reports*, 2, 46-55.
- Patange, S. B., Mukundan, M. K., & Kumar, K. A. (2005). A simple and rapid method for colorimetric determination of histamine in fish flesh. *Food Control*, 16(5), 465-472.
- Patel, R., & DuPont, H. L. (2015). New approaches for bacteriotherapy: prebiotics, new-generation probiotics, and synbiotics. *Clinical Infectious Diseases*, 60(suppl 2), S108-S121.
- Patra, R. C., Rautray, A. K., & Swarup, D. (2011). Oxidative stress in lead and cadmium toxicity and its amelioration. *Veterinary medicine international*, 2011.
- Paul, N., Chakraborty, S., & Sengupta, M. (2014). Lead toxicity on non-specific immune mechanisms of freshwater fish *Channa punctatus*. *Aquatic Toxicology*, 152, 105-112.
- Pedrosa, F. O., Monteiro, R. A., Wasseem, R., Cruz, L. M., Ayub, R. A., Colauto, N. B., ... & Madeira, H. M. (2011). Genome of *Herbaspirillum seropedicae* strain SmR1, a specialized diazotrophic endophyte of tropical grasses. *PLoS Genet*, 7(5), e1002064.
- Place, R. F., Noonan, E. J., & Giardina, C. (2005). HDAC inhibition prevents NF- κ B activation by suppressing proteasome activity: down-regulation of proteasome subunit expression stabilizes I κ B α . *Biochemical pharmacology*, 70(3), 394-406.
- Planchamp, C., Hadengue, A., Stieger, B., Bourquin, J., Vonlaufen, A., Frossard, J. L., ... & Pastor, C. M. (2007). Function of both sinusoidal and canalicular transporters controls the concentration of organic anions within hepatocytes. *Molecular pharmacology*, 71(4), 1089-1097.
- Prabu, S. M., Muthumani, M., & Shagirtha, K. (2013). Quercetin potentially attenuates cadmium induced oxidative stress mediated cardiotoxicity and dyslipidemia in rats. *Eur Rev Med Pharmacol Sci*, 17(5), 582-595.
- Puccetti, E., & Ruthardt, M. (2004). Acute promyelocytic leukemia: PML/RAR α and the leukemic stem cell. *Leukemia*, 18(7), 1169-1175.

- Puigserver, P. (2005). Tissue-specific regulation of metabolic pathways through the transcriptional coactivator PGC1- α . *International journal of obesity*, 29, S5-S9.
- Qin, J., Rosen, B. P., Zhang, Y., Wang, G., Franke, S., & Rensing, C. (2006). Arsenic detoxification and evolution of trimethylarsine gas by a microbial arsenite S-adenosylmethionine methyltransferase. *Proceedings of the National Academy of Sciences of the United States of America*, 103(7), 2075-2080.
- Quig, D. (1998). Cysteine metabolism and metal toxicity. *Alternative Medicine Review*, 3, 262-270.
- Rahman, M. F., Siddiqui, M. K. J., & Jamil, K. (2000). Acid and alkaline phosphatase activities in a novel phosphorothionate (RPR-11) treated male and female rats. Evidence of dose and time-dependent response. *Drug and chemical toxicology*, 23(3), 497-509.
- Raml, R., Rumpler, A., Goessler, W., Vahter, M., Li, L., Ochi, T., & Francesconi, K. A. (2007). Thio-dimethylarsinate is a common metabolite in urine samples from arsenic-exposed women in Bangladesh. *Toxicology and Applied Pharmacology*, 222(3), 374-380.
- Reid, G. (2010). The potential role for probiotic yogurt for people living with HIV/AIDS. *Gut microbes*, 1(6), 411-414.
- Renugadevi, J., & Prabu, S. M. (2010). Cadmium-induced hepatotoxicity in rats and the protective effect of naringenin. *Experimental and Toxicologic Pathology*, 62(2), 171-181.
- Rooney, J. P. (2007). The role of thiols, dithiols, nutritional factors and interacting ligands in the toxicology of mercury. *Toxicology*, 234(3), 145-156.
- Rosen, B. P. (2002). Biochemistry of arsenic detoxification. *FEBS letters*, 529(1), 86-92.
- Roy, P., & Saha, A. (2002). Metabolism and toxicity of arsenic: A human carcinogen. *Current Science*, 82(1), 38-45.
- Rucker, R., Chohanadisai, W., & Nakano, M. (2009). Potential physiological importance of pyrroloquinoline quinone. *Alternative Medicine Review*, 14(3), 268.
- Ryu, D. Y., Lee, S. J., Park, D. W., Choi, B. S., Klaassen, C. D., & Park, J. D. (2004). Dietary iron regulates intestinal cadmium absorption through iron transporters in rats. *Toxicology letters*, 152(1), 19-25.
- Sa'ad, H., Peppelenbosch, M. P., Roelofsen, H., Vonk, R. J., & Venema, K. (2010). Biological effects of propionic acid in humans; metabolism, potential applications and underlying mechanisms. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1801(11), 1175-1183.
- Salinska, A., Włostowski, T., & Zambrzycka, E. (2012). Effect of dietary cadmium and/or lead on histopathological changes in the kidneys and liver of bank voles *Myodes glareolus* kept in different group densities. *Ecotoxicology*, 21(8), 2235-2243.
- Salińska, A., Włostowski, T., Maciak, S., Łaskiewicz-Tiszczenko, B., & Kozłowski, P. (2012). Combined effect of dietary cadmium and benzo (a) pyrene on metallothionein induction and apoptosis in the liver and kidneys of bank voles. *Biological trace element research*, 147(1-3), 189-194.

- Sankar, P., Telang, A. G., Kalaivanan, R., Karunakaran, V., Suresh, S., & Kesavan, M. (2016). Oral nanoparticulate curcumin combating arsenic-induced oxidative damage in kidney and brain of rats. *Toxicology and industrial health*, 32(3), 410-421.
- Sawada, H., Takami, K., & Asahi, S. (2004). A toxicogenomic approach to drug-induced phospholipidosis: analysis of its induction mechanism and establishment of a novel in vitro screening system. *Toxicological sciences*, 83(2), 282-292.
- Saxena, D. K., Murthy, R. C., Singh, C., & Chandra, S. V. (1989). Zinc protects testicular injury induced by concurrent exposure to cadmium and lead in rats. *Research communications in chemical pathology and pharmacology*, 64(2), 317-329.
- Saxena, G., & Flora, S. J. S. (2006). Changes in brain biogenic amines and haem biosynthesis and their response to combined administration of succimers and *Centella asiatica* in lead poisoned rats. *Journal of Pharmacy and Pharmacology*, 58(4), 547-559.
- Saxena, G., Pathak, U., & Flora, S. J. S. (2005). Beneficial role of monoesters of meso-2, 3-dimercaptosuccinic acid in the mobilization of lead and recovery of tissue oxidative injury in rats. *Toxicology*, 214(1), 39-56.
- Schryvers, A. B., & Stojiljkovic, I. (1999). Iron acquisition systems in the pathogenic *Neisseria*. *Molecular microbiology*, 32(6), 1117-1123.
- Schumann, S., Alpert, C., Engst, W., Loh, G., & Blaut, M. (2012). Dextran sodium sulfate-induced inflammation alters the expression of proteins by intestinal *Escherichia coli* strains in a gnotobiotic mouse model. *Applied and environmental microbiology*, 78(5), 1513-1522.
- Schwab, M., Stein, J., & Schroder, O. (2007). Ppar gamma is involved in butyrate-mediated inhibition of LPS-induced Nf kappa B activation. In *Gastroenterology*, 132(4), A554-A554.
- Schulze, J., Schiemann, M., & Sonnenborn, U. (2006). *120 years of E. coli*. Hagen, Germany: Alfred-Nissle-Gesellschaft.
- Sears, M. E. (2013). Chelation: harnessing and enhancing heavy metal detoxification—a review. *The Scientific World Journal*, 2013.
- Selye, H., Tuchweber, B., & Bertok, L. (1966). Effect of lead acetate on the susceptibility of rats to bacterial endotoxins. *Journal of bacteriology*, 91(2), 884-890.
- Sener, U., Uygur, R., Aktas, C., Uygur, E., Erboga, M., Balkas, G., ... & Erdogan, H. (2016). Protective effects of thymoquinone against apoptosis and oxidative stress by arsenic in rat kidney. *Renal failure*, 38(1), 117-123.
- Serino, M., Luche, E., Gres, S., Baylac, A., Bergé, M., Cenac, C., ... & Mariette, J. (2012). Metabolic adaptation to a high-fat diet is associated with a change in the gut microbiota. *Gut*, 61(4), 543-553.
- Shaikh, Z. A., & Tang, W. (1999). Protection against chronic cadmium toxicity by glycine. *Toxicology*, 132(2), 139-146.
- Shaikh, Z. A., Vu, T. T., & Zaman, K. (1999). Oxidative stress as a mechanism of chronic cadmium-induced hepatotoxicity and renal toxicity and protection by antioxidants. *Toxicology and applied pharmacology*, 154(3), 256-263.

- Sharma, R. P., & Street, J. C. (1980). Public health aspects of toxic heavy metals in animal feeds. *Journal of the American Veterinary Medical Association*, 177(2), 149-153.
- Shi, H., Shi, X., & Liu, K. J. (2004). Oxidative mechanism of arsenic toxicity and carcinogenesis. *Molecular and cellular biochemistry*, 255(1-2), 67-78.
- Shimada, H., Yasutake, A., Hirashima, T., Takamura, Y., Kitano, T., Waalkes, M. P., & Imamura, Y. (2008). Strain difference of cadmium accumulation by liver slices of inbred Wistar-Imamichi and Fischer 344 rats. *Toxicology in vitro*, 22(2), 338-343.
- Singh, A. K., Pandey, S. K., & Naresh Kumar, G. (2014). Pyrroloquinoline quinone-secreting probiotic *Escherichia coli* Nissle 1917 ameliorates ethanol-induced oxidative damage and hyperlipidemia in rats. *Alcoholism: Clinical and Experimental Research*, 38(7), 2127-2137.
- Singh, A. K., Pandey, S. K., Saha, G., & Gattupalli, N. K. (2015). Pyrroloquinoline quinone (PQQ) producing *Escherichia coli* Nissle 1917 (EcN) alleviates age associated oxidative stress and hyperlipidemia, and improves mitochondrial function in ageing rats. *Experimental gerontology*, 66, 1-9.
- Singh, A. L., & Sarma, P. N. (2010). Removal of arsenic (III) from waste water using *Lactobacillus acidophilus*. *Bioremediation Journal*, 14(2), 92-97.
- Singh, B., Mal, G., Bissi, L., Bissi & Marotta, F. (2016). The Holy Grail of Designer Probiotics: The Probiotics with Multiple Health Benefits. *J Gastrointest Dig Syst*, 6(2).
- Sinha, V., Mishra, R., Kumar, A., Kannan, A., & Upreti, R. K. (2011). Amplification of *arsH* gene in *Lactobacillus acidophilus* resistant to arsenite. *Biotechnology*, 10(1), 101-107.
- Smith, D., Hernandez-Avila, M., Téllez-Rojo, M. M., Mercado, A., & Hu, H. (2002). The relationship between lead in plasma and whole blood in women. *Environmental health perspectives*, 110(3), 263.
- Socci, D. J., Bjugstad, K. B., Jones, H. C., Pattisapu, J. V., & Arendash, G. W. (1999). Evidence that oxidative stress is associated with the pathophysiology of inherited hydrocephalus in the H-Tx rat model. *Experimental neurology*, 155(1), 109-117.
- Sola-Oladokun, B., Culligan, E. P., & Sleator, R. (2017). Engineered Probiotics: Applications and Biological Containment. *Annual Review of Food Science and Technology*, 8(1).
- Son, M. H., Kang, K. W., Lee, C. H., & Kim, S. G. (2001). Potentiation of arsenic-induced cytotoxicity by sulfur amino acid deprivation (SAAD) through activation of ERK1/2, p38 kinase and JNK1: the distinct role of JNK1 in SAAD-potentiated mercury toxicity. *Toxicology letters*, 121(1), 45-55.
- Sonnenborn, U., & Schulze, J. (2009). The non-pathogenic *Escherichia coli* strain Nissle 1917—features of a versatile probiotic. *Microbial Ecology in Health and Disease*, 21(3-4), 122-158.
- Souza, M. A. N., Souza, M. H. L. P., Palheta, R. C., Cruz, P. R. M., Medeiros, B. A., Rola, F. H., ... & Santos, A. A. (2009). Evaluation of gastrointestinal motility in awake rats: a learning exercise for undergraduate biomedical students. *Advances in Physiology Education*, 33(4), 343-348.

- Stites, T., Storms, D., Bauerly, K., Mah, J., Harris, C., Fascetti, A., ... & Rucker, R. B. (2006). Pyrroloquinoline quinone modulates mitochondrial quantity and function in mice. *The Journal of nutrition*, 136(2), 390-396.
- Stohs, S. J., & Bagchi, D. (1995). Oxidative mechanisms in the toxicity of metal ions. *Free radical biology and medicine*, 18(2), 321-336.
- Sumi, D., Manji, A., Shinkai, Y., Toyama, T., & Kumagai, Y. (2007). Activation of the Nrf2 pathway, but decreased γ -glutamylcysteine synthetase heavy subunit chain levels and caspase-3-dependent apoptosis during exposure of primary mouse hepatocytes to diphenylarsinic acid. *Toxicology and applied pharmacology*, 223(3), 218-224.
- Sun, L., Hu, J., Zhao, Z., Li, L., & Cheng, H. (2003). Influence of exposure to environmental lead on serum immunoglobulin in preschool children. *Environmental research*, 92(2), 124-128.
- Suzuki, O., Kumazawa, T., Seno, H., Urakami, T., & Matsumoto, T. (1990). Extractions of pyrroloquinoline quinone from crude biological samples. *Life sciences*, 47(23), 2135-2141.
- Tchaparian, E., Marshal, L., Cutler, G., Bauerly, K., Chowanadisai, W., Satre, M., ... & Rucker, R. B. (2010). Identification of transcriptional networks responding to pyrroloquinoline quinone dietary supplementation and their influence on thioredoxin expression, and the JAK/STAT and MAPK pathways. *Biochemical Journal*, 429(3), 515-526.
- Tchounwou, P. B., Yedjou, C. G., Patlolla, A. K., & Sutton, D. J. (2012). Heavy metal toxicity and the environment. In *Molecular, clinical and environmental toxicology*, 133-164.
- Tedelind, S., Westberg, F., Kjerrulf, M., & Vidal, A. (2007). Anti-inflammatory properties of the short-chain fatty acids acetate and propionate: a study with relevance to inflammatory bowel disease. *World Journal of Gastroenterology*, 13(20), 2826.
- Thawley, D. G., Willoughby, R. A., McSherry, B. J., MacLeod, G. K., MacKay, K. H., & Mitchell, W. R. (1977). Toxic interactions among Pb, Zn, and Cd with varying levels of dietary Ca and vitamin D: Hematological system. *Environmental research*, 14(3), 463-475.
- Theron, A. J., Tintinger, G. R., & Anderson, R. (2012). Harmful interactions of non-essential heavy metals with cells of the innate immune system. *J Clinic Toxicol*, S:3
- Thirumoorthy, N., Sunder, A. S., Kumar, K. M., Ganesh, G. N. K., & Chatterjee, M. (2011). A review of metallothionein isoforms and their role in pathophysiology. *World journal of surgical oncology*, 9(1), 54.
- Thomas, D. J., Li, J., Waters, S. B., Xing, W., Adair, B. M., Drobna, Z., ... & Styblo, M. (2007). Arsenic (+ 3 oxidation state) methyltransferase and the methylation of arsenicals. *Experimental Biology and Medicine*, 232(1), 3-13.
- Tobwala, S., Wang, H. J., Carey, J. W., Banks, W. A., & Ercal, N. (2014). Effects of lead and cadmium on brain endothelial cell survival, monolayer permeability, and crucial oxidative stress markers in an in vitro model of the blood-brain barrier. *Toxics*, 2(2), 258-275.
- Toyama, H., Furuya, N., Saichana, I., Ano, Y., Adachi, O., & Matsushita, K. (2007). Membrane-bound, 2-keto-D-gluconate-yielding D-gluconate dehydrogenase from

- “Gluconobacter dioxyaceticus” IFO 3271: molecular properties and gene disruption. *Applied and environmental microbiology*, 73(20), 6551-6556.
- Tsukahara, T., Koyama, H., Okada, M., & Ushida, K. (2002). Stimulation of butyrate production by gluconic acid in batch culture of pig cecal digesta and identification of butyrate-producing bacteria. *The Journal of nutrition*, 132(8), 2229-2234.
- Turrone, F., Foroni, E., Pizzetti, P., Giubellini, V., Ribbera, A., Merusi, P., ... & van Sinderen, D. (2009). Exploring the diversity of the bifidobacterial population in the human intestinal tract. *Applied and environmental microbiology*, 75(6), 1534-1545.
- Ugbaja, R. N., Onunkwor, B. O., & Omoniyi, D. A. (2013). Lead induced dyslipidemia: The comparative effects of ascorbate and chelation therapy. *African Journal of Biotechnology*, 12(15).
- Vahter, M. (1981). Biotransformation of trivalent and pentavalent inorganic arsenic in mice and rats. *Environmental research*, 25(2), 286-293.
- Valentine, J. L., Kang, H. K., & Spivey, G. (1979). Arsenic levels in human blood, urine, and hair in response to exposure via drinking water. *Environmental Research*, 20(1), 24-32.
- Valko, M. M. H. C. M., Morris, H., & Cronin, M. T. D. (2005). Metals, toxicity and oxidative stress. *Current medicinal chemistry*, 12(10), 1161-1208.
- Vanderpool, R. A., & Reeves, P. G. (2001). Cadmium absorption in women fed processed edible sunflower kernels labeled with a stable isotope of cadmium, ¹¹³Cd. *Environmental research*, 87(2), 69-80.
- Vrieze, A., Holleman, F., Zoetendal, E. G., De Vos, W. M., Hoekstra, J. B. L., & Nieuwdorp, M. (2010). The environment within: how gut microbiota may influence metabolism and body composition. *Diabetologia*, 53(4), 606-613.
- Waalkes, M. P., Keefer, L. K., & Diwan, B. A. (2000). Induction of proliferative lesions of the uterus, testes, and liver in swiss mice given repeated injections of sodium arsenate: possible estrogenic mode of action. *Toxicology and applied pharmacology*, 166(1), 24-35.
- Waalkes, M. P., Liu, J., Ward, J. M., & Diwan, B. A. (2004). Mechanisms underlying arsenic carcinogenesis: hypersensitivity of mice exposed to inorganic arsenic during gestation. *Toxicology*, 198(1), 31-38.
- Wagh, J., Bhandari, P., Shah, S., Archana, G., & Kumar, G. N. (2014). Overexpression of citrate operon in *Herbaspirillum seropedicae* Z67 enhances organic acid secretion, mineral phosphate solubilization and growth promotion of *Oryza sativa*. *Plant and soil*, 383(1-2), 73-86.
- Wagh, J., Chanchal, K., Sonal, S., Praveena, B., Archana, G., & Kumar, G. N. (2016). Inoculation of genetically modified endophytic *Herbaspirillum seropedicae* Z67 endowed with gluconic and 2-ketogluconic acid secretion, confers beneficial effects on rice (*Oryza sativa*) plants. *Plant and Soil*, 409(1-2), 51-64.
- Waisberg, M., Joseph, P., Hale, B., & Beyersmann, D. (2003). Molecular and cellular mechanisms of cadmium carcinogenesis. *Toxicology*, 192(2), 95-117.

- Wang, G., & Fowler, B. A. (2008). Roles of biomarkers in evaluating interactions among mixtures of lead, cadmium and arsenic. *Toxicology and applied pharmacology*, 233(1), 92-99.
- Wang, L., Wang, H., Li, J., Chen, D., & Liu, Z. (2011). Simultaneous effects of lead and cadmium on primary cultures of rat proximal tubular cells: interaction of apoptosis and oxidative stress. *Archives of environmental contamination and toxicology*, 61(3), 500-511.
- Wang, T. S., Kuo, C. F., Jan, K. Y., & Huang, H. (1996). Arsenite induces apoptosis in Chinese hamster ovary cells by generation of reactive oxygen species. *Journal of cellular physiology*, 169(2), 256-268.
- Waters, R. S., Bryden, N. A., Patterson, K. Y., Veillon, C., & Anderson, R. A. (2001). EDTA chelation effects on urinary losses of cadmium, calcium, chromium, cobalt, copper, lead, magnesium, and zinc. *Biological trace element research*, 83(3), 207-221.
- Waters, S. B., Devesa, V., Del Razo, L. M., Styblo, M., & Thomas, D. J. (2004a). Endogenous reductants support the catalytic function of recombinant rat cyt19, an arsenic methyltransferase. *Chemical research in toxicology*, 17(3), 404-409.
- Waters, S. B., Devesa, V., Fricke, M. W., Creed, J. T., Styblo, M., & Thomas, D. J. (2004b). Glutathione modulates recombinant rat arsenic (+ 3 oxidation state) methyltransferase-catalyzed formation of trimethylarsine oxide and trimethylarsine. *Chemical research in toxicology*, 17(12), 1621-1629.
- Watson, W. S., Morrison, J., Bethel, M. I., Baldwin, N. M., Lyon, D. T., Dobson, H., ... & Hume, R. (1986). Food iron and lead absorption in humans. *The American journal of clinical nutrition*, 44(2), 248-256.
- Wei, M., Arnold, L., Cano, M., & Cohen, S. M. (2004). Effects of co-administration of antioxidants and arsenicals on the rat urinary bladder epithelium. *Toxicological Sciences*, 83(2), 237-245.
- Wester, R. C., Maibach, H. I., Sedik, L., Melendres, J., DiZio, S., & Wade, M. (1992). In vitro percutaneous absorption of cadmium from water and soil into human skin. *Fundamental and applied toxicology*, 19(1), 1-5.
- White, C., & Gadd, G. M. (1998). Accumulation and effects of cadmium on sulphate-reducing bacterial biofilms. *Microbiology*, 144(5), 1407-1415
- Yadav, K., Kumar, C., Archana, G., & Kumar, G. N. (2014). Artificial citrate operon and Vitreoscilla hemoglobin gene enhanced mineral phosphate solubilizing ability of *Enterobacter hormaechei* DHRSS. *Applied microbiology and biotechnology*, 98(19), 8327-8336.
- Yang, C., Yu, L., Kong, L., Ma, R., Zhang, J., Zhu, Q., ... & Hao, D. (2014). Pyrroloquinoline quinone (PQQ) inhibits lipopolysaccharide induced inflammation in part via downregulated NF- κ B and p38/JNK activation in microglial and attenuates microglia activation in lipopolysaccharide treatment mice. *PLoS one*, 9(10), e109502.
- Yang, H., & Shu, Y. (2015). Cadmium transporters in the kidney and cadmium-induced nephrotoxicity. *International journal of molecular sciences*, 16(1), 1484-1494.
- Yang, J. M., Arnush, M., Chen, Q. Y., Wu, X. D., Pang, B., & Jiang, X. Z. (2003). Cadmium-induced damage to primary cultures of rat Leydig cells. *Reproductive toxicology*, 17(5), 553-560.

- Yang, X. P., Zhong, G. F., Lin, J. P., Mao, D. B., & Wei, D. Z. (2010). Pyrroloquinoline quinone biosynthesis in *Escherichia coli* through expression of the *Gluconobacter oxydans* pqqABCDE gene cluster. *Journal of industrial microbiology & biotechnology*, 37(6), 575-580.
- Yuan, G., Dai, S., Yin, Z., Lu, H., Jia, R., Xu, J., ... & Zhao, X. (2014a). Toxicological assessment of combined lead and cadmium: acute and sub-chronic toxicity study in rats. *Food and Chemical Toxicology*, 65, 260-268.
- Yuan, G., Dai, S., Yin, Z., Lu, H., Jia, R., Xu, J., ... & Chen, Z. (2014b). Sub-chronic lead and cadmium co-induce apoptosis protein expression in liver and kidney of rats. *Int J Clin Exp Pathol*, 7(6), 2905-14.
- Yum, D. Y., Lee, Y. P., & Pan, J. G. (1997). Cloning and expression of a gene cluster encoding three subunits of membrane-bound gluconate dehydrogenase from *Erwinia cypripedii* ATCC 29267 in *Escherichia coli*. *Journal of bacteriology*, 179(21), 6566-6572.
- Zalups, R. K., & Ahmad, S. (2003). Molecular handling of cadmium in transporting epithelia. *Toxicology and applied pharmacology*, 186(3), 163-188.
- Zhai, Q., Narbad, A., & Chen, W. (2015). Dietary strategies for the treatment of cadmium and lead toxicity. *Nutrients*, 7(1), 552-571.
- Zhai, Q., Wang, G., Zhao, J., Liu, X., Tian, F., Zhang, H., & Chen, W. (2013). Protective effects of *Lactobacillus plantarum* CCFM8610 against acute cadmium toxicity in mice. *Applied and environmental microbiology*, 79(5), 1508-1515.
- Zhang, Y., & Rosenberg, P. A. (2002). The essential nutrient pyrroloquinoline quinone may act as a neuroprotectant by suppressing peroxynitrite formation. *European Journal of Neuroscience*, 16(6), 1015-1024.
- Zhao, Y., Wang, L., Shen, H. B., Wang, Z. X., Wei, Q. Y., & Chen, F. (2007). Association between δ -aminolevulinic acid dehydratase (ALAD) polymorphism and blood lead levels: A meta-regression analysis. *Journal of Toxicology and Environmental Health, Part A*, 70(23), 1986-1994.
- Zheng, Y., Wu, J., Ng, J. C., Wang, G., & Lian, W. (2002). The absorption and excretion of fluoride and arsenic in humans. *Toxicology letters*, 133(1), 77-82.
- Zhou, L., Jing, Y., Styblo, M., Chen, Z., & Waxman, S. (2005). Glutathione-S-transferase π inhibits As₂O₃-induced apoptosis in lymphoma cells: involvement of hydrogen peroxide catabolism. *Blood*, 105(3), 1198-1203.
- Zhu, B. Q., Simonis, U., Cecchini, G., Zhou, H. Z., Li, L., Teerlink, J. R., & Karliner, J. S. (2006). Comparison of pyrroloquinoline quinone and/or metoprolol on myocardial infarct size and mitochondrial damage in a rat model of ischemia/reperfusion injury. *Journal of cardiovascular pharmacology and therapeutics*, 11(2), 119-128.
- Zoghi, A., Khosravi-Darani, K., & Sohrabvandi, S. (2014). Surface binding of toxins and heavy metals by probiotics. *Mini reviews in medicinal chemistry*, 14(1), 84-98.

Zubero, M. B., Aurrekoetxea, J. J., Ibarluzea, J. M., Arenaza, M. J., Rodríguez, C., & Sáenz, J. R. (2010). Heavy metal levels (Pb, Cd, Cr and Hg) in the adult general population near an urban solid waste incinerator. *Science of the total environment*, 408(20), 4468-4474.

Zyrek, A. A., Cichon, C., Helms, S., Enders, C., Sonnenborn, U., & Schmidt, M. A. (2007). Molecular mechanisms underlying the probiotic effects of *Escherichia coli* Nissle 1917 involve ZO-2 and PKC ζ redistribution resulting in tight junction and epithelial barrier repair. *Cellular microbiology*, 9(3), 804-816.