8

BIBLIOGRAPHY

Abbott, D.H., Barnett, D.K., Bruns, C.M. and Dumesic, D.A., 2005. Androgen excess fetal programming of female reproduction: a developmental aetiology for polycystic ovary syndrome? Human reproduction update, 11(4), pp.357-374.

Abbott, D.H., Dumesic, D.A., Levine, J.E., Dunaif, A. and Padmanabhan, V., 2006. Animal models and fetal programming of the polycystic ovary syndrome. In Androgen excess disorders in women (pp. 259-272). Humana Press.

Abidin, I., Yargicoglu, P., Agar, A., Gümüslü, S., Aydin, S., Aydin, S., ÖZTÜRK, O. and Sahin, E., 2004. The effect of chronic restraint stress on spatial learning and memory: relation to oxidant stress. International journal of neuroscience, 114(5), pp.683-699.

Acheson, A., Conover, J.C., Fandl, J.P., DeChiara, T.M., Russell, M., Thadani, A., Squinto, S.P., Yancopoulos, G.D. and Lindsay, R.M., 1995. A BDNF autocrine loop in adult sensory neurons prevents cell death. Nature, 374(6521), pp.450-453.

Acosta-Martínez, M., 2011. PI3K: an attractive candidate for the central integration of metabolism and reproduction. Frontiers in endocrinology, 2.

Adachi, S., Yamada, S., Takatsu, Y., Matsui, H., Kinoshita, M., Takase, K., Sugiura, H., Ohtaki, T., Matsumoto, H., Uenoyama, Y. and Tsukamura, H., 2007. Involvement of anteroventral periventricular metastin/kisspeptin neurons in estrogen positive feedback action on luteinizing hormone release in female rats. Journal of Reproduction and Development, 53(2), pp.367-378.

Aebi, H., 1984. Catalase in vitro. Methods in enzymology, 105, pp.121-126.

Agarwal, A., Gupta, S. and Sharma, R.K., 2005. Role of oxidative stress in female reproduction. Reproductive biology and endocrinology, 3(1), p.28.

Alonso-Magdalena, P., Morimoto, S., Ripoll, C., Fuentes, E. and Nadal, A., 2006. The estrogenic effect of bisphenol A disrupts pancreatic β-cell function in vivo and induces insulin resistance. Environmental health perspectives, 114(1), p.106.

Amato, G., Conte, M., Mazziotti, G., Lalli, E., Vitolo, G., Tucker, A.T., Bellastella, A., Carella, C. and Izzo, A., 2003. Serum and follicular fluid cytokines in polycystic ovary syndrome during stimulated cycles. Obstetrics and Gynecology, 101(6), pp.1177-1182.

Amer, S., Li, T.C., Bygrave, C., Sprigg, A., Saravelos, H. and Cooke, I.D., 2002. An evaluation of the inter-observer and intra-observer variability of the ultrasound diagnosis of polycystic ovaries. Human Reproduction, 17(6), pp.1616-1622.

Amweg, A.N., Rodriguez, F.M., Huber, E., Marelli, B.E., Gareis, N.C., Belotti, E.M., Rey, F., Salvetti, N.R. and Ortega, H.H., 2017. Detection and activity of 11 beta hydroxylase (CYP11B1) in the bovine ovary. Reproduction, 153(4), pp.433-441.

Amweg, A.N., Salvetti, N.R., Stangaferro, M.L., Paredes, A.H., Lara, H.H., Rodríguez, F.M. and Ortega, H.H., 2013. Ovarian localization of 11β-hydroxysteroid dehydrogenase (11βHSD): effects of ACTH stimulation and its relationship with bovine cystic ovarian disease. Domestic animal endocrinology, 45(3), pp.126-140.

Ancel, C., Inglis, M.A. and Anderson, G.M., 2017. Central RFRP-3 stimulates LH secretion in male mice and has cycle stage-dependent inhibitory effects in females. Endocrinology.

Andersen, C.Y., 2002. Possible new mechanism of cortisol action in female reproductive organs: physiological implications of the free hormone hypothesis. Journal of Endocrinology, 173(2), pp.211-217.

Andersen, C.Y. and Ezcurra, D., 2014. Human steroidogenesis: implications for controlled ovarian stimulation with exogenous gonadotropins. Reproductive Biology and Endocrinology, 12(1), p.128.

Anderson, E., Lee, G.Y. and O'Brien, K., 1997. Polycystic ovarian condition in the dehydroepiandrosterone-treated rat model: Hyperandrogenism and the resumption of meiosis are major initial events associated with cystogenesis of antral follicles. The Anatomical Record, 249(1), pp.44-53.

Anderson, R.A. and Mitchell, R., 1986. Effects of β-aminobutyric acid receptor agonists on the secretion of growth hormone, luteinizing hormone, adrenocorticotrophic hormone and thyroid-stimulating hormone from the rat pituitary gland in vitro. Journal of endocrinology, 108(1), pp.1-8.

Anderson, S.A., Barry, J.A. and Hardiman, P.J., 2014. Risk of coronary heart disease and risk of stroke in women with polycystic ovary syndrome: a systematic review and meta-analysis. International journal of cardiology, 176(2), pp.486-487.

Ando, K. and Fujita, T., 2009. Metabolic syndrome and oxidative stress. Free Radical Biology and Medicine, 47(3), pp.213-218.

Ansel, L., Bolborea, M., Bentsen, A.H., Klosen, P., Mikkelsen, J.D. and Simonneaux, V., 2010. Differential regulation of kiss1 expression by melatonin and gonadal hormones in male and female Syrian hamsters. Journal of biological rhythms, 25(2), pp.81-91.

Antal, M.C., Krust, A., Chambon, P. and Mark, M., 2008. Sterility and absence of histopathological defects in nonreproductive organs of a mouse ERβ-null mutant. Proceedings of the National Academy of Sciences, 105(7), pp.2433-2438.

Arai, Y., Ishii, H., Kobayashi, M. and Ozawa, H., 2017. Subunit profiling and functional characteristics of acetylcholine receptors in GT1-7 cells. The Journal of Physiological Sciences, 67(2), pp.313-323.

Arias, P., Rodríguez, M., Szwarcfarb, B., Sinay, I.R. and Moguilevsky, J.A., 1992. Effect of insulin on LHRH release by perifused hypothalamic fragments. Neuroendocrinology, 56(3), pp.415-418.

Arias, P., Rodríguez, M., Szwarcfarb, B., Sinay, I.R. and Moguilevsky, J.A., 1992. Effect of insulin on LHRH release by perifused hypothalamic fragments. Neuroendocrinology, 56(3), pp.415-418.

Asunción, M., Calvo, R.M., San Millán, J.L., Sancho, J., Avila, S. and Escobar-Morreale, H.F., 2000. A prospective study of the prevalence of the polycystic ovary syndrome in unselected Caucasian women from Spain. The Journal of Clinical Endocrinology and Metabolism, 85(7), pp.2434-2438.

Azziz, R., Black, V., Hines, G.A., Fox, L.M. and Boots, L.R., 1998. Adrenal androgen excess in the polycystic ovary syndrome: sensitivity and responsivity of the hypothalamic-pituitary-adrenal axis. The Journal of Clinical Endocrinology and Metabolism, 83(7), pp.2317-2323.

Azziz, R., Bradley Jr, E.L., Potter, H.D. and Boots, L.R., 1995. Adrenal androgen excess in women: lack of a role for 17-hydroxylase and 17, 20-lyase dysregulation. The Journal of Clinical Endocrinology and Metabolism, 80(2), pp.400-405.

Azziz, R., Carmina, E., Chen, Z., Dunaif, A., Laven, J.S., Legro, R.S., Lizneva, D., Natterson-Horowtiz, B., Teede, H.J. and Yildiz, B.O., 2016. Polycystic ovary syndrome. Nature reviews. Disease primers, 2, pp.16057-16057.

Azziz, R., Carmina, E., Dewailly, D., Diamanti-Kandarakis, E., Escobar-Morreale, H.F., Futterweit, W., Janssen, O.E., Legro, R.S., Norman, R.J., Taylor, A.E. and Witchel, S.F., 2009. The Androgen Excess and PCOS Society criteria for the polycystic ovary syndrome: the complete task force report. Fertility and sterility, 91(2), pp.456-488.

Azziz, R., Carmina, E., Dewailly, D., Diamanti-Kandarakis, E., Escobar-Morreale, H.F., Futterweit, W., Janssen, O.E., Legro, R.S., Norman, R.J., Taylor, A.E. and Witchel, S.F., 2006. Criteria for defining polycystic ovary syndrome as a predominantly hyperandrogenic syndrome: an androgen excess society guideline. The Journal of Clinical Endocrinology and Metabolism, 91(11), pp.4237-4245.

Azziz, R., Sanchez, L.A., Knochenhauer, E.S., Moran, C., Lazenby, J., Stephens, K.C., Taylor, K. and Boots, L.R., 2004a. Androgen excess in women: experience with over 1000 consecutive patients. The Journal of Clinical Endocrinology and Metabolism, 89(2), pp.453-462.

Azziz, R., Woods, K.S., Reyna, R., Key, T.J., Knochenhauer, E.S. and Yildiz, B.O., 2004b. The prevalence and features of the polycystic ovary syndrome in an unselected population. The Journal of Clinical Endocrinology and Metabolism, 89(6), pp.2745-2749.

Bailey, M.T., Kinsey, S.G., Padgett, D.A., Sheridan, J.F. and Leblebicioglu, B., 2009. Social stress enhances IL-1β and TNF-α production by Porphyromonas gingivalis lipopolysaccharide-stimulated CD11b+ cells. Physiology and behavior, 98(3), pp.351-358.

Bakker, J. and Baum, M.J., 2000. Neuroendocrine regulation of GnRH release in induced ovulators. Frontiers in neuroendocrinology, 21(3), pp.220-262.

Bakusic, J., Schaufeli, W., Claes, S. and Godderis, L., 2017. Stress, burnout and depression: A systematic review on DNA methylation mechanisms. Journal of psychosomatic research, 92, pp.34-44.

Balaji, S., Amadi, C., Prasad, S., Bala Kasav, J., Upadhyay, V., Singh, A.K., Surapaneni, K.M. and Joshi, A., 2015. Urban rural comparisons of polycystic ovary syndrome burden among adolescent girls in a hospital setting in India. BioMed research international, 2015.

Balasubramanian, R., Dwyer, A., Seminara, S.B., Pitteloud, N., Kaiser, U.B. and Crowley Jr, W.F., 2010. Human GnRH deficiency: a unique disease model to unravel the ontogeny of GnRH neurons. Neuroendocrinology, 92(2), pp.81-99.

Balen, A., 2004. The pathophysiology of polycystic ovary syndrome: trying to understand PCOS and its endocrinology. Best practice and research clinical obstetrics and gynaecology, 18(5), pp.685-706.

Balen, A.H., Conway, G., Homburg, R. and Legro, R. eds., 2005. Polycystic ovary syndrome: a guide to clinical management. CRC Press.

Balu, D.T., Hoshaw, B.A., Malberg, J.E., Rosenzweig-Lipson, S., Schechter, L.E. and Lucki, I., 2008. Differential regulation of central BDNF protein levels by antidepressant and non-antidepressant drug treatments. Brain research, 1211, pp.37-43.

Bamberger, C.M., Schulte, H.M. and Chrousos, G.P., 1996. Molecular determinants of glucocorticoid receptor function and tissue sensitivity to glucocorticoids. Endocrine reviews, 17(3), pp.245-261.

Banaszewska, B., Spaczynski, R.Z., Pelesz, M. and Pawelczyk, L., 2003. Incidence of elevated LH/FSH ratio in polycystic ovary syndrome women with normo-and hyperinsulinemia. Rocz Akad Med Bialymst, 48(1), pp.131-4.

Barnes, R.B., Rosenfield, R.L., Ehrmann, D.A., Cara, J.F., Cuttler, L., Levitsky, L.L. and Rosenthal, I.M., 1994. Ovarian hyperandrogynism as a result of congenital adrenal virilizing disorders: evidence for perinatal masculinization of neuroendocrine function in women. The Journal of Clinical Endocrinology and Metabolism, 79(5), pp.1328-1333.

Barrett, K.E., Barman, S.M., Boitano, S. and Brooks, H., 2016. Ganong's Review of Medical Physiology, 25/e.

Bartel, D.P., 2004. MicroRNAs: genomics, biogenesis, mechanism, and function. cell, 116(2), pp.281-297.

Barth, C., Villringer, A. and Sacher, J., 2015. Sex hormones affect neurotransmitters and shape the adult female brain during hormonal transition periods. Frontiers in Neuroscience, 9(FEB), pp.1–20.

Bashour, N.M. and Wray, S., 2012. Progesterone directly and rapidly inhibits GnRH neuronal activity via progesterone receptor membrane component 1. Endocrinology, 153(9), pp.4457-4469..

Basu, N., Scheuhammer, A.M., Rouvinen-Watt, K., Evans, R.D., Trudeau, V.L. and Chan, L.H., 2010. In vitro and whole animal evidence that methylmercury disrupts GABAergic systems in discrete brain regions in captive mink. Comparative Biochemistry and Physiology Part C: Toxicology and Pharmacology, 151(3), pp.379-385.

Bates, K.A., Harvey, A.R., Carruthers, M. and Martins, R.N., 2005. Androgens, andropause and neurodegeneration: exploring the link between steroidogenesis, androgens and Alzheimer's disease. Cell Mol Life Sci, 62(3), pp.281-292.

Beaulieu, J.-M. and Gainetdinov, R.R., 2011. The Physiology, Signaling, and Pharmacology of Dopamine Receptors. Pharmacological Reviews, 63(1), pp.182–217.

Bedecarrats, G.Y. and Kaiser, U.B., 2003. Differential regulation of gonadotropin subunit gene promoter activity by pulsatile gonadotropin-releasing hormone (GnRH) in perifused LβT2 cells: role of GnRH receptor concentration. Endocrinology, 144(5), pp.1802-1811.

Belchetz, P.E., Plant, T.M., Nakai, Y., Keogh, E.J. and Knobil, E., 1978. Hypophysial responses to continuous and intermittent delivery of hypopthalamic gonadotropin-releasing hormone. Science, 202(4368), pp.631-633.

Bellanti, F., Matteo, M., Rollo, T., De Rosario, F., Greco, P., Vendemiale, G. and Serviddio, G., 2013. Sex hormones modulate circulating antioxidant enzymes: impact of estrogen therapy. Redox biology, 1(1), pp.340-346.

Beloosesky, R., Gold, R., Almog, B., Sasson, R., Dantes, A., Land-Bracha, A., Hirsh, L., Itskovitz-Eldor, J., Lessing, J.B., Homburg, R. and Amsterdam, A., 2004. Induction of polycystic ovary by testosterone in immature female rats: modulation of apoptosis and attenuation of glucose/insulin ratio. International journal of molecular medicine, 14(2), pp.207-215.

Benarroch, E.E. 2012., GABAB receptors: Structure, functions, and clinical implications. Neurology, 78(8), pp.578–584.

Bentley, G.E., Jensen, J.P., Kaur, G.J., Wacker, D.W., Tsutsui, K. and Wingfield, J.C., 2006. Rapid inhibition of female sexual behavior by gonadotropin-inhibitory hormone (GnIH). Hormones and Behavior, 49(4), pp.550-555.

Bentley, G.E., Perfito, N., Ukena, K., Tsutsui, K. and Wingfield, J.C., 2003. Gonadotropin-inhibitory peptide in song sparrows (Melospiza melodia) in different reproductive conditions, and in house sparrows (Passer domesticus) relative to chicken-gonadotropin-releasing hormone. Journal of neuroendocrinology, 15(8), pp.794-802.

Bergh, C., Carlsson, B., Olsson, J.H., Selleskog, U. and Hillensjö, T., 1993. Regulation of androgen production in cultured human thecal cells by insulin-like growth factor I and insulin. Fertility and sterility, 59(2), pp.323-331.

Besecke, L.M., Guendner, M.J., Schneyer, A.L., Bauer-Dantoin, A.C., Jameson, J.L. and Weiss, J., 1996. Gonadotropin-releasing hormone regulates follicle-stimulating hormone-beta gene expression through an activin/follistatin autocrine or paracrine loop. Endocrinology, 137(9), pp.3667-3673.

Beshay, V.E. and Carr, B.R., 2013. Hypothalamic-pituitary-ovarian axis and control of the menstrual cycle. In *Clinical Reproductive Medicine and Surgery* (pp. 31-42). Springer New York.

Best, C.L., Pudney, J., Welch, W.R., Burger, N. and Hill, J.A., 1996. Localization and characterization of white blood cell populations within the human ovary throughout the menstrual cycle and menopause. Human reproduction, 11(4), pp.790-797.

Beutler, E., Duron, O. and Kelly, B., 1963. Reduced glutathione estimation. J Lab Clin Med, 61, p.82.

Bhat, G.K., Mahesh, V.B., Chu, Z.W., Chorich, L.P., Zamorano, P.L. and Brann, D.W., 1995. Localization of the N-methyl-D-aspartate R1 receptor subunit in specific anterior pituitary hormone cell types of the female rat. Neuroendocrinology, 62(2), pp.178-186.

Bhattacharyya, S., Khanna, S., Chakrabarty, K., Mahadevan, A., Christopher, R. and Shankar, S.K., 2009. Anti-brain autoantibodies and altered excitatory neurotransmitters in obsessive-compulsive disorder. Neuropsychopharmacology, 34(12), p.2489.

Bhattarai, J.P., Roa, J., Herbison, A.E. and Han, S.K., 2014. Serotonin acts through 5-HT1 and 5-HT2 receptors to exert biphasic actions on GnRH neuron excitability in the mouse. Endocrinology, 155(2), pp.513-524.

Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S. and Kalayci, O., 2012. Oxidative stress and antioxidant defense. World Allergy Organization Journal, 5(1), p.9.

Black, C.N., Bot, M., Scheffer, P.G., Cuijpers, P. and Penninx, B.W., 2015. Is depression associated with increased oxidative stress? A systematic review and meta-analysis. Psychoneuroendocrinology, 51, pp.164-175.

Blank, S.K., McCartney, C.R. and Marshall, J.C., 2006. The origins and sequelae of abnormal neuroendocrine function in polycystic ovary syndrome. Human Reproduction Update, 12(4), pp.351-361.

Blázquez, E., Velázquez, E., Hurtado-Carneiro, V. and Ruiz-Albusac, J.M., 2014. Insulin in the brain: its pathophysiological implications for States related with central insulin resistance, type 2 diabetes and Alzheimer's disease. Frontiers in endocrinology, 5.

Blumenfeld, Z., 2001. Response of human fetal pituitary cells to activin, inhibin, hypophysiotropic and neuroregulatory factors in vitro. Early pregnancy (Online), 5(1), pp.41-42.

Blumenfeld, Z., Kaidar, G., Zuckerman-Levin, N., Dumin, E., Knopf, C. and Hochberg, Z.E., 2016. Cortisol-metabolizing enzymes in polycystic ovary syndrome. Clinical medicine insights. Reproductive health, 10, p.9.

Boden, G., 2011. Obesity, insulin resistance and free fatty acids. Current opinion in endocrinology, diabetes, and obesity, 18(2), p.139.

Bodis, J., Hartmann, G., Török, A., Bognar, Z., Tinneberg, H.R., Cledon, P. and Hanf, V., 1993. Relationship between the monoamine and gonadotropin content in follicular fluid of preovulatory graafian follicles after superovulation treatment. Experimental and Clinical Endocrinology and Diabetes, 101(03), pp.178-182.

Boucher, J., Kleinridders, A. and Kahn, C.R., 2014. Insulin receptor signaling in normal and insulin-resistant states. Cold Spring Harbor perspectives in biology, 6(1), p.a009191.

Brambilla, P., Perez, J., Barale, F., Schettini, G. and Soares, J.C., 2003. GABAergic dysfunction in mood disorders. Molecular psychiatry, 8(8), p.721.

Brann, D.W., Dhandapani, K., Wakade, C., Mahesh, V.B. and Khan, M.M., 2007. Neurotrophic and neuroprotective actions of estrogen: basic mechanisms and clinical implications. Steroids, 72(5), pp.381-405.

Brassard, M., AinMelk, Y. and Baillargeon, J.P., 2008. Basic infertility including polycystic ovary syndrome. Medical Clinics of North America, 92(5), pp.1163-1192.

Brawer, J.R., Naftolin, F., Martin, J. and Sonnenschein, C., 1978. Effects of a single injection of estradiol valerate on the hypothalamic arcuate nucleus and on reproductive function in the female rat. Endocrinology, 103(2), pp.501-512.

Brawer, J.R., Munoz, M. and Farookhi, R., 1986. Development of the polycystic ovarian condition (PCO) in the estradiol valerate-treated rat. Biology of reproduction, 35(3), pp.647-655.

Breen, K.M., Thackray, V.G., Hsu, T., Mak-McCully, R.A., Coss, D. and Mellon, P.L., 2012. Stress levels of glucocorticoids inhibit LHβ-subunit gene expression in gonadotrope cells. Molecular endocrinology, 26(10), pp.1716-1731.

Bruce-Keller, A.J., Keeling, J.L., Keller, J.N., Huang, F.F., Camondola, S. and Mattson, M.P., 2000. Antiinflammatory effects of estrogen on microglial activation. Endocrinology, 141(10), pp.3646-3656.

Bruner, B., Chad, K. and Chizen, D., 2006. Effects of exercise and nutritional counseling in women with polycystic ovary syndrome. Applied physiology, nutrition, and metabolism, 31(4), pp.384-391.

Brüning, J.C., Gautam, D., Burks, D.J., Gillette, J., Schubert, M., Orban, P.C., Klein, R., Krone, W., Müller-Wieland, D. and Kahn, C.R., 2000. Role of brain insulin receptor in control of body weight and reproduction. Science, 289(5487), pp.2122-2125.

Buchanan, T.A., Sipos, G.F., Gadalah, S., Yip, K.P., Marsh, D.J., Hsueh, W. and Bergman, R.N., 1991. Glucose tolerance and insulin action in rats with renovascular hypertension. Hypertension, 18(3), pp.341-347.

Burke, M.C., Letts, P.A., Krajewski, S.J. and Rance, N.E., 2006. Coexpression of dynorphin and neurokinin B immunoreactivity in the rat hypothalamus: morphologic evidence of interrelated function within the arcuate nucleus. Journal of Comparative Neurology, 498(5), pp.712-726.

Burton, G.J. and Jauniaux, E., 2011. Oxidative stress. Best Practice and Research Clinical Obstetrics and Gynaecology, 25(3), pp.287-299.

Cadenas, E. and Davies, K.J., 2000. Mitochondrial free radical generation, oxidative stress, and aging. Free Radical Biology and Medicine, 29(3), pp.222-230.

Cahill, D.J., Wardle, P.G., Harlow, C.R. and Hull, M.G.R., 1998. Onset of the preovulatory luteinizing hormone surge: diurnal timing and critical follicular prerequisites. Fertility and sterility, 70(1), pp.56-59.

Cai, D. and Liu, T., 2012. Inflammatory cause of metabolic syndrome via brain stress and NF-κB. Aging (Albany NY), 4(2), p.98.

Caldwell, A.S., Edwards, M.C., Desai, R., Jimenez, M., Gilchrist, R.B., Handelsman, D.J. and Walters, K.A., 2017. Neuroendocrine androgen action is a key extraovarian mediator in the development of polycystic ovary syndrome. Proceedings of the National Academy of Sciences, 114(16), pp.E3334-E3343.

Campbell, R.E. and Herbison, A.E., 2007. Definition of brainstem afferents to gonadotropin-releasing hormone neurons in the mouse using conditional viral tract tracing. Endocrinology, 148(12), pp.5884-5890.

Carani, C., Rochira, V., Faustini-Fustini, M. and Balestrieri, A., 1999. Role of oestrogen in male sexual behaviour: insights from the natural model of aromatase deficiency. Clinical endocrinology, 51(4), pp.517-524.

Caraty, A., Locatelli, A. and Martin, G.B., 1989. Biphasic response in the secretion of gonadotrophin-releasing hormone in ovariectomized ewes injected with oestradiol. Journal of endocrinology, 123(3), pp.375-382.

Carbajal, L., Biswas, A., Niswander, L.M., Prizant, H. and Hammes, S.R., 2011. GPCR/EGFR cross talk is conserved in gonadal and adrenal steroidogenesis but is uniquely regulated by matrix metalloproteinases 2 and 9 in the ovary. Molecular Endocrinology, 25(6), pp.1055-1065.

Carlson, C.J., Koterski, S., Sciotti, R.J., Poccard, G.B. and Rondinone, C.M., 2003. Enhanced basal activation of mitogen-activated protein kinases in adipocytes from type 2 diabetes. Diabetes, 52(3), pp.634-641.

Carmina, E., 2014. Polycystic ovary syndrome: metabolic consequences and long-term management. Scandinavian Journal of Clinical and Laboratory Investigation, 74(sup244), pp.23-26.

Carmina, E., Bucchieri, S., Esposito, A., Del Puente, A., Mansueto, P., Orio, F., Di Fede, G. and Rini, G., 2007. Abdominal fat quantity and distribution in women with polycystic ovary syndrome and extent of its relation to insulin resistance. The Journal of Clinical Endocrinology and Metabolism, 92(7), pp.2500-2505.

Carmina, E., Bucchieri, S., Mansueto, P., Rini, G., Ferin, M. and Lobo, R.A., 2009. Circulating levels of adipose products and differences in fat distribution in the ovulatory and anovulatory phenotypes of polycystic ovary syndrome. Fertility and sterility, 91(4), pp.1332-1335.

Carmina, E., Ditkoff, E.C., Malizia, G., Vijod, A.G., Janni, A. and Lobo, R.A., 1992. Increased circulating levels of immunoreactive β-endorphin in polycystic ovary syndrome is not caused by increased pituitary secretion. American journal of obstetrics and gynecology, 167(6), pp.1819-1824.

Carmina, E., Orio, F., Palomba, S., Longo, R.A., Lombardi, G. and Lobo, R.A., 2005. Ovarian size and blood flow in women with polycystic ovary syndrome and their correlations with endocrine parameters. Fertility and sterility, 84(2), pp.413-419.

Carrasco, G.A. and Van de Kar, L.D., 2003. Neuroendocrine pharmacology of stress. European journal of pharmacology, 463(1), pp.235-272.

Carvalho, E., Jansson, P.A., Nagaev, I., Wenthzel, A.M. and Smith, U., 2001. Insulin resistance with low cellular IRS-1 expression is also associated with low GLUT4 expression and impaired insulin-stimulated glucose transport. The FASEB journal, 15(6), pp.1101-1103.

Cassar, S., Teede, H.J., Moran, L.J., Joham, A.E., Harrison, C.L., Strauss, B.J. and Stepto, N.K., 2014. Polycystic ovary syndrome and anti-Müllerian hormone: role of insulin resistance, androgens, obesity and gonadotrophins. Clinical endocrinology, 81(6), pp.899-906.

Castagné, V., Moser, P., Roux, S. and Porsolt, R.D., 2010. Rodent models of depression: forced swim and tail suspension behavioral despair tests in rats and mice. Current Protocols in Pharmacology, pp.5-8.

Castellano, C.A., Baillargeon, J.P., Nugent, S., Tremblay, S., Fortier, M., Imbeault, H., Duval, J. and Cunnane, S.C., 2015. Regional brain glucose hypometabolism in young women with polycystic ovary syndrome: possible link to mild insulin resistance. PloS one, 10(12), p.e0144116.

Castellano, J.M., Gaytan, M., Roa, J., Vigo, E., Navarro, V.M., Bellido, C., Dieguez, C., Aguilar, E., Sanchez-Criado, J.E., Pellicer, A. and Pinilla, L., 2006. Expression of KiSS-1 in rat ovary: putative local regulator of ovulation? Endocrinology, 147(10), pp.4852-4862.

Catalano, P.N., Di Giorgio, N., Bonaventura, M.M., Bettler, B., Libertun, C. and Lux-Lantos, V.A., 2010. Lack of functional GABA B receptors alters GnRH physiology and sexual dimorphic expression of GnRH and GAD-67 in the brain. American Journal of Physiology-Endocrinology and Metabolism, 298(3), pp.E683-E696.

Cernea, M., Padmanabhan, V., Goodman, R.L., Coolen, L.M. and Lehman, M.N., 2015. Prenatal testosterone treatment leads to changes in the morphology of KNDy neurons, their inputs, and projections to GnRH cells in female sheep. Endocrinology, 156(9), pp.3277-3291.

Chand, D. and Lovejoy, D.A., 2011. Stress and reproduction: controversies and challenges. General and comparative endocrinology, 171(3), pp.253-257.

Chandran, U.R., Attardi, B., Friedman, R, Dong, K.W., Roberts, J.L. and DeFranco, D.B., 1994. Glucocorticoid receptor-mediated repression of gonadotropin-releasing hormone promoter activity in GT1 hypothalamic cell lines. Endocrinology, 134(3), pp.1467-1474.

Chang, R.J., 2007. The reproductive phenotype in polycystic ovary syndrome. Nat. Clin. Pract. Endocrinol. Metab. 3 (10), 688–695.

Chappell, P.E. and Levine, J.E., 2000. Stimulation of gonadotropin-releasing hormone surges by estrogen. I. Role of hypothalamic progesterone receptors. Endocrinology, 141(4), pp.1477-1485.

Chappell, P.E., Lydon, J.P., Conneely, O.M., Malley, B.W.O. and Levine, J.E., 1997. Endocrine defects in mice carrying a null mutation for the progesterone receptor gene. Endocrinology, 138(10), pp.4147-4152.

Chappell, P.E., Schneider, J.S., Kim, P., Xu, M., Lydon, J.P., O'malley, B.W. and Levine, J.E., 1999. Absence of gonadotropin surges and gonadotropin-releasing hormone self-priming in ovariectomized (OVX), estrogen (E2)-treated, progesterone receptor knockout (PRKO) mice. Endocrinology, 140(8), pp.3653-3658.

Chatterton, R.T., 1990. The role of stress in female reproduction: animal and human considerations. International journal of fertility, 35(1), pp.8-13.

Chaudhari, N.K. and Nampoothiri, L.P., 2017. Neurotransmitter alteration in a testosterone propionate-induced polycystic ovarian syndrome rat model. Hormone molecular biology and clinical investigation, 29(2), pp.71-77.

Chazenbalk, G., Trivax, B.S., Yildiz, B.O., Bertolotto, C., Mathur, R., Heneidi, S. and Azziz, R., 2010. Regulation of adiponectin secretion by adipocytes in the polycystic ovary syndrome: role of tumor necrosis factor-α. The Journal of Clinical Endocrinology and Metabolism, 95(2), pp.935-942.

Cheeseman, K.H. and Slater, T.F., 1993. An introduction to free radical biochemistry. British medical bulletin, 49(3), pp.481-493.

Chen, R., Lewis, K.A., Perrin, M.H. and Vale, W.W., 1993. Expression cloning of a human corticotropin-releasing-factor receptor. Proceedings of the National Academy of Sciences, 90(19), pp.8967-8971.

Chen, X., Yang, D., Mo, Y., Li, L., Chen, Y. and Huang, Y., 2008. Prevalence of polycystic ovary syndrome in unselected women from southern China. European Journal of Obstetrics and Gynecology and Reproductive Biology, 139(1), pp.59-64.

Chen, Y.H., Heneidi, S., Lee, J.M., Layman, L.C., Stepp, D.W., Gamboa, G.M., Chen, B.S., Chazenbalk, G. and Azziz, R., 2013. miRNA-93 inhibits GLUT4 and is overexpressed in adipose tissue of polycystic ovary syndrome patients and women with insulin resistance. Diabetes, p.DB_120963.

Cheng, X.B., Jimenez, M., Desai, R., Middleton, L.J., Joseph, S.R., Ning, G., Allan, C.M., Smith, J.T., Handelsman, D.J. and Walters, K.A., 2013. Characterizing the neuroendocrine and ovarian defects of androgen receptor-knockout female mice. American Journal of Physiology-Endocrinology and Metabolism, 305(6), pp.E717-E726.

Chhabra, S., McCartney, C.R., Yoo, R.Y., Eagleson, C.A., Chang, R.J. and Marshall, J.C., 2005. Progesterone inhibition of the hypothalamic gonadotropin-releasing hormone pulse generator: evidence for varied effects in hyperandrogenemic adolescent girls. The Journal of Clinical Endocrinology and Metabolism, 90(5), pp.2810-2815.

Childs, G.V., Unabia, G. and Miller, B.T., 1994. Cytochemical Detection of GnRH-Binding Sites on Rat Pituitary Cells with LH, FSH, and GH Antigens during Diestrous Up-Regulation. *Endocrinology*, *134*(4), pp.1943-1951.

Ching, H.L., Burke, V. and Stuckey, B.G.A., 2007. Quality of life and psychological morbidity in women with polycystic ovary syndrome: body mass index, age and the provision of patient information are significant modifiers. Clinical endocrinology, 66(3), pp.373-379.

Chiueh, C.C., 1999. Neuroprotective properties of nitric oxide. Annals of the New York Academy of Sciences, 890(1), pp.301-311.

Choi, S.G., Jia, J., Pfeffer, R.L. and Sealfon, S.C., 2012. G proteins and autocrine signaling differentially regulate gonadotropin subunit expression in pituitary gonadotrope. Journal of Biological Chemistry, 287(25), pp.21550-21560.

Christensen, A., Bentley, G.E., Cabrera, R., Ortega, H.H., Perfito, N., Wu, T.J. and Micevych, P., 2012. Hormonal regulation of female reproduction. Hormone and metabolic research, 44(08), pp.587-591.

Christian, C.A., Pielecka-Fortuna, J. and Moenter, S.M., 2009. Estradiol suppresses glutamatergic transmission to gonadotropin-releasing hormone neurons in a model of negative feedback in mice. Biol Reprod, 80(6), pp.1128–1135.

Chrousos, G.P. and Gold, P.W., 1992. The concepts of stress and stress system disorders: overview of physical and behavioral homeostasis. Jama, 267(9), pp.1244-1252.

Chrousos, G.P., 2000. The role of stress and the hypothalamic-pituitary-adrenal axis in the pathogenesis of the metabolic syndrome: neuro-endocrine and target tissue-related causes. International Journal of Obesity, 24(S2), p.S50.

Chuang, T.Y., Wu, H.L., Chen, C.C., Gamboa, G.M., Layman, L.C., Diamond, M.P., Azziz, R. and Chen, Y.H., 2015. MicroRNA-223 expression is upregulated in insulin resistant human adipose tissue. Journal of diabetes research, 2015.

Ciaraldi, T.P., 2000. Molecular defects of insulin action in the polycystic ovary syndrome: possible tissue specificity. Journal of pediatric endocrinology and metabolism: JPEM, 13, pp.1291-1293.

Ciaraldi, T.P., Aroda, V., Mudaliar, S., Chang, R.J. and Henry, R.R., 2009. Polycystic ovary syndrome is associated with tissue-specific differences in insulin resistance. The Journal of Clinical Endocrinology and Metabolism, 94(1), pp.157-163.

Ciechanowska, M., Łapot, M., Malewski, T., Mateusiak, K., Misztal, T. and Przekop, F., 2011. Effects of corticotropin-releasing hormone and its antagonist on the gene expression of gonadotrophin-releasing

hormone (GnRH) and GnRH receptor in the hypothalamus and anterior pituitary gland of follicular phase ewes. Reproduction, Fertility and Development, 23(6), pp.780-787.

Cinar, N., Harmanci, A., Aksoy, D.Y., Aydin, K. and Yildiz, B.O., 2012. Adrenocortical steroid response to ACTH in different phenotypes of non-obese polycystic ovary syndrome. Journal of ovarian research, 5(1), p.42.

Clark, A.M., Thornley, B., Tomlinson, L., Galletley, C. and Norman, R.J., 1998. Weight loss in obese infertile women results in improvement in reproductive outcome for all forms of fertility treatment. Human Reproduction (Oxford, England), 13(6), pp.1502-1505.

Clark, B.J., 2016. ACTH Action on StAR Biology. Frontiers in neuroscience, 10.

Clark, B.J., Soo, S.C., Caron, K.M., Ikeda, Y., Parker, K.L. and Stocco, D.M., 1995. Hormonal and developmental regulation of the steroidogenic acute regulatory protein. Molecular Endocrinology, 9(10), pp.1346-1355.

Clarke, I.J. and Pompolo, S., 2005. Synthesis and secretion of GnRH. Animal Reproduction Science, 88, pp.29–55.

Clarke, I.J. and Parkington, H.C., 2014. Gonadotropin inhibitory hormone (GnIH) as a regulator of gonadotropes. Molecular and cellular endocrinology, 385(1), pp.36-44.

Clarke, I.J., 2011. Control of GnRH secretion: one step back. Frontiers in neuroendocrinology, 32(3), pp.367-375.

Clarke, I.J., Pereira, A., Li, Q. and Smith, J.T., 2012. Sex steroid and leptin receptors in gonadotropin inhibitory hormone neurons. In Regulation of GnRH, GnRH Signalling and Gonadotropins (Basic) (pp. SAT-672). The Endocrine Society.

Clarke, I.J., Sari, I.P., Qi, Y., Smith, J.T., Parkington, H.C., Ubuka, T., Iqbal, J., Li, Q., Tilbrook, A., Morgan, K. and Pawson, A.J., 2008. Potent action of RFamide-related peptide-3 on pituitary gonadotropes indicative of a hypophysiotropic role in the negative regulation of gonadotropin secretion. Endocrinology, 149(11), pp.5811-5821.

Clarkson, J., D'Anglemont de Tassigny, X., Colledge, W.H., Caraty, A. and Herbison, A.E., 2009. Distribution of kisspeptin neurones in the adult female mouse brain. Journal of neuroendocrinology, 21(8), pp.673-682.

Conn, P.M. and Crowley Jr, W.F., 1994. Gonadotropin-releasing hormone and its analogs. Annual review of medicine, 45(1), pp.391-405.

Constantin, S., Iremonger, K.J. and Herbison, A.E., 2013. In vivo recordings of GnRH neuron firing reveal heterogeneity and dependence upon GABAA receptor signaling. Journal of Neuroscience, 33(22), pp.9394-9401.

Contarino, A., Dellu, F., Koob, G.F., Smith, G.W., Lee, K., Vale, W.W. and Gold, L.H., 2000. Dissociation of locomotor activation and suppression of food intake induced by CRF in CRFR1-deficient mice. Endocrinology, 141(7), pp.2698-2702.

Contesse, V., Lefebvre, H., Lenglet, S., Kuhn, J.M., Delarue, C. and Vaudry, H., 2000. Role of 5-HT in the regulation of the brain-pituitary-adrenal axis: effects of 5-HT on adrenocortical cells. Canadian journal of physiology and pharmacology, 78(12), pp.967-983.

Cook, L., Schafer-Mitchell, M., Angle, C. and Stohs, S., 1985. Assay of human erythrocyte pyrimidine and deoxypyrimidine 5′-nucleotidase by isocratic reversed-phase high-performance liquid chromatography. Journal of Chromatography B: Biomedical Sciences and Applications, 339, pp.293-301.

Corbani, M., Counis, R., Starzec, A. and Jutisz, M., 1984. Effect of gonadectomy on pituitary levels of mRNA encoding gonadotropin subunits and secretion of luteinizing hormone. Molecular and cellular endocrinology, 35(2), pp.83-87.

Corbani, M., Counis, R., Wolinska-Witort, E., d'Angelo-Bernard, G., Moumni, M. and Jutisz, M., 1990. Synergistic effects of progesterone and oestradiol on rat LH subunit mRNA. Journal of molecular endocrinology, 4(2), pp.119-125.

Corbould, A., Zhao, H., Mirzoeva, S., Aird, F. and Dunaif, A., 2006. Enhanced mitogenic signaling in skeletal muscle of women with polycystic ovary syndrome. Diabetes, 55(3), pp.751-759.

Couse, J.F. and Korach, K.S., 1999. Estrogen receptor null mice: what have we learned and where will they lead us? Endocrine reviews, 20(3), pp.358-417.

Couse, J.F., Curtis, S.W., Washburn, T.F., Lindzey, J., Golding, T.S., Lubahn, D.B., Smithies, O. and Korach, K.S., 1995. Analysis of transcription and estrogen insensitivity in the female mouse after targeted disruption of the estrogen receptor gene. Molecular Endocrinology, 9(11), pp.1441-1454.

Couse, J.F., Hewitt, S.C. and Korach, K.S., 2000. Receptor null mice reveal contrasting roles for estrogen receptor α and β in reproductive tissues. The Journal of steroid biochemistry and molecular biology, 74(5), pp.287-296.

Couse, J.F., Yates, M.M., Walker, V.R. and Korach, K.S., 2003. Characterization of the hypothalamic-pituitary-gonadal axis in estrogen receptor (ER) null mice reveals hypergonadism and endocrine sex reversal in females lacking ERα but not ERβ. Molecular Endocrinology, 17(6), pp.1039-1053.

Couse, J.F., Yates, M.M., Deroo, B.J. and Korach, K.S., 2005. Estrogen receptor-β is critical to granulosa cell differentiation and the ovulatory response to gonadotropins. Endocrinology, 146(8), pp.3247-3262.

Coussens, L.M. and Werb, Z., 2002. Inflammation and cancer. Nature, 420(6917), p.860.

Cravo, R.M., Margatho, L.O., Osborne-Lawrence, S., Donato, J., Atkin, S., Bookout, A.L., Rovinsky, S., Frazão, R., Lee, C.E., Gautron, L. and Zigman, J.M., 2011. Characterization of Kiss1 neurons using transgenic mouse models. Neuroscience, 173, pp.37-56.

Croiset, G., Nijsen, M.J. and Kamphuis, P.J., 2000. Role of corticotropin-releasing factor, vasopressin and the autonomic nervous system in learning and memory. European journal of pharmacology, 405(1), pp.225-234.

Cui, L., Li, G., Zhong, W., Bian, Y., Su, S., Sheng, Y., Shi, Y., Wei, D., Zhang, W., Zhao, H. and Chen, Z.J., 2015. Polycystic ovary syndrome susceptibility single nucleotide polymorphisms in women with a single PCOS clinical feature. *Human Reproduction*, *30*(3), pp.732-736.

d'Anglemont de Tassigny, X., Fagg, L.A., Carlton, M.B. and Colledge, W.H., 2008. Kisspeptin can stimulate gonadotropin-releasing hormone (GnRH) release by a direct action at GnRH nerve terminals. Endocrinology, 149(8), pp.3926-3932.

Dantzer, R., O'Connor, J.C., Freund, G.G., Johnson, R.W., Kelley, K.W., 2008 From inflammation to sickness and depression: when the immune system subjugates the brain. Nat Rev Neurosci, 9(1).

Darlington, C.L., Goddard, M., Zheng, Y. and Smith, P.F., 2009. Anxiety-Related Behavior and Biogenic Amine Pathways in the Rat following Bilateral Vestibular Lesions. Annals of the New York Academy of Sciences, 1164(1), pp.134-139.

Das, M., Gillott, D.J., Saridogan, E. and Djahanbakhch, O., 2008. Anti-Mullerian hormone is increased in follicular fluid from unstimulated ovaries in women with polycystic ovary syndrome. Human Reproduction, 23(9), pp.2122-2126.

De Kloet, E.R., Joëls, M. and Holsboer, F., 2005. Stress and the brain: from adaptation to disease. Nature reviews. Neuroscience, 6(6), p.463.

De Kloet, E.R., Vreugdenhil, E., Oitzl, M.S. and Joëls, M., 1998. Brain corticosteroid receptor balance in health and disease. Endocrine reviews, 19(3), pp.269-301.

De Leo, V., la Marca, A., Orvieto, R. and Morgante, G., 2000. Effect of metformin on insulin-like growth factor (IGF) I and IGF-binding protein I in polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 85(4), pp.1598-1600.

de Novaes Soares, C., Almeida, O.P., Joffe, H. and Cohen, L.S., 2001. Efficacy of estradiol for the treatment of depressive disorders in perimenopausal women: a double-blind, randomized, placebo-controlled trial. Archives of general psychiatry, 58(6), pp.529-534.

de Pergola, G., 2000. The adipose tissue metabolism: role of testosterone and dehydroepiandrosterone. International Journal of Obesity, 24(S2), p.S59.

de Roux, N., Genin, E., Carel, J.C., Matsuda, F., Chaussain, J.L. and Milgrom, E., 2003. Hypogonadotropic hypogonadism due to loss of function of the KiSS1-derived peptide receptor GPR54. Proceedings of the National Academy of Sciences, 100(19), pp.10972-10976.

de Vivo, M and Maayani, S., 1986. Characterization of the 5-hydroxytryptamine1a receptor-mediated inhibition of forskolin-stimulated adenylate cyclase activity in guinea pig and rat hippocampal membranes. Journal of Pharmacology and Experimental Therapeutics, 238(1), pp.248-253.

Deligeoroglou, E., Vrachnis, N., Athanasopoulos, N., Iliodromiti, Z., Sifakis, S., Iliodromiti, S., Siristatidis, C. and Creatsas, G., 2012. Mediators of chronic inflammation in polycystic ovarian syndrome. Gynecological Endocrinology, 28(12), pp.974-978.

Demissie, M., Lazic, M., Foecking, E.M., Aird, F., Dunaif, A. and Levine, J.E., 2008. Transient prenatal androgen exposure produces metabolic syndrome in adult female rats. American Journal of Physiology-Endocrinology and Metabolism, 295(2), pp.E262-E268.

Desai, B.N., Maharjan, R.H. and Nampoothiri, L.P., 2012. Aloe barbadensis Mill. formulation restores lipid profile to normal in a letrozole-induced polycystic ovarian syndrome rat model. Pharmacognosy research, 4(2), p.109.

Dewailly, D., Pigny, P., Soudan, B., Catteau-Jonard, S., Decanter, C., Poncelet, E. and Duhamel, A., 2010. Reconciling the definitions of polycystic ovary syndrome: the ovarian follicle number and serum anti-Mullerian hormone concentrations aggregate with the markers of hyperandrogenism. The Journal of Clinical Endocrinology and Metabolism, 95(9), pp.4399-4405.

Diamanti-Kandarakis, E. and Dunaif, A., 2012. Insulin resistance and the polycystic ovary syndrome revisited: an update on mechanisms and implications. Endocrine reviews, 33(6), pp.981-1030.

Diamanti-Kandarakis, E., 2008. Polycystic ovarian syndrome: pathophysiology, molecular aspects and clinical implications. Expert Reviews in molecular medicine, 10.

Diamanti-Kandarakis, E., Bourguignon, J.P., Giudice, L.C., Hauser, R., Prins, G.S., Soto, A.M., Zoeller, R.T. and Gore, A.C., 2009a. Endocrine-disrupting chemicals: an Endocrine Society scientific statement. Endocrine reviews, 30(4), pp.293-342.

Diamanti-Kandarakis, E., Katsikis, I., Piperi, C., Kandaraki, E., Piouka, A., Papavassiliou, A.G. and Panidis, D., 2008. Increased serum advanced glycation end-products is a distinct finding in lean women with polycystic ovary syndrome (PCOS). Clinical endocrinology, 69(4), pp.634-641.

Diamanti-Kandarakis, E., Kouli, C.R., Bergiele, A.T., Filandra, F.A., Tsianateli, T.C., Spina, G.G., Zapanti, E.D. and Bartzis, M.I., 1999. A survey of the polycystic ovary syndrome in the Greek island of Lesbos: hormonal and metabolic profile. The Journal of Clinical Endocrinology and Metabolism, 84(11), pp.4006-4011.

Diamanti-Kandarakis, E., Piouka, A., Livadas, S., Piperi, C., Katsikis, I., Papavassiliou, A.G. and Panidis, D., 2009b. Anti-mullerian hormone is associated with advanced glycosylated end products in lean women with polycystic ovary syndrome. European Journal of Endocrinology, 160(5), pp.847-853.

Diamanti-Kandarakis, E., Piperi, C., Argyrakopoulou, G., Spina, J., Papanastasiou, L., Bergiele, A. and Panidis, D., 2006. Polycystic ovary syndrome: the influence of environmental and genetic factors. Hormones-Athens-, 5(1), p.17.

Ditkoff, E.C., Fruzzetti, F., Chang, L., Stancyzk, F.Z. and Lobo, R.A., 1995. The impact of estrogen on adrenal androgen sensitivity and secretion in polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 80(2), pp.603-607.

Dmitrovic, R., Katcher, H.I., Kunselman, A.R. and Legro, R.S., 2011. Continuous glucose monitoring during pregnancy in women with polycystic ovary syndrome. Obstetrics and gynecology, 118(4), p.878.

Do Rego, J.L., Seong, J.Y., Burel, D., Leprince, J., Luu-The, V., Tsutsui, K., Tonon, M.C., Pelletier, G. and Vaudry, H., 2009. Neurosteroid biosynthesis: enzymatic pathways and neuroendocrine regulation by neurotransmitters and neuropeptides. Frontiers in neuroendocrinology, 30(3), pp.259-301.

Dobson, H. and Smith, R.F., 1995. Stress and reproduction in farm animals. Journal of reproduction and fertility. Supplement, 49, pp.451-461.

Dominguez, R. and Cruz-Morales, S.E., 2012. The Ovarian Innervation Participates in the Regulation of Ovarian Functions. Endocrinology and Metabolic Syndrome, 1(S4), pp.1–10.

Dorling, A.A., Todman, M.G., Korach, K.S. and Herbison, A.E., 2003. Critical role for estrogen receptor alpha in negative feedback regulation of gonadotropin-releasing hormone mRNA expression in the female mouse. Neuroendocrinology, 78(4), pp.204-209.

Drevets, W.C., Price, J.L. and Furey, M.L., 2008. Brain structural and functional abnormalities in mood disorders: implications for neurocircuitry models of depression. Brain Struct Funct, 213(1–2), pp.93–118.

Drevets, W.C., Thase, M.E., Moses-Kolko, E.L., Price, J., Frank, E., Kupfer, D.J. and Mathis, C., 2007. Serotonin-1A receptor imaging in recurrent depression: replication and literature review. Nuclear medicine and biology, 34(7), pp.865-877.

Dröge, W., 2002. Free radicals in the physiological control of cell function. Physiological reviews, 82(1), pp.47-95.

Dudas, B. and Merchenthaler, I., 2006. Three-Dimensional Representation of the Neurotransmitter Systems of the Human Hypothalamus: Inputs of the Gonadotrophin Hormone-Releasing Hormone Neuronal System. Journal of neuroendocrinology, 18(2), pp.79-95.

Duleba, A.J. and Dokras, A., 2012. Is PCOS an inflammatory process? Fertility and sterility, 97(1), pp.7-12.

Dumalska, I., Wu, M., Morozova, E., Liu, R., van den Pol, A. and Alreja, M., 2008. Excitatory effects of the puberty-initiating peptide kisspeptin and group I metabotropic glutamate receptor agonists differentiate two distinct subpopulations of gonadotropin-releasing hormone neurons. Journal of Neuroscience, 28(32), pp.8003-8013.

Dumesic, D.A., Abbott, D.H. and Padmanabhan, V., 2007. Polycystic ovary syndrome and its developmental origins. Reviews in Endocrine and Metabolic Disorders, 8(2), pp.127-141.

Dumesic, D.A., Oberfield, S.E., Stener-Victorin, E., Marshall, J.C., Laven, J.S. and Legro, R.S., 2015. Scientific statement on the diagnostic criteria, epidemiology, pathophysiology, and molecular genetics of polycystic ovary syndrome. Endocrine reviews, 36(5), pp.487-525.

Dunaif, A., Segal, K.R., Shelley, D.R., Green, G., Dobrjansky, A. and Licholai, T., 1992. Evidence for distinctive and intrinsic defects in insulin action in polycystic ovary syndrome. Diabetes, 41(10), pp.1257-1266.

Dunlop, B.W. and Nemeroff, C.B., 2007. The role of dopamine in the pathophysiology of depression. Archives of general psychiatry, 64(3), pp.327-337.

Dupont, S., Krust, A., Gansmuller, A., Dierich, A., Chambon, P. and Mark, M., 2000. Effect of single and compound knockouts of estrogen receptors alpha (ERalpha) and beta (ERbeta) on mouse reproductive phenotypes. Development, 127(19), pp.4277-4291.

Durlinger, A.L., Gruijters, M.J., Kramer, P., Karels, B., Ingraham, H.A., Nachtigal, M.W., Uilenbroek, J.T.J., Grootegoed, J.A. and Themmen, A.P., 2002. Anti-Mullerian hormone inhibits initiation of primordial follicle growth in the mouse ovary. Endocrinology, 143(3), pp.1076-1084.

Eagleson, C.A., Gingrich, M.B., Pastor, C.L., Arora, T.K., Burt, C.M., Evans, W.S. and Marshall, J.C., 2000. Polycystic ovarian syndrome: evidence that flutamide restores sensitivity of the gonadotropin-releasing hormone pulse generator to inhibition by estradiol and progesterone. The Journal of Clinical Endocrinology and Metabolism, 85(11), pp.4047-4052.

Ebejer, K. and Calleja-Agius, J., 2013. The role of cytokines in polycystic ovarian syndrome. Gynecological Endocrinology, 29(6), pp.536-540.

Ehrmann, D.A., Kasza, K., Azziz, R., Legro, R.S. and Ghazzi, M.N., 2005. Effects of race and family history of type 2 diabetes on metabolic status of women with polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 90(1), pp.66-71.

Ehrmann, D.A., Rosenfield, R.L., Barnes, R.B., Brigell, D.F. and Sheikh, Z., 1992. Detection of functional ovarian hyperandrogenism in women with androgen excess. New England Journal of Medicine, 327(3), pp.157-162.

Eini, F., Novin, M.G., Joharchi, K., Hosseini, A., Nazarian, H., Piryaei, A. and Bidadkosh, A., 2017. Intracytoplasmic oxidative stress reverses epigenetic modifications in polycystic ovary syndrome. Reproduction, Fertility and Development.

Ek, I., Arner, P., Bergqvist, A., Carlström, K. and Wahrenberg, H., 1997. Impaired adipocyte lipolysis in nonobese women with the polycystic ovary syndrome: a possible link to insulin resistance? The Journal of Clinical Endocrinology and Metabolism, 82(4), pp.1147-1153.

Ellman, P., 1956. Pulmonary manifestations in the systemic collagen diseases. Postgraduate medical journal, 32(370), p.370.

Erdõ, S.L., Varga, B. and Horváth, E., 1985. Effect of local GABA administration on rat ovarian blood flow, and on progesterone and estradiol secretion. European journal of pharmacology, 111(3), pp.397-400.

Escobar-Morreale, H.F., Luque-Ramírez, M. and González, F., 2011. Circulating inflammatory markers in polycystic ovary syndrome: a systematic review and metaanalysis. Fertility and sterility, 95(3), pp.1048-1058.

Eshre, T.R. and ASRM-Sponsored PCOS Consensus Workshop Group, 2004. Revised 2003 consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome. *Fertility and sterility*, *81*(1), pp.19-25.

Espey, L.L., 1994. Ovulation. The physiology of reproduction, pp.725-780.

Evans, N.P., Dahl, G.E., Glover, B.H. and Karsch, F.J., 1994. Central regulation of pulsatile gonadotropin-releasing hormone (GnRH) secretion by estradiol during the period leading up to the preovulatory GnRH surge in the ewe. Endocrinology, 134(4), pp.1806-1811.

Evanson, N.K. and Herman, J.P., 2015. Role of paraventricular nucleus glutamate signaling in regulation of hpa axis stress responses. Interdisciplinary information sciences, 21(3), pp.253-260.

Eyvazzadeh, A.D., Pennington, K.P., Pop-Busui, R., Sowers, M., Zubieta, J.K. and Smith, Y.R., 2009. The role of the endogenous opioid system in polycystic ovary syndrome. Fertility and sterility, 92(1), pp.1-12.

Falcone, T., Finegood, D.T., Fantus, I.G. and Morris, D., 1990. Androgen response to endogenous insulin secretion during the frequently sampled intravenous glucose tolerance test in normal and hyperandrogenic women. The Journal of Clinical Endocrinology and Metabolism, 71(6), pp.1653-1657.

Feng, Y., Johansson, J., Shao, R., Mannerås, L., Fernandez-Rodriguez, J., Billig, H. and Stener-Victorin, E., 2009. Hypothalamic neuroendocrine functions in rats with dihydrotestosterone-induced polycystic ovary syndrome: effects of low-frequency electro-acupuncture. PLoS One, 4(8), p.e6638.

Finkelstein, J.S., Badger, T.M., O'Dea, L.S., Spratt, D.I. and Crowley, W.F., 1988. Effects of decreasing the frequency of gonadotropin-releasing hormone stimulation on gonadotropin secretion in gonadotropin-releasing hormone-deficient men and perifused rat pituitary cells. Journal of Clinical Investigation, 81(6), p.1725.

Foecking, E.M. and Levine, J.E., 2005a. Effects of experimental hyperandrogenemia on the female rat reproductive axis: suppression of progesterone-receptor messenger RNA expression in the brain and blockade of luteinizing hormone surges. Gender medicine, 2(3), pp.155-165.

Foecking, E.M., Szabo, M., Schwartz, N.B. and Levine, J.E., 2005b. Neuroendocrine consequences of prenatal androgen exposure in the female rat: absence of luteinizing hormone surges, suppression of progesterone receptor gene expression, and acceleration of the gonadotropin-releasing hormone pulse generator. Biology of Reproduction, 72(6), pp.1475-1483.

Fontana, R. and Torre, S.D., 2016. The deep correlation between energy metabolism and reproduction: a view on the effects of nutrition for women fertility. Nutrients, 8(2), p.87.

Foradori, C.D., Coolen, L.M., Fitzgerald, M.E., Skinner, D.C., Goodman, R.L. and Lehman, M.N., 2002. Colocalization of progesterone receptors in parvicellular dynorphin neurons of the ovine preoptic area and hypothalamus. Endocrinology, 143(11), pp.4366-4374.

Foradori, C.D., Goodman, R.L., Adams, V.L., Valent, M. and Lehman, M.N., 2005. Progesterone increases dynorphin A concentrations in cerebrospinal fluid and preprodynorphin messenger ribonucleic acid levels in a subset of dynorphin neurons in the sheep. Endocrinology, 146(4), pp.1835-1842.

Franceschini, I., Lomet, D., Cateau, M., Delsol, G., Tillet, Y. and Caraty, A., 2006. Kisspeptin immunoreactive cells of the ovine preoptic area and arcuate nucleus co-express estrogen receptor alpha. Neuroscience letters, 401(3), pp.225-230.

Franks, S., Gharani, N. and McCarthy, M., 2001. Candidate genes in polycystic ovary syndrome. Human Reproduction Update, 7(4), pp.405-410.

Franks, S., Gharani, N., Waterworth, D., Batty, S., White, D., Williamson, R. and McCarthy, M., 1997. The genetic basis of polycystic ovary syndrome. Human reproduction (Oxford, England), 12(12), pp.2641-2648.

Franks, S., Stark, J. and Hardy, K., 2008. Follicle dynamics and anovulation in polycystic ovary syndrome. Human reproduction update, 14(4), pp.367-378.

Furay, A.R., Bruestle, A.E. and Herman, J.P., 2008. The role of the forebrain glucocorticoid receptor in acute and chronic stress. Endocrinology, 149(11), pp.5482-5490.

Gallo, R.V. and Drouva, S.V., 1979. Effect of intraventricular infusion of catecholamines on luteinizing hormone release in ovariectomized and ovariectomized, steroid-primed rats. Neuroendocrinology, 29(3), pp.149-162.

Galon, J., Franchimont, D., Hiroi, N., Frey, G., Boettner, A., Ehrhart-Bornstein, M., O'shea, J.J., Chrousos, G.P. and Bornstein, S.R., 2002. Gene profiling reveals unknown enhancing and suppressive actions of glucocorticoids on immune cells. The FASEB Journal, 16(1), pp.61-71.

Gamba, M. and Pralong, F.P., 2006. Control of GnRH neuronal activity by metabolic factors: the role of leptin and insulin. Molecular and cellular endocrinology, 254, pp.133-139.

Gambineri, A., Pelusi, C., Vicennati, V., Pagotto, U. and Pasquali, R., 2002. Obesity and the polycystic ovary syndrome. International journal of obesity, 26(7), p.883.

Garcia-Garcia, A.L., Newman-Tancredi, A. and Leonardo, E.D., 2014. 5-HT1A receptors in mood and anxiety: Recent insights into autoreceptor versus heteroreceptor function. Psychopharmacology, 231(4), pp.623–636.

Gaytan, F., Gaytan, M., Castellano, J.M., Romero, M., Roa, J., Aparicio, B., Garrido, N., Sanchez-Criado, J.E., Millar, R.P., Pellicer, A. and Fraser, H.M., 2009. KiSS-1 in the mammalian ovary: distribution of kisspeptin in human and marmoset and alterations in KiSS-1 mRNA levels in a rat model of ovulatory dysfunction. American Journal of Physiology-Endocrinology and Metabolism, 296(3), pp.E520-E531.

Geraghty, A.C., Muroy, S.E., Kriegsfeld, L.J., Bentley, G.E. and Kaufer, D., 2016. The role of rFamide-related Peptide-3 in age-related reproductive Decline in Female rats. Frontiers in endocrinology, 7.

Ghosh, N.C., Deb, C. and Banerjee, S., 1951. Colorimetric determination of epinephrine in blood and adrenal gland. Journal of Biological Chemistry, 192(2), pp.867-874.

Giallauria, F., Palomba, S., Vigorito, C., Tafuri, M.G., Colao, A., Lombardi, G. and Orio, F., 2009, July. Androgens in polycystic ovary syndrome: the role of exercise and diet. In Seminars in reproductive medicine (Vol. 27, No. 04, pp. 306-315). © Thieme Medical Publishers.

Gieske, M.C., Kim, H.J., Legan, S.J., Koo, Y., Krust, A., Chambon, P. and Ko, C., 2007. Pituitary gonadotroph estrogen receptor-α is necessary for fertility in females. Endocrinology, 149(1), pp.20-27.

Gill, H., Tiwari, P. and Dabadghao, P., 2012. Prevalence of polycystic ovary syndrome in young women from North India: A Community-based study. Indian journal of endocrinology and metabolism, 16(Suppl 2), p.S389.

Gill, S. and Pulido, O. eds., 2005. Glutamate Receptors in Peripheral Tissue: Excitatory Transmission Outside the CNS (pp. 3-21). Kluwer Academic/Plenum Publishers.

Girotti, A.W., 1985. Mechanisms of lipid peroxidation. Journal of free radicals in biology and medicine, 1(2), pp.87-95.

Gleason, C.E., Cholerton, B., Carlsson, C.M., Johnson, S.C. and Asthana, S., 2005. Neuroprotective effects of female sex steroids in humans: current controversies and future directions. Cellular and molecular life sciences: CMLS, 62(3), pp.299-312.

Gómez, R., Ferrero, H., Delgado-Rosas, F., Gaytan, M., Morales, C., Zimmermann, R.C., Simón, C., Gaytan, F. and Pellicer, A., 2011. Evidences for the existence of a low dopaminergic tone in polycystic ovarian syndrome: implications for OHSS development and treatment. The Journal of Clinical Endocrinology and Metabolism, 96(8), pp.2484-2492.

González, F., 2012. Inflammation in polycystic ovary syndrome: underpinning of insulin resistance and ovarian dysfunction. Steroids, 77(4), pp.300-305.

Gonzalez, F., Daniels, J.K., Blair, H.E. and Nair, K.S., 2010, March. Androgen Administration Stimulates Reactive Oxygen Species (ROS) Generation from Leukocytes of Normal Reproductive-Age Women. In Reproductive Sciences (Vol. 17, No. 3, pp. 265A-266A).

González, F., Minium, J., Rote, N.S. and Kirwan, J.P., 2005. Hyperglycemia alters tumor necrosis factor-α release from mononuclear cells in women with polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 90(9), pp.5336-5342.

González, F., Rote, N.S., Minium, J. and Kirwan, J.P., 2006. Increased activation of nuclear factor κB triggers inflammation and insulin resistance in polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 91(4), pp.1508-1512.

González, F., Rote, N.S., Minium, J. and Kirwan, J.P., 2007. Hyperandrogenism Is Related to Reactive Oxygen Species (ROS) Generation from Pre-Activated Leukocytes in Polycystic Ovary Syndrome (PCOS). Reproductive Sciences, 14(1), p.559.

Gonzalez, F., Thusu, K., Abdel-Rahman, E., Prabhala, A., Tomani, M. and Dandona, P., 1999. Elevated serum levels of tumor necrosis factor alpha in normal-weight women with polycystic ovary syndrome. Metabolism, 48(4), pp.437-441.

González, M.P., Herrero, M.T., Vicente, S. and Oset-Gasque, M.J., 1998. Effect of glutamate receptor agonists on catecholamine secretion in bovine chromaffin cells. Neuroendocrinology, 67(3), pp.181-189.

González, F., Kirwan, J.P., Rote, N.S. and Minium, J., 2013. Elevated circulating levels of tissue factor in polycystic ovary syndrome. Clinical and Applied Thrombosis/Hemostasis, 19(1), pp.66-72.

Goodarzi, M.O., Carmina, E. and Azziz, R., 2015. DHEA, DHEAS and PCOS. The Journal of steroid biochemistry and molecular biology, 145, pp.213-225.

Goodarzi, M.O., Dumesic, D.A., Chazenbalk, G. and Azziz, R., 2011. Polycystic ovary syndrome: etiology, pathogenesis and diagnosis. Nature Reviews Endocrinology, 7(4), pp.219-231.

Goodman, R.L. and Inskeep, E.K., 2006. Neuroendocrine control of the ovarian cycle of the sheep. Knobil and Neill's physiology of reproduction, 3, pp.2389-2447.

Goodman, R.L., Lehman, M.N., Smith, J.T., Coolen, L.M., De Oliveira, C.V., Jafarzadehshirazi, M.R., Pereira, A., Iqbal, J., Caraty, A., Ciofi, P. and Clarke, I.J., 2007. Kisspeptin neurons in the arcuate nucleus of the ewe express both dynorphin A and neurokinin B. Endocrinology, 148(12), pp.5752-5760.

Gottsch, M.L., Cunningham, M.J., Smith, J.T., Popa, S.M., Acohido, B.V., Crowley, W.F., Seminara, S., Clifton, D.K. and Steiner, R.A., 2004. A role for kisspeptins in the regulation of gonadotropin secretion in the mouse. Endocrinology, 145(9), pp.4073-4077.

Griffin, M.L., South, S.A., Yankov, V.I., Booth, R.A., Asplin, C.M., Veldhuis, J.D. and Evans, W.S., 1994. Insulin-dependent diabetes mellitus and menstrual dysfunction. Annals of medicine, 26(5), pp.331-340.

Gross, K.M., Matsumoto, A.M. and Bremner, W.J., 1987. Differential control of luteinizing hormone and follicle-stimulating hormone secretion by luteinizing hormone-releasing hormone pulse frequency in man. The Journal of Clinical Endocrinology and Metabolism, 64(4), pp.675-680.

Guran, T., Tolhurst, G., Bereket, A., Rocha, N., Porter, K., Turan, S., Gribble, F.M., Kotan, L.D., Akcay, T., Atay, Z. and Canan, H., 2009. Hypogonadotropic hypogonadism due to a novel missense mutation in the first

extracellular loop of the neurokinin B receptor. The Journal of Clinical Endocrinology and Metabolism, 94(10), pp.3633-3639.

Gutteridge, J.M., 1994. Biological origin of free radicals, and mechanisms of antioxidant protection. Chemico-biological interactions, 91(2-3), pp.133-140.

Hahn, S., Tan, S., Elsenbruch, S., Quadbeck, B., Herrmann, B.L., Mann, K. and Janssen, O.E., 2005. Clinical and biochemical characterization of women with polycystic ovary syndrome in North Rhine-Westphalia. Hormone and Metabolic Research, 37(07), pp.438-444.

Haisenleder, D.J., Ferris, H.A. and Shupnik, M.A., 2003. The calcium component of gonadotropin-releasing hormone-stimulated luteinizing hormone subunit gene transcription is mediated by calcium/calmodulin-dependent protein kinase type II. Endocrinology, 144(6), pp.2409-2416.

Hall, J.E., 2015. *Guyton and Hall Textbook of Medical Physiology E-Book*. Elsevier Health Sciences.

Hall, J.E., Taylor, A.E., Hayes, F.J. and Crowley, W.F., 1998. Insights into hypothalamic-pituitary dysfunction in polycystic ovary syndrome. Journal of endocrinological investigation, 21(9), pp.602-611.

Hall, J.E., Whitcomb, R.W., Rivier, J.E., Vale, W.W. and Crowley Jr, W.F., 1990. Differential regulation of luteinizing hormone, follicle-stimulating hormone, and free α-subunit secretion from the gonadotrope by gonadotropin-releasing hormone (GnRH): evidence from the use of two GnRH antagonists. The Journal of Clinical Endocrinology and Metabolism, 70(2), pp.328-335.

Han, S.K., Gottsch, M.L., Lee, K.J., Popa, S.M., Smith, J.T., Jakawich, S.K., Clifton, D.K., Steiner, R.A. and Herbison, A.E., 2005. Activation of gonadotropin-releasing hormone neurons by kisspeptin as a neuroendocrine switch for the onset of puberty. Journal of Neuroscience, 25(49), pp.11349-11356.

Han, T.S., Stimson, R.H., Rees, D.A., Krone, N., Willis, D.S., Conway, G.S., Arlt, W., Walker, B.R. and Ross, R.J., 2013. Glucocorticoid treatment regimen and health outcomes in adults with congenital adrenal hyperplasia. Clinical endocrinology, 78(2), pp.197-203.

Hasler, G., 2010. Pathophysiology of depression: do we have any solid evidence of interest to clinicians?. World Psychiatry, 9(3), pp.155-161.

He, J.R., Molnar, J., Barraclough, C.A., 1993. Morphine amplifies norepinephrine (NE)-induced LH release but blocks NE-stimulated increases in LHRHmRNAlevels: comparison of responses obtained in ovariectomized, estrogen-treated normal and androgen-sterilized rats. Brain Res. 20, 71–78

Heldring, N., Pike, A., Andersson, S., Matthews, J., Cheng, G., Hartman, J., Tujague, M., Ström, A., Treuter, E., Warner, M. and Gustafsson, J.Å., 2007. Estrogen receptors: how do they signal and what are their targets. Physiological reviews, 87(3), pp.905-931.

Henderson, H.L., Townsend, J. and Tortonese, D.J., 2008. Direct effects of prolactin and dopamine on the gonadotroph response to GnRH. Journal of Endocrinology, 197(2), pp.343-350.

Herbison, A.E., 1997. Noradrenergic regulation of cyclic GnRH secretion. Reviews of Reproduction, 2(1), pp.1-6.

Herbison, A.E., 1998. Multimodal influence of estrogen upon gonadotropin-releasing hormone neurons. Endocrine reviews, 19(3), pp.302-330.

Herman, J.P. et al., 2016. Regulation of the hypothalamic-pituitary-adrenocortical stress response. Comprehensive Physiology, 6(2), pp.603–621.

Hillhouse, E.W. and Grammatopoulos, D.K., 2006. The molecular mechanisms underlying the regulation of the biological activity of corticotropin-releasing hormone receptors: implications for physiology and pathophysiology. Endocrine Reviews, 27(3), pp.260-286.

Hinuma, S., Shintani, Y., Fukusumi, S., Iijima, N., Matsumoto, Y., Hosoya, M., Fujii, R., Watanabe, T., Kikuchi, K., Terao, Y. and Yano, T., 2000. New neuropeptides containing carboxy-terminal RFamide and their receptor in mammals. Nature cell biology, 2(10), p.703.

Hofmann, C.E., Ellis, L., Yu, W.K. and Weinberg, J., 2007. Hypothalamic–Pituitary–Adrenal Responses to 5-HT1A and 5-HT2A/C Agonists Are Differentially Altered in Female and Male Rats Prenatally Exposed to Ethanol. Alcoholism: Clinical and Experimental Research, 31(2), pp.345-355.

Hrabovszky, E. and Liposits, Z., 2013. Afferent neuronal control of type-I gonadotropin releasing hormone neurons in the human. Frontiers in Endocrinology, 4(SEP), pp.1–19.

Hrabovszky, E., Csapo, A.K., Kallo, I., Wilheim, T., Turi, G.F. and Liposits, Z.S., 2006. Localization and osmotic regulation of vesicular glutamate transporter-2 in magnocellular neurons of the rat hypothalamus. Neurochemistry international, 48(8), pp.753-761.

Hsueh, A.J.W. and Erickson, G.F., 1978. Glucocorticoid inhibition of FSH-induced estrogen production in cultured rat granulosa cells. Steroids, 32(5), pp.639-648.

Hu, Y.C., Wang, P.H., Yeh, S., Wang, R.S., Xie, C., Xu, Q., Zhou, X., Chao, H.T., Tsai, M.Y. and Chang, C., 2004. Subfertility and defective folliculogenesis in female mice lacking androgen receptor. Proceedings of the National Academy of Sciences of the United States of America, 101(31), pp.11209-11214.

Huang, A., Brennan, K. and Azziz, R., 2010. Prevalence of hyperandrogenemia in the polycystic ovary syndrome diagnosed by the National Institutes of Health 1990 criteria. Fertility and sterility, 93(6), pp.1938-1941.

Huang, E.J. and Reichardt, L.F., 2001. Neurotrophins: roles in neuronal development and function. Annual review of neuroscience, 24(1), pp.677-736.

Hulsmans, M. and Holvoet, P., 2010. The vicious circle between oxidative stress and inflammation in atherosclerosis. Journal of cellular and molecular medicine, 14(1-2), pp.70-78.

Hussain, S.P., and Harris, C.C., 2007. Inflammation and cancer: an ancient link with novel potentials. International journal of cancer, 121(11), pp.2373-2380.

Indran, I.R., Lee, B.H. and Yong, E.L., 2016. Cellular and Animal Studies: Insights into Pathophysiology and Therapy of PCOS. Best Practice and Research Clinical Obstetrics and Gynaecology, 37, pp.12-24.

Iremonger, K.J., Constantin, S., Liu, X. and Herbison, A.E., 2010. Glutamate regulation of GnRH neuron excitability. Brain research, 1364, pp.35-43.

Irwig, M.S., Fraley, G.S., Smith, J.T., Acohido, B.V., Popa, S.M., Cunningham, M.J., Gottsch, M.L., Clifton, D.K. and Steiner, R.A., 2004. Kisspeptin activation of gonadotropin releasing hormone neurons and regulation of KiSS-1 mRNA in the male rat. Neuroendocrinology, 80(4), pp.264-272.

Ishunina, T.A., van Beurden, D., van der Meulen, G., Unmehopa, U.A., Hol, E.M., Huitinga, I. and Swaab, D.F., 2005. Diminished aromatase immunoreactivity in the hypothalamus, but not in the basal forebrain nuclei in Alzheimer's disease. Neurobiology of aging, 26(2), pp.173-194.

Jalilian, A., Kiani, F., Sayehmiri, F., Sayehmiri, K., Khodaee, Z. and Akbari, M., 2015. Prevalence of polycystic ovary syndrome and its associated complications in Iranian women: A meta-analysis. Iranian journal of reproductive medicine, 13(10), p.591.

Johnson, M.A., Tsutsui, K. and Fraley, G.S., 2007. Rat RFamide-related peptide-3 stimulates GH secretion, inhibits LH secretion, and has variable effects on sex behavior in the adult male rat. Hormones and behavior, 51(1), pp.171-180.

Jonard, S. and Dewailly, D., 2004. The follicular excess in polycystic ovaries, due to intra-ovarian hyperandrogenism, may be the main culprit for the follicular arrest. Human reproduction update, 10(2), pp.107-117.

Jonard, S., Robert, Y., Cortet-Rudelli, C., Pigny, P., Decanter, C. and Dewailly, D., 2003. Ultrasound examination of polycystic ovaries: is it worth counting the follicles?. Human Reproduction, 18(3), pp.598-603.

Jones, M.R., Brower, M.A., Xu, N., Cui, J., Mengesha, E., Chen, Y.D.I., Taylor, K.D., Azziz, R. and Goodarzi, M.O., 2015. Systems genetics reveals the functional context of PCOS loci and identifies genetic and molecular mechanisms of disease heterogeneity. PLoS genetics, 11(8), p.e1005455.

Jones, R.E. and Lopez, K.H., 2014. Human reproductive biology. Academic Press.

Joshi, B., Mukherjee, S., Patil, A., Purandare, A., Chauhan, S. and Vaidya, R., 2014. A cross-sectional study of polycystic ovarian syndrome among adolescent and young girls in Mumbai, India. Indian journal of endocrinology and metabolism, 18(3), p.317.

Jung, H., Shannon, E.M., Fritschy, J.M. and Ojeda, S.R., 1998. Several GABA A receptor subunits are expressed in LHRH neurons of juvenile female rats. Brain research, 780(2), pp.218-229.

Juruena, M.F., Cleare, A.J., Papadopoulos, A.S., Poon, L., Lightman, S. and Pariante, C.M., 2006. Different responses to dexamethasone and prednisolone in the same depressed patients. Psychopharmacology, 189(2), pp.225-235.

Kafali, H., Iriadam, M., Ozardalı, I. and Demir, N., 2004. Letrozole-induced polycystic ovaries in the rat: a new model for cystic ovarian disease. Archives of medical research, 35(2), pp.103-108.

Kageyama, K., 2013. Regulation of gonadotropins by corticotropin-releasing factor and urocortin. Frontiers in endocrinology, 4.

Kageyama, K., Hasegawa, G., Akimoto, K., Yamagata, S., Tamasawa, N. and Suda, T., 2012. Differential regulation of gonadotropin-releasing hormone by corticotropin-releasing factor family peptides in hypothalamic N39 cells. Peptides, 33(1), pp.149-155.

Kaiser, U.B., 1998. Molecular mechanisms of the regulation of gonadotropin gene expression by gonadotropin-releasing hormone. Molecules and cells, 8(6), pp.647-656.

Kalro, B.N., Loucks, T.L. and Berga, S.L., 2001. Neuromodulation in Polycystic Ovary Syndrome. Obstetrics and Gynecology Clinics of North America, 28(1), pp.35–62.

Kanasaki, H., Oride, A., Mijiddorj, T., Sukhbaatar, U. and Kyo, S., 2017. How is GnRH regulated in GnRH-producing neurons? Studies using GT1-7 cells as a GnRH-producing cell model. General and Comparative Endocrinology.

Kapczinski, F., Frey, B.N., Andreazza, A.C., Kauer-Sant'Anna, M., Cunha, Â. and Post, R.M., 2008. Increased oxidative stress as a mechanism for decreased BDNF levels in acute manic episodes. Revista brasileira de psiquiatria, 30(3), pp.243-245.

Kato, T.A., Hayakawa, K., Monji, A. and Kanba, S., 2013. Missing and possible link between neuroendocrine factors, neuropsychiatric disorders, and microglia. Frontiers in integrative neuroscience, 7.

Katyare, S.S. and Pandya, J.D., 2005. A simplified fluorimetric method for corticosterone estimation in rat serum, tissues and mitochondria. Indian journal of Biochemistry and Biophysics, 42, pp.48-53.

Kawamura, K., Kawamura, N., Mulders, S.M., Gelpke, M.D.S. and Hsueh, A.J., 2005. Ovarian brain-derived neurotrophic factor (BDNF) promotes the development of oocytes into preimplantation embryos. Proceedings of the National Academy of Sciences of the United States of America, 102(26), pp.9206-9211.

Keller, E., Chazenbalk, G.D., Aguilera, P., Madrigal, V., Grogan, T., Elashoff, D., Dumesic, D.A. and Abbott, D.H., 2014. Impaired preadipocyte differentiation into adipocytes in subcutaneous abdominal adipose of PCOS-like female rhesus monkeys. Endocrinology, 155(7), pp.2696-2703.

Keller-Wood, M.E. and Dallman, M.F., 1984. Corticosteroid inhibition of ACTH secretion. Endocrine reviews, 5(1), pp.1-24.

Kelly, F.J. and Mudway, I.S., 2003. Protein oxidation at the air-lung interface. Amino acids, 25(3), pp.375-396.

Kenealy, B.P. and Terasawa, E., 2012. Rapid direct action of estradiol in GnRH neurons: findings and implications. Frontiers in Endocrinology 2011; 2: 106.

Kerchner, A., Lester, W., Stuart, S.P. and Dokras, A., 2009. Risk of depression and other mental health disorders in women with polycystic ovary syndrome: a longitudinal study. Fertility and sterility, 91(1), pp.207-212.

Kim, H.H., DiVall, S.A., Deneau, R.M. and Wolfe, A., 2005. Insulin regulation of GnRH gene expression through MAP kinase signaling pathways. Molecular and cellular endocrinology, 242(1), pp.42-49.

King, S.R., Manna, P.R., Ishii, T., Syapin, P.J., Ginsberg, S.D., Wilson, K., Walsh, L.P., Parker, K.L., Stocco, D.M., Smith, R.G. and Lamb, D.J., 2002. An essential component in steroid synthesis, the steroidogenic

acute regulatory protein, is expressed in discrete regions of the brain. Journal of Neuroscience, 22(24), pp.10613-10620.

Kishimoto, T., Pearse, R.V., Lin, C.R. and Rosenfeld, M.G., 1995. A sauvagine/corticotropin-releasing factor receptor expressed in heart and skeletal muscle. Proceedings of the National Academy of Sciences, 92(4), pp.1108-1112.

Knobil E. 1974 On the control of gonadotropin secretion in the rhesus monkey. Recent Prog Horm Res;30:1–46.

Knobil, E., 1992. Remembrance: the discovery of the hypothalamic gonadotropin-releasing hormone pulse generator and of its physiological significance. Endocrinology, 131(3), pp.1005-1006.

Knudsen, J.F. and Mahesh, V.B., 1975. Initiation of precocious sexual maturation in the immature rat treated with dehydroepiandrosterone. Endocrinology, 97(2), pp.458-468.

Kohen, R. and Nyska, A., 2002. Invited review: Oxidation of biological systems: oxidative stress phenomena, antioxidants, redox reactions, and methods for their quantification. Toxicologic pathology, 30(6), pp.620-650.

Koo, J.W. and Duman, R.S., 2008. IL-1β is an essential mediator of the antineurogenic and anhedonic effects of stress. Proceedings of the National Academy of Sciences, 105(2), pp.751-756.

Koren, D., Egozi, Y. and Sokolovsky, M., 1992. Muscarinic involvement in the regulation of gonadotropin-releasing hormone in the cyclic rat. Molecular and cellular endocrinology, 90(1), pp.87-93.

Kowalska, I., Karczewska-Kupczewska, M., Adamska, A., Nikolajuk, A., Lebkowska, A., Otziomek, E., Wolczynski, S. and Straczkowski, M., 2015. Plasma brain derived neurotrophic factor is decreased in women with polycystic ovary syndrome and related to the markers of endothelial dysfunction. Presented at 17th eEuropean congress of Endocrinology 2015, Dublin, Ireland Endocrine Abstracts (2015) 37 GP06.08

Kozłowska, A., Majewski, M. and Jana, B., 2014. Changes in the cholinergic innervation pattern of porcine ovaries with cysts induced by dexamethasone administration. Journal of Molecular Neuroscience, 54(1), pp.10–19.

Krieg, R.J. and Sawyer, C.H., 1976. Effects of intraventricular catecholamines on luteinizing hormone release in ovariectomized-steroid-primed rats. Endocrinology, 99(2), pp.411-419.

Kriegsfeld, L.J., Gibson, E.M., Williams, W.P., Zhao, S., Mason, A.O., Bentley, G.E. and Tsutsui, K., 2010. The Roles of RFamide-Related Peptide-3 in Mammalian Reproductive Function and Behaviour. Journal of neuroendocrinology, 22(7), pp.692-700.

Kriegsfeld, L.J., Mei, D.F., Bentley, G.E., Ubuka, T., Mason, A.O., Inoue, K., Ukena, K., Tsutsui, K. and Silver, R., 2006. Identification and characterization of a gonadotropin-inhibitory system in the brains of mammals. Proceedings of the National academy of sciences of the United States of America, 103(7), pp.2410-2415.

Krsmanovic, L.Z., Mores, N., Navarro, C.E., Saeed, S.A., Arora, K.K. and Catt, K.J., 1998. Muscarinic regulation of intracellular signaling and neurosecretion in gonadotropin-releasing hormone neurons. Endocrinology, 139(10), pp.4037-4043.

Krsmanovic, L.Z., Hu, L., Leung, P.K., Feng, H. and Catt, K.J., 2009. The hypothalamic GnRH pulse generator: multiple regulatory mechanisms. *Trends in Endocrinology and Metabolism*, *20*(8), pp.402-408.

Kuiper, G.G., Enmark, E., Pelto-Huikko, M., Nilsson, S. and Gustafsson, J.A., 1996. Cloning of a novel receptor expressed in rat prostate and ovary. Proceedings of the National Academy of Sciences, 93(12), pp.5925-5930.

Kumar, A., Woods, K.S., Bartolucci, A.A. and Azziz, R., 2005. Prevalence of adrenal androgen excess in patients with the polycystic ovary syndrome (PCOS). Clinical endocrinology, 62(6), pp.644-649.

Kumarapeli, V., Seneviratne, R.D.A., Wijeyaratne, C.N., Yapa, R.M.S.C. and Dodampahala, S.H., 2008. A simple screening approach for assessing community prevalence and phenotype of polycystic ovary syndrome in a semiurban population in Sri Lanka. American journal of epidemiology, 168(3), pp.321-328.

Kyrou, I. and Tsigos, C., 2008. Chronic stress , visceral obesity and gonadal dysfunction. , 7(4), pp.287–293.

la Marca, A., Egbe, T.O., Morgante, G., Paglia, T., Ciani, A. and De Leo, V., 2000. Metformin treatment reduces ovarian cytochrome P-450c17α response to human chorionic gonadotrophin in women with insulin resistance-related polycystic ovary syndrome. Human Reproduction, 15(1), pp.21-23.

l'Allemand, D., Penhoat, A., Lebrethon, M.C., Ardevol, R., Baehr, V., Oelkers, W. and Saez, J.M., 1996. Insulin-like growth factors enhance steroidogenic enzyme and corticotropin receptor messenger ribonucleic acid levels and corticotropin steroidogenic responsiveness in cultured human adrenocortical cells. The Journal of Clinical Endocrinology and Metabolism, 81(11), pp.3892-3897.

Lanzone, A., Fulghesu, A.M., Guido, M., Fortini, A., Caruso, A. and Mancuso, S., 1992. Differential androgen response to adrenocorticotropic hormone stimulation in polycystic ovarian syndrome: relationship with insulin secretion. Fertility and sterility, 58(2), pp.296-301.

Lanzone, A., Petraglia, F., Fulghesu, A.M., Ciampelli, M., Caruso, A. and Mancuso, S., 1995. Corticotropin-releasing hormone induces an exaggerated response of adrenocorticotropic hormone and cortisol in polycystic ovary syndrome. Fertility and sterility, 63(6), pp.1195-1199.

Laoharatchatathanin, T., Terashima, R., Yonezawa, T., Kurusu, S. and Kawaminami, M., 2015. Augmentation of metastin/kisspeptin mRNA expression by the proestrous luteinizing hormone surge in granulosa cells of rats: implications for luteinization. Biology of reproduction, 93(1), pp.15-1.

Lara, H.E., Ferruz, J.L., Luza, S., Bustamante, D.A., Borges, Y. and Ojeda, S.R., 1993. Activation of ovarian sympathetic nerves in polycystic ovary syndrome. Endocrinology, 133(6), pp.2690-2695.

Lauritsen, M.P., Bentzen, J.G., Pinborg, A., Loft, A., Forman, J.L., Thuesen, L.L., Cohen, A., Hougaard, D.M. and Nyboe Andersen, A., 2014. The prevalence of polycystic ovary syndrome in a normal population according to the Rotterdam criteria versus revised criteria including anti-Müllerian hormone. Human reproduction, 29(4), pp.791-801.

Lee, A., Talley, E., Rosin, D.L. and Lynch, K.R., 1995. Characterization of α2A-adrenergic receptors in GT1 neurosecretory cells. Neuroendocrinology, 62(3), pp.215-225.

Lee, J.H., Miele, M.E., Hicks, D.J., Phillips, K.K., Trent, J.M., Weissman, B.E. and Welch, D.R., 1996. KiSS-1, a novel human malignant melanoma metastasis-suppressor gene. JNCI: Journal of the National Cancer Institute, 88(23), pp.1731-1737.

Lee, M.T., Anderson, E. and Lee, G.Y., 1991. Changes in ovarian morphology and serum hormones in the rat after treatment with dehydroepiandrosterone. The Anatomical Record, 231(2), pp.185-192.

Lee, W.K., Shin, S., Cho, S.S. and Park, J.S., 2000. Purification and characterization of glutamate dehydrogenase as another isoprotein binding to the membrane of rough endoplasmic reticulum. Journal of cellular biochemistry, 76(2), pp.244-253.

Legro, R.S., Kunselman, A.R., Dodson, W.C. and Dunaif, A., 1999. Prevalence and predictors of risk for type 2 diabetes mellitus and impaired glucose tolerance in polycystic ovary syndrome: a prospective, controlled study in 254 affected women. The journal of clinical endocrinology and metabolism, 84(1), pp.165-169.

Lehman, M.N., Coolen, L.M. and Goodman, R.L., 2010. Minireview: kisspeptin/neurokinin B/dynorphin (KNDy) cells of the arcuate nucleus: a central node in the control of gonadotropin-releasing hormone secretion. Endocrinology, 151(8), pp.3479-3489.

Leonard, B. and Maes, M., 2012. Mechanistic explanations how cell-mediated immune activation, inflammation and oxidative and nitrosative stress pathways and their sequels and concomitants play a role in the pathophysiology of unipolar depression. Neuroscience and Biobehavioral Reviews, 36(2), pp.764-785.

Leranth, C., MacLusky, N.J., Brown, T.J., Chen, E.C., Redmond Jr, D.E. and Naftolin, F., 1992. Transmitter content and afferent connections of estrogen-sensitive progestin receptor-containing neurons in the primate hypothalamus. Neuroendocrinology, 55(6), pp.667-682.

Leung, P.C.K., Arendash, G.W., Whitmoyer, D.I., Gorski, R.A. and Sawyer, C.H., 1982. Differential effects of central adrenoceptor agonists on luteinizing hormone release. Neuroendocrinology, 34(3), pp.207-214.

Levin, J.H., Carmina, E. and Lobo, R.A., 1991. Is the inappropriate gonadotropin secretion of patients with polycystic ovary syndrome similar to that of patients with adult-onset congenital adrenal hyperplasia?. Fertility and sterility, 56(4), pp.635-640.

Levine, J.E., 2011. An introduction to neuroendocrine systems. Handbook of Neuroendocrinology, pp.p-3.

Levine, R.L., Garland, D., Oliver, C.N., Amici, A., Climent, I., Lenz, A.G., Ahn, B.W., Shaltiel, S. and Stadtman, E.R., 1990. Determination of carbonyl content in oxidatively modified proteins. Methods in enzymology, 186, pp.464-478.

Li, R., Zhang, Q., Yang, D., Li, S., Lu, S., Wu, X., Wei, Z., Song, X., Wang, X., Fu, S. and Lin, J., 2013. Prevalence of polycystic ovary syndrome in women in China: a large community-based study. Human reproduction, 28(9), pp.2562-2569.

Li, X.F., Kinsey-Jones, J.S., Cheng, Y., Knox, A.M., Lin, Y., Petrou, N.A., Roseweir, A., Lightman, S.L., Milligan, S.R., Millar, R.P. and O'Byrne, K.T., 2009. Kisspeptin signalling in the hypothalamic arcuate nucleus regulates GnRH pulse generator frequency in the rat. PloS one, 4(12), p.e8334.

Li, X.F., Lin, Y.S., Kinsey-Jones, J.S., Milligan, S.R., Lightman, S.L. and O'Byrne, K.T., 2011. The Role of the Bed Nucleus of the Stria Terminalis in Stress-Induced Inhibition of Pulsatile Luteinising Hormone Secretion in the Female Rat. Journal of neuroendocrinology, 23(1), pp.3-11.

Lim, S.S., Davies, M.J., Norman, R.J. and Moran, L.J., 2012. Overweight, obesity and central obesity in women with polycystic ovary syndrome: a systematic review and meta-analysis. Human reproduction update, 18(6), pp.618-637.

Lin, H.H., Hsieh, R.H., Wang, J.W., Chen, C.H., Chen, Y.F. and Tzeng, C.R., 2014. Decreased mtdna copy number and glutathione peroxidase in granulosa cells of polycystic ovary syndrome women. Fertility and Sterility, 102(3), p.e263.

Lin, W.W. and Karin, M., 2007. A cytokine-mediated link between innate immunity, inflammation, and cancer. Journal of Clinical Investigation, 117(5), p.1175.

Lindzey, J., Wetsel, W.C., Couse, J.F., Stoker, T., Cooper, R. and Korach, K.S., 1998. Effects of castration and chronic steroid treatments on hypothalamic gonadotropin-releasing hormone content and pituitary gonadotropins in male wild-type and estrogen receptor-α knockout mice. Endocrinology, 139(10), pp.4092-4101.

Liu, T., Wimalasena, J., Bowen, R.L. and Atwood, C.S., 2007. Luteinizing hormone receptor mediates neuronal pregnenolone production via up-regulation of steroidogenic acute regulatory protein expression. Journal of neurochemistry, 100(5), pp.1329-1339.

Liu, X. and Herbison, A.E., 2013. Dopamine Regulation of Gonadotropin-Releasing Hormone Neuron Excitability in Male and Female Mice. Endocrinology, 154, pp.340–350.

Livak, K.J. and Schmittgen, T.D., 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2−ΔΔCT method. methods, 25(4), pp.402-408.

Lobo, R. A. in Infertility, Contraception, and Reproductive Endocrinology 3rd edn (eds Mishell, D. R. Jr, Davajan, V. and Lobo, R. A.) 447–487 (Blackwell Scientific Publications, Cambridge, 1991).

Locatelli, V., Bresciani, E., Tamiazzo, L. and Torsello, A., 2010. Central nervous system-acting drugs influencing hypothalamic-pituitary-adrenal axis function. In Pediatric Neuroendocrinology (Vol. 17, pp. 108-120). Karger Publishers.

Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J., 1951. Protein measurement with the Folin phenol reagent. Journal of biological chemistry, 193(1), pp.265-275.

Luboshitzky, R., Ishai, A., Shen-Or, Z. and Herer, P., 2003. Evaluation of the pituitary-adrenal axis in hyperandrogenic women with polycystic ovary syndrome. Neuroendocrinology Letters, 24(3-4), pp.249-254.

MacDonnell, P. and Greengard, O., 1975. The distribution of glutamate decarboxylase in rat tissues; isotopic vs fluorimetric assays. Journal of neurochemistry, 24(4), pp.615-618.

Maeda, K.I., Ohkura, S., Uenoyama, Y., Wakabayashi, Y., Oka, Y., Tsukamura, H. and Okamura, H., 2010. Neurobiological mechanisms underlying GnRH pulse generation by the hypothalamus. Brain research, 1364, pp.103-115.

Maeng, S. and Zarate Jr., C.A., 2007. The role of glutamate in mood disorders: results from the ketamine in major depression study and the presumed cellular mechanism underlying its antidepressant effects. Current Psychiatry Reports, 9(6), pp.467–474.

Maes, M., 2008. The cytokine hypothesis of depression: inflammation, oxidative and nitrosative stress (IOandNS) and leaky gut as new targets for adjunctive treatments in depression. Neuro Endocrinol Lett, 29(3), pp.287-91.

Maharjan, R., Nagar, P.S. and Nampoothiri, L., 2010. Effect of Aloe barbadensis Mill. formulation on Letrozole induced polycystic ovarian syndrome rat model. Journal of Ayurveda and integrative medicine, 1(4), p.273.

Maletic, V., Robinson, M., Oakes, T., Iyengar, S., Ball, S.G. and Russell, J., 2007. Neurobiology of depression: an integrated view of key findings. International journal of clinical practice, 61(12), pp.2030-2040.

Mamluk, R., Greber, Y. and Meidan, R., 1999. Hormonal regulation of messenger ribonucleic acid expression for steroidogenic factor-1, steroidogenic acute regulatory protein, and cytochrome P450 side-chain cleavage in bovine luteal cells. Biology of reproduction, 60(3), pp.628-634.

Manna, P.R. and Stocco, D.M., 2011. The role of specific mitogen-activated protein kinase signaling cascades in the regulation of steroidogenesis. Journal of signal transduction, 2011.

Manneras, L., Cajander, S., Holmang, A., Seleskovic, Z., Lystig, T., Lönn, M. and Stener-Victorin, E., 2007. A new rat model exhibiting both ovarian and metabolic characteristics of polycystic ovary syndrome. Endocrinology, 148(8), pp.3781-3791.

Mannerås-Holm, L., Leonhardt, H., Kullberg, J., Jennische, E., Odén, A., Holm, G., Hellström, M., Lönn, L., Olivecrona, G., Stener-Victorin, E. and Lönn, M., 2011. Adipose tissue has aberrant morphology and function in PCOS: enlarged adipocytes and low serum adiponectin, but not circulating sex steroids, are strongly associated with insulin resistance. The Journal of Clinical Endocrinology and Metabolism, 96(2), pp.E304-E311.

March, W.A., Moore, V.M., Willson, K.J., Phillips, D.I., Norman, R.J. and Davies, M.J., 2009. The prevalence of polycystic ovary syndrome in a community sample assessed under contrasting diagnostic criteria. Human reproduction, 25(2), pp.544-551.

Marklund, S. and Marklund, G., 1974. Involvement of the superoxide anion radical in the autoxidation of pyrogallol and a convenient assay for superoxide dismutase. The FEBS Journal, 47(3), pp.469-474.

Marshall, J.C. and Eagleson, C.A., 1999. Neuroendocrine aspects of polycystic ovary syndrome. Endocrinology and metabolism clinics of North America, 28(2), pp.295-324.

Marshall, J.C., Dalkin, A.C., Haisenleder, D.J., Paul, S.J., Ortolano, G.A. and Kelch, R.P., 1991. Gonadotropin-releasing hormone pulses: regulators of gonadotropin synthesis and ovulatory cycles. Recent progress in hormone research, 47, pp.155-87.

Mason, A.O., Duffy, S., Zhao, S., Ubuka, T., Bentley, G.E., Tsutsui, K., Silver, R. and Kriegsfeld, L.J., 2010. Photoperiod and reproductive condition are associated with changes in RFamide-related peptide (RFRP) expression in Syrian hamsters (Mesocricetus auratus). Journal of biological rhythms, 25(3), pp.176-185.

Mayerhofer, A. and Kunz, L., 2005. A non-neuronal cholinergic system of the ovarian follicle. Annals of Anatomy-Anatomischer Anzeiger, 187(5), pp.521-528.

Meethal, S.V., Liu, T., Chan, H.W., Ginsburg, E., Wilson, A.C., Gray, D.N., Bowen, R.L., Vonderhaar, B.K. and Atwood, C.S., 2009. Identification of a regulatory loop for the synthesis of neurosteroids: a steroidogenic acute regulatory protein-dependent mechanism involving hypothalamic-pituitary-gonadal axis receptors. Journal of neurochemistry, 110(3), pp.1014-1027.

Meyer, C., McGrath, B.P. and Teede, H.J., 2005. Overweight women with polycystic ovary syndrome have evidence of subclinical cardiovascular disease. *The Journal of Clinical Endocrinology and Metabolism*, *90*(10), pp.5711-5716.

Meyer, J.H., 2017. Neuroprogression and Immune Activation in Major Depressive Disorder. In Neuroprogression in Psychiatric Disorders (Vol. 31, pp. 27-36). Karger Publishers..

Michael, A.E., Pester, L.A., Curtis, P., Shaw, R.W., Edwards, C.R.W. and Cooke, B.A., 1993. Direct inhibition of ovarian steroidogenesis by cortisol and the modulatory role of 11β-hydroxysteroid dehydrogenase. Clinical endocrinology, 38(6), pp.641-644.

Miller, A.H., Maletic, V. and Raison, C.L., 2009. Inflammation and its discontents: the role of cytokines in the pathophysiology of major depression. Biological psychiatry, 65(9), pp.732-741.

Miller, D.W., Blache, D. and Martin, G.B., 1995. The role of intracerebral insulin in the effect of nutrition on gonadotrophin secretion in mature male sheep. Journal of Endocrinology, 147(2), pp.321-329.

Miller, W.L. and Bose, H.S., 2011. Early steps in steroidogenesis: intracellular cholesterol trafficking thematic review series: genetics of human lipid diseases. Journal of lipid research, 52(12), pp.2111-2135.

Miller, W.L., 2008. Steroidogenic enzymes. In Disorders of the human Adrenal cortex (Vol. 13, pp. 1-18). Karger Publishers.

Milutinović, D.V., Macut, D., Božić, I., Nestorov, J., Damjanović, S. and Matić, G., 2011. Hypothalamic-pituitary-adrenocortical axis hypersensitivity and glucocorticoid receptor expression and function in women with polycystic ovary syndrome. Experimental and clinical endocrinology and diabetes, 119(10), pp.636-643.

Missale, C., Nash, S.R., Robinson, S.W., Jaber, M. and Caron, M.G., 1998. Dopamine receptors: from structure to function. Physiological reviews, 78(1), pp.189-225.

Mitrovic, I., 2003. Introduction to the Hypothalamo- Pituitary-Adrenal (HPA) Axis. Medical Physiology, p.1010.

Moenter, S.M., DeFazio, R.A., Pitts, G.R. and Nunemaker, C.S., 2003. Mechanisms underlying episodic gonadotropin-releasing hormone secretion. Frontiers in neuroendocrinology, 24(2), pp.79-93.

Moghetti, P., Castello, R., Negri, C., Tosi, F., Perrone, F., Caputo, M., Zanolin, E. and Muggeo, M., 2000. Metformin effects on clinical features, endocrine and metabolic profiles, and insulin sensitivity in polycystic ovary syndrome: a randomized, double-blind, placebo-controlled 6-month trial, followed by open, long-term clinical evaluation. The Journal of Clinical Endocrinology and Metabolism, 85(1), pp.139-146.

Moghetti, P., Castello, R., Negri, C., Tosi, F., Spiazzi, G.G., Brun, E., Balducci, R., Toscano, V. and Muggeo, M., 1996. Insulin infusion amplifies 17 alpha-hydroxycorticosteroid intermediates response to adrenocorticotropin in hyperandrogenic women: apparent relative impairment of 17, 20-lyase activity. The Journal of Clinical Endocrinology and Metabolism, 81(3), pp.881-886.

Mollereau, C., Mazarguil, H., Marcus, D., Quelven, I., Kotani, M., Lannoy, V., Dumont, Y., Quirion, R., Detheux, M., Parmentier, M. and Zajac, J.M., 2002. Pharmacological characterization of human NPFF 1 and NPFF 2 receptors expressed in CHO cells by using NPY Y 1 receptor antagonists. European journal of pharmacology, 451(3), pp.245-256.

Molnar, C.S., Kallo, I., Liposits, Z. and Hrabovszky, E., 2011. Estradiol down-regulates RF-amide-related peptide (RFRP) expression in the mouse hypothalamus. Endocrinology, 152(4), pp.1684-1690.

Mongioi, A., Macchi, M., Vicari, E., Fornito, M.C., Calogero, A.E., Riccioli, C., Minacapilli, G., Moncada, M.L. and D'Agata, R., 1988. Pituitary and adrenal response to ovine corticotropin-releasing hormone in women with polycystic ovarian syndrome. Journal of endocrinological investigation, 11(9), pp.637-640.

Monteggia, L.M., Luikart, B., Barrot, M., Theobold, D., Malkovska, I., Nef, S., Parada, L.F. and Nestler, E.J., 2007. Brain-derived neurotrophic factor conditional knockouts show gender differences in depression-related behaviors. Biological psychiatry, 61(2), pp.187-197.

Monteiro, R. and Azevedo, I., 2010. Chronic inflammation in obesity and the metabolic syndrome. Mediators of inflammation, 2010.

Moore, A.M. and Campbell, R.E., 2017. Polycystic ovary syndrome: Understanding the role of the brain. Frontiers in Neuroendocrinology.

Moore, A.M., Prescott, M. and Campbell, R.E., 2012. Estradiol negative and positive feedback in a prenatal androgen-induced mouse model of polycystic ovarian syndrome. Endocrinology, 154(2), pp.796-806.

Moore, A.M., Prescott, M., Marshall, C.J., Yip, S.H. and Campbell, R.E., 2015. Enhancement of a robust arcuate GABAergic input to gonadotropin-releasing hormone neurons in a model of polycystic ovarian syndrome. Proceedings of the National Academy of Sciences, 112(2), pp.596-601.

Moran, L. and Teede, H., 2009. Metabolic features of the reproductive phenotypes of polycystic ovary syndrome. Human reproduction update, 15(4), pp.477-488.

Moran, L.J., Misso, M.L., Wild, R.A. and Norman, R.J., 2010. Impaired glucose tolerance, type 2 diabetes and metabolic syndrome in polycystic ovary syndrome: a systematic review and meta-analysis. Human reproduction update, 16(4), pp.347-363.

Moret, C. and Briley, M., 2011. The importance of norepinephrine in depression. Neuropsychiatric disease and treatment, 7(Suppl 1), p.9.

Mori, H., Arakawa, S., Ohkawa, T., Ohkawa, R., Takada, S., Morita, T. and Okinaga, S., 1994. The involvement of dopamine in the regulation of steroidogenesis in rat ovarian cells. Hormones, 41(Suppl. 1), pp.36-40.

Morimoto, M., Morita, N., Ozawa, H., Yokoyama, K. and Kawata, M., 1996. Distribution of glucocorticoid receptor immunoreactivity and mRNA in the rat brain: an immunohistochemical and in situ hybridization study. Neuroscience research, 26(3), pp.235-269.

Morley, P., Calaresu, F.R., Barbe, G.J. and Armstrong, D.T., 1989. Insulin enhances luteinizing hormone-stimulated steroidogenesis by porcine theca cells. Biology of reproduction, 40(4), pp.735-743.

Moro, C., Pasarica, M., Elkind-Hirsch, K. and Redman, L.M., 2009. Aerobic exercise training improves atrial natriuretic peptide and catecholamine-mediated lipolysis in obese women with polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 94(7), pp.2579-2586.

Moshage, H., Kok, B., Huizenga, J.R. and Jansen, P.L., 1995. Nitrite and nitrate determinations in plasma: a critical evaluation. Clinical chemistry, 41(6), pp.892-896.

Mosselman, S., Polman, J. and Dijkema, R., 1996. ERβ: identification and characterization of a novel human estrogen receptor. FEBS letters, 392(1), pp.49-53.

Mountjoy, K.G., Robbins, L.S., Mortrud, M.T. and Cone, R.D., 1992. The cloning of a family of genes that encode the melanocortin receptors. Science, 257(5074), pp.1248-1251.

Munck, A., Guyre, P.M. and Holbrook, N.J., 1984. Physiological functions of glucocorticoids in stress and their relation to pharmacological actions. Endocrine reviews, 5(1), pp.25-44.

Munir, I., Yen, H.W., Geller, D.H., Torbati, D., Bierden, R.M., Weitsman, S.R., Agarwal, S.K. and Magoffin, D.A., 2004. Insulin augmentation of 17α-hydroxylase activity is mediated by phosphatidyl inositol 3-kinase but not extracellular signal-regulated kinase-1/2 in human ovarian theca cells. Endocrinology, 145(1), pp.175-183.

Murri, M., Insenser, M., Fernández-Durán, E., San-Millán, J.L. and Escobar-Morreale, H.F., 2013a. Effects of polycystic ovary syndrome (PCOS), sex hormones, and obesity on circulating miRNA-21, miRNA-27b, miRNA-103, and miRNA-155 expression. The Journal of Clinical Endocrinology and Metabolism, 98(11), pp.E1835-E1844.

Murri, M., Luque-Ramírez, M., Insenser, M., Ojeda-Ojeda, M. and Escobar-Morreale, H.F., 2013b. Circulating markers of oxidative stress and polycystic ovary syndrome (PCOS): a systematic review and meta-analysis. Human reproduction update, 19(3), pp.268-288.

Musalı, N., Özmen, B., Şükür, Y.E., Ergüder, B.İ., Atabekoğlu, C.S., Sönmezer, M., Berker, B. and Aytaç, R., 2016. Follicular fluid norepinephrine and dopamine concentrations are higher in polycystic ovary syndrome. Gynecological Endocrinology, 32(6), pp.460-463.

Nagatsu, T. and Sawada, M., 2006. Molecular mechanism of the relation of monoamine oxidase B and its inhibitors to Parkinson's disease: possible implications of glial cells. In Oxidative Stress and Neuroprotection (pp. 53-65). Springer Vienna.

Navarro, V.M., Gottsch, M.L., Chavkin, C., Okamura, H., Clifton, D.K. and Steiner, R.A., 2009. Regulation of gonadotropin-releasing hormone secretion by kisspeptin/dynorphin/neurokinin B neurons in the arcuate nucleus of the mouse. Journal of Neuroscience, 29(38), pp.11859-11866.

Neill, J.D., 2002. Minireview: GnRH and GnRH receptor genes in the human genome. Endocrinology, 143(3), pp.737-743.

Nelson, V.L., Legro, R.S., Strauss III, J.F. and McAllister, J.M., 1999. Augmented androgen production is a stable steroidogenic phenotype of propagated theca cells from polycystic ovaries. Molecular Endocrinology, 13(6), pp.946-957.

Nelson, V.L., Qin, K.N., Rosenfield, R.L., Wood, J.R., Penning, T.M., Legro, R.S., Strauss III, J.F. and McAllister, J.M., 2001. The biochemical basis for increased testosterone production in theca cells propagated from patients with polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 86(12), pp.5925-5933.

Nemoto, T., Iwasaki-Sekino, A., Yamauchi, N. and Shibasaki, T., 2010. Role of urocortin 2 secreted by the pituitary in the stress-induced suppression of luteinizing hormone secretion in rats. American Journal of Physiology-Endocrinology and Metabolism, 299(4), pp.E567-E575.

Nestler, J.E., Jakubowicz, D.J., Falcon de Vargas, A., Brik, C., Quintero, N. and Medina, F., 1998. Insulin stimulates testosterone biosynthesis by human thecal cells from women with polycystic ovary syndrome by activating its own receptor and using inositolglycan mediators as the signal transduction system. The Journal of Clinical Endocrinology and Metabolism, 83(6), pp.2001-2005.

Nestler, J.E., Powers, L.P., Matt, D.W., Steingold, K.A., Plymate, S.R., Rittmaster, R.S., Clore, J.N. and Blackard, W.G., 1991. A direct effect of hyperinsulinemia on serum sex hormone-binding globulin levels in obese women with the polycystic ovary syndrome. The Journal of clinical endocrinology and metabolism, 72(1), pp.83-89.

Nguyen, D., Alavi, M.V., Kim, K.Y., Kang, T., Scott, R.T., Noh, Y.H., Lindsey, J.D., Wissinger, B., Ellisman, M.H., Weinreb, R.N. and Perkins, G.A., 2011. A new vicious cycle involving glutamate excitotoxicity, oxidative stress and mitochondrial dynamics. Cell death and disease, 2(12), p.e240.

Nichols, D.E. and Nichols, C.D., 2008. Serotonin receptors. Chemical reviews, 108(5), pp.1614-1641.

Nidhi, R., Padmalatha, V., Nagarathna, R. and Amritanshu, R., 2011. Prevalence of polycystic ovarian syndrome in Indian adolescents. Journal of pediatric and adolescent gynecology, 24(4), pp.223-227.

Nisenblat, V. and Norman, R.J., 2009. Androgens and polycystic ovary syndrome. Current Opinion in Endocrinology, Diabetes and Obesity, 16(3), pp.224-231.

Nishikawa, T., Morita, K., Kinjo, K. and Tsujimoto, A., 1982. Stimulation of catecholamine release from isolated adrenal glands by some amino acids. The Japanese Journal of Pharmacology, 32(2), pp.291-297.

Noel, S.D., Keen, K.L., Baumann, D.I., Filardo, E.J. and Terasawa, E., 2009. Involvement of G protein-coupled receptor 30 (GPR30) in rapid action of estrogen in primate LHRH neurons. Molecular endocrinology, 23(3), pp.349-359.

Norwitz, E.R., Xu, S., Jeong, K.H., Bédécarrats, G.Y., Winebrenner, L.D., Chin, W.W. and Kaiser, U.B., 2002. Activin A augments GnRH-mediated transcriptional activation of the mouse GnRH receptor gene. Endocrinology, 143(3), pp.985-997.

Oakes, P., Loukas, M., Oskouian, R.J. and Tubbs, R.S., 2016. The neuroanatomy of depression: A review. Clinical Anatomy. 30(1), pp.44–49.

Oakley, R.H. and Cidlowski, J.A., 2013. The Biology of the Glucocorticoid Receptor: New Signaling Mechanism in Health and Disease. J allergy clin immunol, 132(5), pp.1033–1044.

O'dea, L.S., Finkelstein, J.S., Schoenfeld, D.A., Butler, J.P. and Crowley, W.F., 1989. Interpulse interval of GnRH stimulation independently modulates LH secretion. American Journal of Physiology-Endocrinology and Metabolism, 256(4), pp.E510-E515.

Ohkawa, H., Ohishi, N. and Yagi, K., 1978. Reaction of linoleic acid hydroperoxide with thiobarbituric acid. Journal of Lipid Research, 19(8), pp.1053-1057.

Oishi, H., Klausen, C., Bentley, G.E., Osugi, T., Tsutsui, K., Gilks, C.B., Yano, T. and Leung, P.C., 2012. The human gonadotropin-inhibitory hormone ortholog RFamide-related peptide-3 suppresses gonadotropin-induced progesterone production in human granulosa cells. Endocrinology, 153(7), pp.3435-3445.

Ortega, I., Cress, A.B., Villanueva, J.A., Sokalska, A., Stanley, S.D. and Duleba, A.J., 2011. Resveratrol potentiates effects of simvastatin on inhibition of rat ovarian theca-interstitial cell steroidogenesis. Fertility and Sterility, 96(3), pp.S40-S41.

Ortiz-Domínguez, A., Hernández, M.E., Berlanga, C., Gutiérrez-Mora, D., Moreno, J., Heinze, G. and Pavón, L., 2007. Immune variations in bipolar disorder: phasic differences. Bipolar disorders, 9(6), pp.596-602.

Ota, H., Fukushima, M. and Maki, M., 1983. Endocrinological and histological aspects of the process of polycystic ovary formation in the rat treated with testosterone propionate. The Tohoku journal of experimental medicine, 140(2), pp.121-131.

Ottem, E.N., Godwin, J.G. and Petersen, S.L., 2002. Glutamatergic signaling through the N-methyl-D-aspartate receptor directly activates medial subpopulations of luteinizing hormone-releasing hormone (LHRH) neurons, but does not appear to mediate the effects of estradiol on LHRH gene expression. Endocrinology, 143(12), pp.4837-4845.

Padmanabhan, V. and Veiga-Lopez, A., 2013. Sheep models of polycystic ovary syndrome phenotype. Molecular and cellular endocrinology, 373(1), pp.8-20.

Pagán, Y.L., Srouji, S.S., Jimenez, Y., Emerson, A., Gill, S. and Hall, J.E., 2006. Inverse relationship between luteinizing hormone and body mass index in polycystic ovarian syndrome: investigation of hypothalamic and pituitary contributions. The journal of clinical endocrinology and metabolism, 91(4), pp.1309-1316.

Paglia, D.E. and Valentine, W.N., 1967. Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. The Journal of laboratory and clinical medicine, 70(1), pp.158-169.

Pasch, L.A., Lamb, J., Shelly, W., Sandler, J., Lee, Z. and Cedars, M.I., 2008. Factors associated with risk for depression among women with polycystic ovarian syndrome. Fertility and Sterility, 90, p.S178.

Pasquali, R., Gambineri, A. and Pagotto, U., 2006. The impact of obesity on reproduction in women with polycystic ovary syndrome. BJOG: An International Journal of Obstetrics and Gynaecology, 113(10), pp.1148-1159.

Pellatt, L., Rice, S. and Mason, H.D., 2010. Anti-Müllerian hormone and polycystic ovary syndrome: a mountain too high? Reproduction, 139(5), pp.825-833.

Piascik, M.T. and Perez, D.M., 2001. α1-Adrenergic receptors: New insights and directions. Journal of Pharmacology and Experimental Therapeutics, 298(2), pp.403–410.

Picciotto, M.R., Higley, M.J. and Mineur, Y.S., 2012. Acetylcholine as a Neuromodulator: Cholinergic Signaling Shapes Nervous System Function and Behavior. Neuron, 76(1), pp.116–129.

Piet, R., de Croft, S., Liu, X. and Herbison, A.E., 2015. Electrical properties of kisspeptin neurons and their regulation of GnRH neurons. Frontiers in neuroendocrinology, 36, pp.15-27.

Pigny, P., Merlen, E., Robert, Y., Cortet-Rudelli, C., Decanter, C., Jonard, S. and Dewailly, D., 2003. Elevated serum level of anti-mullerian hormone in patients with polycystic ovary syndrome: relationship to the ovarian follicle excess and to the follicular arrest. The Journal of Clinical Endocrinology and Metabolism, 88(12), pp.5957-5962.

Pineda, R., Garcia-Galiano, D., Sanchez-Garrido, M.A., Romero, M., Ruiz-Pino, F., Aguilar, E., Dijcks, F.A., Blomenrohr, M., Pinilla, L., Van Noort, P.I. and Tena-Sempere, M., 2010. Characterization of the potent gonadotropin-releasing activity of RF9, a selective antagonist of RF-amide-related peptides and neuropeptide FF receptors: physiological and pharmacological implications. Endocrinology, 151(4), pp.1902-1913.

Pinilla, L., Aguilar, E., Dieguez, C., Millar, R.P. and Tena-Sempere, M., 2012. Kisspeptins and reproduction: physiological roles and regulatory mechanisms. Physiological reviews, 92(3), pp.1235-1316.

Piomboni, P., Focarelli, R., Capaldo, A., Stendardi, A., Cappelli, V., Cianci, A., La Marca, A., Luddi, A. and De Leo, V., 2014. Protein modification as oxidative stress marker in follicular fluid from women with polycystic

ovary syndrome: the effect of inositol and metformin. Journal of assisted reproduction and genetics, 31(10), pp.1269-1276.

Piotrowski, P.C., Rzepczynska, I.J., Kwintkiewicz, J. and Duleba, A.J., 2005, February. Oxidative stress induces expression of CYP11A, CYP17, star and 3 beta HSD in rat theca-interstitial cells. In Journal of the Society for Gynecologic Investigation (Vol. 12, No. 2, pp. 319A-319A).

Pisoschi, A.M. and Pop, A., 2015. The role of antioxidants in the chemistry of oxidative stress: A review. European journal of medicinal chemistry, 97, pp.55-74.

Pivonello, R., Ferone, D., de Herder, W.W., de Krijger, R.R., Waaijers, M., Mooij, D.M., van Koetsveld, P.M., Barreca, A., Del Basso De Caro, M.L., Lombardi, G. and Colao, A., 2004. Dopamine receptor expression and function in human normal adrenal gland and adrenal tumors. The Journal of Clinical Endocrinology and Metabolism, 89(9), pp.4493-4502.

Plant, T.M. and Zeleznik, A.J. eds., 2014. Knobil and Neill's physiology of reproduction. Academic Press.

Plant, T.M., Gay, V.L., Marshall, G.R. and Arslan, M., 1989. Puberty in monkeys is triggered by chemical stimulation of the hypothalamus. Proceedings of the National Academy of Sciences, 86(7), pp.2506-2510.

Plum, L., Schubert, M. and Brüning, J.C., 2005. The role of insulin receptor signaling in the brain. Trends in Endocrinology and Metabolism, 16(2), pp.59-65.

Poljsak, B., Šuput, D. and Milisav, I., 2013. Achieving the balance between ROS and antioxidants: when to use the synthetic antioxidants. Oxidative medicine and cellular longevity, 2013.

Pralong, F.P., 2010. Insulin and NPY pathways and the control of GnRH function and puberty onset. Molecular and cellular endocrinology, 324(1), pp.82-86.

Prange-Kiel, J., Jarry, H., Schoen, M., Kohlmann, P., Lohse, C., Zhou, L. and Rune, G.M., 2008. Gonadotropin-releasing hormone regulates spine density via its regulatory role in hippocampal estrogen synthesis. The Journal of cell biology, 180(2), pp.417-426.

Prasad, S., Tiwari, M., Pandey, A.N., Shrivastav, T.G. and Chaube, S.K., 2016. Impact of stress on oocyte quality and reproductive outcome. Journal of biomedical science, 23(1), p.36.

Pruchniak, M.P., Araźna, M. and Demkow, U., 2015. Biochemistry of oxidative stress. In Advances in Clinical Science (pp. 9-19). Springer International Publishing.

Qiao, J. and Feng, H.L., 2010. Extra-and intra-ovarian factors in polycystic ovary syndrome: impact on oocyte maturation and embryo developmental competence. Human reproduction update, 17(1), pp.17-33.

Rabin, D.S., Schmidt, P.J., Campbell, G., Gold, P.W., Jensvold, M., Rubinow, D.R. and Chrousos, G.P., 1990. Hypothalamic-pituitary-adrenal function in patients with the premenstrual syndrome. The Journal of Clinical Endocrinology and Metabolism, 71(5), pp.1158-1162.

Radha, M. and Laxmipriya, N., 2016. Efficacy of non polar extract (NPE) of Aloe barbadensis mill. in polycystic ovarian syndrome (PCOS) rodent model - an" in vivo" study. International Journal of Pharmaceutical Sciences and Research, 7(12), p.4933.

Radovick, S., Levine, J.E. and Wolfe, A., 2012. Estrogenic regulation of the GnRH neuron. Frontiers in endocrinology, 3.

Raffin-Sanson, M.L., De Keyzer, Y. and Bertagna, X., 2003. Proopiomelanocortin, a polypeptide precursor with multiple functions: from physiology to pathological conditions. European Journal of Endocrinology, 149(2), pp.79-90.

Rahal, A., Kumar, A., Singh, V., Yadav, B., Tiwari, R., Chakraborty, S. and Dhama, K., 2014. Oxidative stress, prooxidants, and antioxidants: the interplay. BioMed research international

Raijmakers, M.T.M., Burton, G.J., Jauniaux, E., Seed, P.T., Peters, W.H.M., Steegers, E.A.P. and Poston, L., 2006. Placental NAD (P) H oxidase mediated superoxide generation in early pregnancy. Placenta, 27(2), pp.158-163.

Raja-Khan, N., Urbanek, M., Rodgers, R.J. and Legro, R.S., 2014. The role of TGF-β in polycystic ovary syndrome. Reproductive Sciences, 21(1), pp.20-31.

Rajkhowa, M., Brett, S., Cuthbertson, D.J., Lipina, C., Ruiz-Alcaraz, A.J., Thomas, G.E., Logie, L., Petrie, J.R. and Sutherland, C., 2009. Insulin resistance in polycystic ovary syndrome is associated with defective regulation of ERK1/2 by insulin in skeletal muscle in vivo. Biochemical Journal, 418(3), pp.665-671.

Rance, N.E., Young, W.S. and McMullen, N.T., 1994. Topography of neurons expressing luteinizing hormone-releasing hormone gene transcripts in the human hypothalamus and basal forebrain. Journal of Comparative Neurology, 339(4), pp.573-586.

Rao, J.S., Harry, G.J., Rapoport, S.I. and Kim, H.W., 2010. Increased excitotoxicity and neuroinflammatory markers in postmortem frontal cortex from bipolar disorder patients. Molecular psychiatry, 15(4), p.384.

Reuter, S., Gupta, S.C., Chaturvedi, M.M. and Aggarwal, B.B., 2010. Oxidative stress, inflammation, and cancer: how are they linked?. Free Radical Biology and Medicine, 49(11), pp.1603-1616.

Revel, F.G., Saboureau, M., Masson-Pévet, M., Pévet, P., Mikkelsen, J.D. and Simonneaux, V., 2006. Kisspeptin mediates the photoperiodic control of reproduction in hamsters. Current Biology, 16(17), pp.1730-1735.

Revel, F.G., Saboureau, M., Pévet, P., Simonneaux, V. and Mikkelsen, J.D., 2007. RFamide-related peptide gene is a melatonin-driven photoperiodic gene. Endocrinology, 149(3), pp.902-912.

Ribeiro, F.M., Vieira, L.B., Pires, R.G., Olmo, R.P. and Ferguson, S.S., 2017. Metabotropic glutamate receptors and neurodegenerative diseases. Pharmacological research, 115, pp.179-191.

Richter, K., Konzack, A., Pihlajaniemi, T., Heljasvaara, R. and Kietzmann, T., 2015. Redox-fibrosis: Impact of TGFβ1 on ROS generators, mediators and functional consequences. Redox biology, 6, pp.344-352.

Ridnour, L.A., Thomas, D.D., Mancardi, D., Espey, M.G., Miranda, K.M., Paolocci, N., Feelisch, M., Fukuto, J. and Wink, D.A., 2004. The chemistry of nitrosative stress induced by nitric oxide and reactive nitrogen oxide species. Putting perspective on stressful biological situations. Biological chemistry, 385(1), pp.1-10.

Rivier, C., Rivier, J. and Vale, W., 1986. Inhibin-mediated feedback control of follicle-stimulating hormone secretion in the female rat. Science, 234, pp.205-209.

Robinson, J.E., Forsdike, R.A. and Taylor, J.A., 1999. In utero exposure of female lambs to testosterone reduces the sensitivity of the GnRH neuronal network to inhibition by progesterone. Endocrinology, 140(12), pp.5797-5805.

Rojas, J., Bermúdez, V., Leal, E., Cano, R., Luti, Y., Acosta, L., Finol, F., Aparicio, D., Arraiz, N., Linares, S. and Rojas, E., 2008. Insulinorresistencia e hiperinsulinemia como factores de riesgo para enfermedad cardiovascular. Archivos Venezolanos de Farmacología y Terapéutica, 27(1).

Rojas, J., Chávez, M., Olivar, L., Rojas, M., Morillo, J., Mejías, J., Calvo, M. and Bermúdez, V., 2014. Polycystic ovary syndrome, insulin resistance, and obesity: navigating the pathophysiologic labyrinth. International journal of reproductive medicine, 2014.

Roland, A.V., Nunemaker, C.S., Keller, S.R. and Moenter, S.M., 2010. Prenatal androgen exposure programs metabolic dysfunction in female mice. Journal of Endocrinology, 207(2), pp.213-223.

Roos, N., Kieler, H., Sahlin, L., Ekman-Ordeberg, G., Falconer, H. and Stephansson, O., 2011. Risk of adverse pregnancy outcomes in women with polycystic ovary syndrome: population based cohort study. Bmj, 343, p.d6309.

Root-Bernstein, R., Podufaly, A. and Dillon, P.F., 2014. Estradiol binds to insulin and insulin receptor decreasing insulin binding in vitro. Frontiers in endocrinology, 5.

Roselli, C.E. and Resko, J.A., 2001. Cytochrome P450 aromatase (CYP19) in the non-human primate brain: distribution, regulation, and functional significance. The Journal of steroid biochemistry and molecular biology, 79(1), pp.247-253.

Rosenfield, R.L. and Ehrmann, D.A., 2016. The pathogenesis of polycystic ovary syndrome (PCOS): the hypothesis of PCOS as functional ovarian hyperandrogenism revisited. Endocrine reviews, 37(5), pp.467-520.

Roseweir, A.K., Kauffman, A.S., Smith, J.T., Guerriero, K.A., Morgan, K., Pielecka-Fortuna, J., Pineda, R., Gottsch, M.L., Tena-Sempere, M., Moenter, S.M. and Terasawa, E., 2009. Discovery of potent kisspeptin

antagonists delineate physiological mechanisms of gonadotropin regulation. Journal of Neuroscience, 29(12), pp.3920-3929.

Rosmond, R., 2003. Stress induced disturbances of the HPA axis: a pathway to type 2 diabetes? Medical Science Monitor, 9(2), pp.RA35-RA39.

Rubinstein, L. And Sawyer, C.H., 1970. Role of catecholamines in stimulating the release of pituitary ovulating hormone (s) in rats. Endocrinology, 86(5), pp.988-995.

Ruggiero, C. and Lalli, E., 2016. Impact of ACTH signaling on transcriptional regulation of steroidogenic genes. Frontiers in endocrinology, 7.

Sabuncu, T., Vural, H., Harma, M. and Harma, M., 2001. Oxidative stress in polycystic ovary syndrome and its contribution to the risk of cardiovascular disease. Clinical biochemistry, 34(5), pp.407-413.

Sahmay, S., Aydin, Y., Oncul, M. and Senturk, L.M., 2014. Diagnosis of Polycystic Ovary Syndrome: AMH in combination with clinical symptoms. Journal of assisted reproduction and genetics, 31(2), pp.213-220.

Salimi-Asl, M., Mozdarani, H. and Kadivar, M., 2016. Up-regulation of miR-21 and 146a expression and increased DNA damage frequency in a mouse model of polycystic ovary syndrome (PCOS). BioImpacts: BI, 6(2), p.85.

Salvi, R., Castillo, E., Voirol, M.J., Glauser, M., Rey, J.P., Gaillard, R.C., Vollenweider, P. and Pralong, F.P., 2006. Gonadotropin-releasing hormone-expressing neurons immortalized conditionally are activated by insulin: implication of the mitogen-activated protein kinase pathway. Endocrinology, 147(2), pp.816-826.

Sanacora, G., Treccani, G. and Popoli, M., 2012. Towards a glutamate hypothesis of depression: An emerging frontier of neuropsychopharmacology for mood disorders. Neuropharmacology, 62(1), pp.63–77.

Sandoval-Guzmán, T. and Rance, N.E., 2004. Central injection of senktide, an NK 3 receptor agonist, or neuropeptide Y inhibits LH secretion and induces different patterns of Fos expression in the rat hypothalamus. Brain research, 1026(2), pp.307-312.

Sang, Q., Yao, Z., Wang, H., Feng, R., Wang, H., Zhao, X., Xing, Q., Jin, L., He, L., Wu, L. and Wang, L., 2013. Identification of microRNAs in human follicular fluid: characterization of microRNAs that govern steroidogenesis in vitro and are associated with polycystic ovary syndrome in vivo. The Journal of Clinical Endocrinology and Metabolism, 98(7), pp.3068-3079.

Sangwan, R.S., Mishra, S. and Kumar, S., 1998. Direct Fluorometry of Phase-Extracted Tryptamine-Based Fast Quantitative Assay ofl-Tryptophan Decarboxylase fromCatharanthus roseusLeaf. Analytical biochemistry, 255(1), pp.39-46.

Sari, I.P., Rao, A., Smith, J.T., Tilbrook, A.J. and Clarke, I.J., 2009. Effect of RF-amide-related peptide-3 on luteinizing hormone and follicle-stimulating hormone synthesis and secretion in ovine pituitary gonadotropes. Endocrinology, 150(12), pp.5549-5556.

Sárvári, M., Hrabovszky, E., Kalló, I., Solymosi, N., Tóth, K., Likó, I., Széles, J., Mahó, S., Molnár, B. and Liposits, Z., 2011. Estrogens regulate neuroinflammatory genes via estrogen receptors α and β in the frontal cortex of middle-aged female rats. Journal of neuroinflammation, 8(1), p.82.

Sawchenko, P.E., Imaki, T., Potter, E., Kovacs, K., Imaki, J. and Vale, W., 1993, January. The functional neuroanatomy of corticotropin-releasing factor. In Ciba Foundation Symposium 172-Corticotropin-Releasing Factor (pp. 5-29). John Wiley and Sons, Ltd..

Scharrer, E. and Scharrer, B., 1945. Neurosecretion. Physiological Reviews, 25(1), pp.171-181.

Schreiber, J.R., Nakamura, K. and Erickson, G.F., 1982. Rat ovary glucocorticoid receptor: identification and characterization. Steroids, 39(5), pp.569-584.

Schwarcz, R. and Pellicciari, R., 2002. Manipulation of brain kynurenines: glial targets, neuronal effects, and clinical opportunities. Journal of Pharmacology and Experimental Therapeutics, 303(1), pp.1-10.

Scully, K.M., Gleiberman, A.S., Lindzey, J., Lubahn, D.B., Korach, K.S. and Rosenfeld, M.G., 1997. Role of estrogen receptor-α in the anterior pituitary gland. Molecular Endocrinology, 11(6), pp.674-681.

Seleem, A.K., El Refaeey, A.A., Shaalan, D., Sherbiny, Y. and Badawy, A., 2014. Superoxide dismutase in polycystic ovary syndrome patients undergoing intracytoplasmic sperm injection. Journal of assisted reproduction and genetics, 31(4), pp.499-504.

Seminara, S.B., Messager, S., Chatzidaki, E.E., Thresher, R.R., Acierno Jr, J.S., Shagoury, J.K., Bo-Abbas, Y., Kuohung, W., Schwinof, K.M., Hendrick, A.G. and Zahn, D., 2004. The GPR54 gene as a regulator of puberty. Obstetrical and Gynecological Survey, 59(5), pp.351-353.

Sharma, T.P., Herkimer, C., West, C., Ye, W., Birch, R., Robinson, J.E., Foster, D.L. and Padmanabhan, V., 2002. Fetal programming: prenatal androgen disrupts positive feedback actions of estradiol but does not affect timing of puberty in female sheep. Biology of reproduction, 66(4), pp.924-933.

Sharma, T.R., 2015. Polycystic ovarian syndrome and borderline personality disorder: 3 case reports and scientific review of literature. J Psychiatry, 18(6), pp.1-4.

Shi, D. and Vine, D.F., 2012. Animal models of polycystic ovary syndrome: a focused review of rodent models in relationship to clinical phenotypes and cardiometabolic risk. Fertility and sterility, 98(1), pp.185-193.

Shi, X., Zhang, L., Fu, S. and Li, N., 2011. Co-involvement of psychological and neurological abnormalities in infertility with polycystic ovarian syndrome. Archives of gynecology and obstetrics, 284(3), pp.773-778.

Shim, U., Kim, H.N., Lee, H., Oh, J.Y., Sung, Y.A. and Kim, H.L., 2015. Pathway analysis based on a genome-wide association study of polycystic ovary syndrome. *PloS one*, *10*(8), p.e0136609.

Shoelson, S.E., Lee, J. and Goldfine, A.B., 2006. Inflammation and insulin resistance. Journal of Clinical Investigation, 116(7), p.1793.

Shorakae, S., Teede, H., de Courten, B., Lambert, G., Boyle, J. and Moran, L.J., 2015, July. The emerging role of chronic low-grade inflammation in the pathophysiology of polycystic ovary syndrome. In Seminars in reproductive medicine (Vol. 33, No. 04, pp. 257-269). Thieme Medical Publishers.

Shoupe, D. and Lobo, R.A., 1984. Evidence for altered catecholamine metabolism in polycystic ovary syndrome. American journal of obstetrics and gynecology, 150(5), pp.566-571.

Siddiqui, A., Kotecha, K., Salicioni, A.M., Kalia, V., Murray, J.F. and Wilson, C.A., 2000. Serotonin inhibits luteinizing hormone release via 5-HT1A receptors in the zona incerta of ovariectomised, anaesthetised rats primed with steroids. Neuroendocrinology, 72(5), pp.272-283.

Sieminska, L., Marek, B., Kos-Kudla, B., Niedziolka, D., Kajdaniuk, D., Nowak, M. and Glogowska-Szelag, J., 2004. Serum adiponectin in women with polycystic ovarian syndrome and its relation to clinical, metabolic and endocrine parameters. Journal of endocrinological investigation, 27(6), pp.528-534.

Simonneaux, V., Ancel, C., Poirel, V.J. and Gauer, F., 2013. Kisspeptins and RFRP-3 act in concert to synchronize rodent reproduction with seasons. Frontiers in neuroscience, 7.

Singh, K.B., 2005. Persistent estrus rat models of polycystic ovary disease: an update. Fertility and sterility, 84, pp.1228-1234.

Singh, P., Krishna, A. and Tsutsui, K., 2011a. Effects of gonadotropin-inhibitory hormone on folliculogenesis and steroidogenesis of cyclic mice. Fertility and sterility, 95(4), pp.1397-1404.

Singh, P., Krishna, A., Sridaran, R. and Tsutsui, K., 2011b. Immunohistochemical localization of GnRH and RFamide-related peptide-3 in the ovaries of mice during the estrous cycle. Journal of molecular histology, 42(5), p.371.

Singh, S.P., Wolfe, A., Ng, Y., DiVall, S.A., Buggs, C., Levine, J.E., Wondisford, F.E. and Radovick, S., 2009. Impaired estrogen feedback and infertility in female mice with pituitary-specific deletion of estrogen receptor alpha (ESR1). Biology of reproduction, 81(3), pp.488-496.

Sirmans, S.M. and Pate, K.A., 2014. Epidemiology, diagnosis, and management of polycystic ovary syndrome. Clinical epidemiology, 6, p.1.

Sirotkin, A.V., Ovcharenko, D., Grossmann, R., Laukova, M. and Mlynček, M., 2009. Identification of MicroRNAs controlling human ovarian cell steroidogenesis via a genome-scale screen. Journal of cellular physiology, 219(2), pp.415-420.

Sir-Petermann, T., Maliqueo, M., Angel, B., Lara, H.E., Perez-Bravo, F. and Recabarren, S.E., 2002. Maternal serum androgens in pregnant women with polycystic ovarian syndrome: possible implications in prenatal androgenization. Human reproduction, 17(10), pp.2573-2579.

Siu, G.M. and Draper, H.H., 1982. Metabolism of malonaldehyde in vivo and in vitro. Lipids, 17(5), pp.349-355.

Skorupskaite, K., George, J.T. and Anderson, R.A., 2014. The kisspeptin-GnRH pathway in human reproductive health and disease. Human reproduction update, 20(4), pp.485-500.

Smith, J.T., Cunningham, M.J., Rissman, E.F., Clifton, D.K. and Steiner, R.A., 2005a. Regulation of Kiss1 gene expression in the brain of the female mouse. Endocrinology, 146(9), pp.3686-3692.

Smith, J.T., Dungan, H.M., Stoll, E.A., Gottsch, M.L., Braun, R.E., Eacker, S.M., Clifton, D.K. and Steiner, R.A., 2005b. Differential regulation of KiSS-1 mRNA expression by sex steroids in the brain of the male mouse. Endocrinology, 146(7), pp.2976-2984.

Smith, J.T., Rao, A., Pereira, A., Caraty, A., Millar, R.P. and Clarke, I.J., 2008. Kisspeptin is present in ovine hypophysial portal blood but does not increase during the preovulatory luteinizing hormone surge: evidence that gonadotropes are not direct targets of kisspeptin in vivo. Endocrinology, 149(4), pp.1951-1959.

Smith, M.J. and Jennes, L., 2001. Neural signals that regulate GnRH neurones directly during the oestrous cycle. Reproduction, 122(1), pp.1–10.

Smith, S.M. and Vale, W.W., 2006. The role of the hypothalamic-pituitary-adrenal axis in neuroendocrine responses to stress. Dialogues in Clinical Neuroscience, 8(4), pp.383–395.

Smyth, C.D., Miro, F., Whitelaw, P.F., Howles, C.M. and Hillier, S.G., 1993. Ovarian thecal/interstitial androgen synthesis is enhanced by a follicle-stimulating hormone-stimulated paracrine mechanism. Endocrinology, 133(4), pp.1532-1538.

Solorzano, C.M.B., Beller, J.P., Abshire, M.Y., Collins, J.S., McCartney, C.R. and Marshall, J.C., 2012. Neuroendocrine dysfunction in polycystic ovary syndrome. Steroids, 77(4), pp.332-337.

Solum, D.T. and Handa, R.J., 2002. Estrogen regulates the development of brain-derived neurotrophic factor mRNA and protein in the rat hippocampus. Journal of Neuroscience, 22(7), pp.2650-2659.

Son, Y.L., Ubuka, T., Millar, R.P., Kanasaki, H. and Tsutsui, K., 2012. Gonadotropin-inhibitory hormone inhibits GnRH-induced gonadotropin subunit gene transcriptions by inhibiting AC/cAMP/PKA-dependent ERK pathway in LβT2 cells. Endocrinology, 153(5), pp.2332-2343.

Sørensen, A.E., Wissing, M.L., Salö, S., Englund, A.L.M. and Dalgaard, L.T., 2014. MicroRNAs related to polycystic ovary syndrome (PCOS). Genes, 5(3), pp.684-708.

Spaczynski, R.Z., Arici, A. and Duleba, A.J., 1999. Tumor necrosis factor-α stimulates proliferation of rat ovarian theca-interstitial cells. Biology of Reproduction, 61(4), pp.993-998.

Speroff, L. and Fritz, M.A., 2005. The ovary-embryology and development. *Clinical gynecologic endocrinology and infertility. Lippincott Williams and Wilkins, Philadelphia*, pp.97-111.

Spratt, D.I., Finkelstein, J.S., Butler, J.P., Badger, T.M. and Crowley Jr, W.F., 1987. Effects of increasing the frequency of low doses of gonadotropin-releasing hormone (GnRH) on gonadotropin secretion in GnRH-deficient men. The Journal of Clinical Endocrinology and Metabolism, 64(6), pp.1179-1186.

Srouji, S.S., Pagán, Y.L., D'amato, F., Dabela, A., Jimenez, Y., Supko, J.G. and Hall, J.E., 2007. Pharmacokinetic factors contribute to the inverse relationship between luteinizing hormone and body mass index in polycystic ovarian syndrome. The Journal of Clinical Endocrinology and Metabolism, 92(4), pp.1347-1352.

Stahl, S., 1994. 5HT1A receptors and pharmacotherapy. Is serotonin receptor down-regulation linked to the mechanism of action of antidepressant drugs? Psychopharmacology bulletin, 30(1), pp.39-43.

Stein, I.F. and Leventhal, M.L., 1935. Amenorrhea associated with bilateral polycystic ovaries. *American Journal of Obstetrics and Gynecology*, *29*(2), pp.181-191.

Steinbusch, H.W.M., 1981. Distribution of serotonin-immunoreactivity in the central nervous system of the rat-cell bodies and terminals. Neuroscience, 6(4), pp.557-618.

Stener-Victorin, E., Ploj, K., Larsson, B.M. and Holmäng, A., 2005. Rats with steroid-induced polycystic ovaries develop hypertension and increased sympathetic nervous system activity. Reproductive Biology and Endocrinology, 3(1), p.44.

Strauss III, J.F. and Barbieri, R.L., 2014. Yen and Jaffe's Reproductive Endocrinology Physiology, Pathophysiology, and Clinical Management Seventh Ed., Elsevier Inc.

Strobl, F.J. and Levine, J.E., 1988. Estrogen inhibits luteinizing hormone (LH), but not follicle-stimulating hormone secretion in hypophysectomized pituitary-grafted rats receiving pulsatile LH-releasing hormone infusions. Endocrinology, 123(1), pp.622-630.

Stumpf, W.E. and Jennes, L., 1984. The ABC (Allocortex-Brainstem-Core) circuitry of endocrine-autonomic integration and regulation:: A proposed hypothesis on the anatomical-functional relationships between estradiol sites of action and peptidergic-aminergic neuronal systems. Peptides, 5, pp.221-226.

Sullivan, S.D. and Moenter, S.M., 2004. Prenatal androgens alter GABAergic drive to gonadotropin-releasing hormone neurons: implications for a common fertility disorder. Proceedings of the National Academy of Sciences of the United States of America, 101(18), pp.7129-7134.

Sullivan, S.D. and Moenter, S.M., 2005. GABAergic integration of progesterone and androgen feedback to gonadotropin-releasing hormone neurons. Biology of reproduction, 72(1), pp.33-41.

Sun, J., Chu, Z. and Moenter, S.M., 2010. Diurnal in vivo and rapid in vitro effects of estradiol on voltage-gated calcium channels in gonadotropin-releasing hormone neurons. Journal of Neuroscience, 30(11), pp.3912-3923.

Sung, C.C., Hsu, Y.C., Chen, C.C., Lin, Y.F. and Wu, C.C., 2013. Oxidative stress and nucleic acid oxidation in patients with chronic kidney disease. Oxidative medicine and cellular longevity, 2013.

T. Endo, H.H., Nagasawa, K., Hayashi, T., Chida, M., Akutagawa, N., Iwasaki, M., Kitajima, Y., Kiya, T., Nishikawa, A., Manase, K. and Kudo, R., 2001. Lysyl oxidase and MMP-2 expression in dehydroepiandrosterone-induced polycystic ovary in rats. Biology of reproduction, 64(1), pp.157-162.

Tanaka, E., Baba, N., Toshida, K. and Suzuki, K., 1993. Serotonin stimulates steroidogenesis in rat preovulatory follicles: involvement of 5-HT2 receptor. Life sciences, 53(7), pp.563-570.

Tanaka, T., Nagatani, S., Bucholtz, D.C., Ohkura, S., Tsukamura, H., Maeda, K.I. and Foster, D.L., 2000. Central action of insulin regulates pulsatile luteinizing hormone secretion in the diabetic sheep model. Biology of reproduction, 62(5), pp.1256-1261.

Tao, T., Li, S., Zhao, A., Zhang, Y. and Liu, W., 2012. Expression of the CD11c gene in subcutaneous adipose tissue is associated with cytokine level and insulin resistance in women with polycystic ovary syndrome. European journal of endocrinology, 167(5), pp.705-713.

Tasker, J.G. and Herman, J.P., 2011. Mechanisms of rapid glucocorticoid feedback inhibition of the hypothalamic–pituitary–adrenal axis. Stress, 14(4), pp.398-406.

Teede, H., Deeks, A. and Moran, L., 2010. Polycystic ovary syndrome: a complex condition with psychological, reproductive and metabolic manifestations that impacts on health across the lifespan. BMC medicine, 8(1), p.41.

Teixeira Filho, F.L., Baracat, E.C., Lee, T.H., Suh, C.S., Matsui, M., Chang, R.J., Shimasaki, S. and Erickson, G.F., 2002. Aberrant expression of growth differentiation factor-9 in oocytes of women with polycystic ovary syndrome. The Journal of Clinical Endocrinology and Metabolism, 87(3), pp.1337-1344.

Temple, J.L., Laing, E., Sunder, A. and Wray, S., 2004. Direct action of estradiol on gonadotropin-releasing hormone-1 neuronal activity via a transcription-dependent mechanism. Journal of Neuroscience, 24(28), pp.6326-6333.

Thackray, V.G., Mellon, P.L. and Coss, D., 2010. Hormones in synergy: regulation of the pituitary gonadotropin genes. Molecular and cellular endocrinology, 314(2), pp.192-203.

Tian, L., Shen, H., Lu, Q., Norman, R.J. and Wang, J., 2007. Insulin resistance increases the risk of spontaneous abortion after assisted reproduction technology treatment. The Journal of Clinical Endocrinology and Metabolism, 92(4), pp.1430-1433.

Topaloglu, A.K., Reimann, F., Guclu, M., Yalin, A.S., Kotan, L.D., Porter, K.M., Serin, A., Mungan, N.O., Cook, J.R., Ozbek, M.N. and Imamoglu, S., 2009. TAC3 and TACR3 mutations in familial hypogonadotropic hypogonadism reveal a key role for Neurokinin B in the central control of reproduction. Nature genetics, 41(3), pp.354-358.

Tosi, F., Negri, C., Perrone, F., Dorizzi, R., Castello, R., Bonora, E. and Moghetti, P., 2012. Hyperinsulinemia amplifies GnRH agonist stimulated ovarian steroid secretion in women with polycystic ovary syndrome. The Journal of Clinical Endocrinology, 97(5), pp.1712-1719.

Tripathi, A., Shrivastav, T.G. and Chaube, S.K., 2013. An increase of granulosa cell apoptosis mediates aqueous neem (Azadirachta indica) leaf extract-induced oocyte apoptosis in rat. International Journal of Applied and Basic Medical Research, 3(1), p.27.

True, C., Grove, K.L. and Smith, M.S., 2011. Beyond leptin: emerging candidates for the integration of metabolic and reproductive function during negative energy balance. Frontiers in endocrinology, 2.

Tsilchorozidou, T., Honour, J.W. and Conway, G.S., 2003. Altered Cortisol Metabolism in Polycystic Ovary Syndrome: Insulin Enhances 5??-Reduction but Not the Elevated Adrenal Steroid Production Rates. Journal of Clinical Endocrinology and Metabolism, 88(12), pp.5907–5913.

Tsutsui, K., Bentley, G.E., Bedecarrats, G., Osugi, T., Ubuka, T. and Kriegsfeld, L.J., 2010. Gonadotropin-inhibitory hormone (GnIH) and its control of central and peripheral reproductive function. Frontiers in neuroendocrinology, 31(3), pp.284-295.

Tsutsui, K., Bentley, G.E., Ubuka, T., Saigoh, E., Yin, H., Osugi, T., Inoue, K., Chowdhury, V.S., Ukena, K., Ciccone, N. and Sharp, P.J., 2007. The general and comparative biology of gonadotropin-inhibitory hormone (GnIH). General and comparative endocrinology, 153(1), pp.365-370.

Tsutsui, K., Saigoh, E., Ukena, K., Teranishi, H., Fujisawa, Y., Kikuchi, M., Ishii, S. and Sharp, P.J., 2000. A novel avian hypothalamic peptide inhibiting gonadotropin release. Biochemical and biophysical research communications, 275(2), pp.661-667.

Tsutsui, K., Ubuka, T., Son, Y.L., Bentley, G.E. and Kriegsfeld, L.J., 2015. Contribution of GnIH research to the progress of reproductive neuroendocrinology. Frontiers in endocrinology, 6.

Tsutsumi, R., Mistry, D. and Webster, N.J., 2010. Signaling responses to pulsatile gonadotropin-releasing hormone in LβT2 gonadotrope cells. Journal of Biological Chemistry, 285(26), pp.20262-20272.

Tu, B.P. and Weissman, J.S., 2004. Oxidative protein folding in eukaryotes. The Journal of cell biology, 164(3), pp.341-346.

Turgeon, J.L. and Waring, D.W., 1999. Androgen modulation of luteinizing hormone secretion by female rat gonadotropes. Endocrinology, 140(4), pp.1767-1774.

Turi, G.F., Liposits, Z. and Hrabovszky, E., 2008. Cholinergic afferents to gonadotropin-releasing hormone neurons of the rat. Neurochemistry international, 52(4), pp.723-728.

Ubuka, T., Haraguchi, S., Tobari, Y., Narihiro, M., Ishikawa, K., Hayashi, T., Harada, N. and Tsutsui, K., 2014. Hypothalamic inhibition of socio-sexual behaviour by increasing neuroestrogen synthesis. Nature communications, 5, p.3061.

Ubuka, T., Morgan, K., Pawson, A.J., Osugi, T., Chowdhury, V.S., Minakata, H., Tsutsui, K., Millar, R.P. and Bentley, G.E., 2009. Identification of human GnIH homologs, RFRP-1 and RFRP-3, and the cognate receptor, GPR147 in the human hypothalamic pituitary axis. PloS one, 4(12), p.e8400.

Ubuka, T., Son, Y.L., Tobari, Y. and Tsutsui, K., 2012. Gonadotropin-inhibitory hormone action in the brain and pituitary. Frontiers in endocrinology, 3.

Uenoyama, Y., Pheng, V., Tsukamura, H. and Maeda, K.I., 2016. The roles of kisspeptin revisited: inside and outside the hypothalamus. Journal of Reproduction and Development, 62(6), pp.537-545.

Uncu, G., Ozyurek, S.E. and Uncu, Y., 2007. ACTH stimulation test in lean polycystic ovary syndrome patients with insulin resistance. Fertility and sterility, 88(3), pp.670-674.

Unfer, T.C., Figueiredo, C.G., Zanchi, M.M., Maurer, L.H., Kemerich, D.M., Duarte, M.M.F., Konopka, C.K. and Emanuelli, T., 2015. Estrogen plus progestin increase superoxide dismutase and total antioxidant capacity in postmenopausal women. Climacteric, 18(3), pp.379-388.

Unsworth, W.P., Taylor, J.A. and Robinson, J.E., 2005. Prenatal programming of reproductive neuroendocrine function: the effect of prenatal androgens on the development of estrogen positive feedback and ovarian cycles in the ewe. Biology of reproduction, 72(3), pp.619-627.

Uttara, B., Singh, A.V., Zamboni, P. and Mahajan, R.T., 2009. Oxidative stress and neurodegenerative diseases: a review of upstream and downstream antioxidant therapeutic options. Current neuropharmacology, 7(1), pp.65-74.

Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T., Mazur, M. and Telser, J., 2007. Free radicals and antioxidants in normal physiological functions and human disease. The international journal of biochemistry and cell biology, 39(1), pp.44-84.

Valko, M., Morris, H. and Cronin, M.T.D., 2005. Metals, toxicity and oxidative stress. Current medicinal chemistry, 12(10), pp.1161-1208.

Vallone, D., Picetti, R. and Borrelli, E., 2000. Structure and function of dopamine receptors. Neuroscience and biobehavioral reviews, 24(1), pp.125-132.

van Haarst, A.D., Oitzl, M.S. and De Kloet, E.R., 1997. Facilitation of feedback inhibition through blockade of glucocorticoid receptors in the hippocampus. Neurochemical research, 22(11), pp.1323-1328.

Van Pett, K., Viau, V., Bittencourt, J.C., Chan, R.K., Li, H.Y., Arias, C., Prins, G.S., Perrin, M., Vale, W. and Sawchenko, P.E., 2000. Distribution of mRNAs encoding CRF receptors in brain and pituitary of rat and mouse. Journal of Comparative Neurology, 428(2), pp.191-212.

Vandenberg, L.N., Maffini, M.V., Sonnenschein, C., Rubin, B.S. and Soto, A.M., 2009. Bisphenol-A and the great divide: a review of controversies in the field of endocrine disruption. Endocrine reviews, 30(1), pp.75-95.

Vidal, S., Roman, A., Moya, L. and Kovacs, K., 2000. Expression of 3 beta-hydroxysteroid dehydrogenase/isomerase in the female rat pituitary. Journal of endocrinology, 166(1), pp.95-101.

Vijayan, E. and McCann, S.M., 1978. Re-evaluation of the role of catecholamines in control of gonadotropin and prolactin release. Neuroendocrinology, 25(3), pp.150-165.

Virmani, M.A., Stojilković, S.S. And Catt, K.J., 1990. Stimulation of luteinizing hormone release by γ-aminobutyric acid (GABA) agonists: mediation by GABAA-type receptors and activation of chloride and voltage-sensitive calcium channels. Endocrinology, 126(5), pp.2499-2505.

Visser, J.A., Schipper, I., Laven, J.S. and Themmen, A.P., 2012. Anti-Müllerian hormone: an ovarian reserve marker in primary ovarian insufficiency. Nature Reviews Endocrinology, 8(6), pp.331-341.

Vrekoussis, T., Kalantaridou, S.N., Mastorakos, G., Zoumakis, E., Makrigiannakis, A., Syrrou, M., Lavasidis, L.G., Relakis, K. and Chrousos, G.P., 2010. The role of stress in female reproduction and pregnancy: an update. Annals of the New York Academy of Sciences, 1205(1), pp.69-75.

Vural, P., Değirmencioğlu, S., Saral, N.Y. and Akgül, C., 2010. Tumor necrosis factor α (− 308), interleukin-6 (− 174) and interleukin-10 (− 1082) gene polymorphisms in polycystic ovary syndrome. European Journal of Obstetrics and Gynecology and Reproductive Biology, 150(1), pp.61-65.

Wada, K., Hu, L., Mores, N., Navarro, C.E., Fuda, H., Krsmanovic, L.Z. and Catt, K.J., 2006. Serotonin (5-HT) receptor subtypes mediate specific modes of 5-HT-induced signaling and regulation of neurosecretion in gonadotropin-releasing hormone neurons. Molecular Endocrinology, 20(1), pp.125-135.

Wakabayashi, Y., Nakada, T., Murata, K., Ohkura, S., Mogi, K., Navarro, V.M., Clifton, D.K., Mori, Y., Tsukamura, H., Maeda, K.I. and Steiner, R.A., 2010. Neurokinin B and dynorphin A in kisspeptin neurons of the arcuate nucleus participate in generation of periodic oscillation of neural activity driving pulsatile gonadotropin-releasing hormone secretion in the goat. Journal of Neuroscience, 30(8), pp.3124-3132.

Walters, K.A., 2015. Role of androgens in normal and pathological ovarian function. Reproduction, 149(4), pp.R193–R218.

Walters, K.A., Allan, C.M. and Handelsman, D.J., 2012. Rodent models for human polycystic ovary syndrome. Biology of reproduction, 86(5), pp.149-1.

Walters, K.A., Allan, C.M., Jimenez, M., Lim, P.R., Davey, R.A., Zajac, J.D., Illingworth, P. and Handelsman, D.J., 2007. Female mice haploinsufficient for an inactivated androgen receptor (AR) exhibit age-dependent defects that resemble the AR null phenotype of dysfunctional late follicle development, ovulation, and fertility. Endocrinology, 148(8), pp.3674-3684.

Walters, K.A., McTavish, K.J., Seneviratne, M.G., Jimenez, M., McMahon, A.C., Allan, C.M., Salamonsen, L.A. and Handelsman, D.J., 2009. Subfertile female androgen receptor knockout mice exhibit defects in neuroendocrine signaling, intraovarian function, and uterine development but not uterine function. Endocrinology, 150(7), pp.3274-3282.

Wang, Q., Joels, M., Swaab, D.F. and Lucassen, P.J., 2012. Hippocampal GR expression is increased in elderly depressed females. Neuropharmacology, 62(1), pp.527-533.

Watanabe, M., Fukuda, A. and Nabekura, J., 2014. The role of GABA in the regulation of GnRH neurons. Frontiers in neuroscience, 8.

Webster, M.J., Knable, M.B., O'grady, J., Orthmann, J. and Weickert, C.S., 2002. Regional specificity of brain glucocorticoid receptor mRNA alterations in subjects with schizophrenia and mood disorders. Molecular psychiatry, 7(9), p.985.

Weesner, G.D., Krey, L.C., Pfaff, D.W., 1993. Alpha 1 adrenergic regulation of estrogen-induced increases in luteinizing hormone-releasing hormone mRNA levels and release. Brain Res. Mol. Brain Res. 17, 77–82

Weil, S., Vendola, K., Zhou, J. and Bondy, C.A., 1999. Androgen and follicle-stimulating hormone interactions in primate ovarian follicle development. The Journal of Clinical Endocrinology and Metabolism, 84(8), pp.2951-2956.

Weiss, J., Guendner, M.J., Halvorson, L.M. and Jameson, J.L., 1995. Transcriptional activation of the follicle-stimulating hormone beta-subunit gene by activin. Endocrinology, 136(5), pp.1885-1891.

Welt, C.K., Taylor, A.E., Fox, J., Messerlian, G.M., Adams, J.M. and Schneyer, A.L., 2005. Follicular arrest in polycystic ovary syndrome is associated with deficient inhibin A and B biosynthesis. The Journal of Clinical Endocrinology and Metabolism, 90(10), pp.5582-5587.

Wersinger, S.R., Haisenleder, D.J., Lubahn, D.B. and Rissman, E.F., 1999. Steroid feedback on gonadotropin release and pituitary gonadotropin subunit mRNA in mice lacking a functional estrogen receptor α. Endocrine, 11(2), pp.137-143.

Wetsel, W.C., Valença, M.M., Merchenthaler, I., Liposits, Z., López, F.J., Weiner, R.I., Mellon, P.L. and Negro-Vilar, A., 1992. Intrinsic pulsatile secretory activity of immortalized luteinizing hormone-releasing hormone-secreting neurons. Proceedings of the National Academy of Sciences, 89(9), pp.4149-4153.

Whirledge, S. and Cidlowski, J.A., 2010. Glucocorticoids, stress, and fertility. Minerva Endocrinologica, 35(2), pp.109–125.

Whirledge, S. and Cidlowski, J.A., 2013. A role for glucocorticoids in stress-impaired reproduction: beyond the hypothalamus and pituitary. Endocrinology, 154(12), pp.4450-4468.

Whitelaw, P.F., Smyth, C.D., Howles, C.M. and Hillier, S.G., 1992. Cell-specific expression of aromatase and LH receptor mRNAs in rat ovary. Journal of molecular endocrinology, 9(3), pp.309-312.

Wickenheisser, J.K., Nelson-DeGrave, V.L. and McAllister, J.M., 2006. Human ovarian theca cells in culture. Trends in Endocrinology and Metabolism, 17(2), pp.65-71.

Wild, R.A., 1995. Obesity, lipids, cardiovascular risk, and androgen excess. *The American journal of medicine*, *98*(1), pp.S27-S32.

Wilson, A.C., Clemente, L., Liu, T., Bowen, R.L., Meethal, S.V. and Atwood, C.S., 2008. Reproductive hormones regulate the selective permeability of the blood-brain barrier. Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease, 1782(6), pp.401-407.

Wilson, A.C., Salamat, M.S., Haasl, R.J., Roche, K.M., Karande, A., Meethal, S.V., Terasawa, E., Bowen, R.L. and Atwood, C.S., 2006. Human neurons express type I GnRH receptor and respond to GnRH I by increasing luteinizing hormone expression. Journal of Endocrinology, 191(3), pp.651-663.

Wilson, C.M. and McPhaul, M.J., 1994. A and B forms of the androgen receptor are present in human genital skin fibroblasts. Proceedings of the National Academy of Sciences, 91(4), pp.1234-1238.

Wintermantel, T.M., Campbell, R.E., Porteous, R., Bock, D., Gröne, H.J., Todman, M.G., Korach, K.S., Greiner, E., Pérez, C.A., Schütz, G. and Herbison, A.E., 2006. Definition of estrogen receptor pathway critical for estrogen positive feedback to gonadotropin-releasing hormone neurons and fertility. Neuron, 52(2), pp.271-280.

Witchel, S.F. and Tena-Sempere, M., 2013. The Kiss1 system and polycystic ovary syndrome: lessons from physiology and putative pathophysiologic implications. Fertility and sterility, 100(1), pp.12-22.

Witorsch, R.J., 2016. Effects of elevated glucocorticoids on reproduction and development: relevance to endocrine disruptor screening. Critical reviews in toxicology, 46(5), pp.420–436.

Woodruff, T.K. and Mayo, K.E., 2005. To β or not to β: estrogen receptors and ovarian function. Endocrinology, 146(8), pp.3244-3246.

Wright, D.E. and Jennes, L., 1993. Origin of noradrenergic projections to GnRH perikarya-containing areas in the medial septum-diagonal band and preoptic area. Brain research, 621(2), pp.272-278.

Wu, C.W., Chen, Y.C., Yu, L., Chen, H.I., Jen, C.J., Huang, A.M., Tsai, H.J., Chang, Y.T. and Kuo, Y.M., 2007. Treadmill exercise counteracts the suppressive effects of peripheral lipopolysaccharide on hippocampal neurogenesis and learning and memory. Journal of neurochemistry, 103(6), pp.2471-2481.

Wu, S., Chen, Y., Fajobi, T., DiVall, S.A., Chang, C., Yeh, S. and Wolfe, A., 2014. Conditional knockout of the androgen receptor in gonadotropes reveals crucial roles for androgen in gonadotropin synthesis and surge in female mice. Molecular Endocrinology, 28(10), pp.1670-1681.

Wu, X.Y., Li, Z.L., Wu, C.Y., Liu, Y.M., Lin, H., Wang, S.H. and XiaO, W.F., 2010. Endocrine traits of polycystic ovary syndrome in prenatally androgenized female Sprague-Dawley rats. Endocrine journal, 57(3), pp.201-209.

Xiong, Y.L., Liang, X.Y., Yang, X., Li, Y. and Wei, L.N., 2011. Low-grade chronic inflammation in the peripheral blood and ovaries of women with polycystic ovarian syndrome. European Journal of Obstetrics and Gynecology and Reproductive Biology, 159(1), pp.148-150.

Xu, J., Hennebold, J.D. and Stouffer, R.L., 2006. Dynamic expression and regulation of the corticotropin-releasing hormone/urocortin-receptor-binding protein system in the primate ovary during the menstrual cycle. The Journal of Clinical Endocrinology and Metabolism, 91(4), pp.1544-1553.

Xu, Y., Sheng, H., Bao, Q., Wang, Y., Lu, J. and Ni, X., 2016. NLRP3 inflammasome activation mediates estrogen deficiency-induced depression-and anxiety-like behavior and hippocampal inflammation in mice. Brain, behavior, and immunity, 56, pp.175-186.

Xu, Y., Zhang, W., Klaus, J., Young, J., Koerner, I., Sheldahl, L.C., Hurn, P.D., Martínez-Murillo, F. and Alkayed, N.J., 2006. Role of cocaine-and amphetamine-regulated transcript in estradiol-mediated neuroprotection. Proceedings of the National Academy of Sciences, 103(39), pp.14489-14494.

Yan, X., Yuan, C., Zhao, N., Cui, Y. and Liu, J., 2014. Prenatal androgen excess enhances stimulation of the GNRH pulse in pubertal female rats. Journal of Endocrinology, 222(1), pp.73-85.

Yang, J.L., Zhang, C.P., Li, L., Huang, L., Ji, S.Y., Lu, C.L., Fan, C.H., Cai, H., Ren, Y., Hu, Z.Y. and Gao, F., 2010. Testosterone induces redistribution of forkhead box-3a and down-regulation of growth and differentiation factor 9 messenger ribonucleic acid expression at early stage of mouse folliculogenesis. Endocrinology, 151(2), pp.774-782.

Yano, T., Iijima, N., Kakihara, K., Hinuma, S., Tanaka, M. and Ibata, Y., 2003. Localization and neuronal response of RFamide related peptides in the rat central nervous system. Brain research, 982(2), pp.156-167.

Yau, J.L.W. and Seckl, J.R., 2012. Local amplification of glucocorticoids in the aging brain and impaired spatial memory. Frontiers in Aging Neuroscience, 4(AUG), pp.1–15.

Young, J.J., Bruno, D. and Pomara, N., 2014. A review of the relationship between proinflammatory cytokines and major depressive disorder. Journal of affective disorders, 169, pp.15-20.

Young, J.M. and McNeilly, A.S., 2010. Theca: the forgotten cell of the ovarian follicle. Reproduction, 140(4), pp.489-504.

Yu, H.F., Chen, H.S., Rao, D.P. and Gong, J., 2016. Association between polycystic ovary syndrome and the risk of pregnancy complications: a PRISMA-compliant systematic review and meta-analysis. Medicine, 95(51).

Yu, Z.F., Kong, L.D. and Chen, Y., 2002. Antidepressant activity of aqueous extracts of Curcuma longa in mice. Journal of Ethnopharmacology, 83(1), pp.161-165.

Yuan, H.J., Han, X., He, N., Wang, G.L., Gong, S., Lin, J., Gao, M. and Tan, J.H., 2016. Glucocorticoids impair oocyte developmental potential by triggering apoptosis of ovarian cells via activating the Fas system. Scientific reports, 6, p.24036.

Yuxia, W., Yongyu, S. and Hongyu, Q., 2004. Expression of resistin mRNA in adipose tissue of rat model with polycystic ovarian syndrome and its implication. Journal of Huazhong University of Science and Technology--Medical Sciences--, 24(6), pp.621-624.

Zanisi, M., Galbiati, M., Messi, E. and Martini, L., 1994. The anterior pituitary gland as a possible site of action of kainic acid. Proceedings of the Society for Experimental Biology and Medicine, 206(4), pp.431-437.

Zemková, H. and Stojilkovic, S.S., 2017. Neurotransmitter receptors as signaling platforms in anterior pituitary cells. Molecular and Cellular Endocrinology.

Zemkova, H., Kucka, M., Bjelobaba, I., Tomić, M. and Stojilkovic, S.S., 2013. Multiple cholinergic signaling pathways in pituitary gonadotrophs. Endocrinology, 154(1), pp.421-433.

Zhang, C., Kelly, M. J., and Rønnek- leiv, O. K. 2010. 17Beta-estradiol rapidly increases K(ATP) activity in GnRH via a protein kinase sig- naling pathway. Endocrinology 151, 4477–4484.

Zhang, K. and Kaufman, R.J., 2008. From endoplasmic-reticulum stress to the inflammatory response. Nature, 454(7203), p.455.

Zhang, K., 2010. Integration of ER stress, oxidative stress and the inflammatory response in health and disease. International journal of clinical and experimental medicine, 3(1), p.33.

Zhang, L., Zhou, R., Li, X., Ursano, R.J. and Li, H., 2006. Stress-induced change of mitochondria membrane potential regulated by genomic and non-genomic GR signaling: a possible mechanism for hippocampus atrophy in PTSD. Medical hypotheses, 66(6), pp.1205-1208.

Zhao, H., Zhou, L., Shangguan, A.J. and Bulun, S.E., 2016. Aromatase expression and regulation in breast and endometrial cancer. Journal of molecular endocrinology, 57(1), pp.R19-R33.

Zhou, W., Liu, J., Liao, L., Han, S. and Liu, J., 2008. Effect of bisphenol A on steroid hormone production in rat ovarian theca-interstitial and granulosa cells. Molecular and cellular endocrinology, 283(1), pp.12-18.

Zhu, C., Blakely, R.D. and Hewlett, W.A., 2006. The proinflammatory cytokines interleukin-1beta and tumor necrosis factor-alpha activate serotonin transporters. Neuropsychopharmacology, 31(10), p.2121.

Zhu, H.S., Qian, Z., Liu, H.L. and Bao, E.D., 2016. ACTH-induced stress in weaned sows impairs LH receptor expression and steroidogenesis capacity in the ovary. Reproductive Biology and Endocrinology, 14(1), p.80.

Zoli, M., Pistillo, F. and Gotti, C., 2015. Diversity of native nicotinic receptor subtypes in mammalian brain. Neuropharmacology, 96(PB), pp.302–311.

Zuo, T., Zhu, M. and Xu, W., 2015. Roles of oxidative stress in polycystic ovary syndrome and cancers. Oxidative medicine and cellular longevity, 2016.

Zurvarra, F.M., Salvetti, N.R., Mason, J.I., Velazquez, M.M., Alfaro, N.S. and Ortega, H.H., 2009. Disruption in the expression and immunolocalisation of steroid receptors and steroidogenic enzymes in letrozole-induced polycystic ovaries in rat. Reproduction, Fertility and Development, 21(7), pp.827-839.

Zwain, I.H. and Yen, S.S., 1999. Neurosteroidogenesis in astrocytes, oligodendrocytes, and neurons of cerebral cortex of rat brain. Endocrinology, 140(8), pp.3843-3852.