Bibliography

Åkerfelt, M., Morimoto, R.I., and Sistonen, L. (2010). Heat shock factors: integrators of cell stress, development and lifespan. Nature reviews Molecular cell biology *11*, 545.

Akhoondi, S., Sun, D., von der Lehr, N., Apostolidou, S., Klotz, K., Maljukova, A., Cepeda, D., Fiegl, H., Dofou, D., and Marth, C. (2007). FBXW7/hCDC4 is a general tumor suppressor in human cancer. Cancer research *67*, 9006-9012.

Al-Hakim, A.K., Zagorska, A., Chapman, L., Deak, M., Peggie, M., and Alessi, D.R. (2008). Control of AMPK-related kinases by USP9X and atypical Lys29/Lys33-linked polyubiquitin chains. Biochemical Journal *411*, 249-260.

Allende-Vega, N., Sparks, A., Lane, D., and Saville, M. (2010). MdmX is a substrate for the deubiquitinating enzyme USP2a. Oncogene *29*, 432.

Andrew, W. (1994). Catalytic mechanism in papain family of cysteine peptidases. Methods Enzymol *244*, 486-500.

Archer, C.T., and Kodadek, T. (2009). The hydrophobic patch of ubiquitin is required to protect transactivator–promoter complexes from destabilization by the proteasomal ATPases. Nucleic acids research *38*, 789-796.

Ardley, H.C., and Robinson, P.A. (2004). The role of ubiquitin-protein ligases in neurodegenerative disease. Neurodegenerative Diseases *1*, 71-87.

Ardley, H.C., and Robinson, P.A. (2005). E3 ubiquitin ligases. Essays in biochemistry *41*, 15-30.

Ardley, H.C., Tan, N.G., Rose, S.A., Markham, A.F., and Robinson, P.A. (2001). Features of the parkin/ariadne-like ubiquitin ligase, HHARI, that regulate its interaction with the ubiquitin-conjugating enzyme, Ubch7. Journal of Biological Chemistry *276*, 19640-19647.

Arnason, T., and Ellison, M.J. (1994). Stress resistance in Saccharomyces cerevisiae is strongly correlated with assembly of a novel type of multiubiquitin chain. Molecular and cellular biology *14*, 7876-7883.

Asleson, C.M., Bensen, E.S., Gale, C.A., Melms, A.S., Kurischko, C., and Berman, J. (2001). Candida albicans INT1-induced filamentation in Saccharomyces cerevisiae depends on Sla2p. Mol Cell Biol *21*, 1272-1284.

Atir-Lande, A., Gildor, T., and Kornitzer, D. (2005). Role for the SCFCDC4 ubiquitin ligase in Candida albicans morphogenesis. Mol Biol Cell *16*, 2772-2785.

Baboshina, O.V., and Haas, A.L. (1996). Novel multiubiquitin chain linkages catalyzed by the conjugating enzymes E2EPF and RAD6 are recognized by 26 S proteasome subunit 5. Journal of Biological Chemistry *271*, 2823-2831.

Bachmair, A., Finley, D., and Varshavsky, A. (1986). In vivo half-life of a protein is a function of its amino-terminal residue. Science *234*, 179-186.

Baker, R.T., and Board, P.G. (1991). The human ubiquitin-52 amino acid fusion protein gene shares several structural features with mammalian ribosomal protein genes. Nucleic acids research *19*, 1035-1040.

Bardag-Gorce, F., van Leeuwen, F.W., Nguyen, V., French, B.A., Li, J., Riley, N., McPhaul, L.W., Lue, Y.H., and French, S.W. (2002). The role of the ubiquitin–proteasome pathway in the formation of Mallory bodies. Experimental and molecular pathology *73*, 75-83.

Basco, R.D., Segal, M.D., and Reed, S.I. (1995). Negative regulation of G1 and G2 by S-phase cyclins of Saccharomyces cerevisiae. Mol Cell Biol *15*, 5030-5042.

Beal, R., Deveraux, Q., Xia, G., Rechsteiner, M., and Pickart, C. (1996). Surface hydrophobic residues of multiubiquitin chains essential for proteolytic targeting. Proceedings of the National Academy of Sciences *93*, 861-866.

Belle, A., Tanay, A., Bitincka, L., Shamir, R., and O'Shea, E.K. (2006). Quantification of protein half-lives in the budding yeast proteome. Proceedings of the National Academy of Sciences *103*, 13004-13009.

Ben-Neriah, Y. (2002). Regulatory functions of ubiquitination in the immune system. Nature immunology *3*, 20-26.

Ben-Zvi, A., Miller, E.A., and Morimoto, R.I. (2009). Collapse of proteostasis represents an early molecular event in Caenorhabditis elegans aging. Proceedings of the National Academy of Sciences *106*, 14914-14919.

Bennett, E.J., and Harper, J.W. (2008). DNA damage: ubiquitin marks the spot. Nature structural & molecular biology *15*, 20-22.

Berg, J.M. (1986). Potential metal-binding domains in nucleic acid binding proteins. Science *232*, 485-488.

Berke, S.J.S., Chai, Y., Marrs, G.L., Wen, H., and Paulson, H.L. (2005). Defining the role of ubiquitin-interacting motifs in the polyglutamine disease protein, ataxin-3. Journal of Biological Chemistry *280*, 32026-32034.

Bielskienė, K., Bagdonienė, L., Mozūraitienė, J., Kazbarienė, B., and Janulionis, E. (2015). E3 ubiquitin ligases as drug targets and prognostic biomarkers in melanoma. Medicina *51*, 1-9.

Bilinski, T. (1991). Oxygen toxicity and microbial evolution. Biosystems *24*, 305-312.

Blondel, M.-O., Morvan, J., Dupré, S., Urban-Grimal, D., Haguenauer-Tsapis, R., and Volland, C. (2004). Direct sorting of the yeast uracil permease to the endosomal system is controlled by uracil binding and Rsp5p-dependent ubiquitylation. Molecular biology of the cell *15*, 883-895.

Bloom, J., and Cross, F.R. (2007). Multiple levels of cyclin specificity in cell-cycle control. Nature reviews Molecular cell biology *8*, 149.

Bonifacino, J.S., and Weissman, A.M. (1998). Ubiquitin and the control of protein fate in the secretory and endocytic pathways. Annual review of cell and developmental biology *14*, 19-57.

Bor, B., Cen, L., Agnello, M., Shi, W., and He, X. (2016). Morphological and physiological changes induced by contact-dependent interaction between Candida albicans and Fusobacterium nucleatum. Sci Rep *6*, 27956.

Borden, K.L. (2000). RING domains: master builders of molecular scaffolds? Journal of molecular biology *295*, 1103-1112.

Borden, K.L., and Freemont, P.S. (1996). The RING finger domain: a recent example of a sequence—structure family. Current opinion in structural biology *6*, 395-401.

Boveris, A., Oshino, N., and Chance, B. (1972). The cellular production of hydrogen peroxide. Biochemical Journal *128*, 617-630.

Bremm, A., Freund, S.M., and Komander, D. (2010). Lys11-linked ubiquitin chains adopt compact conformations and are preferentially hydrolyzed by the deubiquitinase Cezanne. Nature structural & molecular biology *17*, 939-947.

Briggs, M.S., and Roder, H. (1992). Early hydrogen-bonding events in the folding reaction of ubiquitin. Proceedings of the National Academy of Sciences *89*, 2017-2021.

Brooks, S.C., Locke, E.R., and Soule, H.D. (1973). Estrogen receptor in a human cell line (MCF-7) from breast carcinoma. Journal of Biological Chemistry *248*, 6251-6253.

Brown, A.J. (2002). Morphogenetic signaling pathways in Candida albicans. Candida and candidiasis, 95-106.

Brown, G.D., Denning, D.W., Gow, N.A., Levitz, S.M., Netea, M.G., and White, T.C. (2012). Hidden killers: human fungal infections. Sci Transl Med *4*, 165rv113.

Burch, T.J., and Haas, A.L. (1994). Site-directed mutagenesis of ubiquitin. Differential roles for arginine in the interaction with ubiquitin-activating enzyme. Biochemistry *33*, 7300-7308.

Burdon, R.H. (1995). Superoxide and hydrogen peroxide in relation to mammalian cell proliferation. Free Radical Biology and Medicine *18*, 775-794.

Burke, D., Dawson, D., and Stearns, T. (2000). Methods in yeast genetics: a Cold Spring Harbor Laboratory course manual (CSHL Press).

Burroughs, A.M., Balaji, S., Iyer, L.M., and Aravind, L. (2007). A novel superfamily containing the β-grasp fold involved in binding diverse soluble ligands. Biology direct *2*, 4.

Burroughs, A.M., Iyer, L.M., and Aravind, L. (2009). Natural history of the E1- like superfamily: implication for adenylation, sulfur transfer, and ubiquitin conjugation. Proteins: Structure, Function, and Bioinformatics *75*, 895-910.

Burroughs, A.M., Iyer, L.M., and Aravind, L. (2011). Functional diversification of the RING finger and other binuclear treble clef domains in prokaryotes and the early evolution of the ubiquitin system. Molecular bioSystems *7*, 2261-2277.

Calderone, R.A., and Clancy, C.J. (2011). Candida and candidiasis (American Society for Microbiology Press).

Capili, A.D., Edghill, E., Wu, K., and Borden, K.L. (2004). Structure of the C-terminal RING finger from a RING-IBR-RING/TRIAD motif reveals a novel zinc-binding domain distinct from a RING. Journal of molecular biology *340*, 1117-1129.

CARY, P.D., KING, D.S., CRANE- ROBINSON, C., BRADBURY, E.M., RABBANI, A., GOODWIN, G.H., and JOHNS, E.W. (1980). Structural Studies on Two High- Mobility- Group Proteins from Calf Thymus, HMG- 14 and HMG- 20 (Ubiquitin), and Their Interaction with DNA. The FEBS Journal *112*, 577-580.

Chandra, J., Kuhn, D.M., Mukherjee, P.K., Hoyer, L.L., McCormick, T., and Ghannoum, M.A. (2001). Biofilm formation by the fungal pathogen Candida albicans: development, architecture, and drug resistance. J Bacteriol *183*, 5385-5394.

Chang, F., and Herskowitz, I. (1990). Identification of a gene necessary for cell cycle arrest by a negative growth factor of yeast: FAR1 is an inhibitor of a G1 cyclin, CLN2. Cell *63*, 999-1011.

Chau, V., Tobias, J.W., Bachmair, A., Marriott, D., Ecker, D.J., Gonda, D.K., and Varshavsky, A. (1989). A multiubiquitin chain is confined to specific lysine in a targeted short-lived protein. Science *243*, 1576-1584.

Chen, C., Sun, X., Guo, P., Dong, X., Sethi, P., Zhou, W., Zhou, Z., Petros, J., Frierson Jr, H., and Vessella, R. (2007a). Ubiquitin E3 ligase WWP1 as an oncogenic factor in human prostate cancer. Oncogene *26*, 2386.

Chen, C., Zhou, Z., Guo, P., and Dong, J.-T. (2007b). Proteasomal degradation of the KLF5 transcription factor through a ubiquitin- independent pathway. FEBS letters *581*, 1124-1130.

Chen, C., Zhou, Z., Ross, J.S., Zhou, W., and Dong, J.T. (2007c). The amplified WWP1 gene is a potential molecular target in breast cancer. International journal of cancer *121*, 80-87.

Chen, D., Frezza, M., Schmitt, S., Kanwar, J., and P Dou, Q. (2011). Bortezomib as the first proteasome inhibitor anticancer drug: current status and future perspectives. Current cancer drug targets *11*, 239-253.

Chen, P., Johnson, P., Sommer, T., Jentsch, S., and Hochstrasser, M. (1993). Multiple ubiquitin-conjugating enzymes participate in the in vivo degradation of the yeast MATα2 repressor. Cell *74*, 357-369.

Chen, P.Y., Gopalacushina, B., Yang, C.C., Chan, S.I., and Evans, P.A. (2001). The role of a β- bulge in the folding of the β- hairpin structure in ubiquitin. Protein Science *10*, 2063-2074.

Chen, Z., and Pickart, C. (1990). A 25-kilodalton ubiquitin carrier protein (E2) catalyzes multi-ubiquitin chain synthesis via lysine 48 of ubiquitin. Journal of Biological Chemistry *265*, 21835-21842.

Chen, Z.J., and Sun, L.J. (2009). Nonproteolytic functions of ubiquitin in cell signaling. Molecular cell *33*, 275-286.

Chiti, F., and Dobson, C.M. (2006). Protein misfolding, functional amyloid, and human disease. Annu Rev Biochem *75*, 333-366.

Ciechanover, A. (2006). The ubiquitin proteolytic system: from an idea to the patient bed. Proceedings of the American Thoracic Society *3*, 21-31.

Ciechanover, A. (2012). Reprint of "A heat-stable polypeptide component of an ATP-dependent proteolytic system from reticulocytes". Biochemical and biophysical research communications *425*, 565-570.

Ciechanover, A., Heller, H., Elias, S., Haas, A.L., and Hershko, A. (1980). ATP-dependent conjugation of reticulocyte proteins with the polypeptide required for protein degradation. Proceedings of the National Academy of Sciences *77*, 1365-1368.

Clague, M.J., and Urbé, S. (2006). Endocytosis: the DUB version. Trends in cell biology *16*, 551-559.

Clarke, M.F., and Fuller, M. (2006). Stem cells and cancer: two faces of eve. Cell *124*, 1111-1115.

Clurman, B.E., and Roberts, J.M. (1995). Cell cycle and cancer (Oxford University Press).

Cooper, E.M., Cutcliffe, C., Kristiansen, T.Z., Pandey, A., Pickart, C.M., and Cohen, R.E. (2009). K63- specific deubiquitination by two JAMM/MPN+ complexes: BRISC- associated Brcc36 and proteasomal Poh1. The EMBO journal *28*, 621-631.

Cope, G.A., Suh, G.S., Aravind, L., Schwarz, S.E., Zipursky, S.L., Koonin, E.V., and Deshaies, R.J. (2002). Role of predicted metalloprotease motif of Jab1/Csn5 in cleavage of Nedd8 from Cul1.

Science *298*, 608-611.
Coux, O., Tanaka, K., and Goldberg, A.L. (1996). Structure and functions of the 20S and 26S proteasomes. Annual review of biochemistry *65*, 801-847.
Cox, J.P., Evans, P.A., Packman, L.C., Williams, D.H., and Woolfson, D.N. (1993). Dissecting the structure of a partially folded protein: circular dichroism and nuclear magnetic resonance studies of peptides from ubiquitin. Journal of molecular biology *234*, 483-492.
Cross, F.R. (1988). DAF1, a mutant gene affecting size control, pheromone arrest, and cell cycle kinetics of Saccharomyces cerevisiae. Mol Cell Biol *8*, 4675-4684.
Cross, F.R. (1990). Cell cycle arrest caused by CLN gene deficiency in Saccharomyces cerevisiae resembles START-I arrest and is independent of the mating-pheromone signalling pathway. Mol Cell Biol *10*, 6482-6490.
Cummings, C.J., Reinstein, E., Sun, Y., Antalffy, B., Jiang, Y.-h., Ciechanover, A., Orr, H.T., Beaudet, A.L., and Zoghbi, H.Y. (1999). Mutation of the E6-AP ubiquitin ligase reduces nuclear inclusion frequency while accelerating polyglutamine-induced pathology in SCA1 mice. Neuron *24*, 879-892.
Cvrckova, F., and Nasmyth, K. (1993). Yeast G1 cyclins CLN1 and CLN2 and a GAP-like protein have a role in bud formation. Embo J *12*, 5277-5286.
Cyr, D.M., Höhfeld, J., and Patterson, C. (2002). Protein quality control: U-box-containing E3 ubiquitin ligases join the fold. Trends in biochemical sciences *27*, 368-375.
da Silva Dantas, A., Lee, K.K., Raziunaite, I., Schaefer, K., Wagener, J., Yadav, B., and Gow, N.A. (2016). Cell biology of Candida albicans-host interactions. Curr Opin Microbiol *34*, 111-118.
Davies, A.A., Huttner, D., Daigaku, Y., Chen, S., and Ulrich, H.D. (2008). Activation of ubiquitin-dependent DNA damage bypass is mediated by replication protein a. Molecular cell *29*, 625-636.
Debelouchina, G.T., Gerecht, K., and Muir, T.W. (2017). Ubiquitin utilizes an acidic surface patch to alter chromatin structure. Nat Chem Biol *13*, 105-110.
Debonneville, C., Flores, S.Y., Kamynina, E., Plant, P.J., Tauxe, C., Thomas, M.A., Münster, C., Chraïbi, A., Pratt, J.H., and Horisberger, J.D. (2001). Phosphorylation of Nedd4- 2 by Sgk1 regulates epithelial Na+ channel cell surface expression. The EMBO journal *20*, 7052-7059.
Delbrück, H., Mueller, U., Perl, D., Schmid, F.X., and Heinemann, U. (2001). Crystal structures of mutant forms of the Bacillus caldolyticus cold shock protein differing in thermal stability. Journal of molecular biology *313*, 359-369.
Deng, L., Wang, C., Spencer, E., Yang, L., Braun, A., You, J., Slaughter, C., Pickart, C., and Chen, Z.J. (2000). Activation of the IκB kinase complex by TRAF6 requires a dimeric ubiquitin-conjugating enzyme complex and a unique polyubiquitin chain. Cell *103*, 351-361.
Deocaris, C.C., Cunanan, L.F., and Galapia, R.A. (2011). Proto-ubiquitin: A Bayesian Prediction of an Ancient Protein During the Prokaryotic-Eukaryotic Transition. Philippine Journal of Science *140*, 105-113.
Deshaies, R. (1999). SCF and Cullin/Ring H2-based ubiquitin ligases. Annual review of cell and developmental biology *15*, 435-467.
Deshaies, R.J., and Joazeiro, C.A. (2009). RING domain E3 ubiquitin ligases. Annual review of biochemistry *78*.
Di Napoli, M., and McLaughlin, B. (2005). The proteasome ubiquitin system as a drug target in cerebrovascular disease: The therapeutic potential of proteasome inhibitors. Current opinion in investigational drugs (London, England: 2000) *6*, 686.
Díaz-Villanueva, J.F., Díaz-Molina, R., and García-González, V. (2015). Protein folding and mechanisms of proteostasis. International journal of molecular sciences *16*, 17193-17230.
Dick, T.P., Nussbaum, A.K., Deeg, M., Heinemeyer, W., Groll, M., Schirle, M., Keilholz, W., Stevanović, S., Wolf, D.H., and Huber, R. (1998). Contribution of proteasomal β-subunits to the cleavage of peptide substrates analyzed with yeast mutants. Journal of Biological Chemistry *273*, 25637-25646.
Dikic, I., Wakatsuki, S., and Walters, K.J. (2009). Ubiquitin-binding domains--from structures to functions. Nature reviews Molecular cell biology *10*, 659.
Dong, Y., Hakimi, M.-A., Chen, X., Kumaraswamy, E., Cooch, N.S., Godwin, A.K., and Shiekhattar,

R. (2003). Regulation of BRCC, a holoenzyme complex containing BRCA1 and BRCA2, by a signalosome-like subunit and its role in DNA repair. Molecular cell *12*, 1087-1099.

Doolittle, R.F. (1995a). The multiplicity of domains in proteins. Annual review of biochemistry *64*, 287-314.

Doolittle, R.F. (1995b). Of archae and eo: what's in a name? Proceedings of the National Academy of Sciences *92*, 2421-2423.

Doshi, A., Mishra, P., Sharma, M., and Prabha, C.R. (2014). Functional characterization of dosage-dependent lethal mutation of ubiquitin in Saccharomyces cerevisiae. FEMS Yeast Res *14*, 1080-1089.

Doshi, A., Sharma, M., and Prabha, C.R. (2017). Structural changes induced by L50P and I61T single mutations of ubiquitin affect cell cycle progression while impairing its regulatory and degradative functions in Saccharomyces cerevisiae. Int J Biol Macromol *99*, 128-140.

Dover, J., Schneider, J., Tawiah-Boateng, M.A., Wood, A., Dean, K., Johnston, M., and Shilatifard, A. (2002). Methylation of histone H3 by COMPASS requires ubiquitination of histone H2B by Rad6. Journal of Biological Chemistry *277*, 28368-28371.

Duerksen-Hughes, P.J., Xu, X., and Wilkinson, K.D. (1987). Structure and function of ubiquitin: evidence for differential interactions of arginine-74 with the activating enzyme and the proteases of ATP-dependent proteolysis. Biochemistry *26*, 6980-6987.

Dworkin-Rastl, E., Shrutkowski, A., and Dworkin, M.B. (1984). Multiple ubiquitin mRNAs during Xenopus laevis development contain tandem repeats of the 76 amino acid coding sequence. Cell *39*, 321-325.

Ecker, D., Butt, T.R., Marsh, J., Sternberg, E.J., Margolis, N., Monia, B., Jonnalagadda, S., Khan, M.I., Weber, P.L., and Mueller, L. (1987). Gene synthesis, expression, structures, and functional activities of site-specific mutants of ubiquitin. Journal of Biological Chemistry *262*, 14213-14221.

Ecker, D.J., Butt, T.R., Marsh, J., Sternberg, E., Shatzman, A., Dixon, J., Weber, P., and Crooke, S. (1989). Ubiquitin function studied by disulfide engineering. Journal of Biological Chemistry *264*, 1887-1893.

Edelmann, M.J., Iphöfer, A., Akutsu, M., Altun, M., Di Gleria, K., Kramer, H.B., Fiebiger, E., Dhe-Paganon, S., and Kessler, B.M. (2009). Structural basis and specificity of human otubain 1-mediated deubiquitination. Biochemical Journal *418*, 379-390.

Edelmann, M.J., Nicholson, B., and Kessler, B.M. (2011). Pharmacological targets in the ubiquitin system offer new ways of treating cancer, neurodegenerative disorders and infectious diseases. Expert reviews in molecular medicine *13*.

Eichler, J., and Maupin-Furlow, J. (2013). Post-translation modification in Archaea: lessons from Haloferax volcanii and other haloarchaea. FEMS microbiology reviews *37*, 583-606.

Elion, E., Satterberg, B., and Kranz, J. (1993a). FUS3 phosphorylates multiple components of the mating signal transduction cascade: evidence for STE12 and FAR1. Molecular biology of the cell *4*, 495-510.

Elion, E.A., Satterberg, B., and Kranz, J.E. (1993b). FUS3 phosphorylates multiple components of the mating signal transduction cascade: evidence for STE12 and FAR1. Mol Biol Cell *4*, 495-510.

Ellison, M.J., and Hochstrasser, M. (1991). Epitope-tagged ubiquitin. A new probe for analyzing ubiquitin function. J Biol Chem *266*, 21150-21157.

Esser, K., and Lemke, P.A. (1995). The mycota (Springer).

Eyler, C.E., and Rich, J.N. (2008). Survival of the fittest: cancer stem cells in therapeutic resistance and angiogenesis. Journal of Clinical Oncology *26*, 2839-2845.

Farrell, A., and Morgan, D.O. (2000). Cdc37 promotes the stability of protein kinases Cdc28 and Cak1. Molecular and cellular biology *20*, 749-754.

Ferlay, J., Shin, H.R., Bray, F., Forman, D., Mathers, C., and Parkin, D.M. (2010). Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. International journal of cancer *127*, 2893-2917.

Fernandes, R., Ramalho, J., and Pereira, P. (2006). Oxidative stress upregulates ubiquitin proteasome pathway in retinal endothelial cells.

Finley, D., Bartel, B., and Varshavsky, A. (1989). The tails of ubiquitin precursors are ribosomal proteins whose fusion to ubiquitin facilitates ribosome biogenesis. Nature *338*, 394-401.

Finley, D., and Chau, V. (1991). Ubiquitination. Annu Rev Cell Biol *7*, 25-69.

Finley, D., Ozkaynak, E., and Varshavsky, A. (1987a). The yeast polyubiquitin gene is essential for resistance to high temperatures, starvation, and other stresses. Cell *48*, 1035-1046.

Finley, D., Özkaynak, E., and Varshavsky, A. (1987b). The yeast polyubiquitin gene is essential for resistance to high temperatures, starvation, and other stresses. Cell *48*, 1035-1046.

Finley, D., Sadis, S., Monia, B.P., Boucher, P., Ecker, D.J., Crooke, S.T., and Chau, V. (1994). Inhibition of proteolysis and cell cycle progression in a multiubiquitination-deficient yeast mutant. Molecular and cellular biology *14*, 5501-5509.

Fisher, R.D., Wang, B., Alam, S.L., Higginson, D.S., Robinson, H., Sundquist, W.I., and Hill, C.P. (2003). Structure and ubiquitin binding of the ubiquitin-interacting motif. Journal of Biological Chemistry *278*, 28976-28984.

Fonzi, W.A., and Irwin, M.Y. (1993). Isogenic strain construction and gene mapping in Candida albicans. Genetics *134*, 717-728.

Forsburg, S.L., and Nurse, P. (1991). Cell cycle regulation in the yeasts Saccharomyces cerevisiae and Schizosaccharomyces pombe. Annual review of cell biology *7*, 227-256.

Fredrickson, E.K., and Gardner, R.G. (2012). Selective destruction of abnormal proteins by ubiquitin-mediated protein quality control degradation. Paper presented at: Seminars in cell & developmental biology (Elsevier).

Frescas, D., and Pagano, M. (2008). Deregulated proteolysis by the F-box proteins SKP2 and β-TrCP: tipping the scales of cancer. Nature reviews Cancer *8*, 438.

Fu, H., Sadis, S., Rubin, D.M., Glickman, M., van Nocker, S., Finley, D., and Vierstra, R.D. (1998). Multiubiquitin chain binding and protein degradation are mediated by distinct domains within the 26 S proteasome subunit Mcb1. Journal of Biological Chemistry *273*, 1970-1981.

Fukuchi, M., Fukai, Y., Masuda, N., Miyazaki, T., Nakajima, M., Sohda, M., Manda, R., Tsukada, K., Kato, H., and Kuwano, H. (2002). High-level expression of the Smad ubiquitin ligase Smurf2 correlates with poor prognosis in patients with esophageal squamous cell carcinoma. Cancer research *62*, 7162-7165.

Galan, J.M., Moreau, V., Andre, B., Volland, C., and Haguenauer-Tsapis, R. (1996). Ubiquitination mediated by the Npi1p/Rsp5p ubiquitin-protein ligase is required for endocytosis of the yeast uracil permease. Journal of Biological Chemistry *271*, 10946-10952.

Gallastegui, N., and Groll, M. (2010). The 26S proteasome: assembly and function of a destructive machine. Trends in biochemical sciences *35*, 634-642.

GAUSING, K., and BARKARDOTTIR, R. (1986). Structure and expression of ubiquitin genes in higher plants. The FEBS Journal *158*, 57-62.

Gavilanes, J., de Buitrago, G.G., Perez-Castells, R., and Rodriguez, R. (1982a). Isolation, characterization, and amino acid sequence of a ubiquitin-like protein from insect eggs. Journal of Biological Chemistry *257*, 10267-10270.

Gavilanes, J.G., Gonzalez de Buitrago, G., Perez-Castells, R., and Rodriguez, R. (1982b). Isolation, characterization, and amino acid sequence of a ubiquitin-like protein from insect eggs. J Biol Chem *257*, 10267-10270.

Ghaboosi, N., and Deshaies, R.J. (2007). A conditional yeast E1 mutant blocks the ubiquitin–proteasome pathway and reveals a role for ubiquitin conjugates in targeting Rad23 to the proteasome. Molecular biology of the cell *18*, 1953-1963.

Gilda, J.E., and Gomes, A.V. (2017). Proteasome dysfunction in cardiomyopathies. The Journal of Physiology.

Giles, R.H., van Es, J.H., and Clevers, H. (2003). Caught up in a Wnt storm: Wnt signaling in cancer. Biochimica et Biophysica Acta (BBA)-Reviews on Cancer *1653*, 1-24.

Glickman, M.H., and Ciechanover, A. (2002). The ubiquitin-proteasome proteolytic pathway: destruction for the sake of construction. Physiological reviews *82*, 373-428.

Goldberg, A. Protein degradation and protection against misfolded or damaged proteins Nature 2003 426 (N).

Gong, B., Radulovic, M., Figueiredo-Pereira, M.E., and Cardozo, C. (2016). The ubiquitin-proteasome system: potential therapeutic targets for Alzheimer's disease and spinal cord injury. Frontiers in molecular neuroscience *9*.

Goodrich, J.S., Clouse, K.N., and Schüpbach, T. (2004). Hrb27C, Sqd and Otu cooperatively regulate gurken RNA localization and mediate nurse cell chromosome dispersion in Drosophila oogenesis. Development *131*, 1949-1958.

Gossen, M., and Bujard, H. (1992). Tight control of gene expression in mammalian cells by tetracycline-responsive promoters. Proceedings of the National Academy of Sciences *89*, 5547-5551.

Gossen, M., Freundlieb, S., Bender, G., Muller, G., Hillen, W., and Bujard, H. (1995). Transcriptional activation by tetracyclines in mammalian cells. Science-AAAS-Weekly Paper Edition *268*, 1766-1768.

Graham, R.W., Jones, D., and Candido, E. (1989). UbiA, the major polyubiquitin locus in Caenorhabditis elegans, has unusual structural features and is constitutively expressed. Molecular and cellular biology *9*, 268-277.

Graner, E., Tang, D., Rossi, S., Baron, A., Migita, T., Weinstein, L.J., Lechpammer, M., Huesken, D., Zimmermann, J., and Signoretti, S. (2004). The isopeptidase USP2a regulates the stability of fatty acid synthase in prostate cancer. Cancer cell *5*, 253-261.

Groll, M., Bajorek, M., Köhler, A., Moroder, L., Rubin, D.M., Huber, R., Glickman, M.H., and Finley, D. (2000). A gated channel into the proteasome core particle. Nature Structural & Molecular Biology *7*, 1062.

Groll, M., Ditzel, L., Löwe, J., Stock, D., Bochtler, M., Bartunik, H.D., and Huber, R. (1997). Structure of 20S proteasome from yeast at 2.4 A resolution. Nature *386*, 463.

Guerreiro, P., and Rodrigues-Pousada, C. (1996). Characterization of a polyubiquitin gene in T. thermophila and of ubiquitin gene expression during sexual reproduction and under stress conditions. Gene *182*, 183-188.

Guo, C., Tang, T.-S., Bienko, M., Parker, J.L., Bielen, A.B., Sonoda, E., Takeda, S., Ulrich, H.D., Dikic, I., and Friedberg, E.C. (2006). Ubiquitin-binding motifs in REV1 protein are required for its role in the tolerance of DNA damage. Molecular and cellular biology *26*, 8892-8900.

Gwozd, C.S., Arnason, T.G., Cook, W.J., Chau, V., and Ellison, M.J. (1995). The yeast UBC4 ubiquitin conjugating enzyme monoubiquitinates itself in vivo: evidence for an E2-E2 homointeraction. Biochemistry *34*, 6296-6302.

Haas, A., and Rose, I. (1982). The mechanism of ubiquitin activating enzyme. A kinetic and equilibrium analysis. Journal of Biological Chemistry *257*, 10329-10337.

Haas, A.L., Warms, J., Hershko, A., and Rose, I.A. (1982). Ubiquitin-activating enzyme. Mechanism and role in protein-ubiquitin conjugation. Journal of Biological Chemistry *257*, 2543-2548.

Halliwell, B. (1999). Antioxidant defence mechanisms: from the beginning to the end (of the beginning). Free radical research *31*, 261-272.

Halliwell, B., and Cross, C.E. (1994). Oxygen-derived species: their relation to human disease and environmental stress. Environmental health perspectives *102*, 5.

Halliwell, B., and Gutteridge, J. (2007). Free radicals in biology and medicine, 4th edn Oxford: Oxford University Press.

Hanna, J., Leggett, D.S., and Finley, D. (2003). Ubiquitin depletion as a key mediator of toxicity by translational inhibitors. Mol Cell Biol *23*, 9251-9261.

Harding, M.M., Williams, D.H., and Woolfson, D.N. (1991). Characterization of a partially denatured state of a protein by two-dimensional NMR: reduction of the hydrophobic interactions in ubiquitin. Biochemistry *30*, 3120-3128.

Harrison, S.C. (1986). Gene regulation: Fingers and DNA half-turns. Nature *322*, 597-598.

Hartl, F.U., Bracher, A., and Hayer-Hartl, M. (2011). Molecular chaperones in protein folding and proteostasis. Nature *475*, 324.

Hartl, F.U., and Hayer-Hartl, M. (2002). Molecular chaperones in the cytosol: from nascent chain to folded protein. Science *295*, 1852-1858.

Hartl, F.U., and Hayer-Hartl, M. (2009). Converging concepts of protein folding in vitro and in vivo.

Nature structural & molecular biology *16*, 574-581.
Hatakeyama, S., and Kei-ichi, I.N. (2003). U-box proteins as a new family of ubiquitin ligases. Biochemical and biophysical research communications *302*, 635-645.
Hatakeyama, S., Yada, M., Matsumoto, M., Ishida, N., and Nakayama, K.-I. (2001). U box proteins as a new family of ubiquitin-protein ligases. Journal of Biological Chemistry *276*, 33111-33120.
Haupt, Y., Maya, R., Kazaz, A., and Oren, M. (1997). Mdm2 promotes the rapid degradation of p53. nature *387*, 296.
Havens, C.G., Ho, A., Yoshioka, N., and Dowdy, S.F. (2006). Regulation of late G1/S phase transition and APCCdh1 by reactive oxygen species. Molecular and Cellular Biology *26*, 4701-4711.
He, C., and Klionsky, D.J. (2009). Regulation mechanisms and signaling pathways of autophagy. Annual review of genetics *43*.
Heckman, D.S., Geiser, D.M., Eidell, B.R., Stauffer, R.L., Kardos, N.L., and Hedges, S.B. (2001). Molecular evidence for the early colonization of land by fungi and plants. Science *293*, 1129-1133.
Heilmann, C.J., Sorgo, A.G., Siliakus, A.R., Dekker, H.L., Brul, S., de Koster, C.G., de Koning, L.J., and Klis, F.M. (2011). Hyphal induction in the human fungal pathogen Candida albicans reveals a characteristic wall protein profile. Microbiology *157*, 2297-2307.
Hershko, A. (1983). Ubiquitin: roles in protein modification and breakdown. Cell *34*, 11-12.
Hershko, A., and Ciechanover, A. (1998). The ubiquitin system. Annual review of biochemistry *67*, 425-479.
Hershko, A., Ciechanover, A., Heller, H., Haas, A.L., and Rose, I.A. (1980). Proposed role of ATP in protein breakdown: conjugation of protein with multiple chains of the polypeptide of ATP-dependent proteolysis. Proceedings of the National Academy of Sciences *77*, 1783-1786.
Hershko, A., Ciechanover, A., and Rose, I.A. (1979). Resolution of the ATP-dependent proteolytic system from reticulocytes: a component that interacts with ATP. Proceedings of the National Academy of Sciences *76*, 3107-3110.
Hershko, A., Heller, H., Elias, S., and Ciechanover, A. (1983). Components of ubiquitin-protein ligase system. Resolution, affinity purification, and role in protein breakdown. Journal of Biological Chemistry *258*, 8206-8214.
Hicke, L., Schubert, H.L., and Hill, C.P. (2005). Ubiquitin-binding domains. Nature reviews Molecular cell biology *6*, 610.
Hochstrasser, M. (1996). Ubiquitin-dependent protein degradation. Annual review of genetics *30*, 405-439.
Hochstrasser, M. (2000). Evolution and function of ubiquitin-like protein-conjugation systems. Nature cell biology *2*, E153.
Hochstrasser, M. (2009). Origin and function of ubiquitin-like protein conjugation. Nature *458*, 422.
Hochstrasser, M., and Varshavsky, A. (1990). In vivo degradation of a transcriptional regulator: the yeast α2 repressor. Cell *61*, 697-708.
Hodgins, R., Gwozd, C., Arnason, T., Cummings, M., and Ellison, M.J. (1996). The tail of a ubiquitin-conjugating enzyme redirects multi-ubiquitin chain synthesis from the lysine 48-linked configuration to a novel nonlysine-linked form. Journal of Biological Chemistry *271*, 28766-28771.
Hoege, C., Pfander, B., Moldovan, G.-L., Pyrowolakis, G., and Jentsch, S. (2002). RAD6-dependent DNA repair is linked to modification of PCNA by ubiquitin and SUMO. Nature *419*, 135.
Hoerner, J.K., Xiao, H., and Kaltashov, I.A. (2005). Structural and dynamic characteristics of a partially folded state of ubiquitin revealed by hydrogen exchange mass spectrometry. Biochemistry *44*, 11286-11294.
Hofmann, R.M., and Pickart, C.M. (1999). Noncanonical MMS2-encoded ubiquitin-conjugating enzyme functions in assembly of novel polyubiquitin chains for DNA repair. Cell *96*, 645-653.
Homann, O.R., Dea, J., Noble, S.M., and Johnson, A.D. (2009). A phenotypic profile of the Candida albicans regulatory network. PLoS Genet *5*, e1000783.
Hu, M., Li, P., Li, M., Li, W., Yao, T., Wu, J.-W., Gu, W., Cohen, R.E., and Shi, Y. (2002). Crystal

structure of a UBP-family deubiquitinating enzyme in isolation and in complex with ubiquitin aldehyde. Cell *111*, 1041-1054.

Huang, D.T., Hunt, H.W., Zhuang, M., Ohi, M.D., Holton, J.M., and Schulman, B.A. (2007). Basis for a ubiquitin-like protein thioester switch toggling E1-E2 affinity. Nature *445*, 394.

Huang, D.T., Paydar, A., Zhuang, M., Waddell, M.B., Holton, J.M., and Schulman, B.A. (2005). Structural basis for recruitment of Ubc12 by an E2 binding domain in NEDD8's E1. Molecular cell *17*, 341-350.

Huang, L., Kinnucan, E., Wang, G., Beaudenon, S., Howley, P.M., Huibregtse, J.M., and Pavletich, N.P. (1999). Structure of an E6AP-UbcH7 complex: insights into ubiquitination by the E2-E3 enzyme cascade. Science *286*, 1321-1326.

Huang, L.E., Gu, J., Schau, M., and Bunn, H.F. (1998). Regulation of hypoxia-inducible factor 1α is mediated by an O2-dependent degradation domain via the ubiquitin-proteasome pathway. Proceedings of the National Academy of Sciences *95*, 7987-7992.

Huang, T.T., Nijman, S.M., Mirchandani, K.D., Galardy, P.J., Cohn, M.A., Haas, W., Gygi, S.P., Ploegh, H.L., Bernards, R., and D D'Andrea, A. (2006). Regulation of monoubiquitinated PCNA by DUB autocleavage. Nature cell biology *8*, 341.

Huang, T.T., Wuerzberger-Davis, S.M., Wu, Z.-H., and Miyamoto, S. (2003). Sequential modification of NEMO/IKKγ by SUMO-1 and ubiquitin mediates NF-κB activation by genotoxic stress. Cell *115*, 565-576.

Humbard, M.A., Miranda, H.V., Lim, J.-M., Krause, D.J., Pritz, J.R., Zhou, G., Chen, S., Wells, L., and Maupin-Furlow, J.A. (2010). Ubiquitin-like small archaeal modifier proteins (SAMPs) in Haloferax volcanii. Nature *463*, 54.

Hurst, J.H., and Dohlman, H.G. (2013). Dynamic ubiquitination of the mitogen-activated protein kinase kinase (MAPKK) Ste7 determines mitogen-activated protein kinase (MAPK) specificity. Journal of Biological Chemistry *288*, 18660-18671.

Husnjak, K., and Dikic, I. (2012). Ubiquitin-binding proteins: decoders of ubiquitin-mediated cellular functions. Annual review of biochemistry *81*, 291-322.

Husnjak, K., Elsasser, S., Zhang, N., Chen, X., Randles, L., Shi, Y., Hofmann, K., Walters, K., Finley, D., and Dikic, I. (2008). Proteasome subunit Rpn13 is a novel ubiquitin receptor. Nature *453*, 481.

Ibarra-Molero, B., Makhatadze, G.I., and Sanchez-Ruiz, J.M. (1999). Cold denaturation of ubiquitin. Biochimica et Biophysica Acta (BBA)-Protein Structure and Molecular Enzymology *1429*, 384-390.

Ikeda, F., and Dikic, I. (2008). Atypical ubiquitin chains: new molecular signals. EMBO reports *9*, 536-542.

Iwakuma, T., and Lozano, G. (2003). MDM2, an introduction. Molecular Cancer Research *1*, 993-1000.

Iyer, L.M., Burroughs, A.M., and Aravind, L. (2006). The prokaryotic antecedents of the ubiquitin-signaling system and the early evolution of ubiquitin-like β-grasp domains. Genome biology *7*, R60.

Jackson, P.K., Eldridge, A.G., Freed, E., Furstenthal, L., Hsu, J.Y., Kaiser, B.K., and Reimann, J.D. (2000). The lore of the RINGs: substrate recognition and catalysis by ubiquitin ligases. Trends in cell biology *10*, 429-439.

Jagoe, R.T., and Goldberg, A.L. (2001). What do we really know about the ubiquitin-proteasome pathway in muscle atrophy? Current Opinion in Clinical Nutrition & Metabolic Care *4*, 183-190.

Jahn, T.R., and Radford, S.E. (2005). The Yin and Yang of protein folding. The FEBS journal *272*, 5962-5970.

Jamieson, D.J., Stephen, D.W., and Terriere, E.C. (1996). Analysis of the adaptive oxidative stress response of Candida albicans. FEMS Microbiol Lett *138*, 83-88.

Jason, L.J., Moore, S.C., Lewis, J.D., Lindsey, G., and Ausió, J. (2002). Histone ubiquitination: a tagging tail unfolds? Bioessays *24*, 166-174.

Jenson, J., Goldstein, G., and Breslow, E. (1980). Physical-chemical properties of ubiquitin. Biochimica et Biophysica Acta (BBA)-Protein Structure *624*, 378-385.

Jentsch, S., and Pyrowolakis, G. (2000). Ubiquitin and its kin: how close are the family ties? Trends in cell biology *10*, 335-342.

Jenuwein, T., and Allis, C.D. (2001). Translating the histone code. Science *293*, 1074-1080.

Jin, L., Williamson, A., Banerjee, S., Philipp, I., and Rape, M. (2008). Mechanism of ubiquitin-chain formation by the human anaphase-promoting complex. Cell *133*, 653-665.

Johnson, D.E. (2015). The ubiquitin–proteasome system: opportunities for therapeutic intervention in solid tumors. Endocrine-related cancer *22*, T1-T17.

Johnson, E.S., Ma, P.C., Ota, I.M., and Varshavsky, A. (1995). A proteolytic pathway that recognizes ubiquitin as a degradation signal. J Biol Chem *270*, 17442-17456.

Johnson, E.S., Schwienhorst, I., Dohmen, R.J., and Blobel, G. (1997). The ubiquitin- like protein Smt3p is activated for conjugation to other proteins by an Aos1p/Uba2p heterodimer. The EMBO journal *16*, 5509-5519.

Johnston, S.C., Larsen, C.N., Cook, W.J., Wilkinson, K.D., and Hill, C.P. (1997). Crystal structure of a deubiquitinating enzyme (human UCH- L3) at 1.8 Å resolution. The EMBO Journal *16*, 3787-3796.

Jones, D., and Candido, E. (1993). Novel ubiquitin-like ribosomal protein fusion genes from the nematodes Caenorhabditis elegans and Caenorhabditis briggsae. Journal of Biological Chemistry *268*, 19545-19551.

Joshi, R.G., Kulkarni, S., and Prabha, C.R. (2015). Engineering degrons of yeast ornithine decarboxylase as vehicles for efficient targeted protein degradation. Biochimica et Biophysica Acta (BBA)-General Subjects *1850*, 2452-2463.

Joshi, R.G., and Prabha, C.R. (2017). Degrons of yeast and mammalian ornithine decarboxylase enzymes make potent combination for regulated targeted protein degradation. Applied microbiology and biotechnology *101*, 2905-2917.

Kabir, M.A., Hussain, M.A., and Ahmad, Z. (2012). Candida albicans: A Model Organism for Studying Fungal Pathogens. ISRN Microbiol *2012*, 538694.

Kalchman, M.A., Graham, R.K., Xia, G., Koide, H.B., Hodgson, J.G., Graham, K.C., Goldberg, Y.P., Gietz, R.D., Pickart, C.M., and Hayden, M.R. (1996). Huntingtin is ubiquitinated and interacts with a specific ubiquitin-conjugating enzyme. Journal of Biological Chemistry *271*, 19385-19394.

Kamadurai, H.B., Souphron, J., Scott, D.C., Duda, D.M., Miller, D.J., Stringer, D., Piper, R.C., and Schulman, B.A. (2009). Insights into ubiquitin transfer cascades from a structure of a UbcH5B∼ubiquitin-HECT NEDD4L complex. Molecular cell *36*, 1095-1102.

Kane, L.A., Lazarou, M., Fogel, A.I., Li, Y., Yamano, K., Sarraf, S.A., Banerjee, S., and Youle, R.J. (2014). PINK1 phosphorylates ubiquitin to activate Parkin E3 ubiquitin ligase activity. J Cell Biol, jcb. 201402104.

Kaufman, R.J. (2002). Orchestrating the unfolded protein response in health and disease. The Journal of clinical investigation *110*, 1389.

Kavsak, P., Rasmussen, R.K., Causing, C.G., Bonni, S., Zhu, H., Thomsen, G.H., and Wrana, J.L. (2000). Smad7 binds to Smurf2 to form an E3 ubiquitin ligase that targets the TGFβ receptor for degradation. Molecular cell *6*, 1365-1375.

Kayed, R., Head, E., Thompson, J.L., McIntire, T.M., Milton, S.C., Cotman, C.W., and Glabe, C.G. (2003). Common structure of soluble amyloid oligomers implies common mechanism of pathogenesis. Science *300*, 486-489.

Kazlauskaite, A., Kondapalli, C., Gourlay, R., Campbell, D.G., Ritorto, M.S., Hofmann, K., Alessi, D.R., Knebel, A., Trost, M., and Muqit, M.M. (2014). Parkin is activated by PINK1-dependent phosphorylation of ubiquitin at Ser65. Biochemical Journal *460*, 127-141.

Kazlauskaite, A., Martínez- Torres, R.J., Wilkie, S., Kumar, A., Peltier, J., Gonzalez, A., Johnson, C., Zhang, J., Hope, A.G., and Peggie, M. (2015). Binding to serine 65- phosphorylated ubiquitin primes Parkin for optimal PINK1- dependent phosphorylation and activation. EMBO reports, e201540352.

Keefe, L.J., Quirk, S., Gittis, A., Sondek, J., and Lattman, E.E. (1994). Accommodation of insertion mutations on the surface and in the interior of staphylococcal nuclease. Protein Science *3*, 391-

401.
Kenmochi, N., Kawaguchi, T., Rozen, S., Davis, E., Goodman, N., Hudson, T.J., Tanaka, T., and Page, D.C. (1998). A map of 75 human ribosomal protein genes. Genome research *8*, 509-523.
Khorasanizadeh, S., Peters, I.D., Butt, T.R., and Roder, H. (1993). Folding and stability of a tryptophan-containing mutant of ubiquitin. Biochemistry *32*, 7054-7063.
Kim, H.C., and Huibregtse, J.M. (2009). Polyubiquitination by HECT E3s and the determinants of chain type specificity. Molecular and cellular biology *29*, 3307-3318.
Kim, H.T., Kim, K.P., Lledias, F., Kisselev, A.F., Scaglione, K.M., Skowyra, D., Gygi, S.P., and Goldberg, A.L. (2007). Certain pairs of ubiquitin-conjugating enzymes (E2s) and ubiquitin-protein ligases (E3s) synthesize nondegradable forked ubiquitin chains containing all possible isopeptide linkages. Journal of Biological Chemistry *282*, 17375-17386.
Kim, T.-S., Jang, C.-Y., Kim, H.D., Lee, J.Y., Ahn, B.-Y., and Kim, J. (2006). Interaction of Hsp90 with ribosomal proteins protects from ubiquitination and proteasome-dependent degradation. Molecular biology of the cell *17*, 824-833.
Kimura, Y., Rutherford, S.L., Miyata, Y., Yahara, I., Freeman, B.C., Yue, L., Morimoto, R.I., and Lindquist, S. (1997). Cdc37 is a molecular chaperone with specific functions in signal transduction. Genes & development *11*, 1775-1785.
Kirisako, T., Kamei, K., Murata, S., Kato, M., Fukumoto, H., Kanie, M., Sano, S., Tokunaga, F., Tanaka, K., and Iwai, K. (2006). A ubiquitin ligase complex assembles linear polyubiquitin chains. The EMBO journal *25*, 4877-4887.
Kirkin, V., McEwan, D.G., Novak, I., and Dikic, I. (2009). A role for ubiquitin in selective autophagy. Molecular cell *34*, 259-269.
Kirkpatrick, D.S., Hathaway, N.A., Hanna, J., Elsasser, S., Rush, J., Finley, D., King, R.W., and Gygi, S.P. (2006). Quantitative analysis of in vitro ubiquitinated cyclin B1 reveals complex chain topology. Nature cell biology *8*.
Kishi, T., Ikeda, A., Koyama, N., Fukada, J., and Nagao, R. (2008). A refined two-hybrid system reveals that SCFCdc4-dependent degradation of Swi5 contributes to the regulatory mechanism of S-phase entry. Proceedings of the National Academy of Sciences *105*, 14497-14502.
Kishino, T., Lalande, M., and Wagstaff, J. (1997). UBE3A/E6-AP mutations cause Angelman syndrome. Nature genetics *15*, 70-73.
Kitada, T., Asakawa, S., Hattori, N., and Matsumine, H. (1998). Mutations in the parkin gene cause autosomal recessive juvenile parkinsonism. Nature *392*, 605.
Kitahara, R., Yokoyama, S., and Akasaka, K. (2005). NMR Snapshots of a Fluctuating Protein Structure: Ubiquitin at 30bar–3kbar. Journal of molecular biology *347*, 277-285.
Koepp, D.M., Schaefer, L.K., Ye, X., Keyomarsi, K., Chu, C., Harper, J.W., and Elledge, S.J. (2001). Phosphorylation-dependent ubiquitination of cyclin E by the SCFFbw7 ubiquitin ligase. Science *294*, 173-177.
Komander, D. (2009). The emerging complexity of protein ubiquitination. Biochem Soc Trans *37*, 937-953.
Komander, D., and Barford, D. (2008). Structure of the A20 OTU domain and mechanistic insights into deubiquitination. Biochemical Journal *409*, 77-85.
Komander, D., Clague, M.J., and Urbé, S. (2009). Breaking the chains: structure and function of the deubiquitinases. Nature reviews Molecular cell biology *10*, 550.
Komander, D., and Rape, M. (2012). The ubiquitin code. Annu Rev Biochem *81*, 203-229.
Koonin, E.V., and Yutin, N. (2014). The dispersed archaeal eukaryome and the complex archaeal ancestor of eukaryotes. Cold Spring Harbor perspectives in biology *6*, a016188.
Kopito, R.R. (1999). Biosynthesis and degradation of CFTR. Physiological reviews *79*, S167-S173.
Kotsopoulos, J., and Narod, S.A. (2005). Brief Report: Towards a dietary prevention of hereditary breast cancer. Cancer Causes & Control *16*, 125-138.
Krüger, E., Kuckelkorn, U., Sijts, A., and Kloetzel, P.-M. (2003). The components of the proteasome system and their role in MHC class I antigen processing. In Reviews of physiology, biochemistry and pharmacology (Springer), pp. 81-104.
Kulathu, Y., and Komander, D. (2012). Atypical ubiquitylation--the unexplored world of

polyubiquitin beyond Lys48 and Lys63 linkages. Nature reviews Molecular cell biology *13*, 508.
Kulka, R., Raboy, B., Schuster, R., Parag, H., Diamond, G., Ciechanover, A., and Marcus, M. (1988). A Chinese hamster cell cycle mutant arrested at G2 phase has a temperature-sensitive ubiquitin-activating enzyme, E1. Journal of Biological Chemistry *263*, 15726-15731.
Kullberg, B.J., and Arendrup, M.C. (2015). Invasive Candidiasis. N Engl J Med *373*, 1445-1456.
Laine, A., and Ronai, Z.e. (2007). Regulation of p53 localization and transcription by the HECT domain E3 ligase WWP1. Oncogene *26*, 1477.
Lake, M.W., Wuebbens, M.M., Rajagopalan, K., and Schindelin, H. (2001). Mechanism of ubiquitin activation revealed by the structure of a bacterial MoeB-MoaD complex. Nature *414*, 325.
Lam, Y.A., Pickart, C.M., Alban, A., Landon, M., Jamieson, C., Ramage, R., Mayer, R.J., and Layfield, R. (2000). Inhibition of the ubiquitin-proteasome system in Alzheimer's disease. Proceedings of the National Academy of Sciences *97*, 9902-9906.
Lam, Y.A., Xu, W., DeMartino, G.N., and Cohen, R.E. (1997). Editing of ubiquitin conjugates by an isopeptidase in the 26S proteasome. Nature *385*, 737.
Larsen, C.N., Krantz, B.A., and Wilkinson, K.D. (1998). Substrate specificity of deubiquitinating enzymes: ubiquitin C-terminal hydrolases. Biochemistry *37*, 3358-3368.
Lauwers, E., Erpapazoglou, Z., Haguenauer-Tsapis, R., and André, B. (2010). The ubiquitin code of yeast permease trafficking. Trends in cell biology *20*, 196-204.
Lauwers, E., Jacob, C., and André, B. (2009). K63-linked ubiquitin chains as a specific signal for protein sorting into the multivesicular body pathway. The Journal of cell biology *185*, 493-502.
Leach, M.D., Stead, D.A., Argo, E., MacCallum, D.M., and Brown, A.J. (2011). Molecular and proteomic analyses highlight the importance of ubiquitination for the stress resistance, metabolic adaptation, morphogenetic regulation and virulence of Candida albicans. Mol Microbiol *79*, 1574-1593.
Leberer, E., Ziegelbauer, K., Schmidt, A., Harcus, D., Dignard, D., Ash, J., Johnson, L., and Thomas, D.Y. (1997). Virulence and hyphal formation of Candida albicans require the Ste20p-like protein kinase CaCla4p. Curr Biol *7*, 539-546.
Lecker, S.H., Goldberg, A.L., and Mitch, W.E. (2006). Protein degradation by the ubiquitin–proteasome pathway in normal and disease states. Journal of the American Society of Nephrology *17*, 1807-1819.
Leggett, D.S., Hanna, J., Borodovsky, A., Crosas, B., Schmidt, M., Baker, R.T., Walz, T., Ploegh, H., and Finley, D. (2002). Multiple associated proteins regulate proteasome structure and function. Molecular cell *10*, 495-507.
Lengronne, A., Pasero, P., Bensimon, A., and Schwob, E. (2001). Monitoring S phase progression globally and locally using BrdU incorporation in TK+ yeast strains. Nucleic acids research *29*, 1433-1442.
Li, W., Bengtson, M.H., Ulbrich, A., Matsuda, A., Reddy, V.A., Orth, A., Chanda, S.K., Batalov, S., and Joazeiro, C.A. (2008a). Genome-wide and functional annotation of human E3 ubiquitin ligases identifies MULAN, a mitochondrial E3 that regulates the organelle's dynamics and signaling. PloS one *3*, e1487.
Li, Y., Zhou, Z., and Chen, C. (2008b). WW domain-containing E3 ubiquitin protein ligase 1 targets p63 transcription factor for ubiquitin-mediated proteasomal degradation and regulates apoptosis. Cell death and differentiation *15*, 1941.
Licchesi, J.D., Mieszczanek, J., Mevissen, T.E., Rutherford, T.J., Akutsu, M., Virdee, S., El Oualid, F., Chin, J.W., Ovaa, H., and Bienz, M. (2012). An ankyrin-repeat ubiquitin-binding domain determines TRABID's specificity for atypical ubiquitin chains. Nature structural & molecular biology *19*, 62-71.
Lin, X., Liang, M., and Feng, X.-H. (2000). Smurf2 is a ubiquitin E3 ligase mediating proteasome-dependent degradation of Smad2 in transforming growth factor-β signaling. Journal of Biological Chemistry *275*, 36818-36822.
Lindsten, K., de Vrij, F.M., Verhoef, L.G., Fischer, D.F., van Leeuwen, F.W., Hol, E.M., Masucci, M.G., and Dantuma, N.P. (2002). Mutant ubiquitin found in neurodegenerative disorders is a ubiquitin fusion degradation substrate that blocks proteasomal degradation. J Cell Biol *157*, 417-

427.
Liu, H. (2001). Transcriptional control of dimorphism in Candida albicans. Curr Opin Microbiol *4*, 728-735.
Liu, J., Shaik, S., Dai, X., Wu, Q., Zhou, X., Wang, Z., and Wei, W. (2015). Targeting the ubiquitin pathway for cancer treatment. Biochimica et Biophysica Acta (BBA)-Reviews on Cancer *1855*, 50-60.
Liu, X., Shi, F., and Gong, J. (2013). Variations and evolution of polyubiquitin genes from ciliates. European journal of protistology *49*, 40-49.
Liz, M., and Sousa, M. (2005). Deciphering cryptic proteases. Cellular and molecular life sciences *62*, 989-1002.
Lois, L.M., and Lima, C.D. (2005). Structures of the SUMO E1 provide mechanistic insights into SUMO activation and E2 recruitment to E1. The EMBO journal *24*, 439-451.
Lonser, R.R., Glenn, G.M., Walther, M., Chew, E.Y., Libutti, S.K., Linehan, W.M., and Oldfield, E.H. (2003). von Hippel-Lindau disease. The Lancet *361*, 2059-2067.
Lopez, N., Halladay, J., Walter, W., and Craig, E.A. (1999). SSB, encoding a ribosome-associated chaperone, is coordinately regulated with ribosomal protein genes. J Bacteriol *181*, 3136-3143.
Lord, J.M., Ceriotti, A., and Roberts, L.M. (2002). ER dislocation: Cdc48p/p97 gets into the AAAct. Current biology *12*, R182-R184.
Lorick, K.L., Jensen, J.P., Fang, S., Ong, A.M., Hatakeyama, S., and Weissman, A.M. (1999). RING fingers mediate ubiquitin-conjugating enzyme (E2)-dependent ubiquitination. Proceedings of the National Academy of Sciences *96*, 11364-11369.
Lowry, O.H., Rosebrough, N.J., Farr, A.L., and Randall, R.J. (1951). Protein measurement with the Folin phenol reagent. Journal of biological chemistry *193*, 265-275.
Machida, Y.J., Machida, Y., Vashisht, A.A., Wohlschlegel, J.A., and Dutta, A. (2009). The deubiquitinating enzyme BAP1 regulates cell growth via interaction with HCF-1. Journal of Biological Chemistry *284*, 34179-34188.
Makarova, K.S., Aravind, L., and Koonin, E.V. (2000). A novel superfamily of predicted cysteine proteases from eukaryotes, viruses and Chlamydia pneumoniae. Trends in biochemical sciences *25*, 50-52.
Makhatadze, G.I., Loladze, V.V., Ermolenko, D.N., Chen, X., and Thomas, S.T. (2003). Contribution of surface salt bridges to protein stability: guidelines for protein engineering. Journal of molecular biology *327*, 1135-1148.
Makhatadze, G.I., Lopez, M.M., Richardson, J.M., and Thmos, S.T. (1998). Anion binding to the ubiquitin molecule. Protein science *7*, 689-697.
Mani, A., and Gelmann, E.P. (2005). The ubiquitin-proteasome pathway and its role in cancer. Journal of clinical oncology *23*, 4776-4789.
Mao, J.-H., Kim, I.-J., Wu, D., Climent, J., Kang, H.C., DelRosario, R., and Balmain, A. (2008). FBXW7 targets mTOR for degradation and cooperates with PTEN in tumor suppression. Science *321*, 1499-1502.
Mao, Y., Senic-Matuglia, F., Di Fiore, P.P., Polo, S., Hodsdon, M.E., and De Camilli, P. (2005). Deubiquitinating function of ataxin-3: insights from the solution structure of the Josephin domain. Proceedings of the National Academy of Sciences of the United States of America *102*, 12700-12705.
Marín, I., Lucas, J.I., Gradilla, A.-C., and Ferrús, A. (2004). Parkin and relatives: the RBR family of ubiquitin ligases. Physiological genomics *17*, 253-263.
Matos, C.A., de Macedo-Ribeiro, S., and Carvalho, A.L. (2011). Polyglutamine diseases: the special case of ataxin-3 and Machado–Joseph disease. Progress in neurobiology *95*, 26-48.
Matthews, B.W. (1993). Structural and genetic analysis of protein stability. Annual review of biochemistry *62*, 139-160.
Matthews, B.W. (1995). Studies on protein stability with T4 lysozyme. Advances in protein chemistry *46*, 249-278.
Matthews, B.W. (1996). Structural and genetic analysis of the folding and function of T4 lysozyme. The FASEB Journal *10*, 35-41.

Maxwell, P.H., Wiesener, M.S., Gin-Wen, C., and Clifford, S.C. (1999). The tumour suppressor protein VHL targets hypoxia-inducible factors for oxygen-dependent proteolysis. Nature *399*, 271.

Maytal-Kivity, V., Reis, N., Hofmann, K., and Glickman, M.H. (2002). MPN+, a putative catalytic motif found in a subset of MPN domain proteins from eukaryotes and prokaryotes, is critical for Rpn11 function. BMC biochemistry *3*, 28.

McGrath, J.P., Jentsch, S., and Varshavsky, A. (1991). UBA 1: an essential yeast gene encoding ubiquitin-activating enzyme. The EMBO journal *10*, 227.

Mendenhall, M.D., and Hodge, A.E. (1998). Regulation of Cdc28 cyclin-dependent protein kinase activity during the cell cycle of the yeast Saccharomyces cerevisiae. Microbiol Mol Biol Rev *62*, 1191-1243.

Messick, T.E., Russell, N.S., Iwata, A.J., Sarachan, K.L., Shiekhattar, R., Shanks, J.R., Reyes-Turcu, F.E., Wilkinson, K.D., and Marmorstein, R. (2008). Structural basis for ubiquitin recognition by the Otu1 ovarian tumor domain protein. Journal of Biological Chemistry *283*, 11038-11049.

Meyer, H.H., Wang, Y., and Warren, G. (2002). Direct binding of ubiquitin conjugates by the mammalian p97 adaptor complexes, p47 and Ufd1–Npl4. The EMBO journal *21*, 5645-5652.

Michael, D., and Oren, M. (2002). The p53 and Mdm2 families in cancer. Current opinion in genetics & development *12*, 53-59.

Miller, H.I., Henzel, W.J., Ridgway, J.B., Kuang, W.-J., Chisholm, V., and Liu, C.-C. (1989). Cloning and expression of a yeast ubiquitin-protein cleaving activity in Escherichia coli. Nature Biotechnology *7*, 698-704.

Miller, J., McLachlan, A., and Klug, A. (1985). Repetitive zinc-binding domains in the protein transcription factor IIIA from Xenopus oocytes. The EMBO journal *4*, 1609.

Millson, S.H., Truman, A.W., King, V., Prodromou, C., Pearl, L.H., and Piper, P.W. (2005). A two-hybrid screen of the yeast proteome for Hsp90 interactors uncovers a novel Hsp90 chaperone requirement in the activity of a stress-activated mitogen-activated protein kinase, Slt2p (Mpk1p). Eukaryotic Cell *4*, 849-860.

Milo, R. (2013). What is the total number of protein molecules per cell volume? A call to rethink some published values. Bioessays *35*, 1050-1055.

Miranda, H.V., Nembhard, N., Su, D., Hepowit, N., Krause, D.J., Pritz, J.R., Phillips, C., Söll, D., and Maupin-Furlow, J.A. (2011). E1-and ubiquitin-like proteins provide a direct link between protein conjugation and sulfur transfer in archaea. Proceedings of the National Academy of Sciences *108*, 4417-4422.

Misaghi, S., Ottosen, S., Izrael-Tomasevic, A., Arnott, D., Lamkanfi, M., Lee, J., Liu, J., O'Rourke, K., Dixit, V.M., and Wilson, A.C. (2009). Association of C-terminal ubiquitin hydrolase BRCA1-associated protein 1 with cell cycle regulator host cell factor 1. Molecular and cellular biology *29*, 2181-2192.

Mishra, A., Godavarthi, S.K., and Jana, N.R. (2009a). UBE3A/E6-AP regulates cell proliferation by promoting proteasomal degradation of p27. Neurobiology of disease *36*, 26-34.

Mishra, P., Prabha, C.R., Rao Ch, M., and Volety, S. (2011). Q2N and S65D substitutions of ubiquitin unravel functional significance of the invariant residues Gln2 and Ser65. Cell Biochem Biophys *61*, 619-628.

Mishra, P., Volety, S., Rao Ch, M., and Prabha, C.R. (2009b). Glutamate64 to glycine substitution in G1 beta-bulge of ubiquitin impairs function and stabilizes structure of the protein. J Biochem *146*, 563-569.

Mita, K., Ichimura, S., and Nenoi, M. (1991). Essential factors determining codon usage in ubiquitin genes. Journal of molecular evolution *33*, 216-225.

Mizuno, E., Iura, T., Mukai, A., Yoshimori, T., Kitamura, N., and Komada, M. (2005). Regulation of epidermal growth factor receptor down-regulation by UBPY-mediated deubiquitination at endosomes. Molecular biology of the cell *16*, 5163-5174.

Mocciaro, A., and Rape, M. (2012). Emerging regulatory mechanisms in ubiquitin-dependent cell cycle control. J Cell Sci *125*, 255-263.

Momand, J., Jung, D., Wilczynski, S., and Niland, J. (1998). The MDM2 gene amplification database.

Nucleic acids research *26*, 3453-3459.
Monia, B., Ecker, D., Jonnalagadda, S., Marsh, J., Gotlib, L., Butt, T., and Crooke, S. (1989). Gene synthesis, expression, and processing of human ubiquitin carboxyl extension proteins. Journal of Biological Chemistry *264*, 4093-4103.
Morett, E., and Bork, P. (1999). A novel transactivation domain in parkin. Trends in biochemical sciences *24*, 229-231.
Morreale, F.E., and Walden, H. (2016). Types of ubiquitin ligases. Cell *165*, 248-248. e241.
Mukhopadhyay, D., and Riezman, H. (2007). Proteasome-independent functions of ubiquitin in endocytosis and signaling. Science *315*, 201-205.
Müller-Taubenberger, A., Westphal, M., Jaeger, E., Noegel, A., and Gerisch, G. (1988). Complete cDNA sequence of a Dictyostelium ubiquitin with a carboxy-terminal tail and identification of the protein using an anti-peptide antibody. FEBS letters *229*, 273-278.
Muratani, M., and Tansey, W.P. (2003). How the ubiquitin-proteasome system controls transcription. Nature reviews Molecular cell biology *4*, 192.
NA, F. (2006). C vB. Clonogenic assay of cells in vitro. Nature Protocols *1*, 2315-2319.
Nakatogawa, H., Suzuki, K., Kamada, Y., and Ohsumi, Y. (2009). Dynamics and diversity in autophagy mechanisms: lessons from yeast. Nature reviews Molecular cell biology *10*, 458-467.
Nakatsu, F., Sakuma, M., Matsuo, Y., Arase, H., Yamasaki, S., Nakamura, N., Saito, T., and Ohno, H. (2000). A Di-leucine signal in the ubiquitin moiety Possible involvement in ubiquitination-mediated endocytosis. Journal of Biological Chemistry *275*, 26213-26219.
Nakayama, K.I., and Nakayama, K. (2006). Ubiquitin ligases: cell-cycle control and cancer. Nature reviews Cancer *6*, 369.
Nanao, M.H., Tcherniuk, S.O., Chroboczek, J., Dideberg, O., Dessen, A., and Balakirev, M.Y. (2004). Crystal structure of human otubain 2. EMBO reports *5*, 783-788.
Nateri, A.S., Riera-Sans, L., Da Costa, C., and Behrens, A. (2004). The ubiquitin ligase SCFFbw7 antagonizes apoptotic JNK signaling. Science *303*, 1374-1378.
Naujokat, C., and Hoffmann, S. (2002). Role and function of the 26S proteasome in proliferation and apoptosis. Laboratory investigation *82*, 965.
Nederlof, P.M., Wang, H.-R., and Baumeister, W. (1995). Nuclear localization signals of human and Thermoplasma proteasomal alpha subunits are functional in vitro. Proceedings of the National Academy of Sciences *92*, 12060-12064.
Nei, M., Rogozin, I.B., and Piontkivska, H. (2000). Purifying selection and birth-and-death evolution in the ubiquitin gene family. Proceedings of the National Academy of Sciences *97*, 10866-10871.
Nenoi, M. (1992). Induced accumulation of polyubiquitin gene transcripts in HeLa cells after UV-irradiation and TPA-treatment. International journal of radiation biology *61*, 205-211.
Nenoi, M., Mita, K., Ichimura, S., and Kawano, A. (1998). Higher frequency of concerted evolutionary events in rodents than in man at the polyubiquitin gene VNTR locus. Genetics *148*, 867-876.
Neves, A.M., Guerreiro, P., and Rodrigues-Pousada, C. (1991). The macronuclear polyubiquitin gene of the ciliate Tetrahymena pyriformis. DNA Sequence *2*, 173-180.
Ng, H.H., Xu, R.-M., Zhang, Y., and Struhl, K. (2002). Ubiquitination of histone H2B by Rad6 is required for efficient Dot1-mediated methylation of histone H3 lysine 79. Journal of Biological Chemistry *277*, 34655-34657.
Nijman, S.M., Luna-Vargas, M.P., Velds, A., Brummelkamp, T.R., Dirac, A.M., Sixma, T.K., and Bernards, R. (2005). A genomic and functional inventory of deubiquitinating enzymes. Cell *123*, 773-786.
Nikolaou, E., Agrafioti, I., Stumpf, M., Quinn, J., Stansfield, I., and Brown, A.J. (2009). Phylogenetic diversity of stress signalling pathways in fungi. BMC Evol Biol *9*, 44.
Nishikawa, H., Ooka, S., Sato, K., Arima, K., Okamoto, J., Klevit, R.E., Fukuda, M., and Ohta, T. (2004). Mass spectrometric and mutational analyses reveal Lys-6-linked polyubiquitin chains catalyzed by BRCA1-BARD1 ubiquitin ligase. Journal of Biological Chemistry *279*, 3916-3924.
Nobile, C.J., Andes, D.R., Nett, J.E., Smith, F.J., Yue, F., Phan, Q.T., Edwards, J.E., Filler, S.G., and Mitchell, A.P. (2006). Critical role of Bcr1-dependent adhesins in C. albicans biofilm formation

in vitro and in vivo. PLoS Pathog *2*, e63.
Nobile, C.J., and Mitchell, A.P. (2005). Regulation of cell-surface genes and biofilm formation by the C. albicans transcription factor Bcr1p. Curr Biol *15*, 1150-1155.
Nunoura, T., Takaki, Y., Kakuta, J., Nishi, S., Sugahara, J., Kazama, H., Chee, G.-J., Hattori, M., Kanai, A., and Atomi, H. (2010). Insights into the evolution of Archaea and eukaryotic protein modifier systems revealed by the genome of a novel archaeal group. Nucleic acids research *39*, 3204-3223.
Öberg, C., Li, J., Pauley, A., Wolf, E., Gurney, M., and Lendahl, U. (2001). The Notch intracellular domain is ubiquitinated and negatively regulated by the mammalian Sel-10 homolog. Journal of Biological Chemistry *276*, 35847-35853.
Odds, F.C. (1988). Candida and candidosis: a review and bibliography (Bailliere Tindall).
Ogiso, Y., Tomida, A., and Tsuruo, T. (2002). Nuclear localization of proteasomes participates in stress-inducible resistance of solid tumor cells to topoisomerase II-directed drugs. Cancer research *62*, 5008-5012.
Osley, M.A. (2004). H2B ubiquitylation: the end is in sight. Biochimica et Biophysica Acta (BBA)-Gene Structure and Expression *1677*, 74-78.
Ozkaynak, E., Finley, D., Solomon, M., and Varshavsky, A. (1987). The yeast ubiquitin genes: a family of natural gene fusions. The EMBO journal *6*, 1429.
Ozkaynak, E., Finley, D., and Varshavsky, A. (1984). The yeast ubiquitin gene: head-to-tail repeats encoding a polyubiquitin precursor protein. Nature *312*, 663-666.
Özkaynak, E., Finley, D., and Varshavsky, A. (1984). The yeast ubiquitin gene: head-to-tail repeats encoding a polyubiquitin precursor protein. Nature *312*, 663-666.
Pagano, M. (1997). Cell cycle regulation by the ubiquitin pathway. The FASEB Journal *11*, 1067-1075.
Parker, J.L., Bielen, A.B., Dikic, I., and Ulrich, H.D. (2007). Contributions of ubiquitin-and PCNA-binding domains to the activity of Polymerase η in Saccharomyces cerevisiae. Nucleic acids research *35*, 881-889.
Passmore, L.A., McCormack, E.A., Au, S.W., Paul, A., Willison, K.R., Harper, J.W., and Barford, D. (2003). Doc1 mediates the activity of the anaphase- promoting complex by contributing to substrate recognition. The EMBO journal *22*, 786-796.
Peng, J., Schwartz, D., Elias, J.E., Thoreen, C.C., Cheng, D., Marsischky, G., Roelofs, J., Finley, D., and Gygi, S.P. (2003). A proteomics approach to understanding protein ubiquitination. Nature biotechnology *21*, 921.
Peters, J.-M., Harris, J.R., and Finley, D. (2013). Ubiquitin and the Biology of the Cell (Springer Science & Business Media).
Pickart, C.M. (2001). Mechanisms underlying ubiquitination. Annual review of biochemistry *70*, 503-533.
Pickart, C.M. (2004). Back to the future with ubiquitin. Cell *116*, 181-190.
Pickart, C.M., and Cohen, R.E. (2004). Proteasomes and their kin: proteases in the machine age. Nature reviews Molecular cell biology *5*, 177.
Pickart, C.M., and Eddins, M.J. (2004). Ubiquitin: structures, functions, mechanisms. Biochimica et Biophysica Acta (BBA)-Molecular Cell Research *1695*, 55-72.
Pickart, C.M., and Fushman, D. (2004). Polyubiquitin chains: polymeric protein signals. Current opinion in chemical biology *8*, 610-616.
Planta, R.J. (1997). Regulation of ribosome synthesis in yeast. Yeast *13*, 1505-1518.
Ponti, D., Zaffaroni, N., Capelli, C., and Daidone, M.G. (2006). Breast cancer stem cells: an overview. European Journal of Cancer *42*, 1219-1224.
Poole, B., Ohkuma, S., and Warburton, M. (1978). Some aspects of the intracellular breakdown of exogenous and endogenous proteins. In Protein Turnover and Lysosome Function (Academic Press New York), pp. 43-58.
Popov, N., Wanzel, M., Madiredjo, M., Zhang, D., Beijersbergen, R., Bernards, R., Moll, R., Elledge, S.J., and Eilers, M. (2007). The ubiquitin-specific protease USP28 is required for MYC stability. Nature cell biology *9*, 765.

Prabha, C.R., Mishra, P., and Shahukar, M. (2010). Isolation of a dosage dependent lethal mutation in ubiquitin gene of Saccharomyces cerevisiae. Paper presented at: Macromolecular symposia (Wiley Online Library).

Prabha, C.R., and Mohan Rao, C. (2004). Oxidative refolding of lysozyme in trifluoroethanol (TFE) and ethylene glycol: interfering role of preexisting α- helical structure and intermolecular hydrophobic interactions. FEBS letters *557*, 69-72.

Prabha, C.R., Mukherjee, S., Raman, R., and Kulkarni, S. (2012). The ends and means of artificially induced targeted protein degradation. Applied microbiology and biotechnology *96*, 1111-1123.

Priolo, C., Tang, D., Brahamandan, M., Benassi, B., Sicinska, E., Ogino, S., Farsetti, A., Porrello, A., Finn, S., and Zimmermann, J. (2006). The isopeptidase USP2a protects human prostate cancer from apoptosis. Cancer research *66*, 8625-8632.

Rahighi, S., Ikeda, F., Kawasaki, M., Akutsu, M., Suzuki, N., Kato, R., Kensche, T., Uejima, T., Bloor, S., and Komander, D. (2009). Specific recognition of linear ubiquitin chains by NEMO is important for NF-κB activation. Cell *136*, 1098-1109.

Rashin, A.A., and Honig, B. (1984). On the environment of ionizable groups in globular proteins. Journal of molecular biology *173*, 515-521.

Redman, K.L., and Rechsteiner, M. (1988). Extended reading frame of a ubiquitin gene encodes a stable, conserved, basic protein. Journal of Biological Chemistry *263*, 4926-4931.

Redman, K.L., and Rechsteiner, M. (1989). Identification of the long ubiquitin extension as ribosomal protein S27a. Nature *338*, 438-440.

Reyes-Turcu, F.E., Horton, J.R., Mullally, J.E., Heroux, A., Cheng, X., and Wilkinson, K.D. (2006). The ubiquitin binding domain ZnF UBP recognizes the C-terminal diglycine motif of unanchored ubiquitin. Cell *124*, 1197-1208.

Reyes-Turcu, F.E., Ventii, K.H., and Wilkinson, K.D. (2009). Regulation and cellular roles of ubiquitin-specific deubiquitinating enzymes. Annual review of biochemistry *78*, 363-397.

Reyes-Turcu, F.E., and Wilkinson, K.D. (2009). Polyubiquitin binding and disassembly by deubiquitinating enzymes. Chemical reviews *109*, 1495-1508.

Robinson, P.A., and Ardley, H.C. (2004). Ubiquitin-protein ligases-novel therapeutic targets? Current Protein and Peptide Science *5*, 163-176.

Robzyk, K., Recht, J., and Osley, M.A. (2000). Rad6-dependent ubiquitination of histone H2B in yeast. Science *287*, 501-504.

Rock, K.L., York, I.A., Saric, T., and Goldberg, A.L. (2002). Protein degradation and the generation of MHC class I-presented peptides. Advances in immunology *80*, 1-70.

Roig, P., and Gozalbo, D. (2002). Candida albicans UBI3 and UBI4 promoter regions confer differential regulation of invertase production to saccharomyces cerevisiae cells in response to stress. Int Microbiol *5*, 33-36.

Roig, P., Martinez, J.P., Gil, M.L., and Gozalbo, D. (2000). Molecular cloning and characterization of the Candida albicans UBI3 gene coding for a ubiquitin-hybrid protein. Yeast *16*, 1413-1419.

Roomans, G.M. (2001). Pharmacological treatment of the ion transport defect in cystic fibrosis. Expert opinion on investigational drugs *10*, 1-19.

Roscoe, B.P., Thayer, K.M., Zeldovich, K.B., Fushman, D., and Bolon, D.N. (2013). Analyses of the effects of all ubiquitin point mutants on yeast growth rate. Journal of molecular biology *425*, 1363-1377.

Ross, C.A., and Poirier, M.A. (2004). Protein aggregation and neurodegenerative disease. Nature medicine *10*, S10.

Rotin, D. (2000). Regulation of the epithelial sodium channel (ENaC) by accessory proteins. Current opinion in nephrology and hypertension *9*, 529-534.

Rotin, D., and Kumar, S. (2009). Physiological functions of the HECT family of ubiquitin ligases. Nature reviews Molecular cell biology *10*, 398-409.

Ryu, K.-Y., Garza, J.C., Lu, X.-Y., Barsh, G.S., and Kopito, R.R. (2008a). Hypothalamic neurodegeneration and adult-onset obesity in mice lacking the Ubb polyubiquitin gene. Proceedings of the National Academy of Sciences *105*, 4016-4021.

Ryu, K.-Y., Sinnar, S.A., Reinholdt, L.G., Vaccari, S., Hall, S., Garcia, M.A., Zaitseva, T.S., Bouley,

D.M., Boekelheide, K., and Handel, M.A. (2008b). The mouse polyubiquitin gene Ubb is essential for meiotic progression. Molecular and cellular biology *28*, 1136-1146.

Ryu, K.Y., Maehr, R., Gilchrist, C.A., Long, M.A., Bouley, D.M., Mueller, B., Ploegh, H.L., and Kopito, R.R. (2007). The mouse polyubiquitin gene UbC is essential for fetal liver development, cell- cycle progression and stress tolerance. The EMBO journal *26*, 2693-2706.

Sadowski, M., Suryadinata, R., Tan, A.R., Roesley, S.N., and Sarcevic, B. (2012). Protein monoubiquitination and polyubiquitination generate structural diversity to control distinct biological processes. IUBMB Life *64*, 136-142.

Saito, H. (2010). Regulation of cross-talk in yeast MAPK signaling pathways. Curr Opin Microbiol *13*, 677-683.

Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989). Molecular cloning: a laboratory manual (Cold spring harbor laboratory press).

Sasidhar, Y. (1998). Conformational features of disulfide intact and reduced forms of hen egg white lysozyme in aqueous solution in the presence of trifluoroethanol (TFE): implications for protein folding intermediates. Journal of the Chemical Society, Faraday Transactions *94*, 3631-3637.

Sasidhar, Y., and Prabha, C.R. (2000). Conformational features of reduced and disulfide intact forms of hen egg white lysozyme in aqueous solution in presence of 3-chloro-1, 2-propanediol and dioxane: Implications for protein folding intermediates.

Sato, K., Hayami, R., Wu, W., Nishikawa, T., Nishikawa, H., Okuda, Y., Ogata, H., Fukuda, M., and Ohta, T. (2004). Nucleophosmin/B23 is a candidate substrate for the BRCA1-BARD1 ubiquitin ligase. Journal of Biological Chemistry *279*, 30919-30922.

Sato, Y., Yoshikawa, A., Yamagata, A., Mimura, H., Yamashita, M., Ookata, K., Nureki, O., Iwai, K., Komada, M., and Fukai, S. (2008). Structural basis for specific cleavage of Lys 63-linked polyubiquitin chains. Nature *455*, 358-362.

Sauer, H., Wartenberg, M., and Hescheler, J. (2001). Reactive oxygen species as intracellular messengers during cell growth and differentiation. Cellular physiology and biochemistry *11*, 173-186.

Scheffner, M. (1998). Ubiquitin, E6-AP, and their role in p53 inactivation. Pharmacology & therapeutics *78*, 129-139.

Scheffner, M., Huibregtse, J.M., Vierstra, R.D., and Howley, P.M. (1993). The HPV-16 E6 and E6-AP complex functions as a ubiquitin-protein ligase in the ubiquitination of p53. Cell *75*, 495-505.

Schlesinger, D.H., and Goldstein, G. (1975). Molecular conservation of 74 amino acid sequence of ubiquitin between cattle and man. Nature *255*, 423-424.

Schlesinger, D.H., Goldstein, G., and Niall, H.D. (1975). Complete amino acid sequence of ubiquitin, an adenylate cyclase stimulating polypeptide probably universal in living cells. Biochemistry *14*, 2214-2218.

Schmidt, M., and Finley, D. (2014). Regulation of proteasome activity in health and disease. Biochimica et Biophysica Acta (BBA)-Molecular Cell Research *1843*, 13-25.

Scully, R. (2000). Role of BRCA gene dysfunction in breast and ovarian cancer predisposition. Breast Cancer Research *2*, 324.

Sepulveda, P., Cervera, A.M., Lopez-Ribot, J.L., Chaffin, W.L., Martinez, J.P., and Gozalbo, D. (1996). Cloning and characterization of a cDNA coding for Candida albicans polyubiquitin. J Med Vet Mycol *34*, 315-322.

Shapira, M.a., Ben–Izhak, O., Linn, S., Futerman, B., Minkov, I., and Hershko, D.D. (2005). The prognostic impact of the ubiquitin ligase subunits Skp2 and Cks1 in colorectal carcinoma. Cancer *103*, 1336-1346.

Sharma, M., and Prabha, C.R. (2011). Construction and functional characterization of double and triple mutants of parallel beta-bulge of ubiquitin. Indian J Exp Biol *49*, 919-924.

Sharma, M., and Prabha, C.R. (2015). Q2N and E64G double mutation of ubiquitin confers a stress sensitive phenotype on Saccharomyces cerevisiae. Indian J Exp Biol *53*, 617-620.

Sharp, P.M., and Li, W.-H. (1987a). The codon adaptation index-a measure of directional synonymous codon usage bias, and its potential applications. Nucleic acids research *15*, 1281-1295.

Sharp, P.M., and Li, W.-H. (1987b). Molecular evolution of ubiquitin genes. Trends in ecology & evolution *2*, 328-332.

Sharp, P.M., and Li, W.-H. (1987c). Ubiquitin genes as a paradigm of concerted evolution of tandem repeats. Journal of molecular evolution *25*, 58-64.

Sherlock, G., Bahman, A.M., Mahal, A., Shieh, J.C., Ferreira, M., and Rosamond, J. (1994). Molecular cloning and analysis of CDC28 and cyclin homologues from the human fungal pathogen Candida albicans. Mol Gen Genet *245*, 716-723.

Shi, D., and Grossman, S.R. (2010). Ubiquitin becomes ubiquitous in cancer: emerging roles of ubiquitin ligases and deubiquitinases in tumorigenesis and as therapeutic targets. Cancer biology & therapy *10*, 737-747.

Shi, Y., Chen, X., Elsasser, S., Stocks, B.B., Tian, G., Lee, B.-H., Shi, Y., Zhang, N., de Poot, S.A., and Tuebing, F. (2016). Rpn1 provides adjacent receptor sites for substrate binding and deubiquitination by the proteasome. Science *351*, aad9421.

Shih, S.C., Sloper- Mould, K.E., and Hicke, L. (2000). Monoubiquitin carries a novel internalization signal that is appended to activated receptors. The EMBO journal *19*, 187-198.

Shimura, H., Hattori, N., Kubo, S.-i., Mizuno, Y., Asakawa, S., Minoshima, S., Shimizu, N., Iwai, K., Chiba, T., and Tanaka, K. (2000). Familial Parkinson disease gene product, parkin, is a ubiquitin-protein ligase. Nature genetics *25*, 302.

Sies, H. (1991). Oxidative stress: from basic research to clinical application. The American journal of medicine *91*, S31-S38.

Sloper-Mould, K.E., Jemc, J.C., Pickart, C.M., and Hicke, L. (2001). Distinct functional surface regions on ubiquitin. J Biol Chem *276*, 30483-30489.

Smith, J.R., Clarke, P.A., de Billy, E., and Workman, P. (2009). Silencing the cochaperone CDC37 destabilises kinase clients and sensitises cancer cells to HSP90 inhibitors. Oncogene *28*, 157.

Solomon, V., Baracos, V., Sarraf, P., and Goldberg, A.L. (1998). Rates of ubiquitin conjugation increase when muscles atrophy, largely through activation of the N-end rule pathway. Proceedings of the National Academy of Sciences *95*, 12602-12607.

Sommer, T., and Wolf, D.H. (1997). Endoplasmic reticulum degradation: reverse protein flow of no return. The FASEB Journal *11*, 1227-1233.

Soule, H., Vazquez, J., Long, A., Albert, S., and Brennan, M. (1973). A human cell line from a pleural effusion derived from a breast carcinoma 2. Journal of the National Cancer Institute *51*, 1409-1416.

Spence, J., Gali, R.R., Dittmar, G., Sherman, F., Karin, M., and Finley, D. (2000a). Cell cycle-regulated modification of the ribosome by a variant multiubiquitin chain. Cell *102*, 67-76.

Spence, J., Gali, R.R., Dittmar, G., Sherman, F., Karin, M., and Finley, D. (2000b). Cell cycle–regulated modification of the ribosome by a variant multiubiquitin chain. Cell *102*, 67-76.

Spence, J., Sadis, S., Haas, A.L., and Finley, D. (1995). A ubiquitin mutant with specific defects in DNA repair and multiubiquitination. Mol Cell Biol *15*, 1265-1273.

Sreerama, N., and Woody, R.W. (2000). Estimation of protein secondary structure from circular dichroism spectra: comparison of CONTIN, SELCON, and CDSSTR methods with an expanded reference set. Analytical biochemistry *287*, 252-260.

Starita, L.M., Horwitz, A.A., Keogh, M.-C., Ishioka, C., Parvin, J.D., and Chiba, N. (2005). BRCA1/BARD1 Ubiquitinate Phosphorylated RNA Polymerase II. Journal of Biological Chemistry *280*, 24498-24505.

Stavreva, D.A., Kawasaki, M., Dundr, M., Koberna, K., Müller, W.G., Tsujimura-Takahashi, T., Komatsu, W., Hayano, T., Isobe, T., and Raska, I. (2006). Potential roles for ubiquitin and the proteasome during ribosome biogenesis. Molecular and cellular biology *26*, 5131-5145.

Stevenson, L.F., Sparks, A., Allende- Vega, N., Xirodimas, D.P., Lane, D.P., and Saville, M.K. (2007). The deubiquitinating enzyme USP2a regulates the p53 pathway by targeting Mdm2. The EMBO journal *26*, 976-986.

Stewart, M.D., Ritterhoff, T., Klevit, R.E., and Brzovic, P.S. (2016). E2 enzymes: more than just middle men. Cell research *26*, 423.

Stolz, A., and Wolf, D.H. (2010). Endoplasmic reticulum associated protein degradation: a chaperone

assisted journey to hell. Biochimica et Biophysica Acta (BBA)-Molecular Cell Research *1803*, 694-705.

Sung, M.-K., Reitsma, J.M., Sweredoski, M.J., Hess, S., and Deshaies, R.J. (2016). Ribosomal proteins produced in excess are degraded by the ubiquitin–proteasome system. Molecular biology of the cell *27*, 2642-2652.

Sutterlüty, H., Chatelain, E., Marti, A., Wirbelauer, C., Senften, M., Müller, U., and Krek, W. (1999). p45 SKP2 promotes p27 Kip1 degradation and induces S phase in quiescent cells. Nature cell biology *1*.

Swaney, D.L., Rodríguez- Mias, R.A., and Villén, J. (2015). Phosphorylation of ubiquitin at Ser65 affects its polymerization, targets, and proteome- wide turnover. EMBO reports *16*, 1131-1144.

Swanson, R., Locher, M., and Hochstrasser, M. (2001). A conserved ubiquitin ligase of the nuclear envelope/endoplasmic reticulum that functions in both ER-associated and Matα2 repressor degradation. Genes & development *15*, 2660-2674.

Szczepanowski, R.H., Filipek, R., and Bochtler, M. (2005). Crystal structure of a fragment of mouse ubiquitin-activating enzyme. Journal of Biological Chemistry *280*, 22006-22011.

Takano, K., Tsuchimori, K., Yamagata, Y., and Yutani, K. (2000). Contribution of salt bridges near the surface of a protein to the conformational stability. Biochemistry *39*, 12375-12381.

Tan, Y., Bishoff, S.T., and Riley, M.A. (1993). Ubiquitins revisited: further examples of within-and between-locus concerted evolution. Molecular phylogenetics and evolution *2*, 351-360.

Tanaka, K., Yoshimura, T., Tamura, T., Fujiwara, T., Kumatori, A., and Ichihara, A. (1990). Possible mechanism of nuclear translocation of proteasomes. FEBS letters *271*, 41-46.

Taylor, S.V., Kelleher, N.L., Kinsland, C., Chiu, H.-J., Costello, C.A., Backstrom, A.D., McLafferty, F.W., and Begley, T.P. (1998). Thiamin Biosynthesis in Escherichia coli IDENTIFICATION OF ThiS THIOCARBOXYLATE AS THE IMMEDIATE SULFUR DONOR IN THE THIAZOLE FORMATION. Journal of Biological Chemistry *273*, 16555-16560.

Terrell, J., Shih, S., Dunn, R., and Hicke, L. (1998). A function for monoubiquitination in the internalization of a G protein–coupled receptor. Molecular cell *1*, 193-202.

Thomas, S.T., and Makhatadze, G.I. (2000). Contribution of the 30/36 hydrophobic contact at the C-terminus of the α-helix to the stability of the ubiquitin molecule. Biochemistry *39*, 10275-10283.

Thomson, C.A., Giuliano, A.R., Shaw, J.W., Rock, C.L., Ritenbaugh, C.K., Hakim, I.A., Hollenbach, K.A., Alberts, D.S., and Pierce, J.P. (2005). Diet and biomarkers of oxidative damage in women previously treated for breast cancer. Nutrition and cancer *51*, 146-154.

Tobias, J.W., and Varshavsky, A. (1991). Cloning and functional analysis of the ubiquitin-specific protease gene UBP1 of Saccharomyces cerevisiae. Journal of Biological Chemistry *266*, 12021-12028.

Tomko Jr, R.J., and Hochstrasser, M. (2013). Molecular architecture and assembly of the eukaryotic proteasome. Annual review of biochemistry *82*, 415-445.

Tran, H.J., Allen, M.D., Löwe, J., and Bycroft, M. (2003). Structure of the Jab1/MPN domain and its implications for proteasome function. Biochemistry *42*, 11460-11465.

Traub, F., Mengel, M., Lück, H.J., Kreipe, H.H., and von Wasielewski, R. (2006). Prognostic impact of Skp2 and p27 in human breast cancer. Breast cancer research and treatment *99*, 185-191.

Tsirigotis, M., Zhang, M., Chiu, R.K., Wouters, B.G., and Gray, D.A. (2001). Sensitivity of mammalian cells expressing mutant ubiquitin to protein-damaging agents. Journal of Biological Chemistry *276*, 46073-46078.

Turner, J.J., Ewald, J.C., and Skotheim, J.M. (2012). Cell size control in yeast. Current Biology *22*, R350-R359.

Turrens, J.F. (1997). Superoxide production by the mitochondrial respiratory chain. Bioscience reports *17*, 3-8.

Turrens, J.F., and Boveris, A. (1980). Generation of superoxide anion by the NADH dehydrogenase of bovine heart mitochondria. Biochemical Journal *191*, 421-427.

Tyers, M., Tokiwa, G., Nash, R., and Futcher, B. (1992). The Cln3-Cdc28 kinase complex of S. cerevisiae is regulated by proteolysis and phosphorylation. The EMBO journal *11*, 1773.

Tzvetkov, N., and Breuer, P. (2007). Josephin domain-containing proteins from a variety of species

are active de-ubiquitination enzymes. Biological chemistry *388*, 973-978.

Umeyama, T., Kaneko, A., Niimi, M., and Uehara, Y. (2006). Repression of CDC28 reduces the expression of the morphology-related transcription factors, Efg1p, Nrg1p, Rbf1p, Rim101p, Fkh2p and Tec1p and induces cell elongation in Candida albicans. Yeast *23*, 537-552.

Van Zeebroeck, G., Rubio- Texeira, M., Schothorst, J., and Thevelein, J.M. (2014). Specific analogues uncouple transport, signalling, oligo- ubiquitination and endocytosis in the yeast Gap1 amino acid transceptor. Molecular microbiology *93*, 213-233.

Varadan, R., Walker, O., Pickart, C., and Fushman, D. (2002). Structural properties of polyubiquitin chains in solution. Journal of molecular biology *324*, 637-647.

Varshavsky, A. (1996). The N-end rule: functions, mysteries, uses. Proceedings of the National Academy of Sciences *93*, 12142-12149.

Varshavsky, A. (1997). The ubiquitin system. Trends in biochemical sciences *22*, 383-387.

Varshavsky, A. (2012). The ubiquitin system, an immense realm. Annual review of biochemistry *81*, 167-176.

Vasilache, S., Mirshahi, N., Ji, S.-Y., Mottonen, J., Jacobs, D.J., and Najarian, K. (2010). A signal processing method to explore similarity in protein flexibility. Advances in bioinformatics *2010*.

Vaughan, C.K., Harryson, P., Buckle, A.M., and Fersht, A.R. (2002). A structural double-mutant cycle: estimating the strength of a buried salt bridge in barnase. Acta Crystallographica Section D: Biological Crystallography *58*, 591-600.

Velasco-Velázquez, M.A., Homsi, N., De La Fuente, M., and Pestell, R.G. (2012). Breast cancer stem cells. The international journal of biochemistry & cell biology *44*, 573-577.

Verma, R., Aravind, L., Oania, R., McDonald, W.H., Yates, J.R., Koonin, E.V., and Deshaies, R.J. (2002). Role of Rpn11 metalloprotease in deubiquitination and degradation by the 26S proteasome. Science *298*, 611-615.

Vierstra, R.D., Langan, S.M., and Schaller, G.E. (1986). Complete amino acid sequence of ubiquitin from the higher plant Avena sativa. Biochemistry *25*, 3105-3108.

Vijay-Kumar, S., Bugg, C., Wilkinson, K., Vierstra, R., Hatfield, P., and Cook, W. (1987a). Comparison of the three-dimensional structures of human, yeast, and oat ubiquitin. Journal of Biological Chemistry *262*, 6396-6399.

Vijay-Kumar, S., Bugg, C.E., and Cook, W.J. (1987b). Structure of ubiquitin refined at 1.8 Åresolution. Journal of molecular biology *194*, 531-544.

Vijay-Kumar, S., Bugg, C.E., Wilkinson, K.D., and Cook, W.J. (1985). Three-dimensional structure of ubiquitin at 2.8 A resolution. Proceedings of the National Academy of Sciences *82*, 3582-3585.

Vodermaier, H.C., Gieffers, C., Maurer-Stroh, S., Eisenhaber, F., and Peters, J.-M. (2003). TPR subunits of the anaphase-promoting complex mediate binding to the activator protein CDH1. Current Biology *13*, 1459-1468.

Vong, Q.P., Cao, K., Li, H.Y., Iglesias, P.A., and Zheng, Y. (2005). Chromosome alignment and segregation regulated by ubiquitination of survivin. Science *310*, 1499-1504.

Vrana, P.B., and Wheeler, W.C. (1996). Molecular evolution and phylogenetic utility of the polyubiquitin locus in mammals and higher vertebrates. Molecular phylogenetics and evolution *6*, 259-269.

Walden, H., Podgorski, M.S., and Schulman, B.A. (2003). Insights into the ubiquitin transfer cascade from the structure of the activating enzyme for NEDD8. Nature *422*, 330.

Wang, F., Liu, M., Qiu, R., and Ji, C. (2011). The dual role of ubiquitin-like protein Urm1 as a protein modifier and sulfur carrier. Protein & cell *2*, 612-619.

Wang, M., Cheng, D., Peng, J., and Pickart, C.M. (2006). Molecular determinants of polyubiquitin linkage selection by an HECT ubiquitin ligase. The EMBO journal *25*, 1710-1719.

Wang, Q.-E., Zhu, Q., Wani, G., El-Mahdy, M.A., Li, J., and Wani, A.A. (2005). DNA repair factor XPC is modified by SUMO-1 and ubiquitin following UV irradiation. Nucleic acids research *33*, 4023-4034.

Wang, T., Yin, L., Cooper, E.M., Lai, M.-Y., Dickey, S., Pickart, C.M., Fushman, D., Wilkinson, K.D., Cohen, R.E., and Wolberger, C. (2009). Evidence for bidentate substrate binding as the

basis for the K48 linkage specificity of otubain 1. Journal of molecular biology *386*, 1011-1023.
Wäsch, R., and Engelbert, D. (2005). Anaphase-promoting complex-dependent proteolysis of cell cycle regulators and genomic instability of cancer cells. Oncogene *24*, 1.
Watson, D.C., LEVY, W.B., and Dixon, G.H. (1978). Free ubiquitin is a non-histone protein of trout testis chromatin. Nature *276*, 196-198.
Wauer, T., Simicek, M., Schubert, A., and Komander, D. (2015a). Mechanism of phospho-ubiquitin-induced PARKIN activation. Nature *524*, 370-374.
Wauer, T., Simicek, M., Schubert, A., and Komander, D. (2015b). Mechanism of phospho-ubiquitin induced Parkin activation. Nature *524*, 370.
Wauer, T., Swatek, K.N., Wagstaff, J.L., Gladkova, C., Pruneda, J.N., Michel, M.A., Gersch, M., Johnson, C.M., Freund, S.M., and Komander, D. (2015c). Ubiquitin Ser65 phosphorylation affects ubiquitin structure, chain assembly and hydrolysis. Embo J *34*, 307-325.
Webb, G., Baker, R., Coggan, M., and Board, P. (1994). Localization of the human UBA52 ubiquitin fusion gene to chromosome band 19p13. 1-p12. Genomics *19*, 567-569.
Weeks, S.D., Grasty, K.C., Hernandez-Cuebas, L., and Loll, P.J. (2011). Crystal Structure of a Josephin-Ubiquitin Complex EVOLUTIONARY RESTRAINTS ON ATAXIN-3 DEUBIQUITINATING ACTIVITY. Journal of Biological Chemistry *286*, 4555-4565.
Weissman, A.M. (1997). Regulating protein degradation by ubiquitination. Immunology today *18*, 189-198.
Welchman, R.L., Gordon, C., and Mayer, R.J. (2005). Ubiquitin and ubiquitin-like proteins as multifunctional signals. Nature reviews Molecular cell biology *6*, 599.
Wertz, I.E., O'rourke, K.M., Zhou, H., and Eby, M. (2004). De-ubiquitination and ubiquitin ligase domains of A20 downregulate NF-kappaB signalling. Nature *430*, 694.
Whitcomb, E.A., Dudek, E.J., Liu, Q., and Taylor, A. (2009). Novel control of S phase of the cell cycle by ubiquitin-conjugating enzyme H7. Molecular biology of the cell *20*, 1-9.
Whiteway, M. (2000). Transcriptional control of cell type and morphogenesis in Candida albicans. Curr Opin Microbiol *3*, 582-588.
Wiborg, O., Pedersen, M., Wind, A., Berglund, L., Marcker, K., and Vuust, J. (1985a). The human ubiquitin multigene family: some genes contain multiple directly repeated ubiquitin coding sequences. The EMBO journal *4*, 755.
Wiborg, O., Pedersen, M.S., Wind, A., Berglund, L.E., Marcker, K.A., and Vuust, J. (1985b). The human ubiquitin multigene family: some genes contain multiple directly repeated ubiquitin coding sequences. Embo J *4*, 755-759.
Wickliffe, K.E., Williamson, A., Meyer, H.-J., Kelly, A., and Rape, M. (2011). K11-linked ubiquitin chains as novel regulators of cell division. Trends in cell biology *21*, 656-663.
Wilkinson, K., Urban, M., and Haas, A. (1980). Ubiquitin is the ATP-dependent proteolysis factor I of rabbit reticulocytes. Journal of Biological Chemistry *255*, 7529-7532.
Wilkinson, K.D. (2009). DUBs at a glance. J Cell Sci *122*, 2325-2329.
Wilkinson, K.D., Cox, M.J., O'Connor, L.B., and Shapira, R. (1986). Structure and activities of a variant ubiquitin sequence from bakers' yeast. Biochemistry *25*, 4999-5004.
Wilkinson, K.D., Lee, K., Deshpande, S., Duerksen-Hughes, P., Boss, J.M., and Pohl, J. (1989). The neuron-specific protein PGP 9.5 is a ubiquitin carboxyl-terminal hydrolase. Science *246*, 670-673.
Wilkinson, K.D., and Mayer, A.N. (1986). Alcohol-induced conformational changes of ubiquitin. Archives of biochemistry and biophysics *250*, 390-399.
Williams, R.L., and Urbé, S. (2007). The emerging shape of the ESCRT machinery. Nature reviews Molecular cell biology *8*, 355.
Wimalasena, T.T., Enjalbert, B., Guillemette, T., Plumridge, A., Budge, S., Yin, Z., Brown, A.J., and Archer, D.B. (2008). Impact of the unfolded protein response upon genome-wide expression patterns, and the role of Hac1 in the polarized growth, of Candida albicans. Fungal Genet Biol *45*, 1235-1247.
Winborn, B.J., Travis, S.M., Todi, S.V., Scaglione, K.M., Xu, P., Williams, A.J., Cohen, R.E., Peng, J., and Paulson, H.L. (2008). The deubiquitinating enzyme ataxin-3, a polyglutamine disease

protein, edits Lys63 linkages in mixed linkage ubiquitin chains. Journal of Biological Chemistry *283*, 26436-26443.

Wing, S.S. (2008). The UPS in diabetes and obesity. BMC biochemistry *9*, S6.

Winget, J.M., and Mayor, T. (2010). The diversity of ubiquitin recognition: hot spots and varied specificity. Molecular cell *38*, 627-635.

Wintrode, P.L., Makhatadze, G.I., and Privalov, P.L. (1994). Thermodynamics of ubiquitin unfolding. Proteins: Structure, Function, and Bioinformatics *18*, 246-253.

Wojtala, A., Bonora, M., Malinska, D., Pinton, P., Duszynski, J., and Wieckowski, M.R. (2014). Methods to monitor ROS production by fluorescence microscopy and fluorometry. Methods Enzymol *542*, 243-262.

Wolf, D.H., and Hilt, W. (2004). The proteasome: a proteolytic nanomachine of cell regulation and waste disposal. Biochimica et Biophysica Acta (BBA)-Molecular Cell Research *1695*, 19-31.

Wu, K., Chen, A., Tan, P., and Pan, Z.-Q. (2002). The Nedd8-conjugated ROC1-CUL1 core ubiquitin ligase utilizes Nedd8 charged surface residues for efficient polyubiquitin chain assembly catalyzed by Cdc34. Journal of Biological Chemistry *277*, 516-527.

Xi, J., Ge, Y., Kinsland, C., McLafferty, F.W., and Begley, T.P. (2001). Biosynthesis of the thiazole moiety of thiamin in Escherichia coli: identification of an acyldisulfide-linked protein–protein conjugate that is functionally analogous to the ubiquitin/E1 complex. Proceedings of the National Academy of Sciences *98*, 8513-8518.

Xu, J., Zhang, J., Wang, L., Zhou, J., Huang, H., Wu, J., Zhong, Y., and Shi, Y. (2006). Solution structure of Urm1 and its implications for the origin of protein modifiers. Proceedings of the National Academy of Sciences *103*, 11625-11630.

Xu, P., Duong, D.M., Seyfried, N.T., Cheng, D., Xie, Y., Robert, J., Rush, J., Hochstrasser, M., Finley, D., and Peng, J. (2009). Quantitative proteomics reveals the function of unconventional ubiquitin chains in proteasomal degradation. Cell *137*, 133-145.

Yada, M., Hatakeyama, S., Kamura, T., Nishiyama, M., Tsunematsu, R., Imaki, H., Ishida, N., Okumura, F., Nakayama, K., and Nakayama, K.I. (2004). Phosphorylation- dependent degradation of c- Myc is mediated by the F- box protein Fbw7. The EMBO journal *23*, 2116-2125.

Yao, T., and Cohen, R.E. (2002). A cryptic protease couples deubiquitination and degradation by the proteasome. Nature *419*, 403.

Ye, Y., and Rape, M. (2009). Building ubiquitin chains: E2 enzymes at work. Nature reviews Molecular cell biology *10*, 755.

Ye, Y., Scheel, H., Hofmann, K., and Komander, D. (2009). Dissection of USP catalytic domains reveals five common insertion points. Molecular bioSystems *5*, 1797-1808.

Yu, X., Fu, S., Lai, M., Baer, R., and Chen, J. (2006). BRCA1 ubiquitinates its phosphorylation-dependent binding partner CtIP. Genes & development *20*, 1721-1726.

Zerella, R., Evans, P.A., Ionides, J.M., Packman, L.C., Trotter, B.W., Mackay, J.P., and Williams, D.H. (1999). Autonomous folding of a peptide corresponding to the N-terminal β-hairpin from ubiquitin. Protein science *8*, 1320-1331.

Zeuthen, M.L., and Howard, D.H. (1989). Thermotolerance and the heat-shock response in Candida albicans. J Gen Microbiol *135*, 2509-2518.

Zhang, D., Zaugg, K., Mak, T.W., and Elledge, S.J. (2006). A role for the deubiquitinating enzyme USP28 in control of the DNA-damage response. Cell *126*, 529-542.

Zhang, Y., Chang, C., Gehling, D.J., Hemmati-Brivanlou, A., and Derynck, R. (2001). Regulation of Smad degradation and activity by Smurf2, an E3 ubiquitin ligase. Proceedings of the National Academy of Sciences *98*, 974-979.

Zhang, Y., Liao, S., Fan, W., Wei, W., Wang, C., and Sun, S. (2014). Tunicamycin-induced ER stress regulates chemokine CCL5 expression and secretion via STAT3 followed by decreased transmigration of MCF-7 breast cancer cells. Oncology reports *32*, 2769-2776.

Zhao, R., Davey, M., Hsu, Y.-C., Kaplanek, P., Tong, A., Parsons, A.B., Krogan, N., Cagney, G., Mai, D., and Greenblatt, J. (2005). Navigating the chaperone network: an integrative map of physical and genetic interactions mediated by the hsp90 chaperone. Cell *120*, 715-727.

Zheng, N., Wang, P., Jeffrey, P.D., and Pavletich, N.P. (2000). Structure of a c-Cbl–UbcH7 complex: RING domain function in ubiquitin-protein ligases. Cell *102*, 533-539.

Zimmermann, C., Chymkowitch, P., Eldholm, V., Putnam, C.D., Lindvall, J.M., Omerzu, M., Bjørås, M., Kolodner, R.D., and Enserink, J.M. (2011). A chemical-genetic screen to unravel the genetic network of CDC28/CDK1 links ubiquitin and Rad6–Bre1 to cell cycle progression. Proceedings of the National Academy of Sciences *108*, 18748-18753.

Zu-Wen, S., and Allis, C.D. (2002). Ubiquitination of histone H2B regulates H3 methylation and gene silencing in yeast. Nature *418*, 104.

Zuin, A., Isasa, M., and Crosas, B. (2014). Ubiquitin signaling: extreme conservation as a source of diversity. Cells *3*, 690-701.