LITERATURE CITED

Addison, P.A., S.S. Malhotra and A.A. Khan (1984). Effect of sulphur dioxide on woody boreal forest species grown on native soils and tailings. J. Environ. Qual. 13, 333-336.

Agrawal, M., P.K. Nandi and D.N. Rao (1983). Ozone and sulphur dioxide effects on Panicum miliaceum plants. Bull. Torrey Bot. Club, 110, 435-441.

Alscher, R. (1984). Effects of SO_2 on light-modulated enzyme reactions. In Gaseous air pollutants and plant metabolism, (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 181-200.

————, J.L. Bower and Warren Zipfel (1987). The basis for different sensitivities of photosynthesis to SO_2 in two cultivars of pea. J. Exp. Bot., 38, 99-108.

Amiro, B.D. and T.J. Gillespie (1985). Leaf conductance response of Phaseolus vulgaris to ozone flux density. Atmos. Environ., 19, 807-810.

Amundson, R.G., R.J. Kohut, A.W. Schoettle, R.M. Raba and P.B. Reich (1987). Correlative reductions in whole-plant photosynthesis and yield of winter wheat caused by ozone. Phytopathol., 77, 75-79.

———— and D.C. Maclean. Influence of oxides of nitrogen on crop growth and yield: An overview. Boyce Thompson Institute at Cornell Univ., Ithaca, Ny 14853 U.S.A.

————, L.H. Weinstein, P. Van Leuken and L.J. Colavito (1982). Joint action of HF and NO_2 on growth, fluorine accumulation and leaf resistance in Marcross sweet corn. Environ. Exp. Bot., 22, 49-55.

Anderson, L.S. and T.A. Mansfield (1979). The effects of nitric oxide pollution on the growth of tomato. Environ. Pollut., **18**, 113-121.

Andrea, E.M. and D.P. Ormrod (1986). Visible injury and growth responses of young cuttings of Populus canadensis and Populus nigra to nitrogen dioxide and sulphur dioxide. Can. J. For. Res., **16**, 1289-1292.

Anonymous (1987). Our common future. World commission on environment and development. Oxford University Press, Delhi, 181.

Ashenden, T.W. and T.A. Mansfield (1977). Influence of wind speed on the sensitivity of Ryegrass to SO_2. J. Exp. Bot., **28**, 729-735.

Ayazloo, M. and J.N.B. Bell (1981). Studies on the tolerance to sulphur dioxide of grass populations in polluted areas. I. Identification of tolerant populations. New Phytol., **88**, 203-222.

————, ———— and S.G. Garsed (1980). Modification of chronic sulphur dioxide injury to Lolium perenne L. by different sulphur and nitrogen nutrient treatments. Environ. Pollut., **22**, 295-307.

————, S.G. Garsed and J.N.B. Bell (1982). Studies on the tolerance to sulphur dioxide of grass populations in polluted areas II. Morphological and Physiological investigations. New Phytol., **90**, 109-126.

Ayer, S.K. and S.J. Bedi (1986). Effect of artificial fumigation of SO_2 on Triticum sativum Law. var J. 24 (Wheat). Ind. J. Air Pollut. Control., **7**, 75-87.

Baker, C.K., J.J. Colls, A.E. Fullwood and G.G.R. Seaton (1986). Depression of growth and yield in winter barley exposed to sulphur dioxide in the field. New Phytol., **104**, 233-241.

————, A.E. Fullwood and J.J. Colls (1987). Tillering and leaf area of winter barley exposed to sulphur dioxide in the field. Ibid., **107**, 373-385.

Ballantyne, D.J. (1973). Sulphite inhibition of ATP formation in plant mitochondria. Phytochem., **12**, 1207-1209.

———— (1984). Phytotoxic air pollutants and oxidative phosphorylation. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 223-230.

Beck, E., A. Burkert and M. Hofmann (1983). Uptake of L-ascorbate by intact spinach chloroplasts. Plant Physiol., **73**, 41-45.

Beckerson, D.W. and G. Hofstra (1979[a]). Response of leaf diffusive resistance of radish, cucumber and soybean to O_3 and SO_2 singly or in combination. Atmos. Environ., **13**, 1263-1268.

———— and ———— (1979[b]). Effect of sulphur dioxide and ozone singly or in combination on leaf chlorophyll, RNA and protein in white bean. Can. J. Bot., **57**, 1940-1945.

———— and ———— (1980). Effects of SO_2 and O_3 singly or in combination, on membrane permeability. Ibid., **58**, 451-457.

Bell, D.C. and S.J. Bedi (1985). Effect of industrial air pollution on the dry weight and yield of tomato (Lycopersicon lycopersicum L.) Karsten. In Ecology and Resource Management in Tropics. (Ed. in Chief, Prof. K.C. Mishra) Bhargava Book Depot, Varanasi (India), **1**, 168-172.

Bennett, J.H., H.E. Lee and H.E. Heggstad (1984). Biochemical aspects of plant tolerance to ozone and oxyradicals: superoxide dismutase. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 413-424.

Bergmeyer, H.U. (1974). Methods in enzymatic analysis. Academic Press, New York, Vol. II.

Bewley, J.D. and M. Black (1978). Physiology and biochemistry of seeds. In relation to germination. Vol. 1 : Development, germination and growth. Springer-Verlag, Berlin, 259 - 262.

Black, C.R., V.J. Black and D.P. Ormrod (1982). Injurious effects of low concentrations of SO_2 and O_3 on the leaf surface and stomatal conductances of field bean. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 492-493.

Blum, U., M. Edward Jr. and E. Johnson (1983). Investigation of Ozone effects on ^{14}C distribution in Ladino clover. Environ. Exp. Bot., **23**, 369-378.

Bradley, R.S., H.F. Diaz and J.K. Eischeid (1987). Precipitation fluctuations over northern hemisphere land area since the mid 19th century. Science, **237**, 171-175.

Brady, G.L. and N.A. Maloley (1984). Acid Rain : Science/Politics/ Economics. Federal Bar News and Journal, 31, 59-64.

Brown, K.A. and J.N.B. Bell (1986). Vegetation - The missing sink in the global cycle of carbonyl sulphide (COS). Atmos. Environ., **20**, 537-540.

————, T.M. Roberts and L.W. Blank (1987). Interaction between Ozone and cold sensitivity in Norway spruce : A factor contributing to the forest decline in central Europe. New Phytol., **105**, 149-156.

Bucher, J.B. (1978). SO_2-induziertes stress-aethylen in den assimilation sorganen von wald baeumen. In Zbornik (Mitteil). Inst. Forst-u-Holzwirtschaft Ljubljana (YU) IUFRO - Bericht der X. Fachtagung in Ljubljana. Sept., 93-101.

———— (1981). SO_2-induced ethylene evolution on forest tree foliage, and its potential use as stress-indicator. Eur. J. For. Pathol., **11**, 369-373.

———— (1984). Emission of volatiles from plants under air pollution stress. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 399-412.

Bytnerowicz, A., P.R. Miller and D.M. Olszyk (1987[a]). Dry deposition of nitrate, ammonium and sulphate to a Ceanothus crassifolius canopy and surrogate surfaces. Atmos. Environ., **21**, 1749-1757.

————, D.M. Olszyk, G. Kats, P.J. Dawson, J. Wolf and C.R. Thompson (1987[b]). Effects of SO_2 on physiology, elemental content and injury development of winter wheat. Agric. Ecosystems Environ., **20**, 37-47.

Carlson, R.W. (1983[a]). The effect of SO_2 on photosynthesis and leaf resistance at varying concentrations of CO_2. Environ. Pollut., **30**, 309-321.

——————— (1983[b]). Interaction between SO_2 and NO_2 and their effects on photosynthetic properties of soybean Glycine max. Ibid., **32**, 11-38.

——————— and F.A. Bazzaz (1982). Photosynthetic and growth response to fumigation with SO_2 at elevated CO_2 for C_3 and C_4 plants. Oecologia (Berl.), **54**, 50-54.

Castillo, F.J. and H. Greppin (1988). Extracellular ascorbic acid and enzyme activities related to ascorbic acid metabolism in Sedum album L., leaves after ozone exposure. Environ. Exp. Bot., **28**, 231-238.

——————, C. Penel and H. Greppin (1984). Peroxidase release induced by O_3 in Sedum album leaves : Involvement of Ca^{2+}. Plant Physiol., **74**, 846-851.

Chaphekar, S.B., D.B. Boralkar and R.P. Shetye (1980). Plants for air monitoring in industrial areas. Tropical Ecology and Development, 669-675.

——————— and M.R. Karbhari (1974). Sulphur dioxide injury to plants - some experiments : Geobios, **1**, 141-142.

Chevrier, N., F. Sarhan and Y.S. Chung (1988). Oxidative damages and repair in Euglena gracilis exposed to ozone. I. SH groups and lipids. Plant Cell Physiol., **29**, 321-327.

Chia, L.S., C.I. Mayfield and J.E. Thompson (1984). Simulated acid rain induces lipid peroxidation and membrane damage in foliage. Plant Cell Environ., **7**, 333-338.

Chimiklis, P.E. and R.L. Heath (1975). Ozone-induced loss of intracellular potassium ion from Chlorella sorokiniana. Plant Physiol., **56**, 723-727.

Christopher, C. and R.L. Heath (1974). Inhibition of the photosynthetic capacity of isolated chloroplasts by ozone. Ibid., **53**, 32-38.

Constantinidou, H.A. and T.T. Kozlowski (1979). Effects of sulphur dioxide and ozone on Ulmus americana seedlings II : Carbohydrates, proteins and lipids. Can. J. Bot., **57**, 176-184.

Cornic, G. (1987). Interaction between sublethal pollution by sulphur dioxide and drought stress. The effect on photosynthetic capacity. Physiol. Plant., **71**, 115-119.

Cowling, D.W. and M.J. Koziol (1982). Mineral nutrition and plant response to air pollutants. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 349-375.

Crawfold, M. (1987). EPA to cut US CFC production to protect ozone in stratosphere. Science, **238**, 1505.

Darrall, N.M. and H.J. Jager (1984). Biochemical diagnostic test for the effect of air pollution on plants. In Gaesous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 333-350.

Dassler, H.G. and S. Bortitz (1988). Air Pollution and its influence on vegetation. Causes/Effects/Prophylaxis and Therapy. Dr. W. Junk Publishers, Dordrecht, 76-161.

De Kok, L.J., W. Bosma, F.M. Maas and P.J.C. Kuiper (1985). The effect of short-term H_2S fumigation on water-soluble sulphydryl and glutathione levels in spinach. Plant cell Physiol., **8**, 189-194.

Dijak, M. and D.P. Ormrod (1982). Some physiological and anatomical characteristics associated with differential ozone sensitivity among pea cultivars. Environ. Exp. Bot. **22**, 395-402.

Dixit, A.B. (1988). Effects of particulate pollutants on plants at ultrastructural and cellular levels. Ann. Bot., **62**, 643-651.

Dominy, P.J. and R.L. Heath (1985). Inhibition of the K^+ - stimulated ATPase of the plasmalemma of pinto bean leaves by ozone. Plant Physiol., **77**, 43-45.

Dueck, T.H.A., W.H.O. Ernst, J. Mooi and F.J. Pasman (1986). Effects of SO_2, NO_X and O_3 in combination on the yield and reproduction of Silene cucubalus populations. J. Plant Physiol., **122**, 97-106.

Edward, P.V., C.R. Curtis and H.E. Heggestad (1984). Peroxidase enzyme markers for ozone sensitivity in sweet corn. Phytopathol., **74**, 572-577.

Elkiey, T. and D.P. Ormrod (1981[a]). Sorption of O_3, SO_2 and NO_2 or their mixture by nine Poa pratensis cultivars of differing pollutant sensitivity. Atmos. Environ., **15**, 1739-1743.

Elkiey, T. and D.P. Ormrod (1981[b]). Absorption of Ozone, sulphur dioxide and nitrogen dioxide by Petunia plants. Environ. Exp. Bot., **21**, 63-70.

Endress, G.A., S.J. Suarez and O.C. Taylor (1980). Peroxidase activity in plant leaves exposed to gaseous HCl or ozone. Environ. Pollut., **22**, 47-58.

Ernst, W.H.O., A.E.C. Tonneijck and F.J.M. Pasman (1985). Ecotypic response of Silene cucubalus to air pollutants (SO_2, O_3). J. Plant Physiol., **118**, 439-450.

——————, J.A.C. Verkleij and R. Vooijs (1983). Bioindication of a surplus of heavy metals in terrestrial ecosystems. Environ. Monitoring Assessment, 3, 297-305.

Eveling, D.W. (1986). Scanning electron microscopy of damage by dust deposits to leaves and petals. Bot. Gaz., **147**, 159-165.

Eversman, S. and L.L. Sigal (1987). Effects of SO_2, O_3 and SO_2 and O_3 in combination on photosynthesis and ultrastructure of two lichen species. Can. J. Bot., **65**, 1806-1818.

Feiler, S. (1985). Influence of sulphur dioxide on membrane permeability and consequences on frost sensitivity of spruce (Picea abies). Flora (Jena), **177**, 217-226.

Filner, P., H. Rennenberg, J. Sekiya, R.A. Bressan, L.G. Wilson, L. Le Cureux and T. Shimei (1984). Biosynthesis and emission of hydrogen sulphide by higher plants. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 291-312.

Flinn, A.M. and D.L. Smith (1967). The localization of enzymes in the Cotyledons of Pisum acvense L. during germination. Planta, **75**, 10-22.

Foyer, C.H. and B. Halliwell (1976). The presence of glutathione and glutathione reductase in chloroplasts : A proposed role in ascorbic acid metabolism. Ibid., **133**, 21-25.

Frederick, P.E. and R.L. Heath (1970). Ozone induced fatty acid and viability changes in chlorella. plant physiol., 55, 15-19.

Freedman, B. and T.C. Hutchinson (1980). Pollutant inputs from the atmosphere and accumulations in soil and vegetation near nickel-copper smelter at Sudbury, Ontario, Canada. Can. J. Bot., **58**, 108-132.

Freer-Smith, H.P. (1984). The responses of six broad leaved trees during long-term exposure to SO_2 and NO_2. New Phytol., **97**, 49-61.

Furukawa, A. (1984). Defining pollution problems in the far east - a case study of Japanese air pollution problems. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 59-74.

Galloway, J.N., Zhao Dianuu, Xiong Jiling and G.E. Likens (1987). Acid rain : China, United States and A Remote area. Science, **236**, 1559-1562.

Garrido, L.M. (1964). Determination of sulphur in plant material. Analyst, **89**, 61-66.

Garsed, S.G. (1984). Uptake and distribution of pollutants in the plant and residence time of active species. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 83-104.

——————— and D.J. Read (1977). Sulphur dioxide metabolism in soybean, Glycine max. var. Biloxi. II. Biochemical distribution of ^{35}S products. New Phytol., **99**, 583-592.

———————— and A.J. Rutter (1982). Relative performance of conifer populations in various tests for sensitivity to SO_2 and the implications for selecting trees for planting in polluted areas. Ibid., 92, 349-367.

Godzik, S. (1984). Air pollution problems in some central European countries - Czechoslovakia, The German Democratic Republic and Poland. In Gaseous air pollutants and plant Metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 25-34.

Grace, B., T.J. Gillespie and K.J. Puckett (1984). Uptake of gaseous sulphur dioxide by the lichen Cladina rangiferina. Can. J. Bot., **63**, 797-805.

————, ———————— and ———————— (1985). Sulphur dioxide threshold concentration values for Cladina rangiferina in the Mackenzie Valley, N.W.T. Ibid., **63**, 806-812.

Grunwald, C. (1981). Foliar Fatty acids and sterols of soybean field fumigated with SO_2. Plant Physiol., **68**, 868-871.

———————— and A.G. Endress (1985). Foliar sterols in soybeans exposed to chronic levels of ozone. Ibid., **77**, 245-247.

Guderian, R. (1977). Air Pollution. Phytotoxicity of acidic gases and its significance in air pollution control. Springer-Verlag, Berlin, 75-97.

———————— and K. Kueppers (1980). Response of plant communities to air pollution. In Proc. Symp. on "Effects of air pollutants on mediterranean and temperate forest ecosystems". General technical report, PSW-43, Berkely, California, 187-199.

Gupta, M.C. and A.K.M. Ghouse (1986). The effects of coal-smoke pollutants on the leaf epidermal architecture in Solanum melongena L. var. Pusa Purple Long. Environ. Pollut., **41**, 315-321.

Hallagren, J.E., S. Linder, A. Richter, E. Troeng and L. Granat (1982). Uptake of SO_2 in shoots of scots pine : field measurements of net flux of sulphur in relation to stomatal conductance. Plant Cell and Environ., 5, 75-83.

Hari, P., T. Raunemma and A. Hautojarvi (1986). The effects on forest growth of air pollution from energy production. Atmos. Environ., **20**, 129-137.

Hasselrot, B. and P. Grennfelt (1987). Deposition of air pollutants in wind-exposed forest edge. Water Air and Soil Pollut., **34**, 135-143.

Heagle, A.S. and W.W. Heck (1980). Field methods to assess crop losses due to oxidant air pollutants. In proc. of the E.C. Stakman Commemorative Symposium, (Eds. P.S. Teng and S.V. Krupa). Crop loss assessment. Misc. Publ. 7, Agric. Exp. Stn.

————, ————, J.O. Rawlings and R.B. Philbeck (1983[a]). Effects of chronic doses of ozone and sulphur dioxide on injury and yield of soybeans in open-top field chambers. Crop Science, **23**, 1184-1191.

————, M.B. Letchworth and C.A. Mitchell (1983[b]). Effects of growth medium and fertilizer rate on the yield response of soybeans exposed to chronic doses of Ozone. Phytopathol., 73, 134-139.

———————, R.B. Philbeck, P.F. Brewer and R.E. Ferrell (1983[c]). Response of soybeans to simulated acid rain in the field. J. Environ. Qual., **12**, 538-543.

Heath, R.L. (1978). The reaction stio-chiometry between ozone and unsaturated fatty acids in an aqueous environment. Chemistry and Physics of Lipids, **22**, 25-37.

——————— (1984). Decline in energy reserves of chlorella sorokiniana upon exposure to ozone. Plant Physiol., **76**, 700-704.

———————, P.E. Frederick and P.E. Chimiklis (1982). Ozone inhibition of photosynthesis in Chlorella sorokiniana. Ibid., **69**, 229-233.

Heck, W.W. (1982). Future directions in air pollution research. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 411-435.

——————— (1984). Defining gaseous pollution problems in North America, In Gaseous air pollutants and plant metabolism. (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 35-48.

Heggestad, H.E., T.J. Gish, E.H. Lee, J.H. Bennett and L.W. Douglass (1985). Interaction of soil moisture stress and ambient ozone on growth and yield of soybeans. Phytopathol., **75**, 472-477.

Hill, A.C. (1971). Vegetation : A sink for atmospheric pollutants. JAPCA., **21**, 341-346.

HO, I. and J.M. Trappe (1984). Effects of ozone exposure on mycorrhiza formation and growth of Festuca arundinacea. Environ. Exp. Bot., **24**, 71-74.

Hofstra, G. and D.W. Beckerson (1981). Foliar responses of five plant species to ozone and a sulphur dioxide/ozone mixture after a sulphur dioxide pre-exposure. Atmos. Environ., **15**, 383-389.

————, A.E.G. Tonneijck and O.B. Allen (1985). Cumulative effects of low levels of SO_2 on O_3 sensitivity in bean and cucumber. Ibid., **19**, 195-198.

Holden, M. (1965). Chemistry and biochemistry of plant pigments. (Ed. Goodwin). Academic Press. New York, 461-488.

Huttunen, S. and S. Soikkeli (1984). Effects of various gaseous pollutants on plant cell ultrastructure. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley) Butterworths, London, 117-127.

Irving, P.M. (1983). Acidic precipitation effects on crops : A review and analysis of research. J. Environ. Qual., **12**, 442-453.

———— and J.E. Miller (1981). Productivity of field grown soybeans exposed to acid rain and sulphur dioxide alone and in combination. Ibid., **10**, 473-478.

———— and ———— (1984). Synergistic effect on field grown soybeans from combinations of sulphur dioxide and nitrogen dioxide. Can. J. Bot., **62**, 840-846.

Isamu, N., H. Mayumi and F. Yamazoe (1984). Foliar injury response of Petunia and kidney bean to simultaneous and alternate exposures to ozone and PAN. Atmos. Environ., 18, 453-460.

Ito, O., K. Okano and T. Totsuka (1986). Effect of nitrogen dioxide and ozone exposure alone or in combination on kidney bean plants : Amino acid content and composition. Soil Sci. Plant Nutr., 32, 351-364.

Jacobson, J.S. and J.M. Mc Manus (1985). Pattern of atmospheric sulphur dioxide occurence : An important criterian in vegetation effects assessment. Atmos. Environ., 19, 501-506.

Jager, H.J., . J. Bender and L. Grunhage (1985). Metabolic responses of plants differing in SO_2 sensitivity towards SO_2 fumigation. Environ. Pollut., 39, 317-335.

————, H.J. Weigel and L. Grunhage (1986). Physiological and Biochemical aspects of the impacts of air pollutants on forest trees. Eur. J. For. Pathol., 16, 98-109.

Jammet, H.P. (1961). Radioactive pollution. In Air Pollution. Monograph series 46. World Health Organization, Switzerland, 381-432.

Jensen, U.E., H.J. Jager (1983). Physiological and biochemical responses of plants as indicators of an effect of air pollution on vegetation. Angew Bot., 57, 157-172.

Jensen, K.F. and B.R. Roberts (1986). Changes in yellow poplar (Liriodendron tulipifera) stomatal resistance with sulphur dioxide and ozone fumigation. Environ. Pollut., 41, 235-246.

Jocelyn, C.P. (1972). Biochemistry of the SH group. Academic Press, London.

Jones, T. and T.A. Mansfield (1982). Studies on dry matter partitioning and distribution of ^{14}C - labelled assimilates in plants of Phleum pratense exposed to SO_2 pollution. Environ. Pollut., **28**, 199-207.

Jozef, S. and R.H. Lindsay (1968). Estimation of total, protein-bound and non-protein sulphydryl groups in tissue with Ellman's reagent. Anal. Biochem., **25**, 192-205.

Kato, M. and S. Shimizu (1985). Chlorophyll metabolism in higher plants VI. Involvement of peroxidase in chlorophyll degradation. Plant Cell Physiol., **26**, 1291-1301.

——— and ——— (1987). Chlorophyll metabolism in higher plants VII. Chlorophyll degradation in senescing tobacco leaves; phenolic-dependent peroxidative degradation. Can. J. Bot., **65**, 729-735.

Kats, G., P.J. Dawson, A. Bytnerowicz, J.W. Wolf, C.R. Thompson and D.M. Olszyk (1985). Effects of ozone or sulphur dioxide on growth and yield of rice. Agric. Ecosystems Environ., **14**, 103-117.

Keller, T. (1986). The electrical conductivity of Norway spruce needle diffusate as affected by certain pollutants. Tree Physiol., **1**, 85-94.

Khan, A.A. and S.S. Malhotra (1982[a]). Peroxidase activity as an indicator of SO_2 injury in Jack Pine and White Birch. Biochem. Physiol. Pflanzen, **177**, 643-650.

——— and ——— (1982[b]). Ribulose biphosphate carboxylase and glycolate oxidase from Jack Pine : Effects of sulphur dioxide fumigation. Phytochem., **21**, 2607-2612.

——— and ——— (1983). Protein biosynthesis in Jack Pine and its inhibition by sulphur dioxide. Ibid., **22**, 1325-1328.

——— and ——— (1987). Effects of Vanadium, Nickel, sulphur dioxide on polar lipid biosynthesis in Jack Pine. Ibid., **26**, 1627-1630.

Koziol, M.J. (1984). Interactions of gaseous pollutants with carbohydrate metabolism. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 251-274.

———, J.D. Shelvey, D.R. Lockyer and F.R. Whatley (1986). Response of SO_2 sensitive and resistant genotypes of Ryegrass (Lolium perenne L.) to prolonged exposure to SO_2. New Phytol., **102**, 345-357.

Krause, C.R. and D.B. Houston (1983). Morphological variation in epicuticular wax of SO_2 - sensitive and - tolerant eastern White Pine clones. Phytopathol., **73**, 1266-1269.

Krishnamurthy, K.U. and C. Rajachidambaram (1986). Factors associated with reduction in photosynthetic oxygen evolution in cement dust coated leaves. Photosynthetica (Prague), **20**, 164-168.

Krishnayya, N.S.R. and S.J. Bedi (1986[a]). Effects of automobile lead pollution in Cassia tora L. and Cassia occidentalis L. Environ. Pollut., **40**, 221-226.

——————— and ——————— (1986[b]). Biochemical changes in Ficus benghalensis L. and Azadirachta indica Juss. growing in high pollution zones. In Proceedings of the Seventh World Clean Air Congress. **5**, 220-221.

——————— and ——————— (1988[a]). Effect of industrial air pollution on flowering and fruiting of Moringa pterygosperma Goert. In Proceedings of the National Seminar on Environmental Pollution Control & Monitoring. Held by CSIR, India. 143-145.

——————— and ——————— (1988[b]). Mitigating effects of exogenously supplied ascorbic acid on Vigna catjang Walp. germinating seeds exposed to sulphur dioxide. Current Science, **57**, 1020-1021.

Larry, M.M. (1982). An experimental method for predicting plant yield response to pollution time series. Atmos. Environ., **16**, 2247-2252.

Lauenroth, W.K., C.J. Black and J.L. Dodd (1979). Sulphur accumulation in western wheat grass exposed to three controlled SO_2 concentrations. Plant and Soil, **53**, 131-136.

——————, J.K. Detling, D.G. Milchunas and J.L. Dodd (1985). Impact of SO_2 exposure on the response of Agropyron smithii to defoliation. J. Range Management, **38**, 16-20.

——————, D.G. Milchunas and J.L. Dodd (1983). Response of a grassland to sulphur and nitrogen additions under controlled SO_2 exposure. Environ. Exp. Bot., **23**, 339-346.

Lee, E.H., J.A. Jersey, C. Gifford and J. Bennett (1984). Differential ozone tolerance in soybean and snapbeans : Analysis of ascorbic acid in O_3-susceptible and O_3-resistant cultivars by high performance liquid chromatography. Ibid., **24**, 331-341.

———— and J.H. Bennett (1982). Superoxide dismutase. A possible protective enzyme against ozone injury in snapbeans (Phaseolus vulgaris L.). Plant Physiol., **69**, 1444-1449.

Lendzian, K.J. (1984). Permeability of plant cuticles to gaseous air pollutants. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 77-82.

Lowry, O.H., N.J. Rosenbrough, A.L. Farr and R.J. Randall (1951). Protein measurement with Folin Phenol reagent. J. Biol. Chem., **193**, 265-275.

Maas, F.M., L.J. De Kok, I. Hoffmann and P.J.C. Kuiper (1987[a]). Plant responses to H_2S and SO_2 fumigation. I. Effects on growth, transpiration and sulphur content of spinach. Physiol. Plant., **70**, 713-721.

————, ————, J.L. Peters and P.J.C. Kuiper (1987[b]). A comparative study on the effects of H_2S and SO_2 fumigation on the growth and accumulation of sulphate and sulphydryl compounds in Trifolium pratense L. Glycine max Merr. and Phaseolus vulgaris L. J. Exp. Bot., **38**, 1459-1469.

————, ————, W. Strik - Timmer and P.J.C. Kuiper (1987[c]). Plant responses to H_2S and SO_2 fumigation. II. Differences in metabolism of H_2S and SO_2 in spinach. Physiol. Plant., **70**, 722-728.

Maclachalan, S. and S. Zalik (1963). Plastid structure and free amino acid composition of a chlorophyll mutant of barley. can. J. Bot., **41**, 1053-1062.

Malhotra, S.S. (1977). Effects of aqueous sulphur dioxide on chlorophyll destruction in Pinus contorta. New Phytol., **78**, 101-109.

——————— and R.A. Blauel (1977). Effect of sulphur dioxide on the forest ecosystem. Environmental - Oil sands, 714-719.

——————— and ——————— (1980). Diagnosis of air pollutant and natural stress symptoms of forest vegetation in western Canada. Information Report NOR-X-228. Canadian Forestry Service, Canada.

——————— and A.A. Khan (1980). Effects of sulphur dioxide and other air pollutants on acid phosphatase activity in pine seedlings, Biochem. Physiol. Pflanzen, **175**, 228-236.

——————— and ——————— (1983). Sensitivity to SO_2 of various metabolic processes in an epiphytic lichen Evernia mesomorpha. Ibid., **178**, 121-130.

Mansfield, T.A. and P.H. Freer-Smith (1984). The role of stomata in resistance mechanisms. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 131-146.

Mapson, L.W. (1959). Enzyme systems associated with the oxidation and reduction of glutathione in plant tissues. In Biochemistry Society Symposium (Ed. E.M. Crook). Cambridge University Press, Cambridge, **17**, 28-42.

Marie, B.A. and D.P. Ormrod (1984). Tomato (Lycopersicum esculantum) plant growth with continuous exposure to SO_2 and NO_2. Environ. Pollut., 33, 257-266.

Marques, A.I. and L.E. Anderson (1986). Effects of arsenite, sulphite and sulphate on photosynthetic carbon metabolism in isolated pea (Pisum sativum L. CU. Little marvel) Chloroplasts. Plant Physiol., **82**, 488-493.

Matters, L.G. and J.G. Scandalios (1987). Synthesis of isozymes of superoxide dismutase in maize leaves in response to O_3, SO_2 and elevated O_2. J. Exp. Bot. **38**, 842-852.

Maynard, D.G., J.W.B. Stewart and J.R. Bettany (1984). Sulphur cycling in grassland and parkland soils. Biogeochemistry, **1**, 97-111.

Mehlhorn, H., G. Seufert, A. Schmidt and K.J. Kunert (1986). Effect of SO_2 and O_3 on production of antioxidants in conifers. Plant Physiol., **82**, 336-338.

Mejnartowicz, L.E. (1984). Enzymatic investigations on tolerance in forest trees. In Gaseous air pollutants and plant metabolism. (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 381-398.

Melkania, N.P. and U. Melkania (1987). Acid rain an insidious hazard. Energy Environment Monitor, **3**, 24-46.

Michael, P. (1984). Ecological methods for field and laboratory investigation. Tata McGraw Hill, New Delhi.

Milchunas, G.D., W.K. Lauenroth and J.L. Dodd (1983). The interaction of atmospheric and soil sulphur on the sulphur and selenium concentration of range plants. Plant and Soil, **72**, 117-125.

Mishra, D. and K.C. Panda (1970). Acid phosphatase of rice leaves showing diurnal variation and its relation to stomatal opening. Biochem. Physiol. Pflanzen, **178**, 121-130.

Miyake, H., A. Furukawa, T. Totsuka and A. Maeda (1984). Differential effects of ozone and sulphur dioxide on the fine structure of spinach leaf cells. New Phytol., **96**, 215-228.

Mudd, J.B. (1982). Effects of oxidants on metabolic function. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 189-203.

———— and T.T. Kozlowski (1975). Responses of plants to air pollution. Academic Press, New York.

————, M.M. Dooley and K.L. Knight (1984). Pollutants and plant cells : effects on membranes. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 105-116.

Mukerji, S.K. and S.F. Yang (1974). Phosphoenol pyruvate carboxylase from spinach leaf tissue. Plant Physiol., **53**, 829-834.

Murray, F. (1984). Response of subterranean clover and Ryegrass to sulphur dioxide under field conditions. Environ. Pollut., **36**, 239-249.

Muschinek, G., R. Alscher and L.E. Anderson (1987). The sensitivity of light modulation of enzyme activity to arsenite and sulphite and of photosynthetic induction to arsenite is determined by a cytoplasmic gene. J. Exp. Bot. **38**, 1069-1075.

Nandi, P.K., M. Agrawal and D.N. Rao (1984). SO_2 - induced effects and their amelioration by $Ca(OH)_2$ solution in Vigna sinensis plants. Scientia Hortic., **22**, 47-53.

————, M. Singh and D.N. Rao (1981). Potassium ascorbate as an antidote to SO_2-phytotoxicity. Beitr. Biol. Pflanzen, **55**, 401-407.

Norby, R.J. and T.T. Kozlowski (1980). Response of SO_2-fumigated Pinus resinosa seedlings to post-fumigation temperature. Can. J. Bot., **59**, 470-475.

————, and ———— (1981[a]). Interactions of SO_2-concentration and post-fumigation temperature on growth of five species of woody plants. Environ. Pollut., **25**, 27-39.

———— and ———— (1981[b]). Relative sensitivity of three species of woody plants to SO_2 at high or low exposure temperature. Oecologia, (Berl.), **51**, 33-36.

———— and ———— (1982). The role of stomata in sensitivity of Betula papyrifera seedlings to SO_2 at different humidities. Ibid., **53**, 34-39.

———— and ———— (1983). Flooding and SO_2 stress interaction in Betula papyrifera and B. nigra seedlings. Forest Sci., **29**, 739-750.

———— and R.J. Luxmoore (1983). Growth analysis of soybean exposed to simulated acid rain and gaseous air pollutants. New Phytol., **95**, 277-287.

————, D.D. Richter and R.J. Luxmoore (1985). Physiological processes in soybean inhibited by gaseous pollutants but not by acid rain. Ibid., **100**, 79-85.

Oleksy, N.J. and S. Bialobok (1986). Net photosynthesis, dark respiration and susceptibility to air pollution on 20 European provenances of Scotch pine Pinus sylvestris. Environ. Pollut., **40**, 287-302.

Olszyk, D.M., A. Bytnerowicz, C.A. Fox, G. Kats, P.J. Dawson and J. Wolf (1987). Injury and Physiological responses of Larrea tridentata (DC) Coville exposed in situ to sulphur dioxide. Ibid., **48**, 197-211.

——————— and D.T. Tingey (1985[a]). Metabolic basis for injury to plants from combinations of O_3 and SO_2 : Studies with modifiers of pollutant toxicity. Plant Physiol., **77**, 935-939.

——————— and ——————— (1985[b]). Phytotoxicity of air pollutants : Evidence for the photodetoxification of SO_2 but not O_3. Ibid., **74**, 999-1005.

——————— and ——————— (1986). Joint action of O_3 and SO_2 in modifying plant gas exchange. Ibid., **82**, 401-405.

Ormrod, D.P. (1982). Air pollution interactions in mixtures. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 307-331.

Pachauri, R.K. (1986). Beyond the environment (protection) act 1986 : Economic issues in setting standards. Energy Environment Monitor, **2**, 16-24.

Painter, D.E. (1974). Air Pollution technology. Reston Publishing Company Inc., U.S.A., 223-251.

Pande, P.C. and T.A. Mansfield (1985). Responses of spring barley to SO_2 and NO_2 pollution. Environ. Pollut., **38**, 87-97.

_____ and K. Oates (1986). Scanning electron microscopic analysis of Commelina communis leaves after exposure to SO_2 and NO_2 pollution. Ibid., **42**, 353-360.

Pandey, S.N. (1982). Ameliorating effect of urea spray on wheat Triticum aestivum plants exposed to sulphur dioxide. Ibid., **27**, 73-82.

Pandya, N. and S.J. Bedi (1986). Effect of industrial air pollution and Solanum tuberosum. In proceedings of the Seventh World Clean Air Congress, **4**, 118-124.

Parry, M.A.J. and C.P. Whittingham (1984). Effects of gaseous air pollutants on stomatal reactions. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 161-168.

Patterson, J.W. and A. Lazarow (1955). Determination of glutathione. In Methods in Biochemical analysis (Vol. II) (Ed. David Glick). Interscience Publishers Inc., New York, 273-276.

Pawar, K. and P.S. Dubey (1983). Response of two crop varieties to sulphur dioxide. Ind. J. Air Pollut. Control, **5**, 3-5.

Pawar, K. and P.S. Dubey (1985). Effect of air pollutants on photosynthetic pigments of Ipomea fistulosa and Phoenix sylvestris. Ind. J. Air Pollut. Control, **6**, 159-163.

Pearson, L.C. (1985). Air Pollution damage to cell membranes in lichens I. Development of a simple monitoring test. Atmos. Environ., **19**, 209-212.

Popovicheva, L.A. and D.M. Grodzinklii (1985). Nature of the effect of DMSO action on plant resistance to sulphur dioxide. Fiziol Biokhim. Kult Rast., **17**, 601-605.

Pratt, C.G., K.W. Kromroy and S.V. Krupa (1983). Effects of ozone and sulphur dioxide on injury and foliar concentrations of sulphur and chlorophyll in soybean Glycine max. Environ. Pollut., **32**, 91-99.

Rao, D.N. and F. Le Blanc (1966). Effects of sulphur dioxide on the lichen alga, with special reference to chlorophyll. The Bryologist, **69**, 69-75.

Rao, I.M., R.G. Amundson, R.H. Alscher and L.E. Anderson (1983). Effects of SO_2 on stomatal mechanism in Pisum sativum L. Plant Physiol., **72**, 573-577.

Reich, P.B. (1983). Effects of low concentrations of O_3 on net photosynthesis, dark respiration and chlorophyll contents in aging hybrid poplar leaves. Ibid., **73**, 291-296.

——— and R.G. Amundson (1985). Ambient levels of ozone reduce net photosynthesis in tree and crop species. Science, **230**, 566-570.

——— and J.B. Lassoie (1985). Influence of low concentrations of ozone on growth, biomass partitioning and leaf senescence in young hybrid poplar plants. Environ. Pollut., **39**, 39-51.

———, A.W. Schoettle, F.H. Stroo, J. Troiano and R.G. Amundson (1987). Effects of ozone and acid rain on white Pine (Pinus strobus) seedlings grown in five soils. I. Net Photosynthesis and growth. Can. J. Bot., **65**, 977-987.

Rennenberg, H. (1984). The fate of excess sulphur in higher plants. Ann. Rev. Plant Physiol., **35**, 121-153.

Rist, D.L. and J.W. Lorbeer (1984). Ozone-enhanced leaching of onion leaves in relation to lesion production by Botrytis cinerea. Phytopathol., **74**, 1217-1220.

Roberts, B.R. (1974). Foliar sorption of atmospheric sulphur dioxide by woody plants. Environ. Pollut., **7**, 133-140.

——————— (1976). The response of field-grown White Pine seedlings to different sulphur dioxide environments. Ibid., **11**, 175-178.

——————, L.S. Dochinger and A.M. Townsend (1986). Effects of atmospheric deposition on sulfur and nitrogen content of four urban tree species. J. of Arboriculture, **12**, 209-212.

——————, K.F. Jensen and H.M. Cathey (1985). Modification of ozone sensitivity in seedlings by ethylene diurea : Soil application vs. stem injection. J. Amer. Soc. Hort. Sci., **110**, 178-180.

——————— and V.M. Schnipke (1983). Height growth and tissue sulphur content of field-grown tree seedlings from different sulphur dioxide environments. J. Environ. Hort., **1**, 72-75.

Roe, J.H. (1954). Chemical determination of ascorbic, dehydro-ascorbic and diketogulonic acids. In Methods of Biochemical analysis (Ed. David Glick). Interscience Publishers Inc., New York, Vol. I, 115-139.

Ruffin, J., D. Williams, U. Banerjee and K. Pinnix (1983). The effect of some environmental pollutants on pollen wall proteins of certain airborn pollen grains. A preliminary study. Grana, **22**, 171-176.

Sakaki, T. and N. Kondo (1985). Inhibition of photosynthesis by sulphite in mesophyll protoplasts isolated from Vicia faba L., in relation to intracellular sulphite accumulation. Plant cell Physiol., **26**, 1045-1055.

———, ——— and K. Sugahara (1983). Breakdown of photosynthetic pigments and lipids in spinach leaves with ozone fumigation : Role of active oxygens. Physiol. Plant., **59**, 28-34.

Schneider, H.S. (1987). Climate modelling. Scientific American, **256**, 72-80.

Schulz, H. (1986). Biochemical and factor analytical examinations for interpretations of sulphur dioxide indications in needles of Pinus sylvestris. Biochem. Physiol. Pflanzen, (BPP), **181**, 241-256.

Sestak, Z., J. Catsky and P.G. Jarvis (Eds.) (1971). Plant photosynthetic production : Manual of methods. W. Junk Pub., The Hague.

Shanon, L.M., E. Kay and J.Y. Lew (1966). Peroxidase isoenzymes from horse-radish roots. J. Biol. Chem., **241**, 2166-2172.

Sharma, G.K. (1975). Leaf surface effects of environmental pollution on sugar maple (Acer saccharum) in Montreal. Can. J. Bot., **53**, 2312-2314.

——— and J. Butler (1975). Environmental pollution : Leaf cuticular patterns in Trifolium pratense L. Ann. Bot., **39**, 1087-1090.

Silvius, J.E., C.H. Baer, S. Dodrill and H. Patrick (1976). Photoreduction of sulphur dioxide by spinach leaves and isolated spinach chloroplasts. Plant Physiol., **57**, 799-801.

Singh, N. and D.N. Rao (1985). Amelioration of SO_2-induced injury through foliar spray of urea. Ind. J. Environ. Health, **27**, 345-351.

Sisodia, G.S. and S.J. Bedi (1986). Effect of industrial air pollution on Triticum aestivum L. var. Sonalika (Wheat) II. Ind. J. Air. Pollut. Control, 7, 169-177.

Skarby, L. (1984). Changes in the nutritional quality of crops. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 351-360.

Spurr, A.R. (1969). A low-viscosity epoxy resin embedding medium for electron microscopy. J. Ultrastruct. Res., **26**, 31-43.

Srivastava, S.H. and D.P. Ormrod (1984). Effects of nitrogen dioxide and nitrate nutrition on growth and nitrate assimilation in bean leaves. Plant Physiol., **76**, 418-423.

Stan, H.J., S. Schicker and H. Kassner (1981). Stress ethylene evolution of bean (Phaseolus vulgaris) plants : A parameter indicating O_3 pollution. Atmos. Environ., **15**, 391-396.

Staniforth, R.J. and S.S. Sidhu (1984). Effects of atmospheric fluorides on foliage, flower, fruit and seed production in wild raspberry and blue berry. Can. J. Bot., **62**, 2827-2834.

Staszewaski, T. (1985). Emission of hydrogen sulphide by plants seen as a protection mechanism against an excess of sulphur compounds in the environment. Wiad Bot., **29**, 285-296.

Stern, A.C. (1977). The effects of air pollution. Vol. II Academic Press, New York.

Sugahara, K. (1984). Effects of air pollutants on light reactions in chloroplasts. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 169-180.

Swieki, T.J., A.C. Endress and O.C. Taylor (1982). The role of surface wax in susceptibility of plants to air pollutant injury. Can. J. Bot., **60**, 316-319.

Takemoto, B.K., R.D. Noble and H.M. Harrington (1986). Differential sensitivity of duckweeds (Lemnaceae) to sulphite. II. Thiol production and hydrogen sulphide emission as factors influencing sulphite phytotoxicity under low and high irradiance. New Phytol., **103**, 541-548.

Tanaka, K., I. Furusawa, N. Kondo and K. Tanaka (1988). SO_2 tolerance of tobacco plants regenerated from paraquat - tolerant cells. Plant Cell Physiol., **29**, 743-746.

————, G. Suda, N. Kondo and K. Sugahara (1985). O_3 tolerance and the ascorbate - dependent H_2O_2 decomposing system in chloroplast. Ibid., **26**, 1425-1431.

Thompson, C.R. and G. Kats (1978). Effects of continuous H_2S fumigation on crop and forest plants. Environ. Science and Technol., **12**, 550-552.

————, ——— and J.W. Cameron (1976[a]). Effects of ambient photochemical air pollutants on growth, yield and ear characters of two sweet corn hybrids. J. Environ. Qual., **5**, 410-412.

————, ———, E.L. Pippen and W.H. Isom (1976[b]). Effect of photochemical air pollution on two varieties of Alfalfa. Environ. Science and Technol. **10**, 1237-1241.

———————, ——— and R.W. Lennox (1980). Effects of SO_2 and/or NO_2 on native plants of the Mojave desert and eastern Mojave Colorado desert. JAPCA, **30**, 1304-1309.

Thomson, W.W., W.M. Dugger and R.L. Palmer (1966). Effects of ozone on the fine structure of the palisade parenchyma cells of bean leaves. Can. J. Bot., **44**, 1677-1682.

Tingey, D.M., W.E. Hogsett (1985). Water stress reduces ozone injury via a stomatal mechanism. Plant Physiol., **77**, 944-947.

Treshow, M. (1970). Environment and plant response. McGraw Hill Book Co., New York.

——————— (1984). Epilogue : A biochemical overview. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 425-437.

Trites, E.L. and R.G.S. Bidwell (1987). Effect of acidic precipitation on bean plants. Can. J. Bot., **65**, 1121-1126.

Ulrich, B. (1984). Effects of air pollution on forest ecosystems and water - the principles demonstrated at a case study in central Europe. Atmos. Environ., **18**, 621-628.

Vandenberg, J.J. and K.R. Knoerr (1985). Comparison of surrogate techniques for estimation of sulphate dry deposition. Ibid., **19**, 627-635.

Varshney, S.R.K. and C.K. Varshney (1984). Effects of SO_2 on ascorbic acid in crop plants. Environ. Pollut., **35**, 285-290.

——————— and ——————— (1985). Response of peroxidase to low levels of SO_2. Environ. Exp. Bot., **25**, 107-114.

Vijayan, R. and S.J. Bedi (1988[a]). Studies on distribution and responses of herbs to air pollutants near a fertilizer complex. IBC., **5**, 15-18.

——————— and ——————— (1988[b]). Use of leaf epidermis in air pollution impact study. In proc. of Natl. Semi. on Environ. Pollut. Control and Monitoring. Chandigarh, India. 274-278.

——————— and ——————— (1988[c]). Effect of SO_2 fumigation on Syzygium cumini Skeels. and its amelioration by ascorbic acid. Ind. J. Environ. Health, **30**, 155-162.

——————— and ——————— (1989[a]). Effect of chlorine pollution on three fruit tree species at Ranoli, near Baroda, India. Environ. Pollut., (In Press).

Wang, D., F.H. Bormann and D.F. Karnosky (1986). Regional tree growth reductions due to ambient ozone. Evidence from field experiments. Environ. Science and Technol., **20**, 1122-1125.

Wellburn, A.R. (1982). Effects of SO_2 and NO_2 on metabolic function. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 169-187.

——————— (1985). Ion chromatographic determination of levels of anions in plastids from fumigated and non-fumigated barley seedlings. New Phytol., **100**, 329-339.

———————, T.M. Capron, H.S. Chan and Horsman (1976). Biochemical effects of atmospheric pollutants on plants. In Effects of air pollution on plants (Ed. T.A. Mansfield). Cambridge University Press, Cambridge, 105-114.

———————, C. Higginson, D. Robinson and C. Walmsley (1981). Biochemical explanations of more than additive inhibitory effects of low atmospheric levels of sulphur dioxide plus nitrogen dioxide upon plants. New Phytol., **88**, 223-237.

Wesely, M.L. (1983). Turbulent transport of ozone to surfaces common in the eastern half of the United States. In Trace atmospheric constituents : Properties, transformations and fates (Ed. Dr. S.E. Schwartz). John Wiley & Sons Inc., 345-370.

———————, D.R. Cook and R.L. Hart (1983). Fluxes of gases and particles above a deciduous forest in winter time. Boundary-layer Meteorology, **27**, 237-255.

———————, ——————— and ——————— (1985). Measurements and parameterization of particulate sulphur dry deposition over grass. J. Geophysical Meteorology, **90**, 2131-2143.

——————— and B.B. Hicks (1977). Some factors that affect the deposition rates of sulphur dioxide and similar gases on vegetation. JAPCA, **27**, 1110-1116.

West, P.W. and G.C. Gaeke (1956). Fixation of sulphur dioxide as disulfito-mercurate (II) and subsequent colorimetric estimation. Anal. Chem., **28**, 1816-1819.

Wilson, G.B. and J.N.B. Bell (1985). Studies on the tolerance to sulphur dioxide of grass populations in polluted areas. III. Investigations on the rate of development of tolerance. New Phytol., **100**, 63-77.

Wolters, J.H.B. and M.J.M. Martens (1987). Effects of air pollutants on pollen. The Botanical review, **53**, 372-414.

Yu-Shu-Wen (1984). Air pollution problems and the research conducted on the effects of gaseous pollutants on plants in China. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 49-55.

————, Liu Yu, Lizen-Guo, Tan Chang and Yu Zi-Wen (1982). Studies on the mechanism of SO_2 injury in plants. In Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 507-508.

Zech, W., TH. Suttner and E. Popp (1985). Elemental analyses and physiological responses of forest trees in SO_2-polluted areas of Ne-Bevaria. Water, Air and Soil Pollut., **25**, 175-183.

Zedler, B., R. Plarre and G.M. Rothe (1986). Impact of atmospheric pollution on the protein and amino acid metabolism of spruce Picea abies trees. Environ. Pollut., **40**, 193-212.

Ziegler, I. (1972). The effect of SO_3 on the activity of ribulose-1, 5 diphosphate carboxylase in isolated spinach chloroplasts. Planta (Berl.), **103**, 155-163.