BIBLIOGRAPHY

Abraham R, Charles AK, Mankes R, LeFevre R, Renak Vand Ashok L. In vitro effects of cadmium chloride on preimplantation rat embryos. *Ecotoxicol Environ Saf.* 1986 ;12 :213-219.

Adashi E. The ovarian life cycle. In: *Reproductive Endocrinology* (Edited by S.S.C. Yen, and R.B. Jaffe). W.B. Saunders Co., Philadelphia, 3rd ed. (1991) pp. 181-237.

Adashi EY and Resnick CE. Forskolin induced differentiation of cultured rat granulosa cells: a new evidence for an intermediary role of adenosine 3'5' monophosphate in the mechanism of action of follicle stimulating hormone. *Endocrinology* 1984: 115; 183-190.

Adashi EY, Resnick CE, D' ercole AJ, Svoboda ME and Van Wyk JJ. Insulin-like growth factors as intraovarian regulators of granulosa cell growth and function. *Endocr Rev.* 1985; 6: 400-420.

Adashi EY , Resnick CE, Svoboda ME and Vanwyk JJ. FSH enhances somedomedin C binding to cultured rat granulose cells: evidence for cAMP dependence. *J Biol Chem.* 1986; 261: 3923-.3926

Adler AJ, Barth RH and Berlyne GM. Effects of lead on oxygen free radical metabolism: Inhibition of superoxide dismutase activity. *Trace Elem Res.* 1993; 10: 93-96.

Agarwal SK, Vogel K, Weitsman SR and magoffin DA. Leptin antagonizes the insulin like growth factor –I augmentation of steroidogenesis in granulosa and thecal cells of the human ovary. *J. Clin. Endocrinol. Metab* 1999; 84: 1072-1076.

Agency for Toxic Substances and Disease Registry. Toxicological profile for lead. Atlanta: US Department of Health and Human Services.1999

Agency for Toxic Substances and Disease Registry ToxFAQs™ for Cadmium Division of Toxicology ,Atlanta, GA 30333

Ahmaddsahib K.I., Jinna E.E. and Desiah D. Protection against cadmium toxicity and enzyme inhibition by dithiothretol. *Cell Biochem. Func.* 1989; 7: 185 -192.

Ahn DW and Park YS. Transport of inorganic phosphate in renal cortical brush border membrane vesicles of cadmium intoxicated rats. *Toxicol. Appl. Pharmacol.* 1995; 133: 239-243.

Ahokas RA and Dilts PV. Cadmium uptake by the rat embryo as a function of gestational age. *Am J Obstet Gynecol.* 1979; 135: 219-222.

Akiyama K, Sutoo D and Reid DG. A 1H-NMR comparison of calmodulin activation by calcium and by cadmium. *Jpn J Pharmacol.* 1990; 53: 393-401.

Al-Neamy FR, Almehdi AM, Alwash R, Pasha MA, Ibrahim A and Bener A. Occupational lead exposure and amino acid profiles and liver function tests in industrial workers. *Int J Environ Health Res.* 2001; 11: 181-188.

Albrecht ED and Pepe GJ. Suppression of maternal adrenal dehydroepiandrosterone and dehydroepiandrosterone sulfate production by estrogen during baboon pregnancy. *J Clin Endocrinol Metab.* 1995 ; 80: 3201-3208.

Alexander BH, Checkoway H, van Netten C, Muller CH, Ewers TG, Kaufmann JD, Mueller BA, Vaughan TL and Fraustman EM. Semen quality of men employed at a lead smelter. *Occup Environ Health* 1996; 30: 396-401.

Alfven T, Elinder CG, Carlsson MD, Grubb A, Hellstrom L, Persson B, Pettersson C, Spang G, Schutz A and Jarup L. Low level cadmium exposure and osteoporosis. *J Bone Miner Res.* 2000; 15: 1579- 1586.

Alfven T, Jarup L and Elinder CG. Cadmium and Lead in blood in relation to low bone mineral density and tubular proteinuria. *Environ Health Perspect.* 2002; 110: 699-702.

Alila HW, Dowd JP, Corradino RA, Harris WV and Hansel W. Control of progesterone production in small and large bovine luteal cells separated by flow cytometry. *J. Reprod. Fert.* 1988; 82 : 645-655.

Amoruso MA, Witz G and Goldstein BD. Alteration of erythrocyte membrane fluidity by heavy metal cations. *Toxicol Ind Health.* 1987; 3:135-144.

Amsterdam A, Koch Y, Lieberman ME and Lindner HR. Distribution of binding sites for human chorionic gonadotropin in the preovulatory follicle of the rat. *J. Cell Biol.* 1975 ;67 : 894-900.

Amsterdam A, Berkowitz A, Nimrod A and Kohen F. Aggregation of luteinizing hormone receptors in granulosa cells: a possible mechanism of desensitization to the hormone. *Proc Natl Acad Sci USA* 1980;77: 3440-3444.

Amsterdam A, Naor Z, Knecht M, Dufau ML and Catt KJ. Hormone action and receptor redistribution in endocrine target cells: gonadotropins and

gonadotropin releasing hormone. In: *Middlebrook Jl, Kohn LD* (eds) Receptor –Mediated Binding and Internalization of toxins and Hormones, New York, Academic Press, 1981; 283-300.

Amsterdam A, Knecht M and Catt KJ. Hormonal regulation of cytodifferentiation and intercellular communication in cultured granulosa cells. *Proc Natl. Acad. Sci. USA* 1981;78: 3000- 3004.

Amsterdam A and Linder HR. Localization of gonadotropin receptors in the gonads. In: *Motta PM* (ed) Ultra structure of endocrine cells and tissues. Martinus Nijhoff Publishers. 1984; 255.

Amsterdam A and Rotmensch S. Structure-function relationship during granulosa cell differentiation. *Endocrine Rev* 1987; 8: 309-337.

Anderson W, Kang Y, Perotti ME , Bramley TA and Ryan RJ .Interactions of gonadotropins with corpus luteum membranes.III. Electron microscopic localization of [125I]-hCG binding to sensitive and desensitized ovaries seven days after PMSG-hCG. *Biol. Reprod.* 1979; 20: 362-376.

Andrews KW, Savitz DA, Hertz-Picciotto I. Prenatal lead exposure in relation to gestational age and birth weight: a review of epidemiologic studies. *Am J Ind Med.* 1994 ; 26: 13-32.

Ariza ME, Bijur GN and Williams MV. Lead and mercury mutagenesis: role of H_2O_2, superoxide dismutase and xanthine oxidase. *Environ Mol Mutagen* 1998; 31, 352-361.

Arizono K, Ota S and ariyoshi T. Purification of metallothionein like proteins in rat placenta. *Bull Environ Contam Toxicol* 1981; 27: 671-677.

Assennato, G., Paci C and Baser ME. Sperm count suppression without endocrine dysfunction in lead-exposed men. *Arch. Environ. Health.* 1986; 41: 387-390.

Awasthi S, Awasthi R, Pandey VK, Srivastava RC and Frumkin H. Blood lead in pregnant women in the urban slums of Lucknow, India. *Occup. Environ. Med.* 1996; 53: 836-840.

Awasthi S, Awasthi R and Srivastav RC Maternal blood lead level and outcomes of pregnancy in Lucknow. *Indian Pediatrics* 2002; 39: 855-860.

Baker TO and Franchi LL. The fine structure of oogonia and oocytes - in human ovaries. *Cell Sci* 1967; 2:2 -13.

Banks JA and Freeman ME. The temporal requirement of progesterone on proestrous for extinction of the estrogen induced daily signal controlling luteinizing hormone release in the rat. *Endocrinology* 1978; 102: 426-432.

Baranski B. Behavioral alterations in offspring of female rats repeatedly exposed to cadmium oxide by inhalation. *Toxicol Lett.* 1984 ; 22:53-61.

Baranski B, Sitarek K. Effect of oral and inhalation exposure to cadmium on the oestrous cycle in rats. *Toxicol Lett.* 1987 ; 36: 267-73.

Barash IA, Cheung CC, Weigle DS, Ren H , Kaabitging EB, Kuijper JL, Clifton DK and Steiner RA. Leptin is a metabolic signal to the reproductive system. *Endocrinology* 1996; 137: 3144-3147.

Barkan D, Jia H, Dantes A, Vardimon L, Amsterdam A and Rubinstein M. Leptin modulates the glucocorticoid-induced ovarian steroidogenesis. *Endocrinology.* 1999 ;140 :1731-1738.

Barlthrop D and Meek F. Absorption of different lead compounds. *Postgrad. Med. J.* 1975; 51: 805-809.

Barnes HJ, Arlotto MP and Waterman MR. Expression and enzymatic activity of recombinant cytochrome P450 17α-hydroxylase in Escherichia coli. *Proc. Natl. Acad. Sci. USA* 1991; 88 : 5597-5601.

Baron JA, La Veecchia C and Levi F. The antiestrogenic effect of cigarette smoking in women. *Am . Obstet Gynecol* 1990; 162 : 502-514.

Barr M. The teratogenecity of cadmium chloride in two stocks of Wistar rats. *Teratology* 1973; 7: 237-242.

Barrett HM, Irwin DA and Semmons E. Studies on the toxicity of inhaled cadmium. I. The acute toxicity of cadmium oxide by inhalation. *J Ing. Hyg. Toxicol.* 1947; 29: 279.

Basini G, Baratta m, Ponderata N, Bussalati S and Tamanini C. Is nitric acid autocrine modulator of bovine granulosa cell function? *Reprod. Fertil. Dev.*, 1998; 10: 471-478.

Basini G, Mainardi GL, Bussolati S and Tamanini C. Steroidogenesis, proliferation and apoptosis in bovine granulosa cells: a role of tumour necrosis

factor alpha and its possible signalling mechanisms. *Reprod. Fertil. Dev.* 2002; 14: 141-150.

Bassett SG and Pepe GJ. Metabolism of testosterone in vivo in the pregnant rat. *Biol Reprod.* 1988 Oct;39(3):526-31.

Bayne BL, Brown DA, Burns K, Dixon DR, Ivanovici A, Livingstone DR, Lowe DM, Moore MN, Stebbing ARD and Widdows J. In: the effects of stress and pollution on marine animals. Praeger, Connecticut, USA, 1985.

Beeby A. 1993. Applying Ecology. Chapman & Hall: London.

Bell JU and Thomas JA. Effects of lead in mammalian reproduction. In: Singhal RL, Thomas JA, eds. Lead Toxicity. Baltimore, Md: Urban and Schwarzenberg, Inc.; 1980:169-186.

Bellinger LL, Bernardis LL, McCusker RH, Campion DR. Plasma hormone levels in growth-retarded rats with dorsomedial hypothalamic lesions. *Physiol Behav.* 1985; 34:783-90.

Ben-shlomo I, Adashi EY and Payne DW. Steroidogenic/cytotoxic and prostaglandin activities of granulosa cells in the rat ovary are nitric oxide in dependent. *Endocrinology*, 1994; 94 : 1463-1469.

Berndt WO and Ansari RA. Nephrotoxicity of metals: Effects on plasma membrane function. *Toxicol Lett* 1990; 53: 87-92.

Bernt E and Bergmeyer HU. Inorganic peroxides. In: Bergmeyer H-U (eds) Methods in Enzymatic Analysis, 1965; 633-635 Academic Press, New York.

Bernard N, Pisselet C, Zapf J, HorneBeck W,Mounaix D and Monget P. Proteolytic activity is involved in changes in intrafollicular IGFBP levels during growth and atresia of ovine ovarian follicles. *Endocrinology* 1996;137 : 1599-1604.

Bernstein L, Pike MC, Lobo RA, Depue RH, Ross RK and Henderson BE. Cigarette smoking in pregnancy results in marked decrease in maternal hCG and oestradiol levels. *Br J Obset Gynecol* 1989; 96: 92-96.

Bertoni J.M and Sprenkle PM. Inhibition of brain cation pump enzyme by an invitro lead ion: Effects of Low level [Pb] and modulation by homogenate. *Toxicol Appl. Pharmacol.* 1988; 93: 101- 107.

Beutler E and Gelbart J. Plasma glutathione in health and in patients with malignant disease. *J Lab Clin Med* 1985; 105: 581-584.

Bires J, Maracek I, Bartko P, Biresova M and Weissova T. Accumulation of trace elements in sheep and the effects upon qualitative and quantitative ovarian changes. *Vet Hum Toxicol.* 1995 ; 37:349-356.

Bissonnette JM , Black JA, Thornburg KL, Acott KM and Koch PL. Reconstitution of D-glucose transported from human placental microvillous plasma membranes. *Am. J. Physiol.* 1982; 242:C166-C171.

Blank MS and Dufau ML. Rat chorionic gonadotriopin: augmentation of bioactivity in the absence of the pituitary. *Endocrinology* 1983; 112: 2002-2202.

Blanusa M, Piasek M and Kositial K. Interaction of lead with some essential elements in rat's kidney in relation to age. *Biol Trace Elem Res* 1989; 21: 189-193.

Blumenthal SS, Lewand DL, Buday MA, Kleinman JG, Krezoski SK and Petering DH. Cadmium inhibits glucose uptake in primary cultures of mouse cortical tubule cells. *Am J Physiol.* 1990 ; 258: F1625-33.

Blumenthal S, Lewand D, Krezoski SK and Petering DH. Comparative effects of Cd2+ and Cd-metallothionein on cultured kidney tubule cells. *Toxicol Appl Pharmacol.* 1996 ; 36: 220-228.

Boadi WY, Urbach J, Barnea ER, Brandes JM and Yannai S. Enzyme activities in the term human placenta: in vitro effect of cadmium. *Pharmacol Toxicol.* 1992 ;71:209-12.

Bondy SC. Oxygen generation as abasis for neurotoxicity by metals. In: Toxicology of metals. Chang LW. Eds; CDC Press, Baco Raton 1996; 699-706.

Boisset M, Girard MF, Godin J and Boudene C. Cadmium content of lung, liver and kidneys exposed to cadmium oxide fumes. *Int. Arch. Occup. Environ. Health* 1978; 41: 41-53.

Bogovich K, Richards JS and Reichert LE Jr. Obligatory role of luteinizing hormone (LH) in the initiation of preovulatory follicular growth in the pregnant rat: specific effects of human chorionic gonadotropin and follicle-

stimulating of hormone on LH receptors and steroidogenesis in theca, granulosa, and luteal cells. *Endocrinology*. 1981; 109: 860-867.

Bonsnes RM and Taussky HH. Colorimetric determination of creatinine by Jaffe reaction. *J Biol Chem* 1945; 158: 581-591.

Bowers GN Jr. and McComb RB. Measurement of total alkaline phosphatase activity in human serum. *Clin Chem* 1975; 21: 1988-1995.

Boyd CAR, Chipperfield AR and Steele LW. Separation of the miocrovillous (maternal) from the basal (fetal) plasma membrane of human term placenta. *J. Dev. Physiol.* 1979;361-377.

Bramble FWR. The transmission of passive immunity from the mother to the young. *Frontiers in Biology*, 1970: 18.

Breen JG, Nelson E and Miller RK. Cellular adaptation to chronic cadmium exposure : intracellular localization of metallothionein protein in human trophoblast cells (Jar). Teratology 1995; 51: 266-272.

Buchet JP, Roels H, Hubermont G and Lauwerys R. Effect of lead on some parameters of the heme biosynthetic pathway in rat tissues in vivo. *Toxicology* 1976;6: 21-34.

Bull RJ, Lutkenhoff SD, McCarty GE and Miller RG . Delays in the post natal increase of cerebral cytochrome concentrations in lead exposed rats. *Neuropharmacology* 1979; 18: 83-92.

Burton K. Determination of DNA concentration with diphenylamine. In: Grossma L and Moldave K (Eds) Methods in Enzymology X II B , New York, Academic Press, 1968; 163-166.

Camp TA, Rahal JO and Mayo KE. Cellular localization and hormonal regulation of follicle-stimulating hormone and luteinizing hormone receptor messenger RNAs in the rat ovary. *Molec. Endocr.* 1991; 5: 1405-1417.

Campbell KL. Ovarian granulosa cell isolated with EGTA and hypertonic Sucrose: cellular integrity and function. *Biol. Rep.* 1979; 21; 773-786.

Cara JF and Rosenfield R. IGF-1 and insulin potentiates LH induced androgen synthesis by rat ovarian thecal-interstitial. *Endocrinology* 1988;123: 733-739.

Carfagna MA, Ponsler GD and Muhoberac BB. Inhibition of ATPase activity in rat synaptic plasma membranes by simultaneous exposure to metals. *Chem. Biol. Interact.* 1996; 100: 53-65.

Carlsson B , Carlsson L and Billing H. Estrous cycle dependent covariant of IGF-1 mRNA and proteij in rat ovary. *Mol Cell Endocrinol* 1992; 86 : 205-211.

Chan SW and eathem JH. Placental steroidogenesis in the rat: progesterone production by tissue of the basal zone. *Endocrinology.* 1975 ; 96: 298-303.

Chan HM, Satoh M, Zalups RK and Cherian MG. Exogenous metallothionein and renal toxicity of cadmium and mercury in rats. *Toxicology.* 1992 Nov 22;76(1):15-26.

Chao SH, Suzuki Y, Zysk JR and Cheung WY. Activation of calmodulin by various metal cations as a function of ionic radius. *Mol Pharmacol.* 1984; 26 :75-82.

Centers for Disease Control and Prevention. Screening Young Children for Lead Poisoning: Guidance for State and Local Public Health Officials. Atlanta: CDC, 1997.

Chen L, Yang X, Jiao H and Zhao B. Tea catechins protect against lead-induced cytotoxicity, lipid peroxidation, and membrane fluidity in HepG2 cells. *Toxicol Sci.* 2002; 69:149-156.

Chernoff N. Teratogenic effect of cadmium in rats. *Teratology* 1973; 8: 29-33.

Chertok RJ, Kullgren B and Burbank D. The effects of Cdcl2 on to maternal to fetal clearance of 67Cu and placental blood flow. *Proc Soc Exp Biol Med* 1984;176: 138-142.

Christie NT and Costa M. in vitro assessment of the toxicity of metal compounds. IV. Disposition of metals in cells: interaction with membranes, glutathione, metallothionein and DNA. *Biol. Trace Elem Res.* 1984; 6: 139-158.

Cho YS. Cadmium toxicity on rat's placenta: effect of zinc. *Bull Assoc Anat (Nancy).* 1989;73: 55-57.

Chun SY, Eisenhauer KM , Kubo M and Hseuh AJ. Interleukin beta suppresses apoptosis in rat ovarian nitric oxide production. *Endocrinology* 1995; 136: 3120-3127.

Clark JH, Anderson J and Peck EJ Jr. Receptor-estrogen complex in the nuclear fraction of rat uterine cells during the estrous cycle. *Science.* 1972; 176: 528-530.

Clark DE, Nation JR, Bourgeois AJ, Hare MF, Baker DM and Hinderberger EJ. The regional distribution of cadmium in the brains of orally exposed adult rats. *Neurotoxicology.* 1985; 6: 109-114.

Clark BJ, Soo SC and Caron KM. Hormonal and developmental regulation of the steroidogenic Acute Regulatory protein. *Mol Cell Endocrinol.* 1995; 1346-1355

Clance B, Sies H and Boveries A. Hydroperoxide metabolism in mammalian organs. *Physiol. Rev.* 1979; 59: 527-605.

Cook JA, Marconi EA and Di Luzio NR. Lead, cadmium and endotoxin interaction: effect on mortality and hepatic function. *Toxicol Pharmacol.* 1974; 28: 292-302.

Copius Peereboom-Stageman JHP and Jongstra-Spaapen EJ. The effect of a single sublethal administration of cadmium chloride on the microcirculation in the uterus of the rat. *Toxicology* 1979; 13: 199-213.

Copius Peereboom JW and Copius Peereboom- stageman JHJ. Exposure and health effects of cadmium; Part 2. Toxic effects of cadmium to animals and man. Toxicol. *Environ Chem,. Rev.* 1981; 4: 67-178.

Copius Peereboom-Stegeman JH, Jongstra-Spaapen E, Leene W, Oosting H, Venema H, de Moor E and Gerrissen WJ. The effects of long-term exposure to cadmium on the small blood vessels in the rat uterus: a light microscopic study. *Ecotoxicol Environ Saf.* 1987;14: 288-297.

Corpas I, Gaspar I, Martinez S, Codesal J, Candelas S and Antonio MT. Testicular alterations in rats due to gestational and early lactational administration of lead. *Reprod Toxicol.* 1995; 9: 307-313.

Corpas I, Benito Mj and Antonio MT. Hepatic and renal alterations in newborn rats induced by prenatal and early lactational exposure to lead and/or cadmium. *Rev Toxicol* 1996; 13: 76-82.

Costa CA, Trivelato GC, Pinto AM and Bechara EJ. Correlation between plasma 5-aminolevulinic acid concentrations and indicators of oxidative stress in lead-exposed workers. *Clin Chem.* 1997; 43: 1196-1202.

Crisp TM and Denys FR. The fine structure of rat granulosa cell cultures correlated with progestin secretion, In: Hess M (eds) Electronic Microscopic Concepts of secretion. John Wiley &sons, New York, 1975; 3-13.

Danielsson BR and Dencker L. Effects of cadmium on the placental uptake and transport to the fetus of nutrients. *Biol Res Pregnancy Perinatol.* 1984; 5: 93-101.

Daughaday WH and Trivedi B. Absence of serum GH binding proteins in patients with GH receptor deficiency. *Proc. Natl. Acad Sci. USA* 1987;84 : 4636-4640.

de Launoit Y, Simard J, Durocher F and Labrie F. Androgenic 17β-hydroxysteroid dehydrogenase activity of expressed rat type I 3β-hydroxysteroid dehydrogenase/Δ5-Δ4 isomerase. *Endocrinology* 1992; 130 : 553-555.

deSilva PE. Determination of lead in plasma and studies on its relationship to lead in erythrocytes. *Br J Ind Med.* 1981; 38: 209-217.

Dearth RK, Hiney JK, Srivastava V, Burdick SB, Bratton GR and Dees WL. Effects of lead (Pb) exposure during gestation and lactation on female pubertal development in the rat. *Reprod Toxicol.* 2002; 16: 343-352.

Denker L. possible mechanisms of cadmium fetotoxicityin golden hamsters and mice: uptake by the embryo, placenta and ovary. *J Reprod Fertil.* 1975; 44: 461-471.

Der R, Fahim Z, Yousef M and Fahim M. Environmental interaction of lead and cadmium on reproduction and metabolism of male rats. *Res Commun Chem Pathol Pharmacol.* 1976;14: 689-713.

Dickmann Z, Gupta JS and Dey SK. Does "blastocyst estrogen" initiate implantation? *Science.* 1977; 195: 687-688.

Dilts PV Jr and Ahokas RA. Effects of dietary lead and zinc on pregnancy. *Am J Obstet Gynecol.* 1979;135: 940-946.

Dilts PV Jr and Ahokas RA. Effects of dietary lead and zinc on fetal organ growth. *Am J Obstet Gynecol* 1980; 136: 889-896.

Dinis TCP, Almeida LM and Madeira VMC. Lipid peroxidation in sarcoplasmic reticulam membranes: effect on functional and biophysical properties. *Arch Biochem Biophys* 1993; 301: 256-264.

Di'Sant Agnese PA, Jensen KD, Levin A and Miller RK. Placental toxicity of cadmium in the rat: an ultrastructural study. *Placenta* 1983; 4: 149-163.

Doody KJ, Lorence MC and Mason IJ. Expression of messenger ribonucleic acid species encoding steroidogenic enzymes in human follicles and corpora lutea throughout menstrual cycle. *J Clin Endocrinology Metab* 1990; 70: 1041-1045.

Drabkin DL and Austin JH. Spectrophotometric studies: Spectrometric constants for common haemoglobin derivatives in human, dog and rabbit blood. *J Biol Chem* 1932; 98: 719.

D'Souza HS, Menezes G and Venkatesh.T. Screening for lead poisoning in Indian school children using capillary and venous blood samples. *Indian Journal of Clinical Biochemistry*, 2002; 17: 1-4.

Duran Reyes G, Gomez Melendez MR and Hicks Gomez JJ. Importance of free radicals during the reproduction cycle. *Ginecol Obstet Mex*. 1998; 66:371-376.

Dunnam RC, Hill MJ, Lawson DM and Durbar JC. Ovarian hormone secretory response to gonadotropins and nitric oxide following chronic nitric oxide deficiency in rat. *Biol. Reprod.* 1999; 60: 959-963.

Dufau ML and Catt KL. Gonadotropin receptors and regulation of steroidogenesis in the testis and ovary. *Vitam Horm.* 1978;36:461-592.

Dupont E, Zhao HF, Rheaume E, Simard J, Luu-The V, Labrie F and Pelletier G.: Localization of 3β-hydroxysteroid dehydrogenase/Δ5-Δ4-isomerase in rat gonads and adrenal glands by immunocytochemistry and in situ hybridization. *Endocrinology* 1990;127 : 1394-1403.

Eisenmann CJ and Miller RK. Cadmium and glutathione: effect on human placental thromboxane and prostacyclin production. *Reprod Toxicol.* 1995; 9: 41-48

Ekins R. The free hormone concept. In: Hennemennan G. ed. Thyroid hormone metabolism, New York: Marcel dekker, 1986; 771- 106.

El-Maraghy Sa, Gad MZ, Fahim At and Hamdy MA. Effect of cadmium and aluminum intake on the antioxidant status and lipid peroxidation in rat tissues. *J Biochem Mol Toxicol* 2001; 15: 207-214.

Elinder CG, Kjellstorm T, Friberg L, Lind B and Linman L. Cadmium in kidney cortex, liver and pancreas for Swedish autopsies. *Arch. Environ. Health* 1976; 31 : 292-302.

Ellman C, Corbett JA, Misko TP, McDaniel M and Beckerman KP. Nitric oxide mediates interleukin-1-induced cellular cytotoxicity in the rat ovary. A potential role for nitric oxide in the ovulatory process. *J Clin Invest.* 1993; 92: 3053-3056.

Elwood PC, Gallacher JE, Philips KM, Davies BE and Tothill C. Greater contribution to blood leads from water than from air. *Nature* 1984; 310: 138-140.

Endo T, Kimura O and Sakata M. Bidirectional transport of cadmium across apical membrane of renal epithelial lines via H+ antiporter and inorganic anion exchanger. *Toxicology* 1988; 131: 183-192.

Erickson GF, Wang C, Casper R, Mattson G and Hofeditz C. Studies on the mechanism of LH receptor control by FSH. *Mol Cell Endocrinol.* 1982; 27: 17-30.

Evans TJ, James-Kracke MR, Kleiboeker SB and Casteel SW. Lead enters Rcho-1 trophoblastic cells by calcium transport mechanisms and complexes with cytosolic calcium-binding proteins. *Toxicol Appl Pharmacol.* 2003; 186:77-89.

Eyden BP, Maisin JR and Mattelin G. Long-term effects of dietary lead acetate on survival, body weight and seminal cytology in mice. *Bull Environ Contam Toxicol.* 1978 ; 19:266-272.

Fahmy MAand Aly FA. In vivo and in vitro studies on the genotoxicity of cadmium chloride in mice. *J Appl. Toxicol.* 2000; 20: 231-238.

Fiorini RM, Curatola G, Valentino M and Governa M. Effect of lead on physical state of erythrocytes and model membranes. *Boll Soc Ital Biol Sper.* 1982 ; 58: 871-875.

Fiske CH and Subbarow Y. The colorimetric detection of phosphorus. *J Biol Chem* 1925; 66: 375-400.

Flandroy, Fastrez-Boute A and Galand P. estrogen induced changes in cGMP; relationship with other parameters of hormonal stimulation. *Arch Int. physiol. Biochem.* 1976; 84: 1072-1078.

Fleischer N, Mouw R and Vander AJ. Chronic effects of lead on renin and renal sodium excretion. *J Lab Clin Med.* 1980; 95 :759-770.

Flora SJ, Jain VK, Behari JR and Tandon SK. Protective role of trace metals in lead intoxication *Toxicol Lett.* 1982; 13: 51-56.

Flora GJ and Seth PK. Alterations in some membrane properties in rat brain following exposure to lead. *Cytobios.* 2000; 103: 1039.

Floreani M, Bonetti AC and Carpenedo F. Increase of Na^+K^+ATPase activity in intact brain synaptosomes after their interaction with phosphatidylserine vesicles. *Biochem Biophys Res Comm* 1981; 101: 1337-1344.

Folch J, Lees M and Stanley GHS. A simple methods for the isolation and purification of total lipids from animal tissues. *J. Biol. Chem.* 1957; 226, 497–509.

Fracasso ME , Perbellini L, Solda S, Talamini G and Franceschetti P. Lead induced DNA strand breaks in lymphocytes of exposed workers: a role of reactive oxygen species and protein kinase C. *Mutat Res.* 2002; 515: 159-169.

Friberg 1950. Health hazards in the manufacture of alkaline accumulators with special reference to chronic cadmium poisioning. *Acta Med Scad.* (*Suppl 240*) 138: 1-124.

Frery N, Nessmann C, Girard F, Lafond J, Moreau T, Blot P, Lellouch J and Huel G. Environmental exposure to cadmium and human birthweight. *Toxicology.* 1993; 79: 109-118.

Freeman ME, Dupke KC and Croteau CM. Extinction of the estrogen-induced daily signal for LH release in the rat: a role for the proestrous surge of progesterone. *Endocrinology* 1976; 99: 223-229.

Franks PA, Loughlin NK, Dierschke DJ, Bowman RE and Meller PA. Effects of lead on luteal function in rhesus monkeys. *Biol. Reprod.* 1989 ; 41: 1055-1062.

Funkenstein B, Waterman MR and Simpson ER. Induction of synthesis of cholesterol side chain cleavage cytochrome P-450 and adrenodexin by follicle stimulating hormone, 8- bromo cyclic AMP and low-density lipoprotein in cultured bovine granulosa cells. *J Biol Chem.* 1984; 259: 8572-8577.

Galal-Gorchev H. Dietary intake of pesticide residues, cadmium, mercury and lead. *Food Additives and contaminants.* 1991; 8: 793-806.

Gale TF and Layton WM. The susceptibility of inbred strains of hamsters to cadmium induced embryootoxicity. *Teratology* 1980; 21: 181-186.

Gale TF and Horner JA. The effect of cadmium on the development of the facial prominences: surface area measurements of day 10-8 a.m. hamster embryos. *Teratology.* 1987; 36: 379-387.

Gale TF and Layton WM. The susceptibility of inbred strains of hamsters to cadmium induced Embryotoxicity. *Teratology* 1980; 21:181-186.

Gerson RJ and Shaikh ZA. Uptake and binding of cadmium and mercury to metallothionein in rat hepatocyte primary cultures. *Biochem J.* 1982 ; 208: 465-472.

Ghersevich S, Poutanen M, Martikainen H and Vihko R. Expression of 17 β hydroxy steroid dehydrogenase in human granulosa cells: correlation with follicular size, cytochrome P450 aromatase activity and oestradiol production. *J. Endocrinol.*1994a; 143: 139-150.

Gheresevich S, Poutanen M, Tapanainen J and Vihko R. Hormonal regulation of rat 17 β hydroxy steroid dehydrogenase type 1 in cultured rat granulosa cells: effects of recombinant follicle stimulating hormone, estrogens, androgens and epidermal growth factor. *Endocrinology* 1994b; 135: 1963-1971.

Ghizzoni L, Barreca A, Mastorakos G, Furlini M, Vottero A, Ferrari B, Chrousos GP and Bernasconi S. Leptin inhibits steroid biosynthesis by human-lutein cells. *Horm Metab Res* 2001; 33: 323-328.

Gibori G, Antczak E and Rothchild I. The role of estrogen in the regulation of luteal progesterone secretion in the rat after day 12 of pregnancy. *Endocrinology* 1977; 100: 1483-1495.

Gibori G and Keyes PL. Role of intraluteal estrogen in the regulation of the rat corpus luteam during pregnancy. *Endocrinology* 1978; 102;1176-1182.

Gibori G, Sridaran R and Hunzicker-Dunn M. Testosterone stimulation of progesterone synthesis by gonadotropin desenstizd corpora lutea. *Endocrinology* 1981; 108: A24.

Gibori G, Sridaran R and Basuray R. Control of aromatase activity in luteal and ovarian nonluteal tissue of pregnant rats. *Endocrinology*; 1982; 111:781-788.

Gietzen DW and Wooley DE. Acetylcholineesterase activity in the brain of rat pups and dams after exposure to lead via the maternal water supply. *Neurotoxicology* 1984;5: 235-246.

Ginther OJ, Bergfelt DR, Kulik LJ and Kot K. Selection of dominant follicle in cattle: role of two way functional coupling between FSH and the follicle. *Biol. Reprod.* 2000; 62: 920- 927.

Godowicz B and Pawlus M. Effect of cadmium chloride on the ovulation and structure of ovary in the inbred KP and CBA mice strains. *Folia Histochem. Cytobiol.* 1985; 23: 209-215.

Goldring NB. and Orly J. Concerted metabolism of steroid hormones produced by cocultured ovarian cell types. *J. Biol. Chem.* 1985; 260: 913-921.

Goldring NB, Durica JM, Lifka J, Hedin L, Ratoosh SL, Miller WL, Orly J and Richards JS. Cholesterol side-chain cleavage P450 messenger ribonucleic acid: Evidence for hormonal regulation in rat ovarian follicles and constitutive expression in corpora lutea. *Endocrinology* 1987; 120: 1942-1950.

Golos TG, Strauss JF III and Miller WL. Regulation o low density lipoproteins receptor and cytochrome P450 scc mRNA levels in human granulosa cells. *J Steroid Biochem.* 1987; 27: 767-773.

Goldschmit D, Kraicer P and Orly J. Periovulatory expression of cholesterol side-chain cleavage cytochrome P-450 in cumulus cells. *Endocrinology.* 1989 ; 124: 369-378.

Goyer RA. Renal changes associated with lead exposure. In: Mahaffey KR, ed. Dietary and environmental lead: human health effects. Amsterdam, The Netherlands: elsevier Science Publishers. 1985; 315-338.

Goyer RA. Transplacental transport for lead. *Environ Health Perspect.* 1990; 89:101-105.

Goyer R. Toxic effects of metals. In: Amdur MO and Doull JD, Klassen CD. Eds. Casarett and Doull's Toxicology, 4th Ed. Peramegon press, New York, 1991: 623-680.

Goyer RA and Cherian MG. Role of metallothionein in human placenta and rats exposed to cadmium. *IARC Sci Publ.* 1992; 118:239-247.

Goyer RA. Results of lead research: prenatal exposure and neurological consequences. *Environ Health Perspect.* 1996; 104: 1050-1054.

Graf P and Sies H. Hepatic uptake of Cd and its biliary release as affected by DTT and GSH. *Biochem. Pharmacol.* 1984; 33: 639-643.

Grasselli F, Ponderato N, Saleri R and Tamanini C. nitric oxide production in swine granulosa cells. *Proc. 2nd Conference European Soc. Domest. Anim. Reprod. Keszthely, Hungary*, pg 67.

Grasselli F, Basini G, Bussolati S and Tamanini C. Effects of VEGF and bFGF on proliferation and production of steroids and nitric oxide in porcine granulosa cells. *Reprod Domesi Anim.* 2002; 37 : 362-368.

Greenwood FC, Hunter WH and Glover JS.The preparation of 131 I labelled human growth hormone of high specific radioactivity. *Biochemical Journal* 1963; 89: 114-1234.

Guerrero HE, Stein P, Asch RH, deFreid EP, Tesone M. Effect of a gonadotropin releasing hormone agonist on luteinizing hormone receptors and steroidogenesis in ovarian cells. *Fert Steril* 1993; 59: 805-809.

Gulati S, Gill KD and Nath R. Effect of cadmium on lipid composition of the weanling rat brain. *Acta Pharmacol Toxicol (Copenh).* 1986 ; 59:89-93

Gunn SA, Gould TC and Anderson WA. Mechanisms of zinc, cysteine and selenium protection against cadmium induced vascular injury to mouse testis. *J Reprod Fertil.* 1968; 15:65-70.

Guo X, Chen S and Xing F. Effects of leptin on estradiol and progesterone production by human luteinised granulosa cells in vitro. *Zhonghua Fu Chan Ke Za Zhi* 2001;36 : 95-97.

Gupta S, Bhosale S, Pandya K. Effect of simultaneous low level exposure of Pb and Cd on delta-ALAD and acetylcholinesterase activity in rats. *Indian J Exp Biol.* 1994; 32:819-821.

Gupta S, Pandya A and Gupta S. Assessment of lead exposure in population of urban, suburban and rural Baroda. *J. M.S. University of Baroda* 2002; 48: 63-66.

Gutierrez-Correa J, Hod M, Passoneau JV, Freinkel N. Glycogen and enzymes of glycogen metabolism in rat embryos and fetal organs. *Biol Neonate.* 1991;59: 294-302.

Gwyne JT and Strauss JF. The role of lipoproteins in steroidogenesis and cholesterol metabolism in steroidogenic glands. *Endocr. Rev.* 1982; 3: 299-329.

Hackett PL, Hess JO, Sikov MR. Distribution and effects of intravenous lead in the fetoplacental unit of the rat. *J Toxicol Environ Health.* 1982 ; 9:1021-32.

Hamada T, Tanimoto A, Arima N, Ide Y, Sasaguri T, Shimajiri S and Sasaguri Y. Altered membrane skeleton of red blood cells participates in cadmium-induced anemia. *Biochem Mol Biol Int.* 1998 ; 45: 841-847.

Hallen IP, Jorhem L, Lagerkvist BJ and Oskarsson A. Lead and cadmium levels in human milk and blood. *Sci Total Environ.* 1995; 166: 149-155.

Hammond PB, Chernausek SD, Succop PA, Shukla R and Bornschein RL. Mechanisms by which lead depresses linear and ponderal growth in weanling rats. *Toxicol Appl Pharmacol.* 1989; 99: 474-86.

Hammond PB, Minnema DJ, Shulka R. Lead exposure lowers the set point for food consumption and growth in weanling rats. *Toxicol Appl Pharmacol.* 1990;106:80-87.

Hammond PB, Minnema DJ, Succop PA. Reversibility of lead-induced depression of growth. *Toxicol Appl Pharmacol.* 1993 ; 123: 9-15.

Hannan SE, Ocie Harris J, Sheridan NP and Patel JM. Cigarette smoke alters plasma membrane fluidity of rat alveolar macrophages. *Am Rev Respir Dis* 1989; 140: 1668-1673.

Hagenfeldt K, Landgren BM, Plantin LO and Diczfalusy E. Trace elements in the human endometrium and decidua. A multielement analysis. *Acta Endocrinol* (Copenh) 1977; 85: 406-414.

Hanukoglu L and Jefcoate CR. Mitochondrial cytochrome P-450 scc: Mechanism of electron transport by adrenodexin. *J Biol. Chem.* 1980; 255: 3057-3061.

Haour F, Tell MG and Sanchez P. Mise an evidence et dosage d'une gonadotrophine chorionique chez le rat (rCG). *C.R. Acad Sci(paris) Ser. D.* 1976; 282: 1183-1186.

Hartwig A and Schwerdtle T. Interactions by carcinogenic metal compounds with DNA repair processes: toxicological implications. *Toxicol Lett.* 2002; 127:47-54.

Hazelhoff Roelfzema W, Zahn-Breidenbach U and Copius Peereboom-Stegeman JH. Light and electron microscopic investigation of the rat placenta after cadmium administration during pregnancy. *Anat Embryol (Berl).* 1988;178: 345-351.

Hedin L, Rodgers RJ, Simpson ER and Richards JS. Changes in content of cytochrome P45017α, cytochrome P450scc, and 3-hydroxy-3-methylglutaryl CoA reductase in developing rat ovarian follicles and corpora lutea: Correlation with theca cell steroidogenesis. *Biol. Reprod.* 1987; 37 : 211-223.

Heng KM, Song Mk and Heng MCY. Reciprocity between tissue calmodulin and cAMP levels: modulation by excess zinc. *Brit J Dermatol* 1993; 129: 280-285.

Hernandez ER, Roberts Ct, Leroit D and Adashi EY. Rat ovarian gene expression in granulose cell selective:5=UT mRNA variant representation and hormonal regulation. *Endocrinology* 1989; 125 : 572.

Hertz-Picciotto I, Croft J. Review of the relation between blood lead and blood pressure. Epidemiol Rev. 1993;15: 352-73.

Hew KW, Heath Gl, iwa AH and Welsh MJ. Cadmium in vivo causes disruption of tight junction-associated microfilaments in rat sertoli cells. *Biol Reprod.* 1993; 49: 840-849.

Hilderbrand DC, Der R, Griffin WT and Fahim MS. Effect of lead acetate on reproduction. *Am. J. Obstet. Gynecol.* 1973; 115: 1058-1065.

Hillensjo T and LeMarie WJ. Gonadotropin releasing hormone agonist stimulates meiotic maturation of follicle enclosed rat oocytes in vitro. *Nature* 1980; 287: 145-147.

Hiney JK, Srivastava V, Nybdeg CL, Ojeda SR and Dees WL. Insulin like growth factor-I of pheripheral origin acts centrally to accelerate the intiation of female puberty. *Endocrinology* 1996; 137: 3717-3728.

Hinkle PM, Kinsella PA and Osterhoudt KC. Cadmium uptake and toxicity via voltage-sensitive calcium channels. *J Biol Chem.* 1987; 262:16333-16337.

Hiratsuka H, Katsuta O, Toyota N, Tsuchitani M, Umemura T and Marumo F.Chronic cadmium exposure induced renal anemia in ovariectomized rats. *Toxicol. Appl. Pharmacol.* 1996; 137: 228-236.

Horiguchi H, Teranishi H, Nliya K, Aoshima K, Katoh T, Sakuragawa N and Kasuya M. Hypoproduction of erythropioietin contributes to anemia in chronic cadmium intoxication: a clinical study on Itai-Itai disease in Japan. *Arch Toxicol.* 1994; 68 : 632-636.

Horiguchi H, Sato M, Konno N and Fukushima M. Long term cadmium exposure induces anemia in rats through hypoinduction of erythropoietin in the kidneys. *Arch Toxicol.*1996;71: 11-16.

Hossain Z and Huq F. Studies on the interaction between Cd(2+) ions and nucleobases and nucleotides. *J Inorg Biochem.* 2002; 90: 97-105.

Hseuch AJW, Welsh TH and Jones PBC. Inhibition of ovarian and testicular steroidogenesis by epidermal growth factor. *Endocrinology* 1981; 108: 2002-2004.

Hseueh AJW, Adashi EY and Jones PBC Hormonal regulation of differentiation of culture ovarian granulosa cells. *Endocr. Rev.* 1984; 5: 76-127.

Hsu PC and Guo YL. Antioxidant nutrients and lead toxicity. *Toxicology.* 2002; 180: 33-44.

Hu H. Knowledge of diagnosis and reproductive history among survivors of childhood plumbism. *Am J Public Health* 1991; 81: 1070-1072.

Huang BM, Tsai ML, Li PH, Yang HY and Liu MY. The effects of lead on StAR protein expression and steroidogenesis in MA-10 cells. *Biol Reprod.* 1997: 56S: 201.

Hugo EA. Catalase. In Methods of Biochemical Analysis. Vol. III, ed.Bergmeyer, H.U., Bergmeyer, J., Grabt, M., 1987; 277-282: VCH Publishers, New York.

Hussain T, Shukla GS and Chandra SV. Effects of cadmium on superoxide dismutase and lipid peroxidation in liver and kidney of growing rats: *in vivo* and *in vitro* studies. *Pharmacol Toxicol* 1987; 60: 355-359.

Hwang H, Chao KY, Chang CW, Hsiao FT, Chang HL and Han HZ. Lip lead as an alternative measure assessment of lead battery assembly workers. *AIHAJ* 2000; 61 : 825-831.

Ioachim EE, Kitsiou E, Carassavoglou C, Stefanaki S and Agnantis NJ. Immunohistochemical localization of metallothionein in endometrial lesions. *J Pathol.* 2000; 191: 269-73.

Inano H and Tamaoki B. Testicular 17β-hydroxysteroid dehydrogenase: Molecular properties and reaction mechanism. *Steroids* 1986; 48: 3-26.

Inano H, Ishii-Ohba H, Sugimoto Y, Ohta Y, Morikawa T, Yoshida M and Tamaoki B. Purification and properties of enzymes related to steroid hormone synthesis. *Annals N.Y. Acad. Sci.* 1990; 595:17-25.

Itoh N, Fujita Y, Nakanishi H, Kawai Y, Mayumi T, Hwang GS, Min K, Onosaka S, Muto N, Tanaka K. Binding of Cd to metallothionein in the placenta of Cd-treated mouse. *J Toxicol Sci.* 1996 : 21:19-27.

Ishido M, Homma ST, Leung PS, Tohyama C. Cadmium-induced DNA fragmentation is inhibitable by zinc in porcine kidney LLC-PK1 cells. *Life Sci.* 1995; 56 : PL351-6.

Jablonka-Shariff A and Olson LM. Hormonal nitric oxide synthesis and their cell specific expression: the follicular development in the rat ovary. *Endocrinology* 1997; 138: 460-468.

Jacob B, Ritz B, Heinrich J, Hoelscher B, Wichmann HE. The effect of low-level blood lead on hematologic parameters in children. *Environ Res.* 2000; 82: 150-159.

Jensen, AA. Transfer of chemical contaminants into human milk. In: Chemical Contaminants in Human Milk. Jensen AA and Slorach SA (Eds.) Boca Raton: CRC Press, Inc., pp. 9-19, 1991.

Jefcoate CR, McNamara BC, Artemenko I. and Yamazaki T. regulation of cholesterol movement to mitochondrial cytochrome . P450scc in steroid hormone synthesis. *J. Steroid Biochem Molec. Biol.* 1992; 43: 751-767.

Jewell S, Bellemo G, Thor H, Orrenius S and Smith MT.) Bleb formation in hepatocytes during drug metabolism is caused by disturbances in thiol and calcium ion homeostasis. *Science* 1982; 217: 1257-1259.

Jia XC, Kalmijn J and Hseuh AJW. Growth hormone enhances FSH induced differentaitaion of cultured rat granulose cells. *Endocrinology* 1986; 118: 1401-1409.

Jiang T, Fan J and Tan B. Toxicity of cadmium and its mechanism on renal tubular cells in vitro. *Zhonghua Yu Fang Yi Xue Za Zhi* 1996; 30: 84-87.

Jolibios LS Jr, ,Shi W, George WJ, Henson MC and Anderson M. Cadmium accumulation and effects on progesterone .release by cultured trophoblast cells. *Reprod. Toxicol.* 1999a; 13: 215-221.

Jolibios LS Jr, Burrow ME, Swan Kf, George WJ , Anderson M and Henson MC. Effects of cadmium on cell viability, trophoblastic development, and expression of low density lipoprotein receptor transcripts in cultured human placental cells. *Reprod. Toxicol.* 1999b, 13: 473-480.

Jones PBC, Welsh Jr TH and Hseuh AJW. Regulation of ovarian progestin production by EGF in cultured rat granulosa cells. *J. Biol. Chem.* 1982; 257 : 11268-11271.

Junaid M, Chowdhuri D.K, Narayan R, Shanker R and Saxena D.K Lead induced changes in ovarian follicular development and maturation in mice. *J Toxicol Envirion Health* 1997; 50: 31-40.

Kakkar P, Das B and Vishwanath PN. A modified spectrophotometric assay of superoxide dismutase. *Indian J Biochem Biophys* 1984; 21: 130-132.

Kaplan P, Recay P, Lehotsky J and Mczesova V. Change in fluidity of brain endoplasmic reticulam membranes by oxygen free radicals: a protective effect of stobadine, α-tocopherol acetate, and butylated hydroxytoluene. *Neurochem Res* 1995; 20: 815-820.

Kar AB, Das RP and Karkun JN. Ovarian changes in prepuberal rats after treatment with cadmium chloride. 1959;3: 372-399.

Kawai M, Swan KF, Green AE, Edwards DE, Anderson MB and Henson MC. Placental endocrine disruption induced by cadmium: effects on P450 cholesterol side-chain cleavage and 3beta-hydroxysteroid dehydrogenase enzymes in cultured human trophoblasts. *Biol Reprod.* 2002 ; 67: 178-83.

Kennedy TG. Estrogen and uterine sensitization for the decidual cell reaction: role of prostaglandins. *Biol Reprod.* 1980 ; 23: 955-62.

Kern M, Wisniewski M, Cabell L and Audesirk G. Inorganic lead and calcium interact positively in activation of calmodulin. *Neurotoxicology.* 2000;21:353-363

Keyes PL and Wiltbank MC. Endocrine regulation of the corpus luteum. *Ann. Rev. Physio*l. 1988; 50 : 465-482.

Kiess W and Gallaher B. Hormonal control of cell death/ apoptosis. *Eur. J. Endocrinol.* 1998; 138 : 482-491.

Kim, R., H. Hu, A. Rotnitzky, D. Bellinger and H. Needleman. Longitudinal relationship between dentin lead levels in childhood and bone lead levels in young adulthood. *Arch. Environ. Health.* 1996;51: 375-382.

Kim YK, Choi JK, Kim JS and Park YS. Changes in renal function in cadmium intoxicated rats Toxicol.1988; 63: 342-350.

Kitamura M, Buczko E and Dufau ML. Dissociation of hydroxylase and lyase activities by site-directed mutagenesis of the rat P45017α. *Mol. Endocrino*l. 1991; 5: 1373-1380.

Kjellstrom T, Evrin PE and Rahnster B. Dose response analysis of cadmium induced tubular proteinurea. A study of urinary β_2 microglobulin excretion among workers in a battery factory. *Environ. Res.* 1977;13 : 303-317.

Klein D, Wan YJ, Kamyab S, Okuda H and Sokol RZ. Effects of Toxic levels on lead on gene regulation in the male axis: Increase in messenger RNA and intracellular stores of gonadotrophs within the central nervous system. *Biol Reprod* 1994; 50: 802-811.

Knecht M, Amsterdam A and Catt KJ. The regulatory role of cyclic AMP in hormone induced granulosa cell differentiation. *J Biol Chem.*1981; 256: 10628-10633.

Kofod P, Bauer R, Danielsen E, Larsen E and Bjerrum MJ. 113 Cd-NMR investigation of a cadmium-substitution copper, zinc containing superoxide dismutase from yeast. *Eur J Biochem* 1991; 198: 607-611.

Konecki J, Blazejowski J, Slowinski J and Helewski K. Influence of chronic cadmium exposure during pregnancy on DNA synthesis in different organs of rat offspring. *Med Sci Monit.* 2000; 6: 1077-1081.

Korpela H, Loueniva R, Yrjanheikki E and Kauppila A. Lead and cadmium concentrations in maternal and umbilical cord blood, amniotic fluid, placenta and amniotic membranes. *Am J Obstet Gynecol* 1986; 155: 1086-1089.

Kostic MM, Ognjanovic B, Dimitrijevic S, Zikic RV, Stajn A, Rosic GL and Zivkovic RV. Cadmium-induced changes of antioxidant and metabolic status in red blood cells of rats: in vivo effects. *Eur J Haematol.* 1993; 51 :86-92.

Kramer U, Ewers U, Brockhaus A, Winneke G, Freier Y and Jermann E .Die leibelastung von Kindern aus Ost- and Westdeutschland- Expositionsquellen and Auswirkungen auf das Zentralnervensystem. *Informatik Biometrie und Epidemiologie* 1994; 25 : 58-73.

Krocova Z, Macela A, Kroca M and Hernychova L. Immunomodulatory effect (s) of lead and cadmium on the cells of immune system in vitro. *Toxicol. In vitro.* 2000; 14 : 33-40.

Kumar, S., and Pant, C. (1984). Comparative effects of sublethal poisoning of copper, zinc and lead on the gonads of teleost Punctius Conchonius ham. *Vet Hum Toxicol.* 1984; 23: 189-194.

Labrie F, Simard J, Luu-The V, Belanger A and Pelletier G. Structure, function and tissue-specific gene expression of 3β-hydroxysteroid dehydrogenase/5-ene-4-ene isomerase enzymes. *J. Steroid Biochem. Molec. Biol.* 1992; 43: 805-826.

Lach H and Srebro Z. The oestrus cycle of mice during lead and mercury poisoning. *Acta Biol. Cracow. Ser. Zool.* 1972;15: 121-130.

Laemeli U.K. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 1970; 227: 680 – 685.

Lafuente A and EsquifinoAI. Possible role of glutamate, aspartate, glutamine, GABA or taurine on cadmium toxicity on the hypothalmicpituitary axis activity in adult male rats. *Biometals* 2002;15: 183-187.

Laloraya M, Kumar GP and Laloraya MM. Histochemical study of superoxide dismutase in the ovary of the rat during the oestrous cycle. *J Reprod Fertil.* 1989 ;86:583-587.

Laskey JW and Phelps PV. Effect of cadmium and other metal cations on in vitro Leydig cell testosterone production. *Toxicol. Appl. Pharamcol.* 1991; 108: 296-306.

Laudanski T, Sipowicz M, Modzelewski P, Bolinski J, Szamatowicz J, Razniewska G, Akerlund M. Influence of high lead and cadmium soil content on human reproductive outcome. *Int J Gynaecol Obstet.* 1991 ; 36: 309-15.

Lauwerys RR., Bernard A, Roels H and Buchet J.P. -Health risk assessment of long-term exposure to non-genotoxic chemicals : application of biological indices. *Toxicology Letters* 1995; 77: 39-44.

Lawrence TS, Dekel N and Beers WH. Binding of human chorionic gonadotropin by rat cumuli oophori and granulosa cells: A comparative study. *Endocrinology* 1980; 106: 1114-1118.

Leeunberg BR, Hudson NL, Moore LG, Hurst PR and Mcnatty KP. Pheripheral and ovarian concentration of IGF during ovine estrous cycle. *J Endocr.* 1996; 148: 81-90.

Leffler HH and Mc Dougald CH. Estimation of cholesterol in serum by means of improved techniques. *Am J Clin Path* 1963; 39: 311-314.

Levin AA, Miller Rk, di Sant' Agese PA. Heavy metal alterations of placental function: a mechanism for the induction of fetal toxicity in cadmium. In: clarksonTW, Nordberg GF, Sager PR, eds. Reproductive and developmental toxicity of metals. New York. Plenum Press; 1983: 633-654.

Levin AA, Kilpper RW and Miller RK. Fetal toxicity of cadmium chloride: the pharmacokinetics in the pregnant Wistar rat. *Teratology.* 1987; 36:163-70.

Levin SM and Goldberg M. Clinical evaluation and management of lead-exposed construction workers. *Am J Ind Med.* 2000 ; 37::23-43.

Li J, Kim J, Liston P, Miyakaki T, Macker AE and Tsang BK. Expression on inhibitory proteins (IAP) in rat granulosa cells during ovarian development and atresia. *Endocrinology*, 139: 1321-1327.

Lin FJ, Fitzpatrick Jw, lancotti CA, Martin DS, Mariani BD and Tuan RS. Effects of cadmium transport on trophoblast calcium transport. *Placen*ta 1997; 18: 341-356.

Lindheimer MD and Katz KI. Renal Function in pregnancy. *Obstet Gynecol Annu.* 1972;1:139-76.

Liu My, Lai HY, Yang BC, Tsai ML, Yang HY and Huang BM. The inhibitory effects of lead on steroidogenesis in MA-10 mouse leydig tumour cells. *Life Sci* 2001; 68: 849-859.

Lowry OH, Rosebourgh NJ, Farr AL and Randall RJ. Protein measurement with the folin phenol reagent. *J Biol Chem* 1951; 193: 265-275.

Luborsky JL and Behrman HR. Localization of LH receptors on luteal cells with a ferritin-LH conjugate. *Mol Cell Endocrinol.* 1979; 15: 61-78.

Lucis OJ, Lucis R and Shaikh ZA. Cadmium and zinc in pregnancy and lactation. *Arch Environ Health* 1972; 25: 14-22.

Luu-The V, Labrie C, Zhao H-F, Couet J, Lachance Y, Simard J, Cote J, Leblanc G, Lagace L, Berube D, Gagne R and Labrie F. Purification, cloning, complementary DNA structure, and predicted amino acid sequence of human estradiol 17β-dehydrogenase. *Annals N.Y. Acad. Sci.* 1990a; 595 : 40-52.

Luu-The V, Labrie C, Simard J, Lachance Y, Zhao H-F, Couet J, Leblanc G and Labrie F. Structure of two in tandem human 17β-hydroxysteroid dehydrogenase genes. *Mol. Endocrinol.* 1990b; 4: 268-275.

Magoffin DA, Hubert-Leslie D and Zachow RJ. Estradiol-17 beta, insulin-like growth factor-I, and luteinizing hormone inhibit secretion of transforming growth factor beta by rat ovarian theca-interstitial cells. *Biol Reprod.* 1995; 53:627-635.

Malloy MH, Rassin DK and Mc Ganity WJ. Materanl-fetal Cyst(e)ine transfer. *Biol. Neonate* 1983; 44:1-9.

Martel C, Rheaume E, Takahashi M, Trudel C, Couet J, Luu-The V, Simard J and Labrie F. Distribution of 17β-hydroxysteroid dehydrogenase gene expression

and activity in rat and human tissues. J. *Steroid Biochem. Molec. Biol.* 1992;41 : 597-603.

Massanyi P, Toman R, Valent M and Cupka P. Evaluation of selected parameters of a metabolic profile and levels of cadmium in reproductive organs of rabbits after an experimental administration. *Acta Physiol Hung.* 1995; 83:267-273.

Matsumi HT, Yano Y, Osuga K, Kugu X, Tang JP, Xu N, Uyano Y, Kurashimta T, Ogura O, Tsutuni T, Koji H, Esunti H. *Biol Reprod.* 1998; 63: 141-146.

Matt DW and MacDonald GJ. In vitro progesterone and testosterone production by the rat placenta during pregnancy. *.Endocrinology.* 1984 Aug;115(2):741-747.

Matthies DL. Studies of the leuteotropic and mamotrophic factor found in trophoblast and maternal pheripheral blood of rat at mid pregnancy. Anat Rec. 1967; 159 : 55-68.

May JV, McCarty Jr K, Reichert Jr LE and Schomberg DW. Follicle stimulating hormone mediated induction of functional luteinizing hormone/ human chorionic gonadotropin eceptor during monolayer culture of porcine granulosa cells. *Endocrinology* 1980; 107: 1041-1049.

Mc Ardle HJ, Douglas Aj, Bowen BJ and Morgan EH. The mechanism of iron uptake by the rat placenta. *J cell Physiol.* 1985; 124: 446-450.

McCabe MJ Jr, Singh KP and Reiners JJ Jr. Lead intoxication impairs the generation of a delayed type of hypersensitivity response. *Toxicology* 1999; 139: 255-264.

McCabe MJ Jr, Singh KP and Reiners JJ Jr. Low level lead exposure in vitro stimulates the proliferation and expansion of alloantigen reactive CD4 (high) T cells. *Toxicol. Appl. Pharamcol.* 2001;177 : 219-231.

McGiveren RF, Sokol RZ and Berman NG. Prenatal lead exposure in the rat during the third week of gestation: long term behavoural, physiological and anatomical effects associated with reproduction. *Toxicol appl Pharmacol.* 1991; 110: 206-215.

McMichael AJ, Vimpani GV and Robertson E. The Port Pirie cohort study: maternal blood **lead** and pregnancy outcome. *J Epidemiol Community Health* 1986; 40:18–25.

McLellan JS, Flanagan PR, Chamberlain MJ and Valberg LS. Measurement of dietary cadmium absorption in humans. *J. Toxicol Environ Health* 1978; 4: 131-138.

Meduri G, Vuhai-Luuthi T, Jolivet A and Milgrom E. New functional zonation in the ovary as shown by immunohistochemistry of luteinizing hormone receptor. *Endocrinology* 1992; 131 :366-373.

Meister A. On the discovery of glutathione. *Trends Biochem Sci.* 1988; 13:185-188.

Mendel CM. The free hormone hypothesis: distinction from the free hormone transport hypothesis. *J. Androl.* 1992;13: 107-116.

Meredith PA, Campbell CB, Blower A, Derkx FH and Reid JL. The effects of lead on the rennin-angiotensin system. *Xenobiotica,* 1985; 15: 521-528.

Midley Jr AR. Autoradiographic analysis of gonadotropin binding to rat ovarian tissue sections. In:O'Malley BW, Means AR (eds) Receptor for Reproductive hormones. Plenum press, New York 1973; 365.

Mihn M, Good TEM, Ireland JLH, Ireland JJ, Knight PG and Roche JF.Decline in FSH concentrations alters key intrafollicular growth factors involved in the elevation of the dominant follicles in heifers. *Biol. Reprod.* 1997; 57: 1326-1332.

Miller GD, Massaro TF and Massoro EJ. Interactions between lead and essential elements: a review. *Neurotoxicology* 1990; 11: 99-120.

Milnerowicz H, Zalewski J, Geneja R, Milinerowicz-Nabzdyk E and Woyton J. Levels of Cd, Pb in blood and Zn, Cu, Cd, Pb in amniotic fluid of tobacco smoking women during pregnancy complicated oligohydramnios or premature rupture of membranes. *Ginek Pol* 2000; 71: 311-316.

Mingeshi T, Hirakawa T, kishi H, abe Y, Tetsuya m and MiyamotoK. A role of IGF-1 for FSH receptor expression in rat granulose cells. *Biol. Reprod.* 2000; 62 : 325-333.

Misra UK, Gawdi G, Akabani G and Pizzo SV. Cadmium-induced DNA synthesis and cell proliferation in macrophages: the role of intracellular calcium and signal transduction mechanisms. *Cell Signal.* 2002;14: 327-340.

Mishra OP, Delivora-Papadopoulus M, Cahillane G and Wagerle DC. Lipid peroxidation as the mechanism of modification of the affinity of the Na+K+ ATPase active sites for ATP, K+, Na+ and strophanthidin in vitro. *Neurochem Res.* 1989; 14: 845-851.

Miyazaki T, Sueoka K, Dharmarajan AM, Atlas SJ, Bulkley GB and Wallach EE. Effect of inhibition of oxygen free radical on ovulation and progesterone production by the in-vitro perfused rabbit ovary. *J Reprod Fertil.* 1991; 91: 207-212.

Mognet P, Monniaux D, Pisselet C and Durand P. Changes in IGF-1, IGF-2 and their binding proteins during growth and atresia of ovine ovarian follicles. *Endocrinology* 1993; 132: 1438-1444.

Mohammed-Brahmin B, Buchet JP and Lauwerys R. Erythrocyte pyrimidine 5' nucleotidase activity in workers exposed to lead, mercury or cadmium. Int *Arch Occup Environ Health* 1985; 55 : 247-252.

Moll W, Giard H and Gros G. Facilitated diffusion of lactic acid in the guinea pig placenta. *Pflugers Arch.* 1980; 385: 229-238.

Mondschein JS and Schomberg DW. Growth factors modulate gonadotropin receptor induction in granulosa cell cultures. *Science* 1981; 211: 1179-1182.

Monniaux D, Pisselet C and fontaine J. uncoupling between proliferation and differentaitaion of ovine granulose cells in vitro. *J Endocrinol.* 1994; 142 : 497-504.

Monterio HP, Bechara EJH and Adballa DSP. Free radical involvement in neurological porphyries and lead poisoning. *Mol Cell Biochem.* 1991; 103: 73-83.

Morishige WK, Pepe GJ and Rothchild I. Serum luteinizing hormone, prolactin and progesterone levels during pregnancy in the rat. *Endocrinology* 1973;92 : 1527-1530.

Morselt AF, Peereboom-Stegeman JH, Puvion E and Maarschalkerweerd VJ. Investigation for the mechanism of cadmium toxicity at cellular level. II. An electron microscopical study. *Arch Toxicol.* 1983 ; 52: 99-108.

Mossman, H.W. and Duke, K.L.: Comparative Morphology of the Mammalian Ovary. The University of Wisconsin Press, 1973.

Moulton B. Ovum implantation and uterine lysosomal activity. *Biol. Reprod.* 1974; 10: 543-548.

Mousa HM, Al-Qarawi AA, Ali BH, Abdel Rahman HA and ElMougy SA. Effect of lead exposure on the erythrocytic antioxidant levels in goats. *J Vet Med A Physiol Pathol Clin Med.* 2002 ; 49 :531-534.

Namiki M, Kitamura M, Buczko E and Dufau ML. Rat testis P-45017α cDNA: The deduced amino acid sequence expression and secondary structural configuration. *Biochem. Biophys. Res. Commun.* 1988; 157:705-712.

Nathan E, Huang HF, Pogach L, Giglio W, Bogden JD, Seebode J. Lead acetate does not impair secretion of Sertoli cell function marker proteins in the adult Sprague Dawley rat. *Arch Environ Health.* 1992 ; 47: 370-375.

Nayak BN, Ray M, Persaud TV and Nigli M. Relationship of embryotoxicity to genotoxicity of lead nitrate in mice. *Exp Pathol.* 1989; 36: 65-73.

Needleman HL, Gunnor C, Leviton A, Reed R, Peresie H, Maher C and Barrett P. Defects in physiologic and classroom performance ofchildren with elevated dentine lead levels. *N Engl J Med* 1979; 300: 689-695.

Nehru B and Kaushal S. Alterations in the hepatic enzymes following experimental lead poisoning. *Biol Trace Elem Res.* 1993; 38:27-34.

Nelson SE, McLean MP, Jayatilak PG and Gibori G. Isolation, characterization, and culture of cell subpopulations forming the pregnant rat corpus luteum. *Endocrinology* 1992; 130 : 954-966.

Nelson SK, Bose SK and McCord JM. The toxicity of high-dose superoxide dismutase suggests that superoxide can both initiate and terminate lipid peroxidation in the reperfused heart. *Free Radic Biol Med.* 1994 ;16 :195-200.

Ng TB and Liu WK. Toxic effect of heavy metals on cells isolated from rat adrenal and testis. *In vitro Cell Dev Biol* 1990; 26: 24-28.

Ng TP, Goh HH, Ng YL, Ong HY, Ong CN, Chia KS, Chia SE and Jeyaratnam J. Male endocrine functions in workers with moderate exposure to lead. *Br J Ind Med* 1991; 48 : 485-491.

Nicholls DM, Teichert-Kuliszewska K and Kuliszewski MJ. The activity of membrane enzymes in homogenate fractions of rat kidney after administration of lead. *Toxicol Appl Pharmacol.* 1983; 67 : 193-199.

Nilsson BO, Einarsson B, Magnusson C. Lead given systemically to mice in experimental delay of implantation increases the oxygen consumption of delayed blastocysts. *Toxicol Lett.* 1991;56: 349-353.

Nigam D, Shukla GS and Agarwal AK. Glutathione depletion and oxidative damage in mitochondria following exposure to cadmium in rat liver and kidney. *Toxicol Lett* 1999; 106: 151-157.

Nimura E, Miura K, Shinobu LA and Imura N. Enchancement of Ca 2+ sensitibve myosin ATPase activity by cadmium. *Ecotoxicol Environ safety* 1987; 14: 184-189.

Nishimura N, Nishimura H and Tohyama C. Localization of metallothionein in female reproductive organs of rat and guinea pig. *J Histochem Cytochem.* 1989 ; 37: 1601-1607.

Nivsarkar M., Cherian B. and Patel S. A regulatory role of sulfhydryl groups in modulation of sperm membrane confirmation by heavy metals: sulfhydryl groups as a marker for infertility assessment. *Biochem. Biophys. Res. Comm.* 1998; 2476, 716-718.

Nordberg GF, Kjellstorm and Nordberg M. Kinetics and Metabolism. In: Friberg, L., Elinder CG, Kjellstrom T and Nordberg GF. Eds. Cadmium and Health : A toxicological and epidemiological appraisal. Vol. I. Exposure, dose and metabolism. CRC Press, Boca Raton, Fl., 1985; 103-178.

Ohkawa H, Ohishi N and Yagi K. Assay for lipid peroxidation in animal tissue by thiobarbituric acid reaction. *Anal Biochem* 1979; 95: 351-358.

Okker-Reitsma GH and Wilson, GL. Evidence for a biphasic pattern in gonadotropin secretion by mouse placenta in vitro. *J Steroid Biochem.* 1980; 12: 97-99.

Ong CN, Phoon WO, Law HY, Tye CY, Lim HH. Concentrations of lead in maternal blood, cord blood, and breast milk. *Arch Dis Child.* 1985; 60: 756-759.

Orme-Johnson NR. Distinctive properties of adrenal cortex mitochondria. *Biochim. Biophys. Acta* 1990;1020 : 213-231.

Ouig G. Cysteine Metabolism and metal toxicity. *Alter Med Rev.* 1998; 3: 262-270.

Paksy K, Vagra B, Horvath E, Tatrai E and Ungvary G. Acute effects of cadmium on preovulatory serum FSH, LH, and Prolactin levels and on ovulation and ovarian hormone secretion in estrous rats. *Reprod. Toxicol.* 1989; 3: 241-247.

Paksy K, Naray M, Vagra B, Kiss I, Folly G and Ungvary G . Uptake and distribution of Cadmium in the ovaries, adrenals and pituitary in pseudo pregnant rats: effect of Cd on progesterone serum levels. *Environmental Res.* 1990; 51: 83-90.

Paksy K, Vagra B, Lazar P Cadmium interferes with steroid biosynthesis in rat granulosa and luteal cells *in vitro. Biometals* 1992; 5: 245-250.

Paksy K, Varga B, Lazar P. Zinc protection against cadmium-induced infertility in female rats. Effect of zinc and cadmium on the progesterone production of cultured granulosa cells. *Biometals.* 1996; 10: 27-35.

Paksy K, Rajczy K, Forgacs Z, Lazar P, Bernard A, Gati I and Kaali GS. Effect of cadmium on morphology and steroidogenesis of cultures human granulose cells. *J Appl. Toxicol.* 1997; 17: 321-327.

Paksy K, Gati I, Naray M and Rajczy K. Lead accumulation in human ovarian follicular fluid and in vitro effect of lead on progesterone production by cultured human granulosa cells. *J Toxicol and Environmental Health, Part A* 2001: 62: 329-336.

Palacin M, Lasuncion MA, dei Rio RM and Herrera E. Placental formation of lactate from transferred L-alanine and its impairment by aminooxyacetate in the late pregnant rat. *Biochim. Biophys. Acta.* 1985; 841:90-96.

Park K, Kim KR, Kim JY and Park YS. Effect of cadmium on Na-Pi cotransport kinetics in rabbit renal brush border membrane vesicles. *Toxicol Appl. Pharmacol.* 1997 ; 145: 255-259.

Parizek J. Cadmium and reproduction: a perspective after 25 yeatrs. In: Clarkson , Nordberg BF, Sager Pr eds. Reproductive and developmental toxicity of metals. New York: plenum Press; 1983: 310-313.

Parkkila S, Waheed A, Britton RS, Bacon BR, Zhou XY, Tomatsu S, Fleming RE, Sly WS Association of the transferrin receptor in human placenta with HFE, the protein defective in hereditary hemochromatosis .*Proc Natl Acad Sci* USA 1997; 94:13198-13202

Payton M, Hu H, Sparrow D and Weiss ST. I. Low Level lead exposure and renal function in the normative aging study. *Am J. Epidemiol.* 1994; 140: 821- 829.

Peereboom-Stegeman JH and Jongstra-Spaapen EJ. The effect of a single sublethal administration of cadmium chloride on the microcirculation in the uterus of the rat. *Toxicology* 1979; 13:199-213

Peereboom-Stageman JH, van der Veldhe WJ and Dessing JW. Inflluence of cadmium on placental structure. *Ecotoxicol Environ Saf* 1983;7: 79-86.

Pelletier G, Dube D, Seguin C and Lefebvre FA. Binding and internalisation of a luteinizing hormone releasing hormone agonist by rat gonadotropic cells. A radiographic study. *Endocrinology* 1982; 111: 1068-1076.

Pennypacker KR, Xiao Y, Xu RH and Harry GJ. Lead-induced developmental changes in AP-1 DNA binding in rat brain. *Int J Dev Neurosci.* 1997;15:321-328.

Pepe GJ and Albrecht ED. Regulation of baboon fetal adrenal androgen production by adrenocorticotropic hormone, prolactin, and growth hormone. *Biol Reprod.* 1985; 33 :545-550

Perrin A, Defaye G, Guidicelli C and Chambaz EM. Purification and properties of steroid 17α-hydroxylase from calf testis. *J. Steroid Biochem. Molec. Biol.* 1991; 40: 431-435.

Perrino BA and Chou IN. Calmodulin modulation of adverse effects of Cd on microtubules and tubulin polymerization in vitro. *Toxicol in vitro* 1989; 3: 227-234.

Persson B, Krook M and Jornall H. Characteristics of short chain dehydrogenases and related enzymes. *European J Biochem.* 1991; 200:537-543.

Petrusz P, Weaver CM, Grant LD, Mushak P and Drigman MR Lead poisoning and reproduction: Effects on pituitary and serum gonadotropins in neonatal rats. *Environ Res* 1979; 19: 383- 391.

Piasek M and Laskey JW. Acute cadmium exposure and ovarian steroidogenesis in cycling and pregnant rats. *Reprod Toxicol.* 1994 ; 8 : 595-507.

Piasek M, Schonwald N and Blanusa M. Biomarkers of heavy metal reproductive effects and interaction with essential elements in experimental studies on female rats. *Arh Hig Rada Toksikol.* 1996 ; 47: 245-259

Piasek M and Laskey JW. Effects of *In vitro* Cadmium exposure on ovarian steroidogenesis in rats. *J Appl Toxicol* 1999; 19: 211-218.

Piasek M, Laskey JW, Kostial K and Blanusa M. Assessment of steroid disruption using cultures of whole ovary and/or placenta in rat and in human placental tissue. *Int Arch Occup Environ Health.* 2002 ;75 1:S36-44.

Pinon-Lattaillade G, Thoreux Manlay A, Coffigny H, Masse R and soufir Jc. Reproductive toxicity of chronic lead exposure in male and female mice. Hum *Exp Toxicol* 1995; 14: 872-878.

Pochwalowski M, Kliniki II, Katedry I and Kliniki Ginekologii AM. Cadmium concentration in uterine myomas, myometrium and peripheral blood from women living in Lower Silesia. *Ginekol Pol* 2001; 72 :1055-1058.

Ponderato N, Graselli F, Saleri R and Tamanini C. Factors modulating apoptosis: An "*in vitro*" study in swine granulosa cells. *Reprod. Domst. Anim.* 2000; 35: 213-219.

Poradovsky K, Rosival L, Balazova G, Fric D, Truska P, Rippel A. Environmental contamination with cadmium as a risk factor in human reproduction. *Cesk Gynekol.* 1984 ; 49: 83-86.

Qanungo S, Sen A and Mukherjea M. Antioxidant status and lipid peroxidation in human feto-placental unit. *Clin Chim Acta.* 1999 ; 285 :1-12.

Ramanathan PS. Spotlight on analytical procedures for total lead, isotopic ratio and speciation. In: Lead poisoning prevention and treatment: Implementing a national programme in developing countries. February 8-10, Bangalore, India. Proceedings of the International Conference on Lead Poisoning Prevention and Treatment, 1999; 143-147.

Rani CSS, Salhanick AR and Armstrong DT. Follicle Stimulating hormone induction of luteinizing hormone receptor in cultured rat granulosa cells: An examination of the need for steroids in the induction process. *Endocrinology* 1981; 108: 1561-1566.

Ray EW, Averill SC, Lyons WR and Johnson Re. Rat placental hormonal activities corresponding to those of mammotropin. *Endocrinology* 1955; 56: 359-373.

Razani-Boroujerdi S, Edwards B and Sopori ML. Lead stimulates lymphocyte proliferation through enhanced T cell- B cell interaction. *J Pharamacol Exp Ther.* 1999; 288 : 714-719.

Rehm S and Waakles MP. Cadmium induced ovarian toxicity in hamsters, mice and rats. *Fundament Appl Toxicol.* 1988; 10: 635-647.

Ribarov SR, Benov LC, Marcova VI and Benchev IC. Hemoglobin catalyzed lipid peroxidation in the presence of mercuric chloride. *Chem Biol Interact* 1983; 45: 105-112.

Richards JS and Midgley AR Jr. Protein hormone action: a key to understanding ovarian follicular and luteal cell development. *Biol Reprod.* 1976; 14:82-94.

Richards JS and Kersey KA. Changes in theca and granulosa cell function in antral follicles developing during pregnancy in the rat: gonadotropin receptors, cyclic AMP and estradiol-17 beta. *Biol Reprod.* 1979 ; 21 :1185-1201.

Richards JS. Maturation of ovarian follicle: Actions and interactions of pituitary and ovarian hormones of follicular cell differentiation. *Physiol. Rev.* 1980; 60: 51-89.

Richards JS and Hedin L. Molecular aspects of hormone action in ovarian follicular development, ovulation, and luteinization. *Ann. Rev. Physiol.* 1988; 50: 441-463.

Rigby BW, Workman J, McLean M, Hanzely L and Ledwitz-Rigby F. Morphometric analysis of *in vivo* development of porcine ovarian granulosa cells in preovulatory antral follicles. *Cytobios* 1986; 45: 17.

Reitman S and Frankel S. Colorimetric method for determination of serum transaminase activity. *Am J Clin Pathol* 1957; 28: 56-58.

Riordan, J.R. and Ling V. (1979). Purification of P-glycoprotein from plasma membrane vesicles of Chinese hamster ovary cell mutants with reduced colchicine permeability. *J. Biol. Chem.* 254, 12701-5.

Robertson MC and Friesen HG. Two forms of rat placental lactogen revealed by radioimmunoassay. *Endocrinology* 1981; 108: 2388-2390.

Robertson MC , Gillespie B and Friesen HG. Characterization of the two isoforms of rat placental lactogen (rPL): rPL-I and rPL-II. *Endocrinology* 1982; 111: 1862-1866.

Robertson Mc, Owens RE, Mc Coshen JA and Friesen HG. Ovarian factors inhibit and fetal factors stimulate the secretion of rat placental lactogen. *Endocrinology* 1984;114: 22-30.

Roelfzema WH, Roelofsen AM, Peereboom-Stegeman JH. Glycogen content of placenta and of fetal and maternal liver in cadmium-exposed rats. I: A descriptive light microscopic study. *Placenta.* 1987; 8: 27-36

Rom WN. Effects of lead on the female and reproduction: a review. *Mt Sinai J Med.* 1976; 43: 542-552.

Romero RA, Granadillo VA, Navarro JA, Rodriguez-Iturbe B, Pappaterra J and Pirela H. Placental transfer of lead in mother/newborn pairs of Maracaibo City (Venezuela). *J Trace Elem Electrolytes Health Dis.* 1990; 4 : 241-243

Rodgers RJ, Waterman MR and Simpson ER. Levels of messenger ribonucleic acid encoding cholesterol cytochrome P-450, 17α-hydroxylase cytochrome P-450, adrenodoxin, and low density lipoprotein receptor in bovine follicles and

corpora lutea throughout the ovarian cycle. *Mol. Endocrinol.* 1987;1: 274-279.

Roels HA, Lauwerys R and Dardenne AN. The critical level of cadmium in human renal cortex: A reevaluation. *Toxicol. Lett.* 1983; 15 : 357-360.

Ronis MJJ, Badger TM, Shema SJ, Roberson PK and Shaikh F . Reproductive Toxicity and growth effects in rats exposed to lead at different periods during development. *Toxicol Appl Pharmacol* 1996; 136: 361-371.

Ros JPM, Sloof E eds.Ingretaed creteris document cadmium/ Bilthoven, Netherlands, national Institute of public Health and environment Protection, 1987 (Report No. 758476004).

Rosselli M, Inthurm B, Macas E, Eller PJ and Dubey RK. Circulating nitrite/nitrate levels increase with follicular development: Indirect evidence for estradiol mediated NO release. *Biochem. Biophys. Res. Commun.*1994; 202:1543-1552.

Rossner W. Sex steroid transport: binding proteins. In: Adashi Ey, Rock JA, Rosenwaks Z, eds. Reproductive Endocrinology, Surgery and Technology. Philadelphia: Lippincott-Raven, 1996;605-626.

Ruangkanchansetr S, Suepiantham J, tapsart C and Sangsajja C. Blood lead level in Bangkok Children. *J Med Assoc Thai* 1999; 82 S: S154- S161.

Ruzycki SM, Kelley LK and Smith CH. Placental amino acid uptake. IV. Transport by microvillous membrane vesicles. *Am. J. Physiol.* 1978; 234: C27-C35.

Sabatelli G, Sacco A, Castellino P. Lead nad the reproductive system. In: Castellino et al eds. Inorganic lead exposure. Metabolism and intoxication. Boca Raton FL: Lewis Publishers/CRC Press, Inc., 1995; 423-436.

Saillenfait AM, Payan JP, Ban M, de Ceaurriz J. Indirect and lactation-associated changes in renal alkaline phosphatase of newborn rats prenatally exposed to cadmium chloride. *J Appl Toxicol.* 1992 ; 12: 205-210.

Saksena SK and Salmonsen R. Effects of cadmium chloride on ovulation and on induction of sterility in the female golden hamster. *Biol Reprod.* 1983; 29: 249-256.

Salpietro CD, Gangemi S, Minciullo PL, Briuglia S, Merlino MV, Stelitano A, Cristani M, Trombetta D and Saija A. Cadmium concentration in maternal and cord blood and infant birth weight: a study on healthy non-smoking women. *J Perinat Med.* 2002;30: 395-399.

Samanta G, Chatterjee A, Das D, Samanta G, Chowdhury PP, Chanda CR and Chakraborti. Calcutta Pollution: Part V. Lead and Other Heavy Metal Contamination in a Residential Area from a Factory Producing Lead-Ingots and Lead-Alloys. *Environment Tech.* 1995; 16: 223-233.

Samawickrama GP and Webb M. Acute effects of cadmium on the pregnant rats and embryo-fetal development. *Environ. Health.Perspect.*1979; 28: 245-249.

Samawarickrama GP and Webb M. The acute toxicity and teratogenecity of cadmium in pregnant rat. *J Appl. Toxicol.* 1981; 1: 264-269.

Santen RJ. Aromatase: future perspectives. *Steroids* 1987; 50.

Saric MM, Blanusa M, Piasek M, Varnai VM, Juresa D, Kostial K. Effect of dietary calcium on cadmium absorption and retention in suckling rats. *Biometals.* 2002 ;15:175-182.

Sasano H, Okamoto M, Mason JI, Simpson ER, Mendelson CR, Sasano N and Silverberg SG. Immunolocalization of aromatase, 17α-hydroxylase and side-chain cleavage cytochromes P450 in the human ovary. *J. Reprod. Fert.* 1989; 85: 163-169.

Sata F, Araki S, Tanigawa T, Morita Y, sakurai S, Nakata A and Katsuno N. Changes in T cell subpopulations in lead workers. *Environ Res.* 1998; 76 : 61-64.

Sato EF, Kobuchi H, Edashige K, Takahashi M, Yoshioka T, Utsumi Kand Inoue M. Dynamic aspects of ovarian superoxide dismutase isozymes during the ovulatory process in the rat. *FEBS Lett.* 1992; 303: 121-125.

Satyavathi C and Prabhakara Rao Y. Inhibition of Na+,K+-ATPase in Penaeus indicus postlarvae by lead. *Comp Biochem Physiol C Toxicol Pharmacol.* 2000 ;127: 11-22.

Saxsena DK, Singh C, Murthy RC, Mathur N and Chandra SV. Blood and placental lead levels in an Indian city: a preliminary report. *Arch. Environ. Health* 1994; 49: 106-110.

Schneider WC. Determination of nucleic acids in tissues by pentose analysis. *Methods Enzymol* 1957; 3: 680-684.

Schroeder HA and Mitchner M. Toxic effects of trace element on reproduction of mice and rats. *Arch. Environ. Health* 1971; 23: 102-106.

Schroeder SR, Hawk B, otto DA et al., Separating the effects of lead and social factors on IQ. *Environ Res.* 1985; 38: 144-154.

Schlessinger Y, Shechter Y, Cuatrecasas P, Willingham MC and Pastan I. Quantitative determination of the lateral diffusion coefficients of the hormone-receptor complexes of insulin and epidermal growth factor on the plasma membrane of cultured fibroblasts. *Proc Natl Acad Sci* USA 1978; 75:5353-5358.

Sierra EM and Tiffany-Castiglioni E. Effects of low-level lead exposure on hypothalamic hormones and serum progesterone levels in pregnant guinea. *Toxicology* 1992;72: 89-97.

Seifter S, Dayton S, Novic B and Muntwyler E. The estimation of glycogen with the anthrone reagent. *Arch Biochem* 1950; 25: 191-200.

Siegal G.J. and Fopgt S.E. Inhibition by lead ion of electrophorus electroplax (Na + K+) Adenosine triphosphate and K+ p-nitrophenylphosphate. *J. Biol. Chem.* 1977; 252; 5201-5205.

Seguin C, Pelletier G, Dube D and labrie f. Distribution of luteinizing hormone releasing hormone receptors in the rat ovary *Regul Peptides* 1982; 4:183-190.

Seppo Parkkila, Abdul Waheed, Britton RS , Bacon BR, Zhou XY, Tomatsu S, Fleming RE and Siy WS. Association of the transferrin receptor in human placenta with HFE, the protein defective in hereditary hemochromatosis. *Proc. Natl. Acad. Sci. USA.* 1997; 94: 13198–13202.

Sevanian A, Wratten ML, Mcleod LL and Kim E. Lipid peroxidation and phosphatase A_2 activity in liposomes composed of unsaturated phospholipids: a structural basis for enzyme activation. *Biochim Biophys Acta* 1988; 961: 316-327.

Shafiq-ur-Rehman. Lead induced regional lipid peroxidation in brain. *Toxicol Lett* 1984; 21: 333-337.

Shaikh ZA and Smith JC. Metabolism of orally ingested cadmium in humans. In: Holmstead, B., et al. eds. Mechanisms of toxicity and hazard evaluation. Elsevier/ North Amsterdam. 1980; 569-574.

Shaikh ZA and Nolan CV. The vascular endothelium as a target tissue in acute cadmium toxicity. *Life Sci.* 1986; 39:1403-1409.

Shaikh ZA, Blazka ME and Endo T Metal transport in cells: Cadmium uptake by rat hepatocytes and renal cortical cells. *Environ. Health Perspect.* 1995; 103: 73-75.

Shinitzki M and Barenholz Y. Fluidity parameters of lipid regions determined by flouroscence polarization. *Biochim Biophys Acta* 1978; 515: 367-394.

Shivanandappa T& Venkatesh S. A calorimetric assay method for 3 β Hydroxy Δ^5 steroid Dehydrogenase. *Analytical Biochemistry* 1997;254: 57-61.

Silbergeld EK, Schwartz J, Mahaffey K. Lead and osteoporosis: mobilization of lead from bone in postmenopausal women. *Environmental Research* 1989; 47: 79-82.

Silbergeld EK. Lead in bone: Implications for toxicology during pregnancy and lactation. *Environmental Health perspectives* 1991; 91: 63-70.

Siler-Khodr TM, Khodr GS, Valenzucla G and Rhode J. Gonadotropin releasing hormone effects on placental effects on placental hormones during gestation. II. Progesterone, estrone, estradiol and estriol. *Biol. Reprod.* 1986; 34 : 255-264.

Simpson ER, Kilgore MW, Mahendroo MS, Means GD, Corbin CJ and Mendelson CR. Regulation of human aromatase cytochrome P450 gene expression. *J. Steroid Biochem. Molec. Biol.* 1992; 43: 923-930.

Singh A K and Ashraf M. Neurotoxicity in rats sub- chronically exposed to low levels of lead. *Vet Hum Toxicol.* 1989; 31: 21-25.

Sipowicz M, Kostrzewska A, Laudanski T and Akerlund M. Effects of cadmium on myometrial activity of the nonpregnant human. Interactions with calcium and oxytocin. *Acta Obstet Gynecol Scand.* 1995 ; 74: 93-96.

Skerfving S, Ahlgren I and Christoffersson JO. Metabolism of inorganic lead in man. *Nutr. Res* 1995;S1: 601-607.

Soares MJ, Julian JA and Glasser SR. Trophoblast gaint cell release of placental lactogen : Temporal and regional charcaterstics. *Dev. Biol.* 1985;107 : 520-526.

Sokol RZ, Madding CE, Swerdloff RS. Lead toxicity and the hypothalamic-pituitary-testicular axis. *Biol Reprod.* 1985 ; 33: 722-728.

Sokol RZ and Berman N. The effect of age of exposure on lead-induced testicular toxicity. *Toxicology.* 1991; 69: 269-278.

Sokol RZ, Wang S, Wan YJ, Stanczyk FZ, Gentzschein E, Chapin RE. Long-term, low-dose lead exposure alters the gonadotropin-releasing hormone system in the male rat. *Environ Health Perspect.* 2002; 110: 871-874.

Sorell TL and Graziano JH. Effect of oral cadmium exposure during pregnancy on maternal and fetal zinc metabolism in the rat. *Toxicol Appl Pharmacol.* 1990 ;102: 537-545.

Sowa B and Steibert E. Effect of oral cadmium administration to female rats during pregnancy on zinc, copper, and iron content in placenta, foetal liver, kidney, intestine, and brain. *Arch Toxicol.* 1985; 56: 256-62.

Spicer LJ and Fransisco CC. The adipose obese gene product, leptin: evidence of a directory inhibitory role in ovarian function. *Endocrinology* 1997; 138: 3374-3379.

Spicer LJ and Francisco CC. Adipose obese gene product, leptin, inhibits bovine ovarian thecal cell steroidogenesis. *Biol. Reprod.* 1998; 58: 207-212.

Spicer LJ. Leptin: a possible metabolic signal affecting reproduction. *Domestic Animal Endocrinol.* 2001; 21: 251-270.

Sridaran R and Gibori G. LH stimulation of estradiol ptroduction by corpora lutea of pregnant rat. *Endocrinology* 1981; 108: A509.

Sridaran R, Smith C and Richards JS. Effects of in vivo dihydrotestosterone treatment on changes in nocturnal surge of prolactin, luteal ultrastructure and P-450scc mRNA and protein content in pregnant rats. *Mol Cell Endocrinol.* 1991; 77: 75-83.

St-Arnaud R, Walker P, Kelly PA and Labrie F. Rat ovarian epidermal growth factor receptors: charcterisation and hormonal regulation. *Mol Cell Endocrinol.* 1983; 31: 43.

Standeven AM, Blazer DG 3rd and Goldsworthy TL. Investigation of antiestrogenic properties of unleaded gasoline in female mice. *Toxicol Appl Pharmacol.* 1994 ;127:233-240.

Stassen JA, Lauwerys RR and Buchet JP. Impairment of renal function with increasing blood lead concentrations in general population. *New England J. Med.* 1992; 327: 151-156.

Stassen J and Lauwreys R. Health effects of environmental exposure to cadmium in a population study. *J Hum Hypertens* 1993; 7 : 195-199.

Staessen JA, Roels H and Fagard R. Lead exposure and conventional and ambulatory blood pressure: a prospective population study. PheeCad Investigators. *JAMA.* 1996 ;275:1563-1570.

Strauss JF 3rd, Kallen CB, Christenson LK, Watari H, Devoto L, Arakane F, Kiriakidou M, Sugawara T. The steroidogenic acute regulatory protein (StAR): a window into the complexities of intracellular cholesterol trafficking. *Recent Prog Horm Res.* 1999; 54: 369-94.

Strehlow K, Rotter S, Wassmann S, Adam O, Grohe C, Laufs K, Bohm M and Nickenig G. Modulation of antioxidant enzyme expression and function by estrogen. *Circ Res.* 2003; 93: 170-177.

Stevenson A, Merali Z, Kacew S ans Singhal RL. Effects of subsacute and chronic lead treatment on glucose homeostasis and renal cyclic AMP metabolism in rats. *Toxicology* 1976; 6: 265- 275.

Stohs SJ, Bagchi D, Hassoun E and Bagchi M. Oxidative mechanisms in the toxicity of chromium and cadmium ions. *Environ Pathol Toxicol Oncol.* 2001;20 :77-88.

Struzynska L, Sulkowski G, Lenkiewicz A and Rafalowska U. Lead stimulates the glutathione system in selective regions of rat brain. *Folia Neuropathol.* 2002;40: 203-209.

Sugino N, Nakamura Y, Takeda O, Ishimatsu M and Kato H. Changes in activities of superoxide dismutase and lipid peroxide in corpus luteum during pregnancy in rats. *JReprod Fertil.* 1993; 97: 347-351.

Sugino N, Nakata M, Kashida S, Karube A, Takiguchi S and Kato H. Decreased superoxide dismutase expression and increased concentrations of lipid peroxide and prostaglandin F(2alpha) in the decidua of failed pregnancy. *Mol Hum Reprod.* 2000; 6: 642-647.

Sun LR and Suszkiw JB. Extracellular inhibition and intracellular enhancement of Ca2+ currents by Pb2+ in bovine adrenal chromaffin cells. *J Neurophysiol.* 1995 ; 74 : 574-581.

Suplido ML and Ong CN. Lead exposure among small-scale battery recyclers, automobile radiator mechanics and their children in Manila, the Philipines. *Environ. Res.* 200; 82: 231-238.

Szego CM and Lawson DA. Influence of histamine on uterine metabolism: stimulation of incorporation of radioactivity from aminoacid into proteins, lipids and amines. *Endocrinology* 1977; 74: 372-381.

Takemori, S and Kominami, S. Adrenal microsomal cytochrome P-450 dependent reactions in steroidogenesis and biochemical properties of the enzymes involved therein. *Frontiers Biotransformation* 1991; 3: 153-203.

Tan L and Rousseau P. The chemical identity of the immunoreactive LHRH-like peptide biosynthesized in the human placenta. *Biochem. Biophys. Res. Commun.* 1982;109 :1061- 1071.

Tanimoto A, Hamada T, Koide O. Cell death and regeneration of renal proximal tubular cells in rats with subchronic cadmium intoxication. *Toxicol Pathol.* 1993; 21:341-352.

Tappel AL. Lipid peroxidation and fluorescent molecular damage to membranes. In: Trump BF, Arstila A (eds) Pathology of cell membranes, 1975; 145-170 Academic Press, New York

Tarabeli M, Kofler R, Schwartz S and wick g. rat Placental hormones: Attempts for identification of rat chorionic gonadotropin and rat placental lactogen by in vivo experiments. *Acta Endocr. (cophen)* 1982; 99 : 288-294.

Teliesman S, Cvitkovic P, Jurasovic J Pizent A, Gavella m and Rocic B.. Semen quality and reproductive endocrine function in relation to biomarkers of lead, cadmium , zinc and copper in men. *Environ Health Perspect* 2000;108: 45-53.

The World Health Report 1996, WHO, Geneva 1996 .

Thevenod F and Friedman JM. Cadmium mediated oxidative stress in klindey proximal tubule cells induces the degradation of Na+K+ATPase through proteosomal and endo/lysosomal proteolytic pathways. *FASEB J* 1999; 13: 1751-1761.

Thier R, Bonacker D, Stoiber T, Bohm KJ, Wang M, Unger E, Bolt HM and Degen G. Interaction of metal salts with cytoskeletal motor protein systems. *Toxicol Lett.* 2003 11;140-141:75-81.

Thompson WE, Powell J, Thomas KH and Whittaker JA. Immunolocalization and expression of the steroidogenic acute regulatory protein during the transitional stages of rat follicular differentiation. *J Histochem Cytochem.* 1999; 47:769-76.

Thoreux-Manlay A, Le Goascogne C, Segretain D, Jegou B, Pinon-Lataillade G. Lead affects steroidogenesis in rat Leydig cells in vivo and in vitro. *Toxicology* 1995a; 103:53-62.

Thoreux-Manlay A, Velez de la Calle JF, Olivier MF, Soufir JC, Masse R and Pinon-Latallase G. Impairment of testicular endocrine function after lead intoxication in the adult rat. *Toxicology* 1995b; 100: 101-109.

Tilly JL, Lapolt PS, Hseuh AJ. Hormonal regulation of follicle stimulating hormone receptor messenger ribonucleic acid levels in cultured rat granulosa cells. *Endocrinology* 1992; 130: 1296-1302.

Tomokuni K and Ogata M. Comparative study of effects of lead on the activity of erythrocyte pyrimidine 5' nucleotidase and delta aminolevulinate Dehydratase in vivo and in vitro. Arch Toxicol. 1980; 45; 197-201.

Tomsig JL and Suszkiw JB. Permeation of Pb2+ through calcium channels: fura-2 measurements of voltage- and dihydropyridine-sensitive Pb2+ entry in isolated bovine chromaffin cells. *Biochim Biophys Acta.* 1991; 1069:197-200.

Tonokowicz P, Robertson M and Voogt J. Secretion of rat placental lactogen by the fetal placenta and its inhibitory effect on prolactin surges. *Biol Reprod.* 1983; 28: 707-716.

Tonokowicz P and Voogt JL. Ovarain and fetal control of rat placental lactogen and prolactin secretion at midpregnancy.*Endocrinology* 1984;114: 1805-1811.

Truska P, Rosival L, Balazova G, Hinst J, Rippel A, Palusova O and Grunt J. Blood and placental concentrations of cadmium, lead, and mercury in mothers and their newborns. *J Hyg Epidemiol Microbiol Immunol.* 1989 ; 33: 141-147.

Trzeciak WH, Waterman MR and Simpson ER. Synthesis of the cholesterol side chain cleavage enzymes in cultured rat ovarian granulosa cells: induction by follicle stimulating hormone and dibutyryl adedosine 3' 5' monophosphate. *Endocrinology* 1986; 119: 323.

Tsafriri A and Kraicer PF. The time sequence of ovum maturation in rat. *J Reprod. Fertil.* 1972; 29: 387-393.

Tsang BK and Carnegie JA. Calcium requirement in the gonadotropic regulation of rat granulosa cell progesterone production. *Endocrinology.* 1983; 113 :763-769.

US Environmental Protection Agency, Research Triangle Park, NC, p. A-7. (1986): "Guideline on Air Quality Models (Revised)." EPA-450/2-78-027R.

Varga B, Paksy K. Toxic effects of cadmium on LHRH-induced LH release and ovulation in rats. *Reprod Toxicol.* 1991; 5: 199-203.

Vagra B, Zsolnay B,Paksy K, Naray m and Ungvary Gy. Age dependent accumulation of cadmium in the human ovary. *Reprod. Toxicol.* 1993; 7: 225-228.

Vallee BL and Ulmer DD. Biochemical effects of mercury, cadmium, and lead. *Annu Rev Biochem.* 1972;41: 91-128.

Van Voorhis BJ, Dunn MS, Snyder GD and Weiner CP. Nitric oxide: an autocrine regulator of human granulosa-luteal cell steroidogenesis. *Endocrinology* 1994; 135:1799-1806.

Van Voorhis BJ, Moore K, Strijbos PLM and Weiner CP. Expression of inducible and endothethial nitric oxide synthase. *J. Clin. Invest.* 1995; 96: 2719-2726.

Vataev SI, Mal'gina NA and Oganesian GA. The effect of cadmium on the structure of the circadian cycle of waking-sleep and on the EEG in Wistar rats. *Zh Evol.Biokhim Fiziol.* 1994 ; 30: 408-419.

Vega M, Castillo T, Retamales I, Las Heras J, Devoto L and Videla LA. Steroidogenic capacity and oxidative stress-related parameters in human luteal cell regression. *Free Radic Biol Med.* 1994 ; 17:493-499.

Veldhius JD, Klase PA, Demers LM and Chafouleas JG. Mechanisms subserving calcium's modulation of Luteinizing hormone action in isolated swine granulosa cells. *Endocrinology* 1984; 114: 441-449.

Victery W, Vander AJ, Shulak JM, Scheopsa P and Julius S. Lead, hypertension, and the rennin-angiotensin system in rats. *Lab Clin Med.* 1982; 99: 354-362.

Voogt J, Robertson M and friesen H. Inverse relationship of prolactin and rat placental lactogen during pregnancy. *Biol Reprod.* 1982; 26: 800-805.

Voogt JL, Pakrasi PL, Johnson DC and Dey SK. Evidence of pituitary regulation of placental lactogen in the rat. *J. Endocr.* 1985; 107: 121-126.

Voutilainen R, Tapanainen J, Chung BC, Matteson Kj and Miller WL. Hormonal regulation of P450scc (20,22 desmolase) and P450c17 (17α hydroxylase/ 17, 20 Lyase) in cultured human granulosa cells. *J. Clin Endocrinol Metab.* 1986; 63: 202.

Waakles MP and Poirier LA. Interaction of cadmium with interstitial tissue of rat testis. *Biochem. Pharmacol.* 1985; 34: 2513-2518.

Waakles MP, Rehm S and Perantoni, A. Metal binding proteins of Syrian hamster ovaries: apparent deficiency of Metallothionein. *Biol. Reprod.* 1988; 39: 953-961.

Wang X, Yanzhu Y, adamo ML, Wang X and Yang YZ. Characterization of the rat IGF-1 gene promoters and identification of animal exon-2 promoter. *Endocrinology* 1997; 138: 1528-1534.

Wang X, Yin X and Bai X. Combined effect of lead and cadmium on lipid peroxidation in renal tubular epithelial cells of rats. *Wei Sheng Yan Jiu.* 2002 ;31:232-234.

Warshaw JB, Wilson CW 3rd, Saito K and Prough RA. The responses of glutathione and antioxidant enzymes to hyperoxia in developing lung. *Pediatr Res.* 1985; 19: 819-23.

Wathes DC, Perks CM, Davis PJ and Denning-Kendall PA. Regulation of IGF-1 and progesterone synthesis by insulin and growth hormone in bovine ovary. *Biol Reprod.* 1995; 52: 882-886.

Waterman MR and Simpson ER. Regulation of the biosynthesis of cytochrome P-450 involved in steroid hormone synthesis. *Mol Cell Endocrinol* 1985; 39: 81-89.

Watkin RD, Nawrot T, Potts RJ and Hart BA. Mechanisms regulating the cadmium-mediated suppression of Sp1 transcription factor activity in alveolar epithelial cells. *Toxicology*. 2003; 184:157-178.

Webb M and Samarawickrama GP. Placental transport and embryonic utilization of essential metabolites in the rat at the teratogenic dose of cadmium. *J Appl. Toxicol.* 1981; 5: 270-277.

Webster WS. Cadmium induced fetal growth retardation in mice and the effects of dietary supplements of zinc, copper, iron and selenium. *J Nutr* 1979; 109:1646-1651.

Wibberley DG, Khera AK, Edwards JH and Rushton DI.. Lead levels in human placentae from normal and malformed births. *Journal of Medical Genetics* 14: 339-345, 1977.

Wide M and Nilsson BO. Interference of lead with implantation in the mouse: a study of the surface ultrastructure of blastocysts and endometrium. *Teratology* 1979 ; 20: 101-113.

Wide L and Hobson B. Chorionic gonadotropin in rodents. In: Chorionic Gonadotropin, eds SJ . Segal. Plenum Press, New York. 1980; pp 37-51.

Wiebe JP, barr KJ and Buckingham KD. Lead adminstartion during pregnancy affects steroidogenesis and hormone receptors in testis of offspring. *J Toxicol Environ health* 1982; 10: 653-668.

Wiebe JP, Barr KJ and Buckingham KD .Effect of prenatal & neonatal exposure to lead on gonadotropin receptors and steroidogenesis in rat ovaries. *J Toxicol Environ Health* 1988a; 24: 461-476.

Wiebe JP, Barr KJ. Effect of prenatal and neonatal exposure to lead on the affinity and number of estradiol receptors in the uterus. *Toxicol Environ Health.* 1988b;24:451-460.

Weir PJ, Miller RK, Mauiij D and di Sant' Agnese PA. Toxicity of cadmium in the perfused human placenta. *Toxicol Appl Pharamcol.* 1990; 105: 156-171.

Wiemann M, Schirrmacher Kand Busselberg D. Interference of lead with the calcium release activated calcium flux of osteoblast-like cells. *Calcif Tissue Int.* 1999 ; 65:479-485.

Wiener JD. Letter: Congenital deafness and hypothyroidism. *Lancet.* 1974 May 11;1:938-949.

Wilson EA and Jawad MJ. Luteinising Hormone- releasing hormone suppression of human placental progesterone production. *Fertil. Steril.* 1980; 33 : 91-93.

Winneke G, Brockhaus A, Ewers U et al., Results from the European multicenter study on lead neurotoxicology in children : implications for risk assessment. *Neurotoxicol. Teratol.* 1990; 12: 553-559.

Winkel CA, Gilmore J, MacDonald PC and Simpson ER. Uptake and degradation of lipoproteins by human trophoblastic cells in primary culture. *Endocrinology* 1969; 107: 1892-898.

Wu JT and Matsumoto PS. Possible function of 17 β hydroxy steroid dehydrogenase activity in preimplantation hamster embryos. *J. Exp. Zool.* 1985: 233: 243-246.

World Health Organisation (WHO). Environmental Health Criteria 134 - Cadmium International Programme on Chemical Safety (IPCS) Monograph, 1992.

Xu B, Chia SE, Tsakok M and Ong CN. Trace elements in blood and seminal plasma and their relationship to sperm quality. *Reprod Toxicol.* 1993; 7: 613-618.

Yiin S and Lin TH. Lead catalysed peroxidation of essential unsaturated fatty acid. *Biol Trace Elem Res* 1995; 50: 167-172.

Yoon S, Choi K and Lee K. Nitric oxide- modulator of follicular apoptosis is associated with HSF-Bax Supression. *Mol. Reprod. Dev.* 61: 545-5010.

Young PC, Cleary RE and Ragan WD. Effect of metal ions on the binding of 17beta-estradiol to human endometrial cytosol. *Fertil Steril.* 1977 ; 28:459-463.

Yu HS and Chan ST. Effects of cadmium on preimplantation and early postimplantation mouse embryos in vitro with special reference to their trophoblastic invasiveness. *Pharmacol Toxicol.* 1987 ; 60:129-134.

Yuan W, Bao B, Garverick HA, Youngquist RS and Lucy MC. Follicular dominance in cattle is associated with divergent patterns of ovarian gene expression for insulin-like growth factor (IGF)-I, IGF-II, and IGF binding protein-2 in dominant and subordinate follicles. *Domest Anim Endocrinol.* 1998; 15: 55-63.

Yucesoy B, Turhan A, Ure M, Imir T and Karakaya A. Simultaneous effects of lead and cadmium on NK cell activity and some phenotypic parameters. *Immunopharmacol Immunotoxicol.* 1997 ;19:339-348.

Yudilevich DL and Sweiry JH. Transport of amino acids in the placenta. *Biochim. Biophys Acta.* 1985; 822 : 169-201.

Yule W , Landsdown R, Millar IB, et al., The relationship between blood lead concentrations, intelligence and attainment in a school population : a pilot study. *Dev Med Child Neurol* 1981; 23: 567-576.

Young PC, Cleary RE and Ragan WD. Effect of metal ions on the binding of 17beta-estradiol to human endometrial cytosol. *Fertil Steril* 1977; 28:459-463.

Zachariae F and Jensen CE. Studies on the mechanism of ovulation. Histochemical and physiocochemical investigations on genuine follicular fluid. *Acta Endocrnol (Copenh)[Suppl]* 1958; 27: 343.

Zachariae F. Acid mucopolysaccrides in the ovary and their role in the mechanism of ovulation. *Acta Endocrinol (Copenh)[Suppl]* 1959;47: 33.

Zackrisson U, Mikuni M, Wallin A, Delbro D, Hedin L, Brannstrom M. Cell-specific localization of nitric oxide synthases (NOS) in the rat ovary during follicular development, ovulation and luteal formation. *Hum Reprod.* 1996 ; 11: 2667-73.

Zellikoff JT, Hartwig A, Wang XW, Costa M and Rossman TG Genetic toxicology of lead compounds. *Carcinogenesis* 1988; 9: 1727-1732.

Zenick H, Hastings L, Goldsmith M and Niewenhius RJ. Chronic cadmium exposure: relation to male reproductive toxicity and subsequent fetal outcome. *J Toxicol Environ Health* 1982; 9: 377-387.

Zhang Y, Word A, Fesmire S, Carr BR and Rainey WE. human ovarian expression of 17 β Hydroxy steroid dehydrogenase Types 1,2 and 3. *J clin Endocrinol Metab* 1996; 81: 3594-3598.

Zeng X, Jin T, Zhou Yand Nordberg GF. Changes of serum sex hormone levels and MT mRNA expression in rats orally exposed to cadmium. *Toxicology.* 2003; 186: 109-118.

Zhiwen Z, Carson RS, Herington AC, Lee VWK and Burger HG. FSH and somedomedin-C stimulate inhibin production by rat granulose cells in vitro. *Endocrinology* 1987; 120: 1633-1636.

Zhou J, Chin E and Bondy CA. Cellular pattern ofIGF-1 and IGF-1 gene expression in the developing and mature follicles. *Endocrinology* 1991; 129: 3281-3288.

Zhou J and Bondy CA. Anatomy of human ovarian IGF system. *Biol Reprod.*1993; 48: 467 -482.

Zirkin BR, Dykman DD, Kromann N, Cochran RC and Ewing LL. Inhibition and recovery of testosterone secretion in rats are tightly coupled to quantitative changes in Leydig cell smooth endoplasmic reticulum. *Ann N Y Acad Sci.* 1982;383:17-28.

Zlotkin T, Farkash Y and Orly J. Cell-specific expression of immunoreactive cholesterol side-chain cleavage cytochrome P-450 during follicular development in the rat ovary. *Endocrinology* 1986;119 : 2809-2820.