

LIST OF FIGURES AND ILLUSTRATIONS

FIGURE 1.1. IDD IN DEVELOPING COUNTRIES.....	2
FIGURE 1.2. ELIMINATION OF IDD FROM AMERICAS.....	6
FIGURE 1.3. ENDEMIC GOITRE AREAS OF INDIA.....	7
FIGURE 3.1. MAP OF INDIA SHOWING STATES AND UNION TERRITORIES.....	116
FIGURE 3.2. MAP OF GUJARAT IN WEST INDIA WITH ITS DISTRICTS.....	118
FIGURE 3.3. HIMACHAL PRADESH WITH ITS DISTRICTS AND AS A STATE IN INDIA MAP.....	121
FIGURE 3.4. TAMIL NADU DISTRICTS.....	123
FIGURE 4.1. AGE AND SEX DISTRIBUTION OF ADULT POPULATION OF GUJARAT.....	170
FIGURE 4.2. FREQUENCY DISTRIBUTION OF URINARY IODINE IN $\mu\text{g/l}$	172
FIGURE 4.3. FREQUENCY DISTRIBUTION OF URINARY IODINE IN $\mu\text{g/l}$ A (DANG AND B (BARODA)).....	178
FIGURE 4.4. FREQUENCY DISTRIBUTION OF TSH.....	182
FIGURE 4.5. PERCENTAGE POPULATION WITH BLOOD TSH LEVELS $>5\text{mU/L}$ IN DIFFERENT VILLAGES OF GUJARAT.....	184
FIGURE 4.6. FREQUENCY DISTRIBUTION OF TSH (mU/l) IN DESCRIBED RANGES A (BARODA) AND B (DANG).....	187

FIGURE 5.1. AGE DISTRIBUTION.....	207
FIGURE 5.2. FREQUENCY DISTRIBUTION OF URINARY IODINE IN $\mu\text{g/l}$ A (DANG) AND B (BARODA)	213
FIGURE 5.3. THE FREQUENCY DISTRIBUTION OF TSH VALUES BY SEX FOR THE DESCRIBED RANGES A (DANG) AND B (BARODA).....	214
FIGURE 6.1. DEPICTS THE FREQUENCY DISTRIBUTION OF SEVERITY OF IODINE DEFICIENCY (INDICATED BY UI LEVELS) FOR THE STUDIED POPULATION.....	234
FIGURE 6.2. SHOWS THE FREQUENCY DISTRIBUTION OF TSH VALUES.....	236
FIGURE 6.3. SHOWS NEGATIVE CORRELATION BETWEEN TV AND MUAC.....	241
FIGURE 7.1. COMPARISON OF Z-SCORE FOR WEIGHT-FOR- HEIGHT BETWEEN GUJARATI AND WHO REFERENCE CHILDREN.....	254
FIGURE 7.2. BMI FREQUENCY DISTRIBUTION FOR GUJARAT CHILDREN >10 TO 15 YEARS.....	255
FIGURE 7.3. WATERLOW CLASSIFICATION.....	256
FIGURE 7.4. BMI FREQUENCY DISTRIBUTION IN ADULTS >15 YEARS FROM DANG AND BARODA.....	262
FIGURE 7.5. REGRESSION ANALYSIS BETWEEN THYROID VOLUME OF CHILDREN AND VARIOUS PARAMETERS.....	264
FIGURE 7.6. REGRESSION ANALYSIS SHOWING NEGATIVE CORRELATION	265
FIGURE 7.7. REGRESSION ANALYSIS.....	266

FIGURE 8.1. AGE DISTRIBUTION FOR 6-15 YEAR SCHOOL-CHILDREN.	276
FIGURE 8.2. AGE DISTRIBUTION FOR PRESCHOOL CHILDREN.	277
FIGURE 8.3. AGE DISTRIBUTION FOR ADULTS.....	277
FIGURE 8.4. WATERLOW CLASSIFICATION PRESCHOOL CHILDREN (4 - 5 YEARS).....	287
FIGURE 8.5. WATERLOW CLASSIFICATION FOR 6 to 15 YEARS SCHOOL CHILDREN	288
FIGURE 8.6. WATERLOW CLASSIFICATION FOR ADULT SCHOOLCHILDREN IN THE AGE RANGE 16-18 YEARS.....	289
FIGURE 8.7. COMPARISON OF THYROID VOLUME FOR BSA BETWEEN PRESENT STUDY CHILDREN (6-15 YEARS) WITH 1997 WHO INTERNATIONAL REFERENCE AND CORRECTED 2001 ZIMMERMAN REFERENCE.....	305
FIGURES 8.8. REGRESSION ANALYSIS	309
FIGURES 8.9. REGRESSION ANALYSIS	310
FIGURES 8.10. REGRESSION ANALYSIS BETWEEN THYROID VOLUME AND ANTHROPOMETRIC PARAMETERS IN ADULTS...	313
FIGURE 9.1. AGE DISTRIBUTION.....	323
FIGURE 9.2. A WATERLOW CLASSIFICATION (6-15 YEAR SCHOOLCHILDREN.....	327
FIGURE 9.2. B WATERLOW CLASSIFICATION (16-19 YEAR SCHOOLCHILDREN.....	327
FIGURE 9.3. COMPARISONS OF MEDIAN THYROID VOLUME FOR BSA.....	332
FIGURE 9.4. COMPARISONS OF THYROID VOLUME FOR BSA (97th PERCENTILES).....	333
FIGURE 9.5. COMPARISONS OF THYROID VOLUME FOR AGE (97th PERCENTILES).....	334
FIGURES 9.6. REGRESSION ANALYSIS.....	336

FIGURE 10.1 AGE DISTRIBUTION OF 6 – 15 YEAR SCHOOLCHILDREN.....	343
FIGURE 10.2. COMPARISON OF MEDIAN THYROID VOLUME IN 6 – 15 YEAR SCHOOLCHILDREN BETWEEN CHENNAI AND WHO 2001 REFERENCE.....	354
FIGURE 10.3. COMPARISON OF THYROID VOLUME (97 TH PERCENTILE) IN 6 – 15 YEAR SCHOOLCHILDREN BETWEEN CHENNAI AND WHO 2001 REFERENCE.....	355