References

Abrahamse, S. L., Pool-Zobel, B. L., & Rechkemmer, G. (1999). Potential of short chain fatty acids to modulate the induction of DNA damage and changes in the intracellular calcium concentration by oxidative stress in isolated rat distal colon cells. Carcinogenesis, 20(4), 629-634.

Adamowicz, M., Conway, T., & Nickerson, K. W. (1991). Nutritional complementation of oxidative glucose metabolism in Escherichia coli via pyrroloquinoline quinone-dependent glucose dehydrogenase and the Entner-Doudoroff pathway. Applied and environmental microbiology, 57(7), 2012-2015.

Al-Lahham SH, Peppelenbosch MP, Roelofsen H , Vonk RJ, Venema K (2010) Biochem Biophys Acta 1801:1175-1178.

Andersen, Julie K. "Oxidative stress in neurodegeneration: cause or consequence?." (2004): S18-S25.

Arora, T., Sharma, R., & Frost, G. (2011). Propionate. Anti-obesity and satiety enhancing factor?. Appetite, 56, 511-515.

Asano, T., Yuasa, K., Kunugita, K., Teraji, T., & Mitsuoka, T. (1994). Effects of gluconic acid on human faecal bacteria. Microbial ecology in health and disease, 7(5), 247-256.

Aslund, Fredrik, and Jon Beckwith. "Bridge over troubled waters: sensing stress by disulfide bond formation." Cell 96.6 (1999): 751-753.

Babior, B. M. (2004). NADPH oxidase. *Current opinion in immunology*, *16*(1), 42-47.

Bäckhed, Fredrik, et al. "Defining a healthy human gut microbiome: current concepts, future directions, and clinical applications." Cell host & microbe 12.5 (2012): 611-622.

Baillet, Athan, et al. "The role of oxidative stress in amyotrophic lateral sclerosis and Parkinson's disease." Neurochemical research 35.10 (2010): 1530-1537.

Banan A, Choudhary S, Zhang Y, Fields JZ, Keshavarzian A (1999) Ethanol-induced barrier dysfunction and its prevention by growth factors in human intestinal monolayers: evidence for oxidative and cytoskeletal mechanisms. J Pharmacol Exp Ther 291: 1075-1085.

Bandyopadhyay, S. (2012). Crohn's disease: the Indian perspective. *Medicine*, *22*.

Baraona E, Lieber CS (1979) Effects of ethanol on lipid metabolism. J Lipid Res 20: 289-315.

Barrera, Giuseppina, Stefania Pizzimenti, and Mario Umberto Dianzani. "Lipid peroxidation: control of cell proliferation, cell differentiation and cell death." Molecular aspects of medicine 29.1 (2008): 1-8.

Bashir, Saber, et al. "Oxidative DNA damage and cellular sensitivity to oxidative stress in human autoimmune diseases." Annals of the rheumatic diseases 52.9 (1993): 659-666.

Bauerly K, Harris C, Chowanadisai W, Graham J, Havel PJ, Tchaparian E, Satre M, Karliner JS, Rucker R B (2011) Altering pyrroloquinoline quinone nutritional status modulates mitochondrial, lipid, and energy metabolism in rats. PLOS ONE 6**:** e21779.

Bedard, K., & Krause, K. H. (2007). The NOX family of ROS-generating NADPH oxidases: physiology and pathophysiology. Physiological reviews, 87(1), 245-313.

Beers RF, Sizer IW (1952) A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. J Biol Chem 195: 130-140.

Bernet, M. F., et al. "*Lactobacillus acidophilus* LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria." Gut 35.4 (1994): 483-489.

Bettelheim, K. A., and C. J. Thompson. "New method of serotyping Escherichia coli: implementation and verification." Journal of clinical microbiology 25.5 (1987): 781-786.

Beutler E, Duron O, Kelly BM (1969) Improved method for the reduced glutathione. J Lab Clin Med 61: 882–888.

Biagi, G., Piva, A., Moschini, M., Vezzali, E., & Roth, F. X. (2006). Effect of gluconic acid on piglet growth performance, intestinal microflora, and intestinal wall morphology. Journal of animal science, 84(2), 370-378.

Binder, H. J. (2010). Role of colonic short-chain fatty acid transport in diarrhea. Annual Review of Physiology, 72, 297-313.

Biville, F., & Turlin, E. (1991). Mutants of Escherichia coli producing pyrroloquinoline quinone. Journal of general microbiology, 137(8), 1775-1782.

Boardman, Lisa A., et al. "The Association of Telomere Length with Colorectal Cancer Differs by the Age of Cancer Onset." Clinical and translational gastroenterology 5.3 (2014): e52.

Bolisetty, Subhashini, and Edgar A. Jaimes. "Mitochondria and reactive oxygen species: physiology and pathophysiology." International journal of molecular sciences 14.3 (2013): 6306-6344.

Braat, H., Rottiers, P., Huyghebaert, N., Remaut, E., Remon, J. P., van Deventer, S., & Hommes, D. W. (2006). IL-10 producing Lactococcus lactis for the treatment of Crohn's disease. *Inflammatory Bowel Diseases*, *12*(2), S26-S27.

Braidy, Nady, et al. "Age related changes in NAD+ metabolism oxidative stress and Sirt1 activity in wistar rats." PloS one 6.4 (2011): e19194.

Brooks PJ, Theruvathu JA (2005) DNA adducts from acetaldehyde: implications for alcohol related carcinogenesis. Alcohol 35: 187-193.

Brown, K., Molcan, E., Rajendiran, E., Nusrat, A., Baker, J., Ruscheinsky, S., & Gibson, D. L. (2014). Free Radicals and Gastrointestinal Disorders. In Systems Biology of Free Radicals and Antioxidants (pp. 1691-1727). Springer Berlin Heidelberg.

Bryan, N., Ahswin, H., Smart, N., Bayon, Y., Wohlert, S., & Hunt, J. A. (2012). Reactive oxygen species (ROS)–a family of fate deciding molecules pivotal in constructive inflammation and wound healing. *Eur Cell Mater*, *24*, 249-265.

Buege JA, Aust SD (1978) Microsomal lipid peroxidation methods. Enzymol. 52: 302-310.

Burhans, William C., and Nicholas H. Heintz. "The cell cycle is a redox cycle: linking phase-specific targets to cell fate." Free Radical Biology and Medicine 47.9 (2009): 1282-1293.

Burisch, J., & Munkholm, P. (2013a). Inflammatory bowel disease epidemiology. *Current opinion in gastroenterology*, *29*(4), 357-362.

Burisch, J., Jess, T., Martinato, M., & Lakatos, P. L. (2013b). The burden of inflammatory bowel disease in Europe. *Journal of Crohn's and Colitis*, *7*(4), 322-337.

Byon, John CH, Anasua B. Kusari, and Jyotirmoy Kusari. "Protein-tyrosine phosphatase-1B acts as a negative regulator of insulin signal transduction." Molecular and cellular biochemistry 182.1-2 (1998): 101-108.

Cabiscol, Elisa, Jordi Tamarit, and Joaquim Ros. "Oxidative stress in bacteria and protein damage by reactive oxygen species." International Microbiology 3.1 (2010): 3-8.

Cader, M. Z., & Kaser, A. (2013). Recent advances in inflammatory bowel disease: mucosal immune cells in intestinal inflammation. *Gut*, *62*(11), 1653-1664.

Caluwaerts, Silvia, et al. "AG013, a mouth rinse formulation of *Lactococcus lactis* secreting human Trefoil Factor 1, provides a safe and efficacious therapeutic tool for treating oral mucositis." Oral oncology 46.7 (2010): 564-570.

Campbell, E. L., Bruyninckx, W. J., Kelly, C. J., Glover, L. E., McNamee, E. N., Bowers, B. E., …. & Colgan, S. P. (2014). Transmigrating neutrophils shape the mucosal microenvironment through localized oxygen depletion to influence resolution of inflammation. *Immunity*, *40*(1), 66-77.

Campbell, J. M., Fahey, G. C., & Wolf, B. W. (1997). Selected indigestible oligosaccharides affect large bowel mass, cecal and fecal short-chain fatty acids, pH and microflora in rats. J Nutr, 127(1), 130-136.

Canani RB, Costanzo MD, Leone L, Petada M, Meli R, Calignano A (2011) Potential beneficial effects of butyrate in intestinal and extraintestinal diseases. World J Gastroenterol 17: 1519-1528.

Canani, R. B., Di Costanzo, M., & Leone, L. (2012). The epigenetic effects of butyrate: potential therapeutic implications for clinical practice. Clin Epigenetics, 4(1), 4-4.

Cannizzo, Elvira S., et al. "Oxidative stress, inflamm-aging and immunosenescence." Journal of proteomics 74.11 (2011): 2313-2323.

Cario, Elke. "Toll-like receptors in inflammatory bowel diseases: a decade later." Inflammatory bowel diseases 16.9 (2010): 1583-1597.

Carocho, Márcio, and Isabel CFR Ferreira. "A review on antioxidants, prooxidants and related controversy: natural and synthetic compounds, screening and analysis methodologies and future perspectives." Food and Chemical Toxicology 51 (2013): 15-25.

Carroll, Ian M., et al. "Anti-inflammatory properties of Lactobacillus gasseri expressing manganese superoxide dismutase using the interleukin 10-deficient mouse model of colitis." American Journal of Physiology-Gastrointestinal and Liver Physiology 293.4 (2007): G729-G738.

Cerf-Bensussan, N., & Gaboriau-Routhiau, V. (2010). The immune system and the gut microbiota: friends or foes?. Nat Rev Immunol, 10, 735-744.

Chen H-M and Lifachitz CH (1989) Preparation of fecal samples for assay of volatile fatty acids by Gas-Liquid Chromatography and High Performance Liquid Chromatography. Clin Chem. 35: 74-76.

Choi, Hye Jin, et al. "Enhanced wound healing by recombinant Escherichia coli Nissle 1917 via human epidermal growth factor receptor in human intestinal epithelial cells: Therapeutic implication using recombinant probiotics." Infection and immunity 80.3 (2012): 1079-1087.

Choi, Okhee, et al. "Pyrroloquinoline quinone is a plant growth promotion factor produced by Pseudomonas fluorescens B16." Plant physiology 146.2 (2008): 657-668.

Chowanadisai, W., Bauerly, K. A., Tchaparian, E., Wong, A., Cortopassi, G. A., & Rucker, R. B. (2010). Pyrroloquinoline quinone stimulates mitochondrial biogenesis through cAMP response element-binding protein phosphorylation and increased PGC-1α expression. J BiolChem, 285, 142-152.

Chung, Hae Young, et al. "The molecular inflammatory process in aging." Antioxidants & redox signaling 8.3-4 (2006): 572-581.

Clemente, Jose C., et al. "The impact of the gut microbiota on human health: an integrative view." Cell 148.6 (2012): 1258-1270.

Cleton-Jansen, A. M., Goosen, N., Fayet, O., & Van de Putte, P. (1990). Cloning, mapping, and sequencing of the gene encoding Escherichia coli quinoprotein glucose dehydrogenase. Journal of bacteriology, 172(11), 6308-6315.

Cohen, A. M., Briller, S., & Shafrir, E. (1972). Effect of longterm sucrose feeding on the activity of some enzymes regulating glycolysis, lipogenesis and gluconeogenesis in rat liver and adipose tissue. Biochimica et Biophysica Acta (BBA)-General Subjects, 279(1), 129-138.

Collins, J. W., Keeney, K. M., Crepin, V. F., Rathinam, V. A., Fitzgerald, K. A., Finlay, B. B., & Frankel, G. (2014). Citrobacter rodentium: infection, inflammation and the microbiota. *Nature Reviews Microbiology*, *12*(9), 612-623.

Cordeiro, J. V., & Jacinto, A. (2013). The role of transcription-independent damage signals in the initiation of epithelial wound healing. *Nature Reviews Molecular Cell Biology*, *14*(4), 249-262.

Coussens, L. M., & Werb, Z. (2002). Inflammation and cancer. *Nature*,*420* (6917), 860-867.

Crouse JR, Grundy SM (1984) Effects of alcohol on plasma lipoproteins and cholesterol and triglyceride metabolism in man. J Lipid Res 25**:** 486-496.

Cummings , J. H. , E. W. Pomare , W. J. Branch , C. P. Naylor , and G. T. Macfarlane . 1987 . Short chain fatty acids in human large intestine, portal, hepatic and venous blood. Gut . 28 : 1221 – 1227.

Dai, D. F., Chiao, Y. A., Marcinek, D., Szeto, H., &Rabinovitch, P. (2014). Mitochondrial oxidative stress in aging and healthspan. LongevHealthspan, 3,6.

Dashdorj, A., Jyothi, K. R., Lim, S., Jo, A., Nguyen, M. N., Ha, J., ... & Kim, S. S. (2013). Mitochondria-targeted antioxidant MitoQ ameliorates experimental mouse colitis by suppressing NLRP3 inflammasome-mediated inflammatory cytokines. *BMC medicine*, *11*(1), 178.

Davis, C. D., & Milner, J. A. (2009). Gastrointestinal microflora, food components and colon cancer prevention. Journal of Nutritional Biochemistry, 20, 743–752.

De Deken, X., Corvilain, B., Dumont, J. E., & Miot, F. (2014). Roles of DUOX-mediated hydrogen peroxide in metabolism, host defense, and signaling.*Antioxidants & redox signaling*, *20*(17), 2776-2793.

Demiryürek, A. T., & Wadsworth, R. M. (1999). Superoxide in the pulmonary circulation. *Pharmacology & therapeutics*, *84*(3), 355-365.

den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D. J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. Journal of lipid research, 54(9), 2325-2340.

Dicker, E., & Cederbaum, A. I. (1992). Increased NADH-dependent production of reactive oxygen intermediates by microsomes after chronic ethanol consumption: comparisons with NADPH. *Archives of biochemistry and biophysics*, *293*(2), 274-280.

Doré, Joël, et al. "the human intestinal microbiota; from phylogenetics to functional metagenomics." Intestinal Microbiomics: Novel Indicators of Health and Disease (2010): . Herborn: Old Herborn University Foundation. 15-22.

Dröge, Wulf. "Free radicals in the physiological control of cell function." (2002). Physiological reviews 82.1 47-95.

Duan, Faping, and John C. March. "Engineered bacterial communication prevents Vibrio cholerae virulence in an infant mouse model. (2010) " Proceedings of the National Academy of Sciences 107.25 11260-11264.

Dumas, Marc-Emmanuel, et al. "Metabolic profiling reveals a contribution of gut microbiota to fatty liver phenotype in insulin-resistant mice." (2006). Proceedings of the National Academy of Sciences 103.33 12511-12516.

Dunagan M, Chaudhry K, Samak G, Rao RK (2012) Acetaldehyde disrupts tight junctions in Caco-2 cell monolayers by a protein phosphatase 2A-dependent mechanism. Am J Physio Gastrointest Liver Physiol 303**:** G1356-G1364.

Eckburg, Paul B., et al. "Diversity of the human intestinal microbial flora." (2005).Science 308.5728: 1635-1638.

Edwards, C. A., and A. M. Parrett. "Intestinal flora during the first months of life: new perspectives." (2002). British Journal of Nutrition 88.S1 s11-s18.

El Assar, Mariam, Javier Angulo, and Leocadio Rodríguez-Mañas. "Oxidative stress and vascular inflammation in aging." (2013). Free Radical Biology and Medicine 65 380-401.

Esterbauer, Hermann. "Cytotoxicity and genotoxicity of lipid-oxidation products." (1993). The American journal of clinical nutrition 57.5 779S-785S.

Evans, Mark D., and Marcus S. Cooke. "Factors contributing to the outcome of oxidative damage to nucleic acids." (2004) Bioessays 26.5: 533-542.

Everett, James, et al. "Evidence of Redox-Active Iron Formation Following Aggregation of Ferrihydrite and the Alzheimer's Disease Peptide β-Amyloid." (2014) Inorganic chemistry 53.6: 2803-2809.

Fan, Yu-jing, et al. "A probiotic treatment containing Lactobacillus, Bifidobacterium and Enterococcus improves IBS symptoms in an open label trial." (2006). Journal of Zhejiang University Science B 7.12 987-991.

Fang, Li, et al. "The mitochondria-targeted antioxidant MitoQ extends lifespan and improves healthspan of a transgenic *Caenorhabditis elegans* model of Alzheimer disease." (2014) Free Radical Biology and Medicine 71 390-401.

Finkel, Toren, and Nikki J. Holbrook. "Oxidants, oxidative stress and the biology of ageing." Nature 408.6809 (2000): 239-247.

Fitzpatrick, Leo R., et al. "In vitro and in vivo effects of the probiotic Escherichia coli strain M-17: immunomodulation and attenuation of murine colitis." British journal of nutrition 100.03 (2008): 530-541.

Fooks, L. J., and G. R. Gibson. "Probiotics as modulators of the gut flora." British Journal of Nutrition 88.S1 (2002): s39-s49.

Forman, H. J., Fukuto, J. M., Miller, T., Zhang, H., Rinna, A., & Levy, S. (2008). The chemistry of cell signaling by reactive oxygen and nitrogen species and 4-hydroxynonenal. *Archives of biochemistry and biophysics*, *477*(2), 183-195.

French SW, Wong K, Jui L, Albano E, Hagbjork AL, Ingelman-Sundberg M (1993) Effect of ethanol on cytochrome P450 2E1 (CYP2E1), lipid peroxidation, and serum protein adduct formation in relation to liver pathology pathogenesis. Exp Mol Pathol 58**:** 61-75.

Frossard, Christophe P., Lothar Steidler, and Philippe A. Eigenmann. "Oral administration of an IL-10–secreting *Lactococcus lactis* strain prevents food-induced IgE sensitization." Journal of Allergy and Clinical Immunology 119.4 (2007): 952-959.

Fujino, S., et al. "Increased expression of interleukin 17 in inflammatory bowel disease." Gut 52.1 (2003): 65-70.

Fukata, Masayuki, Arunan S. Vamadevan, and Maria T. Abreu. "Toll-like receptors (TLRs) and Nod-like receptors (NLRs) in inflammatory disorders." Seminars in immunology. Vol. 21. No. 4. Academic Press, 2009.

Gadaleta, M. N., Rainaldi, G., Lezza, A. M. S., Milella, F., Fracasso, F., & Cantatore, P. (1992). Mitochondrial DNA copy number and mitochondrial DNA deletion in adult and senescent rats. *Mutation Research/DNAging*, *275*(3), 181-193.

Gao , Z. , J. Yin , J. Zhang , R. E. Ward , R. J. Martin , M. Lefevre , W. T. Cefalu , and J. Ye . 2009. Butyrate improves insulin sensitivity and increases energy expenditure in mice. Diabetes . 58 : 1509 – 1517 .

Gao B, Bataller R (2011) Alcoholic liver disease: pathogenesis and new therapeutic targets. Gastroenterology 141: 1572-1585.

Gareau, Mélanie G., Philip M. Sherman, and W. Allan Walker. "Probiotics and the gut microbiota in intestinal health and disease." Nature Reviews Gastroenterology and Hepatology 7.9 (2010): 503-514.

Gartel, Andrei L., and Senthil K. Radhakrishnan. "Lost in transcription: p21 repression, mechanisms, and consequences." Cancer research 65.10 (2005): 3980-3985.

Grabig A, Paclik D, Guzy C, Dankof A, Baumgart DC, Erckenbrecht J, Raupach B, Sonnenborn U, Eckert J, Schumann RR (2006) *Escherichia coli* strain Nissle 1917 ameliorates experimental colitis via toll-like receptor 2-and toll-like receptor 4-dependent pathways. Infection Immunity 74**:** 4075-4082.

Grandvaux, N., Soucy-Faulkner, A., & Fink, K. (2007). Innate host defense: Nox and Duox on phox's tail. *Biochimie*, *89*(9), 1113-1122.

Grasberger, H. (2010). Defects of thyroidal hydrogen peroxide generation in congenital hypothyroidism. *Molecular and cellular endocrinology*, *322*(1), 99-106.

Grasberger, H., El–Zaatari, M., Dang, D. T., & Merchant, J. L. (2013). Dual oxidases control release of hydrogen peroxide by the gastric epithelium to prevent Helicobacter felis infection and inflammation in mice. Gastroenterology, 145(5), 1045-1054.

Graziewicz, Maria A., Brian J. Day, and William C. Copeland. "The mitochondrial DNA polymerase as a target of oxidative damage." Nucleic acids research 30.13 (2002): 2817-2824.

Große, Cornelia, et al. "A new ferrous iron-uptake transporter, EfeU (YcdN), from *Escherichia coli*." Molecular microbiology 62.1 (2006): 120-131.

Grozdanov, Lubomir, et al. "Analysis of the genome structure of the nonpathogenic probiotic *Escherichia coli* strain Nissle 1917." Journal of bacteriology 186.16 (2004): 5432-5441.

Guarente, L. (2008). Mitochondria—a nexus for aging, calorie restriction, and sirtuins?. Cell, 132, 171-176.

Guarner, F., & Malagelada, J. R. (2003). Gut flora in health and disease. *The Lancet*, *361*(9356), 512-519.

Gyaneshwar P, Parekh LJ, Archana G, Poole PS, Collins MD, Huston RA, Naresh Kumar G (1999) Involvement of a phosphate starvation inducible glucose dehydrogenase in soil phosphate solubilization by *Enterobacter asburiae.* FEMS Microbiol Lett 171: 223-229.

Gyaneshwar, P., Parekh, L. J., Archana, G., Poole, P. S., Collins, M. D., Hutson, R. A., & Kumar, G. N. (1999). Involvement of a phosphate starvation inducible glucose dehydrogenase in soil phosphate solubilization by Enterobacterasburiae. FEMS microbiollett, 171, 223-229.

Ha, E. M., Oh, C. T., Bae, Y. S., & Lee, W. J. (2005a). A direct role for dual oxidase in Drosophila gut immunity. Science, 310(5749), 847-850.

Ha, E. M., Oh, C. T., Ryu, J. H., Bae, Y. S., Kang, S. W., Jang, I. H., ... & Lee, W. J. (2005b). An antioxidant system required for host protection against gut infection in Drosophila. Developmental cell, 8(1), 125-132.

Hagen, Tory M., et al. (1997). "Mitochondrial decay in hepatocytes from old rats: membrane potential declines, heterogeneity and oxidants increase." Proceedings of the National Academy of Sciences 94.7: 3064-3069.

Halliwell, Barry, and Susanna Chirico. (1993). "Lipid peroxidation: its mechanism, measurement, and significance." The American journal of clinical nutrition 57.5 715S-724S.

Halliwell, Barry. Free radicals and other reactive species in disease. John Wiley & Sons, Ltd, 2005.

Hamer , H. M. , D. Jonkers , K. Venema , S. Vanhoutvin , F. J. Troost , and R. J. Brummer. 2008 . Review article: the role of butyrate on colonic function. Aliment. Pharmacol. Ther. 27 : 104 – 119 .

Hanani, M., Fellig, Y., Udassin, R., & Freund, H. R. (2004). Age-related changes in the morphology of the myenteric plexus of the human colon.*Autonomic Neuroscience*, *113*(1), 71-78.

Hara, H., Hiramatsu, H., & Adachi, T. (2007). Pyrroloquinoline quinone is a potent neuroprotective nutrient against 6-hydroxydopamine-induced neurotoxicity. Neurochem Res, 32, 489-495.

Harman, D. (1992). Free radical theory of aging. Mutat Res, 275, 257-266.

Harman, Denham. (1981). "The aging process." Proceedings of the National Academy of Sciences 78.11 7124-7128.

Harris, C. B., Chowanadisai, W., Mishchuk, D. O., Satre, M. A., Slupsky, C. M., & Rucker, R. B. (2013). Dietary pyrroloquinoline quinone (PQQ) alters indicators of inflammation and mitochondrial-related metabolism in human subjects. J NutrBiochem, 24, 2076-2084.

Harris, C. B., Chowanadisai, W., Mishchuk, D. O., Satre, M. A., Slupsky, C. M., & Rucker, R. B. (2013). Dietary pyrroloquinoline quinone (PQQ) alters indicators of inflammation and mitochondrial-related metabolism in human subjects. *The Journal of nutritional biochemistry*, *24*(12), 2076-2084.

Heinecke, Jay W. "Mechanisms of oxidative damage of low density lipoprotein in human atherosclerosis." Current opinion in lipidology 8.5 (1997): 268-274.

Helwig, Ulf, et al. "Lactobacilli, bifidobacteria and *E. coli* nissle induce pro-and anti-inflammatory cytokines in peripheral blood mononuclear cells." World Journal of Gastroenterology 12.37 (2006): 5978.

Henker, Jobst, et al. "The probiotic Escherichia coli strain Nissle 1917 (EcN) stops acute diarrhoea in infants and toddlers." European journal of pediatrics 166.4 (2007): 311-318.

Herbig, Utz, et al. "Cellular senescence in aging primates." Science 311.5765 (2006): 1257-1257.

Hertzberger, R., Arents, J., Dekker, H. L., Pridmore, R. D., Gysler, C., Kleerebezem, M., & de Mattos, M. J. T. (2014). H2O2 Production in Species of the Lactobacillus acidophilus Group: a Central Role for a Novel NADH-Dependent Flavin Reductase. Applied and environmental microbiology, 80(7), 2229-2239.

Hiona, Asimina, and Christiaan Leeuwenburgh. "The role of mitochondrial DNA mutations in aging and sarcopenia: implications for the mitochondrial vicious cycle theory of aging." Experimental gerontology 43.1 (2008): 24-33.

Hirakawa, Akihiro, et al. "Pyrroloquinoline quinone attenuates iNOS gene expression in the injured spinal cord." Biochemical and biophysical research communications 378.2 (2009): 308-312.

Hobara N, Watanabe A, Kobayashi M, Tsuji T, Gomita Y, Araki Y (1988) Quinone derivatives lower blood and liver acetaldehyde but not ethanol concentrations following ethanol loading to rats. Pharmacology 37: 264-267.

Hopkins, M. J., & Macfarlane, G. T. (2002). Changes in predominant bacterial populations in human faeces with age and with Clostridium difficile infection. J Med Microbiol, 51, 448-454.

Hopsu, V. K., &Härkönen, M. (1959). Succinic dehydrogenase activity in liver tissue after partial hepatectomy. ACTA PATHOL MICROBIOL SCAND, 47, 353-356.

Howes, Randolph M. "The free radical fantasy." Annals of the New York Academy of Sciences 1067.1 (2006): 22-26.

Hu , G. X. , G. R. Chen , H. Xu , R. S. Ge , and J. Lin . 2010 . Activation of the AMP activated protein kinase by short-chain fatty acids is the main mechanism underlying the benefi cial effect of a high fiber diet on the metabolic syndrome. Med. Hypotheses . 74 : 123 – 126 .

Huang, Ting-Ting, et al. "Ubiquitous overexpression of CuZn superoxide dismutase does not extend life span in mice." Journals of Gerontology-Biological Sciences and Medical Sciences 55.1 (2000): B5.

Huibregtse, Inge L., et al. "Genetically modified Lactococcus lactis for delivery of human interleukin-10 to dendritic cells." Gastroenterology research and practice 2012 (2011).

Ivanov, Ivaylo I., and Kenya Honda. "Intestinal commensal microbes as immune modulators." Cell host & microbe 12.4 (2012): 496-508.

Jack, Ralph W., John R. Tagg, and Bibek Ray. "Bacteriocins of gram-positive bacteria." Microbiological reviews 59.2 (1995): 171-200.

Jeyapalan, Jessie C., et al. "Accumulation of senescent cells in mitotic tissue of aging primates." Mechanisms of ageing and development 128.1 (2007): 36-44.

Jomova, Klaudia, et al. "Metals, oxidative stress and neurodegenerative disorders." Molecular and cellular biochemistry 345.1-2 (2010): 91-104.

Kallio PT, Kim DJ, Tsai PS, Bailey JE (1994) Intracellular expression of *Vitreoscilla* haemoglobin activates *E. coli* energy metabolism under oxygen-limited conditions. Eur J Biochem 219: 201–208.

Kamada, N., Chen, G. Y., Inohara, N., & Núñez, G. (2013). Control of pathogens and pathobionts by the gut microbiota. Nature immunology, 14(7), 685-690.

Kamel, N. S., Gammack, J., Cepeda, O., & Flaherty, J. H. (2006). Antioxidants and hormones as antiaging therapies: high hopes, disappointing results. CLEV CLIN J MED, 73, 1049-1056.

Kameue C, Tsukahara T, Yamada K, Koyama H, Iwasaki Y, Nakayama K, Ushida K (2004) Dietary sodium gluconate protects rats from large bowel cancer by stimulating butyrate production. J Nutr. 134: 940-944.

Kanauchi, O., Fujiyama, Y., Mitsuyama, K., Araki, Y., Ishii, T., Nakamura, T., ... & Bamba, T. (1999). Increased growth of Bifidobacterium and Eubacterium by germinated barley foodstuff, accompanied by enhanced butyrate production in healthy volunteers. International journal of molecular medicine, 3(2), 175-184.

Khailova, Ludmila, et al. "Bifidobacterium bifidum improves intestinal integrity in a rat model of necrotizing enterocolitis." American Journal of Physiology-Gastrointestinal and Liver Physiology 297.5 (2009): G940-G949.

Killgore, J., Smidt, C., Duich, L., Romero-Chapman, N., Tinker, D., Reiser, K., ...& Rucker, R. B. (1989). Nutritional importance of pyrroloquinoline quinone. Science, 245, 850-852.

Kim, S. H., & Lee, W. J. (2013). Role of DUOX in gut inflammation: lessons from Drosophila model of gut-microbiota interactions. Frontiers in cellular and infection microbiology, 3.

Kim, S. H., & Lee, W. J. (2013). Role of DUOX in gut inflammation: lessons from Drosophila model of gut-microbiota interactions. Frontiers in cellular and infection microbiology, 3.

Kimura, I., Ozawa, K., Inoue, D., Imamura, T., Kimura, K., Maeda, T., ...&Tsujimoto, G. (2013). The gut microbiota suppresses insulin-mediated fat accumulation via the short-chain fatty acid receptor GPR43. Nat Commun, 4, 1829.

Kimura, Kazuki, et al. "Pyrroloquinoline quinone stimulates epithelial cell proliferation by activating epidermal growth factor receptor through redox cycling." Free Radical Biology and Medicine 53.6 (2012): 1239-1251.

Kirkwood, T. B. (2004). Intrinsic ageing of gut epithelial stem cells. Mech ageing dev, 125, 911-915.

Kleerebezem M.(2010) Metagenomic approaches to unravel the composition and function of the human intestinal microbiota. In: Heidt PJ, Snel J, Midtvedt T, Rusch V (eds.) Intestinal Microbiomics: Novel Indicators of Health and DiseasE. Herborn: Old Herborn University Foundation,: 27–39.

Knight, S., Kundu, K., Weiss, D., Murthy, N., & Taylor, W. R. (2012). Antioxidant Therapy Targeted to the Folate Receptor Ameliorates Intestinal Inflammation and Injury in a Model of Colitis. *The FASEB Journal*,*26*(1_MeetingAbstracts), 1108-2.

Koch OR, Pani G, Borrello S, Colavitti R, Cravero A, Farre S, Galeotti T (2004) Oxidative stress and antioxidant defenses in ethanol-induced cell injury. Molec Aspects Med 25**:** 191–198.

Koch, Osvaldo R., et al. (2004). "Oxidative stress and antioxidant defenses in ethanol-induced cell injury." Molecular aspects of medicine 25.1 191-198.

Kohen, Ron, and Abraham Nyska. (2002) "Invited review: Oxidation of biological systems: oxidative stress phenomena, antioxidants, redox reactions, and methods for their quantification." Toxicologic pathology 30.6 620-650.

Kondo T, Kishi M, Fushimi T, Kaga T (2009) Acetic acid upregulates the expression of genes for fatty acid oxidation enzymes in liver to suppress body fat accumulation. J Agri Food Chem 57: 5982-5986.

Konturek, P. C., et al. (2009) "Probiotic bacteria Escherichia coli strain Nissle 1917 attenuates acute gastric lesions induced by stress." J Physiol Pharmacol 60.Suppl 6 41-48.

Konturek, P. C., T. Brzozowski, and S. J. Konturek. (2011) "Stress and the gut: pathophysiology, clinical consequences, diagnostic approach and treatment options." J Physiol Pharmacol 62.6: 591-599.

Korkina, L., Suprun, M., Petrova, A., Mikhal'Chik, E., Luci, A., & Luca, C. D. (2003). The protective and healing effects of a natural antioxidant formulation based on ubiquinol and Aloe vera against dextran sulfate-induced ulcerative colitis in rats. *Biofactors*, *18*(1-4), 255-264.

Kosenko, Elena A., et al. (2014) "Pathogenesis of Alzheimer Disease: Role of Oxidative Stress, Amyloid-β Peptides, Systemic Ammonia and Erythrocyte Energy Metabolism." CNS & neurological disorders drug targets 13.1: 112-119.

Kowald, Axel, Marcus Dawson, and Thomas BL Kirkwood. (2014) "Mitochondrial mutations and ageing: Can mitochondrial deletion mutants accumulate via a size based replication advantage?." Journal of theoretical biology 340: 111-118.

Krammer, H. J., et al. (2006) "Probiotic drug therapy with E. coli strain Nissle 1917 (EcN): results of a prospective study of the records of 3,807 patients]." Zeitschrift fur Gastroenterologie 44.8: 651-656.

Kregel, Kevin C., and Hannah J. Zhang. (2007) "An integrated view of oxidative stress in aging: basic mechanisms, functional effects, and pathological considerations." American Journal of Physiology-Regulatory, Integrative and Comparative Physiology 292.1: R18-R36.

Kujoth, G. C., Hiona, A., Pugh, T. D., Someya, S., Panzer, K., Wohlgemuth, S. E., ...&Prolla, T. A. (2005). Mitochondrial DNA mutations, oxidative stress, and apoptosis in mammalian aging. Science, 309, 481-484.

Kumar, P., Ferzin, S., Chintan, S., & Kumar, G. N. (2009). Isolation and characterization of potential probiotic Escherichia coli strains from rat faecal samples. *Am J Infect Dis*, *5*(2), 112-7.

Kumar, P., Gopalakrishnan, S. G., & Kumar, N. (2013). In vitro comparism of the extracellular secretion of inulosucrase enzyme in potential probiotic Escherichia coli 16 and BL-21. *African Journal of Biotechnology*, *12*(45), 6382.

Kumar, P., Ranawade, A. V., & Kumar, N. G. (2014). Potential probiotic Escherichia coli 16 harboring the vitreoscilla hemoglobin gene improves gastrointestinal tract colonization and ameliorates carbon tetrachloride induced hepatotoxicity in rats. *BioMed research international*, *2014*.

Kumar, P., Ranawade, A. V., & Kumar, N. G. (2014). Potential probiotic Escherichia coli 16 harboring the Vitreoscillahemoglobin gene improve gastrointestinal tract colonization and ameliorate carbon tetrachloride induced hepatotoxicity in rats. BioMed Res Int, DOI: 10.1155/2014/213574.

Kumazawa T, Seno H, Urakami T, Matsumato T, Suzuki O (1992) Trace levels of pyrroloquinoline quinone in human and rat samples detected by gas chromatography/mass spectroscopy. Biochim. Biophys. Acta 1156: 62–66.

Kumazawa, T., et al. "Levels of pyrroloquinoline quinone in various foods." Biochem. J 307 (1995): 331-333.

Kumazawa, T., Hiwasa, T., Takiguchi, M., Suzuki, O., & Sato, K. (2007). Activation of Rassignaling pathways by pyrroloquinoline quinone in NIH3T3 mouse fibroblasts. Int J Mol Med, 19, 765-770.

Kumazawa, T., Seno, H., Urakami, T., Matsumoto, T., & Suzuki, O. (1992). Trace levels of pyrroloquinoline quinone in human and rat samples detected by gas chromatography/mass spectrometry. BiochimBiophysActa, 1156, 62-66.

Kunitoh, Satoru, et al. "Contribution of cytochrome P450s to MEOS (microsomal ethanol-oxidizing system): a specific and sensitive assay of MEOS activity by HPLC with fluorescence labeling." Alcohol and Alcoholism 28.Supplement 1B (1993): 63-68.

Kvist M, Ryabova ES, Nordlander E, Bulow L (2007) An investigation of peroxidase activity of Vitreoscilla hemoglobin. J Biol Inorg Chem 12: 324-334.

Lagenaur, Laurel A., et al. "Prevention of vaginal SHIV transmission in macaques by a live recombinant Lactobacillus." Mucosal immunology 4.6 (2011): 648-657.

Lagouge, M., and N-G. Larsson. "The role of mitochondrial DNA mutations and free radicals in disease and ageing." Journal of internal medicine 273.6 (2013): 529-543.

Lagouge, M., Argmann, C., Gerhart-Hines, Z., Meziane, H., Lerin, C., Daussin, F., ...&Auwerx, J. (2006). Resveratrol improves mitochondrial function and protects against metabolic disease by activating SIRT1 and PGC-1α. Cell, 127, 1109-1122.

Lambert, Adrian J., and Martin D. Brand. "Reactive oxygen species production by mitochondria." Mitochondrial DNA. Humana Press, 2009. 165-181.

Lane, Nick. Oxygen: the molecule that made the world. Oxford University Press, 2002.

Lane, Nick. Power, sex, suicide: mitochondria and the meaning of life. Oxford University Press, 2005.

Lee SJ, Kim SY, Min H (2013) Effects of vitamin C and E supplementation on oxidative stress and liver toxicity in rats fed a low-fat ethanol diet. Nutr Res Pract 7: 109-114.

Lenaz, G., D'Aurelio, M., Merlo Pich, M., Genova, M. L., Ventura, B., Bovina, C., ...&ParentiCastelli, G. (2000). Mitochondrial bioenergetics in aging. BiochimBiophysActa, 1459, 397-404.

Lesnefsky, Edward J., and Charles L. Hoppel. "Oxidative phosphorylation and aging." Ageing research reviews 5.4 (2006): 402-433.

Li, N., Ragheb, K., Lawler, G., Sturgis, J., Rajwa, B., Melendez, J. A., & Robinson, J. P. (2003). Mitochondrial complex I inhibitor rotenone induces apoptosis through enhancing mitochondrial reactive oxygen species production. J BiolChem, 278, 8516-8525.

Libby, P., Ridker, P. M., & Maseri, A. (2002). Inflammation and atherosclerosis. *Circulation*, *105*(9), 1135-1143.

Lieber CS (1999) Microsomal Ethanol-Oxidizing System (MEOS): The First 30 Years (1968-1998)–A Review. Alcohol Clin Exp Res 23: 991–1007.

Lieber, C. S. (1994). Metabolic Consequences of Ethanol. *The Endocrinologist*,*4*(2), 127-139.

Lieber, Charles S. "Alcoholic fatty liver: its pathogenesis and mechanism of progression to inflammation and fibrosis." Alcohol 34.1 (2004): 9-19.

Lieber, Charles S. "Microsomal Ethanol-Oxidizing System (MEOS): The First 30 Years (1968-1998)–A Review." Alcoholism: Clinical and Experimental Research 23.6 (1999): 991-1007.

Linden, S. K., et al. "Mucins in the mucosal barrier to infection." Mucosal immunology 1.3 (2008): 183-197.

Liu, Bin, Yumin Chen, and Daret K. St Clair. "ROS and p53: a versatile partnership." Free Radical Biology and Medicine 44.8 (2008): 1529-1535.

Loeb, L. A., Wallace, D. C., & Martin, G. M. (2005). The mitochondrial theory of aging and its relationship to reactive oxygen species damage and somatic mtDNA mutations. PNAS, 102, 18769-18770.

Lundquist BF, Tygstrup N, Winkler K, Mellemgaard K and Petersen SM (1962) Ethanol metabolism and production of free acetate in the human liver. J Clin Invest 41: 955-961.

Lustig, Robert H. "Fructose: metabolic, hedonic, and societal parallels with ethanol." Journal of the American Dietetic Association 110.9 (2010): 1307-1321.

Maes, Michael, et al. "A review on the oxidative and nitrosative stress (O&NS) pathways in major depression and their possible contribution to the (neuro) degenerative processes in that illness." Progress in Neuro-Psychopharmacology and Biological Psychiatry 35.3 (2011): 676-692.

Mariadason, J. M., Barkla, D. H., & Gibson, P. R. (1997). Effect of short-chain fatty acids on paracellular permeability in Caco-2 intestinal epithelium model. American Journal of Physiology-Gastrointestinal and Liver Physiology, 35(4), G705.

Marklund S, Marklund G (1974) Involvement of superoxide ion radical in the autooxidation of pyrogallol and a convenient assay for superoxide dismutase. Euro J Biochem 47: 469-474.

Martens, Eric C., et al. "Recognition and degradation of plant cell wall polysaccharides by two human gut symbionts." PLoS biology 9.12 (2011): e1001221.

Martin, Francois-Pierre J., et al. "Panorganismal Gut Microbiome− Host Metabolic Crosstalk." Journal of proteome research 8.4 (2009): 2090-2105.

Masella, Roberta, and Giuseppe Mazza. Glutathione and sulfur amino acids in human health and disease. John Wiley & Sons, 2009.

Maslowski, K. M., Vieira, A. T., Ng, A., Kranich, J., Sierro, F., Yu, D., ... & Mackay, C. R. (2009). Regulation of inflammatory responses by gut microbiota and chemoattractant receptor GPR43. Nature, 461(7268), 1282-1286.

Masoro, E. J. (Ed.). (1995). Handbook of Physiology: Section 11: Aging. An American Physiological Society Book.

Masoro, Edward J. "Caloric restriction and aging: an update." Experimental gerontology 35.3 (2000): 299-305.

Masoro, Edward J., and Steven N. Austad, eds. Handbook of the Biology of Aging. Vol. 1. Academic press, 2006.

Matsushita K, Arents JC, Bader R, Yamada M, Adachi O and Postma1 PW (1997) *Escherichia coli* is unable to produce pyrroloquinoline quinone (PQQ). Microbiology 143: 3149–3156.

Matsushita, M., Fukata, N., Omiya, M., & Okazaki, K. (2013). Absence of Large Ulcers Indicate That Viral Therapy is Not Necessary in Cytomegalovirus Infection in Ulcerative Colitis. *Journal of clinical gastroenterology*, *47*(1), 90-91.

McKenzie GJ, Craig NL (2006) Fast, easy and efficient: site-specific insertion of transgenes into enterobacterial chromosomes using Tn7 without need for selection of the insertion event. BMC Microbiol 6: 39.

Medzhitov, Ruslan, and Charles Janeway Jr. "The Toll receptor family and microbial recognition." Trends in microbiology 8.10 (2000): 452-456.

Menon, V. P., &Sudheer, A. R. (2007). Antioxidant and anti-inflammatory properties of curcumin. In The Molecular Targets and Therapeutic Uses of Curcumin in Health and Disease (pp. 105-125). Springer US.

Miquel, Jaime. "An update of the oxidation-inflammation theory of aging: the involvement of the immune system in oxi-inflamm-aging." Current pharmaceutical design 15.26 (2009): 3003-3026.

Miquel, Jaime. "An update on the oxygen stress-mitochondrial mutation theory of aging: genetic and evolutionary implications." Experimental gerontology 33.1-2 (1998): 113-126.

Misra, H. S., Y. S. Rajpurohit, and N. P. Khairnar. "Pyrroloquinoline-quinone and its versatile roles in biological processes." Journal of biosciences 37.2 (2012): 313-325.

Mitchell AE, Jones AD, Mercer RS, Rucker RB (1999) Characterization of pyrroloquinoline quinone amino acid derivatives by electrospray ionization mass spectrometry and detection in human milk. Anal Biochem 269: 317-325.

Moos, torben, and Evan H. Morgan. "The metabolism of neuronal iron and its pathogenic role in neurological disease: review." Annals of the New York Academy of Sciences 1012.1 (2004): 14-26.

Morgan, Xochitl C., Nicola Segata, and Curtis Huttenhower. "Biodiversity and functional genomics in the human microbiome." Trends in Genetics 29.1 (2013): 51-58.

Mounsey, Ross B., and Peter Teismann. "Chelators in the treatment of iron accumulation in Parkinson's disease." International journal of cell biology 2012 (2012).

Mudau, Mashudu, et al. "Endothelial dysfunction: the early predictor of atherosclerosis: review article." Cardiovascular journal of Africa 23.4 (2012): 222-231.

Mukai K, Ouchi A and Nakano M (2011) Kinetic study of the quenching reaction of singlet oxygen by pyrroloquinolinequinol ($PQQH_2$, a reduced form of pyrroloquinolinequinone) in micellar solution. J Agric Food Chem 59: 1705–1712.

Murase , M. , Y. Kimura , and Y. Nagata . 1995 . Determination of portal short-chain fatty acids in rats fed various dietary fibers by capillary gas chromatography. J. Chromatogr. B Biomed. Appl. 664 : 415 – 420 .

Murphy, M. (2009). How mitochondria produce reactive oxygen species.*Biochem. J*, *417*, 1-13.

Ng, S. C., Tang, W., Ching, J. Y., Wong, M., Chow, C. M., Hui, A. J., ... & Chan, F. K. (2013). Incidence and phenotype of inflammatory bowel disease based on results from the Asia-pacific Crohn's and colitis epidemiology study.*Gastroenterology*, *145*(1), 158-165.

Niemela O (2001) Serial review: alcohol, oxidative stress and cell injury distribution of ethanol-induced protein adducts in vivo: relationship to tissue injury. Free Radical Biology and Medicine 31: 1533–1538.

Nowrouzian, F., Hesselmar, B., Saalman, R., Strannegård, I. L., Åberg, N., Wold, A. E., & Adlerberth, I. (2003). Escherichia coli in infants' intestinal microflora: colonization rate, strain turnover, and virulence gene carriage.*Pediatric research*, *54*(1), 8-14.

Nunome, K., Miyazaki, S., Nakano, M., Iguchi-Ariga, S., &Ariga, H. (2008). Pyrroloquinoline quinone prevents oxidative stress-induced neuronal death probably through changes in oxidative status of DJ-1. Biol Pharm Bull, 31, 1321-1326.

Oh SI, Kim C, Chun HJ, Lee MS, Park SC (1997) Glutathione recycling is attenuated by acute ethanol feeding in rat liver. J Korean Med Sci 12: 316-321.

Orr, William C., et al. "Effects of overexpression of copper-zinc and manganese superoxide dismutases, catalase, and thioredoxin reductase genes on longevity in *Drosophila melanogaster*." Journal of Biological Chemistry 278.29 (2003): 26418-26422.

Ouwehand, Arthur C., Seppo Salminen, and Erika Isolauri. "Probiotics: an overview of beneficial effects." Antonie Van Leeuwenhoek 82.1-4 (2002): 279-289.

Ouyang, Q., Tandon, R., Goh, K. L., Pan, G. Z., Fock, K. M., Fiocchi, C., ... & Xiao, S. D. (2006). Management consensus of inflammatory bowel disease for the Asia–Pacific region. *Journal of gastroenterology and hepatology*, *21*(12), 1772-1782.

Oz, H. S., Chen, T. S., McClain, C. J., & de Villiers, W. J. (2005). Antioxidants as novel therapy in a murine model of colitis. *The Journal of nutritional biochemistry*, *16*(5), 297-304.

Pandey, S., Singh, A., Kumar, P., Chaudhari, A., & Nareshkumar, G. (2014). Probiotic Escherichia coli CFR 16 producing pyrroloquinoline quinone (PQQ) ameliorates 1, 2-dimethylhydrazine-induced oxidative damage in colon and liver of rats. Applied biochemistry and biotechnology, 173(3), 775-786.

Parracho, Helena, Anne L. McCartney, and Glenn R. Gibson. "Probiotics and prebiotics in infant nutrition." Proceedings of the Nutrition Society 66.03 (2007): 405-411.

Paton, Adrienne W., Renato Morona, and James C. Paton. "Designer probiotics for prevention of enteric infections." Nature Reviews Microbiology 4.3 (2006): 193-200.

Patzer, S. I., et al. "The colicin G, H and X determinants encode microcins M and H47, which might utilize the catecholate siderophore receptors FepA, Cir, Fiu and IroN." Microbiology 149.9 (2003): 2557-2570.

Peng, L., He, Z., Chen, W., Holzman, I. R., & Lin, J. (2007). Effects of butyrate on intestinal barrier function in a Caco-2 cell monolayer model of intestinal barrier. Pediatric Research, 61(1), 37-41.

Perše, M., & Cerar, A. (2012). Dextran sodium sulphate colitis mouse model: traps and tricks. BioMed Research International, 2012.

Pinz, Kevin G., Shinya Shibutani, and Daniel F. Bogenhagen. "Action of mitochondrial DNA polymerase at sites of base loss or oxidative damage." Journal of Biological Chemistry 270.16 (1995): 9202-9206.

Poeikhampha, T., & Bunchasak, C. (2011). A dietary sodium gluconate supplement improves growth performance and prebiotic activity in the small intestine of nursery pigs grown under tropical conditions. Animal production science, 51(8), 702-707.

Popa-Wagner, Aurel, et al. "ROS and brain diseases: the good, the bad, and the ugly." Oxidative medicine and cellular longevity 2013 (2013).

Pravda, Jay. "Radical induction theory of ulcerative colitis." World J Gastroenterol 11.16 (2005): 2371-84.

Pritsos, C. A. (2000). Cellular distribution, metabolism and regulation of the xanthine oxidoreductase enzyme system. *Chemico-biological interactions*,*129*(1), 195-208.

Puehringer, S., Metlitzky, M., & Schwarzenbacher, R. (2008). The pyrroloquinoline quinone biosynthesis pathway revisited: a structural approach.*BMC biochemistry*, *9*(1), 8.

Puertollano, E., Kolida, S., & Yaqoob, P. (2014). Biological significance of short-chain fatty acid metabolism by the intestinal microbiome. Current Opinion in Clinical Nutrition & Metabolic Care, 17(2), 139-144.

Qin, Junjie, et al. "A human gut microbial gene catalogue established by metagenomic sequencing." Nature 464.7285 (2010): 59-65.

Qiu, Zhi Bing, et al. "Effect of recombinant Lactobacillus casei expressing interleukin-10 in dextran sulfate sodium-induced colitis mice." Journal of digestive diseases 14.2 (2013): 76-83.

Rabinoiwtz, K. (2015). Dual Oxidase 2 (DUOX 2), a Novel Player in IBD: Expression and Functional Implications. In *17th International Congress of Mucosal Immunology (ICMI 2015)*. Icmi.

Rada and T. Leto, (2008) “Oxidative innate immune defenses by Nox/Duox Family NADPH oxidases,” Contributions to Microbiology, vol. 15, pp. 164–187, 2008.

Rajpurohit, YS, Gopalakrishnan R, Misra HS (2008) Involvement of a protein kinase activity inducer in DNA double strand break repair and radioresistance of *Deinococcus radiodurans*. J Bacteriol 190: 3948-54.

Rasbach, K. A., &Schnellmann, R. G. (2007). PGC-1α over-expression promotes recovery from mitochondrial dysfunction and cell injury. BiochemBiophys Res Commun, 355, 734-739.

Rashbastep, Julia, Nicholar J. Turro, and Arthur I. Cederbaum. "Increased NADPH-and NADH-dependent production of superoxide and hydroxyl radical by microsomes after chronic ethanol treatment." Archives of biochemistry and biophysics 300.1 (1993): 401-408.

Razzell, W., Evans, I. R., Martin, P., & Wood, W. (2013). Calcium flashes orchestrate the wound inflammatory response through DUOX activation and hydrogen peroxide release. *Current Biology*, *23*(5), 424-429.

Reid, Gregor, et al. "Potential uses of probiotics in clinical practice." Clinical microbiology reviews 16.4 (2003): 658-672.

Ren, Wei-ying, et al. "Age-related changes in small intestinal mucosa epithelium architecture and epithelial tight junction in rat models." Aging clinical and experimental research 26.2 (2014): 183-191.

Rera, M., Clark, R. I., & Walker, D. W. (2012). Intestinal barrier dysfunction links metabolic and inflammatory markers of aging to death in Drosophila. PNAS, 109, 21528-21533.

Rodier, Francis, et al. "Persistent DNA damage signalling triggers senescence-associated inflammatory cytokine secretion." Nature cell biology 11.8 (2009): 973-979.

Rojkind, M., Dominguez-Rosales, J. A., Nieto, N., & Greenwel, P. (2002). Role of hydrogen peroxide and oxidative stress in healing responses. *Cellular and Molecular Life Sciences CMLS*, *59*(11), 1872-1891.

Rosignoli, P., Fabiani, R., De Bartolomeo, A., Spinozzi, F., Agea, E., Pelli, M. A., & Morozzi, G. (2001). Protective activity of butyrate on hydrogen peroxide-induced DNA damage in isolated human colonocytes and HT29 tumour cells. Carcinogenesis, 22(10), 1675-1680.

Rottiers, Pieter, and Klaas Vandenbroucke. "Anti-Tnf Alpha Producing Lactic Acid Bacteria for the Treatment of Chronic Enterocolitis." U.S. Patent Application 12/065,335.

Roukas, T. (2000). Citric and gluconic acid production from fig by Aspergillus niger using solid-state fermentation. Journal of Industrial Microbiology and Biotechnology, 25(6), 298-304.

Round, J. L., &Mazmanian, S. K. (2009). The gut microbiota shapes intestinal immune responses during health and disease. Nat Rev Immunol, 9, 313-323.

Rucker, R., Chowanadisai, W., & Nakano, M. (2009). Potential physiological importance of pyrroloquinoline quinone. Altern Med Rev, 14, 268.

Saffrey, M. J. (2014). Aging of the mammalian gastrointestinal tract: a complex organ system. *Age*, *36*(3), 1019-1032.

Saggioro, Alfredo. "Probiotics in the treatment of irritable bowel syndrome." Journal of clinical gastroenterology 38 (2004): S104-S106.

Saleh, M., & Trinchieri, G. (2011). Innate immune mechanisms of colitis and colitis-associated colorectal cancer. *Nature Reviews Immunology*, *11*(1), 9-20.

Sambrook J, Maccallum P, Russel D (2001) Molecular cloning: A laboratory manual, 3rd Ed., vol. 1, pp. 2344. Cold Springs Harbour press, New York.

Sanchez, R. M., Wang, C., Gardner, G., Orlando, L., Tauck, D. L., Rosenberg, P. A., ...& Jensen, F. E. (2000). Novel role for the NMDA receptor redox modulatory site in the pathophysiology of seizures. J Neurosci, 20, 2409-2417.

Sánchez-Fidalgo, S., De Ibargüen, L. S., Cárdeno, A., & de la Lastra, C. A. (2012). Influence of extra virgin olive oil diet enriched with hydroxytyrosol in a chronic DSS colitis model. *European journal of nutrition*, *51*(4), 497-506.

Santos, Renata, et al. "Neurodegeneration, neurogenesis, and oxidative stress." Oxidative medicine and cellular longevity 2013.

Sanz, Alberto, et al. "Testing the vicious cycle theory of mitochondrial ROS production: effects of H_2O_2 and cumene hydroperoxide treatment on heart mitochondria." Journal of bioenergetics and biomembranes 38.2 (2006): 121-127.

Sastre, Juan, et al. "Aging of the liver: Age-associated mitochondrial damage in intact hepatocytes." Hepatology 24.5 (1996): 1199-1205.

Scanlon, Joelle M., Elias Aizenman, and Ian J. Reynolds. "Effects of pyrroloquinoline quinone on glutamate-induced production of reactive oxygen species in neurons." European journal of pharmacology 326.1 (1997): 67-74.

Schaap, Frank G., Michael Trauner, and Peter LM Jansen. "Bile acid receptors as targets for drug development." Nature Reviews Gastroenterology & Hepatology 11.1 (2014): 55-67.

Schapira, Anthony H., and Peter Jenner. "Etiology and pathogenesis of Parkinson's disease." Movement Disorders 26.6 (2011): 1049-1055.

Schriner, Samuel E., et al. "Extension of murine life span by overexpression of catalase targeted to mitochondria." science 308.5730 (2005): 1909-1911.

Schroeder, B., et al. "Preventive effects of the probiotic *Escherichia coli* strain Nissle 1917 on acute secretory diarrhea in a pig model of intestinal infection." Digestive diseases and sciences 51.4 (2006): 724-731.

Schultz M, Habil (2008) Clinical Use of *E. coli* Nissle 1917 in Inflammatory Bowel Disease. Inflamm Bowel Dis 14: 1012–1018.

Selvaraju, Vaithinathan, et al. "Diabetes, oxidative stress, molecular mechanism, and cardiovascular disease-an overview." Toxicology mechanisms and methods 22.5 (2012): 330-335.

Sen, Chandan K., and Lester Packer. "Thiol homeostasis and supplements in physical exercise." The American journal of clinical nutrition 72.2 (2000): 653s-669s.

Seo EJ, Weibel S, Wehkamp J, Oelschlaeger TA (2012) Construction of recombinant *E. coli* Nissle (EcN) strains for expression and secretion of defensins. Int J Med Microbiol 302: 276-287.

Sharma, V., Archana, G., & Kumar, G. N. (2011). Plasmid load adversely affects growth and gluconic acid secretion ability of mineral phosphate-solubilizing rhizospheric bacterium Enterobacter asburiae PSI3 under P limited conditions. Microbiological research, 166(1), 36-46.

Shaw, Albert C., Daniel R. Goldstein, and Ruth R. Montgomery. "Age-dependent dysregulation of innate immunity." Nature Reviews Immunology (2013).

Shaw, Albert C., et al. "Aging of the innate immune system." Current opinion in immunology 22.4 (2010): 507-513.

Shaw, Albert C., et al. "Dysregulation of human Toll-like receptor function in aging." Ageing research reviews 10.3 (2011): 346-353.

Shen, L., Weber, C. R., Raleigh, D. R., Yu, D., & Turner, J. R. (2011). Tight junction pore and leak pathways: a dynamic duo. Annu Rev Physiol, 73, 283-309.

Siddiqui, A., Ancha, H., Tedesco, D., Lightfoot, S., Stewart, C. A., & Harty, R. F. (2006). Antioxidant therapy with N-acetylcysteine plus mesalamine accelerates mucosal healing in a rodent model of colitis. *Digestive diseases and sciences*, *51*(4), 698-705.

Sinclair, David A. "Toward a unified theory of caloric restriction and longevity regulation." Mechanisms of ageing and development 126.9 (2005): 987-1002.

Singh, A.K., Pandey, S.K., & Naresh Kumar G. (2014). Pyrroloquinoline quinone-secreting probiotic Escherichia coli Nissle 1917 ameliorates ethanol-induced oxidative damage and hyperlipidemia in rats. Alcoholism: Clinical and Experimental Research, 38(7), 2127-2137.

Sipos, Ferenc, Katalin Leiszter, and Zsolt Tulassay. "Effect of ageing on colonic mucosal regeneration." World journal of gastroenterology: WJG 17.25 (2011): 2981.

Smith, Jeffrey S. "Human Sir2 and the ‘silencing’of p53 activity." Trends in cell biology 12.9 (2002): 404-406.

Sohal, Rajindar S., Robin J. Mockett, and William C. Orr. "Mechanisms of aging: an appraisal of the oxidative stress hypothesis< sup> 1, 2</sup>." Free Radical Biology and Medicine 33.5 (2002): 575-586.

Sonnenborn U and Schulze J (2009) The non-pathogenic Escherichia coli strain Nissle 1917 – features of a versatile probiotic. Microb Ecol Health Dis 21: 122-158

Spiteller, Peter, et al. "Aldehydic lipid peroxidation products derived from linoleic acid." Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids 1531.3 (2001): 188-208.

Sputova, Klara, et al. "Aging phenotypes in cultured normal human mammary epithelial cells are correlated with decreased telomerase activity independent of telomere length." Genome integrity 4.1 (2013): 1-8.

Steihberg, Franchehe M., M. Eric Gershwin, And ANDROBERT ŸŸ Ryœcker. "Dietary Pyrroloquinoline Quinone: Growth and Immune Response in BALB/c Mice1-2." development 124 (1994): 744-753.

Steinberg, Francene, et al. "Pyrroloquinoline quinone improves growth and reproductive performance in mice fed chemically defined diets." Experimental Biology and Medicine 228.2 (2003): 160-166.

Stiernagle, T. (2006). Maintenance of C. elegans, WormBook, ed. The C. elegans Research Community. WormBook.[February 11, 2006]. http://www. wormbook. org.

Stites, T., Storms, D., Bauerly, K., Mah, J., Harris, C., Fascetti, A., ...& Rucker, R. B. (2006). Pyrroloquinoline quinone modulates mitochondrial quantity and function in mice. J Nutr, 136, 390-396.

Stites, Tracy E., Alyson E. Mitchell, and Robert B. Rucker. "Physiological importance of quinoenzymes and the O-quinone family of cofactors." The Journal of nutrition 130.4 (2000): 719-727.

Stocker, Roland, and John F. Keaney Jr. "Role of oxidative modifications in atherosclerosis." Physiological reviews 84.4 (2004): 1381-1478.

Sturm, Andreas, et al. "*Escherichia coli* Nissle 1917 distinctively modulates T-cell cycling and expansion via toll-like receptor 2 signaling." Infection and immunity 73.3 (2005): 1452-1465.

Sun, Jingtao, et al. "Induced overexpression of mitochondrial Mn-superoxide dismutase extends the life span of adult *Drosophila melanogaster*." Genetics 161.2 (2002): 661-672.

Suzuki O, Kumazawa T, Seno H (1990) Extractions of pyrroloquinoline quinone from crude biological samples. Life Sci 47: 2135-2141.

Suzuki, Yuichiro J., Marina Carini, and D. Allan Butterfield. "Protein carbonylation." Antioxidants & redox signaling 12.3 (2010): 323-325.

Takada, Mayumi, et al. "Pyrroloquinoline quinone, a novel protein tyrosine phosphatase 1B inhibitor, activates insulin signaling in C2C12 myotubes and improves impaired glucose tolerance in diabetic KK-A^y mice." Biochemical and biophysical research communications 428.2 (2012): 315-320.

Takubo, Kaiyo, et al. "Changes of telomere length with aging." Geriatrics & gerontology international 10.s1 (2010): S197-S206.

Tamagno, Elena, et al. "Amyloid-β production: major link between oxidative stress and BACE1." Neurotoxicity research 22.3 (2012): 208-219.

Tan, J., McKenzie, C., Potamitis, M., Thorburn, A. N., Mackay, C. R., & Macia, L. (2014). The role of short-chain fatty acids in health and disease. Adv Immunol, 121(9).

Tang , Y. , Y. Chen , H. Jiang , G. T. Robbins , and D. Nie . 2011 . G-protein-coupled receptor for short-chain fatty acids suppresses colon cancer. Int. J. Cancer . 128 : 847 – 856 .

Tao, Rong, et al. "Pyrroloquinoline quinone preserves mitochondrial function and prevents oxidative injury in adult rat cardiac myocytes." Biochemical and biophysical research communications 363.2 (2007): 257-262.

Taylor, Juliet M., Bevan S. Main, and Peter J. Crack. "Neuroinflammation and oxidative stress: co-conspirators in the pathology of Parkinson's disease." Neurochemistry international 62.5 (2013): 803-819.

Tchaparian, E., Marshal, L., Cutler, G., Bauerly, K., Chowanadisai, W., Satre, M., ...& Rucker, R. (2010). Identification of transcriptional networks responding to pyrroloquinoline quinone dietary supplementation and their influence on thioredoxin expression, and the JAK/STAT and MAPK pathways. Biochem J, 429, 515-526.

Thomas, Charles, et al. "TGR5-mediated bile acid sensing controls glucose homeostasis." Cell metabolism 10.3 (2009): 167-177.

Tlaskalová-Hogenová, Helena, et al. "The role of gut microbiota (commensal bacteria) and the mucosal barrier in the pathogenesis of inflammatory and autoimmune diseases and cancer: contribution of germ-free and gnotobiotic animal models of human diseases." *Cellular & molecular immunology* 8.2 (2011): 110-120.

Tlaskalová-Hogenová, Helena, et al. (2004) "Commensal bacteria (normal microflora), mucosal immunity and chronic inflammatory and autoimmune diseases."Immunology letters 93.2: 97-108.

Tran, Lee, and Beverley Greenwood-Van Meerveld. "Age-associated remodeling of the intestinal epithelial barrier." The Journals of Gerontology Series A: Biological Sciences and Medical Sciences 68.9 (2013): 1045-1056.

Tremaroli, Valentina, and Fredrik Bäckhed. "Functional interactions between the gut microbiota and host metabolism." Nature 489.7415 (2012): 242-249.

Trifunovic, A., Hansson, A., Wredenberg, A., Rovio, A. T., Dufour, E., Khvorostov, I., ...& Larsson, N. G. (2005). Somatic mtDNA mutations cause aging phenotypes without affecting reactive oxygen species production. PNAS, 102(50), 17993-17998.

Trifunovic, A., Wredenberg, A., Falkenberg, M., Spelbrink, J. N., Rovio, A. T., Bruder, C. E., ...& Larsson, N. G. (2004). Premature ageing in mice expressing defective mitochondrial DNA polymerase. Nature, 429, 417-423.

Tsukahara, T., & Ushida, K. (2002). Succinate accumulation in pig large intestine during antibiotic-associated diarrhea and the constitution of succinate-producing flora. The Journal of general and applied microbiology, 48(3), 143-154.

Tsukahara, T., Hashizume, K., Koyama, H., & Ushida, K. (2006). Stimulation of butyrate production through the metabolic interaction among lactic acid bacteria, Lactobacillus

acidophilus, and lactic acid-utilizing bacteria, Megasphaera elsdenii, in porcine cecal digesta. Animal Science Journal, 77(4), 454-461.

Tsukahara, T., Koyama, H., Okada, M., & Ushida, K. (2002). Stimulation of butyrate production by gluconic acid in batch culture of pig cecal digesta and identification of butyrate-producing bacteria. The Journal of nutrition, 132(8), 2229-2234.

Turner, Jerrold R. "Intestinal mucosal barrier function in health and disease."Nature Reviews Immunology 9.11 (2009): 799-809.

Ukena, Sya N., et al. "Probiotic *Escherichia coli* Nissle 1917 inhibits leaky gut by enhancing mucosal integrity." PloS one 2.12 (2007): e1308.

Urakami T, Yoshida C, Akaike T, Maeda H, Nishigori H, Niki E (1997) Synthesis of monoesters of pyrroloquinoline quinine and imidazopyrroloquinoline, and radical scavenging activities using electron spin resonance in vitro and pharmacological activity in vivo. J Nutr Sci Vitaminol 43: 19-33.

Valdebenito, Marianne, et al. "Environmental factors influence the production of enterobactin, salmochelin, aerobactin, and yersiniabactin in *Escherichia coli* strain Nissle 1917." International journal of medical microbiology 296.8 (2006): 513-520.

Valko, Marian, et al. (2007) "Free radicals and antioxidants in normal physiological functions and human disease." The international journal of biochemistry & cell biology 39.1: 44-84.

Valls, V., et al. "Age-related changes in antioxidant status and oxidative damage to lipids and DNA in mitochondria of rat liver." Process Biochemistry 40.2 (2005): 903-908.

Van Hoek , M. J. , and R. M. Merks . 2012 . Redox balance is key to explaining full vs. partial switching to low-yield metabolism. BMC Syst. Biol. 6 : 22 .

Van Hove, C. L., Moerloose, K., Maes, T., Joos, G. F., & Tournoy, K. G. (2008a). Cigarette smoke enhances Th-2 driven airway inflammation and delays inhalational tolerance. *Respir Res*, *9*(42), 10-1186.

Van Hove, C. L., Maes, T., Joos, G. F., & Tournoy, K. G. (2008b). Chronic inflammation in asthma: a contest of persistence vs resolution. *Allergy*, *63*(9), 1095-1109.

Vance, Dennis E. "Role of phosphatidylcholine biosynthesis in the regulation of lipoprotein homeostasis." Current opinion in lipidology 19.3 (2008): 229-234.

Vinolo, M. A., Rodrigues, H. G., Nachbar, R. T., & Curi, R. (2011). Regulation of inflammation by short chain fatty acids. Nutrients, 3(10), 858-876.

Vurusaner, Beyza, Giuseppe Poli, and Huveyda Basaga. "Tumor suppressor genes and ROS: complex networks of interactions." Free Radical Biology and Medicine 52.1 (2012): 7-18.

Wallace, D. C. (2005). A mitochondrial paradigm of metabolic and degenerative diseases, aging, and cancer: a dawn for evolutionary medicine. Annu Rev Genet, 39, 359.

Wang AL, Wang JP, Wang H, Chen YH, Zhao L, Wang LS, Wei W, Xu DX (2006) A dual effect of N-acetylcysteine on acute ethanol-induced liver damage in mice. Hepatol Res. 34: 199-206.

Wang Y, Kirpich I, Liu Y, Ma Z, Barve S, McClain CJ, Feng W (2011) *Lactobacillus rhamnosus* GG treatment potentiates intestinal hypoxia-inducible factor, promotes intestinal integrity and ameliorates alcohol-induced liver injury. Am J Pathol 179: 2866-2875.

Wang, Julie C., and Martin Bennett. "Aging and Atherosclerosis Mechanisms, Functional Consequences, and Potential Therapeutics for Cellular Senescence." Circulation research 111.2 (2012): 245-259.

Watanabe, Mitsuhiro, et al. "Bile acids induce energy expenditure by promoting intracellular thyroid hormone activation." Nature 439.7075 (2006): 484-489.

Westendorf, Astrid M., et al. "Intestinal immunity of *Escherichia coli* NISSLE 1917: a safe carrier for therapeutic molecules." FEMS Immunology & Medical Microbiology 43.3 (2005): 373-384.

Wirtz, S., Neufert, C., Weigmann, B., & Neurath, M. F. (2007). Chemically induced mouse models of intestinal inflammation. Nature protocols, 2(3), 541-546.

Witczak, Carol A., et al. "Ca2+/calmodulin-dependent protein kinase kinase-α regulates skeletal muscle glucose uptake independent of AMP-activated protein kinase and Akt activation." Diabetes 56.5 (2007): 1403-1409.

Wittmann, C., Chockley, P., Singh, S. K., Pase, L., Lieschke, G. J., & Grabher, C. (2012). Hydrogen peroxide in inflammation: Messenger, guide, and assassin. Advances in hematology, 2012.

Wood, W. (2012). Wound healing: calcium flashes illuminate early events.*Current Biology*, *22*(1), R14-R16.

Xavier, R. J., & Podolsky, D. K. (2007). Unravelling the pathogenesis of inflammatory bowel disease. Nature, 448(7152), 427-434.

Xu F, Yu H, Liu J, Lu C (2013) Pyrroloquinoline quinone inhibits oxygen/glucose deprivation-induced apoptosis by activating the PI3K/AKT pathway in cardiomyocytes. Mol Cell Biochem. DOI 10.1007/s11010-013-1849-6.

Xu, J., Mahowald, M. A., Ley, R. E., Lozupone, C. A., Hamady, M., Martens, E. C., ... & Gordon, J. I. (2007). Evolution of symbiotic bacteria in the distal human intestine. *PLoS Biol*, *5*(7), e156.

Yakes, F. Michael, and Bennett Van Houten. "Mitochondrial DNA damage is more extensive and persists longer than nuclear DNA damage in human cells following oxidative stress." Proceedings of the National Academy of Sciences 94.2 (1997): 514-519.

Yang XP, Zhong GF, Lin JP, Mao DB, Wei DZ (2010) Pyrroloquinoline quinone biosynthesis in *Escherichia coli* through expression of the *Gluconobacter oxydans* pqqABCDE gene cluster. J Ind Microbiol Biotechnol 37: 575–580.

Ying, W. (2006). NAD+ and NADH in brain functions, brain diseases and brain aging. *Frontiers in bioscience: a journal and virtual library*, *12*, 1863-1888.

Ying, W. (2008). NAD+/NADH and NADP+/NADPH in cellular functions and cell death: regulation and biological consequences. *Antioxidants & redox signaling*,*10*(2), 179-206.

Ying, Weihai. NAD+ and NADH in cellular functions and cell death. Frontiers in bioscience: a journal and virtual library 11 (2005): 3129-3148.

You M, Fischer M, Deeg MA, Crabb DW (2002) Ethanol induces fatty acid synthesis pathways by activation of Sterol Regulatory Element-binding Protein (SREBP). J Biol Chem 277: 29342-29347.

Zanetti, D., et al. "4-Hydroxynonenal and transforming growth factor-β1 expression in colon cancer." Molecular aspects of medicine 24.4 (2003): 273-280.

Zecca, Luigi, et al. "Iron, brain ageing and neurodegenerative disorders." Nature Reviews Neuroscience 5.11 (2004): 863-873.

Zhang Y and Rosenberg PA (2002) The essential nutrient pyrroloquinoline quinine may act as a neuroprotectant by suppressing peroxynitrite formation. Eur J Neurosci 16: 1015-1024.

Zhang Y, Zhang Y, Xia L, Zhang X, Ding X, Yan F, Wu F (2012) *Escherichia coli* Nissle 1917 targets and restrains mouse B16 melanoma and 4T1 breast tumors through expression of azurin protein. Appl Environ Microbiol 78: 7603-7610.

Zhang, J., Meruvu, S., Bedi, Y. S., Chau, J., Arguelles, A., Rucker, R., & Choudhury, M. (2015). Pyrroloquinoline quinone increases the expression and activity of Sirt1 and-3 genes in HepG2 cells. *Nutrition Research*, *35*(9), 844-849.

Zhang, P., Xu, Y., Li, L., Jiang, Q., Wang, M., &Jin, L. (2009). In vitro protective effects of pyrroloquinoline quinone on methylmercury-induced neurotoxicity. Environ Toxicol Pharm, 27, 103-110.

Zhang, Q., Shen, M., Ding, M., Shen, D., & Ding, F. (2011). The neuroprotective action of pyrroloquinoline quinone against glutamate-induced apoptosis in hippocampal neurons is mediated through the activation of PI3K/Akt pathway. ToxicolAppl Pharm, 252, 62-72.

Zhang, Y., & Rosenberg, P. A. (2002). The essential nutrient pyrroloquinoline quinone may act as a neuroprotectant by suppressing peroxynitrite formation. Eur J Neurosci, 16, 1015-1024.

Zhu, Bo-qing, et al. "Comparison of pyrroloquinoline quinone and/or metoprolol on myocardial infarct size and mitochondrial damage in a rat model of ischemia/reperfusion injury." Journal of cardiovascular pharmacology and therapeutics 11.2 (2006): 119-128.

Zhu, Bo-qing, et al. "Pyrroloquinoline quinone (PQQ) decreases myocardial infarct size and improves cardiac function in rat models of ischemia and ischemia/reperfusion." Cardiovascular drugs and therapy 18.6 (2004): 421-431.

Ziech, Dominique, et al. "Reactive Oxygen Species (ROS)—Induced genetic and epigenetic alterations in human carcinogenesis." Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis 711.1 (2011): 167-173.

Zorov, Dmitry B., Magdalena Juhaszova, and Steven J. Sollott. "Mitochondrial ROS-induced ROS release: an update and review." Biochimica et Biophysica Acta (BBA)-Bioenergetics 1757.5 (2006): 509-517.

Zwick, M. B., Bonnycastle, L. L., Noren, K. A., Venturini, S., Leong, E., Barbas, C. F., ... & Scott, J. K. (1998). The maltose-binding protein as a scaffold for monovalent display of peptides derived from phage libraries. Analytical biochemistry, 264(1), 87-97.

Zyrek AA, Cichon C, Helms S, Enders C, Sonnenborn U, Schmidt MA (2007) Molecular mechanisms underlying the probiotic effects of *Escherichia coli* Nissle 1917 involve ZO-2 and PKCzeta redistribution resulting in tight junction and epithelial barrier repair Cell. Microbiol 9: 804–816.