

BIBLIOGRAPHY

- Abhilash, P. C. and Singh, N. 2009. Pesticide use and application: An Indian scenario. *J. Hazard. Mater.*, **165**: 1–12.
- Abu-Qare, A. W., Suliman, H, and Abou-Donia, M. B. 2001. Induction of urinary excretion of 3-nitrotyrosine, a marker of oxidative stress following administration of pyridostigmine bromide, DEET (N,N-diethyl-m-toluamide), and permethrin, alone and in combination in rats. *Toxicol. Lett.* **121**: 127–134.
- Adgate, J. L., Barr, D. B., Clayton, C. A., Eberly, L. E., Freeman, N. C. G. Liroy, P. J., *et al.*, 2001. Measurement of Children's exposure to pesticides: Analysis of urinary metabolite levels in a probability based sample. *Environ. Health Perspect.*, **109**: 583–590.
- Ahlgren, S. C. and Bronner-Fraser, M. 1999. Inhibition of Sonic hedgehog signaling *in vivo* results in craniofacial neural crest cell death. *Curr. Biol.*, **9**: 1304-1314.
- Ahmad, K. R. and Asmatullah. 2007. Teratological effects of Chlorpyrifos in mice. *Iranian Jr. Toxicol.*, **1** (2): 91-99.
- Aldridge, J. E, Meyer, A., Seidler, F. J and Slotkin, T. A. 2005. Alterations in central nervous system serotonergic and dopaminergic synaptic activity in adulthood after prenatal or neonatal chlorpyrifos exposure. *Environ. Health Perspect.*, **113** (8): 1027-1031.
- Alhifi, M. A., Khan, M. Z., Algoshai, H. A. and Ghole, V. S. 2004. Teratogenic effect of dimethoate on chick embryos. *Int. Med. J.*, **3**.
- Ali, S. S. and Shakoori, A. R. 1990. Toxicology of aldrin in rat. *Punjab University J. Zool.*, **5**: 1–56.
- Ali, S. S., Ali, N. S. and Shakoori, A. R. 1988. Biochemical alterations induced by short-term feeding of endrin on various blood components of albino rats. *Proc. Pakistan Cong. Zool.*, **8**: 101–112.
- Al-Jufaily, S. M., Laith, A. J. and Al-Azi1, A. N. 2005. Wild Siamese-twins in black tip sea catfish, *Arius dussumieri* (Valencienes, 1840) from Gulf of Oman. *Anales de Biología*, **27**: 223-225.
- Altunkas, A. and Sarikaya, B. 2009. Multiple congenital vertebral anomalies identified with multidetector CT. *International Journal of Anatomical Variations*, **2**: 2–3.
- Aly, N. M. and El-Gendy, K. S. 2000. Effect of dimethoate on the immune system of female

- mice. *J. Environ. Sci. Health B*, **35** (1): 77 – 86.
- Ambali, S. F., Akanbi, D., Igbokwe, N., Shittu, M., Kawu, M. and Ayo, J. O. 2007. Evaluation of subchronic chlorpyrifos poisoning on hematological and serum biochemical changes in mice and protective effect of vitamin C. *J. Toxicol. Sci.*, **32**: 111-120.
- Ambali, S. F., Ayo, J. O., Ojo, S. A. and Esievo, K. A. N., 2009. Ameliorative effect of vitamin C on chronic chlorpyrifos-induced erythrocyte osmotic fragility in Wistar rats. *Hum. Exp. Toxicol.* , DOI: 10.1177/09603271110368415
- Ambali, S. F., Abubakar, A. T. Shittu, M., Yaqub, L. S., Anafi, S. B. and Abdullahi, A. 2010. Chlorpyrifos-induced alteration of hematological parameters in wistar rats: Ameliorative effect of zinc. *Res. J. Environ. Toxicol.*, **4**: 55-66.
- Amer, S. M. and Aly, F. A. 1992. Cytogenetic effects of pesticides. IV. Cytogenetic effects of the insecticides Gardona and Dursban. *Mutat. Res.* **279**:165–170.
- Amina, T. F., EL-Okazy Ahmed, M. and EL-Aswed Ahmed F. 2003. Developmental toxicity study of chlorpyrifos in rats. *Reprod. Toxicol.* **17**(2): 203-208.
- Anwar, K. 2003. Cypermethrin, a pyrethroid insecticide induces teratological and biochemical changes in young chick embryos. *Pak. J. Biol. Sci.*, **6**: 1698-1705.
- Arbillaga, L., Azqueta, A., Ezpeleta, O. and Lopez de, C. A. 2007. Oxidative DNA damage induced by Ochratoxin A in the HK-2 human kidney cell line: evidence of the relationship with cytotoxicity. *Mutagenesis*, **22**: 35-42.
- Ashry, K. M., Abu-Qare, A. W., Saleem, F. R., Hussein, Y. A., Hamza, S. M., Kis, A. M. and Abu-Donia, M. B. 2002. Inhibition and recovery of maternal and fetal cholinesterase enzyme following a single oral dose of chlorpyrifos in rats. *Arch. Toxicol.*, **1**: 30-39.
- ATSDR : Agency for Toxic Substances and Disease Registry. 1997. Healthy children-toxic environments. Report of the Child Health Workgroup presented to the Board of Scientific Counselors. Atlanta: US Department of Health and Human Services.
- Aulehla, A. and Pourquié, O. 2008. Oscillating signaling pathways during embryonic development. *Curr. Opin. Cell Biol.*, **20**(6): 632-637.
- Azmitia, E. C. 2001. Modern views on an ancient chemical: serotonin effects on cell proliferation, maturation, and apoptosis. *Brain Res. Bull.*, **56**: 413–424.
- Bacci, E., Calamari, D., Gaggi, C. and Vighi, M. 1987. An approach for the prediction of environmental distribution and fate of cypermethrin. *Chemosphere.*, **16** (7): 1373-1380.
- Bachman, E. S., Berger-Sweeney, J., Coyle, J. T. and Hohmann, C. E. 1994. Developmental regulation of adult cortical morphology and behavior: An animal model for mental retardation. *Int. J. Dev. Neurosci.*, **12**: 239–253.

- Bagchi, D., Bagchi, M., Hassoun, E. A. and Stohs, S. J. 1995. *In vitro* and *in vivo* generation of reactive oxygen species, DNA damage and lactate dehydrogenase leakage by selected pesticides. *Toxicology*, **104**: 129–136.
- Banjo, A. O. and Nemeth, A. M. 1976. Proliferation of endoplasmic reticulum with its enzyme, UDP-glucuronyltransferase, in chick embryo liver during culture. *J. Cell. Biol.*, **70**: 319–325.
- Barger, A. M. 2003. The complete blood cell count: a powerful diagnostic tool. *Vet. Clin. Small Anim.*, **33**: 1207-1222.
- Barna-Lloyd, T., Szabo, J. R. and Davis, N. L. 1991. Chlorpyrifos-Methyl (Reldan R) Rat Chronic Dietary Toxicity/Oncogenicity Study. WHO, Indianapolis, USA.
- Barnes, Jr., G. L., Marian, B. D, and Rocky S. 1996. Valproic Acid-Induced Somite Teratogenesis in the Chick Embryo: Relationship With *Pax-I* Gene Expression. *Teratol.*, **54**: 93-102 .
- Barone, S., Das, K. P., Lassiter, T. L. and White, L. D. 2000. Vulnerable processes of nervous system development: a review of markers and methods, *Neurotoxicol.*, **21**: 15–36.
- Barr, D. B., Bravo, R., Weerasekera, G., Caltabiano, L. M., Whitehead, R., Olsson, A. O., *et al.*, 2004. Concentrations of dialkyl phosphate metabolites of organophosphorus pesticides in the U.S. population. *Environ. Health Perspect.* **112**: 186–200.
- Bassett, S. M., Potter, M. A., Fordham, R. A. and Johnston, E. V. 1999. Genetically identical avian twins. *J. Zool., Lond.*, **247**: 475-478.
- Berkowitz, G. S., Obel, J., Deych, E., Lapinski, R., Godbold, J., Liu, Z., *et al.*, 2003. Exposure to indoor pesticides during pregnancy in a multiethnic, urban cohort. *Environ. Health Perspect.* **111**: 79–84.
- Bertocchini, F. and Stern, C. D., 2002. The hypoblast of the chick embryo positions the primitive streak by antagonizing nodal signaling. *Dev. Cell*, **3**: 735–744.
- Bertocchini, F., Skromer, I., Wolpert, L. and Stern, C. D. 2004. Determination of embryonic polarity in a regulative system: evidence for endogenous inhibitors acting sequentially during primitive streak formation in the chick embryo. *Development*, **131**: 3381-3390.
- Bhatnagar, A. and Bhatnagar, M. 1998. A rare embryogenesis in hen's egg. *Curr. Sci.*, **75** (6): 547.
- Bigbee, J. W. and DeVries, G. H. 1987. Inhibition of acetylcholinesterase retards neurite outgrowth in vitro. *J. Neurochem*, **48**: 559.
- Bigbee, J. W., Sharma, K. V., Gupta, J. J. and Dupree, J. L. 1999. Morphogenic Role for Acetylcholinesterase in Axonal Outgrowth during Neural Development. *Environmental Health Perspectives*, **107**: 81-87.

- Blakley, B. R., Yole, M. J., Brousseau, P., Boermans, H. and Fournier, M. 1999. Effect of chlorpyrifos on immune function in rats. *Vet. Hum. Toxicol.*, **41** (3): 140-144.
- Blankenship, A. L., Hilscherova, K. N. M., Coady, K. K., Villalobos, S. A., Kannan, K., Powell, D. C., Bursian, S. J. and Giesy, J. P. 2003. Mechanisms of TCDD-induced abnormalities and embryo lethality in white leghorn chickens. *Comp. Biochem. Physiol. C. Toxicol. Pharmacol.*, **136**: 47-62.
- Blatter, B. M., Hermens, R., Bakker, M., Roeleveld, N., Verbeek, A. L. and Zielhuis, G. A. 1997. Paternal occupational exposure around conception and spina bifida in offspring. *Am. J. Ind. Med.*, **32**: 283-291.
- Bradford, M. M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.*, **72**: 248-254.
- Bradman, A., Barr, D. B., Henn, B. G. C., Drumheller, T., Curry, C. and Eskenazi, B. 2003. Measurement of pesticides and other toxicants in amniotic fluid as a potential biomarker of prenatal exposure: A validation study. *Environ. Health Perspect* **111**: 1782-1789.
- Bradman, A., Eskenazi, B., Barr, D. B., Bravo, R., Castorina, R., Chevrier, J., *et al.*, 2005. Organophosphate urinary metabolite levels during pregnancy and after delivery in women living in an agricultural community. *Environ. Health Perspect.* **113**: 1802-1807.
- Brent, R. L. and Beckman, D. A. 1990. Environmental Teratogens, *Bulletin of the New York academy of Medicine*, **66** (2).
- Breslin, W. J., Marty, M. S., Vedula, U., Liberacki, A. B. and Yano, B. L. 2000. Developmental toxicity of Spinosad administered by gavage to CD[®] rats and New Zealand White rabbits. *Food Chem. Toxicol.*, **38**: 1103-1112.
- Bresnick, E. 1992. Induction of cytochromes P450 1 and P450 2 by xenobiotics, In: J. Schenkman, H. Greim (Eds), *Handbook of Experimental Pharmacology*, Springer, Heidelberg, pp. 503-552.
- Brett, B. L., Larson, L. L., Schoonover, J. R. Sparks, T. C. and Thompson, G. D. 1997. Biological properties of spinosad. *Down to Earth*, **52**(1): 6-13.
- Brito, J. M., Teillet, M. A. and Le Douarin, N. M. 2006. An early role for Sonic hedgehog from foregut endoderm in jaw development: Ensuring neural crest cell survival. *PNAS*, **103** (31): 11607-11612.
- Bronner-Fraser, M. 1994. Neural crest cell formation and migration in the developing embryo. *The FASEB Journal*, **8**: 699-706.
- Bronner-Fraser, M. 1998. Inductive Interactions Underlie Neural Crest Formation. *Advances in Pharmacology*, **42**: 883-887.

- Brouns, M. R., Matheson, S. F., Hu, K. Q., Delalle, I., Caviness, V. S., Silver, J., Bronson, R. T. and Settleman, J. 2000. The adhesion signaling molecule p190 RhoGAP is required for morphogenetic processes in neural development. *Development* **127**: 4891–4903
- Brouns, M. R., Afiman, L. A., Bart, A., VanHauten, M., Johan, W., Hekking, M., Köhler, E. S. and van Straaten, H. W. M. 2005. Morphogenetic movements during cranial neural tube closure in the chick embryo and the effect of homocysteine. *Anatomy and Embryology*, **210**(2): 81-90.
- Brown, J. D., Stallknecht, D. E., Valeika, S. and Swayne, D. E. 2007. Susceptibility of wood ducks to H5N1 highly pathogenic avian influenza virus. *J. Wildl. Dis.*, **43**: 660–667.
- Brown, J. D., Stallknecht, D. E., Beck, J. R., Suarez, D. L. and Swayne DE (2006) Susceptibility of North American ducks and gulls to H5N1 highly pathogenic avian influenza viruses. *Emerg Infect Dis.*, **12**: 1663–1670.
- Brown, L. M., Blair, A., Gibson, R., Everett, G. D., Cantor, K. P., Schuman, L. M., Burmeister, L. F., Van Lier, S. F. and Dick, F. 1990. Pesticide exposure and other agricultural risk factors for leukemia among men in Iowa and Minnesota. *Cancer Res.*, **50**: 6585-6591.
- Bruns, G. A. P. and Ingram, V. M. 1973. The erythroid cells and hemoglobins of the chick embryo. *Phil. Trans. R. Soc.*, **266**: 225–305.
- Buckland, R. A., Collinson, J. M., Graham, E., Davidson, D. R. and Hill, R. E. 1998. Antagonistic effects of FGF4 on BMP induction of apoptosis and chondrogenesis in the chick limb bud. *Mech. Dev.*, **71**: 143-150.
- Burgio, G. R. 1981. The Thalidomide disaster briefly revisited. *European J Pediatrics*, **136**(3): 229-230.
- Campana, M. A., Panzeri, A. M., Moreno, V. J. and Dulout, F. N. 1999. Genotoxic evaluation of the pyrethroid Lambda cyhalothrin using the micronucleus test in erythrocytes of the fish *Cheirodon interuptus interuptus*. *Mutat. Res.*, **438**: 155-161.
- Campbell T. W. 1995: *Avian Hematology and Cytology*, Iowa State University Press, Ames.
- Carney, E. W., Scialli, A. R., Watson, R. E. and DeSesso, J. M. 2004. Mechanisms regulating toxicant disposition to the embryo during early pregnancy: an interspecies comparison. *Birth Defects Res. Part C Embryo Today*. **72**(4): 345-360.
- Carr, R. L., Chambers, H. W., Guarisco, J. A., Richardson, J. R., Tang, J. and Chambers, J. E. 2001. Effects of repeated oral postnatal exposure to chlorpyrifos on open-field behaviour in juvenile rats. *Toxicol. Sci.*, **59**: 260-267.
- Castro-e-Silva and Bernardes, A. T. 2005. Physica A: Statistical Mechanics and its Applications, **352** (2-4): 535-546.
- Caughlan, A., Newhouse, K., Namgung, U. and Xia, Z. 2004. Chlorpyrifos induces apoptosis

in rat cortical neurons that is regulated by a balance between p38 and ERK/JNK MAP kinases, *Toxicol. Sci.* **78**:125–134.

- Celik, A., Birgul, M., Yusuf, C., Askin, A. and Comelekoglu, U. 2005. Induction of micronuclei by lambda-cyhalothrin in Wistar rat bone marrow and gut epithelial cells. *Mutation*, **20**: 125–129.
- Chai, C. K. and Crary, D. D. 1971. Conjoined twinning in rabbits. *Teratology*, **4**(4): 433-444.
- Chambers, J. E., Forsyth, C. S. and Chamber, H. W. 1989. Bioactivation and detoxification of organophosphorus insecticides in rat brains. In: J. Caldwell, D. H., Hutson and G. D. Paulson, intermediary xenobiotics metabolism; methodology mechanisms and significance. Taylor and francis, Basingtoke, U.K. pp. 99-115.
- Chambers, J. E. and Carr, R. L. 1993. Inhibition patterns of brain acetylcholinesterase and hepatic and plasma aliesterases following exposures to three phosphorothionate insecticides and their oxons in rats. *Fund. Appl.Toxicol.*, **21**: 111-119.
- Chaubey, R. C., Bhilwade, H. N., Joshi, B. N. and Chauhan, P. S. 1993. Studies on the migration of micronucleated erythrocytes from bone marrow to the peripheral blood in irradiated Swiss mice. *Int. J. Radiat. Biol.*, **63**: 239–245.
- Chaubey, R. C., Bhilwade, H. N., Rajagopalan, R. and Sonavane, V. R. 2006. Effects of low doses and low dose rate of gamma radiation on DNA damage in human peripheral blood leukocytes using comet assay. *Int. J. Low Radiat.*, **2**: 71- 83.
- Chauhan, L. K., Kumar, M., Paul, B. N., Goel, S. K. and Gupta, S. K. 2007. Cytogenetic effects of commercial formulations of deltamethrin and/or isoproturon on human peripheral lymphocytes and mouse bone marrow cells. *Environmental and Molecular Mutagenesis*, **48**: 636–643.
- Chiang, C., Litingtung, Y., Lee, E., Young, K. E., Corden, J. L., Westphal, H. and Beachy, P. A. 1996. Cyclopia and defective axial patterning in mice lacking Sonic hedgehog gene function. *Nature*, **383**: 407- 413.
- Cho, J. H., Park, J. M. and Jean, Y. H. 1989. Studies on the diagnosis of organophosphate insecticides poisoning: clinical and haematological diagnosis. *Resp. Rep. Rural Dev. Adm. Vet.*, **31**: 8– 13.
- Choy, C. K., Benzie, I. F. and Cho, P. 2005. UV-mediated DNA strand breaks in corneal epithelial cells assessed using the comet assay procedure. *Photochem. Photobiol.*, **81**: 493-497.
- Choy, W. N., Willhite, C. C., Cukierski, M. J. and Book, S. A. 1989. Primate Micronucleus Study of L-Selenomethionine. *Environmental and Molecular Mutagenesis*, **14** (2):123–125.
- Christ, B., Schmidt, C., Huang, R., Wilting, J. and Brand-Saberi, B. 1998. Segmentation of the vertebrate body. *Anat. Embryol.*, **197**: 1–8.

- Christoph, R. S., Change, G. E. U. M., Morecraft, R. J. and Marsel Mesulam, M. 1992. A One-step Cobalt-Ferrocyanide Method for Histochemical Demonstration of Acetylcholinesterase Activity in Central Nervous System Tissue. *The Journal of Histochemistry and Cytochemistry*, **40** (3): 431-434.
- Chye, S. M., Hseu, Y. C., Liang, S. H., Chen, C. H. and Chen, S. C. 2008. Single strand dna breaks in human lymphocytes exposed to paraphenylenediamine and its derivatives. *Bull. Environ. Contam. Toxicol.*, **80**: 58-62.
- Clarke, P. 1990. Developmental cell death: Morphological diversity and multiple mechanisms. *Anat. Embryol.*, **181**: 195-213.
- Claudio, L., Kwa, W. C., Russell, A. L. and Wallinga, D. 2000. Testing methods for developmental neurotoxicity of environmental chemicals. *Toxicol. Appl. Pharmacol.*, **164**: 1-14.
- Clement, J. G. 1985. Hormonal Consequences of Organophosphate Poisoning. *Toxicol. Sci.*, **5** (6): 61-77.
- Clements, C., Ralph, S. and Petras, M. 1997. Genotoxicity of selected herbicides in *Rana catesbeiana* tadpoles using alkaline single cell gel DNA electrophoresis (comet) assay. *Environ. Mol. Mutagen.*, **29**: 277-288.
- Colas, J. F., Schoenwolf, G. C. 2001. Towards a cellular and molecular understanding of neurulation. *Dev. Dynamics*, **221**: 117-145.
- Copp, A. J., Greene, N. D. and Murdoch, J. N. 2003. The genetic basis of mammalian neurulation. *Nat. Rev. Genet.* **4**: 784-793.
- Costa, L. G. 2003. Teratology, Ch: 13. *Current Protocols in Toxicology*, John Wiley and Sons, Inc. US. pp 13.1.1- 13.1.8.
- Cox, C. and Surgan, M. 2006. Unidentified inert ingredients in pesticides: Implications for human and environmental health. *Environ. Health Perspect.* **114**: 1803-1806.
- Crouse, G. D., Sparks, T. C., Schoonover, J., Gifford, J., Dripps, J., Bruce, T., Larson, L. L., Garlich, J., Hatton, C., Hill, R. L., Worden, T. V., and Martynow, J. G. 2001. Recent advances in the chemistry of spinosyns. *Pest. Manag. Sci.* **57**: 177-185.
- Crumpton, T. L., Seidler, F. J. and Slotkin, T. A. 2000. Developmental neurotoxicity of chlorpyrifos *in vivo* and *in vitro*: effects on nuclear transcription factors involved in cell replication and differentiation. *Brain Res.*, **857**: 87-98.
- Cullen, M. R., Cherniak, M. G. and Rosenstock, L. 1990. Occupational medicine. *N. Engl. J. Med.*, **322**: 675-682.
- Curtin, J. A., Quint, E., Tshipouri, V., Arkell, R. M., Cattanach, B., Copp, A. J. *et al.* 2003. Mutation of *Celsr1* Disrupts Planar Polarity of Inner Ear Hair Cells and Causes Severe Neural Tube Defects in the Mouse. *Curr. Bio.*, **13**: 1129-1133.

- Dam, K., Seidler, F. J. and Slotkin, T. A. 1998. Developmental urotoxicity of chlorpyrifos in delayed targeting of DNA synthesis after repeated administration. *Brain Res.*, **108**: 39-45.
- Dam, K., Garcia, S. J., Seidler, F. J. and Slotkin, T. A. 1999. Neonatal chlorpyrifos exposure alters synaptic development and neuronal activity in cholinergic and catecholaminergic pathways. *Dev. Brain Res.*, **116**: 9-20.
- Dam, K., Seidler, F. J. and Slotkin, T. A. 2000. Chlorpyrifos exposure during a critical neonatal period elicits gender selective deficits in the development of coordination skills and locomotor activity. *Dev. Brain Res.*, **121**: 179-187.
- Datta, C., Dasgupta, J. G. and Sengupta, D. 1994. Interaction of organophosphorus insecticides phosphamidon and malathion on lipid profile and acetylcholinesterase activity in human erythrocyte membrane. *Ind. J. Med. Res.*, **100**: 87-94.
- Davidkova, M., Juha, L., Bittner, M., Koptyaev, S., Hajkova, V., Krasa, J., Pfeifer, M., Stisova, V., Bartnik, A., Fiedorowicz, H., Mikolajczyk, J., Ryc, L., Pina, L., Horvath, M., Babankova, D., Cihelka, J. and Civis, S. 2007. A high-power laser-driven source of subnanosecond soft X-ray pulses for single-shot radiobiology experiments. *Radiat. Res.*, **168**: 382-387.
- Davidson, L. A. and Keller, R. E. 1999. Neural tube closure in *Xenopus laevis* involves medial migration, directed protrusive activity, cell intercalation and convergent extension. *Development*, **126**: 4547-4556.
- Davies, J. E. and Miller, R. H. 2001. Local Sonic hedgehog signaling regulates oligodendrocyte precursor appearance in multiple ventricular zone domains in the chick metencephalon. *Dev. Biol.*, **233**: 513-525.
- Davis, B. N. K., Lakhani, K. H., Yates, T. J., Frost, A. J. and Plant, R. A. 1993. Insecticide drift from ground-based, hydraulic spraying of peas and brussels sprouts - bioassays for determining buffer zones, *Agricult. Ecosyst. Environm.*, **43** (2): 93.
- De Hondt, A. M., Fahmy, M. T. I, Abd, E. and Aziz, K. B. 1983. Effects of the organophosphorous insecticide, DC 102, and its components, dursban and dimilin, on chromosomes of the laboratory rat (*Rattus norvegicus*). *Proc. Int. Conf. Env. Haz. Agrochem.*, **1**: 639-658.
- Deacon, M. M., Murray, J. S., Pilny, M. K., Rao, K. S., Dlttenber, D. A., Hanley, T. R. and John, J. A. 1980. Embryotoxicity and fetotoxicity of orally administered chlorpyrifos in mice. *Toxicol. Appl. Pharm.* **54**, 31-40.
- Dean, J. H. and Thurmond, L. M. 1987. Immunotoxicology: An overview. *Toxicol Pathol.*, **15**: 265-271.
- Dearfield, K. L., Harrington-Brock, K., Doerr, C. L., Parker, L. and Moore, M. M. 1993. Genotoxicity of pyridine compounds to L5178Y mouse lymphoma cells. *Mutat. Res.*,

301: 57- 63.

- Dietert, R. R. 2005. New Developments in the Assessment of Developmental Immunotoxicology. *Immunotoxicology J. Immuno.* 2 (4): 185-189.
- Dietert, R. R., Lee, J. E., Olsen, J., Fitch, K. and Marsh, J. A. 2003. *Developmental immunotoxicity of dexamethasone: comparison of fetal vs. adult exposures. Toxicology.*, 194 (1-2): 163-176.
- Dixon, J., Natalie, C., Jones, Lisa, L., Sandell, Sachintha, M., Jayasinghe, Crane, J, Rey, J. P., Dixon, M. J., Paul, A. and Trainor, P. A. 2006. Tcof1/Treacle is required for neural crest cell formation and proliferation deficiencies that cause craniofacial abnormalities. *PNAS.*, 103 (36): 13403–13408.
- Doumas, B. T., Watson, W. A., Biggs, H. G. 1971. Albumin standards and the measurement of serum albumin with bromocresol green. *Clin. Chim. Acta.*, 31: 87– 96.
- Dow AgroSciences, 1997. *Spinosad Technical Bulletin*. pp. 15.
- Dow Chemical Co. 1986. Summary of Acute Dermal Toxicity Study on Chlorpyrifos in Fischer 344 rats. Indianapolis, IN. pp. 5-46.
- Dow Elanco Co. Material Safety Data Sheet: Dursban Insecticidal Chemical-Unflaked, 1992. *Agricultural Products Division*, Indianapolis, IN. pp. 5-47.
- Dow AgroSciences, 2001. *Material Safety Data Sheet for Spinosad Technical*. Indianapolis, IN.
- Drabkin D. R. 1945. Crystallographic and optical properties of human hemoglobin. A proposal for the standartization of hemoglobin. *The American Journal of the Medical Science*, 209: 268–270.
- Dubois, M., Grosse, Y., Thome, J. P., Kremers, P. and Pfohl-Leszkowicz, A. 1997. Metabolic activation and DNA-adducts detection as biomarkers of chlorinated pesticide exposures. *Biomarkers*, 2(1): 17 – 24.
- Dupin, E., Deville, E. S., Nataf, V. and LeDouarin, N. M. 1993. The ontogeny of the neural crest. *C. R. Acad. Sci. Paris, Life Sciences*, 316: 1072- 1081.
- Dupree, J. L. and Bigbee, J. W. 1994. Retardation of neuritic outgrowth and cytoskeletal changes accompany acetylcholinesterase inhibitor treatment in cultured rat dorsal root ganglion neurons. *J. Neurosci. Res.*, 39: 567-575.
- Duprez, D., Bell, E. J., Richardson, M. K., Archer, C. W., Wolpert, L., Brickell, P. M. and Francis-West, P. H. 1996. Overexpression of BMP-2 and BMP-4 alters the size and shape of developing skeletal elements in the chick limb. *Mech. Dev.*, 57: 145-157.
- Durisala, D. 1998. Developmental toxicity of pesticides. Ch: 32, *Handbook of Developmental*

Neurotoxicology, Academic Press, New York.

- Dybing, O. and Soggen, E. 1958. Hyperglycaemia in rats after diazinon and other cholinesterase inhibitors. *Acta Pharmacol. Toxicol. (Copenh)*, **14** (3): 231-235.
- Eells, J. T., Bandettini, P. A., Holman, P. A. and Propp, J. M. 1992. Pyrethroid insecticide induced alterations in mammalian synaptic membrane potential. *J. Pharmacol. Exp. Ther.*, **262**: 1173-81
- Ellis, R. E., Yuan, J. Y. and Horvitz, H. R. 1991. Mechanisms and functions of cell death. *Annu. Rev. Cell Biol.*, **7**: 663-698.
- Ellman, G. L., Lourtney, D. K., Andres, V. and Gmelin, G. 1961. A new and rapid colorimetric determination of acetylcholinesterase activity. *Biochem Pharmacol.*, **7**: 88-95.
- El-tawil, O. S. and Abdel-Rahman, M. S. 2001. The role of enzyme induction and inhibition on cypermethrin hepatotoxicity. *Pharmacol. Res.*, **44**: 33-40.
- EPA. 1997. *Spinosad Pesticide Fact Sheet No. HJ 501C*. EPA, Office of Pesticides and Toxic Substances. www.epa.gov.
- Eyal-Giladi, H. 1970. Differentiation potencies of the young chick blastoderm as revealed by different manipulations. *J. Embryol. Exp. Morphol.*, **23** (3): 739-749.
- FAO. 2005. Proceedings of the Asia Regional Workshop Regional Office for Asia and the Pacific, Bangkok.
- Farag, A. T., El-Okazy, A. M. and El-Aswed, A. F. 2003. Developmental toxicity study of chlorpyrifos in rats. *Reprod. Toxicol.*, **17**:203-208.
- Farag, A. T., Goda, N. F., Shaaban, N. A. and Mansee, A. H. 2007. Effects of oral exposure of synthetic pyrethroid, cypermethrin on the behavior of F1-progeny in mice. *Reprod. Toxicol.*, **23** (4): 560-567.
- Felten, S. Y. and Felten, D. L. 1994. Neural-immune interactions. *Prog. Brain Res.*, **100**: 157-162.
- Figdor, M. C. and Stern, C. D. 1993. Segmental organization of the embryonic diencephalon. *Nature*, **363**: 630-634.
- Figdor, M. C. and Stern, C. D. 1993. Segmental organization of the embryonic diencephalon. *Nature*, **363**: 630-634.
- Fletcher, C. D. M. 1988. Giant cell fibroblastoma of soft tissues: a clinicopathological and immunohistochemical study. *Histopathol.*, **13**: 499 – 508
- Fletcher, H. P., Akbar, W. J., Peoples, R. W. and Spratto, G. R. 1988. Effect of acute soman on selected endocrine parameters and blood glucose in rats. *Fundam. Appl. Toxicol.*, **11**: 580-586.

- Fries, P. D. and Katowitz, J. A. 1990. Congenital craniofacial anomalies of ophthalmic importance. *Surv. Ophthalmol.*, **35**(2): 87-119.
- Gallo, M. A. and Lawryk, N. J. 1991. Organic phosphorus pesticides. In: W. J. Hayes Jr. and E. R. Laws Jr., (Eds.) *Handbook of Pesticide Toxicology*. Academic Press, New York, NY. pp. 5-30.
- Garaj-Vrhovac, V. and Zeljezic, D. 1999. Chromosomal aberrations and frequency of micronuclei in workers employed in pesticide production. *Biologia*, **54**: 707-712.
- Garcia, S. J., Seidler, F. J., Crumpton, T. L. and Slotkin, T. A. 2001. Does the developmental neurotoxicity of chlorpyrifos involve Glial targets? Macromolecule synthesis, adenylyl cyclase signaling, nuclear transcription factors, and formation of reactive oxygen in C6 glioma cells. *Brain Res.*, **891**: 54-68.
- Garcia-Cabero, J. P., Miguez-Santiyan, M. P., Reja-Sanchez, A., Roncero-Cordero, V. and Soler-rodriguez, F. 1998. Recovery of brain acetylcholinesterase and plasma cholinesterase activities in quail (*Coturnix coturnix*) after chlorpyrifos administration and effect of pralidoxime treatment. *Environ. Toxicol. Chem.*, **17**: 1835-1844.
- Garg, U. K., Pala, A. K., Jha, G. J. and Jadhao, S. B. 2004. Haemato-biochemical and immuno-pathophysiological effects of chronic toxicity with synthetic pyrethroid, organophosphate and chlorinated pesticides in broiler chicks. *Int. Immunopharm.*, **4**: 1709-1722.
- Garg, V., Yamagishi, C., Hu, T., Kathiriya, I. S., Yamagishi, H. and Srivastava, D. 2001. *Tbx1*, a DiGeorge syndrome candidate gene, is regulated by Sonic hedgehog during pharyngeal arch development. *Dev. Biol.*, **235**: 62-73.
- Garriott, M. L., Phelps, J. B. and Hoffman, W. P. 2002. A protocol for the *in vitro* micronucleus test-I. Contributions to the development of a protocol suitable for regulatory submissions from an examination of 16 chemicals with different mechanisms of action and different levels of activity. *Mutat. Res.*, **517**: 123-134.
- Gaughan, L. C., En Gel, J. L. and Casi Da, J. E. 1980. Pesticide interactions: Effects of organophosphorous pesticides on the metabolism, toxicity, and persistence of selected pyrethroids insecticides. *Pest. Biochem. Physiol.* **14**: 81-85.
- Girón-Pérez, M. I., Barcelós-García, R., Vidal-Chavez, Z. G., Romero-Bañuelos, C. A. and Robledo-Marenco, M. L. 2006. Effect of Chlorpyrifos on the Hematology and Phagocytic Activity of Nile Tilapia Cells (*Oreochromis niloticus*). *Toxicology Mechan. and Methods*, **16** (90): 495-499.
- Goel, A., Danni, V. and Dhawan, D. K. 2006. Role of zinc in mitigating the toxic effects of chlorpyrifos on hematological alterations and electron microscopic observations in rat blood. *BioMetals*, **19**: 483- 492.
- Gordon, R. 1985. A review of the theories of vertebrate neurulation and their relationship to

- the mechanics of neural tube birth defect. *J. Embryol. Exp. Morphol.*, **89**: 229–255.
- Gorun, V., Proinov, I., Baltescu, V., Balaban, G. and Bârzu, O. 1978. Modified Ellman procedure for assay of cholinesterases in crude enzymatic preparations. *Analytical Biochemistry*, **86** (1): 324-326.
- Gosselin, R. E., Smith, R. P. and Hodge, H. C. 1984. *Clinical Toxicology of Commercial Products*, 5th Ed. Williams and Wilkins, Baltimore, MD. pp. 5-45.
- Greenberg, J. and La Ham, Q. N. 1970. Reversal of malathion-induced teratisms and its biochemical implications in the developing chick. *Can. J. Zool.*, **48**: 1047–1053.
- Griffith, S. C. and Stewart, I. R. K. 1998. Genetic confirmation of non-identical embryonic twins in the house sparrow *Passer domesticus*. *J. Avian Biol.*, **29**: 207-208.
- Grotewold, L. and Rüther, U. 2002. The Wnt antagonist Dickkopf-1 is regulated by Bmp signaling and c-Jun and modulates programmed cell death. *The EMBO Journal*, **21** (5): 966-975.
- Gupta, P. K. 1990. Toxicity of cypermethrin in mice, rats and rabbits. *J. Environ. Biol.* **11**: 331–334.
- Gupta, P. K. 2004. Pesticide exposure-Indian scene. *Toxicology*, **198**: 83–90.
- Gilbert, S. F. 2006. The early development of vertebrates: Fish, birds, and mammals. In: *Developmental Biology*, 8th Ed. Sinauer Associates Inc. MA, USA. pp. 336-346.
- Gutmann, I., Bergmeyer, H. U. 1974. In: H.U Bergmeyer (Ed.) “*Methods in Enzymatic Analysis*”, Academic Press, pp. 1791.
- Hale, K. A. and Portwood, D. E. 1996. The aerobic soil degradation of spinosad, a novel insect control agent. *J. Environ. Sci. Health Part B: Pesticides, Food Contam, Agric. Wastes*, **B31**: 477-484.
- Hamblet, N. S., Lijam, N., Ruiz-Lozano, P., Wang, J., Yang, Y., Chien, K. R., Sussuman, D. J. and Wynshaw-Boris, A. 2002. Dishevelled-2 is essential for cardiac outflow tract development, somite segmentation and neural tube closure. *Development*, **129**: 5827-5838.
- Hamburger, V. and Hamilton, H. L. 1951. A series of normal stages in the development of chick embryo. *J. Morphol.*, **88**: 49-92.
- Hamdoun, A. and Epel, D. 2007. Embryo stability and vulnerability in an always changing world, *PNAS*, **104** (6): 1745–1750.
- Hamilton, J. W. and Bloom, S. E. 1986. Correlation between induction of xenobiotic metabolism and DNA damage from chemical carcinogens in the chick embryo. *Carcinogenesis*, **7**: 1101–1106.
- Hamon, M., Bourgoïn, S., Chanez, C. and De Vitry, F. 1989. Do serotonin and other

- neurotransmitters exert a trophic influence on the immature brain? *Dev Neurobiol.*, **12**: 171–183.
- Hanley, T. R. Jr., Breslin, W. J., Quast, J. F. and Carney, E. W. 2002. Evaluation of Spinosad in a two generation dietary reproduction study using Sprague-Dawley rats. *Toxicol. Sci.*, **67**: 144–152.
- Hardell, L. and Eriksson, M. 1988. The association between soft tissue sarcomas and exposure to phenoxyacetic acids. A new case-referent study. *Br. J. Cancer*, **62**: 652–656.
- Hayes, W. J. and Laws, E. R. 1990. *Handbook of Pesticide Toxicology: Classes of Pesticides*, Vol. 3. Academic Press, Inc., New York.
- Hayhurst, M. and McConnell, S. K. 2003. Mouse models of holoprosencephaly. *Curr. Opin Neurol.*, **16**: 135 – 141.
- Heddle, J. A., 1990. Micronuclei in vivo. *Prog. Clin. Biol. Res.*, **340**: 185-194.
- Heinrich-Hirsch, B., Hofmann, D., Webb, J. and Neubert, D. 1990. Activity of aldrinepoxidase, 7-ethoxycoumarin-*o*-deethylase and 7-ethoxyresorufin-*o* deethylase during the development of chick embryos in ovo. *Arch. Toxicol.*, **64**: 128–134.
- Henry, J. B. 1974. *Clinical Diagnosis and Management by Laboratory Method*, W. B. Saunders Co., Philadelphia. pp. 332-335.
- Henry, R. J., Cannon, D. C. and Winkleman, I. W. 1974. *Clinical Chemistry, Principles and Techniques*, 2nd Ed. Harper and Row Publisher Inc. N.Y. pp.1288.
- Hirata, M. and Hall, B.K. 2000. Temporospacial patterns of apoptosis in chick embryos during the morphogenetic period of development. *Int. J. Dev. Biol.*, **44**: 757-768.
- Hoffman, D. J. and Campbell, K. I. 1978. Embryotoxicity of irradiated and nonirradiated automotive exhaust and carbon monoxide. *Environ. Res.* **15**:100-107.
- Hoffman, D. J. and Sileo, L. 1984. Neurotoxic and teratogenic effects of an organophosphorus insecticide (phenyl phosphonothioic acid-O-ethyl-O-[4-nitrophenyl] ester) on mallard development. *Toxicology and Applied Pharmacology*, **73** (2): 284-294.
- Hohmann, C. E., Brooks, A. R. and Coyle, J. T. 1988. Neonatal lesions of the basal forebrain cholinergic neurons result in abnormal cortical development. *Dev. Brain. Res.*, **42**: 253–264.
- Hohmann, C. E., Wilson, L. and Coyle, J. T. 1991. Efferent and afferent connections of mouse sensory-motor cortex following cholinergic deafferentation at birth. *Cereb Cortex* **1**: 158–172.
- Hohmann, C. E. 2003. A morphogenetic role for acetylcholine in mouse cerebral neocortex.

Neurosci. Biobehav. Rev., **27**: 351–363.

Holcombe, G. W., Phipps, G. L. and Tanner, D. K. 1982. The acute toxicity of Kelthane, Dursban, disulfoton, pydrin, and permethrin to fathead minnows *Pimephales promelas* and rainbow trout. *Salmo gairdneri. Environ. Pollut.*, (Ser. A) **29**: 167-178.

Holladay, S. D., Smith, S. A., El-Haback, H. and Caceci, T. 1996. The influence of chlorpyrifos, an organophosphate insecticide, on the immune system of tilapia (*Oreochromis niloticus*). *Journal of Aquatic Animal Health*, **8**: 104-110.

Homma, S., Yaginuma, H. and Oppenheim, R. W. 1994. Programmed cell death during the earliest stages of spinal cord development in the chick embryo: a possible means of early phenotypic selection. *J. Comp. Neurol.*, **345**: 377–395.

Hurle, J. M., Ros, M. A., Climent, V. and Garcia-Martinez, V. 1996. Morphology and significance of programmed cell death in the developing limb bud of the vertebrate embryo. *Microsc. Res. Tech.*, **34**: 236-246.

Hussain, I., Piepenbrink, M. S., Fitch, K. J., Marsh, J. A. and Dietert, R. R. 2005. Developmental immunotoxicity of cyclosporine-A in rats: Age-associated differential effects. *Toxicology*, **206**: 273–284.

Iarmarcovai, G., Bonassi, S., Botta, A., Baan, R. A. and Orsière, T. 2008. Genetic polymorphisms and micronucleus formation: a review of the literature. *Mutat Res.*, **658**: 215–233.

Icenogle, L. M., Christopher, C., Blackwelder, W. E., Caldwell, D. E., Qiao, D., Seidler, E. J., Slotkin, T. A. and Levin, E. D. 2004. Behavioral alterations in adolescent and adult rats caused by a brief subtoxic exposure to chlorpyrifos during neurulation. *Neurotoxicol. Teratol.*, **26**: 95-101.

Idkowiak, J., Weisheit, G., Plitzner, J. and Viebahn, C., 2004. Hypoblast controls mesoderm generation and axial patterning in the gastrulating rabbit embryo. *Dev. Genes Evol.*, **214**: 591–605.

IFCC Methods. 1974. The committee on enzymes of Scandinavian society for clinical chemistry and clinical physiology. Recommended methods for determination of four enzymes in blood. *Scan. J. Clin. Lab. Invest.* **33**: 291.

IFCC methods for the measurement of catalytic concentrations of enzymes, 1986, *J. Clin. Chem. Clin Biochem.* **24**: 497.

Ignarro, L. J. and Shideman, F. E. 1968. Catechol-*O*-methyl transferase and monoamine oxidase activity in the heart and liver of the embryonic and developing chick. *J. Pharmacol. Exp. Ther.*, **159**: 29–37.

Ingham, P. W. and McMahon, A. P. 2001. Hedgehog signaling in animal development: paradigms and principles. *Genes. Dev.*, **15**: 3059-3087.

Izrael, M., Van der Zee, E. A., Slotkin, T. A. and Yanai, J. 2004. Cholinergic synaptic

signaling mechanisms underlying behavioral teratogenicity: effects of nicotine, chlorpyrifos and heroin converge on PKC translocation in the IMHV and on imprinting behavior in an avian model. *J. Neurosci. Res.*, **78**: 499–507.

- Jachetta, J. J. 2001. Petition for the Inclusion of Spinosad on the National Organic Standards Board List of Approved Organic Substances. Indianapolis: Dow AgroSciences.
- Jacobson, A. G. and Gordon, R. 1976. Changes in the shape of the developing vertebrate nervous system analyzed experimentally, mathematically and by computer simulation. *J. Exp. Zool.*, **197**: 191-246.
- Jacobson, M. D., Weil, M. and Raff, M. C. 1997. Programmed cell death in animal development. *Cell*. **88**: 347-354.
- Jaroudi, S. and Sengupta, S. 2007. DNA repair in mammalian embryos. *Mutat. Res.*, **635** (1): 53-77.
- Jarvinen, A. W., Tanner, D. K. and Kline, E. R. 1988. Toxicity of chlorpyrifos, endrin, or fenvalerate to fathead minnows following episodic or continuous exposure. *Ecotoxicol. Environ. Safety*, **15**: 78-95.
- Jeffs, P. and Osmond, M. 1992. A segmented pattern of cell death during development of chick embryo. *Anat. Embryol.*, **185**: 589-598.
- Jelinek, R. and Marhan, O. 1994. Validation of the chick embryotoxicity screening test (CHEST): a comparative study. *Func. Devel. Morph.*, **4**:317–323.
- Jena, G. B. and Bhunya, S. P. 1992. Thirty day genotoxicity study of an organophosphate insecticide, monocrotophos, in a chick *in vivo* test system. *In vivo*, **6** (5): 527-530.
- Jeong, J., Mao, J., Tenzen, T., Kottmann, A. H. and McMahon, A. P. 2004. Hedgehog signalling in the neural crest cells regulates the patterning and growth of facial primordia. *Genes & Development*, **18**: 937–951.
- Jett, D. A. and Navoa, R. V. 2000. In vitro and in vivo effects of chlorpyrifos on glutathione peroxidase and catalase in developing rat brain. *Neurotoxicol.* **21**: 141–145.
- Jin, H. and Webster, G. R. B. 1998. Persistence, penetration, and surface availability of cypermethrin and its major degradation products in elm bark. *J. Agric. Food Chem.*, **46**: 2851-2857.
- Johnson, D. E., Seidler, F. J. and Slotkin, T. A. 1998. Early biochemical detection of delayed neurotoxicity resulting from developmental exposure to chlorpyrifos. *Brain Res.*, **45**: 143-147.
- Joshi, A. K. and Rajini, P. S. 2009. Reversible hyperglycemia in rats following acute exposure to acephate, an organophosphorus insecticide: role of gluconeogenesis. *Toxicol.*, **257**(1-2): 40-45.
- Kale, M., Rathore, N., John, S. and Bhatnagar, D. 1999. Lipid peroxidative damage on

pyrethroid exposure and alterations in antioxidant status in rat erythrocytes: a possible involvement of reactive oxygen species. *Toxicol. Lett.*, **105** (3): 197-205.

- Kang, H. S., Gye, M. C. and Kim, M. K. 2008. Effects of Endosulfan on Survival and Development of *Bombina orientalis* (Boulenger) Embryos. *Journal Bulletin of Environmental Contamination and Toxicology*, **81** (3): 262-265.
- Kant, G. J., Sahih, T. M., Leu, J. R., Raslear, T. G., and Mougey, E. H. 1988. Long-term sequelae of soman exposure: hormonal rhythms two weeks postexposure to a single dose, *Fundam. Appl. Toxicol.*, **10**:154-163
- Kant, E., Daube, F., MacGregor, W. and Wald, J. 1991. *Scientific Programming by Automated Synthesis. Automating Software Design*. AAAI Press.
- Kaufman, D. D., Russell, B. A., Helling, C. S. and Kayser, A. J. 1981. Movement of cypermethrin, decamethrin, permethrin, and their degradation products in soil. *J. of Agriculture and Food Chem.* American Chemical Society. Washington D.C. Pp. 239-245.
- Kidd, H. and James, D. R. 1991. *The Agrochemicals Handbook*, 3rd Ed. *Royal Society of Chemistry Information Services*, Cambridge, UK, (as updated).5-14.
- Kim, N. K., Lee, S. H., Sohn, T. J., Roy, R., Mitra, S., Chung, H. M., Ko, J. J. and Cha, K. Y. 2000. Spatial expression of a DNA repair gene, N-methylpurine-DNA glycosylase (MPG) during development in mice. *Anticancer Res.*, **20** (5A): 3037-3043.
- Kind, P. R. H. and King, E. J. 1954. Determination of alkaline phosphatase activity in serum. *J. Clin. Path.*, **7**: 322.
- Kindt, T. J., Goldsby, R. A. and Osborne, B. A., 2006 . *Kuby J: Immunology* . WH Freeman WH, NY, USA.
- Kirk, I. W., Esquivel, J. F. Porteous, D. J. and Hendrix, W. H. 1998. Aerial application of Tracer to control bollworm/budworm in cotton. *Down to Earth*, **53**:13-17.
- Koenigsberger, C., Chiappa, S. and Brimijoin, S. 1997. Neurite differentiation is modulated in neuroblastoma cells engineered for altered acetylcholinesterase expression. *J. Neurochem.*, **69**: 1389-1397.
- Koenigsberger, C., Hammond, E. and Brimijoin, S. 1998. Developmental expression of acetyl- and butyrylcholinesterase in the rat: Enzyme and mRNA levels in embryonic dorsal root ganglia. *Brain Res.*, **787**: 248-258.
- Kotwani, A. 1998. Use of chick embryo in screening for teratogenicity. *Indian J. Physiol. Pharmacol.*, **42**:189-204.
- Kulesa, P. M. and Fraser, S. C. 2000. In ovo time-lapse analysis of chick hindbrain neural crest cell migration shows cell interactions during migration to the branchial arches. *Development*, **127**: 1161-1172.


- Kuriny, A. I. 1975. Comparative study of cytogenetic effect of different organophosphorous pesticides. *Genetika (U S S R)*, **11**: 64-69.
- Labarca, C. and Paigen, K. 1980. A simple, rapid, and sensitive DNA assay procedure. *Anal. Biochem.*, **102**: 344-352.
- Ladics, G. S., Chapin, R. E., Hastings, K. L., Holsapple, M. P., Makris, S. L., Sheets, L. P., Woolhiser, M. R. and Burns-Naas, L. A. 2005. Developmental toxicology evaluations-issues with including neurotoxicology and immunotoxicology assessments in reproductive toxicology studies. *Toxicol. Sci.*, **88**: 24-29.
- Lamb, K. J., Lewthwaite, J. C, Jean-Pierre, L., Simon, D., Kavanagh, E., Caroline, P. D., Wheeler-Jones and Pitsillides, A. A. 2003. Diverse range of fixed positional deformities and bone growth restraint provoked by flaccid paralysis in embryonic chicks. *Int. J. Exp. Path.*, **84**: 191-199.
- Lance-Jones, C. 1982. Motoneuron cell death in the developing lumbar spinal cord of the mouse. *Dev. Brain. Res.*, **4**: 473- 479.
- Landauer, W. 1975. Cholinomimetic teratogens: Studies with chicken embryos. *Teratology* **12**: 125-140.
- Landrigan, E. J, Claudio, L., Markowitz, S. B, Berkowitz, G. S., Brenner, B. L., Romero H, *et al.*, 1999. Pesticides and inner-city children: Exposures, risks, and prevention. *Environ. Health Perspect.*, **107**: 431-437.
- Landrigan, E. J. 2001. Pesticides and polychlorinated biphenyls (PCBs): An analysis of the evidence that they impair children's neurobehavioral development. *Mol. Genet. Metab.*, **73**: 11-17.
- Larson, L. L. 1997. Effects of adjuvants on the activity of Tracer™ 480SC on cotton in the laboratory, 1996. *Arthropod Management Tests*. **22**: 415-416
- Latimer, K. S., Mahaffey, E. A. and Prasse, K. W. 2003. *Duncan & Prasse's Veterinary Laboratory Medicine: Clinical Pathology*, 4th Ed. Ames, Iowa State Press. pp. 152-167.
- Latuszyńska, J., Luty, S., Raszewski, G., Tokarska-Rodak, M., Przebirowska, D., Przyłepa, E. and Haratym-Maj, A. 2001. Neurotoxic effect of dermally-applied chlorpyrifos and cypermethrin in Wistar rats. *Ann. Agric. Environ. Med.*, **8** (2): 163-170.
- Lauder, J. M. 1985. Roles for neurotransmitters in development: possible interaction with drugs during the foetal and neonatal periods in prevention of physical and mental congenital defects. Marois, M. (Ed.) Liss, New York. pp. 375-380, Liss New York.
- LaVechia, C., Negri, E., d'Avanzo, B. and Francheschi, S. 1989. Occupation and Lymphoid neoplasms. *Br. J. Cancer*, pp. 385-388.
- Le Douarin, N. 1982. *The Neural Crest*. New York, NY: Cambridge University Press.

- Lesser, J., Blodgett, D. and Ehrich, M. 2000. Comparison of oxime-initiated reactivation of organophosphorous-inhibited acetylcholinesterase in brains of avian embryos. *Journal of Toxicology and Environmental Health*, **59**: 57- 66.
- Levi, W. M. 1941. The pigeon. South Carolina: Bryant & Co. Minnaar, P. & Minnaar, M. 1993. *The emu farmer's handbook.*, Texas: Induna Company.
- Levin, E. D., Addy, N., Christopher, N. C., Seidler, E. J. and Slotkin, T. A. 2001. Persistent behavioral consequences of neonatal chlorpyrifos exposure in rats. *Dev. Brain Res.*, **130**: 83-89.
- Levin, E. D., Addy, N., Baruah, A., Elias, A., Christopher, N. C., Seidler, E. J. and Slotkin, T. A. 2002. Prenatal chlorpyrifos exposure in rats causes persistent behavioral alterations. *Neurotoxicol. Teratol.*, **24**: 733-741.
- Li, L., Jiang, L., Geng, C., Cao, J., and Zhong, L. 2008. The role of oxidative stress in acrolein-induced DNA damage in HepG2 cells. *Free Radic. Res.*, **42**: 354-361.
- Lillie, F. R. 1952. The organs of reproduction. In: *Development of the chick: An Introduction to Embryology*, 3rd Ed. Holt, Rinehart and Winston, New York. pp. 479-501.
- Litingtung, Y. and Chiang, C. 2000. Control of Shh activity and signalling in the neural tube. *Dev. Dyn.*, **219**: 43-154.
- Liu, J., Tian, J., Haas, M., Shapiro, J. I., Askari, A. and Xie, Z. 2000. Ouabain interaction with cardiac Na⁺/K⁺-ATPase initiates signal cascades independent of changes in intracellular Na⁺ and Ca²⁺. *J. Biol. Chem.*, **275**: 27838-27844.
- Lock, E. A. and Berry, P. N. 1981. Biochemical changes in the rat cerebellum following cypermethrin administration. *Toxicology and Applied Pharmacology*, **59** (3): 508-514.
- Lorr, N. A. and Bloom, S. E. 1987. Ontogeny of the chicken cytochrome P-450 enzyme system, *Biochem. Pharmacol.*, **36** (18): 3059-3067.
- Lowe, X., Panico E., Marchetti, F. and Wyrobek, A. 1997. Expression of DNA repair genes in unfertilized eggs and 2-cell embryos of mice. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*. **379** (1): S28.
- Lucas, A. M. and Jamroz, C. 1961. Atlas of Avian Hematology. Agriculture Monograph 25, United States Department of Agriculture, U.S. Government Printing Office, Washington, DC.
- Ludke, J. L., Hill, E. F. and Dieter, M. P. 1975. Cholinesterase (ChE) response and related mortality among birds fed ChE inhibitors. *Arch. Environ. Contam. Toxicol.*, **3**: 1-21.
- Maccabe, J. A. and Noveroske, J. K. 1997. The Control of Cell Death in the Early Chick Embryo Wing Bud. *Poultry Science.*, **76**: 105-110.
- Madden, K. S., Sanders, V. M. and Felten, D. L. 1995. Catecholamine influences and sympathetic neural modulation of immune responsiveness. *Annu. Rev. Pharmacol. Toxicol.* **35**: 417-448.

- Malladi, S. M., Bhilwade, H. N., Khana, M. Z. and Chaubey, R. C. 2007. Gamma ray induced genetic changes in different organs of chick embryo using peripheral blood micronucleus test and comet assay. *Mutation Research*, **630**: 20–27.
- Manciulea, S. and Giurgea, R. 1976. Effect of small doses of insecticide on the liver of chicks. *Zbl. Vet. Med.*, **22**: 671–677.
- Manna, G.K. and Sadhukhan, A. 1986. Induction of Siamese twins in the fish *Oreochromis mossambicus* after the treatment of an insecticide, Rogor 30E. *Curr. Sci.* **55** (20): 1016–1018.
- Manna, S., Bhattacharyya, D., Basak, D. K. and Mandal, T. K. 2004. Single oral dose toxicity study of α -cypermethrin in rats. *Indian J. Pharmacol.*, **36** (1): 25-28.
- Manskikh, V. N. 2006. Mechanisms of formation of micronuclei in somatic cells of tailless amphibians normally and under the effect of N-nitroso-N-methylcarbamide. *Bull. Exp. Biol. Med.* **141**(2): 254-256.
- Mansour, S. A. and Mossa, A. H. 2005. Comparative effects of some insecticides as technical and formulated on male albino rats. *J. Egypt. Soc. Toxicol.*, **32**: 41–54.
- Mansour, S. A., Mossa, A. H. and Heikal, T. M. 2007. Haematotoxicity of a new natural insecticide on male albino rats. *Int. J. Agri. Biol.*, **9** (2): 342–346.
- Mansour, S. A., Mossa, A. H. and Heikal, T. M. 2008a. Cytogenetic and Hormonal Alteration in Rats Exposed to Recommended “Safe Doses” of Spinosad and Malathion Insecticides. *Int J Agri Biol.*, **10**: 9-14.
- Mansour, S. A., Heikal, T. M. and Mossa, A. T. H. 2008b. Biochemical and histopathological effects of formulations containing Malathion and Spinosad in rats. *Toxicol. Int.*, **15**(2): 71-78.
- Martí, E., Takada, R., Bumcrot, D.A., Sasaki, H. and McMahon, A. P. 1995. Distribution of Sonic hedgehog peptides in the developing chick and mouse embryo. *Development*, **121**: 2537-2547.
- Martin, P. 2004. Morphogenesis: Shroom in to close the neural tube. *Curr. Biol.*, **14**: R150–R151
- Matin, M. A. and Siddiqui, R. A. 1982. Modification of the level of acetylcholinesterase activity by hvo oximes in certain brain regions and peripheral tissues of paraoxon treated rats. *Pharmacological Research Communications*, **14**: 241-246.
- Maurici, D., Aardema, M., Corvi, R., Kleber, M., Krul, C., Laurent, C., Loprieno, N., Pasanen, M., Pfuhrer, S., Phillips, B., Sabbioni, E., Sanner, T. and Vanparys, P. 2005. Genotoxicity and Mutagenicity in Alternative (Non-Animal) Methods for Cosmetics Testing: Current Status and Future Prospects. C. Eskes and V. Zuang (Eds.) *ATLA*, **33** (1): 117-130.

- McLaughlin, J., Jr., Marliac, J. P., Verrette, M. J., Mutchler, M. K., Fitzhugh, O.G. *et al.*, 1963. The injection of chemicals into the yolk sac of fertile eggs prior to incubation as a toxicity test. *Toxicol. Appl. Pharmacol.* **5**: 760.
- Meinzel, R. 1978. Neuroactive compounds and vertebral teratogenesis in the bird embryo. *Experientia*, **34**: 394-396.
- Meister, R. T. 1992. *Farm Chemicals Handbook '92*. Meister Publishing Company, Willoughby, OH.
- Mertz, F. P. and Yao, R. C. 1990. *Saccharopolyspora spinosa* sp. nov. isolated from soil collected in a sugar mill rum still. *Int. J. Syst. Bacteriol.*, **40**: 34-39.
- Michelangeli, F., Robson, M. J., East, J. M. and Lee, A. G. 1990. The conformation of pyrethroids bound to lipid bilayers. *Biochem. Biophys. Act.*, **1028**: 49-57.
- Milenkovic, L., Goodrich, L. V., Higgins, K. M. and Scott, M. P. 1999. Mouse patched1 controls body size determination and limb patterning. *Development*, **126**: 4431-4440.
- Miller, B. M., Pujadas, E. and Gocke, E. 1995. Evaluation of the micronucleus test *in vitro* using Chinese hamster cells: results of four chemicals weakly positive in the *in vivo* micronucleus test. *Environ. Mol. Mutagen.*, **26** (3): 240-247.
- Moe, J. H., Winter, R. B., Bradford, D. S. and Lonstein, J. E. 1978. Scoliosis and other spinal deformities. Saunders, Philadelphia, pp 131.
- Moon, C. K., Yun, Y. P. and Lee, S. H. 1986. Effects of some organophosphate pesticides on the murine immune system following subchronic exposure (II). *Archives of Pharmacol. Research*, **9**: 183-187.
- Morgan, D. P. and Stockdale, E. M. 1980. Anemia associated with exposure to lindane. *Arch. Environ. Health*, **35**: 307-310.
- Mortensen, S. R., Hooper M. J. and Padilla, S. 1998. Age-related sensitivity to cholinesterase-inhibiting insecticides: Is brain acetylcholinesterase from young animals intrinsically more sensitive to inhibition? *Toxicol.*, **125** (1): 13-19.
- Motoyama, J. and Aoto, K. 2006. Important Role of Shh Controlling Gli3 Functions during the Dorsal-Ventral Patterning of the Telencephalon; Hedgehog-Gli Signaling in Human Disease. *Molecular Biology Intelligence Unit*, 177-186.
- Motulsky, H. J. 1999. In: How good is the fit? Comparing the fits of two models. San Diego: GraphPad Software Inc.
- Muhr, J., Graziano, E., Wilson, S., Jessell, T. M. and Edlund, T. 1999. Convergent inductive signals specify midbrain, hindbrain, and spinal cord identity in gastrula stage chick embryos. *Neuron* **23**: 689-702.
- Müller, W. U. and Streffer, C. 1994. Micronucleus assays. *Adv. Mutagen. Res.* **5**: 1-134.

- Murdoch, 2001. Planar cell polarity, ciliogenesis and neural tube defects. *Human molecular genetic.*, **15**(2): 227- 234.
- Murdoch, J. N., Doudney, K., Paternotte, C., Copp, A. J. and Stanier, P. 2001. Severe neural tube defects in the loop-tail mouse result from mutation of *Lpp1*, a novel gene involved in floor plate specification. *Hum. Mol. Genet.*, **10**: 2593–2601.
- Muscarella, D. E., Keown, J. F. and Bloom, S. E. 1984. Evaluation of the genotoxic and embryotoxic potential of chlorpyrifos and its metabolites in vivo and in vitro. *Environ. Mutagen.*, **6**(1):13-23.
- Muto, M. A., Lobell, F. Jr, Bidanset, J. H. and Wurpel, J. N. D. 1992. Embryotoxicity and neurotoxicity in rats associated with prenatal exposure to Dursban. *Vet. Hum. Toxicol.*, **34**: 498–501.
- Naito, M., Watanabe, M., Nirasawa, K. and Oishi, T. 1991. Developmental ability of twin embryos produced by microinjection treatment into chick blastoderm. *Poult. Sci.*, **70** (5): 1261-1264.
- Nakatsu, T., Uwabe, C. and Shiota, K. 2000. Neural tube closure in humans initiates at multiple sites: evidence from human embryos and implications for the pathogenesis of neural tube defects. *Anat. Embryol.*, **201**: 455–466.
- Narahashi, T., Carter, D. B., Frey, J., Ginsburg, K., Hamilton, B. J., Nagata, K., *et al.*, 1995. Sodium channels and GABA receptor-channel complex as targets of environmental toxicants. *Toxicol. Lett.*, **82-83**: 239-45.
- Narahashi, T. 1996. Neuronal ion channels as the target sites of insecticides. *Pharmacol. Toxicol.*, **78**: 1-14.
- NASS Agricultural Chemical Database, http://www.pestmanagement.info/nass/app_usage.cfm
- Natesan, S., Kataria, J. M. Dhama, K. Bhardwaj, N and Sylvester, A. 2006. Anti-neoplastic effect of chicken anemia virus VP3 protein (apoptin) in Rous sarcoma virus-induced tumours in chicken. *J. Gen. Virol.*, **87**: 2933-2940
- Natt, M. P. and Herrick, C. A. 1952. A new blood diluent for counting the erythrocytes and leucocytes of the chicken. *Poultry Science*, **3**: 735–738.
- Navarro, H. A., Basta, P. V., Seidler, F. J. and Slotkin, T. A. 2001. Neonatal chlorpyrifos administration elicits deficits in immune function in adulthood. A neural effect? *Developmental Brain Research*, **130** (2): 249-252.
- Naveen, N. S., Murlimanju, V. K. and Maligi, A. M. 2010. Craniorachischisis totalis. *J. Neurosci. Rural. Pract.*, **1**: 54-55.
- Newbold, R. R., Padilla-Banks, E., Snyder, R. J., Phillips, T. M. and Jefferson, W. N. 2007. Developmental exposure to endocrine disruptors and the obesity. *Epidemic Reprod. Toxicol.*, **23**: 290–296.
- Occupational Health Services, Inc. 1993. *MSDS for Cypermethrin*. OHS Inc., Secaucus, NJ.

- 
- Osano, O., Oladimeji, A. A., Kraak, M. H. S and Admiraal, W. 2002. Teratogenic Effects of Amitraz, 2,4-Dimethylaniline, and Paraquat on Developing Frog (*Xenopus*) Embryos *Journal Archives of Environmental Contamination and Toxicology*, **43** (1): 42-49.
- Owen, J. J. and Raff, M. C. 1970. Studies on the differentiation of thymus-derived lymphocytes. *J. Exp. Med.*, **132** (6): 1216-1232.
- Padmanabhan R. 2006. Etiology, pathogenesis and prevention of neural tube effects. *Congenit Anom (Kyoto)* **42**: 55-67.
- Pal, A. K. and Kushwah, H. S. 2000. Quantitative biochemical lesions of malation dipping in domestic fowl *Gallus domesticus*. *Asian Aust. J. Anim. Sci.*, **13** (suppl. C): 285-290.
- Patel, Z. M. and Adhia, R. A. 2005. Birth Defects Surveillance Study. *Indian Journal of Pediatrics*, **72**: 489-491.
- Patten, B. M. 1948. *The early embryology of the chick*. Blakiston Co., Philadelphia
- Patwardhan, V., Ghaskadbi, S. 2000. Chick embryo twins. *Curr. Sci.*, **79** (7): 929-930.
- Pawar, K. R. and Katdare, M. 1984. Toxic and teratogenic effects of fenitrothion, BHC and carbofuran on embryonic development of the frog *Microhyla ornata*. *Toxicology Letters*, **22** (1): 7-13.
- Peskova, T. N. 1980. Material on experimental polyembryony in *Gallus gallus domestica* chickens. *Arkh Anat Gistol Embriol.*, **79** (12): 68-74.
- Peterson, A. L., Qureshi, M. A., Ferket, P. R. and Fuller Jr. J. C. 1999. Enhancement of cellular and humoral immunity in young broilers by the dietary supplementation of β -hydroxy- β -methylbutyrate. *Immunopharmacol. Immunotoxicol.*, **21**: 307-330.
- Pizette, S. and Niswander, L. 1999. BMPs negatively regulate structure and function of the limb apical ectodermal ridge. *Development*, **126**: 883-894.
- Pope, C. N. 1999. Organophosphorus pesticides: do they all have the same mechanism of toxicity? *J Toxicol Environ Health*, **2**: 161-181.
- Post, R. L. and Sen, A. K. 1967. Sodium and potassium ATPase, In: R. W. Estrabrook, M. E. Pullman (Eds.), *Methods in Enzymology*, Academic Press, New York & London, pp. 762-768.
- Pushpanjali, Pal, A. K., Prasad, R. L., Prasad, A., Singh, S. K., Kumar, A. and Jadhao, S. B. 2005. In ovo embryotoxicity of a-endosulfan adversely influences liver and brain metabolism and the immune system in chickens. *Pesticide Biochemistry and Physiology*, **82**: 103-114.
- Qadri, S. H., Jabeen, K., Mahboob, M. and Mustafa, M. 1987. Haemotoxicity to chicken (*Gallus gallus domesticus*) by technical and formulation grades of some phosphoric and synthetic pyrethroid esters. *J. Appl. Toxicol.*, **7**(6): 367-371.

- Qiao, D., Seidler, E. J., Tate, C. A., Cousins, M. M. and Slotkin, T. A. 2003. Fetal chlorpyrifos exposure: Adverse effects on brain cell development and cholinergic biomarkers emerge postnatally and continue into adolescence and adulthood. *Environ. Health Perspect.*, **111**: 536-544.
- Qiao, D., Seidler, E. J., Abreu-Villaqa, Y., Tate, C. A., Cousins, M. M., and Slotkin, T. A. 2004. Chlorpyrifos exposure during neurulation: Cholinergic synaptic dysfunction and cellular alterations in brain regions at adolescence and adulthood. *Dev. Brain Res.*, **148**: 43-52.
- Qureshi, M. A. 2003. Avian macrophage and immune response: an overview. *Poult. Sci.*, **82**: 691-698.
- Ragu, S., Faye, G., Iraqui, I, Ame' lie Masurel-Heneman, Kolodner, R. D. and Meng-Er Huang. 2007. Oxygen metabolism and reactive oxygen species cause chromosomal rearrangements and cell death. *PNAS*, **104** (23): 9747-9752. •
- Rahimia, R. and Abdollahi, M. 2007. A review on the mechanisms involved in hyperglycemia induced by organophosphorus pesticides. *Pesticide Biochemistry and Physiology*, **88** (2): 115-121.
- Rainey, D. P. 1996. The tissue distribution and metabolism of spinosyn A and D in lactating goats. *ACS Abstracts, AGRO 45, 211th National Meeting*, New Orleans, LA.
- Rao, J. V., Swamy, A. N., Yamin, S., Rao, S. H. and Rahman, M. F. 1992. Teratism induced in the developing chick by RPR-V, An organophosphate. *Fd. Chem. Toxic.*, **309** (1): 945- 951.
- Rauchova, H., Ledvinkova, J., Kalous, M. And Drahota, Z. 1995. The effect of lipid peroxidation on the activity of various membrane-bound ATPases in rat kidney. *Int. J. Biochem. Cell. Biol.*, **27**: 251-261.
- Ray, D. E. and Forshaw, P. J. 2000. Pyrethroid insecticides: Poisoning syndromes, synergies and therapy. *J. Clin. Toxicol.*, **38**: 95-101.
- Reddy, A. T., Ayyanna, K. and Yellamma, K. 1991. Sensitivity of brain cholinesterase to cypermethrin toxicity in freshwater teleost Tilapia mossambica. *Biochem. Int.*, **23**: 959-962.
- Ribas, G., Frenzilli, G., Barale, R. and Marcos, R. 1995. Herbicide induced DNA damage in human lymphocytes evaluated by the single- cell gel electrophoresis (SCGE) assay. *Mutat. Res.*, **344**: 41-54.
- Ribble, D., Goldstein, N. B., Norris, D. A., and Yiquan G Shellman. 2005. A simple technique for quantifying apoptosis in 96-well plates. *BMC Biotechnology*. **5**: 12 DOI:10.1186/1472-6750-5-12.
- Rice, D. and Barone, S. 2000. Critical periods of vulnerability for the developing nervous system: evidence from humans and animal models. *Environ. Health Perspect.*, **108** (Suppl 3): 511-533.

- Richardson, J. and Chambers, J. 2003. Effects of gestational exposure to chlorpyrifos on postnatal central and peripheral cholinergic neurochemistry. *J. Toxicol. Environ. Health*, **66**: 275-289.
- Richardson, J. R. and Chambers, J. E. 2004. Neurochemical effects of repeated gestational exposure to chlorpyrifos in developing rats. *Toxicol. Sci.*, **77**: 83-90.
- Rita, P., Reddy, P. P. and Reddy, S. V. 1987. Monitoring of workers occupationally exposed to pesticides in grape gardens of Andhra Pradesh. *Environ. Res.*, **44**: 1-5.
- Rivas, L. A. and Fabricant, J. 1988. Indications of immunodepression in chickens infected with various strains of Marek's disease virus. *Avian Dis.*, **32**: 1- 8.
- Rodier, P. 1976. Critical periods for behavioural anomalies in mice. *Environ. Health Perspect.*, **18**: 79-83.
- Rodkey, F. L. 1965. Direct Spectrophotometric determination of albumin in human serum. *Clinical Chemistry*, **11**: 478-487.
- Romanoff, A. 1960. *The Avian Embryo, Structural and Functional Development*, McMillan, New York, pp-1305.
- Rose, R. L., Hodgson, E. and Roe, R. M. 1999. Pesticides. In: Marquardt, H., Schafer, S. G, McClellan, R. O., Welsch, F., (Ed). *Toxicology*. San Diego, CA: Academic Press, pp. 663-669.
- Rothkamm, K. and Lobrich, M. 2008. Evidence for a lack of DNA double-strand break repair in human cells exposed. *Biochem. Biophys. Res. Commun.*, **371**: 694-697.
- Roy, T. S., Andrews, J. E., Seidler, F. J. and Slotkin, T. A. 1998. Chlorpyrifos elicits mitotic abnormalities and apoptosis in neuroepithelium of cultured rat embryos. *Teratology*, **58**: 62- 68.
- Rudek, Z. and Rozek, M. 1992. Induction of micronuclei in tadpoles of *Rana temporaria* and *Xenopus laevis* by the pyrethroid Fastac 10EC. *Mutation Res.*, **298**: 25-29.
- Rull, R. P., Ritz, B. and Shaw, G. M. 2006. Neural tube defects and maternal residential proximity to agricultural pesticide applications. *Am. J. Epidemiol.*, **163** (8): 743-753.
- Rupa, D. S., Rita, P., Reddy, P. P. and Reddi, O. S. 1988. Screening of chromosomal aberrations and sister chromatis exchanges in peripheral lymphocytes of vegetable garden workers. *Hum. Toxicol.*, **7**: 333-336.
- Rydberg, B. 1975. The rate of strand separation in alkali of DNA of irradiated mammalian cells. *Radiat. Res.*, **61**: 274-287.
- Sadler, T. W. 1998. Mechanisms of neural tube closure and defects. *Mental. Retard. Dev. Disab. Res. Rev.*, **4**: 247-253.

- Sahu, C. R. and Ghatak, S. 2002. Effects of Dimecron on Developing Chick Embryo: Malformations and other Histopathological Changes. *Anatomia Histologia Embryologia*, **31**(1): 15–20.
- Saleh, K. and Sarhan, M. A. A. 2007. Clastogenic analysis of chicken farms using micronucleus test in peripheral blood. *J. Appl. Sci. Res.*, **3**: 1646–1649.
- Saleh, K. and Zeytinoglu, H. 2001. Micronucleus test in peripheral erythrocytes of *Rana ridipunda* as an indicator of environmental pollution. *Ana. Uni. J. Sci. and Tech.*, **2**(1): 77-82.
- Salgado, V. L., Watson, G. B. and Sheets, J. J. 1997. Studies on the mode of action of spinosad, the active ingredient in Tracer Insect Control, *Proc 1997 Beltwide Cotton Production Conf*, National Cotton Council, Memphis, TN, USA, 1082-1086.
- Sampson, E. & Baird, M. 1979. Chemical inhibition used in a kinetic urease/ glutamate dehydrogenase method for urea in serum. *Clin. Chem.*, **25**: 1721– 1729.
- Sasaki, Y. F., Nishidate, E., Izumiyama, F., Matsusaka, N and Tsuda, S. 1997. Simple detection of chemical mutagens by alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs (liver, lung, spleen, kidney and bone marrow). *Mutat. Res.*, **391**: 215-231.
- Saunders, D. G. and B. L. Brett. 1997. Fate of spinosad in the environment. *Down to Earth*, **52**(1): 14-20.
- Saunders, J. W. and Gasseling, M. T. 1968. Ectodermal-mesenchymal interactions in the origin of limb symmetry. *Epithelial-mesenchymal interactions*: 78–97.
- Scharf, M. E. 2003. *Neurological Effects of Insecticides: Encyclopedia of Pest Management* Marcel Dekker, US. pp 1-5.
- Schneider-Orelli, O. 1947. *Entomologisches praktikum*. Aarau. Verlag Sauerlander. pp 237.
- Schoenwolf, G. C. and Alvarez, I. S. 1989. Roles of neuroepithelial cell rearrangement and division in shaping of the avian neural plate. *Development*, **106**: 427-439.
- Schuh, R. A., Lein, P. J., Beckles, R. A. and Jett, D. A. 2002. Noncholinesterase mechanisms of chlorpyrifos neurotoxicity: altered phosphorylation of Ca²⁺/cAMP response element binding protein in cultured neurons. *Toxicol. Appl. Pharmacol.*, **182**: 176-185.
- Selevan, S. G., Kimmel, C. A. and Mendola, P. 2000. Identifying critical windows of exposure for children's health. *Environ. Health Perspect.* **108**: 451–555.
- Seo, K.Y., Jelinsky, S. A. and Loechler, E. L. 2000. Factors that influence the mutagenic patterns of DNA adducts from chemical carcinogens. *Mutat. Res.*, **463**: 215-46.
- Shafer, T. J., Meyer, D. A. and Crofton, K. M. 2005. Developmental neurotoxicity of pyrethroid insecticides: critical review and future research needs. *Environmental Health Perspectives*, **113**: 123-136.

- Shakoori, A. R., Ali, S. S. and Saleem, M. A. 1988. Effects of six months' feeding of cypermethrin on the blood and liver of albino rats. *J. Biochem. Toxicol.* **3**: 59-71.
- Shalat, S. L., Donnelly, K. C., Freeman, N. C., Calvin, J. A., Ramesh, S., Jimenez, M., *et al.*, 2003. Nondietary ingestion of pesticides by children in an agricultural community on the US/Mexico border: Preliminary results. *J. Expo. Anal. Environ. Epidemiol.* **13**:42-50.
- Sharaf, S., Khan, A., Khan, M. Z., Aslam, F., Saleem, M. K. and Mahmood, F. 2010. Clinico-hematological and micronuclear changes induced by cypermethrin in broiler chicks: Their attenuation with vitamin E and selenium. *Exp. Toxicol. pathol.* **62**(4): 441-450.
- Sharma, J. M. 1991. Overview of the avian immune system. *Vet. Immunol. Immunopathol.* **30** (1): 13-17.
- Shaw, G. M., Wasserman, C. R. and O'Malley, C. D. 1995. Maternal pesticide exposures as risk factors for orofacial clefts and neural tube defects. *Am. J. Epidemiol.*, **141** (11): 53.
- Shaw, J. P., Large, A. T., Livingstone, D. R., Doyotte, A., Renger, J., Chipman, J. K. and Peters, L. D. 2002. Elevation of cytochrome P450-immunopositive protein and DNA damage in mussels (*Mytilus edulis*) transplanted to a contaminated site. *Marine Environmental Research*, **54** (3-5): 505-509.
- Shu, L. and Hollenberg, P. F. 1996. Role of cytochrome P450 in DNA damage induced by N-nitrosodialkylamines in cultured rat hepatocytes. *Carcinogenesis*, **17** (3): 569-576.
- Siegfried, B. D. 1993. Comparative toxicity of pyrethroid insecticides to terrestrial and aquatic insects. *Environmental Toxicology and Chemistry*, **12**: 1683-1689.
- Simone, S., Gorin, Y., Velagapudi, C., Abboud, H. E. and Habib, S. L. 2008. Mechanism of Oxidative DNA damage in diabetes: tuberin inactivation and downregulation of DNA repair enzyme OGG1. *Diabetes*, **57** (10): 2626-2636.
- Sinclair, J. F. and Sinclair, P. R. 1992. Avian cytochrome P450, In: J. Schenkman, H. Greim (Eds.) *Handbook of Experimental Pharmacology*, Springer, Heidelberg, pp. 259-291.
- Singh, G. S. P., Chauhan, H. V. S., Jha, G. J., Singh, K. K. 1990. Immunosuppression due to chronic ochratoxicosis in broiler chicks. *J. Comp. Pathol.*, **103** (4): 399-410.
- Singh, N. P., McCoy, M. T., Tice, R. R. and Schneider, E. L. 1988. A simple technique for low levels of DNA damage in individual cells. *Exp. Cell. Res.*, **175**: 184-191.
- Slotkin, T. A. 1999. Developmental cholinotoxicants: Nicotine and chlorpyrifos. *Environ. Health Perspect.*, **107**: 71-80.
- Slotkin, T. A. 2004. Cholinergic systems in brain development and disruption by neurotoxicants: nicotine, environmental tobacco smoke, organophosphates. *Toxicol. Appl. Pharmacol.*, **198**: 132-51.

- Slotkin, T. A. 2005. Developmental neurotoxicity of organophosphates: A case study of chlorpyrifos. Toxicology of organophosphates and carbamate compounds. In: R. C. Gupta (Ed.) *Toxicity of Organophosphate and Carbamate Pesticides*. San Diego: Elsevier. pp 293-314.
- Slotkin, T. A., Seidler, F. J., Ryde Ian T. and Joseph, Y. 2008. Developmental neurotoxic effects of chlorpyrifos on acetylcholine and serotonin pathways in an avian model. *Neurotoxicol Teratol.*, **30** (5): 433-439.
- Smith, J. L. and Schoenwolf, G. C. 1997. Neurulation: coming to closure. *Trends Neurosci.*, **20**: 510-517.
- Smith, L. J. and Stein, K. F. 1962. Axial elongation in the mouse and its retardation in homozygous looptail mice. *J. Embryol. Exp. Morphol.*, **10**: 73-87.
- Sobti, R. C., Krishan, A. and Pfaffenberger, C. D. 1982. Cytokinetic and cytogenetic effects of some agricultural chemicals on human lymphoid cells *in vitro*: organophosphates. *Mutation Res.*, **102**: 89-102.
- Soheir, M., Amer, M. A. and Maha, A. F. 1982. Cytogenetic effects of pesticides. I. Induction of micronuclei in mouse bone marrow by the insecticide dursban. *Mutat. Res.*, **101**: 247-255.
- Soheir, M., Amer, M. A. and Fawzia, A. E. A. 1992. Cytogenetic effects of pesticides. IV. Cytogenetic effects of the insecticides gardona and dursban. *Mutat. Res.*, **279**: 165-170.
- Soheir, M., Amer, M. A., Fahmy, and Souria, M.D. 1996. Cytogenetic effect of some insecticide in mouse spleen. *J. Appl. Toxicol.*, **16** (1): 1-3.
- Song, X., Seidler, F. J., Saleh, J. L., Zhang, J., Padilla, S. and Slotkin, T. A. 1997. Cellular mechanisms for developmental toxicity of Chlorpyrifos; targeting the adenylyl cyclase signaling cascade. *Toxicol. Appl. Pharmacol.* **145**: 158-174.
- Sparks, C. T., Crouse, G. D. and Durst, G. 2001. Natural products as insecticides: The biology, biochemistry and quantitative structureactivity relationships of spinosyns and spinosoids. *Pest. Manag. Sci.*, **57**:896-905.
- Spencer, B., and Raftery, J. 1966. Sulphate activation and sulphotransferase in foetal guinea-pigs and in developing hen's eggs. *Biochem. J.*, **99**: 35-36.
- Spiteller, G. 1996. Enzymic lipid peroxidation: a consequence of cell injury. *Free Radic. Biol. Med.*, **21**: 1003-1009.
- Stap, J., Krawczyk, P. M., Van Oven, C. H., Barendsen, G. W., Essers, J., Kanaar, R. and Aten, J. A. 2008. Induction of linear tracks of DNA double-strand breaks by alpha-particle irradiation of cells. *Nat. Methods.*, **5**: 261-266.

- Stebbins, K. E., Bond, D. M., Novilla, M. N. and Reasor, M. J. 2002. Spinosad insecticide: subchronic and chronic toxicity and lack of carcinogenicity in CD-1 Mice. *Toxicol. Sci.*, **65**: 276–287.
- Stedman, N. L., Brown, T. P., Brooks, R.L. Jr. and Bounous, D. I. 2001. Heterophil Function and Resistance to Staphylococcal Challenge in Broiler Chickens Naturally Infected with Avian Leukosis Virus Subgroup. *J. Vet. Pathol.*, **38**: 519–527.
- Steevens, J. A. and Benson, W. H. 1999. Toxicological interaction of chlorpyrifos and methyl mercury in the amphipod, *Hyalella azteca*. *Toxicol. Sci.*, **52**: 168-177.
- Stemple, D. L. and Anderson, D. J. 1993. Lineage diversification of the neural crest: in vitro investigations. *Dev. Biol.*, **159**: 12-23.
- Stopper, H. and Muller, S. O. 1997. Micronuclei as a biological endpoint for genotoxicity: a minireview. *Toxicol. in vitro*, **11**: 661–667.
- Straube, E., Straube, W., Kruger, E., Bradatsch, M., Jacob-Meise, M., and Rose, H. J. 1999. Disruption of male sex hormones with regard to pesticides: Pathophysiological and regulatory aspects. *Toxicol. Lett.*, **107**: 225–231.
- Streit, A., Berliner, A. J., Papanayotou, C., Sirulnik, A. and Stern, C. D. 2000. Initiation of neural induction by FGF signalling before gastrulation. *Nature*, **406**: 74-78.
- Suh, C. P., Orr, D. B. and van Duyn J. W. 2000. Effect of insecticides on *Trichogramma exiguum* preimaginal development and adult survival. *J. Econ. Entomol.*, **93**(3): 577-583.
- Suke, S. G., Ahmed, R. S., Tripathi, A. K., Chakraborti, A. and Banerjee, B. D. 2006. Immunotoxicity of phosphamidon following subchronic exposure in albino rats. *Indian J. Exp. Biol.*, **44**: 316-320.
- Sultatos, L. G. 1991. Metabolic activation of the organophosphorus insecticides chlorpyrifos and fenitrothion by perfused rat liver. *Toxicol.*, **68**: 1-9.
- Sulzberger, Jr. A. 1994. *Major events 1920-1994 as presented in the New York Times*. New York: Galahad Books.
- Takahashi, N., Mikami, N., Matsuda, T. and Miyamoto, J. 1985. Photodegradation of the pyrethroid insecticide cypermethrin in water and on soil surface. *J. Pesticide Sci.*, **10**: 629-642.
- Tan, S. S. and Morriss-Kay, G. M. 1986. Analysis of cranial neural crest cell migration and early fates in postimplantation rat chimaeras. *Embryol. Exp. Morph.*, **98**: 21-58.
- Tang, J., Carr, R. L. and Chambers, J. E. 2003. The effects of repeated oral exposures to methyl parathion on rat brain cholinesterase and muscarinic receptors during postnatal development. *Toxicol. Sci.*, **76**: 400-406.
- Tezuka, H. N., Ando, R., Suzuki, M., Terhata, M., Moriya, M. and Shirasu, Y. 1980. Sister chromatid exchanges and chromosomal aberrations in cultured chinese hamster cells

treated with pesticides positive in microbial reversion assays. *Mutat. Res.*, **78**: 177-191.

- Thirugnanam, G. and Forgash, A. J. 1977. Environmental impact of mosquito pesticides: toxicity and anticholinesterase activity of chlorpyrifos to fish in a salt marsh habitat. *Arch. Environ. Toxicol. Contam.*, **5**: 415-425.
- Thompson, G. D., Dutton, R. and Sparks, T. C. 2000. Spinosad- a case study: an example from a natural products discovery programme. *Pest. Management Science*, **56**: 696-702.
- Tian, G., Zhang, S., Li, Y., Bu, Z., Liu, P., *et al.* 2005. Protective efficacy in chickens, geese and ducks of an H5N1-inactivated vaccine developed by reverse genetics. *Virology*, **341**: 153-156
- Tian, Y., Ishikawa, H., Yamaguchi, T., Yamauchi T., Yokoyama, K. 2005. Teratogenicity and developmental toxicity of chlorpyrifos. Maternal exposure during organogenesis in mice. *Reprod Toxicol.* **20**(2), 267-270.
- Tice, R. R., Andrews, P. W., Hirai, O. and Singh, N. P. 1991. The single cell gel (SCG) assay: an electrophoretic technique for the detection of DNA damage in individual cells. In: C. R. Witmer, R. R. Snyder, D. J. Jollow, G. F. Kalf, J. J. Kocsis, I. G. Sipes (Eds.) *Biological reactive intermediates IV. Molecular and cellular effects and their impact on human health*. New York: Plenum Press. pp 1571.
- Tice, R. R., Agurell, E., Anderson, D., Burlinson, B., Hartmann, A., Kobayashi, H., Miyamae, Y., Rojas, E., Ryu, J.C. and Sasaki, Y. F. 2000. Single Cell Gel/Comet Assay: Guidelines for *In Vitro* and *In Vivo* Genetic Toxicology Testing. *Environ. Mol. Mut.*, **35**: 206-221.
- Tickle, C. 1981. The number of polarizing region cells required to specify additional digits in the developing chick wing. *Nature*, **289**: 295-298.
- Tillman, P. G. and Mulrooney, J. E. 2000. Effect of selected insecticides on the natural enemies *Coleomegilla maculata* and *Hippodamia convergens*, *Geocoris punctipes*, and *Bracon mellitor*, *Cardiochiles nigriceps*, and *Cotesia marginiventris* in cotton. *J. Econ. Entomol.*, **93**(6): 1638-1643.
- Tiwari, V. K., Suresh, B. and Pilo, B. 2008. Evaluation of maternal toxicity in rats treated with deltamethrin 1% triazophos 35% EC. *Toxicol. Int.*, **15**: 127-131.
- Tocco, D. R., Randall J. L., York, R. G. and Smith M. K. 1987. Evaluation of the teratogenic effects of tri-ortho-cresyl phosphate in the Long-Evans hooded rat. *Fundamental and Applied Toxicology*, **8** (3): 291-297.
- Trainer, V. L., McPhee, J. C., Boutelet-Bochan, H., Baker, C., Scheuer, T., Babin, D., *et al.*, 1997. High affinity binding of pyrethroids to the alpha subunit of brain sodium channels. *Mol. Pharmacol.*, **51**: 651-657.

- Trinder, P. 1969. Determination of glucose in the blood using glucose oxidase with alternative oxygen acceptor. *Ann. Clin. Biochem.*, **6**: 24-25.
- Tucker, R. P. 2001. Abnormal Neural Crest Cell Migration after the In Vivo Knockdown of Tenascin-C Expression With Morpholino Antisense Oligonucleotides. *Developmental Dynamics*, **222**: 115-119.
- U. S. Environmental Protection Agency, 1989. Pesticide Fact Sheet Number 199: Cypermethrin. *US EPA, Office of Pesticide Programs, Registration Div.*, Washington, DC.
- U.S. EPA. 1997. *Exposure Factors Handbook*, Washington, DC: National Center for Environmental Assessment. <http://www.epa.gov/ncea/exposfac.htm>.
- Van Straaten, H.W., Jaskoll, T., Rousseau, A.M., Terwindt-Rouwenhorst, E.A., Greenberg, G., Shankar, K. and Melnick, M. 1993. Raphe of the posterior neural tube in the chick embryo: its closure and reopening as studied in living embryos with a high definition light microscope. *Dev. Dyn.*, **198**: 65-76.
- Vigreux, C., Poul, J. M., Deslandes, E., Lenally, P., Godard, T., Sichel, F., Henryamar, M. and Gauduchon, P. 1998. DNA damaging effects of pesticides measured by single cell gel electrophoresis (comet) and chromosomal aberration test in CHOK 1 cells. *Mutat. Res.*, **419**: 79-90.
- Wakamatsu, Y., Watanabe, Y., Nakamura, H. and Kondoh, H. 1997. Regulation of the neural crest cell fate by N-myc: promotion of ventral migration and neuronal differentiation. *Development*, **124**: 1953-1962.
- Wakenell, P. S. 1999. The function of the Avian immune system. Proc. Avian Specially Advanced program, AAV Conf, pp 9-11.
- Walker, M. H. and Keith, L. H. 1992. EPA's Pesticide Fact Sheet Database. Lewis Publishers, Chelsea.
- Walker, N. E. 1971. The effect of malathion and malaoxon on esterases and gross development of the chick embryo. *Toxicol. Appl. Pharmacol.* **19**: 590-601.
- Wallingford, J. B. 2005. Neural tube closure and neural tube defects: Studies in animal models reveal known knowns and known unknowns. *American journal of medical genetics*, **1** (1): 59-68.
- Warkany, J. 1971. Congenital malformations: Notes and comments. Chicago: Year Book Medical Publishers.
- Waters, M. D., Simmon, V.F., Mitchell, A. D., Jorgensen, T. A. and Valencia, R. 1980. An overview of short term tests for the mutagenic and carcinogenic potential of pesticides. *J Environ Sc Health*, **B15**: 867-906.
- Weil, M., Michael, D. Jacobson, and Raff, M.C. 1997. Is programmed cell death required for neural tube closure? *Current Biology*, **7**: 281-284.

- Weiss, B., Amler, S. and Amler, R. W. 2004. Pesticides. *Pediatrics*, **113**:1030–1036.
- Weiss, E. R, Maness, P. and Lauder, J. M. 1998. Why do neurotransmitters act like growth factors? *Perspect. Dev. Neurobiol.*, **5**: 323–335.
- Weston, J. 1970. The migration and differentiation of neural crest cells. *Adv. Morph.* **8**: 41–114.
- Whitaker-Azmitia, P. M. 1991. Role of serotonin and other neurotransmitter receptors in brain development: basis for developmental pharmacology. *Pharmacol. Rev.*, **43**:553–561.
- Whitaker-Azmitia, P. M. 2001. Serotonin and brain development: role in human developmental diseases. *Brain Res. Bull.* **56**: 479–485.
- Whitney, K.D., Seidler, F.J. and Slotkin, T.A. 1995. Developmental neurotoxicity of chlorpyrifos: cellular mechanisms. *Toxicol. Appl. Pharmacol.*, **134**: 53-62.
- Whyatt, R. M. and Barr, D. B. 2001. Measurement of organophosphate metabolites in postpartum meconium as a potential biomarker of prenatal exposure: A validation study. *Environ. Health Perspect.* **109**: 417–420.
- Whyatt, R. M., Camann, D. E., Kinney, P. L., Reyes, A., Ramirez, J., Dietrich, J. *et al.*, 2002. Residential pesticide use during pregnancy among a cohort of urban minority women. *Environ. Health Perspect.*, **110**: 507–514.
- Wielgomas, B. and Krechniak, J. 2007. Toxicokinetic Interactions of α -Cypermethrin and Chlorpyrifos in Rats. *Polish. J. of Environ. Stud.*, **16** (2): 267-274.
- Wilson, J.G. 1973. *Environment and Birth Defects*, Academic Press, New York. Pp. 12-34.
- Wilson, J. G. 1977. Current status of teratology— general principles and mechanisms derived from animal studies. In: J. G. Wilson and F. C. Fraser (Eds.) *Handbook of Teratology*, Vol.1 Plenum Press, New York. pp. 47-74.
- Wilson, S. I., Graziano, E., Harland, R., Jessell, T. M. and Edlund, T. 2000. An early requirement for FGF signalling in the acquisition of neural cell fate in the chick embryo. *Curr. Biol.*, **10**: 421-429.
- Wilson, S. I. and Edlund, T. 2001. Neural induction: toward a unifying mechanism. *Nat. Neurosci. Suppl.*, **4**: 1161-1168.
- Wilson, S., Rydstrom, A., Trimborn, T., Willert, K., Nusse, R., Jessell, T. M. and Edlund, T. 2001. The status of Wnt signalling regulates neural and epidermal fates in the chick embryo. *Nature*, **411**: 325-330.
- Wolf, T. H. and Luepke, N. P. 1997. Formation of micronuclei in incubated hen's eggs as a measure of genotoxicity. *Mutat. Res.*, **394**: 163–175.
- Wolf, T. H., Rolf, C. N. and Luepke, N. P. 2003. Investigating genotoxic and hematotoxic effects of N-nitrosodimethylamine, N-nitrosodiethylamine and N

- nitrosodiethanolamine in the hen's egg-micronucleus test (HET-MN). *Food Chem. Toxicol.*, **41**: 561–573.
- Wolf, T. H., Rolf, C. N. and Luepke, N. P. 2002. Some new methodological aspects of the hen's egg test for micronucleus induction (HET-MN). *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, **514** (1-2): 59-76.
- Wolfe, H. J. and Huang, K. C. 1959. The conjugation of the aminobenzoic acid isomers in the adult and embryonic *Gallus domesticus*. *J. Cell. Comp. Physiol.*, **54**: 243–249.
- Woollen, B. H., Marsh, J. R., Laird, W. J. D. and Lesser, J. E. 1992. The metabolism of cypermethrin in man: differences in urinary metabolite profiles following oral and dermal administration. *Xenobiotica*, **22** (8): 983-991.
- World Health Organization, 1989. *Environmental Health Criteria 82, Cypermethrin*. Geneva: United Nations Environmental Programme, the International Labour Organization, and the World Health Organization.
- World Health Organization. 2007. Principles for evaluating health risks in children associated with exposure to chemicals. *Environ. Health Criteria*, **237**: 1–351.
- Wynne-Davies, R. 1975. Congenital vertebral anomalies: aetiology and relationship to spina bifida cystica. *Journal of Medical Genetics*, **12**: 280-288.
- Xie, Z. 2001. Ouabain interaction with cardiac Na⁺-K⁺-ATPase reveals that the enzyme can act as a pump and a signal transducer. *Cell. Mol. Biol.*, **47**: 383–390.
- Yano, B. L., Bond, D. M., Novilla, M. N., McFadden, L. G. and Reasor, M. J. 2002. Spinosad insecticide: subchronic and chronic toxicity and lack of carcinogenicity in Fischer 344 rats. *Toxicol. Sci.*, **65**: 288–298.
- Yokouchi, Y., Sakiyama, J., Kameda, T., Iba, H., Suzuki, A., Ueno, N. and Kuroiwa, A. 1996. BMP-2/-4 mediate programmed cell death in chicken limb buds. *Development*, **122**: 3725-3734.
- Yusuf, F. and Brand-Saberi, B. 2006. The eventful somite: patterning, fate determination and cell division in the somite. *Anat. Embryol. (Berl.)*, **211** (1): 21–30.