References

5.0 Refernces

1. Abderrazak, A., Syrovets, T., Couchie, D., El Hadri, K., Friguet, B., Simmet, T., and Rouis, M. (2015). NLRP3 inflammasome: from a danger signal sensor to a regulatory node of oxidative stress and inflammatory diseases. Redox biology *4*, 296-307.
2. Adams, J.M., and Cory, S. (2007). The Bcl-2 apoptotic switch in cancer development and therapy. Oncogene *26*, 1324-1337.
3. Alappat, E.C., Feig, C., Boyerinas, B., Volkland, J., Samuels, M., Murmann, A.E., Thorburn, A., Kidd, V.J., Slaughter, C.A., Osborn, S.L.*, et al.* (2005). Phosphorylation of FADD at serine 194 by CKIalpha regulates its nonapoptotic activities. Molecular cell *19*, 321-332.
4. Algeciras-Schimnich, A., Shen, L., Barnhart, B.C., Murmann, A.E., Burkhardt, J.K., and Peter, M.E. (2002). Molecular ordering of the initial signaling events of CD95. Molecular and cellular biology *22*, 207-220.
5. Aliprantis, A.O., Yang, R.B., Mark, M.R., Suggett, S., Devaux, B., Radolf, J.D., Klimpel, G.R., Godowski, P., and Zychlinsky, A. (1999). Cell activation and apoptosis by bacterial lipoproteins through toll-like receptor-2. Science *285*, 736-739.
6. Aliprantis, A.O., Yang, R.B., Weiss, D.S., Godowski, P., and Zychlinsky, A. (2000). The apoptotic signaling pathway activated by Toll-like receptor-2. The EMBO journal *19*, 3325-3336.
7. Arnoult, D., Gaume, B., Karbowski, M., Sharpe, J.C., Cecconi, F., and Youle, R.J. (2003). Mitochondrial release of AIF and EndoG requires caspase activation downstream of Bax/Bak-mediated permeabilization. The EMBO journal *22*, 4385-4399.
8. Ashkenazi, A., and Dixit, V.M. (1998). Death receptors: signaling and modulation. Science *281*, 1305-1308.
9. Bagnoli, M., Ambrogi, F., Pilotti, S., Alberti, P., Ditto, A., Barbareschi, M., Galligioni, E., Biganzoli, E., Canevari, S., and Mezzanzanica, D. (2009). c-FLIPL expression defines two ovarian cancer patient subsets and is a prognostic factor of adverse outcome. Endocrine-related cancer *16*, 443-453.
10. Bannerman, D.D., Tupper, J.C., Kelly, J.D., Winn, R.K., and Harlan, J.M. (2002). The Fas-associated death domain protein suppresses activation of NF-kappa B by LPS and IL-1 beta. The Journal of clinical investigation *109*, 419-425.
11. Bannerman, D.D., Tupper, J.C., Ricketts, W.A., Bennett, C.F., Winn, R.K., and Harlan, J.M. (2001). A constitutive cytoprotective pathway protects endothelial cells from lipopolysaccharide-induced apoptosis. The Journal of biological chemistry *276*, 14924-14932.
12. Baldwin, A.S. (2001). Control of oncogenesis and cancer therapy resistance by the transcription factor NF-kappaB. The Journal of clinical investigation 107, 241-246.
13. Barnhart, B.C., Lee, J.C., Alappat, E.C., and Peter, M.E. (2003). The death effector domain protein family. Oncogene *22*, 8634-8644.
14. Becker, C., Fantini, M.C., Schramm, C., Lehr, H.A., Wirtz, S., Nikolaev, A., Burg, J., Strand, S., Kiesslich, R., Huber, S.*, et al.* (2004). TGF-beta suppresses tumor progression in colon cancer by inhibition of IL-6 trans-signaling. Immunity *21*, 491-501.
15. Beers, R.F., Jr., and Sizer, I.W. (1952). A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. The Journal of biological chemistry *195*, 133-140.
16. Beg, A.A., and Baltimore, D. (1996). An essential role for NF-kappaB in preventing TNF-alpha-induced cell death. Science *274*, 782-784.
17. Beisner, D.R., Chu, I.H., Arechiga, A.F., Hedrick, S.M., and Walsh, C.M. (2003). The requirements for Fas-associated death domain signaling in mature T cell activation and survival. Journal of immunology *171*, 247-256.
18. Bell, B.D., Leverrier, S., Weist, B.M., Newton, R.H., Arechiga, A.F., Luhrs, K.A., Morrissette, N.S., and Walsh, C.M. (2008). FADD and caspase-8 control the outcome of autophagic signaling in proliferating T cells. Proceedings of the National Academy of Sciences of the United States of America *105*, 16677-16682.
19. Bender, L.M., Morgan, M.J., Thomas, L.R., Liu, Z.G., and Thorburn, A. (2005). The adaptor protein TRADD activates distinct mechanisms of apoptosis from the nucleus and the cytoplasm. Cell death and differentiation *12*, 473-481.

20. Bergamini, E., Cavallini, G., Donati, A., and Gori, Z. (2004). The role of macroautophagy in the ageing process, anti-ageing intervention and age-associated diseases. The international journal of biochemistry & cell biology *36*, 2392-2404.
21. Bertrand, M.J., and Vandenabeele, P. (2010). RIP1's function in NF-kappaB activation: from master actor to onlooker. Cell death and differentiation *17*, 379-380.
22. Bhojani, M.S., Chen, G., Ross, B.D., Beer, D.G., and Rehemtulla, A. (2005). Nuclear localized phosphorylated FADD induces cell proliferation and is associated with aggressive lung cancer. Cell cycle *4*, 1478-1481.
23. Blonska, M., Shambharkar, P.B., Kobayashi, M., Zhang, D., Sakurai, H., Su, B., and Lin, X. (2005). TAK1 is recruited to the tumor necrosis factor-alpha (TNF-alpha) receptor 1 complex in a receptor-interacting protein (RIP)-dependent manner and cooperates with MEKK3 leading to NF-kappaB activation. The Journal of biological chemistry *280*, 43056-43063.
24. Bodmer, J.L., Holler, N., Reynard, S., Vinciguerra, P., Schneider, P., Juo, P., Blenis, J., and Tschopp, J. (2000). TRAIL receptor-2 signals apoptosis through FADD and caspase-8. Nature cell biology *2*, 241-243.
25. Boldin, M.P., Goncharov, T.M., Goltsev, Y.V., and Wallach, D. (1996). Involvement of MACH, a novel MORT1/FADD-interacting protease, in Fas/APO-1- and TNF receptor-induced cell death. Cell *85*, 803-815.
26. Bossaller, L., Chiang, P.I., Schmidt-Lauber, C., Ganesan, S., Kaiser, W.J., Rathinam, V.A., Mocarski, E.S., Subramanian, D., Green, D.R., Silverman, N.*, et al.* (2012). Cutting edge: FAS (CD95) mediates noncanonical IL-1beta and IL-18 maturation via caspase-8 in an RIP3-independent manner. Journal of immunology *189*, 5508-5512.
27. Brenner, D., Blaser, H., and Mak, T.W. (2015). Regulation of tumour necrosis factor signalling: live or let die. Nature reviews Immunology *15*, 362-374.
28. Broglie, P., Matsumoto, K., Akira, S., Brautigan, D.L., and Ninomiya-Tsuji, J. (2010). Transforming growth factor beta-activated kinase 1 (TAK1) kinase adaptor, TAK1-binding protein 2, plays dual roles in TAK1 signaling by recruiting both an activator and an inhibitor of TAK1 kinase in tumor necrosis factor signaling pathway. The Journal of biological chemistry *285*, 2333-2339.
29. Budihardjo, I., Oliver, H., Lutter, M., Luo, X., and Wang, X. (1999). Biochemical pathways of caspase activation during apoptosis. Annual review of cell and developmental biology *15*, 269-290.
30. Call, J.A., Eckhardt, S.G., and Camidge, D.R. (2008). Targeted manipulation of apoptosis in cancer treatment. The Lancet Oncology *9*, 1002-1011.
31. Carrington, P.E., Sandu, C., Wei, Y., Hill, J.M., Morisawa, G., Huang, T., Gavathiotis, E., Wei, Y., and Werner, M.H. (2006). The structure of FADD and its mode of interaction with procaspase-8. Molecular cell *22*, 599-610.
32. Ch'en, I.L., Tsau, J.S., Molkentin, J.D., Komatsu, M., and Hedrick, S.M. (2011). Mechanisms of necroptosis in T cells. The Journal of experimental medicine *208*, 633-641.
33. Chang, D.W., Xing, Z., Pan, Y., Algeciras-Schimnich, A., Barnhart, B.C., Yaish-Ohad, S., Peter, M.E., and Yang, X. (2002). c-FLIP(L) is a dual function regulator for caspase-8 activation and CD95-mediated apoptosis. The EMBO journal *21*, 3704-3714.
34. Chang, L., Kamata, H., Solinas, G., Luo, J.L., Maeda, S., Venuprasad, K., Liu, Y.C., and Karin, M. (2006). The E3 ubiquitin ligase itch couples JNK activation to TNFalpha-induced cell death by inducing c-FLIP(L) turnover. Cell *124*, 601-613.
35. Chaudhary, P.M., Eby, M.T., Jasmin, A., Kumar, A., Liu, L., and Hood, L. (2000). Activation of the NF-kappaB pathway by caspase 8 and its homologs. Oncogene *19*, 4451-4460.
36. Chen, Z.J. (2005). Ubiquitin signalling in the NF-kappaB pathway. Nature cell biology *7*, 758-765.
37. Cheng, W., Zhang, R., Yao, C., He, L., Jia, K., Yang, B., Du, P., Zhuang, H., Chen, J., Liu, Z.*, et al.* (2014). A critical role of Fas-associated protein with death domain phosphorylation in intracellular reactive oxygen species homeostasis and aging. Antioxidants & redox signaling *21*, 33-45.
38. Chinnaiyan, A.M., O'Rourke, K., Tewari, M., and Dixit, V.M. (1995). FADD, a novel death domain-containing protein, interacts with the death domain of Fas and initiates apoptosis. Cell *81*, 505-512.

39. Chinnaiyan, A.M., O'Rourke, K., Yu, G.L., Lyons, R.H., Garg, M., Duan, D.R., Xing, L., Gentz, R., Ni, J., and Dixit, V.M. (1996a). Signal transduction by DR3, a death domain-containing receptor related to TNFR-1 and CD95. Science *274*, 990-992.
40. Chinnaiyan, A.M., Tepper, C.G., Seldin, M.F., O'Rourke, K., Kischkel, F.C., Hellbardt, S., Krammer, P.H., Peter, M.E., and Dixit, V.M. (1996b). FADD/MORT1 is a common mediator of CD95 (Fas/APO-1) and tumor necrosis factor receptor-induced apoptosis. The Journal of biological chemistry *271*, 4961-4965.
41. Chipuk, J.E., and Green, D.R. (2005). Do inducers of apoptosis trigger caspase-independent cell death? Nature reviews Molecular cell biology *6*, 268-275.
42. Cho, Y.S., Challa, S., Moquin, D., Genga, R., Ray, T.D., Guildford, M., and Chan, F.K. (2009). Phosphorylation-driven assembly of the RIP1-RIP3 complex regulates programmed necrosis and virus-induced inflammation. Cell *137*, 1112-1123.
43. Choi, A.M., Ryter, S.W., and Levine, B. (2013). Autophagy in human health and disease. The New England journal of medicine *368*, 1845-1846.
44. Choi, C., and Benveniste, E.N. (2004). Fas ligand/Fas system in the brain: regulator of immune and apoptotic responses. Brain research Brain research reviews *44*, 65-81.
45. Christofferson, D.E., and Yuan, J. (2010). Necroptosis as an alternative form of programmed cell death. Current opinion in cell biology *22*, 263-268.
46. Ciechomska, I.A., Goemans, G.C., Skepper, J.N., and Tolkovsky, A.M. (2009). Bcl-2 complexed with Beclin-1 maintains full anti-apoptotic function. Oncogene *28*, 2128-2141.
47. Cimino, Y., Costes, A., Damotte, D., Validire, P., Mistou, S., Cagnard, N., Alifano, M., Regnard, J.F., Chiocchia, G., Sautes-Fridman, C*., et al.* (2012). FADD protein release mirrors the development and aggressiveness of human non-small cell lung cancer. British journal of cancer *106*, 1989-1996.
48. Cleland, M.M., Norris, K.L., Karbowski, M., Wang, C., Suen, D.F., Jiao, S., George, N.M., Luo, X., Li, Z., and Youle, R.J. (2011). Bcl-2 family interaction with the mitochondrial morphogenesis machinery. Cell death and differentiation *18*, 235-247.
49. Coussens, L.M., and Werb, Z. (2002). Inflammation and cancer. Nature *420*, 860-867.
50. Czabotar, P.E., Lessene, G., Strasser, A., and Adams, J.M. (2014). Control of apoptosis by the BCL-2 protein family: implications for physiology and therapy. Nature reviews Molecular cell biology *15*, 49-63.
51. Crighton, D., Wilkinson, S., O'Prey, J., Syed, N., Smith, P., Harrison, P.R., Gasco, M., Garrone, O., Crook, T., and Ryan, K.M. (2006). DRAM, a p53-induced modulator of autophagy, is critical for apoptosis. Cell *126*, 121-134.
52. Daiber, A. (2010). Redox signaling (cross-talk) from and to mitochondria involves mitochondrial pores and reactive oxygen species. Biochimica et biophysica acta *1797*, 897-906.
53. Daun, J.M., and Fenton, M.J. (2000). Interleukin-1/Toll receptor family members: receptor structure and signal transduction pathways. Journal of interferon & cytokine research : the official journal of the International Society for Interferon and Cytokine Research *20*, 843-855.
54. Davis, C.W., Hawkins, B.J., Ramasamy, S., Irrinki, K.M., Cameron, B.A., Islam, K., Daswani, V.P., Doonan, P.J., Manevich, Y., and Madesh, M. (2010). Nitration of the mitochondrial complex I subunit NDUFB8 elicits RIP1- and RIP3-mediated necrosis. Free radical biology & medicine *48*, 306-317.
55. de Visser, K.E., Eichten, A., and Coussens, L.M. (2006). Paradoxical roles of the immune system during cancer development. Nature reviews Cancer *6*, 24-37.
56. Degli-Esposti, M.A., Dougall, W.C., Smolak, P.J., Waugh, J.Y., Smith, C.A., and Goodwin, R.G. (1997). The novel receptor TRAIL-R4 induces NF-kappaB and protects against TRAIL-mediated apoptosis, yet retains an incomplete death domain. Immunity *7*, 813-820.
57. Degterev, A., Huang, Z., Boyce, M., Li, Y., Jagtap, P., Mizushima, N., Cuny, G.D., Mitchison, T.J., Moskowitz, M.A., and Yuan, J. (2005). Chemical inhibitor of nonapoptotic cell death with therapeutic potential for ischemic brain injury. Nature chemical biology *1*, 112-119.
58. Dempsey, P.W., Doyle, S.E., He, J.Q., and Cheng, G. (2003). The signaling adaptors and pathways activated by TNF superfamily. Cytokine & growth factor reviews *14*, 193-209.
59. Desbarats, J., Birge, R.B., Mimouni-Rongy, M., Weinstein, D.E., Palerme, J.S., and Newell, M.K. (2003). Fas engagement induces neurite growth through ERK activation and p35 upregulation. Nature cell biology *5*, 118-125.

60. Djavaheri-Mergny, M., Amelotti, M., Mathieu, J., Besancon, F., Bauvy, C., Souquere, S., Pierron, G., and Codogno, P. (2006). NF-kappaB activation represses tumor necrosis factor-alpha-induced autophagy. The Journal of biological chemistry *281*, 30373-30382.
61. Duckett, C.S. (2002). Apoptosis and NF-kappa B: the FADD connection. The Journal of clinical investigation *109*, 579-580.
62. Ea, C.K., Deng, L., Xia, Z.P., Pineda, G., and Chen, Z.J. (2006). Activation of IKK by TNFalpha requires site-specific ubiquitination of RIP1 and polyubiquitin binding by NEMO. Molecular cell *22*, 245-257.
63. Eberstadt, M., Huang, B., Chen, Z., Meadows, R.P., Ng, S.C., Zheng, L., Lenardo, M.J., and Fesik, S.W. (1998). NMR structure and mutagenesis of the FADD (Mort1) death-effector domain. Nature *392*, 941-945.
64. Ehrhardt, H., Fulda, S., Schmid, I., Hiscott, J., Debatin, K.M., and Jeremias, I. (2003). TRAIL induced survival and proliferation in cancer cells resistant towards TRAIL-induced apoptosis mediated by NF-kappaB. Oncogene *22*, 3842-3852.
65. Elmore, S. (2007). Apoptosis: a review of programmed cell death. Toxicologic pathology *35*, 495-516.
66. Feng, S., Yang, Y., Mei, Y., Ma, L., Zhu, D.E., Hoti, N., Castanares, M., and Wu, M. (2007). Cleavage of RIP3 inactivates its caspase-independent apoptosis pathway by removal of kinase domain. Cellular signalling *19*, 2056-2067.
67. Feng, Z., Zhang, H., Levine, A.J., and Jin, S. (2005). The coordinate regulation of the p53 and mTOR pathways in cells. Proceedings of the National Academy of Sciences of the United States of America *102*, 8204-8209.
68. Feoktistova, M., Geserick, P., Kellert, B., Dimitrova, D.P., Langlais, C., Hupe, M., Cain, K., MacFarlane, M., Hacker, G., and Leverkus, M. (2011). cIAPs block Ripoptosome formation, a RIP1/caspase-8 containing intracellular cell death complex differentially regulated by cFLIP isoforms. Molecular cell *43*, 449-463.
69. Festjens, N., Vanden Berghe, T., Cornelis, S., and Vandenabeele, P. (2007). RIP1, a kinase on the crossroads of a cell's decision to live or die. Cell death and differentiation *14*, 400-410.
70. French, L.E., and Tschopp, J. (1999). Inhibition of death receptor signaling by FLICE-inhibitory protein as a mechanism for immune escape of tumors. The Journal of experimental medicine *190*, 891-894.
71. Frisch, S. (2004). Nuclear localization of FADD protein. Cell death and differentiation 11, 1361-1362; author reply 1362-1364.
72. Fukazawa, T., Fujiwara, T., Uno, F., Teraishi, F., Kadowaki, Y., Itoshima, T., Takata, Y., Kagawa, S., Roth, J.A., Tschopp, J.*, et al.* (2001). Accelerated degradation of cellular FLIP protein through the ubiquitin-proteasome pathway in p53-mediated apoptosis of human cancer cells. Oncogene *20*, 5225-5231.
73. Fulda, S., Kufer, M.U., Meyer, E., van Valen, F., Dockhorn-Dworniczak, B., and Debatin, K.M. (2001). Sensitization for death receptor- or drug-induced apoptosis by re-expression of caspase-8 through demethylation or gene transfer. Oncogene *20*, 5865-5877.
74. Gao, S.P., Mark, K.G., Leslie, K., Pao, W., Motoi, N., Gerald, W.L., Travis, W.D., Bornmann, W., Veach, D., Clarkson, B.*, et al.* (2007). Mutations in the EGFR kinase domain mediate STAT3 activation via IL-6 production in human lung adenocarcinomas. The Journal of clinical investigation *117*, 3846-3856.
75. Golks, A., Brenner, D., Fritsch, C., Krammer, P.H., and Lavrik, I.N. (2005). c-FLIPR, a new regulator of death receptor-induced apoptosis. The Journal of biological chemistry *280*, 14507-14513.
76. Golks, A., Brenner, D., Krammer, P.H., and Lavrik, I.N. (2006). The c-FLIP-NH2 terminus (p22-FLIP) induces NF-kappaB activation. The Journal of experimental medicine *203*, 1295-1305.
77. Gomez-Angelats, M., and Cidlowski, J.A. (2003). Molecular evidence for the nuclear localization of FADD. Cell death and differentiation *10*, 791-797.
78. Grivennikov, S.I., Greten, F.R., and Karin, M. (2010). Immunity, inflammation, and cancer. Cell *140*, 883-899.
79. Grivennikov, S.I., and Karin, M. (2010). Inflammation and oncogenesis: a vicious connection. Current opinion in genetics & development *20*, 65-71.

80. Guicciardi, M.E., and Gores, G.J. (2009). Life and death by death receptors. FASEB journal : official publication of the Federation of American Societies for Experimental Biology *23*, 1625-1637.
81. Han, J., Zhong, C.Q., and Zhang, D.W. (2011). Programmed necrosis: backup to and competitor with apoptosis in the immune system. Nature immunology *12*, 1143-1149.
82. Hanahan, D., and Weinberg, R.A. (2000). The hallmarks of cancer. Cell *100*, 57-70.
83. Hanahan, D., and Weinberg, R.A. (2011). Hallmarks of cancer: the next generation. Cell 144, 646-674.
84. He, S., Wang, L., Miao, L., Wang, T., Du, F., Zhao, L., and Wang, X. (2009). Receptor interacting protein kinase-3 determines cellular necrotic response to TNF-alpha. Cell *137*, 1100-1111.
85. Higuchi, H., Yoon, J.H., Grambihler, A., Werneburg, N., Bronk, S.F., and Gores, G.J. (2003). Bile acids stimulate cFLIP phosphorylation enhancing TRAIL-mediated apoptosis. The Journal of biological chemistry *278*, 454-461.
86. Hill, J.M., Morisawa, G., Kim, T., Huang, T., Wei, Y., Wei, Y., and Werner, M.H. (2004). Identification of an expanded binding surface on the FADD death domain responsible for interaction with CD95/Fas. The Journal of biological chemistry *279*, 1474-1481.
87. Holler, N., Tardivel, A., Kovacsovics-Bankowski, M., Hertig, S., Gaide, O., Martinon, F., Tinel, A., Deperthes, D., Calderara, S., Schulthess, T*., et al.* (2003). Two adjacent trimeric Fas ligands are required for Fas signaling and formation of a death-inducing signaling complex. Molecular and cellular biology *23*, 1428-1440.
88. Holler, N., Zaru, R., Micheau, O., Thome, M., Attinger, A., Valitutti, S., Bodmer, J.L., Schneider, P., Seed, B., and Tschopp, J. (2000). Fas triggers an alternative, caspase-8-independent cell death pathway using the kinase RIP as effector molecule. Nature immunology *1*, 489-495.
89. Hsu, H., Shu, H.B., Pan, M.G., and Goeddel, D.V. (1996). TRADD-TRAF2 and TRADD-FADD interactions define two distinct TNF receptor 1 signal transduction pathways. Cell *84*, 299-308.
90. Hu, W.H., Johnson, H., and Shu, H.B. (2000). Activation of NF-kappaB by FADD, Casper, and caspase-8. The Journal of biological chemistry *275*, 10838-10844.
91. Imanishi, T., McBride, J., Ho, Q., O'Brien, K.D., Schwartz, S.M., and Han, D.K. (2000). Expression of cellular FLICE-inhibitory protein in human coronary arteries and in a rat vascular injury model. The American journal of pathology *156*, 125-137.
92. Irisarri, M., Plumas, J., Bonnefoix, T., Jacob, M.C., Roucard, C., Pasquier, M.A., Sotto, J.J., and Lajmanovich, A. (2000). Resistance to CD95-mediated apoptosis through constitutive c-FLIP expression in a non-Hodgkin's lymphoma B cell line. Leukemia *14*, 2149-2158.
93. Irmler, M., Thome, M., Hahne, M., Schneider, P., Hofmann, K., Steiner, V., Bodmer, J.L., Schroter, M., Burns, K., Mattmann, C*., et al.* (1997). Inhibition of death receptor signals by cellular FLIP. Nature *388*, 190-195.
94. Jeong, E.J., Bang, S., Lee, T.H., Park, Y.I., Sim, W.S., and Kim, K.S. (1999). The solution structure of FADD death domain. Structural basis of death domain interactions of Fas and FADD. The Journal of biological chemistry *274*, 16337-16342.
95. Jonsson, G., Paulie, S., and Grandien, A. (2003). High level of cFLIP correlates with resistance to death receptor-induced apoptosis in bladder carcinoma cells. Anticancer research *23*, 1213-1218.
96. Kaiser, W.J., Upton, J.W., Long, A.B., Livingston-Rosanoff, D., Daley-Bauer, L.P., Hakem, R., Caspary, T., and Mocarski, E.S. (2011). RIP3 mediates the embryonic lethality of caspase-8-deficient mice. Nature *471*, 368-372.
97. Kalai, M., Van Loo, G., Vanden Berghe, T., Meeus, A., Burm, W., Saelens, X., and Vandenabeele, P. (2002). Tipping the balance between necrosis and apoptosis in human and murine cells treated with interferon and dsRNA. Cell death and differentiation *9*, 981-994.
98. Kang, R., Livesey, K.M., Zeh, H.J., Loze, M.T., and Tang, D. (2010). HMGB1: a novel Beclin 1-binding protein active in autophagy. Autophagy *6*, 1209-1211.
99. Karin, M., and Greten, F.R. (2005). NF-kappaB: linking inflammation and immunity to cancer development and progression. Nature reviews Immunology *5*, 749-759.
100. Karin, M., and Lin, A. (2002). NF-kappaB at the crossroads of life and death. Nature immunology *3*, 221-227.
101. Kawai, T., and Akira, S. (2007). TLR signaling. Seminars in immunology *19*, 24-32.

102. Kawai, T., and Akira, S. (2010). The role of pattern-recognition receptors in innate immunity: update on Toll-like receptors. Nature immunology *11*, 373-384.
103. Kelliher, M.A., Grimm, S., Ishida, Y., Kuo, F., Stanger, B.Z., and Leder, P. (1998). The death domain kinase RIP mediates the TNF-induced NF-kappaB signal. Immunity *8*, 297-303.
104. Kepp, O., Tesniere, A., Schlemmer, F., Michaud, M., Senovilla, L., Zitvogel, L., and Kroemer, G. (2009). Immunogenic cell death modalities and their impact on cancer treatment. Apoptosis : an international journal on programmed cell death *14*, 364-375.
105. Kim, H., Tu, H.C., Ren, D., Takeuchi, O., Jeffers, J.R., Zambetti, G.P., Hsieh, J.J., and Cheng, E.H. (2009). Stepwise activation of BAX and BAK by tBID, BIM, and PUMA initiates mitochondrial apoptosis. Molecular cell *36*, 487-499.
106. Kim, P.K., Dutra, A.S., Chandrasekharappa, S.C., and Puck, J.M. (1996). Genomic structure and mapping of human FADD, an intracellular mediator of lymphocyte apoptosis. Journal of immunology *157*, 5461-5466.
107. Kim, S., Ohoka, N., Okuhira, K., Sai, K., Nishimaki-Mogami, T., and Naito, M. (2010). Modulation of RIP1 ubiquitylation and distribution by MeBS to sensitize cancer cells to tumor necrosis factor alpha-induced apoptosis. Cancer science *101*, 2425-2429.
108. Kischkel, F.C., Hellbardt, S., Behrmann, I., Germer, M., Pawlita, M., Krammer, P.H., and Peter, M.E. (1995). Cytotoxicity-dependent APO-1 (Fas/CD95)-associated proteins form a death-inducing signaling complex (DISC) with the receptor. The EMBO journal *14*, 5579-5588.
109. Komata, T., Koga, S., Hirohata, S., Takakura, M., Germano, I.M., Inoue, M., Kyo, S., Kondo, S., and Kondo, Y. (2001). A novel treatment of human malignant gliomas in vitro and in vivo: FADD gene transfer under the control of the human telomerase reverse transcriptase gene promoter. International journal of oncology *19*, 1015-1020.
110. Kondo, S., Ishizaka, Y., Okada, T., Kondo, Y., Hitomi, M., Tanaka, Y., Haqqi, T., Barnett, G.H., and Barna, B.P. (1998). FADD gene therapy for malignant gliomas in vitro and in vivo. Human gene therapy *9*, 1599-1608.
111. Kornfeld, J.W., Meder, S., Wohlberg, M., Friedrich, R.E., Rau, T., Riethdorf, L., Loning, T., Pantel, K., and Riethdorf, S. (2011). Overexpression of TACE and TIMP3 mRNA in head and neck cancer: association with tumour development and progression. British journal of cancer *104*, 138-145.
112. Kreuz, S., Siegmund, D., Scheurich, P., and Wajant, H. (2001). NF-kappaB inducers upregulate cFLIP, a cycloheximide-sensitive inhibitor of death receptor signaling. Molecular and cellular biology *21*, 3964-3973.
113. Kroemer, G., and Levine, B. (2008). Autophagic cell death: the story of a misnomer. Nat Rev Mol Cell Biol *9*, 1004-1010.
114. Kroemer, G., and Martin, S.J. (2005). Caspase-independent cell death. Nature medicine *11*, 725-730.
115. Krueger, A., Baumann, S., Krammer, P.H., and Kirchhoff, S. (2001). FLICE-inhibitory proteins: regulators of death receptor-mediated apoptosis. Molecular and cellular biology *21*, 8247-8254.
116. Kuang, A.A., Diehl, G.E., Zhang, J., and Winoto, A. (2000). FADD is required for DR4- and DR5-mediated apoptosis: lack of trail-induced apoptosis in FADD-deficient mouse embryonic fibroblasts. The Journal of biological chemistry *275*, 25065-25068.
117. Lahm, A., Paradisi, A., Green, D.R., and Melino, G. (2003). Death fold domain interaction in apoptosis. Cell death and differentiation *10*, 10-12.
118. Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature 227, 680-685.
119. Peter, M.E. (2000). The TRAIL DISCussion: It is FADD and caspase-8! Cell death and differentiation 7, 759-760.
120. Laplante, M., and Sabatini, D.M. (2012). mTOR signaling in growth control and disease. Cell *149*, 274-293.
121. Latz, E., Xiao, T.S., and Stutz, A. (2013). Activation and regulation of the inflammasomes. Nature reviews Immunology 13, 397-411.
122. Lavrik, I.N., and Krammer, P.H. (2012). Regulation of CD95/Fas signaling at the DISC. Cell death and differentiation *19*, 36-41.

123. Lee, E.W., Kim, J.H., Ahn, Y.H., Seo, J., Ko, A., Jeong, M., Kim, S.J., Ro, J.Y., Park, K.M., Lee, H.W., *et al.* (2012). Ubiquitination and degradation of the FADD adaptor protein regulate death receptor-mediated apoptosis and necroptosis. Nature communications *3*, 978.
124. Lee, J.S., Li, Q., Lee, J.Y., Lee, S.H., Jeong, J.H., Lee, H.R., Chang, H., Zhou, F.C., Gao, S.J., Liang, C., *et al.* (2009). FLIP-mediated autophagy regulation in cell death control. Nature cell biology *11*, 1355-1362.
125. Leong, K.G., and Karsan, A. (2000). Signaling pathways mediated by tumor necrosis factor alpha. Histology and histopathology *15*, 1303-1325.
126. Levine, B., and Klionsky, D.J. (2004). Development by self-digestion: molecular mechanisms and biological functions of autophagy. Developmental cell *6*, 463-477.
127. Levine, B., and Kroemer, G. (2008). Autophagy in the pathogenesis of disease. Cell *132*, 27-42.
128. Levine, B., and Yuan, J. (2005). Autophagy in cell death: an innocent convict? The Journal of clinical investigation *115*, 2679-2688.
129. Li, C., Capan, E., Zhao, Y., Zhao, J., Stolz, D., Watkins, S.C., Jin, S., and Lu, B. (2006). Autophagy is induced in CD4+ T cells and important for the growth factor-withdrawal cell death. Journal of immunology *177*, 5163-5168.
130. Li, H., Zhu, H., Xu, C.J., and Yuan, J. (1998). Cleavage of BID by caspase 8 mediates the mitochondrial damage in the Fas pathway of apoptosis. Cell *94*, 491-501.
131. Lien, E., Sellati, T.J., Yoshimura, A., Flo, T.H., Rawadi, G., Finberg, R.W., Carroll, J.D., Espevik, T., Ingalls, R.R., Radolf, J.D., *et al.* (1999). Toll-like receptor 2 functions as a pattern recognition receptor for diverse bacterial products. The Journal of biological chemistry *274*, 33419-33425.
132. Lin, A. (2003). Activation of the JNK signaling pathway: breaking the brake on apoptosis. BioEssays : news and reviews in molecular, cellular and developmental biology *25*, 17-24.
133. Lin, W.W., and Karin, M. (2007). A cytokine-mediated link between innate immunity, inflammation, and cancer. The Journal of clinical investigation *117*, 1175-1183.
134. Lin, Y., Devin, A., Rodriguez, Y., and Liu, Z.G. (1999). Cleavage of the death domain kinase RIP by caspase-8 prompts TNF-induced apoptosis. Genes & development *13*, 2514-2526.
135. Livesey, K.M., Tang, D., Zeh, H.J., and Lotze, M.T. (2009). Autophagy inhibition in combination cancer treatment. Current opinion in investigational drugs *10*, 1269-1279.
136. Livesey, K.M., Kang, R., Vernon, P., Buchser, W., Loughran, P., Watkins, S.C., Zhang, L., Manfredi, J.J., Zeh, H.J., 3rd, Li, L., *et al.* (2012). p53/HMGB1 complexes regulate autophagy and apoptosis. Cancer research *72*, 1996-2005.
137. Longley, D.B., Wilson, T.R., McEwan, M., Allen, W.L., McDermott, U., Galligan, L., and Johnston, P.G. (2006). c-FLIP inhibits chemotherapy-induced colorectal cancer cell death. Oncogene *25*, 838-848.
138. Lorin, S., Pierron, G., Ryan, K.M., Codogno, P., and Djavaheri-Mergny, M. (2010). Evidence for the interplay between JNK and p53-DRAM signalling pathways in the regulation of autophagy. Autophagy *6*, 153-154.
139. Lu, C.X., Fan, T.J., Hu, G.B., and Cong, R.S. (2003). Apoptosis-inducing factor and apoptosis. Sheng wu hua xue yu sheng wu wu li xue bao Acta biochimica et biophysica Sinica *35*, 881-885.
140. Lu, J.V., Weist, B.M., van Raam, B.J., Marro, B.S., Nguyen, L.V., Srinivas, P., Bell, B.D., Luhrs, K.A., Lane, T.E., Salvesen, G.S., *et al.* (2011). Complementary roles of Fas-associated death domain (FADD) and receptor interacting protein kinase-3 (RIPK3) in T-cell homeostasis and antiviral immunity. Proceedings of the National Academy of Sciences of the United States of America *108*, 15312-15317.
141. Ma, Y., Liu, H., Tu-Rapp, H., Thiesen, H.J., Ibrahim, S.M., Cole, S.M., and Pope, R.M. (2004). Fas ligation on macrophages enhances IL-1R1-Toll-like receptor 4 signaling and promotes chronic inflammation. Nature immunology *5*, 380-387.
142. Maiuri, M.C., Le Toumelin, G., Criollo, A., Rain, J.C., Gautier, F., Juin, P., Tasdemir, E., Pierron, G., Troulinaki, K., Tavernarakis, N., *et al.* (2007). Functional and physical interaction between Bcl-X(L) and a BH3-like domain in Beclin-1. The EMBO journal *26*, 2527-2539.
143. Maiuri, M.C., Galluzzi, L., Morselli, E., Kepp, O., Malik, S.A., and Kroemer, G. (2010). Autophagy regulation by p53. Current opinion in cell biology *22*, 181-185.
144. Marini, E.S., Giampietri, C., Petrungaro, S., Conti, S., Filippini, A., Scorrano, L., and Ziparo, E. (2015). The endogenous caspase-8 inhibitor c-FLIPL regulates ER morphology and crosstalk with mitochondria. Cell death and differentiation *22*, 1131-1143.

145. Magnusson, C., and Vaux, D.L. (1999). Signalling by CD95 and TNF receptors: not only life and death. Immunology and cell biology *77*, 41-46.
146. Marklund, S., and Marklund, G. (1974). Involvement of the superoxide anion radical in the autoxidation of pyrogallol and a convenient assay for superoxide dismutase. European journal of biochemistry / FEBS *47*, 469-474.
147. Marino, G., Niso-Santano, M., Baehrecke, E.H., and Kroemer, G. (2014). Self-consumption: the interplay of autophagy and apoptosis. Nature reviews Molecular cell biology *15*, 81-94.
148. Marques-Fernandez, F., Planells-Ferrer, L., Gozzelino, R., Galenkamp, K.M., Reix, S., Llecha-Cano, N., Lopez-Soriano, J., Yuste, V.J., Moubarak, R.S., and Comella, J.X. (2013). TNFalpha induces survival through the FLIP-L-dependent activation of the MAPK/ERK pathway. Cell death & disease *4*, e493.
149. Matsuda, F., Inoue, N., Goto, Y., Maeda, A., Cheng, Y., Sakamaki, K., and Manabe, N. (2008). cFLIP regulates death receptor-mediated apoptosis in an ovarian granulosa cell line by inhibiting procaspase-8 cleavage. The Journal of reproduction and development *54*, 314-320.
150. Matsuyoshi, S., Shimada, K., Nakamura, M., Ishida, E., and Konishi, N. (2006). FADD phosphorylation is critical for cell cycle regulation in breast cancer cells. British journal of cancer *94*, 532-539.
151. McGowan, P.M., McKiernan, E., Bolster, F., Ryan, B.M., Hill, A.D., McDermott, E.W., Evoy, D., O'Higgins, N., Crown, J., and Duffy, M.J. (2008). ADAM-17 predicts adverse outcome in patients with breast cancer. Annals of oncology : official journal of the European Society for Medical Oncology / ESMO *19*, 1075-1081.
152. Micheau, O., Lens, S., Gaide, O., Alevizopoulos, K., and Tschopp, J. (2001). NF-kappaB signals induce the expression of c-FLIP. Molecular and cellular biology *21*, 5299-5305.
153. Micheau, O., and Tschopp, J. (2003). Induction of TNF receptor I-mediated apoptosis via two sequential signaling complexes. Cell *114*, 181-190.
154. Mongkolsapaya, J., Grimes, J.M., Chen, N., Xu, X.N., Stuart, D.I., Jones, E.Y., and Screaton, G.R. (1999). Structure of the TRAIL-DR5 complex reveals mechanisms conferring specificity in apoptotic initiation. Nature structural biology *6*, 1048-1053.
155. Moriwaki, K., Bertin, J., Gough, P.J., and Chan, F.K. (2015). A RIPK3-caspase 8 complex mediates atypical pro-IL-1beta processing. Journal of immunology *194*, 1938-1944.
156. Mukhopadhyay, S., Panda, P.K., Sinha, N., Das, D.N., and Bhutia, S.K. (2014). Autophagy and apoptosis: where do they meet? Apoptosis : an international journal on programmed cell death *19*, 555-566.
157. Mulligan, R.C. (1993). The basic science of gene therapy. Science *260*, 926-932.
158. Muppidi, J.R., Tschopp, J., and Siegel, R.M. (2004). Life and death decisions: secondary complexes and lipid rafts in TNF receptor family signal transduction. Immunity *21*, 461-465.
159. Muzio, M., Chinnaiyan, A.M., Kischkel, F.C., O'Rourke, K., Shevchenko, A., Ni, J., Scaffidi, C., Bretz, J.D., Zhang, M., Gentz, R., *et al.* (1996). FLICE, a novel FADD-homologous ICE/CED-3-like protease, is recruited to the CD95 (Fas/APO-1) death--inducing signaling complex. Cell *85*, 817-827.
160. N'Diaye, E.N., Kajihara, K.K., Hsieh, I., Morisaki, H., Debnath, J., and Brown, E.J. (2009). PLIC proteins or ubiquilins regulate autophagy-dependent cell survival during nutrient starvation. EMBO reports *10*, 173-179.
161. Nakano, H. (2004). Signaling crosstalk between NF-kappaB and JNK. Trends in immunology *25*, 402-405.
162. Newton, K., Harris, A.W., Bath, M.L., Smith, K.G., and Strasser, A. (1998). A dominant interfering mutant of FADD/MORT1 enhances deletion of autoreactive thymocytes and inhibits proliferation of mature T lymphocytes. The EMBO journal *17*, 706-718.
163. Newton, K., Harris, A.W., and Strasser, A. (2000). FADD/MORT1 regulates the pre-TCR checkpoint and can function as a tumour suppressor. The EMBO journal *19*, 931-941.
164. Newton, K., and Strasser, A. (2000). Ionizing radiation and chemotherapeutic drugs induce apoptosis in lymphocytes in the absence of Fas or FADD/MORT1 signaling. Implications for cancer therapy. The Journal of experimental medicine *191*, 195-200.
165. Nikoletopoulou, V., Markaki, M., Palikaras, K., and Tavernarakis, N. (2013). Crosstalk between apoptosis, necrosis and autophagy. Biochimica et biophysica acta *1833*, 3448-3459.

166. Oberstein, A., Jeffrey, P.D., and Shi, Y. (2007). Crystal structure of the Bcl-XL-Beclin 1 peptide complex: Beclin 1 is a novel BH3-only protein. The Journal of biological chemistry *282*, 13123-13132.
167. Osborn, S.L., Sohn, S.J., and Winoto, A. (2007). Constitutive phosphorylation mutation in Fas-associated death domain (FADD) results in early cell cycle defects. The Journal of biological chemistry *282*, 22786-22792.
168. Ozturk, S., Schleich, K., and Lavrik, I.N. (2012). Cellular FLICE-like inhibitory proteins (c-FLIPs): fine-tuners of life and death decisions. Experimental cell research *318*, 1324-1331.
169. Ofengeim, D., and Yuan, J. (2013). Regulation of RIP1 kinase signalling at the crossroads of inflammation and cell death. Nature reviews Molecular cell biology 14, 727-736.
170. Park, S.M., Schickel, R., and Peter, M.E. (2005). Nonapoptotic functions of FADD-binding death receptors and their signaling molecules. Current opinion in cell biology *17*, 610-616.
171. Park, Y.H., Jeong, M.S., Park, H.H., and Jang, S.B. (2013). Formation of the death domain complex between FADD and RIP1 proteins in vitro. Biochimica et biophysica acta *1834*, 292-300.
172. Pattingre, S., Tassa, A., Qu, X., Garuti, R., Liang, X.H., Mizushima, N., Packer, M., Schneider, M.D., and Levine, B. (2005). Bcl-2 antiapoptotic proteins inhibit Beclin 1-dependent autophagy. Cell *122*, 927-939.
173. Peter, M.E., Budd, R.C., Desbarats, J., Hedrick, S.M., Hueber, A.O., Newell, M.K., Owen, L.B., Pope, R.M., Tschopp, J., Wajant, H.*, et al.* (2007). The CD95 receptor: apoptosis revisited. Cell *129*, 447-450.
174. Peter, M.E., and Krammer, P.H. (2003). The CD95(APO-1/Fas) DISC and beyond. Cell death and differentiation *10*, 26-35.
175. Piao, X., Komazawa-Sakon, S., Nishina, T., Koike, M., Piao, J.H., Ehlken, H., Kurihara, H., Hara, M., Van Rooijen, N., Schutz, G.*, et al.* (2012). c-FLIP maintains tissue homeostasis by preventing apoptosis and programmed necrosis. Science signaling *5*, ra93.
176. Pope, R.M. (2002). Apoptosis as a therapeutic tool in rheumatoid arthritis. Nature reviews Immunology 2, 527-535.
177. Pommier, Y., Sordet, O., Antony, S., Hayward, R.L., and Kohn, K.W. (2004). Apoptosis defects and chemotherapy resistance: molecular interaction maps and networks. Oncogene *23*, 2934-2949.
178. Pua, H.H., Dzhagalov, I., Chuck, M., Mizushima, N., and He, Y.W. (2007). A critical role for the autophagy gene Atg5 in T cell survival and proliferation. The Journal of experimental medicine *204*, 25-31.
179. Pyo, J.O., Jang, M.H., Kwon, Y.K., Lee, H.J., Jun, J.I., Woo, H.N., Cho, D.H., Choi, B., Lee, H., Kim, J.H.*, et al.* (2005). Essential roles of Atg5 and FADD in autophagic cell death: dissection of autophagic cell death into vacuole formation and cell death. The Journal of biological chemistry *280*, 20722-20729.
180. Ranjan, K., Surolia, A., and Pathak, C. (2012). Apoptotic potential of Fas-associated death domain on regulation of cell death regulatory protein cFLIP and death receptor mediated apoptosis in HEK 293T cells. Journal of cell communication and signaling *6*, 155-168.
181. Ranjan, K., Sharma, A., Surolia, A., and Pathak, C. (2014). Regulation of HA14-1 mediated oxidative stress, toxic response, and autophagy by curcumin to enhance apoptotic activity in human embryonic kidney cells. BioFactors 40, 157-169.
182. Ranjan, K., and Pathak, C. (2015). Expression of cFLIP Determines the Basal Interaction of Bcl-2 with Beclin-1 and Regulates p53 Dependent Ubiquitination of Beclin-1 During Autophagic Stress. Journal of cellular biochemistry.
183. Ranjan, K., and Pathak, C. (2016). FADD regulates NF-kappaB activation and promotes ubiquitination of cFLIPL to induce apoptosis. Scientific reports 6, 22787.
184. Rensing-Ehl, A., Frei, K., Flury, R., Matiba, B., Mariani, S.M., Weller, M., Aebischer, P., Krammer, P.H., and Fontana, A. (1995). Local Fas/APO-1 (CD95) ligand-mediated tumor cell killing in vivo. European journal of immunology *25*, 2253-2258.
185. Safa, A.R. (2012). c-FLIP, a master anti-apoptotic regulator. Experimental oncology *34*, 176-184.
186. Sakamaki, K., Takagi, C., Kominami, K., Sakata, S., Yaoita, Y., Kubota, H.Y., Nozaki, M., Yonehara, S., and Ueno, N. (2004). The adaptor molecule FADD from Xenopus laevis demonstrates

evolutionary conservation of its pro-apoptotic activity. Genes to cells : devoted to molecular & cellular mechanisms *9*, 1249-1264.
187. Sakurai, H., Suzuki, S., Kawasaki, N., Nakano, H., Okazaki, T., Chino, A., Doi, T., and Saiki, I. (2003). Tumor necrosis factor-alpha-induced IKK phosphorylation of NF-kappaB p65 on serine 536 is mediated through the TRAF2, TRAF5, and TAK1 signaling pathway. The Journal of biological chemistry *278*, 36916-36923.
188. Salaun, B., Romero, P., and Lebecque, S. (2007). Toll-like receptors' two-edged sword: when immunity meets apoptosis. European journal of immunology *37*, 3311-3318.
189. Schwabe, R.F., Bradham, C.A., Uehara, T., Hatano, E., Bennett, B.L., Schoonhoven, R., and Brenner, D.A. (2003). c-Jun-N-terminal kinase drives cyclin D1 expression and proliferation during liver regeneration. Hepatology *37*, 824-832.
190. Sandu, C., Morisawa, G., Wegorzewska, I., Huang, T., Arechiga, A.F., Hill, J.M., Kim, T., Walsh, C.M., and Werner, M.H. (2006). FADD self-association is required for stable interaction with an activated death receptor. Cell death and differentiation *13*, 2052-2061.
191. Scaffidi, C., Fulda, S., Srinivasan, A., Friesen, C., Li, F., Tomaselli, K.J., Debatin, K.M., Krammer, P.H., and Peter, M.E. (1998). Two CD95 (APO-1/Fas) signaling pathways. The EMBO journal *17*, 1675-1687.
192. Scaffidi, C., Volkland, J., Blomberg, I., Hoffmann, I., Krammer, P.H., and Peter, M.E. (2000). Phosphorylation of FADD/ MORT1 at serine 194 and association with a 70-kDa cell cycle-regulated protein kinase. Journal of immunology *164*, 1236-1242.
193. Schaub, F.J., Han, D.K., Liles, W.C., Adams, L.D., Coats, S.A., Ramachandran, R.K., Seifert, R.A., Schwartz, S.M., and Bowen-Pope, D.F. (2000). Fas/FADD-mediated activation of a specific program of inflammatory gene expression in vascular smooth muscle cells. Nature medicine *6*, 790-796.
194. Schock, S.N., Young, J.A., He, T.H., Sun, Y., and Winoto, A. (2015). Deletion of FADD in macrophages and granulocytes results in RIP3- and MyD88-dependent systemic inflammation. PloS one *10*, e0124391.
195. Schrijvers, M.L., Pattje, W.J., Slagter-Menkema, L., Mastik, M.F., Gibcus, J.H., Langendijk, J.A., van der Wal, J.E., van der Laan, B.F., and Schuuring, E. (2012). FADD expression as a prognosticator in early-stage glottic squamous cell carcinoma of the larynx treated primarily with radiotherapy. International journal of radiation oncology, biology, physics *83*, 1220-1226.
196. Scott, F.L., Stec, B., Pop, C., Dobaczewska, M.K., Lee, J.J., Monosov, E., Robinson, H., Salvesen, G.S., Schwarzenbacher, R., and Riedl, S.J. (2009). The Fas-FADD death domain complex structure unravels signalling by receptor clustering. Nature *457*, 1019-1022.
197. Screaton, R.A., Kiessling, S., Sansom, O.J., Millar, C.B., Maddison, K., Bird, A., Clarke, A.R., and Frisch, S.M. (2003). Fas-associated death domain protein interacts with methyl-CpG binding domain protein 4: a potential link between genome surveillance and apoptosis. Proceedings of the National Academy of Sciences of the United States of America *100*, 5211-5216.
198. Shen, H.M., and Liu, Z.G. (2006). JNK signaling pathway is a key modulator in cell death mediated by reactive oxygen and nitrogen species. Free radical biology & medicine *40*, 928-939.
199. Shimada, K., Matsuyoshi, S., Nakamura, M., Ishida, E., and Konishi, N. (2005). Phosphorylation status of Fas-associated death domain-containing protein (FADD) is associated with prostate cancer progression. The Journal of pathology *206*, 423-432.
200. Shinoura, N., Yoshida, Y., Sadata, A., Hanada, K.I., Yamamoto, S., Kirino, T., Asai, A., and Hamada, H. (1998). Apoptosis by retrovirus- and adenovirus-mediated gene transfer of Fas ligand to glioma cells: implications for gene therapy. Human gene therapy *9*, 1983-1993.
201. Siegel, R.M., Frederiksen, J.K., Zacharias, D.A., Chan, F.K., Johnson, M., Lynch, D., Tsien, R.Y., and Lenardo, M.J. (2000). Fas preassociation required for apoptosis signaling and dominant inhibition by pathogenic mutations. Science *288*, 2354-2357.
202. Siegel, R.M., Martin, D.A., Zheng, L., Ng, S.Y., Bertin, J., Cohen, J., and Lenardo, M.J. (1998). Death-effector filaments: novel cytoplasmic structures that recruit caspases and trigger apoptosis. The Journal of cell biology *141*, 1243-1253.
203. Song, W., and Lahiri, D.K. (1995). Efficient transfection of DNA by mixing cells in suspension with calcium phosphate. Nucleic acids research *23*, 3609-3611.

204. Susin, S.A., Lorenzo, H.K., Zamzami, N., Marzo, I., Snow, B.E., Brothers, G.M., Mangion, J., Jacotot, E., Costantini, P., Loeffler, M.*, et al.* (1999). Molecular characterization of mitochondrial apoptosis-inducing factor. Nature *397*, 441-446.
205. Tait, S.W., and Green, D.R. (2010). Mitochondria and cell death: outer membrane permeabilization and beyond. Nature reviews Molecular cell biology *11*, 621-632.
206. Tait, S.W., Ichim, G., and Green, D.R. (2014). Die another way--non-apoptotic mechanisms of cell death. Journal of cell science *127*, 2135-2144.
207. Tang, D., Kang, R., Livesey, K.M., Cheh, C.W., Farkas, A., Loughran, P., Hoppe, G., Bianchi, M.E., Tracey, K.J., Zeh, H.J., 3rd*, et al.* (2010). Endogenous HMGB1 regulates autophagy. The Journal of cell biology *190*, 881-892.
208. Tanida, I., Ueno, T., and Kominami, E. (2004). LC3 conjugation system in mammalian autophagy. The international journal of biochemistry & cell biology *36*, 2503-2518.
209. Taylor, R.C., Cullen, S.P., and Martin, S.J. (2008). Apoptosis: controlled demolition at the cellular level. Nature reviews Molecular cell biology *9*, 231-241.
210. Tenev, T., Bianchi, K., Darding, M., Broemer, M., Langlais, C., Wallberg, F., Zachariou, A., Lopez, J., MacFarlane, M., Cain, K.*, et al.* (2011). The Ripoptosome, a signaling platform that assembles in response to genotoxic stress and loss of IAPs. Molecular cell *43*, 432-448.
211. Thome, M., Schneider, P., Hofmann, K., Fickenscher, H., Meinl, E., Neipel, F., Mattmann, C., Burns, K., Bodmer, J.L., Schroter, M.*, et al.* (1997). Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors. Nature *386*, 517-521.
212. Thorburn, A. (2008). Apoptosis and autophagy: regulatory connections between two supposedly different processes. Apoptosis *13*, 1-9.
213. Thorburn, J., Moore, F., Rao, A., Barclay, W.W., Thomas, L.R., Grant, K.W., Cramer, S.D., and Thorburn, A. (2005). Selective inactivation of a Fas-associated death domain protein (FADD)-dependent apoptosis and autophagy pathway in immortal epithelial cells. Molecular biology of the cell *16*, 1189-1199.
214. Thornberry, N.A., and Lazebnik, Y. (1998). Caspases: enemies within. Science *281*, 1312-1316.
215. Thurau, M., Everett, H., Tapernoux, M., Tschopp, J., and Thome, M. (2006). The TRAF3-binding site of human molluscipox virus FLIP molecule MC159 is critical for its capacity to inhibit Fas-induced apoptosis. Cell death and differentiation *13*, 1577-1585.
216. Tibbetts, M.D., Zheng, L., and Lenardo, M.J. (2003). The death effector domain protein family: regulators of cellular homeostasis. Nature immunology *4*, 404-409.
217. Tourneur, L., Buzyn, A., and Chiocchia, G. (2005). FADD adaptor in cancer. Medical immunology *4*, 1.
218. Tourneur, L., and Chiocchia, G. (2010). FADD: a regulator of life and death. Trends in immunology *31*, 260-269.
219. Tourneur, L., Mistou, S., Michiels, F.M., Devauchelle, V., Renia, L., Feunteun, J., and Chiocchia, G. (2003). Loss of FADD protein expression results in a biased Fas-signaling pathway and correlates with the development of tumoral status in thyroid follicular cells. Oncogene *22*, 2795-2804.
220. Tovchigrechko, A., and Vakser, I.A. (2006). GRAMM-X public web server for protein-protein docking. Nucleic acids research *34*, W310-314.
221. Tungteakkhun, S.S., Filippova, M., Neidigh, J.W., Fodor, N., and Duerksen-Hughes, P.J. (2008). The interaction between human papillomavirus type 16 and FADD is mediated by a novel E6 binding domain. Journal of virology *82*, 9600-9614.
222. Tsuchiya, Y., Nakabayashi, O., and Nakano, H. (2015). FLIP the Switch: Regulation of Apoptosis and Necroptosis by cFLIP. International journal of molecular sciences 16, 30321-30341.
223. Upton, J.W., Kaiser, W.J., and Mocarski, E.S. (2010). Virus inhibition of RIP3-dependent necrosis. Cell host & microbe *7*, 302-313.
224. Vanden Berghe, T., Linkermann, A., Jouan-Lanhouet, S., Walczak, H., and Vandenabeele, P. (2014). Regulated necrosis: the expanding network of non-apoptotic cell death pathways. Nature reviews Molecular cell biology *15*, 135-147.
225. Vanden Berghe, T., van Loo, G., Saelens, X., Van Gurp, M., Brouckaert, G., Kalai, M., Declercq, W., and Vandenabeele, P. (2004). Differential signaling to apoptotic and necrotic cell death by Fas-associated death domain protein FADD. The Journal of biological chemistry *279*, 7925-7933.
226. Vandenabeele, P., Declercq, W., Van Herreweghe, F., and Vanden Berghe, T. (2010a). The role of the kinases RIP1 and RIP3 in TNF-induced necrosis. Science signaling *3*, re4.

227. Vandenabeele, P., Galluzzi, L., Vanden Berghe, T., and Kroemer, G. (2010b). Molecular mechanisms of necroptosis: an ordered cellular explosion. Nature reviews Molecular cell biology *11*, 700-714.
228. Vanlangenakker, N., Vanden Berghe, T., and Vandenabeele, P. (2012). Many stimuli pull the necrotic trigger, an overview. Cell death and differentiation *19*, 75-86.
229. Varfolomeev, E.E., Schuchmann, M., Luria, V., Chiannilkulchai, N., Beckmann, J.S., Mett, I.L., Rebrikov, D., Brodianski, V.M., Kemper, O.C., Kollet, O.*, et al.* (1998). Targeted disruption of the mouse Caspase 8 gene ablates cell death induction by the TNF receptors, Fas/Apo1, and DR3 and is lethal prenatally. Immunity *9*, 267-276.
230. Vilmont, V., Filhol, O., Hesse, A.M., Coute, Y., Hue, C., Remy-Tourneur, L., Mistou, S., Cochet, C., and Chiocchia, G. (2015). Modulatory role of the anti-apoptotic protein kinase CK2 in the sub-cellular localization of Fas associated death domain protein (FADD). Biochimica et biophysica acta *1853*, 2885-2896.
231. Waghela, B.N., Sharma, A., Dhumale, S., Pandey, S.M., and Pathak, C. (2015). Curcumin conjugated with PLGA potentiates sustainability, anti-proliferative activity and apoptosis in human colon carcinoma cells. PloS one 10, e0117526.
232. Wajant, H., Pfizenmaier, K., and Scheurich, P. (2003). Tumor necrosis factor signaling. Cell death and differentiation *10*, 45-65.
233. Wallach, D., and Kovalenko, A. (2014). Keeping inflammation at bay. eLife *3*, e02583.
234. Walsh, C.M., and Edinger, A.L. (2010). The complex interplay between autophagy, apoptosis, and necrotic signals promotes T-cell homeostasis. Immunological reviews 236, 95-109.
235. Wang, C.Y., Mayo, M.W., Korneluk, R.G., Goeddel, D.V., and Baldwin, A.S., Jr. (1998). NF-kappaB antiapoptosis: induction of TRAF1 and TRAF2 and c-IAP1 and c-IAP2 to suppress caspase-8 activation. Science *281*, 1680-1683.
236. Wang, L., Du, F., and Wang, X. (2008). TNF-alpha induces two distinct caspase-8 activation pathways. Cell *133*, 693-703.
237. Wang, X. (2001). The expanding role of mitochondria in apoptosis. Genes & development *15*, 2922-2933.
238. Waters, J.P., Pober, J.S., and Bradley, J.R. (2013). Tumour necrosis factor and cancer. The Journal of pathology *230*, 241-248.
239. Wei, Y., Sinha, S., and Levine, B. (2008). Dual role of JNK1-mediated phosphorylation of Bcl-2 in autophagy and apoptosis regulation. Autophagy *4*, 949-951.
240. Welz, P.S., Wullaert, A., Vlantis, K., Kondylis, V., Fernandez-Majada, V., Ermolaeva, M., Kirsch, P., Sterner-Kock, A., van Loo, G., and Pasparakis, M. (2011). FADD prevents RIP3-mediated epithelial cell necrosis and chronic intestinal inflammation. Nature *477*, 330-334.
241. Werner, A.B., de Vries, E., Tait, S.W., Bontjer, I., and Borst, J. (2002). TRAIL receptor and CD95 signal to mitochondria via FADD, caspase-8/10, Bid, and Bax but differentially regulate events downstream from truncated Bid. The Journal of biological chemistry *277*, 40760-40767.
242. Werner, M.H., Wu, C., and Walsh, C.M. (2006). Emerging roles for the death adaptor FADD in death receptor avidity and cell cycle regulation. Cell cycle *5*, 2332-2338.
243. Wertz, I.E., and Dixit, V.M. (2010). Regulation of death receptor signaling by the ubiquitin system. Cell death and differentiation *17*, 14-24.
244. Willems, F., Amraoui, Z., Vanderheyde, N., Verhasselt, V., Aksoy, E., Scaffidi, C., Peter, M.E., Krammer, P.H., and Goldman, M. (2000). Expression of c-FLIP(L) and resistance to CD95-mediated apoptosis of monocyte-derived dendritic cells: inhibition by bisindolylmaleimide. Blood *95*, 3478-3482.
245. Wu, W., Liu, P., and Li, J. (2012). Necroptosis: an emerging form of programmed cell death. Critical reviews in oncology/hematology *82*, 249-258.
246. Yang, J.K. (2015). Death effecter domain for the assembly of death-inducing signaling complex. Apoptosis : an international journal on programmed cell death *20*, 235-239.
247. Yeh, W.C., de la Pompa, J.L., McCurrach, M.E., Shu, H.B., Elia, A.J., Shahinian, A., Ng, M., Wakeham, A., Khoo, W., Mitchell, K.*, et al.* (1998). FADD: essential for embryo development and signaling from some, but not all, inducers of apoptosis. Science *279*, 1954-1958.
248. Yeh, W.C., Itie, A., Elia, A.J., Ng, M., Shu, H.B., Wakeham, A., Mirtsos, C., Suzuki, N., Bonnard, M., Goeddel, D.V.*, et al.* (2000). Requirement for Casper (c-FLIP) in regulation of death receptor-induced apoptosis and embryonic development. Immunity *12*, 633-642.

249. Young, J.A., Sermwittayawong, D., Kim, H.J., Nandu, S., An, N., Erdjument-Bromage, H., Tempst, P., Coscoy, L., and Winoto, A. (2011). Fas-associated death domain (FADD) and the E3 ubiquitin-protein ligase TRIM21 interact to negatively regulate virus-induced interferon production. The Journal of biological chemistry *286*, 6521-6531.
250. Young, M.M., Takahashi, Y., Khan, O., Park, S., Hori, T., Yun, J., Sharma, A.K., Amin, S., Hu, C.D., Zhang, J., *et al.* (2012). Autophagosomal membrane serves as platform for intracellular death-inducing signaling complex (iDISC)-mediated caspase-8 activation and apoptosis. The Journal of biological chemistry *287*, 12455-12468.
251. Yu, J.W., Jeffrey, P.D., and Shi, Y. (2009). Mechanism of procaspase-8 activation by c-FLIPL. Proceedings of the National Academy of Sciences of the United States of America *106*, 8169-8174.
252. Zhande, R., Dauphinee, S.M., Thomas, J.A., Yamamoto, M., Akira, S., and Karsan, A. (2007). FADD negatively regulates lipopolysaccharide signaling by impairing interleukin-1 receptor-associated kinase 1-MyD88 interaction. Molecular and cellular biology *27*, 7394-7404.
253. Zhang, H.G., Wang, J., Yang, X., Hsu, H.C., and Mountz, J.D. (2004a). Regulation of apoptosis proteins in cancer cells by ubiquitin. Oncogene *23*, 2009-2015.
254. Zhang, J., and Winoto, A. (1996). A mouse Fas-associated protein with homology to the human Mort1/FADD protein is essential for Fas-induced apoptosis. Molecular and cellular biology *16*, 2756-2763.
255. Zhang, J., Zhang, D., and Hua, Z. (2004b). FADD and its phosphorylation. IUBMB life *56*, 395-401.
256. Zhou, R., Tardivel, A., Thorens, B., Choi, I., and Tschopp, J. (2010). Thioredoxin-interacting protein links oxidative stress to inflammasome activation. Nature immunology *11*, 136-140.
257. Zornig, M., Hueber, A.O., and Evan, G. (1998). p53-dependent impairment of T-cell proliferation in FADD dominant-negative transgenic mice. Current biology : CB *8*, 467-470.