REFERENCES

REFERENCES

Agarwal, G.C., 1984. Further studies on Tertiary and Quaternary sequences of South Gujarat with reference to their structural style and geomorphic expressions, Unpublished Ph.D. thesis, M.S.U. Baroda.

Ahluwalia, P.P., 1983. Monitoring and management of groundwater in saline coastal area of Saurashtra. Proc.Semi. on Assessment, Development and Management of Groundwater Resources, C.G.W.B., New Delhi, 2 : 253-262.

Babu, S.K., 1958. Report on the work done around Ghogha and surrounding area during Field season 1957-58, ONGC Report (Unpublished).

Biscaye, P.E., 1964. Distinction between kaolinite and chlorite in Recent sediments by x-ray diffraction, Am.Mineralogist, 49 : 1281-1289.

Biscaye, P.E., 1965. Mineralogy and sedimentation of recent deep sea clay in the Atlantic ocean adjacent seas and ocean, Geol.Soc.of Am. Bull., 76 : 803-832.

Biswas, S.K., 1971. Note on Geology of Kutch, Quat.Jour. Geob.Min.Mat.Soc.India, 43 : 4, 223-235.

Biswas, S.K., 1982. Rift Basins in Western Margin of India and their hydrocarbon Prospects with special reference to Kutch Basin. Am.Assoc.of Petrol.Geol.Bull., 66 : 10, 1497-1513.

Biswas, S.K. & Deshpande, S.V., 1983. Geology and hydrocarbon prospects of Kutch, Saurashtra and Narmada basins. Petrol.Asia journal, K.D.M.I.P.E., O.N.G.C. Dehradun, 111-126.

Borle, D.V., Sarin, M.M. & Somayajulu, B.L.K., 1982. Composition of Narmada and Tapi estuarine particles and adjacent Arabian Sea sediments, Indian Journal of Marine Sciences, 11 : 51-62.

Chandra, P.K. & Chowdhary, L.R., 1969. Stratigraphy of the Cambay Basin, Bull.ONGC, 6 : 2, 37-50.

Datta, A.K., 1959. Geological work done in Bhavnagar-Ghogha region, ONGC Report (Unpublished).

Eremenko, N.A., Negi, B.S., Kasiarov, M.V., Serigin, A.M., Deshpande, B.G., Sen Gupta, S.N., Talukdar, S.N., Sastri, V.V., Sokolov, I.P., Pavlenko, A.I., Datta,

A.K. and Raju, A.T.R., 1969. Tectonic Map of India, Bull. ONGC., 6 : 1-11.

Fedden, F., 1884. The Geology of Kathiawar Peninsula in Gujarat, G.S.I. Memoir., 21 : 2, 78-125.

Friodman, G.M., 1979. Size distribution among sand, Jour. Sedimentology, 26 : 1.

Ganapathi, S., 1981. Geological and Geomorphological Evolution of The Coastline Between Bhavnagar and Mahuva of Southeastern Saurashtra, Unpublished Ph.D. Thesis, M.S.University of Baroda, India.

Ganapathi, S. & Merh, S.S., 1982. Geological and geomorphological evolution of the coastline between Bhavnagar and Mahuva of Southern Saurashtra, Gujarat State, In the report of work based on the UGC sponsored research programme on Quaternary geology, Dept.of Geology, M.S.University of Baroda, 146-168.

Hayer, M.O., 1975. Morphology of sand accumulation in estuaries; an introduction to the symposium, In : L.E.Gronin (Editor) Estuarine Research Academic Press, New York, 2 : 3-22.

Iqbaluddin & Banerjee, G.M., 1978. A note on the Dynamic Geomorphic processes along Bhavnagar Coast, Gujarat, Indian Minerals, 32: 3, 50-51.

Kaila, K.L., Krishna, V.G., & Mall, D.M., 1981. Crustal structure along Mehmedabad- Billimora profile in the Cambay basin, India, From deep seismic soundings, Tectonophysics, 76 : 99-130.

Krishnan, M.S., 1968. Geology of India and Burma, Higginbothams (P) Limited, Madras, 536.

Markevich, V.P., 1976. Prognostic Assessment of Oil and Gas Prospects of India and Main Guidelines to Future Exploration, ONGC report.

Mathur, L.P. & Evans, P., 1964. Oil in India, XXII International Geol.Cong.New Delhi.

Mathur, L.P., Rao, K.L.N. & Chaube, A.N., 1968. Tectonic Framework of Cambay Basin, India, Bull.ONGC., 5: 1, 7-28.

Leopold, L.B., Maddock & Thomas, Jr., 1953. The hydraulic geometry of stream channels and some physiographic implications, U.S.Geol.Survey Prof. Paper, 252,57 (referred by Off, 1963).

Merh, S.S., 1980. The Miliolite problem: Presidential address, Sixtyseventh session of the Ind.Sci.Cong. Section of Geol.and Geog.Indian Sci.Cong.Assoc. Calcutta, 1-42.

Muley, M.V., Shah, V.P. Bokil, K.K. & Manjul, S.S., 1985. Coastal zone studies in the Gulf of Khambhat using SALYUT-7 space photographs, Proc.Workshop on Preliminary analysis of SALYUT-7 space photographs. Space Application Centre, Ahmedabad, 127-141.

Naidu, A.S., Mowatt, T.C., Fairbanks & Somayajulu, B.L.K. & Rao, S.K., 1985. Characteristics of clay minerals in the bed loads of major rivers of India, Mitt. Geol.Palaonto.Insti.Uni.Hamburg., SCOPE/UNEP Sonderband Heft. 58: 539-568.

Nair, R.R., Hashimi, N.H. & Purnachandra Rao, V., 1982. Distribution and dispersal of clay minerals on the Western Continental Shelf of India, Marine Geology, 50: M1-M9.

Nayak, S.R. & Sahai, B., 1985. Coastal geomorphology of the Gulf of Khambhat, Proc. Symp.Quat.Episodes,(Edited by Merh, S.S. & Vashi, N.M.). Dept.of Geol. M.S.U.Baroda, 87-96.

Negi, B.S., 1955. Gravity and magnetic survey in sub-surface structures in Bhavnagar-Ghogha area, Unpublished report.

Off,T., 1963. Rhythmic linear sand bodies caused by tidal currents, Am.Assoc. of Pet.Geol., 47: 2, 324-341.

Oomkens, E. & Terwindt, J.H.H., 1960. Inshore estuarine sediments in the Haringvliel (Netherlands), Geol. enMijnbouw, 23: 701-710.

* Raju, A.T.R., 1968. Geological Evolution of Assam and Cambay Tertiary Basins of India, The Am.Assoc.of Petrol.Geol. Bull., 52: 12, 2422-2437.

Raju, A.T.R. & Srinivasan, S., 1983. More hydrocarbon from well explored Cambay basin, Petroleum Asia Journal, K.D.M.I.P.E., O.N.G.C., Dehradun, 25-35.

Rao, M.S. & Venkata Rao, T., 1975. Ecology of foraminifera from Central Marginal Marine Environments from the east coast of India, Indian Jour.of Marine Sciences, 5: 72-82.

Rao, P.V. & Jain, S.K., 1959. Geology of Bhavnagar-Ghogha area, ONGC Report (Unpublished).

---

* For references begin with P, please refer pages 287-88

Rao, R.P., & Talukdar, S.N., 1980. Petroleum geology of Bombay High field, India, Reprint from Giant Oil and Gas fields of the Decede 1968-1978 by M.T.Halbouty.

Rao, S.R., 1973. Lothal and the Indus Civilization. New Delhi.

Rao, S.R., 1979. Lothal: A Harappan Port Town (1955-62), Memoir of the Archaeological Survey of India, New Delhi, 1: 38.

Robinson, A.H.W., 1956. The submarine morphology of certain port approach system, Jour.Inst.Navig., 9: 20-46.

Pandya, K.B., 1984. Microfaunal and Ecological Studies of the Holocene Sediments of Gujarat Coast, Unpublished Ph.D. thesis, M.S.University of Baroda.

Pandya, S.H., 1985. Location of Lothal : A Multidisciplinary approach, Proc.Symp.Quatt.Episodes (Edited by Merh, S.S. & Vashi, N.M.) Deptt. Geol., M.S.U.Baroda, 259-263.

Patel, K.F., 1985. Studies on the tidal muds of Saurashtra and Mainland Gujarat Coast with special reference to their geochemistry, Unpublished Ph.D.thesis, M.S. University of Baroda.

Patel, M.P. & Merh, S.S., 1982. Landform studies on the Bhogavo-Sabarmati confluence area of Gujarat with reference to Holocene sea-level changes, In the Report of work based on the U.G.C. Sponsored research programme on Quaternary geology. Dept.of Geology, M.S.University of Baroda, 219-226.

Patel, M.P., Patel, S.G. & Merh, S.S., 1985. Geomorphic Evidence of Quaternary sea-level changes in Mahi-Tapi Coastal Segment of Gujarat, Proc.Symp.Quatt. Episodes (Edited by Merh, S.S. & Vashi, N.M.) Dept. of Geology, M.S.U.Baroda, 49-62.

Powar, K.B., 1981. Lineament fabric and Dyke pattern in the western part of the Deccan Volcanic province, Deccan Volcanism, Geol.Soc.of Ind.Mem., 3: 45-57.

Sastry, C.V.S., Singh, G., Bhasin, A.L., Badda, S.N., Pati, B. & Chaturvedi, R.K., 1983. Possible leads for future exploration in Cambay basin, Petro.Asia Jour., K.D.M.I.P. I.P.E., O.N.G.C., Dehradun.

Schumm, S.H., 1960. The shape of alluvial channels in relation to sediment type, U.S.Geol.Surv.Prof.Paper, 352.

Shankarnarayan, G., Murthy, J.V.S., 1984. Groundwater resources in Mahi-Narmada interstream area, Gujarat, Jour.Ind. Acad.of Geoscience, Hyderabad, 27: 15-22.

Shapiro, L. & Barannock, W.W., 1962. Rapid analysis of Silica-carbonate and phosphate rocks, U.S.Geol.Surv.Bull. 1144A.

Shepard, F.P., 1954. Nomenclature based on sand-silt-clay ratios: Jour.Sed.Petrology, 24: 151-158.

Shrivastava, P.K., 1963. Geology of Saurashtra (compiled), ONGC Report (Unpublished).

Shrivastava, P.K., 1968a. Petrography and origin of miliolite limestone of Western Saurashtra Coast, Jour.Geol. Soc.India, 9: 1, 88-96.

Shrivastava, P.K., 1968b. A note on the Quaternary Geology of Saurashtra peninsula, Quat.Jour.Geol.Min.Met. Soci.India, 40: 2, 55-64.

Simson, D.B. & Richardson, E.V., 1961. Forms of bed roughness in alluvial channels, Am.Soc.Civ.Engg. Proc., 87: 87-105.

Sudhakar, S. & Basu, D.N., 1973. A reappraisal of the Paleogene stratigraphy of southern Cambay basin, Bull.O.N.G.C., 10: 1-2.

Tiwari, K.C., 1986. Hydrogeological Frame-work of the Heran River Basin Gujarat State: A critical Appraisal of its Lithology, Stuctur and Geomorphological Features, Unpublished Ph.D. Thesis, M.S.University of Baroda, Baroda.

Viswanathan, S., Rao, G.S.K. & Vishwanath, S., 1984. A preliminary study of bathymetry and sediment plume disperson in the Gulf of Cambay, Vth Ind. Geol.Cong.Bombay(abstract), 27-28.

Vogel, A.I., 1975. A text book of Quantitative Inorganic Analysis including Elementary Instrumental Analysis, 3rd ed., 1216.

Vyas, J.P., 1984. Geomorphic evolution of the Rajpipla hill and the neighbouring coastal plains, Unpublished Ph.D. thesis, M.S.Univ.of Baroda.