

BIBLIOGRAPHY

- Ahmed, F. (1968). Orogeny, geosyncline and continental drift, *Tectonophysics*, Vol.5, p. 177-189.
- Allen, J.R.L. (1965). A review of origin and characteristics of recent alluvial sediments, *Sedimentology*, Vol. 5, p. 89-191.
- _____ (1970). *Physical processes of sedimentation*, George Allen and Unwin Ltd., London.
- Andreson, M.J. (1962). Paleodrainage patterns, their mapping from subsurface data and their paleogeographic value, *Bull.AAPG*.
- Anstey, N.A. (1978). *Seismic exploration for sandstone reservoirs*. International human resources development corporation, Boston, U.S.A.
- Awasthi, D.N. and Venkataraman, S. (1979). Exploration of subtle traps in North Gujarat. *Bull. ONGC*, Vol.16, No.2.
- Auden, J.B. (1949). Dykes in W.India. *Trans. Nat. Instt. of Science, India*, V.3, p. 123-157
- Babu, P.V.L.P. (1977). Geomorphology of Cambay basin. *Photonirvachak, Jour. Soc. Photo. Int.*, V.5, No.1, p. 9-17.
- Bagnold, R.A. (1954). Experiments on a gravity-free dispersion of large spheres in a Newtonian fluid under stress : *Phil. Trans. Roy, Soc. London*, V.225, p. 49-63.

- Balakrishnan, T.S. (1979). Application of geophysics to the study of structure, sedimentation and tectonics of the Indian subcontinent; workshop on geological interpretation of geophysical data. ED. R. Prasada Rao, IPE, ONGC, Dehradun.
- Bellousov, V.V. (1974). Sea floor spreading and geologic reality in plate tectonics - Assessment and reassessment, AAPG Memoir 23.
- Bhandari, L.L. and Mathur, R.B. (1969). Strand line sands - Eocene prospects in Northern Cambay basin. Second Indian Petroleum Conference, Baroda, India.
- Bhandari, L.L. and Suresh Kumar. (1970). Paleocurrent analysis of Dhrangadhra Formation, Gujarat, India, Bull. ONGC, 7, p. 101-108.
- Bhandari, L.L. and Choudhary, L.R. (1975). Stratigraphic analysis of Kadi and Kalol Formations, Cambay basin, India, Bull. AAPG Vol. 29n (5).
- Biswas, S.K. (1982). Rift basins in western margin of India and their hydrocarbon prospect with special reference to Kutch basin Bull. AAPG, V.66, No.10, p. 1497-1513.
- Blandford, W.T. (1869). On the geology of the Taptee and lower Nerbudda valleys and some adjoining districts. Memoir G.S.I., Vol.6, Pt.3, p. 163-394.

- Bott, M.H.P. (1979). Subsidence mechanism at passive continental margins - AAPG Memoir 29, p. 3-9.
- Busch, D.A. (1959). Prospecting for stratigraphic traps. AAPG Bull., Vol.43, No.12.
- _____ (1974). Stratigraphic traps in sandstone exploration techniques, AAPG Memoir 21.
- Chandra, P.K. and Chowdhary, L.R. (1969). Stratigraphy of the Cambay basin, Bull. ONGC, Vol. 6, No.2, Dec. 1969, p.17-50.
- Chenoweth, P.A. (1967). Unconformity analysis. Bull. AAPG Vol.51, No.1, p. 4-27.
- Chowdhary, L.R. (1975). Reversal of basement block motions in Cambay basin, India and its importance in Petroleum Exploration. Bull. AAPG Vol. 59, No.1, p. 85-96.
- Chowdhary, L.R. and Lakshman Singh. (1978). Early Eocene subaerial erosional valleys in Cambay basin, India. Bull. AAPG, Vol. 62, No.3, March 1978, p. 442-454.
- Coleman, J.M. and Prior, D.S. (1982). Deltaic environments of deposition. In Scholle, PA and Spearing, D.B. (Eds), Sandstone depositional environments. Bull. AAPG Memoir 31, p. 139-178.

- Collins, B.W. and Ronald Fraser, ed. (1971). Recent crustal movements. The Royal Society of New Zealand Bulletin 9, International Union of Geological Science, International upper mantle committee, Wellington, New Zealand.
- Cotton, C.A. (1940). Classification and correlation of river terraces. Zeits. fur. Geomorph. V. 3(1), p. 26-37.
- Culling, W.E.H. (1957). Equilibrium states in multicyclic streams and the analysis of river terrace profiles. Jour. Geol. Vol.65, p. 451.
- Curt Teichert (1958). Concepts of Facies. Bull. AAPG Vol.42, No.11.
- Das, S.R. and Ray, A.K. (1977). Fracture pattern within Deccan Trap, West Coast of India, GSI Misc. publication, No.31, p.75-84.
- Datta, A.K. (1964). Foraminifera from the outcrop and subcrop samples of the Cambay basin with special reference to the Cambay structure, India. Bull. ONGC, Vol.1.
- Datta, A.K., Banerjee, R.K. and Soodan, K.S. (1969). A review of recent contribution to the Meso-Cenozoic foraminiferal biostratigraphy of India. ECAFE Symp. Min. Res. Dev. Ser. Vol.2.

- Datta, A.K. and Mehrotra, K.K. (1974). Foraminiferal biostratigraphic zonation of the Paleogene system and status of various age boundaries in the Cambay basin. Proc. 4th colloq. on micropal. strat. Madras.
- Davis, D.K. and Ethridge, F.G. (1975). Sandstone composition and depositional environment. Bull. AAPG No. 59.
- Demek, J. (ed) (1972). Manual of detailed geomorphological mapping. Academia, Czechoslovak Academy of Sciences. International geographical union, Commission on geomorphological survey and mapping Prague, p. 1-344.
- Desikachar, S.V. (1971). Origin and nature of Suraj High and occurrence of Mesozoics in subcrop in Cambay basin.
- Dickinson, W.R. (1974). Plate tectonics and sedimentation, tectonics and sedimentation, SEPM, sp. pub. No.22.
- Doeglas, D.J. (1946). Interpretation of the results of mechanical analysis : Jour. Sedimentary Petrology, V.16, p. 19-40.
- Eremenko, N.A., Negi, B.S., Kasianov, M.V., Seregin, A.M., Deshpande, B.G., Sengupta, S.N., Talukdar, S.N., Sastry, V.V., Sokolov, I.P., Pavlenkov, A.I., Datta, A.K. and Raju, A.T.R. (1969) Tectonic map of India (1968) by ONGC - Principles of Preparation, Bull. ONGC, Vol.6, No.1.

Fairbridge, R.W. (1968). The Encyclopedia of Geomorphology, Reinhold Book Corporation, Newyork.

Folk, R.L. and Ward, W.C. (1957). Brazos River bar : a study in significance of grain-size parameters : Jour. sedimentary Petrology, V. 27, p. 3-26.

Folk, R.L. (1965). Petrology of Sedimentary Rocks : Hemphils Book Stores, Austin, Texas, p. 159.

Friedman, G.M. (1961). Distinction between dune, beach and river sands from the textural characteristics : Jour. Sedimentary Petrology, V. 31, p. 514-529.

_____ (1967). Dynamic processes and Statistical parameters compared for size frequency distributions of beach and river sands : Jour. Sedimentary Petrology, V. 37, p. 327-354.

Gambir, S.C. (1974). Tectonic control of Paleogene sedimentation in Mehsana area of Cambay basin. Bull. ONGC, Vo. 11, No.2, Dec. 74, Vol.12, No.1, June, 75.

_____ (1976). Pattern of Accumulation and composition of oils in Mehsana area of Cambay Basin, India, Bull. AAPG Vol. 60, No.9, Sept. 1976.

Garner, H.F. (1974). The origin of landscapes. Oxford University Press, London. p. 734.

- Gerasimov, I.P. (1963). Recent crustal movements. International geophysical committee of the presidium of the Academy of Sciences, U.S.S.R. Moscow. Israel programme for scientific translation Jerusalem, 1967.
- Glaister, R.P. and Nelson, H.W. (1974). Grain size distribution-an aid in facies identification : Bull. Canadian Petroleum Geol. 22, p. 203-240.
- Halbouty, M.T. et.al. (1970). World's giant oil fields and gas fields. Geologic factors affecting their formation and basin classification. In. Geology of Giant Petroleum fields. Ed. M.T. Halbouty, AAPG Mem. No.14, p. 502-556.
- _____ (1976). Application of Landsat imagery to Petroleum and mineral exploration. Bull AAPG, Vol. 60, No.5.
- _____ (1979). Geologic significance of Landsat data on some known giant oil fields. Bull. AAPG. Vol.63/41, p. 698.
- _____ (1982). The deliberate search for the subtle trap. AAPG Memoir 32, Tulsa.
- Harding, T.P. (1984). Graben hydrocarbon occurrences and structural style. Bull. AAPG Vol. 68, No.3, p. 333-362.
- Harnas, J.C. and Tackenburg, P. (1972). Seismic signatures of sedimentation models, Geophysics, Vol.37, p. 45-58.
- Howard, A.D. (1967). Drainage analysis in geologic interpretation. A summation. Bull. AAPG, Vol.51, No.11, p. 2246-2259.

Inman, D.L. (1949). Sorting of sediment in light of fluvial mechanics:
 Jour. Sedimentary Petrology, Vol.19, p. 51-70.

Johnson, D. (1932). Streams and their significance. Jour. Geol. Vol.XI,
 No.6.

Karla, K.L., Krishna, V.G. and Mall, D.M. (1981). Crustal structure
 along Mehmedabad-Billimora profile in Cambay basin,
 India, from deep seismic soundings, Tectonophysics, Vol.76,
 p. 99-130.

_____ (1982). Deep seismic soundings in India. Geophysical Research
 Bulletin, Vol. 20, No.3, p. 309-328.

Khattri, K.N., et.al. (1964). Gravity survey in Cambay basin. 22nd
 International Geological congress, New Delhi.

King, L. (1949). The pediment landform. Some current problems.
 Geol. Mag. No.4, Vol.86, p. 245-251.

King, C.A.M. (1966). Techniques in Geomorphology, London. Edward
 Arnold 342 pp.

Kingston, D.R., Dishroom, C.P. and Williams, P.A. (1985). Global
 basin classification system. Oil & Gas journal.

Klootwijk, C.G. (1979). A review of Palaeomagnetic data from Indo-
 Pakistan fragment of Gondwana land in A Farah & K.A.
 De jong Ed. Geodynamics of Pakistan. Geol. Surv. Pakistan,
 Quetta.

- Krumbein, W.C. (1942). Criteria for subsurface recognition of unconformities. Bull. AAPG. Vol. 86, p. 36-62.
- Krumbein, W.C., Sloss, L.L. and Dapples, E.C. (1949). Sedimentary tectonics and sedimentary environments. Bull. AAPG, Vol. 33, No. 11, p. 1859-1891.
- Kukal, Z. (1971). Geology of recent sediments. Academic Publishing house of Czechoslovak Academy of Sciences, Prague, London.
- La Blanc, Rufus, J. (1972). Geometry of sandstone reservoir bodies. Underground water management and environmental implications, Mem. 8, AAPG p. 133-190
- _____ (1977). Distribution and continuity of sandstone reservoirs. Parts 1 and 2. Jour. Pet. Tech., 24 : pp. 776-804.
- Leopold, W.B., Wolman, M.G. and Miller, J.P. (1964). Fluvial processes in geomorphology. San Francisco, W.H. Freeman & Co. 522 pp.
- Madanlal and Singh D.P. (1984). Paleoenvironment and provenance of Kalol Formation, Mehsana area Cambay basin. Bull. ONGC Vol. 21, No. 2.
- Mason, C.C. and Folk, R.L. (1958). Differentiation of beach, dune and aeolian flat environments by size analysis, Mustang Island, Texas : Jour. Sedimentary Petrology, Vol. 28, p. 211-226.

- Martin, R. (1966). Palaeogeomorphology and its application to exploration for oil and gas. Bull. AAPG Vol.50, p. 2277-2311.
- Mathur, L.P. and Evans, P. (1964). Oil in India. Int. Geol. Cong. 22nd Session, New Delhi.
- Mathur, L.P., Rao, K.L.N. and Chaube, A.N. (1968). Tectonic framework of Cambay basin, India. Bull. ONGC, Vol.5, No.1, p. 7-28.
- Melton, F.A. (1959). Aerial Photographs and structural geomorphology Jour. Geol. Vol. 67, p. 351-370.
- Mehrotra, R.B., Bhan, C.L. (1979). Subtle traps of south Kadi field. Bull. ONGC, Vol. 16, No.1, June 1978.
- Mehrotra, R.B. and Ramakrishna, V. (1980). A relook on the stratigraphy and hydrocarbon occurrence of North Cambay basin with special reference to Kadi Formation, 6th Oil & Gas conference of ONGC (abstract).
- Mescherikov, Yu. A. (1959). Contemporary movements in the Earth's Crust. Int. Geol. rev. 1 (8), p. 40-52.
- Mequillin, R., Balcon, M. and Barclay, W. (1979). An introduction to seismic interpretation. Graham, Trotman Ltd., London.
- Mitchum, R.M.Jr., Vail, P.R. and Thompson, S. (1977). The depositional unit as a basic unit for stratigraphic analysis. Seismic stratigraphy. AAPG Mem. 26, p. 53-62.

- Moiola, R.J. and Weiser, D. (1968). Textural Parameters - an evaluation:
Jour. Sedimentary Petrology, Vol. 38, p. 45-58.
- Moss, A.J. (1962). The Physical nature of common sandy and pebbly
deposits. Part I : Am. Jour. Sci., Vo. 260, p. 337-373.
- _____ (1963). The physical nature of common sandy and pebbly
deposits, Part II : Am. Jour. Sci., Vol. 261, p. 297-343.
- Narain, H., Kaila, K.L. and Verma, R.K. (1968). Continental margin
of India. Canadian Jour. of Earth Science, Vol.5, p. 1051-1065.
- Nikilayev, N.I. (1962). Neotectonics and its expression in the structure
and the relief of territories of the USSR. Published by
costoptechizdat, Moscow.
- Pascoe, E.H. (1963). A Manual of geology of India and Burma.
Govt. of India publication, Calcutta.
- Passega, R. (1957). Texture as characteristic of clastic deposition
Am. Assoc. Petroleum Geologists Bull. Vol. 41, p. 1952-
1984.
- _____ (1964). Grain size representation by CM patterns as a
geological tool : Jour. Sedimentary Petrology, Vol. 34,
p. 83--847.
- Passega, R. and Byramjee, R. (1969). Grain size image of clastic
deposits : Sedimentology, Vol. 13, p. 233-252.

- Payne, T.G. (1942). Stratigraphical analysis and environmental interpretation. Bull. AAPG. Vol. 26, p. 1697-1770.
- Payton, C.E. (1977). Seismic stratigraphy - applications to hydrocarbon exploration. AAPG Mem. 26, Tulsa.
- Penck, W. (1963). Morphological analysis of landforms, London, Macmillan (translated by H. Czech and K.C. Boswell), p. 429.
- Pettijohn, F.J. (1962). Paleocurrents and Paleogeography. Bull. AAPG Vol. 46, No.8, p.1468-1493.
- _____ (1984). Sedimentary Rocks : CBS publishers and distributors, Delhi, p. 628.
- Pirson, S.J. (1970). Geologic well log analysis. Gulf Publishing Co., Houston, Texas, U.S.A.
- Potter, P.I. (1967). Sand bodies and sedimentary environments. A review. Bull. AAPG Vol. 51, No.3, p. 337-365.
- Poupon, A., Clavier, C., Dumanov, J., Gaymard, R. and Misk, A. (1970). Log analysis of sand shale sequence - a systematic approach. Jour. Pet. Tech. p. 867-881.
- Powell. (1979). A speculative tectonic history of Pakistan and surroundings, some constraints from the Indian ocean in A. Farah & K.A. De Jong. ed. Geodynamics of Pakistan, Geol. Surv. Pak. p. 5-24.

- Raju, A.T.R. (1968). Geological evaluation of Assam and Cambay Tertiary Basins of India, Bull. AAPG, Vol.52, No.12, p. 2422-2437.
- Raju, A.T.R., Chaube, A.N. and Chowdhary, L.R. (1971). Deccan Trap and Geological framework of Cambay basin. Bull. Volcanologique Tome, Vol. 35, No.3, p. 521-538.
- Raju, A.T.R., Hardas, M.G., Srivastava, D.S. and Mandarker, M.M. (1982). Depositional environment of oil bearing lower and middle Eocene sands of north Cambay basin, India. Bull. ONGC, Vol. 19, No.2, Dec. 1982.
- Raju, A.T.R. and Srinivasan, S. (1983). More hydrocarbons from well explored Cambay basin. Petroleum Asia Journal, 1983, Vol.I.
- Raju, D.S.N., Guha, D.K., Bedi, T.S., Kumar, P. and Bhat, D.K. (1970). Microfauna, biostratigraphy and paleoecology of the Middle Eocene to Oligocene sediments in Western India. Publ. cent. Adv. Stud. Geol. Chandigarh.
- Ramaswamy, G. and Rao, K.L.N. (1978). Geology of the continental shelf of the west coast of India, paper presented in the conference held at Calgary, Canada, on facts and principles of oil occurrence.

- Rao, K.L.N. (1969). Lithostratigraphy of Paleogene succession of southern Cambay basin. Bull. ONGC, Vol.6, No.1, p.24-37.
- Rao, R.P. and Talukdar, S.N. (1981). Petroleum Geology of Bombay High field, India. Memoir AAPG, No.30.
- Roychoudhary, S.C., Misra, G.S. and Ananthanarayanan. (1970). Occurrence of Deccan Traps in Tharad-Serau area. Northwestern Gujarat, Second Upper Mantle Symposium, Hyderabad.
- Roychoudhary, S.C. and Mathur, S.C. and Misra, G.S. (1972). Subsurface Stratigraphy of Tharad-Serau area, Gujarat.
- Sangree, J.B. and Widmier, J.M. (1979). Interpretation of depositional facies from seismic data, Geophysics, Vol. 44, No.2.
- Schneider, E.D. (1972). Sedimentary evolution of rifted continental margins, Mem.Geol. Soc. Amer. 132, p. 109-118.
- Scholle, P.A. and Spearing, D. (1982). Sandstone depositional environment, Bull. AAPG.
- Selly, R.C. (1970). Ancient sedimentary environments, Chapman and Hall Ltd. London.
- _____ (1978). Concepts and methods of subsurface facies analysis- AAPG. Continuing education course, series No.9, Dept. of Educational activities.

- Sengupta, S.N. (1967). Structure of the Gulf of Cambay in symposium on upper mantle project. Proc. Hyderabad, Nat. Geophys. Res. Inst. p. 334-341.
- Shelton, J. W. (1967). Stratigraphic models and general criteria for recognition of alluvial barrier bar and turbidity current sand deposits. Bull. AAPG Vol. 51, p. 2441-2460.
- Sheriff, R.E. (1976). Inferring stratigraphy from seismic data. Bull. AAPG, Vol. 60, p. 528-542.
- Singh, N.P. and Koshal, V.V. (1978). Paleogene Biostratigraphy, Paleoecology and paleoenvironments of Jotana-Sobhasan area, North Gujarat, Proc. VIIIth Colloq. Microp. Strat. Madras.
- Singh, N.P., Koshal, V.N., Srivastava, D.S. and Rao, V.K. (1980). Paleogene stratigraphy, Biozonation and paleoecology of of the subsurface sediments in the area lying north of Saraswati river, Gujarat. Jour. Palaeontological Society of India, Vol.23 & 24, p. 118-128.
- Smith, A.G. and Hallam, A. (1970). The fit of the southern continents, Nature, Vol. 225, p. 139-144.
- Sneider, R.M., Tinker, C.N. and Mechel, L.D. (1978). Deltaic environment reservoir types and their characteristics. Journal of Petroleum Technology.

- Stocklin, J. (1977). Structural correlation of Alpine ranges between Iran & Central Asia. Mem.n. Ser. Soc. France, No.8, p. 333-353.
- Turner, W.F. (1955). Paleogeographic reconstruction from cross bedding data. Bull. AAPG. Vol.39, No.12.
- Thomas, L. and Thompson. (1976). Plate tectonics in Oil & Gas exploration of continental margins. Bull. AAPG, Vol.60, No.9, p. 1463-1501.
- Visher, G.S. (1965). Fluvial processes as interpreted from ancient and recent fluvial deposits, p.116-132 in Middleton, G.V. ed., Primary sedimentary structures and their hydrodynamic interpretation, Soc. Econ. Palaeontologists and Mineralogists, Spec. pub. No.12, p.265.
- _____ (1965). Use of vertical profile in environmental reconstruction. Bull. AAPG, p. 41-61.
- _____ (1969). Grain size distributions and depositional processes: Jour. Sedimentary Petrology, Vol.39, p. 1074-1106.
- Weeks, L.G. (1952). Factors of sedimentary basin development that control oil occurrence. Bull. AAPG, Vol.36, p. 2071-2124.
- _____ (1958). Habitat of oil and some factors that control it: Habitat of oil, AAPG publication.
- Zernitz, E.R. (1932). Drainage patterns and their significance. Jour. Geol. Vol. XL, No.6, p. 498-521.