

BIBLIOGRAPHY

BIBLIOGRAPHY

Abbott, A. J., (1978) Practice and promise of micropropagation of woody species. *Acta Hort.* 79 : 113-127.

Ahuja, M.R., (1983) Somatic cell differentiation and rapid clonal propagation of aspen. *Silvea Genetica* 32 : 131-135.

Alexopoulos, C.J. and Beneké, E.S., (1955) Laboratory manual for introductory mycology. Burgess Pub. Co., Minneapolis, pp. 3.

Alvin, R., Hewett, E.W., Saunders, F.F., (1976) Seasonal variation in the hormone content of Willow. *Plant Physiol.* 57: 474-476.

Amin, M.N. and Jaiswal, V.S., (1987) Rapid clonal propagation of guava through in vitro shoot proliferation on nodal explants of mature trees. *Plant Cell Tissue Organ Culture* 9(3): 235-244.

Ammirato, P.V. and Styer, D.J., (1985) Strategies for large-scale manipulation of somatic embryos in suspension culture. In : *Biotechnology in Plant Science*. Zaitlin, M., Day, P. and Hollaender, A. (eds), Academic Press, pp. 161-177.

Anagnostakis, S.L., (1974) Haploid plants from anthers of tobacco-enhancement with charcoal. *Planta* 115 : 281-283.

Anderson, W.C., (1975) Propagation of rhododendrons by tissue culture. Part I. Development of a culture medium for multiplication of shoots. *Comb. Proc. Inter. Plant Prop. Soc.* 25 : 129-135.

Anderson, W.C., (1980) Tissue culture propagation of red and black raspberries, Rubus idaeus and R. occidentalis *Acta Hort.* 112 : 13-20.

Anderson, L. and Wolter, K., (1966) Cyclitols in plants : *Biochemistry and Physiology*. *Ann. Rev. Plant Physiol.* 17 : 209-222.

Anonymous, (1950) The wealth of India : Raw materials Vol II, Council of Scientific and Industrial Research, New Delhi 313.

Anonymous, (1972) Indian Forest Utilization, Vol. 2, Forest Research Institute (F.R.I.) Press, Dehra Dun, India 733.

Arnold, S.V., (1982) Factors influencing formation, development and rooting of adventitious shoots from embryos of Picea abies (L.) Karst. Plant Sci. Lett. 27 : 275-287.

Arnold, S.V. and Eriksson, T., (1985) Initial stages in the course of adventitious bud formation on embryos of Picea abies. Physiol. Plant. 64 : 41-47.

Arora, R.B., Kapoor, V., Gupta, S.K. and Sharma, R.C., (1971) Isolation of a crystalline steroidal compound from Commiphora mukul and its antiinflammatory activity. Ind. J. Exp. Biol. 9 : 403-404.

Bajaj, Y.P.S., (1977) Protoplast isolation, culture and somatic hybridization. In : Applied and Fundamental Aspects of plant cell, tissue and organ culture, Reinert, J. and Bajaj, Y.P.S. (eds), Springer-Verlag, Berlin, pp. 467-496.

Bajaj, Y.P.S., (1983) In vitro production of Haploids. In : Handbook of Plant Cell Culture Vol. 1. Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y. (eds), Macmillan Pub. Co., London, pp. 228-290.

Bajaj, A.G. and Dev, Sukh, (1982) Chemistry of Ayurvedic Crude Drugs - V Guggul Resin from Commiphora mukul - 5 : Some new steroidal components and stereochemistry of Guggulsterol-I at C-20 and C-22, Tetrahedron 38(19) : 2949-2954.

Bajaj, A.G., Dev, Sukh, Arnold, E., Tagle, B. and Clardy, J., (1981) The stereochemistry of Guggulsterol - 1. Tetrahedron Lett. 22 : 4623-4626

* Barbier, M. and Dulieu, H.L., (1980) Genetic changes observed on tobacco (Nicotiana tabacum) plants regenerated from cotyledons by in vitro culture. Ann. Amelior. Plant. 30 : 321-344.

Bassim, T.A.H., and Pecket, R.C., (1975) The effect of membrane stabilizers on phytochrome-controlled anthocyanin biosynthesis in Brassica oleracea. Phytochemistry 14 : 731-733.

Becker, H. and Chavadej, S., (1985) Valepotriate production of normal and colchicine treated cell suspension cultures of Valeriana wallichii. J. Nat. Prod. 48(1): 17-21.

Benjamin, B.D. and Mulchandani, N.B., (1973) Studies in biosynthesis of secondary constituents in tissue cultures of Tylophora indica. Planta Med. 23 : 394-397.

Bennett, R.D. and Heftmann, E., (1965) Progesterone : Biosynthesis from pregnenolone in Holarrhena floribunda. Science 149 : 652-653.

Bennett, R.D. and Heftmann, E., (1966) Biosynthesis of pregnenolone from Cholesterol in Haplopappus heterophyllus. Phytochemistry 5 : 747-754.

Bennett, R.D., Heftmann, E., Winter, B.J., (1969) Conversion of β -sitosterol to progesterone by Digitalis lanata. Naturwiss. 56 : 463.

Benveniste, P., (1968) La Biosynthese des sterols Dans Les Tissus de Tabac cultives in vitro; mise en edivence de cycloeucaenol et de Lobtusifoliol. Phytochemistry 7: 951-953.

Benveniste, P., Hirth, L., Ourisson, G., (1966) Biosynthesis of sterols in tobacco tissue culture II. Details of biosynthesis of phytosterols. Phytochemistry 5 : 45-58.

Benveniste, P., Massy-Westropp, R.A., (1967) Mise en Evidence de Lepoxyde-2:3 de squalene dans Les Tissus de Tabac Cultives in vitro. Tetrahedron Lett. 37 : 3553-3556.

Bergmann, L., (1960) Growth and division of single cells of higher plants in vitro. J. Gen. Physiol. 43 : 841-851.

Berlin, J., Sieg, S., Strack, D. Bokem, M. and Harms, H., (1986) Production of betanins by suspension cultures of Chenopodium rubrum L. Plant Cell Tissue Organ Culture 5 : 163-174.

Bhatt, J.R., (1987) Development and structure of primary secretory ducts in the stem of Commiphora wightii (Burseraceae). Ann. Bot. 60 : 405-416.

Bhatt, J.R. and Shah, J.J., (1985) Ethephon (2-chloroethylphosphonic acid) Enhanced Gum-Resinosis in mango, Mangifera indica L. Ind. J. Exp. Biol. 23 : 330-339.

Bhatt, P.N. and Bhatt, D.P., (1984 a) Changes in sterol content During Leaf Aging and In vitro Differentiation in Solanum nigrum. J. Nat. Prod. 47(3) : 426-432.

Bhatt, P.N. and Bhatt, D.P., (1984 b) Regulation of sterol Biosynthesis in Solanum species. J. Exp. Bot. 35 : 890-896.

Bhatt, P.N., Bhatt, D.P. and Sussex, I., (1983) Studies on some factors affecting solasodine contents in tissue cultures of Solanum nigrum. Physiol. Plant. 57 : 159-162.

Bhatt, D.P., Bhatt, P.N. and Mehta, A.R., (1986) Steroid Analysis and Plant Regeneration from cell suspension cultures of Solanum dulcamara L. Beitr. Biol. Pflanzen. 61 : 203-213.

Bhojwani, S.S. and Razdan, M.K., (1983) Plant tissue culture : Theory and Practice. Elsevier, Amsterdam, Oxford, New York, Tokyo, pp. 113-142.

Biondi, S. and Thorpe, T.A., (1981) Requirements for a tissue culture facility. In : Plant Tissue Culture - Methods and Applications in Agriculture. Thorpe, T.A. (ed), Academic Press, pp. 1-20.

- * Böhm, H., (1980) The formation of secondary metabolites in plant tissue and cell cultures. *International Review of Cytology, Suppl.* 11B : 183-208.

Bonga, J.M., (1977 a) Organogenesis in in vitro cultures of embryonic shoots of Abies balsamea (Balsam fir). *In vitro* 13 : 41-48.

Bonga, J.M., (1977 b) Applications of tissue culture in Forestry. In : *Applied and fundamental Aspects of Plant Cell Tissue and Organ Culture*. Reinert, J. and Bajaj, Y.P.S. (eds), Springer-Verlag, Berlin Heidelberg, N.Y. pp. 93-108.

Bonga, J.M., (1981) Organogenesis in vitro of tissues from mature conifers. *In vitro* 17 : 511-518.

Bonga, J.M., (1982) Tissue Culture technique, Vegetative propagation in relation to juvenility, maturity and rejuvenation, In : *Tissue Culture in Forestry*, Bonga, J.M. and Durzan, D.J. (eds), The Hague/Boston/London : Martinus Nijhoff/Dr. W. Junk Publ. pp. 4-35, 387-412.

Bonga, J.M. and Durzan, D.J., (1982) *Tissue Culture in Forestry*. Martinus Nijhoff/Dr. W. Junk Pub. The Hague/Boston/London.

Bose, S. and Gupta, K.C., (1964 a) Structure of Commiphora mukul Gum : Part I. Nature of sugars present and the structure of the Aldobiouronic acid. *Ind. J. Chem.*, 2, 57.

Bose, S. and Gupta, K.C., (1964 b) Structure of Commiphora mukul Gum : Part II. Structure of the degraded Gum. *Ind. J. Chem.* 2, 156.

Bose, S. and Gupta, K.C., (1966) Structure of Commiphora mukul Gum : Part III. Methylation and periodate oxidation studies. *Ind. J. Chem.* 4 : 87.

- * Bourgin, J.P. and Nitsch, J.P., (1967) Obtention de Nicotiana haploides a' partir de'e'tamines cultivees in vitro. Ann. Physiol. Veg. 9 : 377-382.
- Brain, K.R. and Lockwood, G.B., (1954) Hormonal control of steroid levels in tissue cultures from Trigonella foenum-graecum. Phytochemistry 15 : 1651-1654.
- Brainerd, K.E. and Fuchigami, L.J., (1981) Acclimatization of aseptically cultured apple plants to low relative humidity. J. Am. Soc. Hort. Sci. 106 : 515-518.
- Brainerd, K.E., Fuchigami, L.H., Kowiatkowski, S. and Clark, C.S., (1981) Leaf anatomy and water stress of aseptically cultured 'Pixy' plum grown under different environments. HortScience 16 : 173-175.
- Brand, M.H. and Lineberger, R.D., (1986) In vitro propagation of Halesia carolina L. and the influence of explantation timing on initial shoot proliferation. Plant Cell Tissue and Organ Culture 7 : 103-113.
- * Bressan, P.H., Kim, Y.J., Hyndman, S.E., Hasegawa, P.M. and Bressan, R.A., (1982) Factors affecting in vitro propagation of rose. J. Am. Soc. Hortic. Sci. 107 : 979-990.
- Brodelius, P., Linse, L. and Nilsson, K., (1982) Viability and biosynthetic capacity of immobilized plant cells. In : Proc. V Int. Cong. Plant Tissue Culture, Fujiwara, A. (ed.), Japan, pp. 371-372.
- Brodelius, P., and Nilsson, K., (1980) Entrapment of plant cells in different matrices. FEBS Letters 122 : 312-16.
- Brown, C.L. and Sommer, H.E., (1982) Vegetative propagation of Dicotyledonous trees. In : Tissue culture in Forestry. Bonga, J.M. and Durzan, D.J. (eds.), The Hague/Boston/London, Martinus Nijhoff/Dr. W. Junk Publ. pp. 109-149.

- Burstein, S., Kimball, H.L., Gut, M., (1970) Transformation of labeled cholesterol, 20 α -hydroxycholesterol(22-R)-22 hydroxycholesterol and (22-R)-20 α 22-dihydroxycholesterol by adrenal acetate dried preparations from guinea pigs, cattle and man. II. Kinetic studies. *Steroids* 15 : 809-848.
- Bush, P.B. and Grunwald, C., (1972) Sterol changes during Germination of Nicotiana tabacum seeds. *Plant Physiol.*, 50: 69-72.
- Bush, P.B., Grunwald, C. and Davis, D.L., (1971) Changes in sterol composition during greening of etiolated barley shoots. *Plant Physiol.* 47 : 745-749.
- Butcher, D.N., (1977) Secondary products in tissue cultures. In : Applied and Fundamental Aspects of Plant Cell, Tissue and Organ culture, Reinert, J. and Bajaj, Y.P.S. (eds), Springer-Verlag, Berlin, pp. 668-716.
- Butcher, D.N., Phillips, R., Powell, R.G. and Sogoke, A. (1974) Lipid components of membranes from normal and tumour tissues. 3rd Int. Cong. Plant Tissue and Cell Culture. Abstr. no. 170, Leicester; Univ. Leicester.
- * Bychenkova, E.A., (1973) Growth and biosynthesis of resinous matter in callus tissues of scotch pine cultivated in vitro. In : Ispol'z. Biol. Aktiv. Veshchestv Doreva Mednikov F.A. (ed) Riga : Zianke. pp. 54-59.
- Campbell, I.M., (1984) Advances in microbial physiology. 25, Academic Press, Harcourt Brace Jovanovich Publ.
- Carbonero, P., Torres, J.V., Garcia-olmedo, F., (1975) Effects of n-butanol and filipin on membrane permeability of developing wheat endosperms with different sterol phenotypes. *FEBS Lett.* 56 : 198-201.

Caspi, E., and Lewis, D.O., (1967) Progesterone its possible role in the biosynthesis of cardenolides by Digitalis lanata. Science 156 : 519-520.

Caspi, E., Lewis, D.O., Platak, D.M., Thimann, K.V., Winter, A., (1966) Biosynthesis of Plant Sterols, conversion of cholesterol to pregnenolone in Digitalis purpurea. Experientia 22 : 506-507.

Cassells, A.C., (1979) The effect of 2,3,5-triiodobenzoic acid on coulogenesis in callus cultures of tomato and Pelargonium. Physiol. Plant. 46 : 159-164.

Cassells, A.G., Long, R.D., Mousdale, D.M., (1982) Endogenous IAA and morphogenesis in tobacco petiole cultures. Physiol. Plant. 56 : 507-512.

Chaleff, R.S., and Parsons, M.F., (1978) Direct selection in vitro for herbicide resistant mutants of Nicotiana tabacum. Proc. Natl. Acad. Sci. 75 : 5104-5107.

Chalupa, V., (1984) In vitro propagation of Oak (Quercus robur L.) and Linden (Tilia cordata Mill.) Biologia Plantarum (PRAHA). 26(5) : 374-377.

Cheema, G.S. and Sharma, D.P., (1983) In vitro propagation of apple root stock EMLA 25, Acta Hort. 131 : 75-88.

Chowdhury, A.R., and Chaturvedi, H.C., (1979) Cholesterol and biosynthesis of diosgenin by tuber callus of Dioscorea deltoidea. Curr. Sci. 49 : 237-238.

Chun, Y.W., Hall, R.B. and Stephens, L.C., (1986) Influence of medium consistency and shoot density on in vitro shoot proliferation of Populus alba X P. grandidentata. Plant Cell Tissue Organ Culture 5 : 179-185.

- Chung, C-T.A. and Staba, E.J., (1987) Effect of age and growth regulators on growth and alkaloid production in Cincona ledgeriana leaf-shoot organ culture. *Planta. Med.* 53(2): 206-210.
- Cocking, E.C., (1960) A method for the isolation of plant protoplasts and vacuoles. *Nature* 187 : 927-929.
- Cocking, E.C., (1972) Plant Cell Protoplasts - Isolation and Development. *Ann. Rev. Plant Physiol.* 23 : 29-50.
- Cocking, E.C., Davey, M.R., Pental, D. and Power, J.B. (1981) Aspects of Plant Genetic manipulation. *Nature* 293 : 265-270.
- Conger, B.V., (1981) Agronomic crops In : Cloning of Agricultural Plants via in vitro Technique. Conger B.V. (ed.) CRC Press, Inc., Boca Raton, Florida, pp. 165-215.
- Crocomo, O.J., Aquarone, E., Gottlieb, O.R. (1981) Biosynthesis of secondary products in vitro. In : Plant Tissue culture methods and application in agriculture. Thorpe, T.A. (ed.) Academic Press, pp. 359-372.
- * Damiano, C., (1980) Strawberry micropropagation In : Proc. Conf. on nursery production of fruit plants through tissue culture - application and feasibility, U.S. Dept. Agric. Sci. and Educ. Adm., APR-NEE, pp. 11-22.
- Daque, C., Morisaki, M., Ikekawa, N. and Shikita, M., (1979) Stereochemistry of cholesterol hydroxylation at C-22 during pregnesolone biosynthesis. *Tetrahedron Lett.* 46 : 4479-4482.
- Datta, K. and Datta, S.K., (1984) Rapid clonal multiplication of Angelonia salicariifolia through tissue culture. *Plant Cell Tissue Organ Culture* 3 : 215-220.
- Datta, S.K., Datta, K. and Pramanik, T., (1983) In vitro clonal multiplication of mature trees of Dalbergia sissoo Roxb. *Plant Cell Tissue Organ Culture* 2 : 15-20.

- David, A., (1982) In vitro propagation of Gymnosperms In : Tissue Culture in Forestry, Bonga, J.M. and Durzan, D.J. (eds.), The Hague/Boston/London, Martinus Nijhoff/Dr. W. Junk Pub., pp. 72-108.
- Davis, D.L. and Funker, V.C., (1972) Influence of temperature on sterol biosynthesis in Triticum aestivum. Plant Physiol., 52 : 324-326.
- Debergh, P. and Maene, L., (1985) Some aspects of stock-plant preparation from tissue culture propagation. Acta Hort. 166 : 21-23.
- De-Eknankul, W. and Ellis, B.E., (1985) Effect of macronutrients on growth and rosmarinic acid formation in cell suspension cultures of Anchusa officinalis. Plant Cell Reports 4 : 46-49.
- De-Fossard, R.A., (1985) Tissue Culture Propagation State of the Art. Acta Hort. 166 : 83-92.
- Dell, B. and McComb, A.J., (1978) Plant resins, their formation, secretion and possible functions. In : Advances in botanical Research. Woodhouse, W.W. (ed), Academic Press, New York, pp. 277-316.
- * Demain, A.L., (1972) Cellular and environmental factors affecting the synthesis and excretion of metabolites. J. App. Chem. Biotechnol. 22 : 345.
- Desai, H.V., Bhatt, P.N. and Mehta, A.R., (1986) Plant regeneration of Sapindus trifoliatus L. (Soapnut) through somatic embryogenesis. Plant Cell Reports, 3 : 190-191.
- Dhawan, V. and Bhojwani, S.S., (1985) In vitro vegetative propagation of Leucaena leucoccephala (Lam.) de Wit. Plant Cell Reports 4 : 315-318.

- Dixon, R.A., (1985) Isolation and maintenance of callus and cell suspension cultures. In : Plant cell culture a practical approach, Dixon, R.A. (ed.), IRL Press, Oxford, Washington, D.C. pp. 1-20.
- Dougall, D.K., (1980) Nutrition and Metabolism. In : Plant tissue culture as a source of Biochemicals, Staba, E.J. (ed), Boca Raton, Florida; CRC Press, pp. 21-58.
- Dougall, D.K., (1985) Chemicals from plant cell cultures : Yields and variations : In Biotechnology in Plant Science, Zeitlin, M., Day, P. and Hollaender, A. (eds), Academic Press, pp. 179-189.
- Dunberg, A., (1976) Changes in gibberellin-like substances and indole-3-acetic acid in Picea abies during the period of shoot elongation. *Physiol. Plant.* 38 : 186-190.
- Economou, A.S., and Spanoudaki, M.J., (1985) In vitro propagation of Gardenia. *HortScience* 20(2): 213.
- * Ehrhardt, J.D., Hirth, L., Ourisson, G., (1967) Etudes sur les triterpenes precurseurs des phytosterols. Recherche du cycloartenol et due lanosterol dans diverses especes vegetales. *Phytochemistry* 6 : 815-821.
- Eilert, U., Kurz, W.G.W., Constable, F., (1987) Alkaloid accumulation in plant tissue cultures treatment with elicitors. *Plant Biol.* 3 : 213-219.
- Eliasson, L., (1971) Growth regulators in Populus tremula. II. Effect of light on inhibitor content in root suckers. *Physiol. Plant.* 24 : 205-208.
- Ellis, B.E., (1985) Characterization of clonal cultures of Anchusa officinalis derived from single cells of known productivity. *J. Plant Physiol.* 119 : 149-158.

- * Ellyord, R.K., (1981) Rooting hormones : Their effect on the rooting of some Australian species. *Aust.Plants* 11 : 161-165.
- Emke, A., and Ellert, U., (1986) Steroidal alkaloids in tissue cultures and regenerated plants of Solanum dulcamara. *Plant Cell Reports* 5 : 31-34.
- Evans, F.J., (1974) Uptake of (2-C¹⁴) mevalonic acid by lipid and glycoside sterols. *Planta* 116 : 99-104.
- Evans, D.A., (1983) Protoplast fusion. In : *Handbook of Plant Cell Culture Vol. 1*, Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y. (eds), Macmillan Pub., London, pp. 291-321.
- Everett, N.P., Wang, T.L., Gould, A.R. and Street, H.E., (1981) Studies on the control of the cell cycle in cultured plant cells. 2. Effects of 2,4-dichlorophenoxy acetic acid (2,4-D). *Protoplasma* 106 : 15-22.
- Farooqi, M.I.H., (1979) Research and development in the vegetable gums of Indian origin. *Textile Dyer and Printer*. M/s. C.D. Corporation and Hazaral and Co. Bombay, pp. 1-3.
- * Fielding, J.M., (1983) In : *FAO world consultation on forest Genetic and Tree Improvement*, Stockholm, FAO Rome, 8.
- Fink, C.V.M., Sticklen, M.B., Lineberger, D. and Demir, S.C., (1986) In vitro organogenesis from shoot tip, internode, and leaf explants of *Ulmus X Pioneer*. *Plant Cell Tissue and Organ Culture* 7 : 237-245.
- Fowler, M.W., (1978) Regulation of carbohydrate metabolism in cell suspension cultures. In : *Frontiers of Plant tissue culture*, Thorpe, T.A. (ed), IAPTC, Calgary, Canada, pp. 443-452.
- Fowler, M.W., (1983) Commercial applications and economic aspects of mass plant cell culture. In : *Plant Biotechnology*, Mantell, S.H. and Smith, H., (eds), Cambridge Univ. Press. pp. 3-37.

Fox, J.E., (1969) The Cytokinins. In : The physiology of plant growth and development. Wilkins, M.B. (ed), McGraw-Hill New York. pp. 85-123.

Fujita, Y., Tabata, M., Nishi, A. and Yamada, Y., (1982) New medium and production of secondary compounds with two-stage culture method. In : Proc. V Intl. Cong. Plant Tissue Culture, Fujiwara, A. (ed), Japan, pp. 399-400.

Funk, C., Gugler, K. and Brodelius, P., (1987) Increased secondary product formation in plant cell suspension cultures after treatment with a yeast carbohydrate preparation (Elicitor). *Phytochemistry* 26(2): 401-405.

Furuya, T., Kojima, H., Syono, K., (1971) Regulation of Nicotine biosynthesis by auxins in Tobacco callus cultures. *Phytochemistry* 10 : 1529-1532.

Gabr, M.F. and Tisserat, B., (1984) Parameters involved in the Isolation, culture, cell wall regeneration and callus formation from palm and carrot protoplasts. *Date Palm J.* 3(2): 359-365.

Galanes, I.T., Webb, D.T. and Rosario, O., (1984) Steroid production by callus and cell suspension cultures of Solanum aviculare. *J. Nat. Prod.* 47(2) : 373-376.

Gamborg, O.L., Constabel, F., LaRue, T.A.G., Miller, R.A. and Steck, W., (1971) The influence of hormones on secondary metabolite formation in plant cell cultures. In : *Les Cultures de Tissus de Plantes*, Paris, pp. 335-344.

Gamborg, O.L., Miller, R.A. and Ojima, K., (1968) Nutrient requirement of suspension cultures of Soybean root cells. *Exp. Cell Res.* 50 : 151-158.

Gamborg, O.L. and Shyluk, J.P., (1981) Nutrition media and characteristics of Plant Cell and Tissue Cultures. In : *Plant Tissue culture - Methods and Applications in Agriculture*, Thorpe, T.A. (ed), Academic Press, pp. 21-43.

- Garg, V.K. and Paleg, L.G., (1986) Changes in the levels and composition of sterols in different tissues of Lolium temulentum Plants during floral development. *Physiol. Plant.* 68: 335-341.
- Gautam, V.K., Nanda, K., Gupta, S.C., (1987) Morphogenic responses of in vitro cultured anthers of Azadirachta indica A. Juss. In : Proc. XIV Int. Bot. Cong. Zimmer, W.G.B. and Behnke, H.D. (eds) Berlin (West) Germany, abst. no. 2-102-68.
- * Gautheret, R.J., (1939) Sur la possibilite de realiser la culture indefinie des tissus de tubercules de carotte. *C.R. Hebd. Seances Acad. Sc.* 208 : 118-120.
- Gautheret, R.J., (1955) The nutrition of plant tissue cultures. *Ann. Rev. Plant Physiol.* 6 : 433-484.
- Gautheret, R.J., (1985) History of Plant Tissue and Cell Culture : a personal account, In : Cell Culture and Somatic Cell Genetics of Plants Vol. 2, Vasil, I.K. (ed), Academic Press, pp. 1-50.
- Gawienowski, A.M., and Gibbs, C.C., (1968) Identification of cholesterol and progesterone in apple seeds. *Steroids* 12 : 545-550.
- Gedalovich, E. and Fahn, A., (1985) Ethylene and Gum Duct Formation in Citrus. *Ann. Bot.* 56 : 571-577.
- Geier, T., (1986) Factors affecting plant regeneration from leaf segments of Anthurium scherzerianum Schott. (Araceae) cultured in vitro. *Plant Cell Tissue Organ Culture* 6 : 115-125.
- * Gengenbach, B.G. and Green, C.E., (1975) Selection of T-cytoplasm maize callus cultures resistant to Helminthosporium maydis Race T. *Phytopathol. Crop. Sci.* 15 : 645-649.
- George, E.F. and Sherrington, P.D., (1984) Plant propagation and Micropropagation, In : Handbook and Directory of commercial Laboratories, George E.F. and Sherrington, P.D. (eds), Eastern Press, Reading, Berks, Great Britain, pp. 39-72.

- Geuns, J.M.C., (1974) Variation in sterol composition in etiolated Mung bean seedlings. *Phytochemistry* 12 : 103-106.
- Geuns, J.M.C., (1975) Regulation of sterol biosynthesis in etiolated mung bean hypocotyl sections. *Phytochemistry* 14 : 975-978.
- Gharyal, P.K. and Maheshwari, S.C., (1981) In vitro differentiation of somatic embryoids in leguminous tree Albizia lebbeck. *Naturwiss.* 68 : 379-380.
- Goad, L.J., (1987) The role of sterols and steryl esters in plant cell growth. In : Proc. XIV Intl. Bot. Cong., Zimmer, W.G.E. and Behnke, H.D. (eds), Berlin (West) Germany, Abst. No. 1-06-8.
- Goad, L.J. and Goodwin, T.W., (1972) The biosynthesis of plant sterols In : Progress phytochemistry Vol. 3, Reinhold, L. Liwshitz, Y. (eds), Interscience Publ. London, pp. 113-198.
- Goyal, Y. and Arya, H.C., (1981) Differentiation in cultures of Prosopis cineraria Linn. *Curr. Sci.* 50(10): 468-469.
- Goyal, Y., Bingham, R.L. and Felker, P., (1985) Propagation of the tropical tree - Leucaena leucocephala K 67, by in vitro bud culture. *Plant Cell Tissue Organ Culture* 4 : 3-10.
- Graves, J.M.H. and Smith, W.K., (1967) Transformation of pregnenolone and progesterone by cultured plant cells. *Nature* 214 : 1248-1249.
- Greenwood, C.G. and Morey, P., (1979) Gummosis in honey mosquito. *Bot. Gaz.* 140 : 328.
- * Grout, B.W.W. and Aston, M.J., (1977) Transplanting of Cauliflower plants regenerated from meristem culture. 1. Water loss and water transfer related to change in leaf wax and to xylem regeneration. *Hort. Res.* 17 : 1-7.

Grunwald, C., (1970) Quantitative analysis for free Phytosterols by gas chromatography using stationary phase OV 101 Anal. Biochem. 34 : 16-23.

Grunwald, C., (1971) Effects of free sterols, steryl esters and steryl glycoside in membrane permeability. Plant Physiol. 48 : 653-655.

Grunwald, C., (1975) Plant Sterols. Annu. Rev. Plant Physiol. 26 : 209-236.

Grunwald, C., (1986) Steroids in secondary plant products. In: Encyclopedia of Plant Physiology, New series, Vol. 8, Bell, E.A. and Charlood, B.V. (eds), Springer-Verlag, Berlin, Heidelberg, New York. pp. 221-256.

Guenther, W. and Guenther, P., (1985) Diosgenin and sterols from Costus spiralis. Planta Med. (3) : 185-187.

Guha, S. and Maheshwari, S.C., (1964) In vitro production of embryos from anthers of Datura. Nature 204 : 497.

Gujral, M.L., Sareen, K., Tangri, K.K., Annam, K.P. and Roy, A.K., (1960). Anti-arthritis and anti-inflammatory activity of Gum Guggul. Ind. J. Physiol. Pharmacol. 4 : 267-273

Gullili, C.E., Yagen, B. and Mateles, R.I., (1978) Hydroxylation of progesterone by cell suspension cultures of Vinca rosea. Phytochemistry 17 : 578.

Gunawan, I. and Isnaeni, S., (1986) Sterols in callus cultures of Solanum mammosum. Planta Med. (5) : 413.

Gupta, P.K. and Durzan, D.J., (1985) Shoot multiplication from mature trees of Douglas-fir (Pseudotsuga menziesii) and sugar pine (Pinus lambertiana). Plant Cell Reports 4 : 177-179.

Gupta, P.K. and Durzan, D.J., (1986) Isolation and cell regeneration of protoplasts from sugar pine (Pinus lambertiana) Plant Cell Reports 5 : 346-348.

Gupta, P.K., Kulkarni, V.M. and Mascarenhas, A.F., (1981) Tissue culture of woody Trees : Clonal Propagation of Tamarindus indica Linn. (Tamarind) by tissue culture. (abst) In : Proc. VI All India Plant Tissue Culture Conf. Poona Univ., Poona, p. 3.

Gupta, P.K. and Mascarenhas, A.F., (1982) Essential Oil Production in relation to Organogenesis in tissue cultures of Eucalyptus citriodora Hook. In : Plant Cell Culture in Crop Improvement, Sen, S.K. and Giles, K.G. (eds), Plenum Press, New York, pp. 299-308.

Gupta, P.K., Mascarenhas, A.F. and Jagannathan, V., (1981) Tissue Culture of Forest Trees : Clonal Propagation of mature trees of Eucalyptus citriodora Hook. by tissue culture. Plant Sci. Lett. 20 : 195-201.

Gupta, P.K., Mehta, U.J. and Mascarenhas, A.F., (1983) A tissue culture method for rapid clonal propagation of mature trees of Eucalyptus torrelliana and Eucalyptus camaldulensis. Plant Cell Reports 2 : 296-299.

Gupta, P.K., Nadgir, A.L., Mascarenhas, A.F., and Jagannathan, V., (1980) Tissue culture of Forest Trees : Clonal multiplication of Tectona grandis L. (Teak) by Tissue Culture. Plant Sci. Lett. 17 : 259-268.

Gustine, D.L., (1987) Induction of medicarpin biosynthesis in Ladino clover callus by p-chloromercuribenzoic acid is reversed by dithiothreitol. Plant Physiol. 84(1) : 3-6.

* Haberlandt, G., (1902) Sitzber Kaiser Akad. Viss. Wien, Math-Naturu, K.I. 111 : 69-72.

Haccius, B., (1978) Question of unicellular origin of non-zygotic embryos in callus cultures. *Phytomorphology* 28 : 74-81.

Hahlbrock, K., Lamb, C.J., Furwin, G., Ebel, J., Fantz, E. and Schäfer, E., (1981) Rapid response of suspension cultured parsley cells to the elicitor from Phytophthora megasperma var. Sojae. *Plant Physiol.* 67 : 768.

Haldimann, D. and Brodelius, P., (1986) Changes of methyl xanthin-pattern in high alkaloid producing immobilized cells of Coffea arabica (abst). In : Proc. VI Intl. Cong. of Plant Tissue and Cell Culture. Somers, D.A., Gengenbach, B.G., Biesboer, D.D., Hackett, W.P. and Green, C.E. (eds), Univ. of Minnesota, USA. pp. 349.

Hamill, J.D., Parr, A.J., Robins, R.J. and Rhodes, M.J.C., (1986) Secondary product formation by cultures of Betavulgaris and Nicotiana rustica transformed with Agrobacterium rhizogenes. *Plant Cell Reports* 5 : 111-114.

Hammerschlag, F.A., (1982) Factors influencing in vitro multiplication and rooting of the plum rootstock - Myrobalan (Prunus cerasifera Ehrh.), *J. Amer. Soc. Hort. Sci.*, 107 : 44-47.

Hammerschlag, F.A., (1986) Temperate fruits and nuts. In : Tissue culture as a plant production system for horticultural crops. Zimmerman, R.H., Griesbach, R.J., Hammerschlag, F.A. and Lawson, R.H. (eds), Martinus Nijhoff Publ. Dordrecht. pp. 221-236.

Hartmann, M.A. and Benveniste, P., (1974) Effect of ageing on sterol metabolism in potato tuber slices. *Phytochemistry* 13 : 2667-2672.

* Hartmann, H.T. and Kester, D.E., (1986) Plant Propagation - principles and practices, 4th edition, Printice-Hall of India Pvt. Ltd. pp. 727.

Hasegawa, P.M., (1979) In vitro propagation of rose. HortScience 14(5) : 610-612.

Haughan, P.A., Lenton, J.R. and Goad, L.J., (1987) Inhibition of plant sterol biosynthesis by Paclobutrazol and its effect on cell growth. In : Proc. XIV Intl. Bot. Cong. Zimmer, W.G.B. and Behnke, H.D. (eds), Berlin (West) Germany, abst. no. 1-106-4.

Heble, M.R. and Chadha, M.S., (1987) Secondary products from plant tissue cultures : Basic researches and technological developments (abst). In : Intl. Workshop on Tissue Culture and Biotechnology of medicinal and Aromatic plants. Lucknow, India, pp. 18.

Heble, M.R., Narayanaswamy, S., and Chadha, M.S., (1971) Hormonal control of steroid synthesis in Solanum xanthocarpum tissue culture. Phytochemistry 10 : 2393.

Heble, M.R., Narayanaswamy, S. and Chadha, M.S., (1976) Studies on growth and steroid formation in tissue cultures of Holarrhens antidysenterica. Phytochemistry 15 : 681-682.

Heble, M.R. and Staba, E.J., (1980 a) steroid metabolism in stationary phase cell suspensions of Dioscorea deltoidea. Planta Med. Supp. : 124-128.

Heble, M.R. and Staba, E.J., (1980 b) Diosgenin synthesis in shoot cultures of Dioscorea composita. Planta Med. Supp. : 120-123.

Heftmann, E., (1975) Functions of steroids in plants. Phytochemistry 14 : 891-901.

Hegarty, P.K., Smart, N.J., Scragg, A.H. and Fowler, M.W., (1986) The aeration of Catharanthus roseus L.G. Don. Suspension cultures in Airlift Bioreactors. J. Expt. Bot. 37(185) : 1911-1920.

Heide, O.M., (1968) Auxin level and regeneration of Begonia leaves. Planta 81 : 153-159.

Heile-Sudholt, C., Haettenan, C.A., Preece, J.E., Van Sambeek, J.W. and Gaffney, G.R., (1986) In vitro embryonic axis and seedling shoot tip culture of Jaglans nigra L. Plant Cell Tissue Organ Culture 6 : 189-197.

Heinstein, P.F., (1982) Effect of Verticillium dahliae on Gossypium arboreum Cell suspension cultures. In : Proc. V Intl. Cong. Plant Tissue Culture, Fujiwara, A., (ed), Japan. pp. 675-676.

Heinstein, P.F., (1985) Future approaches to the formation of secondary natural products in plant cell suspension cultures. J. Nat. Prod. 48(1): 1-9.

Heintz, R., Benveniste, P., Bimpson, T. (1972) Plant Sterol metabolism. Evidence for the presence of an enzyme capable of opening the cyclopropane ring of cycloeucaenol. Biochem. Biophys. Res. Commun. 46 : 766-772.

Hendrix, D.L. and Higinbotham, N., (1973) Effects of filipin and cholesterol on K^+ movement in etiolated stem cells of Pisum sativum L. Plant Physiol. 52 : 93-97.

Henshaw, G.G., Jha, K.K., Mehta, A.R., Shakeshaft, D.J. and Street, H.E., (1966) Studies on the Growth in Culture of plant cells. J. Exp. Bot. 17(51) : 362-377.

Hicks, G.S. and Nair, A., (1986) Growth and morphogenesis in short-term nodal cultures of an apple rootstock in vitro. Can. J. Bot. 64 : 2299-2304.

* Hildebrandt, V. and Harney, F.M., (1983) In vitro propagation of Syringa vulgaris 'Vesper'. HortScience 18(4) : 432-434.

Hildebrandt, A.C. and Ricker, A.J., (1953) Influence of concentrations of sugars and polysaccharides on callus tissue grown in vitro. Am. J. Bot. 40 : 66-76.

- Hillis, W.E., (1975) Ethylene and extraneous material formation in woody tissues. *Phytochemistry* 14 : 2559-2562.
- Horgan, R., (1984) Cytokinins. In : *Advanced Plant Physiology*, Wilkins, M.B. (ed) Pitman Publ. Lit, London. pp. 53-75.
- Hu, C.Y. and Wang, P.J., (1983) Meristem, shoot tip and bud culture. In : *Handbook of Plant Cell Culture*, Vol. I, Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y. (eds), MacMillan Publ. Co., New York pp. 177-227.
- Hussey, G., (1978) The application of tissue culture to the vegetative propagation of plants. *Science Progress*, 65 : 185-208.
- Hustache, G., Barnoud, F. and Joseleau, J.-P., (1986) Callus formation and induction of a cell suspension culture from Acacia senegal. *Plant Cell Reports* 5 : 365-367.
- * Hutchinson, J.F., (1981) Tissue Culture Propagation of Fruit trees. In : *Proc. COSTED Symp. on Tissue Culture of Economically Important Plants*. Rao, A.N. (ed), Singapore, pp. 113-120.
- Hutchinson, J.F., (1984) Factors affecting shoot proliferation and root initiation in agar cultures of apple 'Northan Spy'. *Sci.Hort.* 22 : 347-358.
- Ingram, D.S., (1980) Tissue culture Methods in Plant Pathology. In : *Tissue Culture Methods for Plant Pathologists*. Ingram, D.S. and Helgeson, J.P. (eds), Blackwell Scientific, Oxford, pp. 3-9.
- Ingram, D.S. and Robertson, N.F., (1965) Interaction between Phytophthora infestans and tissue cultures of Solanum tuberosum *J. Gen. Microbiol.* 40 : 431-437.
- Ishii, K., (1986) In vitro plantlet formation from adventitious buds on juvenile seedlings of Hinoki cypress (Chamaecyparis obtusa). *Plant Cell Tissue and Organ Culture* 7 : 247-255.

Iyer, R.S., (1984) Growth of Plant Cells. M.Sc. Thesis, Poona University, Poona.

- * Jacobsohn, G.M., (1970) Sterol formation and transformation in *Digitalis*. In : Recent advances in phytochemistry, Vol. 3. Steelink, C., Runeckles, V.C. (eds), New York, Appleton-Century-Crofts pp. 229-247.

Jaidka, K. and Mehra, P.N. (1986) Morphogenesis in *Punica granatum* (Pomogranate). Can. J. Bot. 64 : 1644-1653.

Jain, M., Misra, P. and Chaturvedi, H.C., (1987) Essential oil production from in vitro Grown Shoots and Callus of *Rosmarinus officinalis* (abst.). In : Proc. Symp. Plant Cell and Tissue Culture of Economically Important Plants, Reddy, G.M. (ed), Hyderabad, India, pp. 430-431.

Jaiswal, V.S. and Amin, M.N., (1987) In vitro propagation of Guava from shoot cultures of Mature trees. J. Plant Physiol. 130 : 7-12.

Jaiswal, V.S. and Narayan, P., (1985) Regeneration of plantlets from the callus of stem segments of adult plants of *Ficus religiosa* L. Plant Cell Reports, 4 : 256-258.

Jakobek, J.L., Backhaus, R.A. and Herman, K., (1986) Micro-propagation of Candelilla, *Euphorbia antisiphilitica* Zucc. Plant Cell Tissue and Organ Culture 7 : 145-148.

Jalal, M.A.F., (1981) In Proc. Intl. Workshop on Improvement of tropical crops through Tissue Culture, 9-10 March, Islam, A.S. (ed), Bangladesh, p. 97.

James, D.J. and Thurbon, I.J., (1979) Rapid in vitro rooting of the apple rootstock. M. 9. J. Hort. Sci. 54(4) : 309-311.

James, D.J. and Thurbon, I.J., (1981 a) Shoot and root initiation in vitro in the apple rootstock M.9 and promotive effects of phloroglucinol. J. Hort. Sci. 56 : 15-20.

- James, D.J. and Thurbon, I.J. (1981 b) Phenolic compounds and other factors controlling rhizogenesis in vitro in the apple rootstock M-9 and M-26. *Z. Pflanzenphysiol.* 105 : 11-20.
- Johansson, L. and Eriksson, T., (1977) Induced embryo formation in anther cultures of several Anemone species. *Physiol. Plant.* 40 : 172-174.
- Johnson, M.A. and Carlson, J.A., (1978) IAA-oxidase in Douglas-fir development (Abst.) In : *Frontiers of Plant tissue culture*. Thorpe, T.A. (ed), Calgary, Calgary University, p. 166.
- Jones, O.P., (1979) Propagation in vitro of apple trees and other woody fruit plants : Methods and applications. *Sci. Hort.* 30 : 44-48.
- Jones, O.P., (1983) In vitro propagation of tree crops. In : *Plant Biotechnology*, Mantell, S.H. and Smith, H. (eds), Cambridge Univ. Press, pp. 139-157.
- Jones, O.P. and Hatfield, S.G.S., (1976) Root initiation in apple shoots cultured in vitro with auxins and phenolic compounds. *J. Hort. Sci.* 51 : 495-499.
- Jones, O.P. and Hopgood, M.E., (1979) The successful propagation in vitro of two rootstocks of Prunus : The plum rootstock Pixy (P. insititia) and the cherry rootstock F 12/1 (P. avium). *J. Hort. Sci.* 54 : 63-66.
- Jones, O.P. Hopgood, M.E. and O'Farrell, D., (1977) Propagation in vitro of M.26 apple rootstocks. *J. Hort. Sci.* 52 : 235-238.
- Junttila, O., (1982) Gibberellin-like activity in shoots of Salix pentandra as related to the elongation growth. *Can. J. Bot.* 60 : 1231-1234.

Kakrani, H.K., (1981) Flavonoids from the flowers of Commiphora mukul. Fitoterapia 52(5) : 221-223.

Kamada, H., Okamura, N., Sutate, M., Harada, H. and Shimomura, K., (1986) Alkaloid production by hairy root cultures in Atropa belladonna. Plant Cell Reports 5 : 239-242.

Kaul, K. and Kochhar, T.S., (1985) Growth and differentiation of callus cultures of Pinus. Plant Cell Reports 4 : 180-183.

Kaul, B., Stohs, S.J. and Staba, E.J., (1969) Dioscorea tissue Cultures. III. Influence of various factors on diosgenin production by Dioscorea deltoidea callus and suspension cultures. Lloydia 32 : 347-359.

Kefeli, V.I. and Kutacek, M., (1977) Phenolic substances and their possible role in plant growth regulation. In : Plant Growth Regulation, Pilet, D.E. (ed), Springer-Verlag, Berlin.

* Kestor, D., (1976) The relationship of juvenility to plant propagation. The Intl. Plant Prop. Soc. Comb., 26 : 71-84.

Khanna, P., Bansal, R. and Jain, S.C., (1975) Effect of various Hormones and production of Saponins and sterols in Trigonella foenum-graecum L. suspension cultures. Ind. J. Exp. Biol. 13 : 582-583.

Khanna, P. and Khanna, R., (1976) Endogenous Free Ascorbic Acid and Effect of Exogenous Ascorbic Acid on Growth and Production of Pyrethrins from in vitro Tissue Cultures of Tagetes erecta L. Ind. J. Exp. Biol. 14 : 630-631.

Khanna, P. and Manot, S.K., (1976) Effect of cholesterol on suspension culture of Solanum xanthocarpum Schrad. and Wendl. Ind. J. Exp. Biol. 14 : 631-633.

- Khanna, P. and Purohit, P.V., (1983) Studies of steroidal saponinins from Yucca aloefolia L. in vivo and in vitro tissue cultures. In : Plant Cell Culture in Crop Improvement, Sen, S.K. and Giles, K.G. (eds), K.G. Plenum Press, New York, and London. pp. 65-69.
- Khanna, P., Rathore, A.K. and Manot, S.K., (1980) Production of steroids in static tissue cultures of Dioscorea floribunda Mart. ant. Gul. Ind. J. Pharm. Sci., 42 : 98-99.
- Kim, H.P., Patel, K.P. and Thorpe, T.H., (1985) Regeneration of Mulberry plantlets through Tissue Culture. Bot. Gaz. 146(3) : 335-340.
- * Kinnersley, A.M. and Dougall, D.K., (1980) Correlation between the nicotine content of tobacco plants and callus cultures. Planta 149 : 205-206.
- Knapp, F.F. and Nicholas, H.J., (1971) The biosynthesis of phytosterols in Musa sapientum. Phytochemistry 10 : 85-95.
- * Kotte, W., (1922) Wurzelmeristem in Gewebekultur. Ber. Ditsch. Bot. Ges. 40 : 269.
- Kotwal, M., Gupta, P.K. and Mascarenhas, A.F., (1983) Rapid multiplication of Sapium sebiferum Roxb. by tissue culture. Plant Cell Tissue Organ Culture 2 : 133-139.
- Kouider, M., Skirvin, R.M., Korban, S.S. and Widholm, J.M., (1984) Adventitious shoot formation from Red Delicious apple cotyledons in vitro. J. Hort. Science 59(3) : 295-302.
- Kulkarni, D.D., Ghugale, D.D. and Narasimhan, R., (1970) Chemical Investigations of Plant Tissues Grown in vitro : Isolation of β -sitosterol from Morus alba (Mulberry) callus tissue. Ind. J. Exp. Biol. 8(4) : 347.

- Kulkarni, D.K., Gupta, P.K. and Mascarenhas, A.F., (1984) Tissue Culture Studies on Leucaena leucocephala. Leucaena Research Reports 5 : 37-39.
- Kumar, A., (1974) Vitamin requirement of callus tissue of Arachis hypogaea L. Ind. J. Exp. Biol. 12(5) : 465.
- * Kurosaki, F., Amin, M., Arasuke, N., (1986) Induction of phytoalexin production and accumulation of phenolic compounds in cultured carrot cells. Physiol. Mol. Plant Pathol. 28(3) : 359-370.
- Kurz, W.G.W., Chatson, K.B., Constabel, F., Kutney, J.P., Choi, L.S.I., Kolodziejczyk, K., Sleigh, S.L., Stuart, K.L. and Worth, B.R., (1980) Alkaloid production in Catharanthus roseus cell cultures. Initial studies on cell lines and their alkaloid content. Phytochemistry 19 : 2583-2587.
- Lakshmi Sita, G., Chattopadhyay, S. and Tejavathi, D.H., (1986) Plant regeneration from shoot callus of rosewood (Dalbergia latifolia Roxb.). Plant Cell Reports 5 : 266-268.
- Lakshmi Sita, G., Raghava Ram and Vaidyanathan, C.S., (1979) Differentiation of embryoids and plantlets from shoot callus of Sandalwood. Plant Sci. Lett. 15 : 265-270.
- Lakshmi Sita, G. and Shobha Rani, B., (1985) In vitro propagation of Eucalyptus grandis L. by tissue culture. Plant Cell Reports 4 : 63-65.
- Lalitha, R. and Ramasarma, T., (1987) Role of Mevalonate-metabolizing Enzymes in the Biosynthesis of Isoprenoid compounds in plants. J. Scient. Ind. Res. 46 : 386-404.
- Lane, D.W., (1979) Regeneration of pear plants from shoot meristem tips. Plant Sci. Lett. 16 : 337-342.

- Larkin, P.J. and Scowcroft, J.M., (1981) Somaclonal variation - a novel source of variability from cell cultures for plant improvement. *Theor. Appl. Genet.* 60 : 197-214.
- Lee, S.K. and Rao, A.N., (1986) In vitro regeneration of plantlets in Fagraea fragrans Roxb. *Plant cell tissue and Organ Culture* 7 : 43-51.
- Lee, C.W. and Thomas, J.C., (1985) Propagation of Desert Milkweed by shoot tip culture. *HortScience* 20(2) : 263-264.
- Letham, D.S. and Williams, M.W., (1969) Regulation of cell division in plant tissue VIII, The cytokinins of apple fruit. *Physiol. Plant.* 22 : 925-936.
- Liau, D.F. and Boll, W.G., (1970) Callus and Cell suspension culture of bush bean (Phaseolus vulgaris). *Can. J. Bot.* 48 : 1119-1130.
- Lindsey, K. and Yeoman, M.M., (1983) Novel experimental systems for studying the production of secondary metabolites by plant tissue cultures. In : *Plant Biotechnology*, Mantell, S.H. and Smith, H. (eds), Cambridge Univ. Press, pp. 39-66.
- Lineberger, R.D., (1983) Shoot proliferation, rooting and transplant survival of tissue cultured 'Hally Jolvette' cherry. *HortScience* 18(2) : 182-185.
- Litz, R.E., Knight, R.J. and Gazit, S., (1984) In vitro somatic embryogenesis from Mangifera indica L. callus. *Scientia Horticulture* 22 : 233-240.
- * Lloyd, G. and McCown, B., (1980) Commercially-feasible micro-propagation of mountain laurel, Kalmia latifolia by use of shoot-tip culture. *Comb. Proc. Inter Plant Prop. Soc.* 30 : 421-427.
- Lounasmaa, M. and Nemes, A., (1982) The synthesis of Bis-indole alkaloids and their derivatives. *Tetrahedron* 38 : 223-243.

- Luckner, M., Nover, L. and Böhm, H., (1977) Secondary Metabolism and Cell Differentiation. Springer, Berlin, Heidelberg and New York.
- Mahler, H.R. and Cordes, E.H., (1966) Biological Chemistry. Harper and Row Publ., New York/London.
- Malhotra, C.L., Agarwal, Y.K., Mehta, V.L. and Prasad, S., (1970). The effect of various fractions of Gum Guggul on experimentally produced Hypercholesterolemia in chicks. Ind. J. Med. Res. 58 : 394-395
- Manoharan, K., Prasad, R. and Guha-Mukherjee, S., (1987) Greening and shoot-differentiation related lipid changes in callus cultures of Datura innoxia. Phytochemistry 26(2) : 407-410.
- Mantell, S.H. and Smith, H., (1983) Cultural factors that influence secondary metabolite accumulations in plant cell and tissue cultures. In : Plant Biotechnology, Mantell, S.H. and Smith, H. (eds), Cambridge University Press, pp. 75-108.
- Marcotrigiano, M. and Stimart, D.P., (1983) In vitro organogenesis and shoot proliferation of Paulownia tomentosa Steud (Empress tree) Plant Sci. Lett. 31 : 303-310.
- Maretzki, A., Thom, M. and Nickell, L.G., (1974) Utilization and metabolism of carbohydrates in cell and callus cultures. In : Tissue Culture and Plant Science, Street, H.E. (ed), Academic Press, London, pp. 329-361.
- * Martin, J.F., (1977) In : Adv. Biochem. Eng. Vol. 6, Ghose, T.K. Flechter, A., Blakebrough, N. (eds), Springer, Berlin, Heidelberg, New York, pp. 105-127.
- Martinez, B.C., Lam, L. and Staba, E.J., (1986) Variability of Artemisinin (Quinghousu) content in Artemisia annua tissue cultures (abst.) In : Proc. VI Intl. Cong. of Plant Tissue and Cell Culture, Somers, D.A., Gengenbach, B.G., Biesboer, D.D., Hackett, W.P. and Greon, C.E. (eds), Univ. of Minnesota, USA, p. 352.

Mascarenhas, A.F., Gupta, P.K., Kulkarni, V.M., Mehta, U., Iyer, R.S., Khuspe, S.S. and Jagannathan, V., (1981) Propagation of trees by tissue culture. In : Proc. COSTED Symp. on Tissue Culture of Economically Important Plants, Rao, A.N. (ed), Singapore pp. 175-179.

Mascarenhas, A.F., Hazara, S., Potdar, U., Kulkarni, D.K., Gupta, P.K., (1982) Rapid clonal multiplication of mature forest trees through tissue culture. In : Plant Tissue Culture, Fujiwara, A. (ed), Japan, pp. 719-720.

Matsumoto, T., Ikeda, T., Kanno, N., Kisaki, T. and Noguchi, M., (1980) Selection of high ubiquinone-10 producing strain of tobacco cultured cells by cell cloning techniques. Agric. Biol. Chem. 44 : 967-969.

McComb, J.A., (1985) Micropropagation of the rare species Stylidium caroniforme and other Stylidium species. Plant Cell Tissue Organ Culture 4 : 151-158.

Mehra, A. and Mehra, P.N., (1974) Organogenesis and plantlets formation in almond. Bot. Gaz. 135 : 61-73.

Mehta, A.R., (1984) Recent advances in Plant Tissue Culture, Lecture given in : UGC-sponsored National Level Institute, Dec. 10-13, Hyderabad, India.

Mehta, A.R., Henshaw, G.G. and Street, H.E. (1967) Aspects of Growth in suspension cultures of Phaseolus vulgaris L. and Linum usitatissimum. Ind. J. Plant Phys. 10(1): 44-53.

Mehta, A.R. and Staba, E.J., (1970) Presence of diosgenin in tissue cultures of Dioscorea composita Hemsl and related species. J. Pharm. Sci. 59(6) : 864.

Mehta, V.L., Malhotra, C.L. and Kulrah, N.S., (1968) The effects of various fractions of Gum Guggul on experimentally produced Hypercholesteraemia in chicks. Ind. J. Physiol. Pharm. 12 : 94-95.

- * Miller, C.O., Skoog, F., Okumura, F.S., VonSaltza, M.H. and Strong, F.M., (1955) Structure and Synthesis of Kinetin. *J. Am. Chem. Soc.* 77 : 2662-2663.

Minocha, S.C., (1980) Cell and Tissue Culture in the propagation of Forest Trees. In : *Plant Cell Culture, Results and Perspectives*, Sala, F., Parisi, B., Cella, R. and Ciferri, O. (eds), Elsevier, North Holland Biomedical Press, pp. 295-300.

Misawa, M. and Samejima, H., (1978) Production of Biologically active substances by plant tissue culture. In : *Frontiers of Plant Tissue Culture*, Thorpe, T.A. (ed), Univ. of Calgary, Alberta, Canada, pp. 353-361.

Mitchell, J.P. and Gildow, F.E., (1975) The initiation and maintenance of Vicia faba Tissue Cultures. *Physiol. Plant.* 34(3) : 250-253.

Mitra, G.C. and Chaturvedi, H.C., (1972) Embryoids and complete plants from unpollinated ovaries and from ovules of in vivo-grown emasculated flower buds of Citrus spp. *Bull. Torrey Bot. Club* 99(4) : 184-189.

Mitra, G.C. and Kaul, K.N., (1964) In vitro culture of root and stem callus of Rauwolfia serpentina Benth. for reserpine. *Ind. J. Exp. Biol.* 2 : 49-51.

Mitra, G.C., Prabha, C. and Chaturvedi, H.C., (1965) Histogenesis of callus tissue from different organs of Rauwolfia serpentina Benth. in tissue culture. *Ind. J. Exp. Biol.* 3 : 216-222.

Mitsuhashi-Kato, M., Shibaoka, H. and Shimokoryoma, M., (1978) The nature of the dual effect of auxin on root formation in Azuki cuttings. *Plant Cell Physiol.* 19 : 1535-1542.

Mizukami, H., Konoshima, M. and Tabata, M., (1977) Effect of nutritional factors on shininonin derivative formation in Lithospermum callus cultures. *Phytochemistry* 16 : 1183-1186.

- Mizukami, H., Konoshima, M. and Tabata, M., (1978) Variation in pigment production in Lithospermum erythrorhizon callus cultures. *Phytochemistry* 17 : 95.
- Mohammed, S. and Erikson, E.N., (1974) Root formation in pea cuttings, IV. Further studies on the influence of indole-3-acetic acid at different developmental stages. *Physiol. Plant.* 32 : 94-96.
- Monette, P.L., (1986) Micropropagation of Kiwifruit using non-axenic shoot tips. *Plant Cell Tissue Organ Culture* 6 : 73-82.
- * Morel, G., (1960) Producing virus-free cymbidium. *Am. Orchid Soc. Bull.* 29 : 495-497.
- Morris, P., (1986) Alkaloid metabolism in cultured-leaf tissues and primary callus. *Planta Med.* (2) : 127-32.
- Morris, P., Scragg, A.H., Smart, N.J. and Stafford, A., (1985) Secondary Product Formation by Cell Suspension Cultures. In *Plant Cell Culture a practical approach*, Dixon, R.A. (ed), IRL Press, Oxford, Washington, pp. 127-167.
- Mott, R.L., (1981) Trees. In : *Cloning agricultural plants via in vitro Techniques*, Conger, B.V. (ed), CRC press, Boca Raton, pp. 217-250.
- Mudd, J.B. and Kleinschmidt, M.G., (1970) Effect of filipin on the permeability of red beet and potato tuber discs. *Plant Physiol.* 45 : 517-518.
- Muir, W.H., Hildebrandt, A.C. and Riker, A.J., (1954) Plant tissue cultures produced from single isolated plant cells. *Science* 119 : 877-878.
- Murashige, T., (1974) Plant Propagation through tissue cultures. *Ann. Rev. Plant Physiol.* 25 : 135-166.

- Murashige, T., (1977) Clonal crops through tissue culture. In : Plant Tissue Culture and its Biotechnological Application. Barz, W., Reinhard, E., Zenk, M.H., (eds), Springer-Verlag, Berlin, Heidelberg, New York, pp. 392-403.
- Murashige, T., (1978) The impact of plant tissue culture in agriculture. In : Frontiers of Plant Tissue Culture, Thorpe, T.A., (ed), Univ. Calgary Press, Canada, pp. 15-26.
- Murashige, T. and Skoog, F., (1962) A revised medium for rapid growth and bioassay with tobacco tissue cultures. *Physiol. Plant.* 15 : 473-497.
- Nabors, M.W., Gibbs, S.E., Bernstein, C.S., and Meis, M.E., (1980) NaCl-tolerant tobacco plants from cultured cells. *Z. Pflanzenphysiol.* 97 : 13-17.
- Nadgir, A.L., Phadke, C.H., Gupta, P.K., Parsharami, V.A., Nair, S., and Mascarenhas, A.F., (1984) Rapid multiplication of Bamboo by Tissue Culture. *Silvae Genetica* 33(6) : 219-223.
- Nag, T.N., (1975) Datura tissue cultures - a source of sterols. *Ind. J. Pharm.* 38(3) : 80-81.
- * Nag, T.N. and Harsh, M.L., (1982 a) Diosgenin and phytosterols from an Indian desert plant Lycium barbarum Linn. *Trans. Isdt and Ucds.* 7(1) : 50-52.
- Nag, T.N. and Harsh, M.L., (1982 b) Arid zone plants of Rajasthan, A source of steroidal saponin. *Acta Botanica Indica* 10 : 8-11.
- Nair, S., Gupta, P.K. and Mascarenhas, A.F., (1983) Haploid plants from in vitro Anther culture of Annona squamosa Linn. *Plant Cell Reports* 2 : 198-200.
- Nair, S., Gupta, P.K., Shirgurkar, M.V. and Mascarenhas, A.F., (1984) In vitro organogenesis from leaf explants of Annona squamosa L. *Plant Cell Tissue Organ Culture* 3 : 39-40.

- Nair, S., Shirgurkar, M.V., and Mascarenhas, A.F., (1986) Studies on endosperm culture of Annona squamosa Linn. Plant Cell Reports 5 : 132-135.
- Nair, G.M., Patel, K.R. and Shah, J.J., (1981 a) Histological changes in the gum-resin producing cell system in Commiphora mukul Engl. induced by mechanical injury. Proc. Indian Acad. Sci. (Plant Sci.) 90(2) : 129-136.
- Nair, G.M., Patel, K.R., Subrahmanyam, S.V. and Shah, J.J., (1981 b) Secretion of resin across the wall of the epithelial cell in the gum-resin canals of Commiphora mukul Engl. Ann. Bot. 47 : 419-422.
- Nambiar, G.R., (1980) In vivo and in vitro studies on the Biogenesis of Ergot alkaloids in Evolvulus alsinoides L. Ph.D. Thesis, M.S. University of Baroda, Baroda.
- * Navarro, L., Roistacher, C.N., Murashige, T., (1975) Improvement of shoot-tip grafting in vitro from virus free Citrus. Proc. Am. Soc. Hort. Sci. 100 : 471-479.
- Nes, W.R. and McKean, M.L., (1977) Biochemistry of steroids and other isopentenoids. Baltimore University Park Press.
- Nettleship, L. and Slaytor, M., (1974) Adaptation of Peganum harmala callus to alkaloid production. J. Exp. Bot. 25 : 1114-1123.
- Nishi, A., Yoshida, A., Mori, M., Sugano, N., (1974) Isolation of variant carrot cell lines with altered pigmentation. Phytochemistry 13 : 1653-1656.
- Nityanand, S. and Kapoor, N.K., (1971) Hypercholesterolemic effect of Commiphora mukul Resin (Guggul) Ind. J. Exp. Biol. 9: 376-377.
- * Nobe'court, P., (1939) Sur les radicules naissant des cultures de tissus de tubercule de carotte. C.R. Seances Soc. Biol. Fil. 130 : 1270-1271.

Noh, E.-W. and Minocha, S.C., (1986) High efficiency shoot regeneration from callus of quaking aspen (Populus tremuloides Michx.), Plant Cell Reports 5 : 464-467.

Ohlsson, A., Bjork, L., and Gutenbeck, S., (1986) Increases in growth and cardenolide accumulation by gibberellic acid in Digitalis lanata tissue cultures (Abst). In : Proc. VI Intl. Cong. on Plant Tissue and Cell Culture. Somers, D.A., Gengenbach, B.G., Biesboer, D.D., Hackett, W.P. and Green, C.E. (eds), Univ. of Minnesota, USA, p. 196.

Oka, S. and Ohyama, K., (1986) Mulberry (Morus alba L.) In : Biotechnology in Agriculture and Forestry. Vol. I, Trees I. Bajaj, Y.P.S. (ed), Springer-Verlag, Berlin, pp. 384-392.

Overton, K.H., (1977) Biosynthesis of mevalonoid-derived compounds in cell cultures. In : Plant Tissue Culture and its Biotechnological Application. Barz, W., Reinhard, E., Zenk, M.H. (eds), Springer-Verlag, Berlin, Heidelberg, New York, pp. 66-75.

Ozeki, Y. and Komamine, A., (1985) Effect of inoculum density, zeatin and sucrose on anthocyanin accumulation in carrot suspension culture. Plant Cell Tissue Organ Culture 5 : 45-53.

Paily, J. and D'Souza, L., (1986) In vitro clonal propagation of Lagerstroemia flos-reginae Retz. Plant Cell Tissue Organ Culture 6 : 41-45.

Pal, A., Banerjee, A. and Dhar, K., (1985) In vitro organogenesis and somatic embryogenesis from leaf explants of Leucosceptum canum Sm. Plant Cell Reports 4 : 281-284.

Patil, V.D., Nayak, U.R. and Sukh Dev, (1972) Chemistry of Ayurvedic Crude Drugs. I. Guggulu (Resin from Commiphora mukul) - I : Steroidal constituents. Tetrahedron 28 : 2341-2352.

Patil, V.D., Nayak, U.R. and Sukh Dev, (1973 a) Chemistry of Ayurvedic crude Drugs. II. Guggulu (Resin from Commiphora mukul) - II : Diterpenoid constituents. Tetrahedron 29 : 341-348.

Patil, V.D., Nayak, U.R. and Sukh Dev, (1973 b) Chemistry of Ayurvedic Crude Drugs. III. Guggulu (Resin from Commiphora mukul) - III : Long chain Aliphatic Tetrals, a new class of naturally occurring lipids. Tetrahedron 29 : 1595-1598.

Peck, D.E. and Cumming, B.G., (1986) Beneficial effects of activated charcoal on bulblet formation in tissue cultures of Muscari armeniacum. Plant Cell Tissue Organ Culture 6 : 9-14.

Pe'rez, C., Rodriguez, R. and Tames, R.S., (1985) 'In vitro' filbert (Corylus avellana L.) micropropagation from shoot and cotyledonary node segments. Plant Cell Reports 4 : 137-139.

Peterson, C.A. and Fletcher, R.A., (1975) Lateral bud growth on excised stem segments. Effect of the stem. Can. J. Bot. 53 : 243-248.

Philip, V.T., (1984) In vitro organogenesis and plantlet formation in Cashew (Anacardium occidentale L.). Ann. Bot. 54 : 149-152.

Pilgrim, H., (1972) Cholesterol side-chain cleaving enzyme Aktivitat in Keimlingen und in vitro kultivierten Geweben von Digitalis purpurea. Phytochemistry 11 : 1725-1728.

Prakash Kumar, P., Raju, C.R., Chandramohan, M. and Iyer, R.D., (1985) Induction and maintenance friable callus from the cellular endosperm of Cocos nucifera L. Plant Sci. 40 : 203-207.

Prasad, R.S. and Sukh Dev, (1976) Chemistry of Ayurvedic Crude Drugs. IV. Guggulu (Resin from Commiphora mukul) - IV : Absolute stereochemistry of mukulol. Tetrahedron 32 : 1437-1441.

Purushothaman, K.K. and Chandrasekharan, S., (1976) Guggulsterols from Commiphora mukul (Burseraceae). Ind. J. Chem. Sect. B. 14B(10) : 802-804.

- Rai, V., Ravi Shankar, Chandra, S.S., and Jagadish, (1987) Clonal propagation of Cinnamomum zeylanicum Bregn by tissue culture Plant Cell Tissue Organ Culture 9(1) : 81-88.
- Rajeevan, M.S. and Pandey, R.M., (1986) Lateral bud culture of papaya (Carica papaya L.) for clonal propagation. Plant Cell Tissue and Organ Culture 6 : 181-188.
- Ramawat, K.G. and Arya, H.C., (1982) Differentiation in hypocotyl explants of Albizia lebbek. Comp. Physiol. Ecol. 7(4): 240-242.
- Ramawat, K.G., Rideau, M. and Chenieux, J.C., (1985) Growth and Quaternary alkaloid production in differentiated and non-differentiated strains of Ruta graveolens. Phytochemistry 24(3): 444-445.
- * Rangaswamy, N.S., (1958) Culture of nucellar tissue of Citrus in vitro. Experientia 14 : 111.
- Rao, S.K., (1986) Plantlets from somatic callus tissue of the East Indian Rosewood (Dalbergia latifolia Roxb.). Plant Cell Reports 3 : 199-201.
- Rao, S.K. and Venkateswara, R., (1985) Tissue Culture of forest trees; clonal multiplication of Eucalyptus grandis L. Plant Sci. 40 : 51-55.
- Rao, P.S. and Bapat, V.A., (1978) Vegetative propagation of Sandalwood plants through tissue culture. Can. J. Bot. 56 : 1153-1156.
- Rao, A.N. and Lee, S.K., (1982) Importance of tissue culture in tree propagation. In : Proc. V Intl. Cong. Plant Tissue Culture, Fujiwara, A. (ed), Japan, pp. 715.
- Rao, U., Rao, R. and Narang, V., (1985) Somatic embryogenesis and regeneration of plants in the bamboo, Dendrocalamus strictus. Plant Cell Reports 4 : 191-194.

- Ravishankar, G.A., (1980) Enzymatic studies on the regulation of nicotine biogenesis in cultured tissue of tobacco. Ph.D. Thesis, M.S. University of Baroda, Baroda.
- Ravishankar, G.A. and Mehta, A.R., (1979) Control of Ecdysterone biogenesis in Tissue Cultures of Trianthema portulacastrum. J. Nat. Prod. 42(2) : 152-158.
- * Rees, H.H., Goad, L.J., Goodwin, T.W., (1968) Cyclization of 2,3-oxidosqualene to cycloartenol in a cell-free system from higher plants. Tetrahedron Lett. 6 : 723-725.
- Reid, W.W., (1968) Accumulation of squalene-2,3-oxide during inhibition of phytosterol biosynthesis in Nicotiana tabacum. Phytochemistry 7 : 451-452.
- Reisch, B., (1983) Genetic variability in regenerated plants. In : Handbook of Plant Cell Culture. Vol. I. Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y. (eds) Macmillan Publishing Company, New York. pp. 748-769
- Ripley, K.P. and Preece, J.E., (1986) Micropropagation of Euphorbia lathyris L. Plant Cell Tissue Organ Culture 5: 213-218.
- Risser, P.G. and White, P.R., (1964) Nutritional requirements of spruce tumor cells in vitro. Physiol. Plant. 17 : 620-635.
- * Robbins, W.J., (1922) Cultivation of excised root tips and stem tips under sterile conditions. Bot. Gaz. 73 : 376-390.
- Robinson, S.P. and Wiskich, J.T., (1975) The effects of digitonin on photochemical activities of isolated chloroplasts. Plant Physiol. 55 : 163-167.
- Rokem, J.S., Tal, B. and Goldberg, I., (1985) Methods for increasing diosgenin production by Dioscorea cells in suspension cultures. J. Nat. Prod. 48(2) : 210-222.

- Romberger, J.A. and Tabor, C.A., (1971) The Picea abies shoot apical meristem in culture I. Agar and autoclaving effects. Amer. J. Bot. 58 : 131-140.
- Rugini, E. and Verma, D.C., (1982) Micropropagation of Difficult-to-propagate Almond (Prunus amygdalus, Batsch) Cultivar. Plant. Sci. Lett. 28 : 273-281.
- Ruiz, A.Q. and Valadez, J.M. (1985) Effects of Different growth factors on Gomphrena globosa callus tissue. J. Nat. Prod. 48(6) : 976-980.
- Sanders, I.O., Smith, A.R. and Hall, M.A., (1986) Ethylene metabolism and action. Physiol. Plant. 66 : 723-726.
- Santhakumari, G., Gujral, M.L. and Sareen, K., (1964) Further studies on the Anti-arthritis and Anti-inflammatory activities of Gum Guggul. Ind. J. Physiol. Pharm. 8 : 36.
- Saranpää, P., (1987) Lipid and sterols of Pinus sylvestris (abst). In : XIV Int. Bot. Cong. Zimmer, B. and Behnke, H.D., (eds), Berlin (West) Germany, abst. no. 1-106-7.
- Sareen, R. and Khanna, P., (1986) High alkaloid yielding strain of tissue culture of Papaver somniferum L. (abst). In : Proc. VI Intl. Cong. on Plant Tissue and Cell Culture, Somers, D.A., Gengenbach, B.G., Biesboes, D.D., Hackett, W.P. and Green, C.E. (eds), Univ. of Minnesota, USA, pp. 200.
- Sasse, F., Knobloch, K.H. and Berlin, J., (1982) Induction of secondary metabolism in cell suspension cultures of Catharanthus roseus, Nicotiana tabacum and Peganum harmala. In : Proc. V Intl. Cong. Plant Tissue Culture. Fujiwara, A. (ed), Japan, pp. 343-344.
- Sato, F. and Yamada, Y., (1984) High berberine-producing cultures of Coptis japonica cells. Phytochemistry 23 : 281-285

- Satyavati, G.V., Dwarkanath, C. and Tripathi, S.N., (1969 a). Experimental studies on the hypocholesterolemic effect of Commiphora mukul Engl. (Guggul). Ind. J. Med. Res. 57 : 1950-1962
- Satyavati, G.V., Raghunathan, K., Prasad, D.N. and Rathor, R.S., (1969 b) Commiphora mukul Engl. and Tinospora cordifolia Wild. A study of the anti-inflammatory activity. Rheumatism 4 : 141.
- Sauer, H.H., Bennett, R.D., Heftmann, E., (1967) Pregnenolone metabolism in Digitalis lanata. Phytochemistry 6 : 1521-1526.
- * Schleiden, M.J., (1838) Beitrage zur Phytogenesis. Arch. Anat. Physiol. U. Wiss. Med. (J. Muller) : 137-176.
- * Schwann, T., (1839) Mikroskopische Untersuchungen über die Übereinstimmung in der struktur und dem wachstum der Thiere und Pflanzen. Leipzig : W. Engelmann, Nr. 176, Ostwald Klassiker der exakten Wissen Schäften : 1910.
- Scorza, R., Welker, W.V. and Dunn, L.J., (1984) The effect of glyphosate, auxin and cytokinin combinations on in vitro development of cranberry node explants. HortScience 19 : 66-68.
- Scragg, A.H. and Allan, E.J., (1986) Production of the triterpenoid quassin in callus and cell suspension cultures of Picrosma quassioides Bennett. Plant Cell Reports 5 : 356-359.
- Sehgal, C.B. and Khurana, S., (1985) Morphogenesis and plant regeneration from cultured endosperm of Embllica officinalis Gaertn. Plant Cell Reports 4 : 263-266.
- Seibert, M. and Kadkade, P.G., (1980) Environmental factors : A Light. In : Plant Tissue Culture as a source of Biochemicals, Staba, E.J. (ed), Boca Raton, Florida, CRC Press, pp. 123-142.
- * Selby, C. and Harvey, B.M., (1985) The influence of natural and in vitro bud flushing on adventitious bud production in Sitka spruce (Picea sitchensis (Bong. Carr.) bud and needle cultures. New Phytol. 100 : 549-561.

- Selvapandiyan, A., Mehta, A.R. and Bhatt, P.N., (1987)
Selection of Tobacco cell lines Resistant to the Culture
Filtrate of Fusarium oxysporum. In : Proc. Symp. Plant, Cell
and Tissue Culture of Economically Important Plants, Reddy,
G.M. (ed), Hyderabad, India, pp. 153-155.
- Selvapandiyan, A., Subramani, J., Bhatt, P.N. and Mehta, A.R.,
(1988) A simple method for direct transplantation of cultured
plants to the field. Plant Sci. 56 : 81-83.
- Sen, S.P., (1984) The molecular basis of hormone action. In :
Hormonal Regulation of Plant Growth and Development Vol. I,
Purohit, S.S. (ed), Agro Botanical Publ. India, pp. 1-40.
- Setia, R.C., Parthasarathy, M.V. and Shah, J.J., (1977)
Development, histochemistry and ultrastructure of gum-resin
ducts in Commiphora mukul Engl. Ann. Bot. 41 : 999-1004.
- Shah, J.J., (1983) Gum, resin and gum resin secretion in plant.
Acta Bot. Ind. 11 : 91-96.
- Shah, J.J. and Setia, R.C., (1976) Histological and histo-
chemical changes during the development of canals in Sterculia
urens Roxb. Phytomorphology 26 : 151-158.
- Shah, J.J., Subrahmanyam, S.V., Nair, G.M. and Patel, K.R.,
(1980) Enzyme histochemistry of Gum-resin canals of some
members of Burseraceae. Proc. Indian Natl. Sci. Acad. B46 (4) :
506-511.
- Simpkins, I. and Street, H.E., (1970) Studies on the growth in
culture of plant cells. J. Exp. Bot. 21 : 171-185.
- Singh, R.P., Subbarao, H.N. and Sukh Dev, (1981) Organic
reactions in a solid matrix. VI. Silica-gel supported reagents
for the isolation of Aldehydes and ketones. Tetrahedron, 37 :
843-846.

- * Singha, S., (1982) Influence of agar concentration on in vitro shoot of Malus sp. 'Almey' and Pyrus communis 'Seckel'.
J. Amer. Soc. Hortic. Sci. 107 : 657-660.

Skirvin, R.M., (1981) Fruit Crops. In : Cloning Agricultural plants via in vitro Techniques, Conger, B.V. (ed) CRC Press, Boca Raton, pp. 51-139.

Skoog, F., Hamzi, H.Q., Szweykowska, A.M., Leonard, M.J., Carraway, K.L., Fujii, T., Helgeson, J.P. and Leepky, R.N. (1967) Cytokinins : Structural/activity relationships. Phytochemistry 6 : 1169-1192.

Skoog, F. and Miller, C.O., (1957) Chemical regulation of growth, and organ formation in plant tissues cultured in vitro.
Symp. Soc. Expt. Biol. 11 : 118-131.

Smith, J.I., Smart, N.J., Quesnel, A.A., Misawa, M. and Kurz, W., (1986) Development and scale up studies for the production of catharanthine by cell cultures of Catharanthus roseus (abst).
In : Proc. VI Intl. Cong. of Plant Tissue and Cell Culture, Somers, D.A., Gengenbach, B.G., Biesboes, D.D., Hackett, W.P. and Green, C.E. (eds), Univ. of Minnesota, USA, p. 248.

Snir, I., (1983) A micropropagation system for sour cherry.
Sci. Hort. 19 : 85-90.

Snir, I. and Erez, A., (1980) In vitro propagation of malling merton apple rootstocks. HortScience 15 : 597-598.

Sommer, H.E. and Caldas, L.S., (1981) In vitro methods applied to forest trees. In : Plant tissue culture, Thorpe, T.A. (ed), Academic Press, New York. pp. 349-358.

Sondahl, M.R. and Sharp, W.R., (1977) High frequency induction of somatic embryos in cultured leaf explants of Coffea arabica L.
Z. Pflanzenphysiol. 81 : 395-408.

- Sopory, S.K., Jacobsen, E. and Wenzel, G., (1978) Production of monoploid embryoids and plantlets in cultured anthers of Solanum tuberosum. Plant Sci. Lett. 12 : 47-54.
- Spiegel-Roy, P. and Kochba, J., (1977) Application of Tissue culture for plant improvement. In : Plant tissue culture and its Biotechnological Application, Barz, W., Reinhard, E. and Zenk, M.H., (eds). Springer-Verlag, Berlin, Heidelberg, New York pp. 404-413.
- Srinivasan, C., Litz, R.E., Barker, J. and Norstog, K., (1985) Somatic embryogenesis and plantlet formation from Christmas palm callus. HortScience 20(2) : 278-280.
- Srivastava, M., Nityanand, S., Kapoor, N.K., (1984) Effect of hypocholesterolemic agents of plant origin on catecholamine biosynthesis in normal and cholesterol fed rabbits. J. Biosc. 6(3) : 277-282.
- Staba, E.J., (1977) Tissue culture and Pharmacy. In : Applied and Fundamental Aspects of Plant Cell, Tissue and Organ Culture, Reinert, J. and Bajaj, Y.P.S. (eds), Springer-Verlag, Berlin, pp. 694-715.
- Staba, E.J., (1980) Secondary Metabolism and Biotransformation. In : Plant Tissue Culture as a source of Biochemicals. Staba, E.J. (ed), CRC Press, Boca Raton, Florida. pp. 59-98.
- Staba, E.J., (1985) Milestones in plant tissue culture systems for the production of secondary products. J. Nat. Prod. 48(2): 203-209.
- Stenlid, G., (1968) On the physiological effects of phloridzin and some related substances upon higher plants. Physiol. Plant. 21 : 882-894.

Stevenson, J.H. and Harris, R.E., (1980) In vitro plantlet formation from shoot tip of Fuchsia hybrida cv. swingtime. Can. J. Bot. 58 : 2190-2192.

Steward, F.C., Mapes, M.O. and Ammirato, P.V., (1969) Growth and morphogenesis in tissue and free cell cultures. In : Plant Physiology : A treatise Vol. 5B, Steward, F.C. (ed) pp. 329-376.

Steward, F.C., Mapes, M.O., Mears, K., (1958) Growth and organized development of cultured cells. Am. J. Bot. 45(10): 705-708.

Stohs, S.J., (1977) Metabolism of steroids in plant tissue cultures. In : Plant Tissue Culture and its Biotechnological Application, Barz, W., Reinhard, E. and Zenk, M.H. (eds). Springer-Verlag, Berlin, Heidelberg, New York, pp. 142-150.

Stohs, S.J. and El-Olemy, M.M., (1971) Pregnenolone and progesterone from 20 α -hydroxycholesterol by Cheiranthus cheiri leaf homogenates. Phytochemistry 10 : 3053-3056.

Stohs, S.J. and Rosenberg, H., (1975) Steroids and steroid metabolism in plant tissue cultures. Lloydia 38 : 181-194.

Stoll, A. and Jucker, E., (1955) Phytosterine, steroidsaponine and Herzglykoside. In : Modern Methods of Plant Analysis Vol. 3 Paech, K., Tracey, M.V. (eds), Berlin Springer, pp. 141-271.

Stoltz, L.P., (1971) Agar restriction of the growth of excised mature Iris embryos. J. Amer. Soc. Hortic. Sci. 96 : 681-684.

Street, H.E., (1966) Growth, differentiation and organogenesis in plant tissue and organ cultures. In : Cells and Tissues in Culture Vol. 3, Willmer, E.N. (ed), Academic Press, pp. 631-689.

Street, H.E., (1977) Cell (suspension) cultures - techniques In : Plant tissue and Cell Culture, Street, H.E. (ed), Blackwell Scientific Publishers, Oxford. pp. 61-102.

- Subbaiah, K.V., Mehta, A.R. and Shah, R.R., (1974) Studies on polyphenol content in tissue cultures of Datura and Cassia grown on defined medium. In : 3rd Int. Cong. Plant Tissue and Cell Culture. Univ. Leicester, U.K. Abst. no. 181.
- * Sugisawa, H. and Ohnishi, Y., (1976) Isolation and identification of monoterpenes from cultured cells of Perilla plant. Agr. Biol. Chem. 40 : 231-232.
- Sukh Dev, (1983) Chemistry of Resinous exudates of some Indian trees. Proc. Indian Natn. Sci. Acad. 49, A, (30) : 359-385.
- Sutter, E. and Barker, P., (1985) In vitro propagation of mature Liquidambar styraciflua. Plant Cell Tissue Organ Culture 5 : 13-21.
- Sutter, E. and Langhans, R.W., (1979) Epicuticular wax formation on carnation plantlets regenerated from shoot tip, culture. J. Am. Soc. Hort. Sci. 104 : 493-496.
- Tabata, M. (1977) Recent advances in the production of medicinal substances by plant cell cultures. In : Plant tissue culture and its Biotechnological application. Barz, W., Reinhard, E. and Zenk, M.H., (eds) pp. 3-16.
- Tabata, M., Mizukami, H., Hiraoka, N., Konoshima, M. (1974) Pigment formation in callus cultures of Lithospermum erythrorhizon. Phytochemistry 13 : 927-932.
- * Tabata, M., Mizukami, H., Hiraoka, N., Konoshima, M., (1976) The production and regulation of shikonin derivatives in cultured cells. Abst. 12th Phytochem. Symp. Japan, Kyoto. pp. 1-8.
- * Tabata, M., Yamamoto, H., Hiraoka, N., (1971) Alkaloid production in the tissue cultures of some Solanaceous plants. In : Les Cultures des Tissue de Plantes Paris. C.N.R.S. pp.389-402.

- Tabata, M., Yamamoto, H., Hiraoka, N. and Konoshima, M. (1972). Organization and alkaloid production in tissue cultures of Scopolia parviflora. Phytochemistry 11 : 949-955.
- Tal, B., Tamir, I., Roken, J.S., and Goldberg, L.I., (1984) Isolation and characterization of an intermediate steroid metabolite in diosgenin biosynthesis in suspension cultures of Dioscorea deltoidea cells. Biochem. J. 219 : 619-624.
- * Tennes, D.M., Siegel, H., Zenneti, M.E., Kuron, G.W., Ott, W.H., and Wolf, F.J., (1958) Reduction of plasma cholesterol in animals with bile acid sequestrants. Circulation, 20 : 969.
- Thimann, K.V., (1977) The initiation of roots on stems. In : Hormone action in the whole life of the plant. University of Massachusetts Press, Amherst, pp. 190-205.
- Thomas, V., (1982) Tissue Culture Studies on Carob tree (Ceratonia siliqua L.) Ph.D. Thesis, M.S. University of Baroda, Baroda.
- Thomas, V., and Mehta, A.R., (1982) Effect of phloroglucinol on shoot growth and initiation of roots in carob tree cultures grown in vitro. In : Plant Cell Culture in Crop Improvement Sen, S.K., Giles, K.L., (eds) Plenum Press, New York. pp.451-457.
- Thorpe, T.A., (1978) Physiological and Biochemical Aspects of organogenesis in vitro. In : Frontiers of Plant Tissue Culture. Thorpe, T.A. (ed), Int. Assoc. for Plant Tissue Culture, Univ. of Calgary, Alberta, pp. 49-58.
- Thorpe, T.A., and Biondi, S., (1984) Conifers. In : Handbook of Plant Cell Culture, Vol. 2. Sharp, W.R., Evans, D., Ammirato, P. and Yamada, Y. (eds), Macmillan Publ. Co., New York pp. 435-470.
- Tillbery, E., (1974) Levels of Indole-3-acetic acid and acid inhibitors in green and etiolated bean seedlings (Phaseolus vulgaris). Physiol. Plant. 31 : 106-111.

Tomilson, H., and Rich, S., (1971) Effect of ozone on sterols and sterol derivatives in bean leaves. *Phytopathology*, 61: 1404-1405.

Tomilson, H. and Rich, S., (1973) Antisenescence compounds reduce injury and steroid changes in ozonated leaves and their chloroplasts. *Phytopathology* 63 : 903-906.

Tomita, Y., Uomori, A., Minato, H., (1970) Steroidal saponins and sterols in tissue cultures of Dioscorea tokoro. *Phytochemistry* 9 : 111-114.

Torres, K.C., and Carlisi, J.A., (1986) Shoot and root organogenesis of Camellia sasanqua. *Plant Cell Reports* 5 : 381 - 384.

Torrey, J.G., (1956) Physiology of root elongation. *Ann. Rev. Plant Physiol.* 7 : 237-266.

Torrey, J.G., (1967) Morphogenesis in relation to chromosomal constitution in long term plant tissue cultures. *Physiol. Plant.* 20 : 265-275.

Tripathi, S.N., Gupta, M., Dwivedi, L.D. and Sen, S.P., (1975) Regression of hyperlipidemia with an active principle of Commiphora mukul. *J. Res. Ind. Med.* 10(2) : 11-16.

Tripathi, Y., Malhotra, O.P., Tripathi, S.N., (1984) Thyroid stimulating action of Z-guggulsterone obtained from Commiphora mukul. *Planta Med.* 50(1) : 78-80.

Tsai-Ying Cheng, (1978) Propagating woody plants through tissue culture. *American Nurseryman*.

Ushiyama, K., Oda, H., Miyamoto, Y., (1986) Large scale tissue culture of Panax ginseng root (abst). In : *Proc. Intl. Cong. of Plant tissue and cell culture*. Somers, D.A., Gengenbach, B.G., Biesboer, D.D., Hackett, W.P. and Green, C.E. (eds). Univ. of Minnesota, USA. pp. 252.

- Van Overbeek, J., Conklin, M.E., and Blakeslee, A., (1941) Factors in coconut milk essential for growth and development of very young Datura embryos. *Science* 94 : 350-351.
- Van Staden, J., and Davey, J.E., (1981) Seasonal changes in the levels of endogenous cytokinins in the willow Salix babylonica L. *Z. Pflanzenphysiol.* 104 : 53-59.
- Vardi, A., Hutchinson, D.J., Galun, E., (1986) A protoplast-to-tree system in microcitrus based on protoplasts derived from a sustained embryonic callus. *Plant Cell Reports* (5) : 412-414.
- * Vardi, A., Spiegel-Roy, P., Galun, E., (1975) *Plant Sci. Lett.*, 4 : 231-236.
- Venkataraman, L.K., Ravishankar, G.A., Sarma, K.S. and Rajasekaran, T., (1987) In vitro metabolite production on saffron and capsicum by Plant Tissue and Cell Culture (abst). In : Intl. Workshop on Tissue Culture and Biotechnology of Medicinal and Aromatic Plants - Lucknow, India. p. 21.
- Walkey, D.G.A., (1978) In vitro methods for virus elimination. In : *Frontiers in Plant Tissue Culture*. Thorpe, T.A. (ed), University of Calgary Press, Canada, pp. 245-254.
- * Wang, T. and Chang, C., (1978) Triploid Citrus, plantlets from endosperm culture. In : *Proc. of Symp. on Plant Tissue Culture*, Science Press, Pecking, pp. 463-467.
- Wang, P.J. and Huang, L.C., (1975) Callus culture from potato tissue and the exclusion of potato virus from plants regenerated from stem tips. *Can. J. Bot.* 53 : 2565-2567.
- Wareing, P.F. and Philips, I.D.J., (1981) *Growth and Differentiation in Plants*, Pergamon Press, Oxford, New York.
- Watanabe, K. and Yamada, Y., (1982) The selection of cultured plant cell lines producing high levels of biotin. *Phytochemistry* 21 : 513-516.

Watts, M.J. and Collin, H.A., (1985) Growth and nutrient uptake by immobilised tissue culture cells of Celery (Apium graveolens) Plant Sci. 42 : 67-72.

Weatherhead, M.A., Burdon, J. and Genshaw, G.G., (1978) Some effects of activated charcoal as an additive to plant tissue culture media. Z. Pflanzenphysiol. 89 : 141-147.

Welander, M., (1983) In vitro rooting of the apple rootstock M-26 in adult and juvenile growth phases and acclimatization of the plantlets. Physiol..Plant. 58 : 231-238.

Went, F.W. and Thimann, K.V., (1937) Root formation. In : Phytohormones, Macmillan, New York, pp. 183-206.

Wenzel, G., Hoffman, F. and Thomas, E., (1977) Increased induction and chromosome doubling of androgenetic haploid rye. Theor. App. Genet. 51 : 81-86.

West, F.R. Jr., Mika, E.S., (1957) Synthesis of atropine by isolated roots and root callus cultures of belladonna. Bot. Gaz. 119 : 50-54.

White, P.R., (1934) Potentially unlimited growth of excised tomato root tips in a liquid medium. Plant Physiol., 9:585-600.

White, P.R., (1939 a) Potentially unlimited growth of excised plant callus in an artificial nutrient. Bull. Torrey Bot. Club 66 : 507.

White, P.R., (1954) In : The cultivation of Animal and Plant Cells, Thomas and Hudson, London. pp. 239.

Wichers, H.J., Wijnsma, R., Visser, J.F., Malingre, Th.M. and Huizing, H.J., (1985) Production of L-Dopa by cell suspension cultures of Mucuna pruriens. Plant Cell Tissue Organ Culture 4 : 75-82.

- Widholm, J.M., (1977) Selection and characterization of Biochemical mutants. In : Plant Tissue Culture and its Biotechnological Applications, Barz, W., Reinhard, E., Zenk, M.H., (eds), Springer-Verlag, Berlin, Heidelberg, New York, pp.112-120.
- * Wilde, M.H., and Edjerton, L.J., (1975) Histology of ethephon injury on 'Montmorency' Cherry branches. HortScience 10: 79-81.
- Williams, B.L. and Goodwin, T.W., (1965) The terpenoids of tissue cultures of Paul's scarlet rose. Phytochemistry 4: 81-88.
- Williams, R.R., Tajl, A.M., and Botton, J.A., (1984) In vitro propagation of Dampiera diversifolia and Prostanthera rotundifolia. Plant Cell Tissue Organ Culture 3 : 273-281.
- Winton, L.L., (1978) Morphogenesis in clonal propagation of woody plants. In : Frontiers of Plant Tissue Culture, Thorpe, T.A. (ed), University of Calgary Press, Canada, pp. 419-426.
- Wood, H.N. and Braun, A.C., (1961) Studies on the regulation of certain essential biosynthetic systems in normal and Crown-Gall tumor cells. Proc. Natl. Acad. Sci. USA. 47 :1907-1913.
- Yamada, Y. and Fujita, Y., (1983) Production of useful compounds in culture. In : Handbook of Plant Cell Culture Vol. 1. Evans, D.A., Sharp, W.R., Ammirato, R.V. and Yamada, Y., (eds), McMillan Publ. Co. New York. pp. 717-728.
- Yamamoto, Y., Mizugachi, R. and Yamada, Y., (1981) Chemical constituents of cultured cells of Euphorbia tirucalli and E. millii. Plant Cell Reports 1 : 29-30.
- Yu, P.L.C., El-Olemy, M.M. and Stohs, J., (1974) A phytochemical investigation of Withania somnifera tissue cultures. Lloydia 37 : 593-597.

Zenk, M.H. and Deus, B., (1982) Natural Product synthesis by plant cell cultures. In : Proc. V Intl. Cong. Plant Tissue Culture, Fujiwara, A., (ed), Japan, pp. 391.

Zenk, M.H., El-Shagi, H., Arens, H., Stöckigh, J., Weiler, E.W. and Deus, B., (1977) Alkaloid production in Catharanthus roseus cell cultures. Initial studies on cell lines and their alkaloid content. In : Plant tissue culture and its biotechnological applications, Barz, W., Reinhard, E. and Zenk, M.H., Springer-Verlag, Berlin, Heidelberg, New York, pp. 27-43.

- * Zenk, M.H., El-Shagi, H. and Schulte, U., (1975) Anthraquinone production by cell suspension cultures of Morinda citrifolia. Planta Med. Suppl. : 79-101.

Zimmerman, R.H., (1983) Factors affecting in vitro propagation of apple cultivars. Acta Hort. 131 : 171-178.

Zimmerman, R.H., (1984) Rooting apple cultivars in vitro : Interaction among light, temperature, phloroglucinol and auxin. Plant Cell Tissue Organ Culture 3 : 301-311.

- * Zimmerman, R.H., and Broome, O.C., (1980 a) In : Proc. of the Conf. on nursery production of fruit plants through tissue culture - Application and Feasibility. U.S.D.A. Zimmerman, R.H., (ed), pp. 54-58.

- * Zimmerman, R.H. and Broome, O.C., (1980 b) Blueberry micro-propagation. In : Proc. Conf. on nursery production of fruit plant through tissue culture - Application and feasibility. U.S. Dept. Agr. Sci. and Educ. Adm., APR-NEE-II pp. 44-47.

Zimmerman, R.H. and Broome, O.C., (1981) Phloroglucinol and in vitro rooting of apple cultivar cuttings. J. Am. Soc. Hort. Sci. 106 : 648-652.

Zlatkies, A., Zak, B. and Boyle, A.J., (1963) A new method for the direct determination of serum cholesterol. J. Lab. Clin. Med. 41 : 486.

* Originals not seen.