

ABBREVIATIONS

AE:	Aqueous Extract
ALB:	Albumin
ALKP:	Alkaline Phosphatase
AOO:	Area of Occupancy
BARO:	Baroda herbarium (at M. S. University of Baroda)
BSA:	Bovine Serum Albumin
BSI:	Botanical Survey of India
BSJO:	Botanical Survey of India, Jodhpur
CHL:	Chlorophyllin
CTAB:	Cetyl Trimethyl Ammonium Bromide
DNA:	Deoxyribo Nucleic Acid
dNTPs:	Deoxynucleotide Triphosphate
EOO:	Extent of Occurrence
GCMS:	Gas Chromatography Mass Spectrometry
GOT:	Glutamic Oxaloacetic Transaminase
GPT:	Glutamic Pyruvic Transaminase
HPTLC:	High Performance Thin Layer Chromatography
IUCN:	International Union For Conservation of Nature
ME:	Methanol Extract
MEGA:	Molecular Evolutionary Genetics Analysis
OECD	Organisation For Economic Co-Operation And Development
PC:	Paper Chromatography
PCR:	Polymerase Chain Reaction
RAPD:	Random Amplified Polymorphic Dna
RNA:	Ribo Nucleic Acid
TBL:	Total Bilirubin
TC:	<i>Tephrosia collina</i>
TCA:	<i>Tephrosia collina</i> Aerial Part
TCL:	<i>Tephrosia collina</i> Leaves
TCR:	<i>Tephrosia collina</i> Root
TCS:	<i>Tephrosia collina</i> Stem

TCSE:	<i>Tephrosia collina</i> Seed Extract
TJ:	<i>Tephrosia jamnagarensis</i>
TJA:	<i>Tephrosia jamnagarensis</i> Aerial Part
TJR:	<i>Tephrosia jamnagarensis</i> Root
TJSE:	<i>Tephrosia jamnagarensis</i> Seed Extract
TLC:	Thin Layer Chromatography
TPTN:	Total Parenteral Nutrition
UPGMA:	Unweighted Pair Group Method With Arithmetic Mean
UT:	Urinary Tract

LIST OF TABLES

Table no.	Table name	Page no
2.4.1	Phytochemical reported in <i>Tephrosia</i> genus	38-44
2.4.2	Phytochemicals from the <i>Tephrosia</i> genus of semiarid region	51-56
2.4.3	Fatty Acid Composition in Seeds of <i>Tephrosia</i> genus	57
2.5.1	Pharmacological activity of <i>T. purpurea</i>	58
2.5.2	Some of the marketed products made from <i>T. purpurea</i> .	60
3.7.1	Details of cell line characters	89
3.7.2	Instrumental Specification	90
3.7.3	The protocol for <i>invivo</i> hepatoprotective activity	92
3.7.4	Estimation of SGOT	94
3.7.5	Estimation of SGPT	95
3.7.6	Estimation of Bilirubin	97
4.1.1	Gross seed production of <i>T. jamnagarensis</i>	101
4.1.2	Morphological variation observed in <i>T. jamnagarensis</i>	104
4.1.3	Organoleptic character of <i>T. jamnagarensis</i>	105
4.1.4	Gross seed production of <i>T. collina</i>	109
4.1.5	Morphological variation observed in <i>T. collina</i>	112
4.1.6	Organoleptic character of <i>T. collina</i>	112
4.2.1a	<i>mat K</i> sequences generated with accession no of <i>Tephrosia</i> species	116-117
4.2.1b	Accession no of the other <i>Tephrosia</i> species extracted from NCBI	118
4.2.2	Morphological traits as per phylogenetic tree	120
4.3.1	Physical Property of Soil	125
4.3.2	Chemical Property of soil	125
4.3.3	List of associated plant species at indigenous sites of TJ and TC	126-128
4.3.4	Population census of <i>T. jamnagarensis</i> at Khadkhambaliya vidi	132
4.3.5	Population census of <i>T. collina</i> at moti vidi, Jamjodhpur	132
4.3.6	EOO and AOO of TJ and TC	134
4.4.1.	Seed treatment of <i>T. jamnagarensis</i>	138
4.4.2	Seed treatment of <i>T. collina</i>	139
4.4.3	Phenological Chart of TJ and TC	146
4.5.1	Micromorphology analysis of <i>T. jamnagarensis</i> leaves	150

Table no.	Table name	Page no
4.5.2	Micromorphology analysis of <i>T. collina</i> of leaves.	154
4.5.3	Histochemical analysis of <i>T. jamnagarensis</i>	156
4.5.4	Histochemical analysis of <i>T. collina</i>	156
4.6.1	Physicochemical properties of TJ and TC	157
4.6.2.1	Preliminary phytochemical analysis of TJ and TC	160
4.6.2.2	Quantitative analysis of phytochemicals in TJ and TC extracts	161
4.6.3.1	Sugar analysis in TJ and TC	163
4.6.3.2	Amino acids analysis in TJ and TC	167
4.6.3.3	Fatty acid profile of <i>T. jamnagarensis</i> and <i>T. collina</i>	170
4.6.3.4	list of phytochemical detected in LC-MS analysis <i>T. jamnagarensis</i>	186
4.6.3.5	list of phytochemical detected in LC-MS analysis <i>T. collina</i>	186
4.6.3.6	Phenolic acids and its distribution in TJ and TC	195
4.6.3.7	The colour reaction of phenolic acid(Daniel, 1991)	196
4.6.3.8	Phytochemical similarity of TJ and TC with other <i>Tephrosia</i> species.	210
4.7.1	Effect of ME and AE of <i>Tephrosia collina</i> against CCL ₄ -induced hepatotoxicity in rats.	224
4.7.2	Percentage restoration of various biochemical parameters by ME and AE against CCL ₄ -induced toxicity.	224
5.1	Phytochemicals detected in TJ and TC	228-231

LIST OF FIGURES

Figure no	Title	Page no
1	Relationships between the five pharmacological process starting with the entry of the drug and ending with the clinical response and/or toxic effect	25
2.1	Distribution review site of endemic <i>Tephrosia</i>	34
2.2	Flavones	45
2.3	Flavonols and Flavanonols	46
2.4	Flavans	47
2.5	Isoflavones	48
2.6	Chalcones	49
2.7	Terpenoids and Flavonoids	50
4.1	Habit of <i>Tephrosia jamnagarensis</i> Sant	102
4.2	Details morphological characters of <i>Tephrosia jamnagarensis</i>	103
4.3	Authentication certificate of <i>Tephrosia jamnagarensis</i> Sant	106
4.4	Herbarium of <i>Tephrosia jamnagarensis</i> Sant.	107
4.5	Habit of <i>Tephrosia collina</i> Sharma	110
4.6	Details morphological characters of <i>Tephrosia collina</i> Sharma	111
4.7	Authentication certificate of <i>Tephrosia collina</i> Sharma	113
4.8	Herbarium of <i>Tephrosia collina</i> Sharma	114
4.9	Agarose gel electrophoresis profile of <i>matK</i> gene	115
4.10	Phylogenetic tree of <i>Tephrosia</i> species using the <i>matK</i> gene	119
4.11	Microclimatic parameters of Cultivated Site	123
4.12	Associated species of <i>T. jamnagarensis</i> and <i>T. collina</i>	130
4.13	Khadkhambilya vidi covered by <i>Senna uniflora</i>	131
4.14	Condition of vidi during scanty rainfall season	132
4.15	Growth of targeted species correlated with rainfall at sites over period of time	133
4.16a	Distribution map of <i>Tephrosia jamnagarensis</i>	135
4.16b	Distribution map of <i>Tephrosia collina</i>	136
4.17	Seed germination in TJ and TC	139

Figure no	Title	Page no
4.18	Phenology chart of <i>Tephrosia jamnagarensis</i>	142
4.18b	Growth parameter of TJ	141
4.19	Phenology chart of <i>Tephrosia collina</i>	145
4.19b	Growth parameter of TC	144
4.19c	Variation in arrangement of leaflets of <i>T. collina</i> in comparison to <i>T. purpurea</i> and <i>T. villosa</i>	147
4.20	T. S of <i>Tephrosia jamnagarensis</i> root	148
4.21	T. S of <i>Tephrosia jamnagarensis</i> stem	149
4.22	T. S of <i>Tephrosia jamnagarensis</i> leaves	150
4.23	T. S of <i>Tephrosia collina</i> root	151
4.24	T. S of <i>Tephrosia collina</i> stem	152
4.25	T. S of <i>Tephrosia collina</i> leaves	153
4.26	<i>Tephrosia collina</i> stomata and trichome	154
4.27	Powder study	155
4.6.1	TLC of sugar Standard with samples.	163
4.6.2	GC MS of D-mannitol (trimethylsilyl ester)	164
4.6.3	GC MS of Strophanthidin	165
4.6.4	TLC of Amino acid Standard with samples.	167
4.6.5	GC MS of 3,5-pyrimedicarboxylic acid	168
4.6.6	GC MS of fatty acids	172
4.6.7	GC MS of fatty acids	173
4.6.8	GC MS of fatty acids	174
4.6.9	GC MS of fatty alcohol	175
4.6.10a	GC MS of Alkaloids	177
4.6.10b	Alkaloids(-)- norephedrine NMR and Mass spectra	178
4.6.11	GC MS of Chalcones	179
4.6.12a	UV spectrum of <i>T. jamnagarensis</i>	180
4.6.12b	UV spectrum of <i>T. collina</i>	180
4.6.13	HPTLC of Flavonoids with samples	181
4.6.14(a-g)	HPLC profile for flavonoids of <i>T. jamnagarensis</i> and <i>T. collina</i>	182-183
4.6.15a&b	HPLC profile for rotenoids of <i>T. jamnagarensis</i> and <i>T. collina</i>	184

Figure no	Title	Page no
4.6.16	GC MS of Flavones	185
4.6.17(1-14)	Mass spectra of the identified flavonoids components via LCMS	187
4.6.18	2-D chromatogram showing the position of the phenolic acid	196
4.6.19	LCMS of phenolic acids	197
4.6.20	HPTLC of steroids and terpenoid with samples	198
4.6.21	HPTLC fingerprint of <i>Tephrosia species</i>	199
4.6.22	GC MS of steroids	201
4.6.23	LC MS of m/z 905 stigmast-5-22-dien-34,21-diol,34,21,hexadonate	202
4.6.24	GCMS of Terpenoids	204
4.6.25	GCMS of sesquiterpenoids	205
4.6.26	sesquiterpene- Azulene, 1,2,3,5,6,7,8,8a-octahydro-1,4-dimethyl-7-(1-methylethenyl)-, [1S-(1.alpha.,7.alpha.,8a.beta.)]-	206
4.6.27	GCMS of triterpenoid	207
4.6.28	GC MS of essential oils	208
4.6.29	GCMS of 2,5-di-tert-butyl-1,4-benzoquinone	209
4.6.30	GCMS of 4H-Pyran-4-one, 2,3-dihydro-3,5-dihydroxy-6-methyl	209
4.7.1	Antiporliferation activity of TCA and TJA was evaluated by MTT assay on HepG2.	218
4.7.2	Antiporliferation activity of TCA and TJA was evaluated by MTT assay on Lymphocyte cell.	220
4.7.3	Antiporliferation activity of TCA and TJA was evaluated by Tryphan blue Assay on Lymphocyte cell.	221
4.7.4	Cell count photograph of MTT assayof TCA and TJA extracts	222
4.7.5	Graph for percentage restoration of various biochemical parameters by ME and AE against CCL4-induced toxicity	225