

REFERENCES

1. Abadulla E, Tzanov T, Costa S, Robra KH, Cavaco-Paulo A and Gubitzi GM. 2000. Decolourisation and detoxification of textile dyes with a laccase from *Trametes hirsuta*. *Applied and Environmental Microbiology* 66: 3357-3362.
2. Adamafio NA, Sarpong NS, Mensah CA and Obodai M. 2012. Extracellular laccase from *Pleurotus ostreatus* strain EM-1: Thermal stability and response to metal ions. *Asian Journal of Biochemistry* 7:143-50.
3. Adaskaveg JE, Gilbertson RL and Dunlap MR. 1995. Effects of incubation time and temperature on in vitro selective delignification of silver leaf Oak by *Ganoderma colossum*. *Applied and Environmental Microbiology* 61: 138-144.
4. Agosin E, Blanchette RA, Silva H, Lapierre C, Cease KR, Ibach RE, Abad AR and Muga P. 1990. Characterization of *Palo Podrido*, a natural process of delignification in wood. *Applied and Environmental Microbiology* 56: 65-74.
5. Ainsworth GC, Sparrow FK, Sussman AS. 1990. *The Fungi, an advanced treatise*, vol IVB. Academic Press, New York.
6. Akbari A, Desclaux S, Rouch JC, Aptel P, Remigy JC. 2006. New UV photografted nanofiltration membranes for the treatment of colored textile dye effluents. *Journal of Membrane Science* 286: 342-350.
7. Alaton IA, Balcioglu IA and Bahnemann DW. 2002. Advanced oxidation of a reactive dye bath effluent: comparison of O₃, H₂O₂/UV-C and TiO₂/UV-A processes. *Water Research* 36: 1143-1154.
8. Anagnost SE. 1998. Light microscopic diagnosis of wood decay. *IAWA Journal* 19: 141-167.
9. Anastasi A, Vizzini A, Prigione V, Varese GC. 2009. Wood degrading fungi: morphology, metabolism and environmental applications. In: Varma A, Chauhan AK (eds) *A textbook of molecular biotechnology*. I.K. International, New Delhi 957-993 pp.
10. Anastasi A, Tigini V and Varese GC. 2013. The bioremediation potential of different ecophysiological groups of fungi. E.M. Goltapeh et al. (eds.), *Fungi as Bioremediators*, Soil Biology Springer-Verlag Berlin Heidelberg 32pp.

11. Anjaneyulu Y, Chary NS and Raj DSS. 2005. Decolourization of industrial effluents available methods and emerging technologies-a review. *Reviews in Environmental Science and Biotechnology* 4: 245-273.
12. Arantes V and Milagres AMF. 2009. The relevance of low molecular weight compounds in wood biodegradation by fungi. *Quimica Nova* 30:1586-1595.
13. Arantes V, Milagres AMF, Filley TR and Goodell B. 2011. Lignocellulosic polysaccharides and lignin degradation by wood decay fungi: the relevance of nonenzymatic Fenton-based reactions. *Journal of Industrial Microbiology and Biotechnology* 38: 541-555.
14. Archibald FS. 1992. A new assay for lignin-type peroxidase employing the dye Azure B. *Applied and Environmental Microbiology* 58: 3110–3116.
15. Archana, Lokesh KN and Sivakiran RR. 2012. Biological methods of dye removal from textile effluents - A review. *Journal of Biochemical Technology* 3: 177-180.
16. Aro N, Pakula T and Penttila M. 2005. Transcriptional regulation of plant cell wall degradation by filamentous fungi. *FEMS Microbiology Reviews* 29: 719-739.
17. Arora SD and Gill KP. 2001. Effects of various media and supplements on laccase production by some white rot fungi. *Bioresource Technology* 77: 89-91.
18. Arora DS, Mukesh C and Paramjit K.G. 2002. Involvement of lignin peroxidase, manganese peroxidase and laccase in degradation and selective ligninolysis of wheat straw. *International Biodeterioration and Biodegradation* 50: 115-120.
19. Asgher M, Asad MJ and Legge RL. 2006. Enhanced lignin peroxidase synthesis by *Phanerochaete chrysosporium* in solid state bioprocessing of a lignocellulosic substrate. *World Journal of Microbiology and Biotechnology* 22: 449-453.
20. Asgher M, Javaid M, Rahman SU, Legge RL. 2007. A thermostable α -amylase from a moderately thermophilic *Bacillus subtilis* strain for starch processing. *Journal of Food Engineering* 79: 950-955.
21. Asgher M, Bhatti HN, Ashraf M and Legge RL. 2008. Recent developments in biodegradation of industrial pollutants by white rot fungi and their enzyme system. *Biodegradation* 19: 771-783.
22. Asgher M, Iqbal HMN and Asad MJ. 2012. Kinetic characterization of purified laccase produced from *Trametes versicolor* IBL-04 in solid state bio-processing of corncobs. *Bioresources* 7: 1171-1188.

23. Aust SD and Benson JT. 1993. The fungus among us: use of white rot fungi to biodegrade environmental pollutants. *Environmental Health Perspectives* 101: 232-233.
24. Baborová P, Möder M, Baldrian P, Cajthamlová K and Cajthaml T. 2006. Purification of a new manganese peroxidase of the white-rot fungus *Irpex lacteus*, and degradation of polycyclic aromatic hydrocarbons by the enzyme. *Research in Microbiology* 157: 248-253.
25. Badr El-Din SM, Kheiralla ZH, Malek SMA and Abdel Aziz DH. 2013. Selection of fungal isolates for biopulping of rice straw. *Bioresources* 8: 4969-4980.
26. Bafana A, Devi SS and Chakrabarti T. 2011. Azo dyes: past, present and the future. *Environmental Reviews* 19: 350-370.
27. Baldrian P and Gabriel J. 1997. Effect of heavy metals on the growth of selected wood rotting basidiomycetes. *Folia Microbiologica* 42: 521-523.
28. Baldrian P, In Der Wiesche C, Gabriel J, Nerud F and Zadrazil F. 2000. Influence of cadmium and mercury on activities of ligninolytic enzymes and degradation of polycyclic aromatic hydrocarbons by *Pleurotus ostreatus* in soil. *Applied and Environmental Microbiology* 66: 2471-2478.
29. Baldrian P and Gabriel J. 2002. Variability of laccase activity in the white-rot basidiomycete *Pleurotus ostreatus*. *Folia Microbiologica* 47: 385-390.
30. Baldrian P. 2004. Purification and characterization of laccase from the white-rot fungus *Daedalea quercina* and decolorization of synthetic dyes by the enzyme. *Applied Microbiology and Biotechnology* 63: 560-563.
31. Baldrian P. 2006. Fungal laccases-occurrence and properties. *FEMS Microbiology Reviews* 30: 215-242.
32. Banat IM, Nigam P, Singh D and Marchant R. 1996. Microbial decolorisation of textile-dye-containing effluents: A review. *Bioresource Technology* 58: 217-227.
33. Bavendam W. 1928. Über das Vorkommen den Nachweis von Oxydasen beiholzerstorenden. *Pilzen Z. Pflanzenkrank. Pflanzenschutz* 38: 257-276.
34. Bento TS, Torres LMB, Fialho MB and VLR. 2014. Growth inhibition and antioxidative response of wood decay fungi exposed to plant extracts of *Casearia* species. *Letters in Applied Microbiology* 58: 79-86.
35. Berlyn GP and Miksche JP. 1976. *Botanical micro technique and cytochemistry*. Iowa State University Press, Ames, Iowa 1: 326pp.

36. Bermek H, Yazici H, Ozturk H, Tamerler C, Jung HLiK, Brown KM, Ding H and Xu F. 2004. Purification and characterization of manganese peroxidase from wood-degrading fungus *Trichophyton rubrum*. *Enzyme and Microbial Technology* 35: 87-92.
37. Betcheva RI, Hadzhiyska HA, Georgieva NV and Yotava LK. 2007. Biobleaching of flax by degradation of lignin with laccase. *BioResources* 2: 58-65.
38. Bhaskar M, Gnanamani A, Ganeshjeevan RJ, Chandrasekar R, Sadulla S and Radhakrishnan G. 2003. Analyses of carcinogenic aromatic amines released from harmful azo colorants by *Streptomyces* sp. SS07. *Journal of Chromatography A* 1018: 117-123.
39. Bhat KM, Thulasidas PK, Florence EJM and Jayaraman K. 2005. Wood durability of home-garden teak against brown-rot and white-rot fungi. *Trees* 19: 654-660.
40. Bhatt IM, Pramod S, Koyani RD and Rajput KS. 2015. Anatomical changes in the cell-wall structure of *Leucaena leucocephala* (Lam.) de Wit as caused by the decay fungi *Trametes versicolor* and *Trametes hirsuta*. *Southern Forests* 77: 297-303.
41. Bhattacharya SS, Garlapati VK and Banerjee R. 2011. Optimization of laccase production using response surface methodology coupled with differential evolution. *New Biotechnology* 28: 31-39.
42. Bianco L and Perrotta G. 2015. Methodologies and perspectives of proteomics applied to filamentous fungi: From sample preparation to secretome analysis. *International Journal of Molecular Science* 16: 5803-5829.
43. Bietti M, Baciocchi E and Steenken S. 1998. Lifetime, reduction potential and base-induced fragmentation of the veratryl alcohol radical cation in aqueous solution. Pulse radiolysis studies on a ligninase 'mediator'. *Journal of Physical Chemistry A*, 102: 7337-7342.
44. Biswas K, Chattopadhyay I, Banerjee R and Bandyopadhyay U. 2002. Biological activities and medicinal properties of Neem (*Azadirachta indica*). *Current Science* 82: 1336-1345.
45. Blanchette RA. 1980. Wood decay: a submicroscopic view. *Journal of Forest Research* 78: 734-737.
46. Blanchette RA. 1983. An unusual decay pattern in brown-rotted wood. *Mycologia* 75: 552-556.

47. Blanchette RA. 1984. Screening of wood decay by white rot fungi for preferential lignin degradation. *Applied and Environmental Microbiology* 48: 647-653.
48. Blanchette RA and Reid ID. 1986. Ultrastructural aspects of wood delignification by *Phlebia* (Merulius) *tremellosus*. *Applied and Environmental Microbiology* 52: 239-245.
49. Blanchette RA, Otjen L and Carlson MC. 1987. Lignin distribution in cell walls of birch wood decayed by white rot Basidiomycetes. *Phytopathology* 77: 684-690.
50. Blanchette RA. 1991. Delignification by wood-decay fungi. *Annual Review of Phytopathology* 29: 381-398.
51. Blanchette RA, Farrell RL, Burnes TA, Wendler PA, Zimmerman W, Brush TS and Snyder RA. 1992. Biological control of pitch and paper production by *Ophiostoma piliferum*. *Tappi Journal* 77: 102-106.
52. Blanchette RA, Krueger EW, Haight JE, Akhtar M and Akin DE. 1997. Cell wall alterations in loblolly pine wood decayed by the white-rot fungus, *Ceriporiopsis subvermispora*. *Journal of Biotechnology* 53: 203-213.
53. Blanchette RA. 2000. A review of microbial deterioration found in archeological wood from different environments. *Intl. Biodeterioration and Biodegradation* 46: 189-204.
54. Blumel S, Knackmuss HJ and Stolz A. 2002. Molecular cloning and characterization of the gene coding for the aerobic azoreductase from *Xenophilus azovorans* KF46F. *Applied and Environmental Microbiology* 68: 3948-3955.
55. Boddy Land Watkinson SC. 1995. Wood decomposition, higher fungi, and their role in nutrient redistribution. *Canadian Journal of Forest Research* 73: 1377-1393.
56. Boer CG, Obici L, Souza CGM and Peralta RM. 2004. Decolorization of synthetic dyes by solid state cultures of *Lentinula* (*Lentinus*) *edodes* producing manganese peroxidase as the main ligninolytic enzyme. *Bioresource Technology* 94: 107-112.
57. Boer CG, Obici L, Marques de Souza CG and Peralta RM. 2006. Purification and some properties of Mn peroxidase from *Lentinula edodes*. *Process Biochemistry* 41: 1203-1207.
58. Bohmer U, Suhardi S and Bley T. 2006. Decolorizing reactive textile dyes with white-rot fungi by temporary immersion cultivation. *Engineering in Life Sciences* 6: 417-420.

59. Bohmer U, Neumann C, Noack M and Bley T. 2010. White-rot fungi combined with lignite granules and lignitic xylite to decolorize textile industry wastewater. *Engineering in Life Sciences* 10: 26-34.
60. Bohmer U, Frömmel S, Bley T, Müller M, Frankenfeld K and Miethé P. 2011. Solid-state fermentation of lignocellulotic materials for the production of enzymes by the white-rot fungus, *Trametes hirsuta*, in a modular bioreactor. *Engineering in Life Sciences* 11: 395-401.
61. Bono J-J, Goulas P, Boe J-F, Portet N and Seris J-L. 1990. Effect of Mn(II) on reactions catalyzed by lignin peroxidase from *Phanerochaete chrysosporium*. *European Journal of Biochemistry* 192:189-193.
62. Bonugli-Santos RC, Durrant LR, da Silva M and Sette LD. 2010. Production of laccase, manganese peroxidase and lignin peroxidase by Brazilian marine-derived fungi. *Enzyme and Microbial Technology* 46: 32-37.
63. Borchert M and Libra JA. 2001. Decolorization of reactive dyes by the white rot fungus *Trametes versicolor* in sequencing batch reactors. *Biotechnology and Bioengineering* 75: 313-321.
64. Bourbonnais R and Paice MG. 1990. Oxidation of non-phenolic substrates: An expanded role for laccase in lignin biodegradation. *FEBS Letters* 267: 99-102.
65. Bourbonnais R, Reid ID, Lanthier P and Yaguchi M. 1995. Lignin oxidation by laccase isozymes from *Trametes versicolor* and role of the mediator 2, 2-azinobis(3-ethylbenzthiazoline-6-sulphonate) in kraft lignin depolymerization. *Applied and Environmental Microbiology* 61: 876-1880
66. Breen A and Singleton FL. 1999. Fungi in lignocellulose breakdown and biopulping. *Current Opinion in Biotechnology* 10: 252-258.
67. Brown JA, Alic M and Gold MH. 1991. Manganese peroxidase gene-transcription in Manganese peroxidase gene transcription in *Phanerochaete chrysosporium*: activation by manganese. *Journal of Bacteriology* 173: 4101-4106.
68. Browning BL. 1963. *The chemistry of wood*. Wiley, New York.
69. Cadimaliev DA, Revin VV, Atkyan NA and Samuilov VD. 2005. Extracellular oxidases of the lignin-degrading fungus *Panus tigrinus*. *Biochemistry* 70: 703-707.

70. Cajthaml T, Kresinova Z, Svobodova K and Moder M. 2009. Biodegradation of endocrine disrupting compounds and suppression of estrogenic activity by ligninolytic fungi. *Chemosphere* 75: 745-750.
71. Call HP and Muecke I. 1997. History, overview and applications of mediated lignolytic systems, especially laccase-mediator-systems. *Journal of Biotechnology* 53: 163-202.
72. Cao W, Mahadevan B, Crawford DL and Crawford RL. 1993. Characterization of an extracellular azo dye-oxidizing peroxidase from *Flavobacterium* sp. ATCC 39723. *Enzyme and Microbial Technology* 15: 810-817.
73. Carliell CM, Barclay SJ, Naidoo N, Buckley CA, Mulholland DA and Senior F. 1995. Microbial decolourization of reactive azo dye under anaerobic condition. *Water SA*. 21: 61-69
74. Carliell CM, Barclay SJ, Shaw C, Wheatley AD and Buckley CA. 1998. The effect of salts used in textile dyeing on microbial decolourisation of a reactive azo dye. *Environmental Technology* 19: 1133-1137.
75. Chander M and Arora DS. 2005. Evaluation of some white-rot fungi for their potential to decolourise industrial dyes *Dyes and Pigments* 72: 192-198.
76. Chang JS, Chen BY and Lin YS. 2004. Stimulation of bacterial decolorization of an azo dye by extracellular metabolites from *Escherichia coli* strain NO₃. *Bioresource Technology* 91: 243-248.
77. Chaudhary A. 2011. Changing structure of Indian textile industry after MFA (Multi Fibre Agreement) phase out: A global perspective. *Far East Journal of Psychology and Business*, 2: 22.
78. Chaurasia PK, Yadav RSS and Yadava S. 2014. Purification and characterization of yellow laccase from *Trametes hirsuta* MTCC-1171 and its application in synthesis of aromatic aldehydes. *Process Biochemistry* 49:1647-1655.
79. Chedchant J, Petchoy O, Vaithanomsat P, Apiwatanapiwat W, Kreetachat T and Chantranurak S. 2009. Decolorization of lignincontaining effluent by white-rot fungus *Datronia* sp. KAPI0039. The Proceedings of the 47th Kasetsart University Annual Conference, Bangkok, Thailand.
80. Chequer FMD, de Oliveira GAR, Ferraz ERA, Cardoso JC, Zanoni MVB and de Oliveira DP. 2013. *Textile Dyes: Dyeing process and environmental impact, eco-*

friendly textile dyeing and finishing, Dr. Gunay M (Ed.), ISBN: 978-953-51-0892-4, InTech, DOI: 10.5772/53659.

81. Chhaya U and Gupte A. 2013. Effect of different cultivation conditions and inducers on the production of laccase by the litter-dwelling fungal isolate *Fusarium incarnatum* LD-3 under solid substrate fermentation. *Annals of Microbiology* 63: 215-223.
82. Christian V, Shrivastava R, Shukla D, Modi HA and Vyas BRM. 2005. Degradation of xenobiotic compounds by lignin-degrading white-rot fungi: Enzymology and mechanism involved. *Indian Journal of Experimental Biology* 43: 301-312.
83. Chung KT and Stevens Jr.B. 1993. Degradation of azo dyes by environmental microorganisms and helminthes. *Environmental Toxicology and Chemistry* 12: 2121-2132.
84. Cilerdzic J, Stajic M, Vukojevic J, Duletic-Lausevic S, and Knezevic A. 2011. Potential of *Trametes hirsuta* to produce ligninolytic enzymes during degradation of agricultural residues. *Bioresources* 6: 2885-2895.
85. Claus H, Faber G and König H. 2002. Redox-mediated decolorization of synthetic dyes by fungal laccases. *Applied Microbiology and Biotechnology* 59:672-678.
86. Collins PJ and Dobson ADW. 1997. Regulation of laccase gene transcription in *Trametes versicolor*. *Applied Environmental Microbiology* 63: 344-345.
87. Conesa A, Punt PJ and Van den Hondel CA. 2002. Fungal peroxidases: molecular aspects and applications. *Journal of Biotechnology* 93: 143-158.
88. Conneely A, Smyth WF and McMullan G. 2002. Study of the white-rot fungal degradation of selected phthalocyanine dyes by capillary electrophoresis and liquid chromatography. *Analytica Chimica Acta* 451: 259-270.
89. Corbett NH. 1965. Micro-morphological studies on the degradation of lignified cell walls by Ascomycetes and fungi Imperfecti. *Journal of the Institute of Wood Science* 14: 18-29.
90. Couto SR, Sanroman MA, Hofer D, Gubitz GM. 2004a. Stainless steel sponge: a novel carrier for the immobilisation of the white rot fungus *Trametes hirsuta* for decolourization of textile dyes. *Bioresource Technology* 95: 67-72.
91. Couto SR, Hofer D, Sanromán MA and Gubitz GM. 2004b. Production of laccase by *Trametes hirsuta* grown in an immersion bioreactor. Application to

- decolourisation of dyes from a leather factory. *Engineering in Life Sciences* 4: 233-238.
92. Couto SR and Sanromán MA. 2005. Application of solid-state fermentation to ligninolytic enzyme production. *Biochemical Engineering Journal* 22: 211-219.
 93. Couto SR and Sanroman MA. 2006. Application of solid-state fermentation to food industry- A review. *Journal of Food Engineering* 76: 291-302.
 94. Couto SR, Sanroman MA and Gübitz GM. 2005. Influence of redox mediators and metal ions on synthetic acid dye decolorization by crude laccase from *Trametes hirsut*. *Chemosphere* 58: 417-422.
 95. Couto SR, Rodriguez A, Paterson RRM, Lima N and Teixeira JA. 2006a. Laccase activity from the fungus *Trametes hirsuta* using an airlift bioreactor. *Applied Microbiology* 42: 612-616.
 96. Couto SR, Rosales E and Sanroman MA. 2006b. Decolourization of synthetic dyes by *Trametes hirsuta* in expanded-bed reactors. *Chemosphere* 62: 1558-1563.
 97. Couto SR. 2009. Dye removal by immobilised fungi. *Biotechnology Advances* 27: 227-235.
 98. Courtois H. 1963. Mikromorphologische Befallsymptome beim Holzabbau durch Moderfäulepilze. *Holzforschung and Holzverwertung* 15: 88-101.
 99. Curling SF, Clausen CA and Winandy JE. 2002. Relationships between mechanical properties, weight loss and chemical composition of wood during incipient brown-rot decay. *Forest Products Journal* 52: 34-39.
 100. Daniel M. 1991. *Methods in plant chemistry and economic botany*. Kalyani publishers, New Delhi, 64 pp.
 101. Daniel G and Nilsson T. 1989. Interactions between soft rot fungi and CCA preservatives in *Betula verrucosa*. *Journal of Institute of Wood Science* 11: 162-171.
 102. Daniel GF and Nilsson T. 1998. Developments in the study of soft rot and bacterial decay. In: Bruce A and Palfreyman JW (Eds.) *Forest Products Biotechnology*. Taylor and Francis, London.
 103. Daniel G, Volc J and Nilsson T. 1992. Soft rot and multiple T-branching by the Basidiomycete *Oudemansiella mucida*. *Mycological Research* 96: 49-54.

104. Dashtban M, Schraft H, Syed TA and Qin W. 2010. Fungal biodegradation and enzymatic modification of lignin. *International Journal of Biochemistry and Molecular Biology* 1: 36-50.
105. Dawson RMC, Elliott DC and Jones K.M. 1969. *Data for Biochemical Research* (2nd ed.) Oxford Press, London.
106. de Koker TH, Zhao J, Allsop SF and Janse BJH. 2000. Isolation and enzymic characterisation of South African white-rot fungi. *Mycology Research* 104: 820-824.
107. de Souza-Cruz PB, Freer J, Siika-Aho M and Ferraz A. 2004. Extraction and determination of enzymes produced by *Ceriporiopsis subvermispora* during biopulping of *Pinus taeda* wood chips. *Enzyme and Microbial Technology* 34: 228-234.
108. de Souza WR. 2013. Microbial Degradation of Lignocellulosic Biomass, Sustainable Degradation of Lignocellulosic Biomass - Techniques, Applications and Commercialization, Dr. Anuj Chandel (Ed.), InTech, DOI: 10.5772/54325.
109. Deveci T, Unyayar A and Mazmanci MA. 2004. Production of Remazol Brilliant Blue R decolourising oxygenase from the culture filtrate of *Funalia Trogii* ATCC 200800. *Journal of Molecular Catalysis B: Enzymatic* 30: 25-32.
110. Dhanve SR, Kalyani DC, Phugare SS and Jadhav JP. 2009. Coordinate action of exigu bacterial oxidoreductive enzymes in biodegradation of reactive yellow 84A dye. *Biodegradation* 20: 245-255.
111. Dinis MJ, Bezerra RMF, Nunes F, Dias AA, Guedes CV, Ferreira LMM, Cone JW, Marques GSM, Barros ARN and Rodrigues MAM. 2009. Modifications of wheat straw lignin by solid state fermentation with white-rot fungi. *Bioresource Technology* 100: 4829-4835.
112. Dominguez A, Couto SR and Sanroman MA. 2005. Dye decolourisation by *Trametes hirsuta* immobilized into alginate beads. *World Journal of Microbiology and Biotechnology* 21: 405-409.
113. Donaldson LA and Lausberg MJF. 1998. Comparison of conventional transmitted light and confocal microscopy for measuring wood cell dimensions by image analysis. *IAWA Journal* 19: 321-336.

114. Duncan CG. 1960. Wood-attacking capacities and physiology of soft rot fungi. US Department of Agriculture Forest Services. Forest Products Laboratory Report 2173.
115. Eaton RA and Hale MDC. 1993. Wood-decay, pests and protection. Chapman & Hall, London, United Kingdom, 546pp.
116. Eggert C, Temp U. and Eriksson KEL. 1996. The ligninolytic system of the white rot fungus *Pycnoporus cinnabarinus*: Purification and characterization of the laccase. *Applied and Environmental Microbiology* 62: 1151-1158.
117. Eggert C, Temp U and Eriksson K-EL. 1997. Laccase is essential for lignin degradation by the white-rot fungus *Pycnoporus cinnabarinus*. *FEBS Letters* 407: 89-92.
118. Elisashvili V, Penninckx M, Kachlishvili E, Tsiklauri N, Metreveli E, Khardziani T and Kvesitadze G. 2008. *Lentinus edodes* and *Pleurotus* species lignocellulolytic enzymes activity in submerged and solid-state fermentation of lignocellulosic wastes of different composition. *Bioresource Technology* 99: 457-462.
119. Elisashvili V, Kachlishvili E, Tsiklauri N, Metreveli E, Khardziani T and Agathos SN. 2009. Lignocellulose-degrading enzyme production by white-rot Basidiomycetes isolated from the forests of Georgia. *World Journal of Microbiology and Biotechnology* 25: 331-339.
120. Eriksson KE, Blanchette RA and Ander P. 1990. Microbial and enzymatic degradation of wood and wood components. Springer-Verlag, Berlin, Heidelberg, New York 397pp.
121. Evans CS and Hedger JN. 2001. Degradation of plant cell wall polymers. In: G. M. Gadd (ed.) *Fungi in Bioremediation*. Cambridge University Press 1-26 pp.
122. Evert RF. 2006. *Esau's Plant Anatomy*, 3rd ed. Wiley and Sons Inc., Hoboken, NJ, 601 pp.
123. Fackler K, Stevanic JS, Ters T, Hinterstoisser B, Schwanninger M and Salmen L. 2010. Localisation and characterisation of incipient brown-rot decay within spruce wood cell walls using FTIR imaging microscopy. *Enzyme and Microbial Technology* 47: 257-267.

124. Faure D, Bouillant ML, Jacoud C and Bally R. 1996. Phenolic derivatives related to lignin metabolism as substrates for *Azospirillum* laccase activity. *Phytochemistry* 42: 357-359.
125. Fazio AT, Papinutti L, Gómez BA, Parera SD, Rodríguez RA, Siracusano G and Maier MS. 2010. Fungal deterioration of a Jesuit South American polychrome wood sculpture. *International Biodeterioration and Biodegradation* 64: 694-701.
126. Fengel D and Wegener G. 1989. *Wood, chemistry, ultrastructure, reactions*. New York: Waster & Grugter 613pp.
127. Fernandes L, Loguercio-Leite C, Esposito E and Menezes Reis M. 2005. In vitro wood decay of *Eucalyptus grandis* by the basidiomycete fungus *Phellinus flavomarginatus*. *International Biodeterioration and Biodegradation* 55: 187-193.
128. Field JA, de Jong E, Feijoo-Costa G, de Bont JAM. 1993. Screening for ligninolytic fungi applicable to the biodegradation of xenobiotics. *Trends in Biotechnology* 11: 44-99.
129. Forgacs E, Cserhádi T and Oros G. 2004. Removal of synthetic dyes from wastewaters: A review. *Environment International* 30: 953-971.
130. Forrester IT, Grabski AC, Burgess RR and Leatham GF. 1988. Manganese, Mn-dependent peroxidases, and the biodegradation of lignin. *Biochemical and Biophysical Research Communications* 157: 992-999.
131. Fu Y and Viraraghavan T. 2001. Fungal decolorization of dyes wastewater: A Review. *Bioresource Technology* 79: 251-262.
132. Fujihara S, Hatashita M, Sakurai A and Sakakibara M. 2010. Production of Manganese peroxidase by white rot fungi from potato processing waste water: Role of amino acids on biosynthesis. *African Journal of Biotechnology* 9: 725-731.
133. Gai Y-P, Zhang W-T, Mu Z-M and Ji X-L. 2014. Involvement of ligninolytic enzymes in degradation of wheat straw by *Trametes trogii*. *Journal of Applied Microbiology* 117: 85-95.
134. Galhaup C, Wagner H, Hinterstoisser B and Haltrich D. 2002a. Increased production of laccase by the wood-degrading basidiomycete *Trametes pubescens*. *Enzyme and Microbial Technology* 30: 529-536.

135. Galhaup C, Goller S, Peterbauer CK, Strauss J and Haltrich D. 2002b. Characterization of the major laccase isoenzyme from *Trametes pubescens* and regulation of its synthesis by metal ions. *Microbiology-UK* 148: 2159-2169.
136. Gao D, Wen X, Zeng Y and Qian Y. 2006. Decolourization of a textile-reactive dye with *Phanerochaete chrysosporium* incubated in different ways under non-sterile conditions *Water Practice and Technology* 1: 65-71.
137. Garzillo A, Colao M, Caruso C, Caporale C, Celletti D and Buonocore V. 1998. Laccase from the white-rot fungus *Trametes trogii*. *Applied Microbiology and Biotechnology* 49: 545-551.
138. Gessesse A and Mamo G. 1999. High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation. *Enzyme and Microbial Technology* 25: 68-72.
139. Ghodake GS, Kalme SD, Jadhav JP and Govind-war SP. 2009. Purification and partial characterization of lignin peroxidase from *Acinetobacter calcoaceticus* NCIM 2890 and its application in decolorization of textile dyes. *Applied Biochemistry and Biotechnology* 152: 6-14.
140. Gianfreda L, Xu F and Bollag JM. 1999. Laccases: A useful group of oxidoreductive enzymes. *Bioremediation Journal* 3: 1-25.
141. Giardina P, Palmieri G, Fontanella B, Riviaccio V and Sannia G. 2000. Manganese peroxidase isoenzymes produced by *Pleurotus ostreatus* grown on wood sawdust. *Archives of Biochemistry and Biophysics* 376: 171-179.
142. Gill PK and Arora DS. 2003. Effect of culture conditions on manganese peroxidase production and activity by some white rot fungi. *Journal of Industrial Microbiology and Biotechnology* 30: 28-33.
143. Glenn JK and Gold MH. 1983. Decolorization of several polymeric dyes by the lignin-degrading Basidiomycete *Phanerochaete chrysosporium*. *Applied and Environmental Microbiology* 45: 1741-1747.
144. Glenn JK and Gold MH. 1985. Purification and characterization of an extracellular Mn(II)-dependent peroxidase from the lignin-degrading Basidiomycete, *Phanerochaete chrysosporium*. *Archives of Biochemistry and Biophysics* 242: 329-341.

145. Glenn JK, Akileswaran L and Gold MH. 1986. Mn(II) oxidation is the principal function of the extracellular Mn-peroxidase from *Phanerochaete chrysosporium*. Archives of Biochemistry and Biophysics 251: 688-696.
146. Gnanasalomi VDV and Gnanadoss JJ. 2013. Molecular characterization and phylogenetic analysis of laccase producing fungal isolates with dye decolourizing potential. Biotechnology Research 4: 1-8.
147. Gold MH and Alic M. 1993. Molecular biology of the lignin-degrading basidiomycete *Phanerochaete chrysosporium*. Microbiological Reviews 57: 605-622.
148. Gomare SS, Tamboli DP, Kagalkar AN and Govindwar SP. 2009. Eco-friendly biodegradation of a reactive textile dye Golden Yellow HER by *Brevibacillus laterosporus* MTCC 2298. International Biodeterioration and Biodegradation 63: 582-586.
149. Goodacre R, Shann B, Gilbert RJ, Timmins EM, Mcgovern AC, Alsberg BK, Kell DB and Logan NA. 2000. Detection of the dipicolinic acid biomarker in *Bacillus* spores using Curie-point pyrolysis mass spectrometry and Fourier transform-infrared spectroscopy. Annals of Chemistry 72:119–127.
150. Goodell B, Jellison J, Liu J, Daniel G, Paszczynski A, Fekete F, Krishnamurthy S, Jun L and Xu G. 1997. Low molecular weight chelators and phenolic compounds isolated from wood decay fungi and their role in the fungal biodegradation of wood. Journal of Biotechnology 53: 133-162.
151. Goodell B. 2003. Brown-rot fungal degradation of wood: our evolving view. Goodell B, Nicolas DD and Schultz TP. Eds. Wood Deterioration and Preservation. ACS Symposium Series. American Chemical Society, Washington, DC. 845: 97-118.
152. Grassi E, Scodeller P, Filiel N, Carballo R and Levin L. 2011. Potential of *Trametes trogii* culture fluids and its purified laccase for the decolorization of different types of recalcitrant dyes without the addition of redox mediators. International Biodeterioration and Biodegradation 65: 635-643.
153. Gregorio SD, Balestri F, Basile M, Matteini V, Gini F, Giansanti S, Tozzi MG, Basosi R and Lorenzi R. 2010. Sustainable discoloration of textile chromo-baths by spent mushroom substrate from the industrial cultivation of *Pleurotus ostreatus* Journal of Environmental Protection 1: 85-94.

154. Grunward C, Ruel K and Schmitt U. 2002. On the cytochemistry of cell wall formation in poplar trees. *Plant Biology* 4: 13–21.
155. Guerra A, Mendonc R and Ferraz A. 2003. Molecular weight distribution of wood components extracted from *Pinus taeda* biotreated by *Ceriporiopsis subvermispora*. *Enzyme and Microbial Technology* 33:12-18.
156. Gupte A, Huttermann A, Majcherczyk A and Madamwar D. 1998. Lignolytic enzyme production under solid-state fermentation by *Pleurotus ostreatus* and *Trametes versicolor*. In: *Advances in Biotechnology*, (Ed.) Ashok Pandey, Educational Publishers and Distributors, New Delhi 41-49pp.
157. Gupte A, Gupte S and Patel H. 2007. Ligninolytic enzyme production under solid state fermentation by white rot fungi. *Journal of Scientific and Industrial Research* 6: 611-614.
158. Gutiérrez A, Rencoret J, Cadence EM, Rico A, Barth D, del Río JC and Martínez ÁT. 2012. Demonstration of laccase-based removal of lignin from wood and non-wood plant feed stocks. *Bioresource Technology* 119: 114-122.
159. Hakala T, Lundell T, Galkin S, Majjala P, Kalkkinen N and Hatakka A. 2006. Manganese peroxidases, laccases and oxalic acid from the selective white-rot fungus *Physisporinus rivulosus* grown on spruce wood chips. *Enzyme and Microbial Technology* 36: 461-468.
160. Hale MDC and Eaton RA. 1985a. The ultrastructure of soft rot fungi, I. Fine hyphae in wood cell walls. *Mycologia* 77: 447-463.
161. Hale MDC and Eaton RA. 1985b. The oscillatory growth of fungal hyphae in wood cell walls. *Transactions of the British Mycological society* 84: 277-288.
162. Hammel KE, Kapich AN, Jensen Jr.KA and Ryan ZC. 2002. Reactive oxygen species as agents of wood decay by fungi. *Enzyme and Microbial Technology* 30: 445-453.
163. Han MJ, Choi HT and Song HG. 2005. Purification and characterization of laccase from the white rot fungus *Trametes versicolor*. *Journal of Microbiology* 43: 555-560.
164. Hatakka A. 1994. Ligninolytic enzymes from selected white-rot fungi: production and role in lignin degradation. *FEMS Microbiology Reviews* 13: 125-135.

165. Hatakka A. 2001. Biodegradation of lignin. In M. Hofrichter and A. Steinbüchel (ed.) Biopolymers. Wiley-VCH, Weinheim, Germany 1: 129-180.
166. Hatvani N and Mecs I. 2002. Effect of the nutrient composition on dye decolorisation and extracellular enzyme production by *Lentinus edodes* on solid medium. *Enzyme and Microbial Technology* 30: 381-386.
167. Haupt M, Leithoff H, Meier D, Puls J, Richter HG and Faix O. 2003. Heartwood extractives and natural durability of plantation-grown teakwood (*Tectona grandis* L.): A case study. *Holz als Roh- und Werkstoff* 61: 473-474.
168. Hawksworth DL, Kirk PM, Sutton BC and Pegler DN. 1995. Ainsworth and Bisby's Dictionary of the Fungi, 8th edn. CABI, Wallingford, UK, 1-616 pp.
169. Heinfling A, Bergbauer M and Szewzyk U. 1997. Biodegradation of azo and phthalocyanine dyes by *Trametes versicolor* and *Bjerkandera adusta*. *Applied Microbiology and Biotechnology* 48: 261-266.
170. Heinfling WA, Martinez MJ, Martinez AT, Bergbauer M and Szewzyk U. 1998. Transformation of industrial dyes by manganese peroxidases from *Bjerkandera adusta* and *Pleurotus eryngii* in a manganese-independent reaction. *Applied and Environmental Microbiology* 64: 2788-2793.
171. Heinzkill M, Bech L, Halkier T, Scheider F and Anke T. 1998. Characterization of laccases and peroxidases from wood rotting fungi. *Applied and Environmental Microbiology* 64: 1601-1606.
172. Highley TL. 1977. Requirements for cellulose degradation by a brown-rot fungus. *Material and Organism* 12: 25-36.
173. Higuchi T. 1997. *Biochemistry and Molecular Biology of Wood*. Springer-Verlag, New York.
174. Hirai H, Sugiura M, Kawai S. and Nishida T. 2005. Characteristics of novel lignin peroxidases produced by white-rot fungus *Phanerochaete sordida* YK-624. *FEMS Microbiology Letters* 246: 19-24.
175. Hofrichter M. 2002. Review: Lignin conversion by manganese peroxidase (MnP). *Enzyme and Microbial Technology* 30: 454-466.
176. Hofrichter M, Scheibner K, Bublitz F, Schneega I, Ziegenhagen D, Martens R and Fritsche W. 1999. Depolymerization of straw lignin by manganese peroxidase from *Nematoloma frowardii* is accompanied by release of carbon dioxide. *Holzforschung* 53: 161-166.

177. Hossain SM and Anantharaman N. 2006. Enhancement of ligninolytic enzyme of *Trametes versicolor* with bagasse powder. African Journal of Biotechnology 5: 189-194.
178. Hunger K. 2003. Industrial Dyes, Wiley-VCH, Germany.
179. Idris A, Suhaimi Mohd Suardi , Zain NAM , Rashid R and Othman N. 2013. Discoloration of aqueous textile dyes solution by *Phanerochaete chrysosporium* immobilized in modified PVA matrix. Desalination and Water Treatment 1-9pp.
180. Iqbal HMN, Asgher M and Bhatti HN. 2011. Optimization of physical and nutritional factors for synthesis of lignin degrading enzymes by novel strain of *Trametes versicolor*. BioResources 6: 1273-1287.
181. Irbe I, Andersons B, Chirkova J, Kallavus U, Andersone I and Faix O. 2006. On the changes of pinewood (*Pinus sylvestris* L.) chemical composition and ultrastructure during the attack by brown-rot fungi *Postia placenta* and *Coniophora puteana*. International Biodeterioration and Biodegradation 57: 99-106.
182. Irshad M and Asgher M. 2011. Production and optimization of ligninolytic enzymes by white rot fungus *Schizophyllum commune* IBL-06 in solid state medium banana stalks African Journal of Biotechnology 10: 18234-18242.
183. Isroi A, Millati R, Syamsiah S, Niklasson C, Cahyanto MN, Lundquist K, Taherzadeh MJ. 2011. Biological pretreatment of lignocelluloses with white-rot fungi and its applications: A review. Bioresources 6: 5224-5259.
184. Iyer G and Chattoo B. 2003. Purification and characterization of laccase from the rice blast fungus, *Magnaporthe grisea*. FEMS Microbiology Letters 227: 121-126.
185. Jacob CT and Azariah J. 2000. Environmental ethical cost of t-shirts, Tiruppur, Tamil Nadu, India. In: Fujiki N and Macer DRJ, editors. Bioethics in Asia 191-195pp.
186. Janusz G, Kucharzyk KJ, Pawlik A, Staszczak M and Paszczynski AJ. 2013. Fungal laccase, manganese peroxidase and lignin peroxidase: Gene expression and regulation. Enzyme and Microbial Technology 52:1-12.
187. Jarosz-Wilkolazka A, Kochmanska-Rdest J, Malarczyk E, Wardas W and Leonowicz A. 2002. Fungi and their ability to decolorize azo and anthraquinonic dyes. Enzyme and Microbial Technology 30: 566-572.

188. Jarvinen J, Taskila S, Isomaki R and Ojamo H. 2012. Screening of white-rot fungi manganese peroxidases: a comparison between the specific activities of the enzyme from different native producers. *AMB Express* 2: 62-69.
189. Jaszek M, Grzywnowicz K, Malarczyk E and Leonowicz A. 2006. Enhanced extracellular laccase activity as a part of the response system of white rot fungi: *Trametes versicolor* and *Abortiporus biennis* to paraquat-caused oxidative stress conditions. *Pesticide Biochemistry and Physiology* 85: 147-154.
190. Johansson T, Nyman PO and Cullen D. 2002. Differential regulation of mnp2, a new manganese peroxidase-encoding gene from the ligninolytic fungus *Trametes versicolor* PRL 572. *Applied and Environment Microbiology* 68: 2077-2080.
191. Johnsy G and Kaviyarasan V. 2014. Effect of physico-chemical parameters on ligninolytic enzyme production of an indigenous isolate of *Neolentinus kauffmanii* -under submerged culture condition. *World Journal of Pharmaceutical Sciences* 2: 464-468.
192. Jordaan J, Pletschke BI and Leukes WD. 2004. Purification and partial characterization of a thermostable laccase from an unidentified basidiomycetes. *Enzyme and Microbial Technology* 34: 635-641.
193. Joshi M, Bansal R and Purwar R. 2004. Color removal from textile effluents. *Indian Journal of Fibre & Textile Research* 29: 239-259.
194. Jung H, Xu F and Li K. 2002. Purification and characterization of laccase from wood-degrading fungus *Trichophyton rubrum* LKY-7. *Enzyme and Microbial Technology* 30: 161-168.
195. Jurado M, Martinèz AT and Martinez MJ. 2011. Application of white-rot fungi in transformation, detoxification, or revalorization of agriculture wastes: Role of laccase in the processes. *Comprehensive Biotechnology* 6: 595-603.
196. Kalme SD, Ghodake GS and Govindwar SP. 2007. Red HE7B degradation using desulfonation by *Pseudomonas desmolyticum* NCIM 2112. *International Biodeterioration and Biodegradation* 60: 327-333.
197. Kalogeris E, Christakopoulos P, Kekos D and Macris BJ. 1998. Studies on the solid-state production of thermostable endoxylanases from *Thermoascus aurantiacus*: Characterization of two isozymes. *Journal of Biotechnology* 60: 155-163.

198. Kalogeris E, Iniotaki F, Topakas E, Christakopoulos P, Kekos D and Macris BJ. 2003. Performance of an intermittent agitation rotating drum type bioreactor for solid-state fermentation of wheat straw. *Bioresource Technology* 86:207-213.
199. Kang S, Xiao L, Meng L, Zhang X and Sun R. 2102. Isolation and structural characterization of lignin from cotton stalk treated in an ammonia hydrothermal system. *International Journal of Molecular Sciences* 13: 15209-15226.
200. Kapoor S, Khanna PK and Katyal P. 2009. Effect of supplementation of wheat straw on growth and lignocellulolytic enzyme potential of *Lentinus edodes*. *World Journal of Agricultural Sciences* 5: 328-331.
201. Karcher S, Kornmuller A and Jekel M. 2002. Anion exchange resins for removal of reactive dyes. *Water Research* 36: 4717-4724.
202. Karhad BD. 2014. Overview of Textile Industry in India. *Indian Journal of Applied Research* 4: 1-9.
203. Kashyap P, Sabu A, Pandey A, Szakacs G and Soccol CR. 2002. Extracellular L-glutaminase production by *Zygosaccharomyces rouxii* under solid-state fermentation. *Process Biochemistry* 38: 307-312.
204. Kaushik P and Malik A. 2009. Fungal dye decolourization: Recent advances and future potential. *Environment International* 35: 127-141.
205. Kawai S, Umezawa T and Higuchi T. 1999a. Degradation mechanisms of phenolic β -1 lignin substructure model compounds by laccase of *Coriolus versicolor*. *Archives of Biochemistry and Biophysics* 262: 99-110.
206. Kawai S, Asukai M, Ohya N, Okita K, Ito T and Ohashi H. 1999b. Degradation of a non-phenolic and beta- O-4 substructure and of polymeric lignin compounds by laccase of *Coriolus versicolor* in the presence of 1-hydroxybenzotriazole. *FEMS Microbiology Letters* 170: 51-57.
207. Kersten PJ. 1990. Glyoxal oxidase of *Phanerochaete chrysosporium*: its characterization and activation by lignin peroxidase. *Proceedings of the National Academy of Sciences (USA)* 87: 2936-2940.
208. Kheiralla ZH, Badr El-Din SM, Malek SMA and Aziz DHA. 2013. Optimization of cultural conditions for lignin peroxidase production by *Phanerochaete chrysosporium* and *Pleurotus ostreatus*. *Academia Journal of Biotechnology* 1: 087-095.

209. Khindaria A, Grover TA and Aust SD. 1995. Evidence for formation of the veratryl alcohol cation radical by lignin peroxidase. *Biochemistry* 34: 6020-6025.
210. Khiyami MA, Pometto III AL and Kennedy WJ. 2006. Ligninolytic enzyme production by *Phanerochaete chrysosporium* in plastic composite support Biofilm stirred tank bioreactors. *Journal of Agricultural and Food Chemistry* 54: 1693-1698.
211. Kirby N, Marchant R and McMullan G. 2000. Decolourisation of synthetic dyes by *Phlebia tremellosa*. *FEMS Microbiology Letters* 188: 93-96.
212. Kirk TK and Highley TL. 1973. Quantitative changes in structural components of conifer woods during decay by white- and brown-rot fungi. *Phytopathology* 6: 1338-1342.
213. Kirk TK and Farrell RL. 1987. Enzymatic "combustion": the microbial degradation of lignin. *Annual Review of Microbiology* 41:465-505.
214. Kirk TK and Cullen D. 1998. Enzymology and molecular genetics of wood degradation by white-rot fungi. In: Young RA, Akhtar M (eds). *Environmentally friendly technologies for the pulp and paper industry*. Wiley, New York.
215. Kishi K, Wariishi H, Marquez L, Dunford BH and Gold MH. 1994. Mechanisms of manganese peroxidases compound II reduction. Effect of organic acid chelators and pH. *Biochemistry* 33: 8694-8701.
216. Knapp JS, Vantoch-Wood EJ, Zhang F. 2001. Use of wood-rotting fungi for the decolourization of dyes and industrial effluent. In "Fungi in Bioremediation" (G. M. Gadd, ed.), Cambridge University Press 242-304pp.
217. Knebel W and Schnepf E. 1991. Confocal laser scanning microscopy of fluorescently stained wood cells: A new method of three- dimensional imaging of xylem elements. *Trees-Structure and Function* 5: 1-4.
218. Knežević A, Milovanovi I, Stajić M and Vukojević J. 2013. *Trametes suaveolens* as ligninolytic enzyme producer. *Journal of Natural Science* 124: 437-444.
219. Kobakhidze A, Elisashvili V, Irbe I, Tsiklauri N, Andersons B and Isikhuemhen OS. 2012. Lignocellulolytic enzyme activity of new corticoid and poroid basidiomycetes isolated from Latvian cultural monuments. *Journal of Waste Conversion, Bioproducts and Biotechnology* 1: 16-21.

220. Koenigs JW. 1974. Hydrogen peroxide and iron: a proposed system for decomposition of wood by brown-rot Basidiomycetes. *Wood Fiber* 6: 66-79.
221. Koenig AB, Sleighter RL, Salmon E and Hatcher PG. 2010. NMR structural characterization of *Quercus alba* (white oak) degraded by the brown rot fungus *Laetiporus sulphureus*. *Journal of Wood Chemistry and Technology* 30: 61-85.
222. Koroleva Skorobogatko OV, Gavrilova VP, Stepanova EV, Lebedeva VI, Sverdlova NI, Landesman EO, Yavmetdinova IS, Yaropolova AI. 2002. Production of lignin modifying enzymes by co-cultivated white-rot fungi *Cerrena maxima* and *Coriolus hirsutus* and characterization of laccase from *Cerrena maxima*. *Enzyme and Microbial Technology* 30: 573-580.
223. Koyani RD, Sanghvi GV, Bhatt IM and Rajput KS. 2010. Pattern of delignification in *Ailanthus excelsa* Roxb. wood by *Inonotus hispidus*. *Mycology* 1: 204-211.
224. Koyani RD. 2011. Screening of wood rot fungi for bioremediation of xenobiotic compounds. PhD thesis, the Maharaja Sayajirao University of Baroda, Vadodara.
225. Koyani RD, Sanghvi GV and Rajput KS. 2011. Comparative study on the delignification of *Azadirachta indica* (L) Del., wood by *Chrysosporium asperatum* and *Trichoderma harzianum*. *International Biodeterioration and Biodegradation* 65: 179-184.
226. Koyani RD, Sanghvi GV, Sharma RK and Rajput KS. 2013. Contribution of lignin degrading enzymes in decolourisation and degradation of reactive textile dyes. *International Biodeterioration and Biodegradation* 77: 1-9.
227. Koyani RD, Sharma RK and Rajput KS. 2014. Biodegradation of synthetic textile dyes by Mn dependent peroxidase produced by *Phanerochaete chrysosporium* *International Journal of Environmental Sciences* 5: 652-663.
228. Koyani RD and Rajput KS. 2015. Solid State Fermentation: Comprehensive Tool for utilization of lignocellulosic through Biotechnology. *Journal of Bioprocessing and Biotechniques* 5: 258-273.
229. Koyani RD, Pramod S, Bhatt IM, Rao KS and Rajput KS. 2015. The delignification pattern of *Ailanthus excelsa* wood by *Inonotus hispidus* (Bull.: Fr.) P. Karst. *Journal of Sustainable Forestry* 34: 502-515.

230. Kraus JE, de Sousa HC, Rezende MH, Castro NM, Vecchi C and Luque R. 1998. Astra blue and basic fuchsin double staining of plant materials. *Biotechnic & Histochemistry* 73: 235-243.
231. Kuan IC, Johnson KA and Tien M. 1993. Kinetic analysis of manganese peroxidase: the reaction with manganese complexes. *Journal of Biological Chemistry* 268: 20064-20070.
232. Kues U, Bohn C, Euring M, Muller C, Polle A and Kharazipour A. 2007. Enzymatically modified wood in panel board production in wood production. In: Kues, U. (Ed.), *Wood Technology and Biotechnological Impacts*, Universitäts-Verlag Gottingen, Gottingen.
233. Kumar S and Bharathi PS. 2011. Indian Textile Industry: Sea of potential opportunities, MPRA Paper No. 29388, posted 9. 19:53 UTC, retrieved from the website: www.mpra.ub.uni-muenchen.de/29388/1/MPRA_paper_29388.pdf
234. Kurt S and Buyukalaca S. 2010. Yield performances and changes in enzyme activities of *Pleurotus* spp. (*P. ostreatus* and *P. sajorcaju*) cultivated on different agricultural wastes. *Bioresource Technology* 101: 3164-3169.
235. Kuwahara M, Glenn JK, Morgan MA and Gold MH. 1984. Separation and characterization of two extracellular H₂O₂ dependent oxidases from ligninolytic culture of *Phanerochaete chrysosporium*. *FEBS Letters* 169: 247-50.
236. Lackner R, Srebotnik E and Messner K. 1991. Oxidative degradation of high molecular weight chlorolignin by manganese peroxidase of *Phanerochaete chrysosporium*. *Biochemical and Biophysical Research Communications* 17:1092-1098.
237. Lade HS, Waghmode TR, Kadam AA and Govindwar SP. 2012. Enhanced biodegradation and detoxification of disperse azo dye Rubine GFL and textile industry effluent by defined fungal-bacterial consortium. *International Biodeterioration and Biodegradation* 72: 94-107.
238. Laemmli UK. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
239. Lang E, Nerud F, Novotna E and Martens R. 1996. Production of ligninolytic exoenzymes and 14 C-Pyrene mineralization by *Pleurotus* sp. in lignocellulose substrate. *Folia Microbiologica* 41: 489-493.

240. Law WM, Lau WN, Lo KL, Wai LM and Chiu SW. 2003. Removal of biocide pentachlorophenol in water system by the spent mushroom compost of *Pleurotus pulmonarius*. *Chemosphere* 52: 1531-1537.
241. Leatham GF and Stahmann MA. 1981. Studies on the laccase of *Lentinus edodes*: specificity, localization and association with the development of fruiting bodies. *Journal of General Microbiology* 125: 147-157.
242. Leatham GF. 1986. Ligninolytic activities of *Lentinus edodes* and *Phanerochaete chrysosporium*. *Applied Microbiology Biotechnology* 24: 51-58.
243. Lee SK, George SD, Antholine WE, Hedman B, Hodgson KO and Solomon EI. 2002. Nature of the intermediate formed in the reduction of O₂ to H₂O at the trinuclear copper cluster active site in native laccase. *Journal of the American Chemical Society* 124: 6180-6193.
244. Lee SS, Choi CK, Ahn BH, Moon YH, Kim CH and Ha JK. 2004. In vitro stimulation of rumen microbial fermentation by a rumen anaerobic fungal culture. *Animal Feed Science and Technology* 115: 215-226.
245. Lehringer C, Hillebrand K, Richter K, Arnold M, Schwarze FWMR and Miltz H. 2010. Anatomy of bioincised Norway spruce wood. *International Biodeterioration and Biodegradation* 64: 346-355.
246. Leisola MSA and Fiechter A. 1985. Ligninase production in agitated conditions by *Phanerochaete chrysosporium*. *FEMS Microbiology Letters* 29: 33-36.
247. Leitner C, Hess J, Galhaup C, Ludwig R, Nidetzky B, Kulbe KD and Haltrich D. 2002. Purification and characterization of a laccase from the white-rot fungus *Trametes multicolor*. *Applied Biochemistry and Biotechnology* 98: 497-507.
248. Leonowicz A, Matuszewska A, Luterek J, Ziegenhagen D, Wasilewska WM, Cho NS, Hofrichter M and Rogalski J. 1999. Biodegradation of lignin by white rot fungi. *Fungal Genetical Biology* 27: 175-185.
249. Levin L and Castro MA. 1998. Anatomical study of the decay caused by the white-rot fungus *Trametes trogii* (Aphyllphorales) in wood of *Salix* and *Populus*. *IAWA Journal* 19: 169-180.
250. Levin L, Forchiassin F. and Ramos A.M. 2002. Copper induction of lignin modifying enzymes in the white-rot fungus *Trametes trogii*. *Mycologia* 94: 377-383.

251. Li KC, Helm RF and Eriksson KEL. 1998. Mechanistic studies of the oxidation of a non-phenolic lignin model compound by the laccase/1-hydroxybenzotriazole redox system. *Biotechnology and Applied Biochemistry* 27: 239-243.
252. Li K, Xu F and Eriksson K-E. 1999. Comparison of fungal laccases and redox mediators in oxidation of a nonphenolic lignin model compound. *Applied and Environmental Microbiology* 65: 2654-2660.
253. Liese W. 1970. Ultrastructural aspects of woody tissues disintegration. *Annual Review of Phytopathology* 8: 231-258.
254. Lim HS and Yoon KH. 2004. Characterization of laccase purified from Korean *Trametes hirsuta* S1. *The Korean Journal of Mycology* 32: 112-118.
255. Lonergan GT, Panow A, Jones CL, Schliephake K, Ni CJ and Mainwaring DE. 1995. Physiological and biodegradative behaviour of the white rot fungus *Pycnoporus cinnabarinus* in a 200 litre packed bed bioreactor. *Fermentation Technology* 5:107-111.
256. Lorenzo M, Moldes D, Rodriguez Couto S and Sanroman A. 2002. Improvement in laccase production by employing different lignocellulosic wastes in submerged cultures of *Trametes versicolor*. *Bioresource Technology* 82:109-113.
257. Lorenzo M, Moldes D, Couto SR and Sanroman MA. 2005. Inhibition of laccase activity from *Trametes versicolor* by heavy metals and organic compounds. *Chemosphere* 60:1124-1128.
258. Luna ML, Murace MA, Keil GD and Otaño ME. 2004. Patterns of decay caused by *Pycnoporus sanguineus* and *Ganoderma lucidum* (Aphyllophorales) in poplar wood. *IAWA Journal* 25: 425-433.
259. Luna MJ, Murace MA, Robledo GL and Saparrat MCN. 2012. Characterization of *Schinopsis haenkeana* wood decayed by *Phellinus chaquensis* (Basidiomycota, Hymenochaetales). *IAWA Journal* 33: 91-104.
260. Lundquist K and Kristersson P. 1985. Exhaustive laccase-catalyzed oxidation of a lignin model compound (vanillyl glycol) produces methanol and polymeric quinoid products. *Biochemistry Journal* 259: 277-279.

261. Ma JF, Yang GH, Mao JZ and Xu F. 2011. Characterization of anatomy, ultrastructure and lignin microdistribution in *Forsythia suspensa*. *Industrial Crops and Products* 33: 358-363.
262. Maciel MJM, Ademir CS and Helena CTR. 2010. Industrial and biotechnological applications of ligninolytic enzymes of the Basidiomycota: A review. *Electronic Journal of Biotechnology* 13: 1-13.
263. Mai C, Kues U and Miltz H. 2004. Biotechnology in the wood industry. *Applied Microbiology and Biotechnology* 63: 477-494.
264. Mäkelä MR, Hildén KS, Hakala TS, Hatakka A and Lundell TK. 2006. Expression and molecular properties of a new laccase of the white rot fungus *Phlebia radiata* grown on wood. *Current Genetics* 50: 323-333.
265. Maloy OC and Murray TD. 2001. *Encyclopedia of Plant Pathology*. John Wiley and Sons Inc, New York.
266. Maltseva OV, Niku-Paavola ML, Myasoedova NM, Baskunov BP and Golovleva LA. 1991. Ligninolytic enzymes of the white rot fungus *Panus tigrinus*. *Biotechnology and applied biochemistry. Biotechnology and Applied Biochemistry* 13: 291-302.
267. Mandal TK, Baldrian P, Gabriel J, Nerud F and Zadrazil F. 1998. Effect of mercury on the growth of wood-rotting basidiomycetes *Pleurotus ostreatus*, *Pycnoporus cinnabarinus* and *Serpula lacrymans*. *Chemosphere* 36: 435-440.
268. Manoharachary C, Sridhar K, Singh R, Adholeya A, Suryanarayanan TS, Rawat S and Johri BN. 2005. Fungal biodiversity: distribution, conservation and prospecting of fungi from India. *Current Science* 89: 58-71.
269. Marmagne O and Coste C. 1996. Color removal from textile plant effluents. *American Dyestuff Reports* 85: 15-21.
270. Marmion DM. 1991. *Handbook of U. S. Colorants*. 3rd Edn., John Wiley and Sons, Inc. New York.
271. Marnyye AV, Gerardo M and Jean-Michel S. 2002. Waste-reducing cultivation of *Pleurotus ostreatus* and *Pleurotus pulmonarius* on coffee pulp: changes in the production of some lignocellulolytic enzymes. *World Journal of Microbiology and Biotechnology* 18: 201-207.
272. Martinez AT, Camarero S, Guillen F, Gutierrez A, Munoz C, Varela E, Martinez MJ, Barrasa JM, Ruel K and Pelayo JM. 1994. Progress in biopulping

- of non-woody materials: chemical, enzymatic and ultrastructural aspects of wheat-straw delignification with ligninolytic fungi from the genus *Pleurotus*. FEMS Microbiology Reviews 13: 265-273.
273. Martinez D, Larrondo LF, Putnam N, Gelpke MD, Huang K, Chapman J, Helfenbein KG, Ramaiya P, Detter JC, Larimer F, Coutinho PM, Henrissat B, Berka R, Cullen D and Rokhsar D. 2004. Genome sequence of the lignocellulose degrading fungus *Phanerochaete chrysosporium* strain RP78. Nature Biotechnology 22: 695-700.
274. Martínez AT, Speranza M, Ruiz-Dueñas FJ, Ferreira P, Camarero S, Guillén F, Martínez MJ, Gutierrez A and del Rio JC. 2005. Biodegradation of lignocellulosics: microbiological, chemical and enzymatic aspects of fungal attack to lignin. International Microbiology 8: 195– 204.
275. Martinez AT, Rencoret J, Nieto L, Jimenez-Barbero J, Gutierrez A, Del Rio JC. 2011. Selective lignin and polysaccharide removal in natural fungal decay of wood as evidenced by in situ structural analyses. Environmental Microbiology 13: 96-107.
276. Martins MAM, Lima N, Silvestre AJD and Queiroz MJ. 2003. Comparative studies of fungal degradation of single or mixed bioaccessible reactive azo dyes. Chemosphere 52: 967-973.
277. Mayer AM and Staples RC. 2002. Laccase: new functions for an old enzyme. Phytochemistry 60: 551-565.
278. Mazumder S, Basu SK, Mukherjee M. 2009. Laccase production in solid state and submerged fermentation by *Pleurotus ostreatus*. Engineering in Life Sciences 9: 45-52.
279. McMullan G, Meehan C, Conneely A, Kirby N, Robinson T, Nigam P, Banat IM, Marchant R and Smyth WF. 2001. Microbial decolourization and degradation of textile dyes. Applied Microbiology and Biotechnology 56: 81-87.
280. Messner K, Fackler K, Lamaipis P, Gindl W, Srebotnik E and Watanabe T. 2003. Overview of white-rot research: where we are today. In Goodell B, Nicholas D and (Eds.) Wood deterioration and preservation: advances in our changing world. ACS Symposium Series No. 845 73-96pp.
281. Michniewicz A, Ullrich R, Ledakowicz S and Hofrichter M. 2006. The white-rot fungus *Cerrena unicolor* strain 137 produces two laccase isoforms with

- different physico-chemical and catalytic properties. *Applied Microbiology and Biotechnology* 69: 682-688.
282. Milala M, Shehu B, Zanna H and Omosioda V. 2009. Degradation of agrowaste by cellulose from *Aspergillus candidus*. *Asian Journal of Biotechnology* 1: 51-56.
283. Min KL, Kim YH, Kim YW, Jung HS and Hah YC. 2001. Characterization of a novel laccase produced by the wood-rotting fungus *Phellinus ribis*. *Archives of Biochemistry and Biophysics* 392: 279-286.
284. Mohamed R, Lim MT and Halis R. 2013. Biodegrading Ability and enzymatic activities of some white rot fungi on Kenaf (*Hibiscus cannabinus*). *Sains Malaysiana* 42: 1365-1370.
285. Mohan SV, Rao NC and Sarma PN. 2007. Simulated acid azo dye (Acid black 210) wastewater treatment by periodic discontinuous batch mode operation under anoxic-aerobic-anoxic microenvironment conditions. *Ecological Engineering* 31: 242-250.
286. Mohorcic M, Teodorovic S, Golob V and Friedrich J. 2006. Fungal and enzymatic decolourisation of artificial textile dye baths. *Chemosphere* 63:1709-1717.
287. Moldes D, Gallego PP, Couto SR and Sanroman A. 2003a. Grape seeds: the best lignocellulosic waste to produce laccase by solid state cultures of *Trametes hirsuta*. *Biotechnology Letters* 25: 491-495.
288. Moldes D, Rodríguez CS, Cameselle C and Sanroman MA. 2003b. Study of the degradation of dyes by MnP of *Phanerochaete chrysosporium* produced in fixed-bed bioreactor. *Chemosphere* 51: 295-303.
289. Mongkoltharuk W, Tongbopit S and Bhoonobtong A. 2012. Independent behavior of bacterial laccases to inducers and metal ions during production and activity. *African Journal of Biotechnology* 11: 9391-9398.
290. Moreira MT, Palma C, Mielgo I, Feijoo G and Lema JM. 2001. In vitro degradation of a polymeric dye (Poly R-478) by manganese peroxidase. *Biotechnology and Bioengineering* 75: 362-368.
291. Muheim A, Fiechter A and Harvey PJ and Schoemaker HE. 1992. On the mechanism of oxidation of nonphenolic lignin model compounds by the laccase-ABTS couple. *Holzforschung* 46: 121-126.

292. Mukhopadhyay M and Banerjee R. 2014. Purification and biochemical characterization of a newly produced yellow laccase from *Lentinus squarrosulus* MR13. *Biotechnology* 3: 1-10pp.
293. Murugesan K, Yang I.-H, Kim YM, Jeon JR and Chang YS. 2009. Enhanced transformation of malachite green by laccase of *Ganoderma lucidum* in the presence of natural phenolic compounds. *Applied Microbiology and Biotechnology* 82: 341-350.
294. Mussatto SI, Ballesteros LF, Martins S and Teixeira JA. 2012. Use of agro-industrial wastes in solid-state fermentation processes. In: Show, K.-Y., Guo, X. (Eds.), *Industrial Waste*. InTech - Open Access Publisher, Rijeka, Croatia, 121-140 pp.
295. Nagadesi PK, Arya A and Albert S. 2013. Delignification pattern of wood decay by white rot fungi in teak (*Tectona grandis* L. f.). *Journal of the Indian Academy of Wood Science* 10: 1-8.
296. Nakagame S, Ferujiyo A and Sugiura J. 2006. Purification and characterization of cellobiose dehydrogenase from white rot basidiomycete *Trametes hirsuta*. *Biotechnology and Biochemistry* 70: 1629-1635.
297. Niku-Paavola ML, Raaska L and Itavaara M. 1990. Detection of white rot fungi by non-toxic stain. *Mycological Research* 94: 27-31.
298. Nilsson T. 1974. The degradation of cellulose and the production of cellulase, xylanase, mannanase and amylase by wood-attacking microfungi. *Studia Forestalia Suecica* 114pp.
299. Nilsson T, Daniel G, Kirk TK and Obst JR. 1989. Chemistry and microscopy of wood decay by some higher Ascomycetes. *Holzforschung* 43: 11-18.
300. Nishizawa Y, Nakabayashi K and Shinagawa E. 1995. Purification and characterization of laccase from white rot fungus *Trametes sanguinea* M85-2. *Journal of Fermentation and Bioengineering* 80: 91-93.
301. Novotny C, Rawal B, Bhatt M, Patel M, Sasek V and Molitoris HP. 2001. Capacity of *Irpex lacteus* and *Pleurotus ostreatus* for decolourization of chemically different dyes. *Journal of Biotechnology* 89: 113-122.
302. Nyanhongo GS, Gomes J, Gübitz G, Zvauya R, Read JS and Steiner W. (2002). Production of laccase by a newly isolated strain of *Trametes modesta*. *Bioresource Technolnology* 84: 259-263.

303. Oberreuter H, Seiler H and Scherer S. 2002. Identification of coryneform bacteria and related taxa by Fourier-transform infrared (FT-IR) spectroscopy. *International Journal of Systematic and Evolutionary Microbiology* 52: 91-100.
304. Obst JR, Highley TL and Miller RB. 1994. Influence of lignin type on the decay of woody angiosperms by *Trametes versicolor*. *Biodeterioration Research* 4, Llewelly GC, Dashek WV and O. Rear CE (eds.) Plenum Press, New York.
305. Osma JF, Toca Herrera JL and Couto SR. 2007. Banana skin: A novel waste for laccase production by *Trametes pubescens* under solid-state conditions. Application to synthetic dye decolouration. *Dyes Pigments* 75: 32-37.
306. Othman AM, Elshafei AM, Hassan MM, Haroun BM, Elsayed MA and Farrag AA. 2014. Purification, biochemical characterization and applications of *Pleurotus ostreatus* ARC280 laccase. *British Microbiology Research Journal* 4: 1418-1439.
307. Otjen L and Blanchette RA. 1985. Selective delignification of aspen wood blocks in vitro by three white rots Basidiomycetes. *Applied and Environmental Microbiology* 50: 568-572.
308. Pak D and Chang W. 1999. Decolorizing dye waste water with low temperature catalytic oxidation. *Water Science and Technology* 40: 115-121.
309. Paliwal R, Rawat AP, Rawat M and Rai JP. 2012. Bioligninolysis: Recent updates for biotechnological solution. *Applied Biochemistry and Biotechnology* 167:1865-1889.
310. Palmer A E, Lee SK and Solomon EI. 2001. Decay of the peroxide intermediate in laccase: Reductive cleavage of the O-O bond. *Journal of the American Chemical Society* 123: 6591-6599.
311. Palmieri G, Giardina P, Marzullo L, Desiderio B, Nitti G, Cannio R and Sannia G. 1993. Stability and activity of phenol oxidase from the ligninolytic fungus *Pleurotus ostreatus*. *Applied Microbiology and Biotechnology* 39: 632-636.
312. Pandey A. 1991. Aspects of fermenter design for solid-state fermentations. *Process Biochemistry* 26: 355-361.
313. Pandey A. 2003. Solid-state fermentation. *Biochemical Engineering Journal* 13: 81-84.

314. Pandey A, Selvakumar P, Soccol CR and Nigam P. 1999. Solid state fermentation for the production of industrial enzymes. *Current Science* 77: 149-162.
315. Pandey A, CR Soccol CR, D Mitchell D. 2000. New developments in solid state fermentation: I-bioprocesses and products. *Process biochemistry* 35: 1153-1169.
316. Pandey A, Singh P and Lyengar L. 2007. Bacterial decolourisation and degradation of azo dyes. *International Biodeterioration and Biodegradation* 59: 73-84.
317. Pant D and Adholeya A. 2007. Biological approaches for treatment of distillery wastewater: A review. *Bioresource Technology* 98: 2321-2334.
318. Park KM and Park SS. 2008. Purification and characterization of laccase from basidiomycete *Fomitella fraxinea*. *Journal of Microbiology and Biotechnology* 18: 670-675.
319. Parshetti G, Satish K, Ganesh S and Sanjay G. 2006. Biodegradation of malachite green by *Kocuria rosea* MTCC 1532. *Acta Chimica Slovenica* 53: 492-498.
320. Patel RP and Trivedi BM. 1962. The in vitro antibacterial activity of some medicinal oils. *Indian Journal of Medical Research* 50: 218-222.
321. Patel H, Gupte A and Gupte S. 2009. Effect of different culture conditions and inducers on production of laccase by a basidiomycete fungal isolate *Pleurotus ostreatus* HP-1 under solid state fermentation. *Bioresources* 1: 268-284.
322. Patrick F, Mtui G, Mshandete A and Kivaisi A. 2010. Optimum production of lignin peroxidase, manganese peroxidase and laccase in submerged culture of *Trametes trogii* using various growth media compositions. *Tanzania Journal of Science* 36: 1-18.
323. Pearce RB. 1996. Antimicrobial defences in the wood of living trees *Tansley Review No. 87*. *New Phytologist* 132: 203-233.
324. Pekka M. 2000. *Heterobasidion annosum* and wood decay: enzymology of cellulose, hemicellulose, and lignin degradation. Diss. Biocentri Viikki Universitatis Helsingiensis 6/2000. University of Helsinki, Finland.

325. Perestelo F, González J and Falcón M. 1999. Lignin biodegradation: importance of bacteria and Imperfecti fungi. Recent Research Developments in Biotechnology and Bioengineering. 2: 175-210.
326. Perie F.H., Sheng D. and Gold M.H. 1998. Purification and characterization of two manganese peroxidase isozymes from the white-rot Basidiomycetes *Dichomitus squalens*. Biochimica et Biophysica Acta 1297: 139-148.
327. Pinheiro HM, Touraud E and Thomas O. 2004. Aromatic amines from azo dye reduction: status review with emphasis on direct UV spectrophotometric detection in textile industry wastewaters. Dyes and Pigments 61: 121-139.
328. Pointing SB. 2001. Feasibility of bioremediation by white-rot fungi. Applied Microbiology and Biotechnology 57: 20-33.
329. Pointing SB, Parungao MM and Hyde KD. 2003. Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical Xylariaceae. Mycological Research 107: 231-235.
330. Powell MR. 2002. A model for probabilistic assessment of phytosanitary risk reduction measures. Plant Disease 86: 552-557.
331. Pramod S and Rao KS. 2012. Anatomical changes during transition from juvenile to adult wood in branch and main trunk xylem of Subabul (*Leucaena leucocephala* (lam.) de wit. Journal of sustainable forestry 31: 1-11.
332. Pramod S, Patel PB and Rao KS. 2012. Ethylene and its interaction with other hormones in tension wood formation in *Leucaena leucocephala* (Lam.) de Wit. Journal of the Indian Academy of Wood Science 9: 130-139.
333. Pramod S, Koyani RD, Bhatt IM, Vasava AM, Rao KS and Rajput KS. 2015. Histological and ultrastructural alterations in the *Ailanthus excelsa* wood cell walls by *Bjerkandera adusta* (Willd.) P. Karst. International Biodeterioration & Biodegradation 100: 124-132.
334. Prasad KK, Chaganti SR, Mohan SV and Sarma PN. 2011. Solid state fermentation of laccase from new pulse husks: Process optimization and bioprocess study. International Journal of Innovations in Biological and Chemical Sciences 2: 22-34.
335. Quarantino D, Federicic F, Petruccioli M, Fenice M and D'Annibale A. 2007. Production, purification and partial characterization of a novel laccase from the

- white-rot fungus *Panus tigrinus* CBS 577.79. *Antonie van Leeuwenhoek* 91: 57-69.
336. Quiroz-Castañeda RE and Folch-Mallol JL. 2011. Plant cell wall degrading and remodeling proteins: current perspectives. *Biotechnology Applications* 28: 194-204.
337. Rameshaiah GN and Reddy MLJ. 2015. Applications of ligninolytic enzymes from a white-rot fungus *Trametes versicolor*. *Universal Journal of Environmental Research and Technology* 5: 1-7.
338. Rathod J and Archana G. 2013. Molecular fingerprinting of bacterial communities in enriched azo dye (Reactive Violet 5R) decolorising native acclimatised bacterial consortia. *Bioresource Technology* 42: 436-444.
339. Rayner ADM and Boddy L. 1988. Fungal decomposition of wood: its biology and ecology. John Wiley and Sons, Chichester, UK.
340. Reddy C and Mathew Z. 2001. Bioremediation potential of white rot fungi. In: Gadd G. (ed.) *Fungi in bioremediation*. Cambridge University Press. Cambridge U.K.
341. Reddy GVB, Sridhar M and Gold MH. 2003a. Cleavage of nonphenolic β -1 diarylpropane lignin model dimers by manganese peroxidase from *Phanerochaete chrysosporium*. *European Journal of Biochemistry* 270: 284-292.
342. Reddy GV, Babu PR, Komaraiah P, Roy KRRM and Kothari IL. 2003b. Utilization of banana waste for the production of ligninolytic and cellulolytic enzymes by solid substrate fermentation using two *Pleurotus* species (*P. ostreatus* and *P. sajor-caju*). *Process Biochemistry* 38: 1457-1462.
343. Renganathan V and Gold MH. 1986. Spectral characterization of the oxidized states of lignin peroxidase, an extracellular heme enzyme from the white rot Basidiomycete *Phanerochaete chrysosporium*. *Biochemistry* 25: 1626-1631.
344. Reshma SV, Spandana S and Sowmya M. 2011. Bioremediation Technologies. World Congress of Biotechnology, India 21-23pp.
345. Revankar MS, Desai KM and Lele SS. 2007. Solid-state fermentation for enhanced production of laccase using indigenously isolated *Ganoderma* sp. *Applied Biochemistry and Biotechnology* 143:16-26.

346. Rigas F and Dritsa V. 2005. Decolourisation of a polymeric dye by selected fungal strains in liquid cultures. *Enzyme and Microbial Technology* 39: 120-124.
347. Ringman R, Pilgard A, Brischke C and Richter K. 2013. Mode of action of brown rot decay resistance in modified wood: a review. *Holzforschung* 68: 239-246.
348. Robinson T, McMullan G, Marchant R and Nigam P. 2001. Remediation of dyes in textile effluent: a critical review on current treatment technologies with proposed alternatives. *Bioresource Technology* 77: 247-255.
349. Robinson T and Nigam PS. 2008. Remediation of textile dyes wastewater using a white rot fungus *Bjerkandera adusta* through solid-state fermentation (SSF). *Applied Biochemistry and Biotechnology* 151: 618-628.
350. Robles CA, Castro MA and Lopez SE. 2014. Wood decay by *Inonotus ricki* and *Bjerkandera adusta*: a micro and ultrastructural approach. *IAWA Journal* 35: 51-60.
351. Rodriguez E, Pickard MA and Vazquez-Duhalt R. 1999. Industrial dye decolorization by laccases from ligninolytic fungi. *Current Microbiology* 38: 27-32.
352. Rodríguez Couto S, Sanroman MA, Gubitz GM. 2005. Influence of redox mediators and metal ions on synthetic acid dye decolorization by crude laccase from *Trametes hirsuta*. *Chemosphere* 58: 417-422.
353. Rodriguez-Jasso RM, Mussatto SI, Sepulveda L, Agrasar AT, Pastrana L, Aguliar CN and Teixeira JA. 2013. Fungal fucoidanase production by solid-state fermentation in a rotating drum bioreactor using algal biomass as substrate. *Food and Bioproducts Processing* 91: 4587-4594.
354. Romaní A, Garrote G and Parajó JC. 2012. Bioethanol production from autohydrolyzed *Eucalyptus globulus* by simultaneous saccharification and fermentation operating at high solids loading. *Fuel* 94: 305-312.
355. Rosales E, Rodriguez CS, Sanroman MA. 2005. Reutilisation of food processing wastes for production of relevant metabolites: Application to laccase production by *Trametes hirsuta*. *Journal of Food Engineering* 66: 419-423.

356. Rosales E, Couto S.R. and Sanromán A. 2007. Increased laccase production by *Trametes hirsuta* grown on ground orange peelings, *Enzyme and Microbial Technology* 40: 1286-1290.
357. Ruel K, Barnond F and Eriksson KE. 1981. Micromorphological and ultrastructural aspects of spruce wood degradation by wild type *Sporotrichum pulverulentus* and its cellulase-less mutant cel44. *Holzforschung* 25: 157-171.
358. Ruqayyah TID, Jamal P, Alam Md.Z and Mirghani Md.ES. 2011. Lignin modifying enzyme activities by some Malaysian white rot fungi. *ACT-Biotechnology Research Communications* 1: 14-19.
359. Ruttimann C, Schwember E, Salas L, Cullen D and Vicuña R. 1992. Ligninolytic enzymes of the white-rot basidiomycetes *Phlebia brevispora* and *Ceriporiopsis subvermispora*. *Biotechnology and Applied Biochemistry* 16: 64-76.
360. Sahadevan LDM, Misra CS, and Thankamani V. 2013. Ligninolytic enzymes for application in treatment of effluent from pulp and paper industries. *Universal Journal of Environmental Research and Technology* 3: 14-26.
361. Sanchez C. 2009. Lignocellulosic Residues: Biodegradation and bioconversion by fungi. *Biotechnology Advances* 27: 185-194.
362. Sanghi R, Dixit A and Guha S. 2006. Sequential batch culture studies for the decolorisation of reactive dye by *Coriolus versicolor*. *Bioresource Technology* 97: 396-400.
363. Sanghvi GV, Koyani RD and Rajput KS. 2010. Thermostable xylanase production and partial purification by solid state fermentation using agricultural wastewheat straw. *Mycology: Journal of Fungal Biotechnology* 1: 106-112.
364. Sanghvi GV, Koyani RD and Rajput KS. 2011. Isolation, optimization, and partial purification of amylase from *Chrysosporium asperatum* by Submerged Fermentation. *Journal of Microbiology and Biotechnology* 21: 470-476.
365. Sanghvi GV, Koyani RD and Rajput KS. 2013. Anatomical characterisation of teak (*Tectona grandis*) wood decayed by fungus *Chrysosporium asperatum*. *Journal of Tropical Forest Science* 25: 547-553.
366. Santos GC, Almeida EJR and Corso CR. 2014. Evaluation of biodegradation process of textile azo dye in solution of *Aspergillus oryzae* by UV-VIS and FTIR analysis. In Mendez-Vilas A Eds. *Industrial, medicinal and Environmental*

- application of microorganisms. The Wageningen Academic Publishers, Netherlands 109pp.
367. Saratale RG, Saratale GD, Chang JS, Govindwar SP. 2011. Bacterial decolorization and degradation of azo dyes: A review. *Journal of the Taiwan Institute of Chemical Engineers* 42: 138-157.
368. Sathiya-Moorthi P, Periyar-selvam S, Sasikalaveni A, Murugesan K and Kalaichelvan. 2007. Decolorization of textile dyes and their effluents using white rot fungi. *African Journal of Biotechnology* 6: 424-429.
369. Savory JG. 1954. Breakdown of timber by Ascomycetes and Fungi Imperfecti. *Annals of Applied Biology* 41: 336-347.
370. Saxe JP, Lubenow BL, Chiu PC, Huang CP, Cha DK. 2006. Enhanced biodegradation of azo dyes using an integrated elemental iron-activated sludge system: Evaluation of system performance. *Water Environment Research* 78:19-25.
371. Scheibner K, Hofrichter M and Fritsche W. 1997. Mineralization of 2-amino-4, 6-dinitrotoluene by manganese peroxidase of the white-rot fungus *Nematoloma frowardii*. *Biotechnology Letters* 19: 835-839.
372. Schlosser D, Grey R and Fritsche W. 1997. Patterns of ligninolytic enzymes in *T. versicolor*. Distribution of extra- and intracellular enzyme activities during cultivation on glucose, wheat straw and beech wood. *Applied Microbiology and Biotechnology* 47: 412-418.
373. Schwarze FMWR, Lonsdale D and Fink S. 1995. Soft rot and multiple T-branching by the Basidiomycete *Inonotus hispidus* in ash and London plane. *Mycological Research* 99: 813–820.
374. Schwarze FWMR and Fink S. 1997. Reaction zone penetration and prolonged persistence of xylem rays in London plane wood degraded by the basidiomycete *Inonotus hispidus*. *Mycology Research* 101: 1207–1214.
375. Schwarze FMWR, Lonsdale D and Fink S. 1997. An overview of wood degradation patterns and their implications for tree hazard assessment. *Arboriculture Journal* 21: 1-32.
376. Schwarze FWMR and Fink S. 1998. Host and cell type affect the mode of degradation by *Meripilus giganteus*. *New Phytologist* 139: 721-731.

377. Schwarze FWMR and Baum S. 2000. Mechanisms of reaction zone penetration by decay fungi in beech wood. *New Phytologist* 146: 129-140.
378. Schwarze FWMR, Engels J and Mattheck C. 2000a. Fungal strategies of wood decay in trees. Springer, 22 pp.
379. Schwarze FWMR, Baum S and Fink S. 2000b. Dual modes of degradation by *Fistulina hepatica* in xylem cell walls of *Quercus robur*. *Mycological Research* 104: 846-852.
380. Schwarze FWMR, Mattheck C and Engels J. 2004. Fungal strategies of wood decay in trees. Springer Verlag, Heidelberg.
381. Schwarze FWMR. 2007. Wood decay under the microscope. *Fungal Biology Reviews* 21: 133-170.
382. Selvam K, Swaminathan K and Chae K-S. 2003. Decolourization of azo dyes and a dye industry effluent by a white rot fungus *Thelephora* sp. *Bioresource Technology* 88:115-119.
383. Selvam K, Arungandhi K, Rajenderan G, Yamuna M. 2012. Bio-Degradation of azo dyes and textile industry effluent by newly isolated white rot fungi. *Open Access Scientific Reports* 1: 564-568.
384. Sethi R, Padmavathi T and Sullia SB. 2013. Lignocellulose biomass degradation by marine microorganisms. *European Journal of Experimental Biology* 3: 129-138.
385. Shah MP, Patel KA, Nair SS, Darji AM and Maharaul SJ. 2013. Microbial decolorization and degradation of Orange 16 dye by a newly isolated *Aeromonas* spp. Etl-1949. *Journal of Bioremediation and Biodegradation* 4: 194-200.
386. Sharma P, Singh L and Dilbaghi N. 2009. Biodegradation of Orange II dye by *Pharerochaete chrysosporium* in simulated wastewater. *Journal of Scientific and Industrial Research* 68:157-161.
387. Sharma KK, Singh D, Sapna, Singh B and Kuhad RC. 2013. Ligninolytic enzymes in environmental management. In Kuhad RC and Singh A (Eds.) *Biotechnology for Environmental Management and Resource Recovery*. Springer publication, 219pp.

388. Shin KS, Oh IK, and Kim CJ. 1997. Production and purification of rhemazol brilliant blue R decolorizing peroxidase from culture filtrate of *Pleurotus ostreatus*. *Applied and Environmental Microbiology* 63:1744-1748.
389. Shin KS and Lee YJ. 2000. Purification and chracterization of a new member of the laccase family from the white rot basidiomycete *Coriolus hirsutus*. *Archieves of Biochemistry and Biophysics* 384: 109-115.
390. Shin KS, Kim YH and Lim JS. 2005. Purification and characterization of manganese peroxidase of the white-rot fungus *Irpex lacteus*. *Journal of Microbiology* 43: 503-509.
391. Shleev SV, Morozova OV, Nikitina OV, Gorshina ES, Rusinova TV, Serezhenkov VA, Burbaev DS, Gazaryan IG and Yaropolov AI. 2004. Comparison of physico-chemical characteristics of four laccase from different basidiomycetes. *Biochimie* 86: 693-703.
392. Shrivastava B, Thakur S, Pal KY, Gupte A, Puniya AK and Kuhad RC. 2011. White-rot fungal conversion of wheat straw to energy rich cattle feed. *Biodegradation*. 22: 823-831.
393. Shrivastava B, Jain KK, Kalra A and Kuhad RC. 2014. Bioprocessing of wheat straw into nutritionally rich and digested cattle feed. *Applied Microbiology Environmental Biotechnology* 4: 1-9.
394. Si J, Peng F and Cui B. 2013. Purification, biochemical characterization and dye decolorization capacity of an alkali-resistant and metal- tolerant laccase from *Trametes pubescens*. *Bioresource technology* 128: 49-57.
395. Silva J, Abebe W, Sousa SM and Duarte VG. Machadoc MIL and Matos FJA. 2003. Analgesic and anti-inflammatory effects of essential oils of *Eucalyptus*. *Journal of Ethnopharmacology* 89: 277-283.
396. Silva EM, Machuca A and Milagres AMF. 2005. Effects of cereal brans on *Lentinula edodes* growth and enzyme activities during cultivation on forestry wastes. *Letters of Applied Microbiology* 40: 283-288.
397. Simonić J, Stajić M, Glamočlija J, Vukojević J, Duletić-Laušević S and Brčeski I. 2008. Optimization of submerged cultivation conditions for extra- and intracellular polysaccharide production by medicinal Ling Zhi or Reishi mushroom *Ganoderma lucidum* (W. Curt.: Fr.) P. Karst.

- (Aphylophoromycetidae). *International Journal of Medicinal Mushrooms* 10: 351-360.
398. Singh D, Zeng J and Chen S. 2011a. Increasing manganese peroxidase productivity of *Phanerochaete chrysosporium* by optimizing carbon sources and supplementing small molecules. *Letters of Applied Microbiology* 53: 120-123.
399. Singh CS, Singh VK, Tiwari SP and Sharma R. 2011b. Ligninolytic activity and lignocellulosic degradation profiles by natural isolates of *Pleurotus flabellatus* during mushroom cultivation on rice straw. *Asian Journal of Experimental Biological Sciences* 2: 158-161.
400. Sivakumar R, Rajendran R, Balakumar C and Tamilvendan M. 2010. Isolation, screening and optimization of production medium for thermostable laccase production from *Ganoderma* sp. *International Journal of Engineering Science and Technology* 2: 7133-7141.
401. Sjöström E. 1993. *Wood Chemistry, Fundamentals and Applications*, 2nd ed. Academic Press, New York/London.
402. Skyba O. 2008. Durability and physical properties of thermo-hygro-mechanically (THM)-densified wood. PhD thesis.
403. Skyba O, Douglas CJ and Mansfield SD. 2013. Syringyl-rich lignin renders poplars more resistant to degradation by wood decay fungi. *Applied and Environmental Microbiology* 79: 2560-2571.
404. Snajdr J and Baldrian P. 2007. Temperature affects the production, activity and stability of ligninolytic enzymes in *Pleurotus ostreatus* and *Trametes versicolor*. *Folia Microbiologica* 52: 498-500.
405. Soliman SA, El-Zawahry YA and El-Moughith AA. 2013. Fungal biodegradation of agro-industrial waste. In Prof. John Kadla (Ed.), *Cellulose - Biomass Conversion*, InTech 75-100pp.
406. Songulashvili G, Elisashvili V, Wasserh SP, Nevo E and Hadar Y .2007. Basidiomycetes laccase and manganese peroxidase activity in submerged fermentation of food industry wastes. *Enzyme and Microbial Technology* 41: 57-61.
407. Srebotnik E and Messener K. 1994. A simple method that uses differential staining and light microscopy to assess the selectivity of wood delignification by white rot fungi. *Applied and Environmental Microbiology* 60: 1383-1386.

408. Srebotnik E and Hammel KE. 2000. Degradation of nonphenolic lignin by the laccase/1-hydroxybenzotriazole system. *Journal of Biotechnology* 81: 179-188.
409. Srivilai P, Chaiseana W, Loutchanwoot P and Dornbundit P. 2013. Comparisons of differences between the wood degradation by monokaryons (n) and dikaryons (2n) of white rot fungus (Cambodian *Phellinus linteus*). *Journal of Biological Sciences* 13: 131-138.
410. Stajić M, Persky L, Hadar Y, Friesem D, Duletic-lausevic S, Wasser SP and Nevo E. 2006a. Effect of copper and manganese ions on activities of laccase and peroxidases in three *Pleurotus* species grown on agricultural wastes. *Applied Biochemistry and Biotechnology* 168: 87-96.
411. Stajic M, Persky L, Friesem D, Hadar Y, Wasser S, Nevo E and Vukojevic J. 2006b. Effect of different carbon and nitrogen sources on laccase and peroxidases production by selected *Pleurotus* species. *Enzyme and Microbial Technology* 38: 65-73.
412. Stajic M, Kukavica B, Vukojevic J, Simonic J, Veljovic Jovanovic S and Duletic Lausevic S. 2010. Wheat straw conversion by enzymatic system of *Ganoderma lucidum*. *Bioresources* 5: 2362-2373.
413. Stajic M, Knežević A and Vukojevic J. 2011. Effect of selected nitrogen sources on Mn-oxidizing peroxidases activity in *Trametes gibbosa*. *Mushroom biology and mushroom products*. Proceedings of the 7th International Conference on Mushroom Biology and Mushroom Products, Arcachon, France 2: 150-154.
414. Steffen KT, Hofrichter M and Hatakka A. 2003. Purification and characterization of manganese peroxidases from the litter-decomposing basidiomycetes *Agrocybe praecox* and *Stropharia coronilla*. *Enzyme and Microbial Technology* 30: 550-555.
415. Stoilova I, Krastanov A and Stanchev V. 2010. Properties of crude laccase from *Trametes versicolor* produced by solid-substrate fermentation. *Advances in Bioscience and Biotechnology* 1: 208-215.
416. Subramaniam R and Vimala R. 2012. Solid state and submerged fermentation for the production of bioactive substances: A comparative study. *International Journal of Science and Nature* 3: 480-486.
417. Sugumar S and Thangam B. 2012. BiodEnz: A Database of Biodegrading Enzymes. *Bioinformation* 8: 40-42.

418. Sun JQ, Yu HY, Zhang P, Zhang YF, Ling HB, Xie YH, Zhou DP and Ping WX. 2001. The formation and regeneration of *Nodulisporium sylviforme* protoplast. Chinese Journal of Applied Environmental Biology 7: 375-381.
419. Suryanarayan S. 2003. Current industrial practice in solid state fermentations for secondary metabolite production: the Biocon India experience. Biochemical Engineering Journal 13:189-195.
420. Sutherland JB and Crawford DL. 1981. Lignin and glucan degradation by species of the Xylariaceae. Transactions of the British Mycological Society 76: 335-337.
421. Swamy J and Ramsay JA. 1999. The evaluation of white rot fungi in the decoloration of textile dyes. Enzyme and Microbial Technology 24:130-137.
422. Tastan BE, Ertugrul S and Donmez G. 2010. Effective bioremoval of reactive dye and heavy metals by *Aspergillus versicolor*. Bioresource Technology 101: 870-876.
423. Tekere M, Zvauya R and Read JS. 2001. Ligninolytic enzyme production in selected sub-tropical white rot fungi under different culture conditions. Journal of Basic Microbiology 41: 115-129.
424. ten Have R and Teunissen PJM. 2001. Oxidative mechanisms involved in lignin degradation by white-rot fungi. Chemical Reviews 101: 3397-3413.
425. Thulasidas P and Bhat KM. 2007. Chemical extractive compounds determining the brown-rot decay resistance of teak wood. Holz als Roh- und Werkstoff 65: 121-124.
426. Thurston CF. 1994. The structure and function of fungal laccases. Microbiology 140: 19-26.
427. Tien M and Kirk TK. 1983. Lignin-degrading enzyme from the hymenomycete *Phanerochaete chrysosporium* Burds. Science 221: 661-663.
428. Tobin JM, White C and Gadd GM. 1994. Metal accumulation by fungi: applications in environment biotechnology. Journal of Industrial Microbiology 13:126-130.
429. Tripathi M, Mishra KAS, Misra AS, Vaithyanathan S, Prasad R and Jakhmola RC. 2008. Selection white rot basidiomycetes for biocinversion of mustard (*Brassica compestris*) straw under SSF into energy substrate for rumen microorganism. Letters of Applied Microbiology 46: 364-370.

430. Tripathi A, Upadhyay RC and Singh S. 2012. Extracellular Ligninolytic Enzymes in *Bjerkandera adusta* and *Lentinus squarrosulus*. Indian Journal of Microbiology 52: 381-387.
431. Tuomela M, Vikman M, Hatakka A and Vaara M. 2000. Biodegradation of lignin in a compost environment: A review. Bioresource Technology 72: 169-180.
432. Urek R and Pazarlioglu N. 2004. Purification and partial characterization of manganese peroxidase from immobilized *Phanerochaete chrysosporium*. Process Biochemistry 39: 2061-2068.
433. Urek R and Pazarlioglu N. 2007. Enhanced production of manganese peroxidase by *Phanerochaete chrysosporium*. Brazilian Archives of Biology and Technology 50: 913-920.
434. Vaidya AA and Datye KV. 1982. Environmental pollution during chemical processing of synthetic fibers. Colourage 14: 3-10.
435. Valmaseda M, Martinez MJ and Martinez AT. 1991. Kinetics of wheat straw solid-state fermentation with *Trametes versicolor* and *Pleurotus ostreatus*-lignin and polysaccharide alteration and production of related enzymatic activities. Applied Microbiology and Biotechnology 35: 817-823.
436. Van Aken B, Hofrichter M, Scheibner K, Hatakka AI, Naveau H and Agathos SN. 1999. Transformation and mineralization of 2,4,6-trinitrotoluene (TNT) by manganese peroxidase from the white-rot basidiomycete *Phlebia radiata*. Biodegradation 10: 83-91.
437. Vandevivere PC, Bianchi R and Verstraete W. 1998. Treatment and reuse of wastewater from the textile wet-processing industry: Review of emerging technologies. Journal of Chemical Technology and Biotechnology 72: 289-302.
438. Vares T and Hatakka A. 1997. Lignin-degrading activity and ligninolytic enzymes of different white-rot fungi: effects of manganese and malonate. Canadian Journal of Botany 75: 61-71.
439. Vares T, Kalsi M and Hatakka A. 1995. Lignin Peroxidases, Manganese Peroxidases, and other ligninolytic enzymes produced by *Phlebia radiata* during solid-state fermentation of wheat straw. Applied and Environmental Microbiology 61: 3515-3520.

440. Vasdev K, Dhawan S, Kapoor RK and Kuhad RC. 2005. Biochemical Characterization and molecular evidence of a laccase from the bird's nest fungus *Cyathus bulleri*. *Fungal Genetics and Biology* 42: 684-693.
441. Velioglu Z and Urek RO. 2014. Concurrent biosurfactant and ligninolytic enzyme production by *Pleurotus* spp. in solid-state fermentation. *Applied Biochemistry and Biotechnology* 174:1354-1364
442. Venkatachalam S and C Venkatachalam. 2008. Decolorization of Cibacron Yellow S-3R Using *Coriolus versicolor* (MTCC 138). *Modern Applied Science* 2: 1-5.
443. Verma P and Datta M. 2002. Production of ligninolytic enzymes for decolorization by cocultivation of white-rot fungi *Pleurotus ostreatus* and *Phanerochaete chrysosporium* under solid-state fermentation. *Applied Biochemistry and Biotechnology* 102: 109-118.
444. Verma VC, Gond SK, Kumar A, Kharwar RN and Strobel G. 2007. The Endophytic mycoflora of bark, leaf, and stem tissues of *Azadirachta indica* A. Juss (Neem) from Varanasi (India). *Microbial Ecology* 54: 119-125.
445. Verma AK, Dash RR and Bhunia P. 2012. A review on chemical coagulation/flocculation technologies for removal of colour from textile wastewaters. *Journal of Environmental Management* 93: 154-168.
446. Vyas BRM, Šašek V, Matucha M and Bubner M. 1994. Degradation of 3, 3', 4, 4' -tetrachlorobiphenyl by selected white rot fungi. *Chemosphere* 28:1127-1134.
447. Wan C and Li Y. 2010. Microbial pretreatment of corn stover with *Ceriporiopsis subvermisporea* for enzymatic hydrolysis and ethanol production. *Bioresource Technology* 101: 6398-6403.
448. Wariishi H, Akileswaran L and Gold MH. 1988. Manganese peroxidase from the basidiomycetes *Phanerochaete chrysosporium*: Spectral characterization of the oxidized states and the catalytic cycle. *Biochemistry* 27: 5365-5370.
449. Wariishi H, Valli K and Gold MH. 1991. In vitro depolymerization of lignin by manganese peroxidase of *Phanerochaete chrysosporium*. *Biochemical and Biophysical Research Communications* 176: 269-275.
450. Wariishi H, Valli K and Gold MH. 1992. Manganese(II) oxidation by manganese peroxidase from the Basidiomycetes *Phanerochaete chrysosporium*.

- Kinetic mechanism and role of chelators. *Journal of Biological Chemistry* 267: 23688-23695.
451. Wen JL, Xue BL, Xu F and Sun RC. 2013. Unmasking the structural features and property of lignin from bamboo. *Industrial Crops and Products* 42: 332-343.
452. Wesenberg D, Kyriakides I and Agathos SN. 2003. White-rot fungi and their enzymes for the treatment of industrial dye effluents. *Biotechnology Advances* 22: 161-187.
453. Whittock SP, Dutkowski GW, Greaves BL and Apiolaza LA. 2007. Integrating revenues from carbon sequestration into economic breeding objectives for *Eucalyptus globulus* pulpwood production. *Annals of Forest Science* 64: 239-246.
454. Windeisen E, Klassen A and Wegener G. 2003. On the chemical characterization of plantation teakwood from Panama. *Holz als Roh- und Werkstoff* 61: 416-418.
455. Woiciechowski AL, Karp SG, Sobral K, de Carvalho JC, Letti LAJ, Soccol VT and Soccol CR. 2014. Pretreatment strategies to enhance value addition of agro-industrial wastes. In Brar SK, Dhillon GS and Fernandes M (Eds.) *Biotransformation of waste biomass into high value biochemicals*. 29-49 pp.
456. Wong DWS. 2009. Structure and action mechanism of ligninolytic enzymes. *Applied Biochemistry and Biotechnology* 157: 174-209.
457. Wong KKY, Richardson JD and Mansfield SD. 2000. Enzymatic treatment of mechanical pulp fibers for improving papermaking properties. *Biotechnological Progress* 16: 1025-1029.
458. Woolridge EM. 2014. Mixed enzyme systems for delignification of lignocellulosic biomass. *Catalysts* 4: 1-35.
459. Worrall JJ, Susan EA and Zabel RA. 1997. Comparison of wood decay among diverse lignicolous fungi. *Mycologia* 89: 199-219.
460. Xavier AMRB, Tavares APM, Ferreira R and Amado F. 2007. *Trametes versicolor* growth and lacasse induction with by-products of pulp and paper industry. *Electronic Journal of Biotechnology* 10: 444-451.
461. Xiao Y, Tu X, Wang J, Zhang M, Cheng Q, Zeng W and Shi Y. 2003. Purification, molecular characterization and reactivity with aromatic compounds

- of laccase from basidiomycete *Trametes* sp. strain AH28-2. *Applied Microbiology and Biotechnology* 60: 700-707.
462. Xu F, Kulys JJ, Duke K, Li KC, Krikstopaitis K, Deussen HJW, Abbate E, Galinyte V and Schneider P. 2000. Redox chemistry in laccase-catalyzed oxidation of N-hydroxy compounds. *Applied and Environmental Microbiology* 66: 2052-2056.
463. Xu JZ, Zhang JL, Zhang WG and Hu KH. 2012. The novel role of fungal intracellular laccase: used to screen hybrids between *Hypsizigus marmoreus* and *Clitocybe maxima* by protoplasmic fusion. *World Journal of Microbiology and Biotechnology* 28: 2625-2633.
464. Yang QX, Yang M, Pritsch K, Yediler A, Hagn A, Schloter M and Kettrup A. 2004. Decolorization of synthetic dyes and production of manganese-dependent peroxidases by new fungal isolates. *Biotechnology Letters* 25: 709-713.
465. Yang XQ, Zhao XX, Liu CY, Zheng Y, Qian SJ. 2009. Decolorization of azo, triphenylmethane and anthraquinone dyes by a newly isolated *Trametes* sp. SQ01 and its laccase. *Process Biochemistry* 44: 1185-1189.
466. Yaver D, Xu F, Golightly E, Brown K, Brown S, Rey M, Schneider P, Halkier T, Mondorf K and Dalboge H. 1996. Purification, characterization, molecular cloning and expression of two laccase genes from white rot basidiomycete *Trametes villosa*. *Applied and Environmental Microbiology* 62: 834-841.
467. Yilgor N, Dogu D, Moore R, Terzi E and Kartal N. 2013. Evaluation of fungal deterioration in *Liquidambar orientalis* Mill. heartwood by FT-IR and light microscopy. *BioResources* 8: 2805-2826.
468. Zabel RA and Morell JJ. 1992. *Wood microbiology: Decay and Its Prevention*. Academic Press, San Diego.
469. Zadrazil F, Karma DN, Isikuemhen OS and Schuchardt F. 1999. Bioconversion of lignocellulose into ruminant feed with white rot fungi. *Journal of Applied Animal Research* 10: 105-124.
470. Zapata-Castillo P, Villalonga-Santana M, Tamayo-Cortés J, Rivera-Muñoz G and Solís-Pereira S. 2012. Purification and characterization of laccase from *Trametes hirsuta* Bm-2 and its contribution to dye and effluent decolorization *African Journal of Biotechnology* 11: 3603-3611.

471. Zhang F, Yediler A, Liang X and Kettrup A. 2004. Effects of dye additives on the ozonation process and oxidation by products: A comparative study using hydrolysed CI Reactive red 120. *Dyes Pigments* 60: 1-7.
472. Zhang L, Dong L, Li-jun W, Ti-peng W, Zhang L, Xiao DC and Zhi-huai M. 2008. Effect of steam explosion on biodegradation of lignin in wheat straw. *Bioresource Technology* 99: 8512-8515.
473. Zhou W and Zimmerman W. 1993. Decolorization of industrial effluents containing reactive dyes by actinomycetes. *FEMS Microbiology Letters* 107: 157-162
474. Zhu Y, Zhang H, Cao M, Wei Z, Huang F and Gao P. 2011. Production of a thermostable metal-tolerant laccase from *Trametes versicolor* and its application in dye decolorization. *Biotechnology and Bioprocess Engineering* 16: 1027-1035.
475. Zimmermann T, Kulla HG and Leisinger T. 1982. Properties of purified orange II azoreductase, the enzyme initiating azo dye degradation by *Pseudomonas* KF46. *European Journal of Biochemistry* 129: 197-203.
476. Zimmermann T, Gasser F, Kulla HG and Leisinger T. 1984. Comparison of two bacterial azoreductases acquired during adaptation to growth on azo dyes. *Archives of Microbiology* 138: 37-43.
477. Zouari-Mechichi H, Mechichi T, Dhouib A, Sayadi S, Martínez A and Martínez M. 2006. Laccase purification and characterization from *Trametes trogii* isolated in Tunisia: Decolorization of textile dyes by the purified enzyme. *Enzyme and Microbial Technology* 39: 141-148.