REFERENCES

Abu Hussein, M.R., Fadal, M.S. and EL-Ghandour, M.A. 1975. Some morphological and physiological features of flowering malformation in mangoes. Egypt J. Hortic. 2· 199-208.

Bacon, C.W., and Hinton, D.M. 1996. Symptomless endophytic colonization of maize by *Fusarium moniliforme*. Can. J. Bot. 74: 1195-1202.

Berlyn, G.P. and Mikshe, J.P. 1976. Botanical Microtechnique and Cytochemistry. The IOWA State University Press, IOWA.

Bindra, O.S., Bakhetia, D.R.C. 1971. Investigations on the etiology and control of mango malformation Indian J. Hortic. 28: 80-85.

Bist, L.D. and Ram, S. 1986. Chemical treatment to control floral malformation in mango (*Mangifera indica* L.) Hort. Sci. 21: 664.

Blunden,G , Challen, S.B. and Jaques, B. 1966. Accumulation of Anthoxanthins and Iminoacids in leaf galls of *Salix fragilis* L, Nature 212: 514-516.

Bronner, R. 1975. Simultaneous demonstration of lipids and starch in plant tissues. Stain Technol. 50: 1-4.

Bronner, R , Westphal, E. and Dreger, F. 1991a Pathogenis-related proteins in *Solanum dulcamara* L. resistant to the gall mite *Aceria cladophthirus* (Nalepa) (Syn. *Eriophyes cladophthirus* Nal.). Physiological and Molecular Plant Pathology 38: 93-104.

Bronner R., Westphal, E and Dreger, F. 1991b. Enhanced peroxidase activity associated with the hypersensitive response of *Solanum dulcamara* to the gall mite *Aceria cladophthirus* (Acari: Eriophyoidea) Can. J. of Bot. 69: 2192-2196.

Burns, W. 1910. A common malformation of mango inflorescence. Poona Agric. Coll. Mag. 3: 38.

Campbell, C.W. and Marlett, R.B. 1986. Current status of mango malformation disease in Florida. Proc. Internat.Soc. Trop. Hortic. 30: 223-226.

Chakrabarti, D.K. 1996. Etiology and Remedy of Mango malformation. In Disease Scenario in Crop plants. Vol. I Fruits and Vegetables (Eds.,.Agnihotri, V.P, Om Prakash, Ram Kishun and Misra, A.K.) pp. 49-59, International Book and Periodical Supply service, Pitampura, Delhi.

Chakrabarti, D K and Ghosal, S 1985 Effect of *Fusarium moniliforme* var. Subglutinas infection on mangiferin production in the twigs of *Mangifera indica*. Phytopathol. Z. 113: 47-50.

Chakrabarti, D.K , Ghosal, S. 1989. The disease cycle of mango malformation induced by *Fusarium moniliforme* var. Subglutinans and the curative effects of mangiferin metal chelates J. Phytopathol. 125: 238-246.

Chakrabarti, D K. and Kumar, R. 1997. Mangiferin in relation to mango malformation. In Recent Advances in Mango Research (ed R.P.Srivastava) UPCAR, Lucknow, India, (Communicated)

Chakrabarti, D K. and Sharma, R.C. 1993. Mango malformation :Relation of mangiferin concentration in differentiating buds to abnormal inflorescence of *Mangifera indica* L. Annals of Plant Prot. Sci. 1: 51-53.

Chakrabarti, D.K., Singh, A. and Singh, K. 1990. Physiological and biochemical changes induced by accumulated mangiferin in *Mangifera indica*. J. of Hort. Sci. 65: 731-737.

Darvas, J.M. 1987. Control of mango blossom malformation with trunk injection. S. Afr. Mango Growers Year Book 7: 21-24.

De Candolle, 1904. Origin of cultivated Plants. Kegan Paul, London.

Desai, M.V., Patel, K.P., Patel, M.K. and Thirumalachar, M.J. 1962. Control of mango malformation in Gujarat. Curr. Sci. 31: 392-93.

Dring, D.M. 1971. Techniques for Microscopic preparation: In: methods in Microbiology; (ed. C.Booth) Academic Press, London, Vol. 4, pp 95-111.

Ekalavya, C. 1979. A technique for making CBB stained sections of paraffin and resin embedded tissue permanent. Indian J. Bot. Soc. 2: 73-75.

Elstner, E.F. and Heupel, A. 1976. Formation of hydrogen peroxide by isolated cell walls from horseraddish (*Armoracia lapathifolia* Gilib.). Planta 130: 175-180.

Fisher, D.C., Kogan, M. and Paxton, J. 1990. Deterrency of Mexican bear beetle (Coleoptera : Coccinellidae) feeding by free phenolic acids. J. of Entomol. Sci. 25 230-238.

Gahan, P.B. 1984. Plant Histochemistry and cytochemistry. An Introduction . Academic Press. Florida.

Ghosal, S and Chakrabarti, D.K. 1988. Differences in phenolic and steroidal constituents between healthy and infected florets of *Mangifera indica* Phytochemistry 27: 1339-1343.

Ghosal, S, Biswas, K and Chattopadhay, B.K. 1978. Differences in chemical constituents of *Mangifera indica* infected with *Aspergillus niger* and *Fusarium moniliforme*. Phytochemistry 17: 689-694.

Ghosal, S., Chakrabarti, D.K., Biswas, K. and Kumar, Y. 1979. Toxic substances produced by *Fusarium* concerning malformation disease of mango. Experientia 35: 1633-1634.

Glauert, A M. 1975. Fixation, dehydration and embedding of biological specimens. In: Practical Methods in Electron microscopy Part I, Vol. 3, North Holland Publishing Co. New York.

Graham, R.C. and Karnovsky, M.J. 1966. The early stages of absorption of injected horseradish peroxide in the promixal tabules of mouse kidney: Ultrastructural cytochemistry by a new technique. J. Histochem. Cytochem. 14: 291-302.

Greppin, H, Penle, C. and Gaspar, T. 1986. Molecular and Physiological Aspects of Plant Peroxidases. University of Geneva, Switzerland, pp 189-200.

Grisebach, H. 1981. Lignins - In : The Biochemistry of Plants Vol. 7 (Ed. E.E. Con.), Academic Press, New York pp 451-478.

Gross, G G, Janse, C and Elstner, E.F. 1977. Involvement of malate, monophenols and the superoxide radical in hydrogen peroxide formation by isolated cell walls of horseradish (*Armoracia lapathifolia* Gilib). Planta 136: 271-276.

Hassan, H.A 1944. Notes on *Enophyes mangiferae* S. N. (Acarina). Bull. Soc. Fonad. Entomol 28: 179-180.

Hatcher, P E. 1995 Three way interctions between plant pathogenic fungi, herbivorous insects and their host plants. Biol Rev. 70: 639-694.

Hifny, H.A A, EL-Barkouki, M, EL-Banna, G S 1978. Morphological and physical aspects of floral malformation in mangoes. Egypt. J. Hortic. 5: 43-52.

Howell, C R, Bell, A.A. and Stipanovic, R.D. 1976 Effect of aging on flavonoid content and resistance of cotton leaves to verticillium wilt. Physiol. Plant Pathology. 8: 181-188.

Ibrahim, A.N., Satour, M M . Zeineb, M., EL-Tobshy and Abdel Sattar, M.A. 1975. Pathological and histological note on mango malformation in Egypt. Curr. Sci. 44: 443-444.

Jagirdar, S.A.P., Jafri, N R 1966. Malformation of mango inflorescence. Agric. Pak. 17: 351-357

Jawanda, J.S. 1963. Studies on mango malformation. Punjab Hort. J. 3: 281.

Joel, D.M., Marbach, I and Mayer, A.M. 1978, Laccase in Anacardiaceae. Phytochemistry, 17: 796-797.

Joel, D M and Fahn, A 1980 Ultrastructure of the resin ducts of *Mangifera indica* L. (Anacardiacea) 2. Resin Secretion in the primary stem ducts. Ann. Bot. 46: 779-783

Johansen, D.A., 1940. Plant Microtechnique. McGraw Hill Book Company, Inc. New York.

Khan, A.W. 1970. Some very common and highly destructive mites. Acarina in mango buds in West Pakistan. SCI. IND. (Pak), 7: 276-279.

Khan, M.D. and Khan, A.K. 1960. Studies on malformation of mango inflorescence in West Pakistan. Punjab Fruit J. (Mango number) 23: 247.

Kistah, A.A., Nyland, G., Nasr EL-Din, T.M., Tolba, M.A. and Lowe, S.K. 1985. Mango malformation disease in Egypt. 1. Electron microscopy, effect of antibiotics, cultural and serological studies. Egypt. J. Phytopathology, 17: 151-157.

Kumar, J. 1983. Studies on symptomatology, etiology and control of mango malformation. Ph.D. thesis, G.B. Pant Univ. Agric. Technol. Patnagar, India. pp. 199.

Kumar, J. and Beniwal, S.P.S. 1992. Mango malformation: In: Plant disease of International Importance (Eds. Kumar, J. Chaube, H.S., Singh, U.S., Mukhopadhay, A.N.) New York, Prentice Hall pp. 456.

Kumar, J., Singh U.S. and Beniwal, S.P.S. 1993. Mango malformation : One hundred years of research Annu. Rev. Phytopathol. 31: 217-232.

Kumar, R. and Chakrabarti, D.K. 1992. Biochemical evidence of physiological specialization of *Fusarium moniliforme* sheld., the incitant of malformation disease of *Mangifera indica* L Indian J. of Exp. Biol. 30: 448-450.

Kumar, R and Chakrabarti, D K 1997 Assessment of loss in yield of mango (*Mangifera indica*) caused by mango malformation. Indian J. of Agri. Sciences 67: 130-131.

Kumar, R., Singh, P.K., Kumaud and Chakrabarti, D.K. 1995. Mango malformation: Interaction between plant mites and *Fusarium moniliforme*. Global conf. on Advances in Res. on Plant Dis. and their Management, Udaipur, India, Feb.12-27 (Abstract) pp. 56-57.

Latif, A., Qayyum, A. and Ali, M 1961. Mango malformation.Do insects and mites play a role? Pak. J. Sci. Res. 13: 148-153.

Lawrence, E.B , Nelson, P.E , and Ayers, J.E. 1981. Histopathology of Sweet Corn Seed and Plants infected with *Fusarium moniliforme* and *F. oxysporum*. Phytopathology 71: 379-386.

Lynch, S J and Runchle, G D. 1940. Little leaf of mangoes a zinc deficiency. Proc. Fla. St Hort. Soc. 53: 167-169.

Mac Donald, P.W. and Strobel, G A., 1970. Adenosine diphosphate glucose pyrophosphorylase control of starch accumulation in rust infected wheat leaves. Plant Physiol. 54. 1281-1282

Mader, M. and Fussl, R. 1982. Role of Peroxidase in lignification of Tobacco cells. II. Regulation by phenolic compounds. Plant Physiol. 70: 1132-1134.

Majumdar, P.K. and Sinha, G.C. 1972. Seasonal variation in the incidence of malformation in *Mangifera indica* L. Acta. Hortic. 24: 221-223.

Mallik, P.C. 1963. Mango malformation, symptoms, causes and cure. Punjab Hortic. J. 3: 292-299.

Manicom, B.Q. 1989. Blossom malformation of mango. S. Afr. Mango Grower's Assoc. Year Book 10: 11-12.

Mishra, K.A. and Dhillon, B.S. 1980. Level of endogenous gibberellin in healthy and malformed panicle of mango Indian J. Hort. 37: 33-34.

Mukherjee, S.K 1951. The origin of mango. Indian J. Genet. 2: 49.

Nicholson, R.I.D and Staden. J. Van. 1988. Cytokinin and mango flower malformation. I. Tentative identification of the complement in the healthy and malformed inflorescences. J Plant Physiol. 132: 720-724.

Nirvan, R.S. 1953 Bunchy top of young mango seedlings. Sci. & Cul. 18: 335-336.

O' Brien, I.P. and McCully, M.E. 1981. The study of plant structure, principles and selected methods. Blackwell Scientific Publications, Oxford, London.

Pandey, R.M., Rao, M.M. and Pathak, R.A. 1977 Biochemical changes associated with floral malformation in mango. Scientia Hort. 6: 37-44.

Pandey, R.M., Rathore, D.S. and Singh, R.N. 1974. Hormonal regulation of mango malformation. Curr. Sci. 47: 694-695.

Philip John, Raghuram, Y and Nair, G. M, 1987. Uncommon cuticular ornamentation on the stigma surface of mango (*Mangifera indica* L.) Curr. sci. 56 : 783 - 784.

Popenoe, W., 1920. Mannual of Tropical and subtropical Fruits. Macmillan, New York.

Prasad, A., Singh, H and Shukla, T N 1965. Present status of mango malformation disease. Indian J. Hort. 22 : 254.

Puttarudriah, M. and Channa Basavanna, G.P. 1961. Mango bunchy-top and the eriophid mite. Curr. Sci. 3· 114-115.

Raafat, A, Eldeeb, S.H. and Newmann, K.H. 1995a, Investigations on the endogenous activity of Gibberellins and cytokinins of malformed mango (*Mangifera indica* L.) in relation to histological disorders. 1. Vegetative malformation. Angewandte Botanik 69: 3-9.

Raafat, A, Eldeeb, S.H and Newmann, K.H. 1995b, Investigations on the endogenous activity of Gibberllins and cytokinins of malformed mango (*Mangifera indica* L.) in relation to histological disorders. 2. Foral malformation. Angewandte Botanik, 69: 10-16

Rajan, S. 1986. Biochemical basis of mango (*Mangifera indica* L.) malformation. Ph.D. Thesis, Indian Agric Res Inst. Delhi, India, pp. 67

Rana, S 1992 Effect of growth regulators and chemical on the control of mango malformation M.Sc thesis, G.B. Pant Univ. Agric. Technol., Pantnagar, India, pp. 80.

Rao, K S., Koti Babu, A.C M. and Rekha Chauhan 1996. Morphological and phytochemical changes associated with floral malformation in *Mangifera indica* L. Indian J. Hortic. 53·245-250.

Reeve, R.M. 1951. Histochemical tests for polyphenols in Plant tissues. Stain Technol. 26: 91-96.

Reynolds, E.S. 1963. The use of lead citrate at high pH as an electron opaque stain in electron microscopy. J. Cell Biol. 17: 208.

Sattar, A. 1946. Disease of mango in the Punjab. Punjab Fruit J. 10: 56.

Shawky, I., Zidan, Z., EL-Toni, A. and Dahshan, D.I. 1980. Flowering malformation in relation to vegetative growth of Taimour mangoes. Egypt J. Hortic. 7: 1-8.

Sinclair, W.A., Zahand, J.P. and Melching Cornell, J.B. 1972. Anatomical markers of resistance in dutch elm disease. Phytopathology. 62: 789-790.

Singh, L.B., Singh, S.M., Nirvan, R.S. 1961. Studies on mango malformation. Review, symptoms, extent, intensity and cause. Hortic. Adv. 5: 197-207.

Singh, Z., Dhillon, B.S.D. 1990. Floral malformation, yield and fruit quality of *Mangifera indica* L. in relation to ethylene .J. Hortic Sci. 65: 215-220.

Stenlid, G. 1968. The physiological effects of Phloidgin, phloretin and related substances upon higher plants. Physiol. Plant. 21: 882-894.

Stenlid, G. 1976. Effects of substituents in the A-ring on the physiological activity of flavones. Phytochemistry 15: 911-912.

Subramanyam, S.V. 1981. Studies on gum and gum-resin producing tissue systems in some tropical trees. Ph.D. Thesis, Sardar Patel Univ., V.V. Nagar, India.

Summanwar, A.S. 1967. The role of eriophid mite (*Aceria mangiferae*) in the causation of mango malformation. Indian J. Hort. 11: 12-16.

Summanwar, A.S., Raychaudhuri, S.P. and Phatak, S.C. 1966. Association of the fungus *Fusarium moniliforme* sheld with the malformation in mango (*Mangifera indica* L.) Indian Phytopathol. 19: 227-228.

Van Fleet, D.A 1970. Histochemistry of plants in Health and Disease. In: Structural and functional aspects of phytochemistry. Recent Advances in Phytochemistry (Runeckles, V.C. and Tso, C C.) Academic Press Inc. London pp. 165-190.

Van Sumere, C.F., Albrecht, J , Dedonder, A., Pooter, H.D.E. and Irma, P.E. 1975. Plant proteins and phenolics. In: chemistry and biochemistry of plant proteins. (Eds. Harborne, J.B. and Vansumere, C.F.) Academic Press. New York. pp 211-264.

Varma, A , Lele, V.C . Raychaudhuri, S.P., Ram, A. and Sang, A. 1974. Mango malformation: A fungal disease. Phytopathol. Z. 79: 254-257.

Varma, A , Raychaudhuri, S P., Lele, V.C. and Ram, A. 1972. Towards the understanding of the problem of mango malformation. Proc. Indian Natl. Sci. Acad. 37: 291-300

Watts, G. 1891. The mango tree A Dictionary of Economic Products of India. 5: 149.

Wood, R.K S. 1967. Physiological Plant Pathology. Blackwell scientific publications Ltd. Oxford and Edinburgh. pp 228.