BIBLIOGRAPHY

BEATTY, H. C., PETERSON, R. D. AND BOCEK, R. M. 1963. Metabolism of red and white muscle groups. Am. J. Physiol., 204: 939-942.

BENNETT, H. S. AND PORTER, K. R. 1953. An electron microscope study of sectioned breast muscle of the domestic fowl. Am. J. Anat., 93: 61-105.

BÖSIGER, E. 1950. Vergleichende Untersuchungen über die Brustmuskulatur von Huhn, Wachtel und Star. Acta Anat. 10: 385-429.

BÜLLARD, H. H. 1912. On the interstial granules and fat droplets of striated muscle. Am. J. Anat., 14: 1-46.

CHINOY, N. J. AND GEORGE, J. C. 1964. Cellular organization and certain histophysiological features of the avian abdominal musculature. Pavo, 2: 12-25.

CLARANCE J HYLANDER. 1959. "Feathers and flight" The Macmillan Company, New York.

DENNY-BROWN, D. 1929. Histological features of striped muscle in relation to its functional activity. Proc. Roy. Soc., S. B., 104: 371-411.

DUBOWITZ, V. AND PEARSE, A. G. E. 1960. A comparative histochemical study of oxidative enzymes and phosphorylase activity in skeletal muscle. Histochemie., 2: 105-117.

ERÄNKÖ, O. AND PALKAMA, A. 1961. Improved localization of phosphorylase by the use of Polyvinyl pyrrolidone and higher substrate concentration. J. Histochem. Cytochem., 9: 585.

FRANK, A. HARTMAN AND KATHARINE A. BROWNELL. 1961. Lipids in the locomotor muscles of birds. Condor, 63: 403-410.

GEORGE, J. C. AND BERGER, A. J. 1966. "Avian Myology" Academic press. New York and London.

GEORGE, J. C. AND BOKDAWALA, F. D. 1964. Cellular organization and fat utilization in fish muscle. J. Anim. Morphol. Physiol., 11: 124-132.

GEORGE, J. C. AND JYOTI, D. 1955. Histological features of the breast and leg muscles of bird and bat and their physiological and evolutionary significance. J. Anim. Morphol. Physiol., 2: 31-36.

GEORGE, J. C. AND JYOTI, D. 1955 a. The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. J. Anim. Morphol. Physiol., 2: 1-9.

GEORGE, J. C. AND NAIK, R. M. 1957. Studies on the structure and physiology of the flight muscles of bats. 1. The occurence of two types of fibres in the pectoralis major muscle of the bat (Hipposideros speoris). Their relative distribution, nature of the fuel store and mitochondrial content. J. Anim. Morphol. Physiol. 4: 96-101.

GEORGE, J. C. AND NAIK, R. M. 1958. The relative distribution and chemical nature of the fuel store of the two types of fibres in the pectoralis major muscle of the pigeon. Nature, 181: 709-710.

GEORGE, J. C. AND NAIK, R. M.1958 a. The relative distribution of the mitochondria in the two types of fibres in the pectoralis major muscle of the pigeon. Nature, 181: 782-783.

GEORGE, J. C. AND NAIK, R. M. 1959. Studies on the structure and physiology of the flight muscles of birds. 5. Some histological and cytochemical observations on the structure of the pectoralis. J. Anim. Morphol. Physiol., 6: 16-23.

GEORGE, J. C. AND NAIK, R. M. 1959 a. Studies on the structure and physiology of the flight muscles of birds. 4. Observations on the fibre architecture of the pectoralis major muscle of pigeon. Biol. Bull., 116: 239-247.

GEORGE, J. C. AND NENE, R. V. 1965. The effect of excercise on the glycogen content of the red and white fibres of the pigeon pectoralis muscle. J. Anim. Morphol. Physiol., 12: 246-248.

GEORGE, J. C. AND SUSHEELA, A. K. 1961. A histophysiological study of the rat diaphram. Biol. Bull., 121; 471-480.

GEORGE, J. C. AND TALESARA, C. L. 1961. The succinic dehydrogenase levels of the pectoral muscles of a few representative types of birds and bat in relation to the fibre diameter, muscle weight and body weight. _Comp. Biochem. Physiol._, 3: 237-273.

GEORGE, J. C. AND TALESARA, C. L. 1961 a. Histochemical observations on the succinic dehydrogenase and cytochrome oxidase activity in pigeon breast muscle. _Quart. J. Micr. Sci._, 102: 131-141.

GEORGE, J. C. AND TALESARA, C. L. 1961 b. A quantitative study of the distribution pattern of certain oxidizing enzymes and lipase in the red and white fibres of the pigeon breast muscle. _J. Cell. Comp. Physiol._, 58: 253-260.

GEORGE, J. C. AND TALESARA, C. L. 1962. Histochemical demonstration of certain DPN - Linked dehydrogenases and of aldolase in the red and white fibres of pigeon breast muscle. _Quart. J. Micr. Sci._, 103: 41-46.

GEORGE, J. C. AND TALESARA, C. L. 1962 a. Lipase activity of the particulate fractions of the pigeon breast muscle and its significance in the metabolism of the muscle. _J. Cell. Comp. Physiol._, 60: 33-40.

GEORGE, J. C. AND THOMAS IYPE, P. 1964. Fatty acid oxidation by breast muscle homogenates of a migratory and non-migratory starling. _Pavo_, 2: 84-87.

GEORGE, J. C. AND VALLAYATHAN, N. V. 1964. Lipase and succinic dehydrogenase activity of the particulate fractions of the breast muscle homogenate of the migratory starling _Sturnus roseus_, in the pre-migratory and post-migratory periods. _J. Cell. Comp. Physiol._, 63: 381-392.

GEORGE, J. C. AND VALLYATHAN, N. V. 1964 a. Capacity for fatty acid oxidation by the breast muscle of the starling (Sturnus roseus) in the pre- and post-migratory periods. Canad. J. Physiol and Pharmacol., 42: 447-452.

HENSEL, H. AND HILDEBRANDT, G. 1964. Organ systems in adaptation: The muscular system. Hand book of physiology, Section 4: Adaptation to the environment. American physiological society, Washington D. C.

HESS, R. AND PEARSE, A. G. E. 1961. Dissociation of UDP glucose glycogen. Proc. Soc. Exp. Biol., N. Y. 106: 895.

ITZHAKI, S. AND WERTHEIMER, E. 1957. Changes in the carbohydrate metabolism of cardiac and striated muscle in hypothermic rats. Circulation Res., 5: 451-457.

KNOLL, P. 1891. Ueber Protoplasmaarme und Protoplasmareiche Musculatur Denkschr Kaiserl. Akad. Wissensch., Wein, Math.- naturw. Kl., 58: 633-700.

KÖLLIKER, A. 1857. Einige Bemerkungen über die Endingungen der Hautnerven und den Bau der Muskeln. Z. Wiss. Zool., 8: 311-325.

KÖLLIKER, A. 1888. Zur Kenntnis der quergestreiften Muskelfasern. Z. Wiss. Zool., 47: 689-710.

NAIK, D. V. 1963. Seasonal variation in the metabolites of the liver of the Rosy Pastor, Sturnus roseus (Linnaeus) Pavo, 1: 106-109.

NENE, R. V. AND GEORGE, J. C. 1965. A histophysiological study of some muscles of the avian pectoral appendage. Pavo, 3: 35-46.

OGATA, T. AND MORI, H. 1964. Histochemical study of oxidative enzymes in vertebrate muscles. J. Histochem. Cytochem., 12: 171-182.

SALT, W. R. 1963. The composition of the pectoralis muscles of some passerine birds. Can. J. Zool., 41: 1185-1190.

SCHOLANDER, P. F. V. WALTERS, R. HOCK, AND L. IRVING. 1950. Body insulation of some arctic and tropical mammals and birds. Biol. Bull., 99: 225-236.

SEIFTER, S., DAYTON, S., NOVIC, B. AND MUNTWYLER, B. 1950. The estimation of glycogen with anthrone reagent. Archives. Biochem., 25: 191-200.

SHIPP, J. C., OPIL, L. H. AND CHALLONER, D. 1961. Fatty acid and glucose metabolism in the perfused heart, Nature, 189: 1018-1019.

STEIN, J. M. AND PADYKULA, H. A. 1962. Histochemical classification of individual skeletal muscle fibres of the rat. Am. J. Anat., 110: 103-124.

STREICHER, E., D. B. HACKEL, AND W. FLEISCHMANN. 1950. Effects of extreme cold on the fasting pigeon with a note on the survival of fasting ducks at -40°C. Am. J. Physiol., 161: 300-306.

STUBBS, S. St. G. AND BLANCHAER, M. C. 1965. Glycogen phosphorylase and glycogen synthetase activity in red and white skeletal muscle of the guinea pig. Can. J. Biochem., 43: 463-468.

VALLYATHAN, N. V. 1963. On the lipid content and lipase activity in the breast muscle of _Sturnus_ _roseus_ (Linnaeus). _Pavo_, 1: 106-109.

VALLYATHAN, N. V., CHERIAN, K. M. AND GEORGE, J. C. 1964. Histochemical and quantitative changes in glycogen and phosphorylase during disuse atrophy of the pigeon pectoralis. _J_. _Histochem_. _Cytochem_., 12: 721-728.

VALLYATHAN, N. V. AND GEORGE, J. C. 1963. Phosphorylase 'a' in bird and bat breast muscles. _J_. _Anim_. _Morphol_. _Physiol_., 10: 15-23.

VALLYATHAN, N. V. AND GEORGE, J. C. 1964. Glycogen content and phosphorylase activity in the breast muscle of the migratory starling _Sturnus_ _roseus_ (Linnaeus). _Pavo_, 2: 55-60.