References:

Abbot L.K. and Robson A.D. (1991) Factors influencing the occurrence of vesicular arbuscular mycorrhizae. Agriculture, *Ecosystem and Environment,* 35: 120-150.

Abdel-Rahim, A.M., Baghadami A.M. and Abdalla M.H. (1983) Studies on the fungus flora in the rhizosphere of sugar cane plants. *Mycopathologia,* 81: 183-186.

Abdul-Hafez S.I.I. (1982) Rhizosphere and rhizoplane fungi of *Triticum vulgare* cultivated in Saudi Arabia., *Mycopathologia* 78: 79-86.

Abdullah S.K. and Kadhum S.A. (1987). Seed mycoflora of Sorghum bicolor in Iraq. *Art Gulf J. Sci. Res.,* 5(3): 401-410.

Adams P, De-Leij FA, Lynch JM.(2007) *Trichoderma harzianum* Rifai 1295-22 mediates growth promotion of crack willow (Salix fragilis) saplings in both clean and metal-contaminated soil, *Microb Ecol*. 4(2):306-13.

Afolayan A.J., Grierson D.S., Kambizi L., Madamombe I. and Masika P.J. (2002) *In vitro* antifungal activity of some South African medicinal plants, *South African J. Bot*. 68:72-76.

Agarwal, V.K. and Sinclair J.B. (1996) *Principles of Pathology*. 2nd edi, CRC Press, Inc., Boca Raton, Fl. 539 pp.

Agnihothrudu V. (1995) State in which fungi occur in the rhizosphere, *Naturwissenschefen*, 42:515-516.

Agrawal V.K. and Sinclair J.B. (1987) Principles of seed pathology Vol I. CRC Press. New Delhi pp.1-2.

Agrios G.N. (2005). *Plant Pathology*. 5th edn. Academic Press, San Diego: 922.

Ahmed, I., Iftikhar S. and Bhutta A.R. (1992) Seed-borne microorganism in Pakistan Checklist 1991. PARC, Islamabad.

Aikio, S. and Ruotsalainen A. L. (2002) The modeled growth of mycorrhizal and non-mycorrhizal plants under constant versus variable soil nutrient concentration. *Mycorrhiza*. 12: 257- 261.

Ainsworth J and Bisby H. (1995) Dictionary of the Fungi. 8th edn. Wallingford. CABI International, UK. 616 pp.

Albiach, R., Canet R., Pomares F. and Ingelmo F. (2000) Microbial biomass content and enzymatic activities after the application of organic amendments to a horticultural soil. *Bioresour. Technol*., 75: 43-48.

Alfred B. W. (1963) Relation of seed–borne fungi to boll rots of cotton. *Phytopathology*, 53: 984.

Allen M. F., Smith W.K., Moore T.S. and Christensen M. (1981) Comparative water relations and photosynthesis of mycorrhizal Bouteloua gracilis HBK lag ex steud, *New Phytologist*, 88 :683-693.

Allen E.B. and Allen M.C. (1984) Competition between plants of different successional stages; mycorrhizaeas regulators. *Canadian Journal of Botany*, 62 :2625-2629.

Allsop D. and Seal K.J. (1986) Introdution to biodeterioration. Edward Arnold (Publishers) Ltd. London, 132

Allsopp, N. and Stock, W.D. (1992). Density dependent interactions between VA mycorrhizal fungi and even-aged seedlings of two perennial Fabaceae species. *Oecologia*. 91(2): 281-287.

Aly A.A., Hussien E.M., Allam A.D.A., Amein A.M. and El-Samawaty A.M.A. (2000) Pathological studies on fungi involved in damping off of cotton seedlings and root rot of adult plants in upper Egypt governorates. *J. Agric. Sci*., 25: 4015-4034.

Aly A.A., Omar M.R., El- Abbasi I.H., El-Samawaty A.M.A. and Amal A.A. (2008) Effect of seed mycoflora on incidence of *Fusarium* wilt disease in cotton genotypes. *J. Agric. Sci*., 33: 7243-7251.

Ammani, K. and Rao, A.S. (1996). Effect of two arbuscular mycorrhizal fungi *Acaulospora spinosa* and *A. scrobiculata* on upland rice. *Microbiological Research*, 151(3): 235-237.

Anaso, A.B., Tyagi P.D and Emechebe A.M. (1981) Preliminary studies on toxic metabolites produced by *Drechslera rostrata* and *Fusarium equiseti* and their effect on root growth in wheat. *Nigerian J. Plant Protec.*, 5: 102-105.

Anastasi, A., Varese G. C. and Marchisio V. F. (2005) Isolation and identification of fungal communities in compost and vermicompost. *Mycologia*, 97: 33 – 44.

Anderson C.I. and Cairney W.G.J. (2004) Diversity and ecology of soil fungal communities: increased understanding through the application of molecular techniques. *Environmental Microbiology* 6: 769-779.

Aqil F and Ahmad I (2003) Broad spectrum antibacterial and antifungal properties of certain traditionally used Indian medicinal plants, *World J. Microbiol. Biotechnol*. 19:653-657.

Arines, J.A., Vilarino and Sainz, M. (1989). Effect of different inocula of VAM fungi on manganese content and concentration in red clover (*Trofolium pretense* L.) plants. *New Phytol.* 112(2): 215-220.

Arokiyaraj S, Martin S, Perinbam K, Marie Arockianathan P and Beatrice V (2008) Free radical scavenging activity and HPTLC finger print of Pterocarpus santalinus L. – an *in vitro study*. *Indian J. Sci. Technol*. 1 (7), 1-7.

Arshi, Anfal and Royy, A.K. (2008). Effect of vermicompost and endomycorrhizae on growth performance of *Gliricidia sepium* (JACO. KUNTH.) on overburden dump soil of coal field area. *J. Indian bot. Soc.* 87(3-4): 178-181.

Arya A. (2010) Recent Advances in the management of fungal pathogens of fruit crops *In: Management of Fungal Pathogens* pub: Cabi International U.K. pp:3-13.

Arya A. and D .Mathew (1990) Control of Chiku fruit rot by leaf extracts of certain medicinal plants, *Res.J. Pl. Environ*. 6(1):31-33.

Arya A., Bedi S.J. Jasrai Y.T., Patel V.S. (2005) Ecofriendly approach to control fungal bioderiogens.In: *Urban Pollution issues and solutions* pub. By Nidhi pub. New Delhi.pp. 50 – 56.

Arya, A., Chauhan, R. and Arya, C. (1995). Inhibition of growth of 200 pathogenic fungi by garlic extract. *Mycologia,* 67: 882 - 885.

Ashworth, L. J., McMeans J. L, Houston B. R., Whitten J. S. and. Brown C. M. 1971. Mycoflora aflatoxins and free fatty acids in California cottonseed during 1967-1968. *J. Amer. Oil Chem. Soc*. 48: 129-133.

Asran-Amal A.M. (2007) Effect of *Trichoderma* isolates, delivery systems and host genotype on biological control of seedlings diseases. *J. Plant Prot. Res.* 112:339-356.

Ateb D.A. and ErdoUrul O.T. (2003) Antimicrobial activities of various medicinal and commercial plant extracts. *Turk. J. Biol*. 27, 157-162.

Azcon, R., Andrade, G. and Bethlenfalvay, G.J. (1995). A rhizobacterium modifies plant and soil responses to the mycorrhizal fungus *Glomus mosseae*. *Applied Soil Ecology*. 2(3): 195-202.

Azcón, R. (1994) The role of arbuscular mycorrhizalfungi on nitrogen nutrition and metabolism byplants. *Mycorrhiza News* , **6** : 1-5.

Azcón-Aguilar C. and Barea J. M.(1996) Arbuscular mycorrhizas and biological control of soil borne pathogens—an overview of the mechanisms involved. *Mycorrhiza,* 6:457–464.

Babu, R., Lokeshwar, S.H., Rao, N.S. and Rao, B.R.B. (1988). The response of chilli (Capsicum annum L.) plants to early inoculation with mycorrhizal fungi at different levels of phosphorus. *J. Hortic. Sci.* 63(2): 315-320.

Backman PA and Rodriguez-kabana R, (1974) A system for the growth and delivery of biological control to the soil. *Phytopathology*, 65:819-821.

Bae E.Y. Shin E.J., Lee D.H. Hoh Y.J., Kin J,H. (1997) Antifungal Kaempferol-3-O-β-D-apiofuranosy 1-(1,2)-β-D-glucopyranoside from leaves of *Phytolacca americana* L. *Korean J. Plant Pathol.* 13: 371-376.

Bagyaraj DJ. (1984) Biological interactions with VA mycorrhizal fungi. pp. 131-153 *In :VA Mycorrhiza. L. L. Conway Powell and D. J. Bagyaraj*. CRC Press, Boca Raton, FL.

Bagyaraj, D.J. (1989). Role of VA mycorrhiza in red soils. *Mycorrhiza News*. 1: 67.

Bagyaraj, D.J. and Manjunath, A. (1980). Response of crop plants to VAM (*G. fasculata*) inoculation in an unsterile Indian soil. *New Phytol*. 85(1): 141-145.

Bais H. P, Weir T. L, Perry L, Gilroy S, and Vivanco J.M. (2006) The role of root exudates in rhizosphere interactions with plants and other organisms. *Annu Rev Plant Biol* .57: 233-266.

Bais H.P. (2004) How plants communicate using the underground information superhighway? *Trends in plant science*. 9: 26-32.

Bais H.P., (20040 How plants communicate using the underground information superhighway? *Trends in plant science*. 9: 26-32

.

Balasubramanian N (2003) Strain improvement of *Trichoderma* spp. by protoplast fusion for enhanced lytic enzyme and biocontrol potential. Ph.D thesis, University of Madras, Chennai, India.

Bansal M. and Mukerji K.G. (1994) Positive correlation between VAM induced changes in root exudation and mycorrhizosphere mycoflora. *Mycorrhiza* 5:39–44.

Baqual, M.F., Das, P.K. and Katiyar, R.S. (2005). Effect of arbuscular mycorrhizal fungi by using expanded clay as carrier material for mycorrhiza. *Z. Pflanzenkr. Pflanzenschutz*. 94: 419-430.

Barea, J.M. and Azcón-Aguilar C. (1983) Mycorrhizae and their significance in nodulating nitrogen fixing plants. *Advances in Agronomy*, 36 : 1-54.

Basm H., Yegen O. and Zeller W. (2000) Antimicrobial effect of essential oil of Thymbra spiculata var spicata on some plant pathogenic bacteria. *Zeitschrift fur planzenkranheitenand pflanzenschutz.*, 107(3): 279-28.

Bateman, G.L. and Kwasna H. (1999) Effects of number of winter wheat crops grown successively on fungal communities on wheat roots. *Applied Soil Ecology*, 13: 271-282.

Bationo, A., Wani S.P., Bielders C.L., Vlek P.L.G and A.U.Mokwanye. (2000) Crop residue and fertilizer management to improve soil organic carbon content, soil quality and productivity in the desert margins of West Africa. pp. 117-145. In : R. Lal, J.M. Kimble and B.A. Steward (eds.) *Advances in Soil Science.Global Climate Change and Tropical Ecosystems.CRC Press, LLC Washington DC, USA.*

Behura C, Ray P., Rath C.C., Mishra R.K., Ramchandraiah O.S. and Charyulu J,K, (2000) Antifungal activity of essential oils of *Curcuma longa* against five rice pathogens in vitro. *J. essential oil Bearing plants*, 3(2):79-84.

Benítez, T., Rincón, M.A., Limón, M.C. and Codón, C.A. (2004). Biocontrol mechanisms of *Trichoderma* strains. *International microbiology* 7: 249-260.

Benítez, T., Rincón, M.A., Limón, M.C. and Codón, C.A. (2004) Biocontrol mechanisms of *Trichoderma* strains. International microbiology 7: 249-260.

Benner A.Z. (1993) Pesticidal compounds from higher plants. *Pestic. Sci.* 39:95-102.

Benhamou N., Gagne S., Quere D.L. and Dehbi L. (2000) Bacterial mediated induced resistance in cucumber: beneficial effect of the endophytic bacterium, *Serrantia plymuthica* on the protection against infection by *Pythium ultimum*, *Phtopathology*, 90:45-56.

Bellgard S.E. and Willam S.E. (2002) Beneficial mycorrhizas associated with commercial cotton and native Hibiscus species growing in the monsoonal tropics of Northern Ausstralia., Scientific Report, cotton CRC, Scientific Exchange Programme, pp:1-7.

Berch, S.M., Gamiet, S. and Deom, E. (1988). Mycorrhizal status of some plants of southwestern British Columbia. *Can. J. Bot.* 66: 1924-1928.

Bethlenfalvay G.J. (1992) Mycorrhizae and crop productivity. IK GJ. Bethlenfalvay and R.G. Linderman (eda) Mycorrhizae in sustainable agriculture,. Am Soc. Agron. Special Publication No. 54. American Society of Agronomy, Madison, WI.

Bethlenfalvay, G.UJ. and Barea, J.M. (1994). Mycorrhizae in sustainable agriculture. I. Effects on seed yield and soil aggregation. *Am. J. Alternative Agric*. 9(4): 157-161.

Bever J.D., Morton J.B., Antonovics J, Schultz P.A. (1996) Host dependent sporulation and species diversity of Arbuscular mycorrhixal fungi in a mown grassland, *J. Ecol*, 84:71-82.

Bhamaeapravati S., Juthajpruth S., Mahacahi W. and Mahady G. (2006) Antimicrobial activity of *Boesenbergia rotunda* (L.) Mansf. and *Mlyristica fragrans* Houtt. Against *Helicobacter pylori*. Songklankarian , *J. Sci. Technol*. 28 (1):157-163.

Bhatia, N.P., Adholeya, A. and Sharma, A. (1998). Biomass production and changes in soil productivity during long term, cultivation of *Prosopis Juliflora* (Awartz)DC, inoculated with VAM and *Rhizobium* sps. In a semi arid waste land. *Biol Fertil Soil*. 26: 208-214.

Bianchi A, Zambonelli A, D'Aulerio A.Z., Bellesia F (1997) Ultrastructural studies of the effects of *Allium* sativum on phytopathogenic fungi i*n vitro. Plant Disease.* 81: 1241-1246.

Bilgrami K.S., Jamaluddin and Rizwi M.A. (1981) Fungi of India Part-II, Host Index and Aggenda, Pub. Today and Tomorrow's Printer and Publishers, New Delhi, pp: 1-140.

Blasingame D. and Mukund V.P. (2001) Cotton disease loss estimate committee report. Proceedings of the Beltwide Cotton Conference, National Cotton Council (BCCNCC'01), Nashville, pp: 102-103.

Bobbarala V, Katikala P, Naidu K. C and Penumajji S (2009) Antifungal activity of selected plant extracts against phytopathogenic fungi *Aspergillus niger* F2723, *Indian Journal of Science and Technology*, 2(4):87-90.

Boddington C.L. and Dodd J.C. (1999) Evidence that differences in phosphate metabolism in mycorrhizae formed by species of *Glomus* and *Gigaspora* might be related to their life cycle strategies. *New Phytologist*, 142 : 531-538.

Borie F., Rubio R., Morales A. and Cornejo P. (2010) Arbuscular Mycorrhizae in agricultural and forest ecosystems in Chile, *J. Soil Sci. Plant Nutr.,* 10: 204-223.

Boulton A.J. and Boon P.I. (1991) A review of methodology used to measure leaf litter decomposition in lotic environments: time to turn over an old leaf? Australian, *Journal of Marine and Freshwater Research,* 42: 1-43.

Bowen GD, Rovira AD. (1999) The rhizosphere and its management to improve plant growth. *Advances in Agronomy,* 66: 1–102.

Bradley R, Burt A.J. Read D. J. (1981) Mycorrhizal infection and resistance to heavy metal toxicity in *Calluna vulgaris*, *Nature,* 292: 335–337.

Brady, N. C. and R. P. Weil (Eds.). Prentice Hall Inc., Upper Saddle River, New Jersy, pp; 446 – 490.

Brady, N. C. and Weil R. P. (1999) Soil Organic Matter. *In: The Nature and Properties of Soils,*

Braunberger, P. G., Abbott, L. K. and Robson A. D. (1996) Infectivity of arbuscular mycorrhizal fungi after wetting and drying. *New Phytol*. 134: 673–684.

Brasier C.M (1975) Stimulation of sex organ formation of Phtopthora by antagonistic species of *Trichoderma.*I. The effect in vitro, *New Phytologist*, 74:183-194.

Bridge, P. and Spooner, B. (2001) Soil fungi: diversity and detection. *Plant and Soil*, 232:147–154.

Brindha V, Saravanan A and Manimekalai R (2009) Drug designing for ring finger protein 110 involved in adenocarcinoma (human breast cancer) using casuarinin extracted from Terminalia arjuna. *Indian J. Sci. Technol.* 2 (2), 22-26.

Brodbent P. Baker K.F. and Waterworth Y. (1971) Bacteria and actinomycetes antagonistic to fungal root pathogens in Australian soils. *Austr. J. Biol. Sci*., 24: 925-944.

Brundrett, M.C. (1991) Mycorrhizas in natural ecosystems p. 171-133. In *A. MacFayden, M. Begon and A.H. Fitter (eds). Advances in Ecological Research. Academ*ic Press, London.

Bryla, D.R. and Koide, R.T. (1990). Regulation of reproduction in wild and cultivated *Lycopersicon esculentum* Mill. by VAM infection. *Oecologia cheidelb*. 84(1): 74-81.

Burges A and Raw F (1976) *Soil Biology*. Academic Press, New York, USA.

Cairney J.W.G (2000) Evolution of mycorrhiza systems, *Naturwissenschaften,* 87:467–475.

Calhelha, R.C., Andrade, J.V., Ferreira, I.C. and Estevinho L.M. (2006). Toxicity effects of fungicide residues on the wine-producing process. *Food Microbiology*, 23: 393-398.

Campbell R., (1989) Biological Control of Microbial Plant Pathogens. 1st Edn., Cambridge University Press, Cambridge, ISBN: 0 521 34900 1.

Carder J.H., Hignett R.C. and Swinbrune T.R. (1987) Relationship between the virulence of hop isolates of *Verticillium alboatrum* and their in *vitro* secretion of cell wall- degrading enzymes. *Physiol. Mol. Plant Pathol.* 31: 441-452.

Castillo C, Rubio R., Borie F. and Sieverding E. (2010) Diversity of Arbuscular Mycorrhizal Fungi in Horticultural production systems of Southern Chile, *J. Soil Sci. Plant Nutr.*, 10(4):407-413.

Castillo C.G., Rubio R., Rouanet R. and Borie F (2006 b) Early effects of tillage and crop rotation on arbuscular mycorrhizal fungi propagules in an Ultisol. *Biol. Fertil. Soils*, 43: 83-92.

Castillo C.G., Sotomayor L., Ortiz C., Leonelli G., Borie F. and Rubio R. (2009) Effect of Arbuscular Mycorrhizal fungi on ecological crop of chili peppers (*Capsicum annum* L.), *Chilean J. Agric. Res.*, 69: 79-87.

Chakravarty, P. and Mishra, R.R. (1986). The influence of VA mycorrhizae on the wilting of Albizia procera and Dalbergia sissoo. *European Journal of Forest Pathology*. 16(2): 91-97.

Chamle D.R., Dhale D.A. and Mogle U.P. (2011) Effect of *Parthenium* weed manures on rhizosphere mycoflora of Maize, *Current Botany* 2(4): 31-33.

Champawat, R.S. (1998). *Influence of three VAM fungi on nutrient uptake and growth in groundnut (Arachis hypogea) Mycorrhizae for Green Asia*. First Asian Conference on Mycorrhizae, January 29-31, 1988, Madras, India, Edited by Mahadevan, N. Raman and K. Natarajan. pp. 132-133.

Champawat, R.S. and Pathak, V.N. (1993). Effect of vesicular arbuscular mycorrhizal fungi on growth and nutrition uptake of pearl millet. *Indian Journal on Mycology and Plant Pathology*. 23(1): 30-34.

Chandraghatgi, P.S. and Sreenivasa, M.N. (1995). *Possible synergistic interactions between Glomus macrocarpum and Bacillus polymyxa in chilli*. In. Mycorrhizae: Biofertilizers for the Future Proc. (eds.) Adholeya, A. and Singh, S., TERI, Delhi. pp. 180-183.

Chang, Y.C., Baker R., Kleifeld O. and Chet I.. (1986). Increased growth of plants in the presence of the biological control agent *Trichoderma harzianum*. *Plant Dis*., 70:145-8.

Charita Devi, M. and Reddy, M.N. (2004). Effect of arbuscular mycorrhizal fungi and Rhizobium association on chlorophyll content of ground nut (Arachis hypogea). *Mycorrhiza News*. 16(1): 15-17.

Chen, J-H. (2006). The combined use of chemical andorganic fertilizers and/or biofertilizer for crop growth and soil fertility. International Workshop on Sustained Management of the Soil-Rhizosphere System for Efficient Crop Production and Fertilizer Use. 16 – 20 October 2006 Land Development Department, Bangkok 10900 Thailand: 1-11.

Chenu, C. and Stotzky, G., (2002), Interactions between microorganisms and soil particles: an overview. *In: Interactions between soil particles and microorganisms* (P.M. Huang, J.M. Bollag and N. Senesi), pp 3-40. Wiley, New York.

Chitra H., Gomathi V. and Kannabiran B. (2001) Inhibitory effect of *Datura innoxia* on the enzymatic activities of the anthracnose fungus *Collectotrichum capsici in vitro*. *Indian Phytopath.* 54: 253-255.

Chhabra ML, Bhatnagar MK, Sharma MP (1992). Influence of vesicular arbuscular (VA) mycorrhizal fungus on important diseases of maize. *Indian Phytopathol*., 45: 235-236.

Chotte, J.L., Ladd, J.N. and Amato, M., (1997), Sites of microbial assimilation, and turnover of soluble and particulate 14C-labelled substrates decomposing in a clay soil, *Soil biology and biochemistry*, 30: 205-218.

Christensen, M. (1989) A view of fungal ecology, *Mycologia*, 81: 1-19.

Clark F.E (1949) Soil microorganisms and plant roots. *Adv Agron* 1:241–288.

Clark, R.B. and Zeto, S.K. (1996). Growth and root colonization of mycorrhizal maize grown on acid and alkaline soil. *Soil Biol. Biochem*. 28(10-11): 1505-1511.

Clark, R.B., Zeto, S.K. and Zobel, R.W. (1999). Arbuscular mycorrhizal fungal isolate effectiveness on growth and root colonization of *Panicum virgatum* in acidic soil. *Soil Biol. Biochem*. 31(13): 1757-1763.

Clarke C. and Mosse B., (1981) Plant growth responses to vesicular- arbuscular mycorrhiza. Part XII: Field inoculation responses of barley at two soil P levels. *New Phytologist* 87, 695-703.

Colyer P.D. and Vernon P.R. (2005) Impact of stale seedbed production on seedling diseases in cotton. *Plant Dis.*, 89: 744-748.

Cook R.J. (1985) Biological control of Plant pathogens: Theory to application. *Phytopathology*, 75: 25-29.

Crawford R. F. (1923) Fungi isolated from the interior of cotton seed. *Phytopathology* 13: 501-503.

Dalal, S. and Hippalgaonkar, K.V. (1995). The occurrence of vesicular-arbuscular mycorrhizal fungi in arable soils of Konkan and Solapur. *In- Mycorrhizae: Biofertilizers for the Future. Proc. of the Third Nat. Conf. on Mycorrhizae* (eds.) Adholeya, A. and Singh, S., 13-15, March, pp: 3-7.

Damodaran P.N., Udaiyan K., and Roh K.S. (2012) Mycorrhizal Dependency in certain Indian Cotton Cultivars. Research in Plant Biology, 2(4): 55-66.

Daniel, F. De S.R. and Filho, R.E. (2007). Peptaibols of *Trichoderma. Natural Product Reports* 24: 1128- 1141.

Das, A., Prasad, R., Srivastava, A., Giang, H.P., Bhatnagar, K. and Varma, A. (2007). Fungal siderophores: structure, functions and regulation. In: *Soil Biology Volume 12 Microbial Siderophores* (eds. A. Varma and S.B. Chincholkar). Springer-Verlag Berlin Heidelberg: 1-42.

Davis R. G. (1982) Relationships between seedborne microorganisms and cotton seedling emergence. *Mississippi Agric. and Forest. Exp. Sta. Res. Rep.* No.7. p- 3 .

Davies F.T., Potter J.R. and Lindermann R.G. (1993) Drought resistance of mycorrhizal pepper plants independent of leaf P-concentration response in gas exchange and water relations, *Physiologia Plantarum*, 87:45-53.

Davis, R. G. (1977) *Fusarium* species in the internal microflora of Mississippi cottonseed. *Seed Sci. and Technol*. 5: 587-591.

Dawson, W.A. and Bateman G.L. (2001) Fungal communities on roots of wheat and barley and effects of seed treatments containing fluquinconazole applied to control take-all.,*Plant Pathology*, 50: 5-82.

deBillerbeck V.G., Roques C.G., Bessiere J.M., Fonvieille J.L. and Dargent R. (2001) Effect of Cymbopogon nardus (L.) W. Watson essential oil on the growth and morphogenesis of *Aspergillus niger. Can, J. Microbiol*. 47:9-17.

Deepa T, Elamathi R, Kavitha R, Kamalakannan, Sridhar S. and Suresh Kumar J (2012) Screening for Physical, Phytochemical and Antimicrobial Activities of Leaf Extracts of *Sapindus emarginatus* Vahl., *International Journal of PharmTech Research*, 4(1): 392-397.

DeMars, B.G. and Boerner R.E.J. (1995b). Mycorrhizal status of *Deschampsia Antarctica* in the Palmer station area, Antarctica. *Mycologia*, 87: 451-453.

Dhaliwal H.S., Thind T.S., Mohan C. and Chhabra B.R. (2002) Activity of some essential oils against *Uncinula necator* causing powdery mildew of grapevine. *Indian Phytopath*. 55:529-531.

Dhar V., Mishra S. and Chaudhary R.G. (2006) Differential efficacy of bioagents against *Fusarium udum* isolates, *Indian Phytopath*, 59(3): 290-293.

Diana W.F. (1994) Soil biodiversity: its importance to ecosystem processes. Report of a workshop held at the natural history museum, London, England.

Diener, U. L., Wagener R. E., Morgan-Jones G. and Davis N. D. (1976) Toxigenic fungi from cotton. *Phytopathology*, 66: 514-516.

Disfani F.A. and Zangi M.R. (2006) Pre and post emergencies damping off in cotton. *Plant Pathol. J.*, 5: 51-53.

Dixit S.N, Dubey N.K. and Tripathi N.N. (1983) Fungitoxic essential oils vis-à-vis disease control In: *Recent Advances in Plant Pathology* (Eds. Husain A., Singh K., Singh B.P. and Agnihotri V.P.) Print house, Lucknow, pp:521.

Dodd J.C., Rosendahl S., Giovannetti M., Broom E A., Lanfranco L. and Walker C. (1996): Inter- and intraspecific variation within the morphologically-similar arbuscular mycorrhizal fungi *Glomus mosseae* and *Glomus coronatum*. *New Phytol.* 133: 113–122.

Doran J.W. and Zeiss, M.R. (2000) Soil health and sustainability: managing the biotic component of soil quality. *Applied Soil Ecology*, 15: 3-11.

Druege, U. and Schoenbeck, F. (1993). Effect of vesicular-arbuscular mycorrhizal infection on transpiration, photosynthesis and growth of flax (*Linum usitatissimum* L.) in relation to cytokinin levels. *J. Plant Physiol.* 141(1): 40-48.

Ebel J. (1986) Phytoalexin synthesis: The biochemical analysis of the induction process. *Annu. Rev. Phytopathol*. 24:235-264.

Edathil, T.T., Manian, S. and Udaiyan, K. (1996). Interaction of multiple VAM fungal species on root colonization, plant growth and nutrient status of tomato seedlings (*Lycopersicon esculentum* Mill.) *Agriculture, Ecosystem and Environment*. 59(1-2): 63-68.

Edwards G.A., Endrizzi J.E., Stein R. (1974) Genomic DNA content and chromosome organization in *Gossypium*. *Chromosoma* 47: 309–326.

Edwards, C.A. and Bohlen P.J. (1996) Biology and Ecology of Earthworms. 3rdEdn., Chapm,an and Hall, London.

Edwards, S.G., Young, J., Peter, W. and Fitter, A.H. (1998). Interactions between *Pseudomonas fluorescens* biocontrol agents and *Glomus mosseae*, an arbuscular mycorrhizal fungus, within the rhizosphere. *FEMS Microbiology Letters*. 166(2):

Egerton-Warburton, Graham L.M., R.C., and Hubbert K.R. (2003) Spatial variability in mycorrhizal hyphae and nutrient and water availability in a soil–weathered bedrock profile. *Plant Soil*, 249:331–342.

Eggins H.O. and Allsopp D. (1975) Biodeterioration and biodegradation by fungi. *In:*Smith, J.E.; Berry, D.R. (eds.). *Industrial Micology. The Filamentous Fungi*. EdwardArnold, London, pp.301-319.

Eggins H.O.W. and Allsopp D. (1975) " Biodeterioration by fungi" In: The Filamentous Fungi, Vol. I Industrial Mycology, J.E. Smith and D.R. Berry (Eds.), Edward Arnold (Publishers)Ltd. 25 Hill Street, London, W1X8LL, UK.

Eksteen D, Pretorius J.C., Nieusoudt T.D., Zeitsman P.C. (2001) Mycelial growth inhibition of plant pathogenic fungi by extracts of South African plant species. *Ann. Appl. Biol.*139: 243-249.

Elad Y. and Kapat A. (1999) The role of *Trichoderma harzianum* protease in the biocontrol of *Botrytis cinerea. Eur. J. Plant Pathol*. 105: 177-189.

Elad, Y., Chet, I. and Henis, Y. (1981). Biologicalcontrol of *Rhizoctonia solani* in strawberry fieldsby *Trichoderma harzianum*. *Plant and Soil* ,60:245-254.

Elad Y., Chet I. and Katan J (1980) *Trichoderma harzianum*: A biocontrol agent of *Sclerotium rolfsii* and *Rhizoctonia solani*, *Phytopathology,* 70: 119-121.

Fakhrunnisa, Hashmi M.H. and Ghaffar (2006) *In vitro* interaction of *Fusarium* spp., with their fungi, *Pak. J. Bot.,* 38(4):1317-1322.

Fard M.H. and Mojeni D.T. (2011) Effects of two systematic insecticides on damping off pathogens of cotton. *J. Agric. Sci. Technol*., 13:27-33.

Fawcett CH, Spencer DM (1970) Plant Chemotherapy with natural product; *Annual Rev. Phytopathol.* 8: 403-419.

Feller C. and Beare M.H., (1997) Physical control of soil organic matter dynamics in the tropics, *Geoderma,* 79: 69-116.

Follet R., Donahue R and Murphy (1981) Soil and Soil Amendments . Prentice hall, Inc. New Jersey.

Flavaron F., Castiglioni C. and diLenna P. (1993) Inhibition of some rot fungi polygalacturonases by *Allium cepa* L. and *Allium porrum* L. extracts. *J. Phytopathol.* 139: 201-206.

Frame B., Kang-Fu Y., Christie B.R. and Pauis K.P. (1991) In vitro selection for resistance to *Verticilium* wilt in alfalfa (*Medicago sativa* L.) using a fungal culture filtrate. *Physiol. Mol. Plant Pathol.,* 39: 325-348.

Francis R. and read D.J. (1995) Mutalism and antagonism in the mycorrhizal symbiosis, with special reference to impacts on plant community structure, Candian Journal of Botany, 73:1301-1309.

Fravel, R.D. (2005) Commercialization and implementation of biocontrol. *Annual Review Phytopathology,* 43:337-359.

Frey, B. and Schiiepp, H. (1993) Acquisilion of nilrogen by external hyphae of arbuscular mycorrhizal fungi associated wilh *Zea mays* L. *New Phytol*. 124; 221-230.

Fryxell P. A. (1965). The genus Gossypium in Australia. *Austral. J. Bot*. 13: 71-102.

Fulton, N.D. and Bollenbacher, K. (1959): Pathogenicity of fungi isolated from diseased cotton seedling in Arkansas. *Phytopathology*, 49: 684–689.

Gabriele B (2009) Plant–microbe interactions promoting plant growth and health: perspectives for controlled use of microorganisms in agriculture. *Appl. Microbiol. Biotechnol*. 84:11–18.

Gadkar V and Adholeya A. (2000) Intraradical sporulation of AM *Gigaspora margarita* in long-term axenic cultivation in Ri-T- DNA carrot root, *Mycol.Res*.,104(6): 716-721.

Gaigole A.H., Wagh G.N. and Khadse A.C. (2011) Antifungal activity of *Trichoderma* species against soil borne pathogens., *Asiatic Journal of Biotechnology Resources*, 2(4):461-465.

Gangadevi V, Yogeswari S, Kamalraj S, Rani G and Muthumary J (2008) The antibacterial activity of *Acalypha indica L. Indian J. Sci. Technol.* 1 (6), 1-5.

Garbaye J.(1994) Helper bacteria: A new dimension to the mycorrhizal symbiosis. *New Phytol*., 128: 197-210.

Gardes, M. and Dahlberg A. (1996) Mycorrhizal diversity in arctic and alpine tundra: an open question. *New Phytologist*, 133: 147-157.

Garrett S. D. (1981) *"Soil Fungi and Soil Fertility*". Pergamon Press, MacMillan Company, New York.

Gaunt, R.B. (1978). Inoculation of VA mycorrhizal fungus on onion and tomato seeds. *N.Z. J. Bot*. 16: 69-71.

Gaur A. and Adholeya A. (2000). Response of three vegetable crops to VAM fungal inoculation in nutrient deficient soils amended with organic matter. *Symbiosis* 29:19 - 31.

Gaur, A. and Adholeya, A. (2004). Prospects of arbuscular mycorrhizal fungi in phytoremediation of heavy metal contaminated soils. *Current Science* 86: 528-534.

Gavrilescu M. and Chisti Y. (2005) Biotechnology-a sustainable alternative for chemical industry. Biotechnology Advances 23: 471-499.

Gawade S.B., Padule D.N. Game B.C. and Dumbre A.D.(2006) Detection of pathogenic fungi and bacteria in cotton seeds and their impact on seed quality. *Nat. semi on New Frontiers in Plt. Path.* 28-30.

George E, Marschner H and Jakobsen I. (1995) Role of arbuscular mycorrhizal fungi in uptake of phosphorus and nitrogen from soil. *Critical Reviews in Biotechnology*, 15(3-4), 257-270.

George J., Ravishankar G.A., Keshava N and Udayashanker K. (1999) Antibacterial activity of supercritical extract from *Dcalepis hamiltonii* roots, *Fitoterapia.*70:17.

Georghiou G.P. (1990). Overview of insecticide resistance. In Green, M.B., Le Baron, H.M. and Moberg, W.K. *Managing resistance to agrochemicals*: from fundamentals research to practical strategies. pp. 18-41. *Am. Chemical Society*: Washington, D.C.

Gemma J.N., Koske R.E. and Roberts E.M. (1997) Mycorrhizal fungi improve drought resistance in creeping bentgrass, *Journal of Turfgrass Science,* 75: 15-29.

Gerdemann, J.W. (1969). Fungi that form the vesicular-arbuscular type of endomycorrhizas. *In: Proc. 1st N. Amer. Conf. Mycorrhizae* (ed.). Hacskaylo, E. pp. 9-17.

Gerdemann, J.W. and T.H. Nicolson. (1963) Spores of mycorrhizal Endogone extracted from soil by wet sieving and decanting. *Trans. Br. Mycol. Soc*., 46: 235-244.

Giovannetti, M . and Mosse B. (1980). An evaluation of techniques for measuring vesicular-arbuscular mycorrhizal infection in roots. *New Phytologist,* 84: 489-500.

Gerdemann, J.W. (1975). Vesicular arbuscular Mycorrhizae. *In: The development and function of roots*. (Eds.), J.G. Torrey and D.T. Clarkson, Academic press, London, 575-591.

Giovannetti M and Sbrana C (1998) Meeting a non host: the behavior of AM fungi, *Mycorrhiza*, 8:123-130.

Gisela and Honrubia, M. (1986). Citrus mycorrhizae: Potential benefits and interactions with pathogens. *Hort. Science*. 21:1302-1306.

Glazek M. (1997) Mycoflora of winter wheat seeds harvested from flooded commercial fields in South-Western Poland In: Plant Protection Institute in Poznaniu, Sosnicowice Branch, Gliwicka St. 29:44-153 Sosnicowice, Poland.

Glick, B.R. (1995) The enhancement of plant growth by free-living bacteria. *Can. J. Microbiol.* 41: 109-117.

Gollotte A., Gianinazzi- Pearson V., Giovanetti M, Sbrana C, Avio Gianinazzi S (1993) Cellular localization and cytochemical probing of resistance reactions to Arbuscular mycorrhizal fungi in a 'Locus a' myc-mutant of *Pisum sativum* L. , *Planta*, 191:12-22.

Grant, C., Bittman S., Montreal M., Plenchette C. and. Morel C. (2005) Soil and fertilizer phosphorus: Effects on plant P supply and mycorrhizal development. *Can. J. Plant Sci*., 85: 3-14.

Grayer R.J. and Harborne J.B. (1994) A survey of antifungal compounds from higher plants, 1982-1993. *Phytochemistry* 37: 19-42.

Graham J., Leonard R. and Menge J. A. (1981) Membrane mediated decrease in root exudation responsible for ohosohorus-inhibition of vesicular-arbuscular mycorrhiza formation. *Plant Physiology* 68: 548- 552.

Griffin DH. (1981) *Fungal Physiology*. John Wiley and Sons, New york, pp. 383.

Groffman P. M., Eagan P. , Sullivan W. M., and LEMUNYON J. L. (1996) Grass species and soil type effects on microbial biomass and activity. *Plant and Soil*, Dordrecht, 183(1): 61-67.

Gryndler M, Hrselova H, Chvatalova I, Jansa J (1998) The effect of selected plant hormones on in vitro proliferation of hyphae of *Glomus fistulosm*, Biol. Plant, 41:255-263.

Haggag W.M. and Mohamed H.A.A. (2007). Biotechnological aspects of microorganisms used in plant biological control. *American-Eurasian Journal of Sustainable Agriculture* 1: 7-12.

Hall, I.R. (1978). Effect of VAM on two varieties of Maize and one of the sweet corn. *N.Z. J. Agric. Res.* 21(3): 517-520.

Halloin, J. M., and Bourland F. M. (1981) Deterioration of planting seed. *In: Compendium of cotton diseases*. Ed., G. M. Watkins. The American Phytopathological Society, St. Paul, Minnesot, Pp. 11-13.

Hande D.V. (2000) Effect of Rhizo-sphere fungi on *Cajanus cajan* abstract in national conference in Biotechnology, Department of Biotechnology Amravati University, Amravati pp. 62.

Hande D.V. (2010) Effect of Rhizosphere fungi, *Asperigillux niger* on the germination and growth of cotton plant, *Biosci. Biotech. Res.* (2): 211-212.

Hanuman A, Mukhtar I, Riaz T. and Khan S.N. (2005) Effect if Plant extracts on black point infection of wheat. *Mycopath.*, 3(1-2): 53-55.

Harley, J. L. and Waid, J. S. (1955) A method for studying active mycelia on living roots and other surfaces in the soils, *Trans. Brit. Mycol. Soc*., 38: 104-118.

Harman G.E., Howell Viterbo C.R., Chet I. and Lorito M. (2004) *Trichoderma* species-opportunistic, avirulent plant symbionts. *Nat. Rev*. 2: 43–56.

Harder Y., Chet I and Henis Y. (1979) Biocontrol of *Rhizoctonia solani* damping off with wheat bran culture of *Trichoderma harzianum, Phytopathology*, 69:64-68.

Hashem, M. (2011) Antifungal properties of crude extracts of five Egyptian medicinal plants against dermatophytes and emerging fungi. *Mycopathologia* 172: 37–46.

Harrier L.A. (2001) The arbuscular mycorrhizal symbiosis: A molecular review of the fungal dimension. *J. Exp. Bot*., 52: 469-478.

Harrison P.J., Snedaker S.C., Ahmed S.I. and Azam F. (1994) Primary Procedures of the Arid Climate Mangrove Ecosystem of the River Indus Delta. *Tropical Ecology,* 35: 155-184.

Hart, M.M. and Trevors, J.T. (2005). Microbe management: application of mycorrhyzal fungi in sustainable agriculture. *Frontiers in Ecology and the Environment,* 3: 533-539.

Hause B, Fester T. (2005) Molecular and cell biology of arbuscular mycorrhizal symbiosis. *Planta* 221: 184–196.

Hawksworth D.L. (2001) The magnitude of fungal diversity: the 1.5 million species estimate revisited. *Mycological Research*, 105: 1422-1432.

Hawksworth D.L. and Rossman A.Y. (1997) Where are all the undescribed fungi? *Phytopathology*, 87: 888–891.

Haymann, D.S. (1981). Mycorrhizae and production of crops. *Nature*. 287: 487-488.

Haymann, D.S. and Mosse, B. (1972). Plant growth responses to vesicular arbuscular mycorrhiza III. Increased uptake of labeled P from soil. *New Phytol*. 71: 41-47.

Henis Y nd Chet I (1975) Microbial control of plant pathogens. *Adv. Appl. Microbiol*. 198: 85-111.

Herrera-Estrella, A. and Chet, I. (2004). The biological control agent *Trichoderma* from fundamentals toapplication. In: *Fungal Biotechnology in Agricultural, Food, and Environmental Applications* (ed. K.A. Dilip). New York Basel: 147-156.

Hexon A.C, Lourdes M.R, Carlos C.P. and Jose L.B. (2009) *Trichoderma virens*, a plant beneficial fungus, enhances biomass production and promotes lateral root growth through an auxin-dependent mechanism in *Arabidopsis*. *Plant Physiology* ,149: 1579-1592.

Hill G.D., and Gahen M.C., (1995) Effect of moisture and micro-organisms on the persistence and metabolism of some organo phosphorus insecticide in soils. *Proc. S. weed. Conf.*, 8: 284-293.

Hiltner L (1904) Über neuere Erfahrungen und Probleme auf dem Gebiete der Bodenbakteriologie unter besonderer Berücksichtigung der Gründüngung und Brache. Arbeiten der Deutschen Landwirtschaftlichen Gesellschaft 98:59–78.

Hilty, T.C. and Lee H.L. (1988) Hot acidified zinc sulphate as seed soaking agent for the control of crucifer black rot. *Plant Protec. Bull*., 30: 245-248.

Hirrel M. C., Mehravasan H. and Gerdemann, J. W. (1978) Vesicular-Arbuscular Mycorrhizae on the chenopodiaceae and cruciferae: do they occur?. *Canadian J. Bot*., 56: 2868- 2817.

Hofstein R., Fridlender B, Chautz E, Wisnewski M, and Wilson C.L. (1994) Large scale production and pilot testing of biological control against postharvest diseases. In: Wilson C. and Winiewsji M, (eds.) *Biological control of post harvest diseases of fruits and vegetables-theory and practice*.CRC press Boca Raton, Florida.pp>89-100.

Hooker, J.E., Munro, M. and Atkinson, D. (1992a). Effects of VA mycorrhizas on nutritionally independent carbon partitioning in tree root systems. *Journal of Experimental Botany*. 43: 12.

Howell, R.C. (2003). Mechanisms employed by *Trichoderma* species in the biological control of plant diseases: the history and evolution of current concepts. *Plant Disease* ,87: 4-10.

Hutchinson J. B. (1954) New evidence on the origin of the Old World cottons. *Heredity*, 8: 225-241.

http://www.dbtbiosafety.nic.in

http://www.cicr.org

Hutchinson J.B., Silow R.A., Stephens S.G. (1947) The evolution of *Gossypium* and the differentiation of the cultivated cottons. Oxford University Press, London p.160.

Huixing S. (2005) Effects of VAM on host plant in the condition of drought stress and its mechanisms, *Electronic Journal of Biology*, 1(3): 44-48.

Hyakumachi, M. and Kubota, M. (2004). Fungi as plant growth promoter and disease suppressor. In: *Fungal Biotechnology in Agricultural, Food, and Environmental Applications* (ed. K.A. Dilip). New York Basel: 101-110.

Hyde K.D (1990). Intertidal mycota of five mangrove tree species. *Asian Marine Biology*, 7:93-107.

Hyde KD (1992). Fungi From decaying Intertidal fronds of *Nypa Fructicans*, Including Three New Genera and Four New Species. *Bot J Linn Soc*,110: 95-110.

Ibraheem, S.A., Okesha A.M. and Mlhathem K.T. (1987) Interrelationship between protein and oil content of soybean seed with some associated fungi. *J. Agric. Water Resources Res. Plant Prod*.,6: 53-66.

Ibrahim M.B (1997) Anti-microbial effects of extract leaf, stem and root bark of *Anogeissus leiocarpus* on *Staphylococcus aureaus*, *Streptococcus pyogenes*, *Escherichia coli* and *Proteus vulgaris. J. Pharma. Devpt.* 2:20-30.

Inderjit and Mukerji, K.G. (2006). Allelochemicals: Biological Control of Plant Pathogens and Diseases, pp. 181-192.

Ipsilantis I. and Sylvia D.M. (2007) Abundance of fungi and bacteria in a nutrient-impacted Florida wetland Applied Soil Ecology 35: 272-280.

ISTA (2003) International rules for seed testing, 2003 (Draper, SR Eds.) Zurich, Switezerland, ISTA, pp 1-121.

Jamuna Bai A, Ravishankar RV, Pradeepa VS (2011). Evaluation of the antimicrobial activity of three medicinal plants of South India. *Malaysian J. Microbiol*. 7:14-18.

Jat J.G. and Agalave H.R. (2013) Antagonistic properties of Trichoderma species against oilseed borne fungi, *Sciecne Research Reporter*, 3(2): 171-174.

Jagadish L, Anand Kumar V.K and Kaviyarasan V (2009) Effect of Triphala on dental bio-film. *Indian J. Sci. Technol*. 2 (1), 30-33.

Jain V. and Gupta V. K. (2002) Effect of rhizosphere on nodule number, shoot and root length of *Vigna mungo. Indian Phytopath*., 55: 323-324.

Jakobsen I, Abbott L.K. and Robson A.D (1992) External hyphae of vesicular–arbuscular mycorrhizal fungi associated with *Trifolium subterraneum* L. 1. Spread of hyphae and phosphorus inflow into roots. *New Phytol*. **120**: 371–380.

Jalander V. and Gachande B.D. (2012) Effect of Fungal metabolites of some rhizosphere soil fungi on seed germination and seedling growth of some pulses and cereals, *Science Research Reporter* 2(3): 265-267.

Jaleed S. Ahmad and Ralph Baker.(1988) Trichoderma enhances plant growth and controls damping off of seedlings caused by *Pythium ultimum*. *Canadian Journal Microbiology*. 34: 229– 234.

James C (2008) Global status of commercialized biotech/GM crops: 2008, ISAAA Brief No. 39, ISAAA, Ithaca, NY

Janos, D. P. (1996) Mycorrhizas, succession and rehabilitation of deforested lands in the humid tropics. In : Frankland, J. C., Gadd, G. M. (eds.). *Fungi and Environmental Change*. Cambridge University Press, Cambridge, UK, p. 1-18.

Javot H., Pumplin N. AND Harrison M.J., (2007) Phosphate in the arbuscular mycorrhizal symbiosis: transport properties and regulatory roles. *Plant Cell and Environmen,t* 30: 310-322.

Jayshree T and Subramanyam C. (1999) Antiaflatoxicogenic activity of eugenol is due to the inhibition of lipid peroxidation. *Lett. Appl. Microbiol*. 28:179-183.

Jeffries P., Spyropoulous T., Vardavrkis E. (1988) Vesicular –arbuscular mycorrhizal status of various crops in different agricultural soils of northern Greece, *Biol. Fertil. Soils*, 5:333-337.

Jeffries P., Gianinazzi S., Perotto S., Turnau K., Barea J.M. (2003) The contribution of arbuscular mycorrhizal fungi in sustainable maintenance of plant health and soil fertility. *Biol. Fertil. Soils* 37: 1–16.

Jensen A. (1982) Infuence of four vesicular±arbuscular mycorrhizal fungi on nutrient uptake and growth in barley (*Hordeum vul gare*). *New Phytologist* 90, 45-50.

Johnson, N. C., Tilman, D . and Wedin, D. 1992. Plant and soil controls on mycorrhizal fungal communities. Ecology 73: 2034 – 2042.

Joshi R. and vig A.P (2010) Effect of Vermicompost on growth, yield and quality of Tomato (*Lycopersicon esculentum* L.), *African Journal of Basic and Applied Science*, 2(3-4): 117-123.

Jolicoeur, M., William, R.D., Chavarie, C., Fortin, J.A. and Archambault J. (1999) Production of endomycorrhizae propagules in bioreactors. Biotechnol. Bioeng. 64, 224–232.

Jones E.V.G., Uyenco F.R. and Follosco M. (1988). Fungi on Drift Wood Collected in the Intertidal Zone from the Philippines. *Asian Marine Biology*, 5:103-106.

Khare, D. and Bhale, M. S. (2000) Seed Technology. Scientific Publishers (India) P.O. Box. 91. Jodhpur, pp. 260.

Kalich M.A. (1988) Soil fungi of some low-altitude desert cotton fields and ability of their extracts to inhibit *Aspergillus flavus*, *Mycopathologia,*:142(2):97-100.

Kakde R.B. and Chavan A.M. (2011) Antagonistic properties of *Trichoderma viride* and *Trichoderma harziannum* against storage fungi, *Elixir Appl. Botany*, 41:5774-5778.

Kandasamy, D., Mohanraj, S.G. and Oblisami, G. (1985). Influence of VA mycorrhizae and phosphobacteria on growth of brinjal and chillies in nursery. *South Indian Hort*., 33: 172-176.

Kapat A., Zmand G. and Elad Y. (1998) Effect of two isolates of *Trichoderma harzianum* on the activity of hydrolytic enzymes produced by *Botrytis cinerea. Physiol. Mol. Plant Pathol*. 52: 127-137.

Karavaev V.A., Solntsev M.K., Kuznestov A.M., Polyakova I.B., Frantsev V.V., Yurina E.V., Yurina T.V. (2002) Plant extracts as the source of physiologically active compounds suppressing the development of pathogenic fungi. *Plant Prot Sci*. 38: 200-204.

Katayama, A., Hu H. Y., Nozawa M., Yamakawa H. and Fujie K., (1998) Longterm changes in microbial community structure in soils subjected to different fertilizing practices revealed by quinine profile analysis. *Soil. Sci. Plant Nutri*., 44: 559 – 569.

Katznelson H. (1946) The "Rhizosphere effect" on mangles on certain groups of soil microorganisms, *Soil Sci*., 62: 343-354.

Kennedy A.C. And Smith K.L. (1995) Soil microbial diversity and the sustainability of agricultural soils, *Plant and soil*, 170: 75-86.

Kennedy, J.Z. and Rangarajan, M. (2001). Biomass production, root colonization and phosphatase activity by six VA-mycorrhizal fungi in papaya. *Indian Phytopath*. 54(1): 72-77.

Khadi B.M.,and Kulkarni V.N. (2001) Cotton. *In: Chopra VL (ed.) Breeding Field Crops. Theory and Practice* Oxford and IBH Publishing Co. Pvt. Ltd. Delhi and Calcutta. pp :531-575.

Khan, A.G. (1974). The occurrence of mycorrhizas in halophytes, hydrophytes and xerophytes and Endogone spores in adjacent soils. *J. Gen. Microbiol*. 81: 7-14.

Khan, A.H., Islam, A., Islam, R., Begum, S. and Imamul H.S.M. (1988). Mycorrhizal status of some Bangladesh soils and the effect of indigenous VA mycorrhizal fungi on the growth of rice plants. *Bangladesh J. Bot.* 17(1): 49-56.

Khan A.G. (1972) The effect of vesicular-arbuscular mycorrhizal associations on growth of cereals. I. Effects on maize growth. *New Phytol*, 71:613–619

Khanna, K.K. and Chandra, S. (1972) Antifungal activity in some plant extracts. *Proc. Nat. Acad. Sci.* India., 42: 111.

Khanzada, K.A., Rajput M.A., Shah G.S., Lodhi A.M. and Mehboob F. (2002) Effect of seed dressing fungicides for the control of seed borne mycoflora of Wheat, *Asian Journal of Plant Sciences*, 1(4):441-444.

Kim, B.S. and Hwang, B.K. (2004). Biolofungicides. *In: Fungal Biotechnology in Agricultural, Food, and Environmental Applications* (ed. K.A. Dilip). New York Basel: 123-133.

Kirk P.M, Cannon P.F., David J.C. and Stalpers J.A. (2001) (eds) Ainsworth and Bisby's dictionary of the fungi. 9th edition. CABI Publishing, Wallingford.

Kishore, G. K. and Pande, S. (2004). Natural fungicides for management of phytopathogenic fungi. *Annu. Rev. Plant Pathol*. 3:331 -356.

Kleifeld, O. and Chet, I. (1992). *Trichoderma harzianum*- interaction with plants and effect on growth Response. *Plant and Soil* 144: 267-272.

Klein, D. A. (1992) Rhizosphere. In*: Encyclopedia of Microbiology*, Ledeberg, J. (Ed.). Vol. 3, Academic Press, Inc., San Diego,ISBN: 0-12-226893-8, pp: 565-565.

Klich, M.A. (1986) Mycoflora of cottonseed from the southern United States: A three-year study of distribution and frequency. *Mycologia*, 78: 706–712.

Klironomos J (2002) Host specifity and functional diversity among Arbuscular mycorrhizal fungi. http://plato.acadiau.ca/isme/symposium26/Klironomos .pdf.

Knobloch, K., Pauli, P., Iberl, B., Weigand, H. and Weiss, N. (1989) Antibacterial and antifungal properties of essential oil components. *J. Essent Oil Res*, 1:119–128,

Knobloch, K., Weigand, H., Weiss, N., Scharm H.M. and Vigenschow H (1986) Action of terpinoids on energy metabolism. In: *Progress in essential oil research.* 249-445, Walter de Gruyter & Co., Berlin

Kodsueb, R., McKenzie, E.H.C., Lumyong, S. and Hyde, K.D. (2008). Diversity of saprobic fungi on Magnoliaceae. *Fungal Diversity*, 30: 37-53.

Koide, R. (1985). The nature of growth depressions in sunflower caused by vesicular arbuscular mycorrhizal infection. *New Phytol.* 99(3): 449-462.

Koide R.T and Schreiner R.P. (1992) regulation of the vesicular –arbuscular mycorrhizal symbiosis, *Ann. Rev. Plant Physiol and Plant Mol*., 43:557-581.

Kothamasi, D., Kuhad, R.C and Babu, C.R. (2001). Arbuscular mycorrhizae in plant survival strategies. *International Society for Tropical Ecology* 42(1):1-13.

Kough, J.L., Gianinazzi-Pearson, V. and Gianinazzi, S. (1986). Depressed metabolic activity of vesicular-arbuscular mycorrhizal fungi after fungicides application. *New Phytol*. 106(4): 707-715.

Kowalchuk, G. A., De souza, F. A. and Van veen, J. A., (2002) Community analysis of arbuscular mycorrhizal fungi associated with *Ammophila arenaria* in Dutch coastal sand dunes. *Mol. Ecol,* 11 : 571–581.

Kredrics L., Antal Z, Manczinger L. SzekeresA., Kevei F., and Nagy E. (2003) Influence of Environmental Parameters on *Trichoderma* Strains with Biocontrol Potential. *Food Technology Biotechnology.* 41: 37-42.

Krishna, K.R., Balakrishna, A.N. and Bagyaraj, D.J. (1982) Interacüons between a vesicular-arbuscular mycorrhizal fungus and Slreptomyceles cinnamomeous and their effect on finger millet. *New Phytol*. 92: 401-405.

Kruchkelmann, H.W. (1973). Die vesicular-arbuscular mycorrhiza and ihre beeingflussung in landwirtschaftlichen Kulturen. Diss. Naturwiss. Fakultat Tech. Universitat, Carolo-Wilhelmina, *Braunschweigh*. pp. 1-56.

Kubiak K. and M. Korbas (1999) Occurrence of fungal diseases on selected winter wheat cultivars. *Postepy w Ochronie Roslin* 39 (2): 801-804.

Kubicek CP, Mach RL, Peterbauer CK, Lorito M (2001). *Trichoderma*: From genes to biocontrol. *J. Plant Pathol*. 83: 11–23.

Kuch, M.A. (1986): Mycoflora of cotton seed from the Southern United States: a Three year study of distribution and frequency. *Mycology*, 78: 796–712 .

Kuhn, G., Hijri M. and Sanders I.R. (2001) Evidence for the evolution of multiple genomes in arbuscular mycorrhizal fungi. *Nature*, 414: 745-748.

Kulkarni, M., Chaudhari, R. and Chaudhari, A. (2007). Novel tensio-active microbial compounds for biocontrol applicatins. In: *General Concepts in Integrated Pest and Disease Management* (eds. A. Ciancio and K.G. Mukerji). Springer: 295-304.

Kumar, A., Nivedita and Upadhyaya R.S..(1999) VA my-corrhizae and revegetation of coal mine spoils: a re view. *Tropical Ecology*, 40: 1-10.

Kumar R. Gupta P.P. and Jalali B.L. (2001) Impact of VA-mycorrhiza, *Azotobacter* and *Rhizobium* on the growth and nutrition of cowpea., *J.Mycol.Plant. Pathol.,* 31:38-41.

Kumar, P. A., Sharma, R. P. and Malik, V. S. (1996) Insecticidal proteins of *Bacillus thuringiensis*. *Advances in Applied Microbiology*, 42:1-43.

Lal R. (1998) Soil Quality and Agricultural Sustainability. *In: Soil Quality and Agricultural Sustainability,* Lal, R. (Ed.). Ann Arbor Press, Chelsea, pp: 3 – 12.

Lapeyrie FF, Chilvers GA (1985) An endomycorrhiza–ectomycorrhiza succession associated with enhanced growth of Eucalyptus dumosa seedlings planted in a calcareous soil. *New Phytol* ,100: 93–104

Letessier M.P., Svoboda K.P. and Walters D.R. (2001) Antifungal activity of the essential oil of hyssop (*Hyssopus officinalis*). *J. Phytopath*. 149: 673-678.

Liljeroth, E. and Baath E. (1988) Bacteria and Fungi on roots of different barley varieties (*Hordeum vulgare* L.). *Biol. Fert. Soils*., 7: 53-57.

Linderman RG. (1988) Mycorrhizal interactions with the rhizosphere microflora: The mycorrhizosphere effect. *Phytopathology*, 78:366-371.

Lo C.T. and Lin C.Y (2002). Screening strains of *Trichoderma* spp. for plant growth enhancement in Taiwan. *Plant pathology Bull*. 11: 215–220.

Lopez-Bucio J, Cruz-Ramirez A, Perez-Torres A, Ramirez-Pimentel J.G, Sanchez-Calderon L. and Herrera-Estrella L (2005a) Root architecture In: C Turnbull, ed, *Plant Architecture and its Manipulation*. Blackwell Annual Review Series. Blackwell Scientific, Oxford, pp 181-206.

Lovelock, C. E. and Ewel, J. J. (2005) Links between tree species, symbiotic fungal diversity and ecosystem functioning in simplified tropical ecosystems. *New Phytologist*, 167: 219-228.

Lynch J.M (1990) The Rhizosphere, Wiley Interscience, John Wiley & Sons Ltd., Chichester. 581 p.

Madhosing C (1995) Relative wilt-inducing capacity of the culture filtrates of isolates of *Fusarium oxysporum f.sp.radicis-lycopersici*, the tomato crown and root-rot pathogen. *J. Phytopathol*.4: 193-198.

Mahesh B and Satish S (2008) Antimicrobial activity of some important medicinal plant against plant and human pathogens. *World J. Agri. Sci*. 4 (2): 839-843.

Maheshwari J.K, Singh K.K and Saha S. (1986) Ethnobotany of tribals of Mirzapur District, Uttar pradesh, Economic Botany Information Service, NBRI, Lucknow.

Maksoud M.A, Haggag L.F, Azzazy M.A and Saad R.N (1994). Effect of VAM inoculation and phosphorus application on growth and nutrient content (P and K) of *Tamarindus indica* L. seedlings. *Ann. Agric. Sci., Caito*. 39: 355-363.

Malajczuk N., Linderman R. G., Kough J and Trappe J. M. (1981) Presence of vesicular-arbuscular mycorrhizae in Eucalyptus spp. and Acacia sp., and their absence in *Banksia* sp. after inoculation with *Glomus fasciculatus, New Phytol*. 87: 567-572.

Malik, K.A., Hafeez, F.Y., Mirza, M.S., Hameed, S., Rasul, G. and Bilal, R. (2005). Rhizospheric plant – microbe interactions for sustainable agriculture. In: *Biological Nitrogen Fixation*, Sustainable Agriculture and the Environment (eds. Y-P. Wang, M. Lin, Z.-X. Tian, C. Elmerich and W.E.Newton), Springer. The Netherlands: 257-260.

Malloch, D.W., Pirozynsky K.A. and Raven P.H. (1980) Ecological and evolutionary significance of my-corrhizal symbiosis in vascular plants. Proceedingsof the National Academy of Sciences USA77: 2113-2118.

Manjunath, A. and Bagyaraj, D.J. (1986). Response of black gram, chickpea and mung bean to VAM inoculation in an unsterile soil. *Tropical Agriculture.* 63(1): 33-35.

Mann A., Banso A. and Clifford L.C. (2008) An antifungal property of crude plant extracts from *Anogeissus leiocarpus* and *Terminalia avicennioides*. *Tanzania J. Health Res*. 10 (1) 34-38.

Mansoori B and Hamdolahzadeh A. (1995) Seed test and seedling disease of cotton in Gorgon and Gonbad. *Applied Entomology and Phytopathology*, 62: 1-2 17.

Marin, M. (2006). Arbuscular mycorrhizal inoculation in nursery practice. In: *Handbook of Microbial Biofertilizers* (ed. M.K. Rai), Food products press: 289-324.

Marschner H. (1998) Role of root growth, arbuscular mycorrhiza, and root exudates for the efficiency in nutrient acquisition. *Field Crop Research* 56: 203–207.

Mathivanan S., Chidambaram A.L. A. Sundaramoorthy P. and Kalaikandhan R. (2012) Effect of vermicompost on Germination and Biochemical constitutes of Groundnut (Arachis hypogea) seedling, *International Journal of Research in Biological Sciences,* 2 (2): 54-59.

Marschner H. and Dell B. (1994) Nutrient uptake in mycorrhizal symbiosis, *Plant and Soil*, 159:89-102.

Mathur N. and Vyas A. (1995) Influence of VA mycorrhizae on net photosynthesis and transpiration of *Zizipus mauritiania, Journal of Plant Physiology*, 147 (3/4): 328-330.

Mc. Gill, W.B., Cannon, K.R., Robertson, J.A and Coock, G.D. (1980),Dynamics of soil microbial biomass and water stable organic carbon in Breton.L after fifty years of cropping to two rotations, *Canadian journal of soil science*, 66: 1-19.

McGonigle, T. P. and Fitter, A. H. (1990). Ecological specificity of vesicular-arbuscular mycorrhizal associations. *Mycol. Res*. 94:120-122.

Mehrotra V.S., Baijal U. (1994) Advances in the taxonomy of vesicular – arbuscular mycorrhizal fungi. In: B.K. Dwivedi and G. Pandey (eds.) *Biotechnology in India*. Bioved Research Society, Allahabad, India pp. 227 – 286.

Mejstrik, V. K. (1972) Vesicular-arbuscular mycorrhizas of the species of a *Molinietum coeruleae* L. I. association: the ecology. *New Phytologist* **71**: 883–890.

Menge J. A, Johnson, E. L. V. and Platt, R. G. (1978). Mycorrhizal dependency of several citrus cultivars under three nutrient regimes. *New Phytologist*, 81, 553-559.

Mikhail M.S., Sabet K.K., Omar M.R., Hussein E.M. and Kasem K.K. (2009) Differntiation among cotton Rhizoctonia solani isolates by pathogenicity and isozymes electrophoresis In: Egypt. Proceedings of the 4th Conference on Recent Technologies in Agriculture, Cairo, Egypt, pp: 110-118.

Mikkelsen B L, Rosendahl S. and Jakobsen I. (2008) Underground resource allocation between individual networks of mycorrhizal fungi. *New Phytologist*, 180(4): 890–898.

Milind Pande, Sanjay Ingale and Suryaprakash Gupta (2009) The Pharmacognostic and phytochemical studies on the leaves of Murraya koenigii (L) Spreng. *Indian J. Sci. Technol*. 2 (3), 53-54.

Miller R.M. and Jastrow J.D (1994) Vesicular arbuscularmycorrhizae and biogeochemical cycling, In*: F.L. Pfleger & R.G. Linderman (eds.) My-corrhizae and Plant Health . APS Press* pp. 189-212.

Mirza, J.H. and Qureshi M.S.A. (1978) Fungi of Pakistan. University of Agric., Faisalabad.

Mishra R.R. (1967) Nature of Rhizosphere fungal flora of certain plants. *Plant and soil* XXVII, 2:162-166.

Mitsch W. J. and Gosselink J. G. (1993) Wetlands, 2nd ed. Van Nostrand Reinhold.

Modjo H.S. and Hendrix J.W. (1986) The mycorrhizal fungus *Glomus macrocarpum* as a cause of tobacco stunt disease. *Phytopathology*, 76:688-691.

Mohandas, S. (1992). Effect of VAM inoculation on plant growth, nutrient level and root phosphatase activity in papaya (Carica papaya cv. COORG Honey Dew). *Fertilizer Research*. 31: 263-267.

Mohandas S. (1987) Field response of tomato (*Lycopersicon esculentum* Mill.) cv. Pusa Ruby to inoculation with VAM fungus *Glomus fasciculatum* and *Azotobacter venetandii*. *Plant Soil*, 98:295-297.

Mohankumar, V. and Mahadevan, A. (1988b). *Viability of VAm spores in a tropical forest soils*. In- First Asian Conference on Mycorrhiaze, C.A.S. in Botany, Madras, (ed.) A. Mahadevan, N. Raman & K. Natrajan, 29-341, January. pp. 80-81.

Mohankumar, V., Ragupathy, S., Nirmala, C.B. and Mahadevan, A. (1988a). Distribution of vesicular arbuscular mycorrhizae (VAM) in the sandy beach soils of Madras University, Madras Coast. *Current Science*. 57(7): 367-368.

Molin J. and Molin S. (1997) CASE: complex adaptive systems ecology. In: Jones, J.G.(Ed.), *Advances in Microbial Ecology*, vol. 15. Plenum, New York, pp. 27– 79.

Molina, R., Massicotte, H. and Trappe, J.M. (1992) Specific phenomena in mycorrhizal symbiosis; Community ecological consequences and practical implications. *In: Mycorrhizal functioning an integrative plant fungi process*. Ed. My Allen. Pp. 357-423. Chapman and Hall, New York.

Moreira, M., Baretta, D., Tsai, S.M. and Cardoso, E.J.B.N. (2006). Spore density and root colonization by arbuscular mycorrhizal fungi preserved or disturbed *Araucaria augustifolia* (Bert.) O. Ktze. ecosystems. *Sci. agric.* (Piracicaba, Braz.). 63(4): 380-385.

Morel A.F., Maldaner G., Ilha V., Missau F., Silva U. F. and Dalcol I. (2005) Cyclopeptide alkaloids from *Scutia buxifolia* Reiss and their antimicrobial activity. *Phytochem.*,66: 2571-2576.

Morte A., Díaz G., Rodríguez P., Alarcón J.J. and Sánchez-Blanco M.J. (2001) Growth and water relations in mycorrhizal and nonmycorrhizal Pinus halepensis plants in response to drought. Biol. Plant. 44:263-267.

Morton J.B. and Benny. G.L. (1990). Revised classification of arbuscular mycorrhizal fungi (zygomycetes), a new order Glomales, two new suborders Glomineae and Gigasporinae and two new families Acaulosporaceae and Gigasporaceae with an emendation of Glomaceae. *Mycotaxon* 37: 471-479.

Morton J. B. and Bentivenga S. P. (1994) Levels of diversity in endomycorrhizal fungi (Glomales, Zygomycetes) and their role in defining taxonomic and nontaxonomic groups. Plant and Soil 159: 47-59.

Morton JB (1998) Taxonomy of VA mycorrhizal fungi: classification, nomenclature and identification. Mycotaxon 32: 267– 324.

Morton JB, Bentivenga SP and Bever JD. (1995) Discovery, measurement and interpretation of diversity in symbiotic endomycorrhizal fungi, *Canadian Journal of Botany*, 73S: 25-32.
Morton JB. (1988) Taxonomy of VA mycorrhizal fungi: classification, nomenclature and identification. *Mycotaxon* **32**:267–324.

Morton J. B., Bentivenga S. P. and Wheeler W. W. (1993) Germplasm in the international collection of arbuscular and vesicular-arbuscular mycorrhizal fungi (INVAM) and procedures for culture development, documentation and storage. *Mycotaxon* **48**: 491–528.

Morton, J. B., Bentivenga, S. P. and Bever, J. D. (1995) Discovery, measurement, and interpretation of diversity in arbuscular endomycorrhizal fungi (Glomales zygomycetes). *Canadian J. Bot.*, 73 : 825-832.

Mosse B (1981) Vesicular-arbuscular Mycorrhizal Research for Tropical Agriculture. Research Bull. 194. College of Tropical Agriculture and Human Resources. University of Hawaii. Honolulu. USA. 82 p

Mosse, B., Powell, C.L. and Haymann, D.S. (1976). Plant growth responses to vesicular arbuscular mycorrhiza. IX. Interaction between VA mycorrhiza, rock phosphate and symbiotic nitrogen fixation. *New Phytol*. 76: 331-342.

Mosse B, Powell CL, Hayman DS (1976) Plant growth response to vesicular-arbuscular mycorrhiza. IX. Interactions between VA mycorrhiza, rock phosphate and symbiotic nitrogen fixation.*New Phytol*,76: 331–342.

Mukerji, K.G., Manoharachary C. and Chamola B.P. (2002) Techniques in Mycorrhizal Studies. 1st Edn., Kluwer Academic Publishers., London-Netherlands, ISBN-10: 1402005326, pp: 285-296.

Muller, M. M., Sundmam V., Saoinvara O. and Meriloinoe A., (1988) Effect of chemical composition on the release of nitrogen from agricultural plant materials decomposing in soil under field condition. *Biol. Fertil.Soils,* 6: 78 – 83.

Muthukumar T, Udaiyan K, Vasantha K., Kliener D. and Manian S (1999) Mycorrhizae in sedges as related to root character and its ecological significance, *Pertanika J trop Agric Sci*, 22(1): 9-17.

Myrold, D.D. (2000) Microorganisms *In: D.E. Alexander & R.W. Fairbridge (eds.) Encyclopedia of Environmental Science*. Kluwer Academic Publish-ers, The Netherlands. . pp. 409.

Nagamani A., Kunwar I.K. and Manoharachary C. (2006) .*Handbook of Soil Fungi*, I.K International Pvt. Ltd, New Delhi, pp 461.

Namdas D, Bhasale A and Khillare C. (2009) Rhizosphere and soil mycoflora of Sorghum and Tomato growing at Ahemadnagar. *Bioinfolet.* 6(3): 244-245.

Neergaard Paul (1973). Detection of seed borne pathogen by culture tests. *Seed Sci. and technol.* 1: 217-254.

Negi K.S, Tiwari J.K and Gaur R.D (1993) Notes on ethnobotany of five districts of Garhwal Himalaya, Uttar pradesh, India. *Ethno Botany*. 5,73-81.

Nehl D.B., Allen S.J., Mondal A.H. and Lonergan P.A. (2004) Black root rot: A pandemic in Australian cotton. *Australas. Plant. Pathol*., 33:87-95.

Nehl, D.B., Allen, S.J., and Brown, J.F. (1997) Deleterious rhizosphere bacteria:an integrating perspective. *Appl. Soil Ecol*. 5: 1-20.

Nehl D.B., McGee P.A., Torrisi V, Pattison G.S. and Allen S.J. (1999) Patterns od Arbuscular Mycorrhiza down the profile of a heavy textured soil do not reflect associated colonization potential, *New Phytologist*, 142: 495-503.

Neeraj, Shankar A, Mathew J, Varma AK (1991). Occurrence of VA mycorrhizae within Indian semi-arid soil. *Biol. Fert. Soils,* 11:140-144.

Nema A.G. (1992) Studies on pectinolytic and cellulolytic enzymes produced by *Fusarium udum* causing wilt of Pigeonpea. *Indian j. Forest*., 15:353-355.

Nemec, S., Datnoff, L. and Strandberg, J (1996) Efficacy of biocontrl agents in planting mixes to colonize plant roots and control root disease of vegetables and citrus. *Crop Protection* 15: 735 – 742.

Nene Y.L. and Thapliyal P.N. (1979) Fungicides in plant disease control, Oxford IBH Pub., New Delhi, pp.570.

Newman, E.I. (1988) Mycorrhizal links between plants: their functioning and ecological significance. *Advances in Ecological Research*, 18: 243-270.

Newman,E. I. (1978) Root microorganisms: their significance in the eco-system. *Biol. Rev.* 53: 511-554.

Newsham, K. K., Fitter, A. H. and Watkinson, A. R. (1995) Arbuscular mycorrhiza protect an annual grass from root pathogenic fungi in the field. *J. Ecol.*, 83 : 991-1000.

Nirenberg, H., H. Schmitz-Elsherif, C.I. Kling. (1994) Occurrence of Fusaria and some "blackening moulds" on durum wheat in Germany. 1. Incidence of Fusarium species. Pflanzenkrankheiten und Pflanzenschuntz, 101: 449-459.

Nirenberg H (1976) Untersuchungen uber die morphologische und biologischi Differenzierung in der Fusarium Sektion Liseeola. Mitteilungen aus der Biologischen Bundesant Salt purlandund Forstwirtschaft, Berlin-dehlena, 169: 1-117.

Nirenberg, H. (1976) Untersuchungen uber die morphologische und Differenzierung in der
Nychas G.J.E (1995) Natural antimicrobials from plants. In: *New Methods of Food Preservation*. ed.Gould GW, 58-59. Blackie Academic, London, UK.

O'Donnell, A.G., Seasman, M., Macrae, A., Waite, I., Davies, J.T., (2001) Plants and fertilisers as drivers of change in microbial community structure and function in soils. Plant Soil 232: 135 – 145.

O'Donnell A.G, Goodfellow M. and Hawksworth D.L. (1994) Theoretical practical aspects of the quantification of biodiversity among microorganism. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*. 345: 65-73.

Odunfa, V.S.A. (1979) The rhizosphere mycoflora of sorghum (*Sorghum bicolor* L. Moench). *Nig. J. Sci*., 13: 363-370.

Odunfa, V.S.A. (1980) *Fusaria* associated with the roots of cowpea. *Nig. J. Agric. Sci*., 2: 53-58.
Odunfa, V.S.A. and Oso B.A. (1979). F*usari*a associated with the Roots of Cowpea in Nigeria. J. *of agric Sci*. 2, 53-58.

Oehl, F., Sieverding, E., Ineichen, K., Mader, P., Boller, T. and Wiemken, A. (2003) Impact of land use intensity on the species diversity of arbuscular mycorrhizal fungi in agroecosystems of central Europe. *Appl. Environ. Microbiol.* 69 : 2816–2824.

Ogundipe O, Akinbiyi O and Moody J.O. (1998) Antibacterial activities of essential ornamental plants. Nigeria *J. Natural Products & Medicine* 2, 46-47.

Ojha, S., Chakraborty, M.R., Dutta, S. and Chatterjee, N.C. (2008). Influence of VAM on Nutrient Uptake and Growth of Custard apple. *Asian J. Exp. Sci.*, 22(3): 221-224.

Okoth, S. A., Jane A. Otadoh and James O. Ochanda (2011). Improved seedling emergence and growth of maize and beans by *Trichoderma harziunum*. *Tropical and Subtropical Agroecosystems*, 13: 65 – 71.

Omar M.R., El-Samawaty A.M.A. and El-Wakil D.A. (2007) Suppression of *Pythium ultimum* involved in cotton seedling damping off by *Trichoderma* spp. *Egypt .J. Phytopathol*., 35:111-124.

Ongena M, Daayf F, Jacques P, Thonart P, Benhamou N, Paulitz T. and Belanger R.R (2000). Systemic induction of phytoalexins in cucumber in response to treatments with fluorescent *Pseudomonas*. *Plant Pathol*. 49: 523–530.

Orozco,F.H., Cegrra H. and Trujillo M.A.R. (1996) Vemicomposting of coffee bulb using earthworm Eisenia fetida on C and N contents and the availability of nutrients. *Bio fertile soil*., 22: 162-166.

Ovreas L (2000) Population and community level approaches for analysing microbial diversity in natural environments. *Ecology Letters* 3: 236-251.

Oyeyiola G. P. (2009) Rhizosphere Mycoflora of Okro (*Hibiscus esculentus*), *Research Journal of Soil Biology*, 1(1): 31-36.

Oyeyiola G.P. (2002) Fungi present in the root zone of *Amaranthus hybridus*. *Bios. Res. Commun*., 14: 301-306.

P. Jones Nirmalnath (2010) Molecular diversity of Arbuscular Mycorrhizal fungi and Pink Pigmented Facultative Methylotrophic bacteria and their influence on Grapevine (*Vitis* vinifera), Thesis submitted to the University of Agricultural Sciences, Dharwad, pp:148

Padaganu, G.M. (1979) The seed-borne nature of *Alternaria macrospora* Zimm. *In cotton, Madras Agric. J*. 66: 325.

Palmateer A., McLean K., Morgan-Jones G and Santen E (2004) Frequency and diversity of fungi colonizing tissues of upland cotton. *Mycopathologia*, 157: 303-316. (c. f. Rev .Pl. Pathol., 83(10): 1234.

Pandey A.K., Jamaluddin, Dubey R., Awasthi A.K. and Pandey A. (2013) Mycoflora Inhabiting In Soil of Sugar Cane Industries of Madhya Pradesh, *JECET*, 2(1): 13-18.

Pansombat K, Kanazawa S. and Horiguchi T, (1997) Microbial ecology in tea soils I. Soils properties and microbial populations. *Soil Science and Plant Nutrition*, 43: 317-327.

Panwar J and Vyas A. (2002) Occurrence of arbuscular mycorrhizal fungi in rhizosphere of an endangered tree species of Indian Thar desert, *Biofertilizer Newsletter*, 8(2): 14–16.

Panwar, J. and Vyas, A. (2002). AM fungi: A biological approach towards conversation of endangered plants in Thar desert, India. *Current Science*, 82(5): 576-578.

Panwar J.D.S (1991). Effect of VAM and Azospirillum brasilense on photosynthesis, nitrogen metabolism and grain yield in wheat. Indian *Journal of Plant Physiology*, 34: 357-361.

Panwar, J. and Vyas A. (2002) AM fungi: A biological approach towards conservation of endangered plants in Thar Desert, India. *Curr. Sci*., 82: 576-578.

Panwar, J. and Vyas, A. (2002a). Biochemical changes in Acacia leucophala by arbuscular mycorrhizal fungi. *Indian Journal of Microbiology*. 42: 249-250.

Panwar, J. and Vyas, A. (2002b). Influence of AM fungi on physiological changes in Moringa concanensis: An Endangered Tree of Indian Thar Desert. *Indian Journal of Microbiology*. 42: 331-333.

Parathasarathi ,K.S. (2004) Vemicomposts produced by four species of earthworms from sugarmill wastes (Pressmud). *J .life.sci.*,1: 41-46

Parimelazhagan T. (2001) Botanical fungicide for the control of rice blast disease. *Bioved*. 12: 11-15.

Parkinson D. and Waid J.S (1960) *The Ecology of soil Fungi*. Liverpool University Press, Liverpool

Parthasarathi, K. Ranganathan, L.S., Anandi V. and Zeyer J. (2007) Diversity of microflorain the gut and casts of tropical composting earthworms reared on different substrates. *J. Environ. Biol*., 28: 87-97.

Patil D. P., P. V. Pawar and S. M. Muley (2012) Mycoflora associated with Pigeon pea and Chickpea *International Multidisciplinary Research Journal*, 2(6):10-12.

Patil R.K, Sharma A. and Pathak V.N. (1992) Inhibition of polyamine biosynthesis in *Botryodiploda theobromae* Pat. and *Rhizopus arrhizus* Fisher by *Ocimum scantum* leaf extract. *Indian J. Mycol. Plant Pathol.* 22: 201-202.

Paul E.A. and Clark F.E. (1989) Soil microbiology and biochemistry. Academic Press, .Editora, San Diego, página final. CA. 275 pp

Paul, E.A. and Clark F.E. (1989) Soil microbiology and biochemistry. . Editora, San Diego, página final.

Pawar B. T. (2011) Antifungal activity of some leaf extracts against seed-borne pathogenic fungi, *International Multidisciplinary Research Journa,l* 1(4):11-13.

Pawar B.T. (2011) Antifungal activity of some leaf extracts against seed-borne pathogenic fungi, *International Multidisciplinary Research Journal*, 1/4:11-13.

Pawlowska T.E, Douds D.D and Charvat I**. (**1999) *In vitro* propagation and life cycle of the arbuscular mycorrhizal fungus *Glomus etunicatum*. *Mycological Research* 103**:**1549–1556.

Peat H.J. and Fitter A.H. (1993) The distribution of Arbuscular mycorrhizaa oin the British Flora., New Phytol., 125:845-854.

Pearson, J.N. and Jakobsen, I. (1993). The relative contribution of hyphae and roots to phosphorus uptake by arbuscular mycorrhizal plants, mreasured by dual labeling with ^{32}P and ^{33}P. *New Phytol*. 124: 489-494.

Perry, D.A., Amaranthus M.P., Borchers J.G., Borchers S.L. and Brainerd R.E. (1989) Bootstrapping in ecosystems. *Bioscience* 39: 230-237.

Peterson RL, Bradbury SM (1999) Use of plant mutants, intraspecific variants and non-hosts in studying mycorrhiza formation and function. *In: Varma A, Hock B (eds) Mycorrhiza structure, function, molecular biology and biotechnology.* Springer Berlin Heidelberg, New York, pp 153–176.

Peterson, R.L., Massicotte H.B. and Melville L.H. (2004) Mycorrhizas: Anatomy and Cell Biology. NCR Research Press, Ottawa, Canada.

Phillips, J.M. and Haymann, D.S. (1970).Improved procedure for clearing roots and staining parasitic and vesicular arbuscular mycorrhizal fungi for rapid assessment of infection. *Trans. Br. Mycol*. 55: 158-161.

Phipps C.J. and Taylor T.N.. (1996) Mixed arbuscularmycorrhizae from the triassic of Antarctica. *Mycologia*, 88: 707-714.

Pierzynski, G.M., Sims J.T. and Vance G.F (2000) Soils and Environmental Quality. II Edition. CRC Press.Washington DC. USA.

Pirozynski K.A. and Dalpe Y.(1989) Geological history of the Glomaceae with particular reference to mycorrhizal symbiosis. *Symbiosis,* 7: 1–36.

Pinto CMF, Maffia L.A., Casali V.W.D. and Cardoso A.A.(1998) In vitro effect of plant leaf extracts on mycelial growth and sclerotial germination of *Sclerotium cepivorum. J. Phytopathol*. 146: 421-425.

Pinton R, Varanini Z and Nannipieri P (2001) The rhizosphere. Biochemistry and Organic Substances at the Soil-Plant Interface, CRC Press.

Piqueres, A. P., Hermann V. E., Alabouvette C. and Steinberg C. (2006) Response of soil microbial communities to compost amendments. *Soil Biol. Biochem.,* 38: 460 – 470.

Potty, V.P. and Indira, P. (1990). Influence of vesicular mycorrhizae on the photosynthesis and photorespiration of sweet potato (Ipomoea batatas). In- *Trends in mycorrhizal research. Proceedings of the National conference on mycorrhizae*, Hisar, 14-16 February 1990 (Eds.), Jalali, B.L., Chand, H. pp: 73.

Preston G.M. (2004). Plant perceptions of plant growth-promoting *Pseudomonas. Trans .l Soc. London B.*359: 907–918.

Qasem J.R. and Abu-Blan H.A. (1996) Fungicidal activity of some common weed extracts against different plant pathogenic fungi. *J. Phytopathol*. 144: 157-243.

Qureshi M.A. , Ahmad Z.A., Akhtar N., Iqbal A., Mujeeb F. and Shakir M.A. (2012) Role of Phosphate solubilizing bacteria (PSB) in enhancing P availability and promoting cotton growth, *The Journal of Animal and Plant Sciences*, 22(1): 204-210.

Rama R.P. (1957) Seasonal variation & distribution of microfungi in some soils of Andhra Pradesh (India) Mycopathologia. 3(4):277-298.

Rajan S, Sethuraman M, Mukherjee P.K. (2002). Ethnobiology of the Nilgiri Hills, India. *Phytother. Res*. 16:98-116.

Rajan, S.K., Reddy, B.J.D. and Bagyaraj, D.J. (2009). Screening of arbuscular mycorrhizal fungi for their symbiotic efficiency with *Tectona grandis*. *Forest Ecology and Management*. 126: 91-95.

Rajasekaran, S. and Nagarajan, S.M. (2005). Effect of dual inoculation (AM fungi and Rhizobium) on chlorophyll content of *Vigna unguiculata* (L.) Walp. Var. Pusa 151. *Mycorrhiza News*. 17(1): 10-11.

Rajeshwari E, Latha T K S, Vanangamudi K, A Selvan K, and Narayanan R. (2001) Effect of AM and phosphorous on seedling growth of *Casuarina equisetifolia*, *Indian Phytopathology,* 54(1): 85–87.

Rajeshwari P. and Kannabriran B. (2011) In vitro effects of antagonistic microorganisms on *Fusarium oxysporum* [Schelecht. Emend. Synd and Hans] infecting *Arachis hypogeal* L., *Journal of Phytology,* 3(3): 83-85.

Rama R.P., (1970) Seasonal variation & distribution of microfungi in some soils of Andhra Pradesh (India)., *Mycopathologia*. 3(4):277-298.

Ramamoorthy V, Viswanathan R, Raghuchander T, Prakasam V. and Samiyappan R (2001). Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. *Crop Prot*. 20: 1–11.

Rambelli A. (1973) The Rhizosphere of Mycorrhizae, pp: 299−343. G.L. Marks, T.T. Koslowski. Ectomycorrhizae. Academic Press, New York, USA.

Ramesh Ch. And Marihal A.K. (2012) Seed Mycoflora of some oil yielding plants from Dharwad *In: Microbes: Diversity and Biotechnology eds. Sati S.C. and Belwal M. pub Daya Publishing House*, New Delhi, pp: 231-267.

Randhawa, P. S., L. M. Condron, H. J. Di, S. Sinaj and R. D. McLenaghen (2005) Effect of green manure addition on soil organic phosphorous mineralization. *Nutr. Cycl. Agroecosyst.,* 73: 181 – 189.

Ranganathan, L.S. (2006) Vermi biotechnology - From Soil Health to Human Health. *Agrobios.* India.

Rasal, P.H., Patil, P.L. and Kalbhor, H.R. (1988). *Effect of VA mycorrhiza and Rhizobium inoculation on gram*. J. Maharashtra Agric. Univ. 13(3): 359-360.

Rathod S (2012) Seed borne *Alternaria* species: A review, *Current Botany*, 3(2): 21-23

Read, D.J. (1990) Mycorrhizas in ecosystems- Naturesresponse to the law of minimum. In :D.L. Hawksworth (ed.) *Frontiers in Mycology Fourth International Mycological Congress*, Re-gensburg. CAB International pp. 101-130.

Reddy P.S., Jamil K and Madhusudhan P (2001) Antibacterial activity of isolates from *Piper longum* and *Taxus baccata. Pharma. Biol*. 39, 236-238.

Redecker D., Kodner R., and Graham L.E. (2000a) Glomalean fungi from the Ordovician. *Science*. 289: 1920-1921.

Redecker D., Morton J.B. and Burns T.D. (2000b) Ancestral lineages of arbuscular mycorrhizal fungi. *Mol. Phylogenet. Evol*. 14: 276-284.

Redecker, D. and Phillip R. (2006) Phylogeny of the Glomeromycota. Recent development and new gene markers. *Mycologia*, 98(6): 885-895.

Rezacova, V., Baldrian P., Hrselova H., Larsen, J. and Gryndler M. (2007) Influence of mineral and organic fertilization on soil fungi, enzyme activities and humic substances in a long – term field experiment. *Folia Microbial.,* 52: 415 – 422.

Rich J.R. and Bird G.W.(1974) Association of early season vesicular- arbuscular Mycorrhizae with increased growth and development of cotton., *Phytopath*., 64:1421-1425.

Riazi, H.A., Parbery, D.C. and Beilharz, V.C. (1977). Vesicular arbuscular mycorrhizal nodules on tomato. *Trans. Brit. Mycol. Soc*. 68: 138-140.

Richards BN., (1987), Mineral cycling processes. *In: The microbiology of terrestrial ecosystems.* John Wiley and Sons, New York, pp 177-221.

Rillig, M. C. and Mummey, D. L. (2006) Mycorrhizas and soil structure. *New Phytologist*, 171 : 41-53.

Rocha, M.R., Da Francisco, S.R.H. and Maria, D.P.D.S (1993). Effect of VAM Glomus etunicatum Becker and Gerdemann inoculation and doses of simple super phosphate on common bean (*Phaseolus vulgaris* L.) growth. *Ciencia. Pratica.* 17(3): 234-238.

Rola, C.A. (2000). Economic perspective for agricultural biotechnology research planning. Philippine institute for development studies, Discussion paper No. 2000-10.

Roncadori, R. W., McCarter S. M. and Crawford J. L. (1971) Influence of fungi on cotton seed deterioration prior to harvest. *Phytopathology,* 61: 1326-1328.

Ross, J.P. and William, J.W. (1973). Effect of Endogone mycorrhiza on phosphate uptake by soybeans from inorganic phosphates. *Soil Sci. Soc. Amer. Proc.* 37: 237-239.

Ross,J.P. and Harper J.A. 1973. Hosts of Vesicular arbuscular Endogone sp. *J. Elisha Mitchell Sci.* 89 (1/2): 1-3.

Rothrock, C.S., Colyer P.D., Buchanan M.L. and Gbur E.E. (2007) Cotton seedling diseases: Importance, occurance and chemical control. Proceedings of the World Cotton Research Conference, September 10-14, 2007, Lubbock, TX, pp: 1-5.

Rouatt JW (1959) Initiation of Rhizosphere effect. *Can J Microbiol* 5:67–71.

Sabnis S.D. and Daniel,M. (1990) A Phytochemical approach to Economic Botany. Kalyani Pub. New Delhi. pp 108-109.

Saba H, Vibhash D., Manisha M., Prashant KS, Farhan H and Tauseef A (2012) Trichoderma – a promising plant growth stimulator and biocontrol agent, Mycosphere, 3(4): 524-531.

Sadasivan S. and. Manickam A, (1996) "Pigments in: Biochemical Methods (2nd Edition)," New Age International (P) Ltd. Publishers, New Delhi, pp. 190-191.

Saini V. K., Bhandari S. C. and Tarafdar J. C. (2004) Comparison of crop yield, soil microbial C, N and P, N-fixation, nodulation and mycorrhizal infection in inoculated and non-inoculated sorghum and chickpea crops. *Field Crops Research*. 89: 39–47

Sadasivam, S. and Manickam, A. (1996). *Biochemical methods*, IInd edition. Pub. New Age International, New Delhi.

Safir G. R. (1987) Ecophysiology of VA Mycorrhizal Plants. ed CRC Press, Boca Ratón, 224 p.

Saif, S.R. and Khan, A.G. (1977). The effect of VAM associations on growth of cereals, III. Effects on barley growth. *Plant soil*. 47(1): 17-26.

Sangvikar R.V. (2012) Effect of some plant extracts in management of seed borne pathogens, *Asian J. Biol. Life Sci.*, 1(2): 108-111.

Santhanm A. and Sundaram V. (1997) Agri-history of cotton in India, *Agri-history*, 1: 235-251.

Saravanakumar K. and Kaviyarasan V. (2010) Diversity and Distribution of Soil Mycoflora of Dry Deciduous Forest Of Tamil Nadu, Southern India, *J. Biosci. Res* ., 1(1): 25-33.

Sasa, M., Zahka, G. and Jakobsen, I. (1987). The effect of pre-transplant inoculation with VA mycorrhizal fungi on the subsequent growth of leeks in the field. *Plant Soil*. 97(2): 279-284.

Satish S, Raghavendra MP, Mohana DC and Raveesha KA (2008) Antifungal activity of a known medicinal plant Mimusops elengi L. against grain moulds. *J. Agri. Technol*. 4(1), 151-165.

Saunders J. H. (1961). The wild species of *Gossypium.* Cambridge Univ. Press, London

Schenck, N. C. and Smith, G. S. (1982), Additional new and unreported species of Mycorrhizal fungi (Endogonaceae) from Florida. *Mycologia* 77(4): 566-574.

Schenck, N.C. and Yvonne, P. (1990). In- *Manual for the Identification of VA Mycorrhizal Fungi*, INVAM, University of Florida, Gainesville, USA, 2nd edn.

Schenck, N.C. and Y. Perez. (1990) Manual for the identification of VA-mycorrhizal fungi. 3rd ed. Synergistic Publications, Gainesville, Fl., U.S.A.

Schenk N.C. (1981) Can mycorrhizae control root diseases, *Plant Disease* 65 : 230-234.

Schmit J.P. and Mueller G.M. (2007) An estimate of the lower limit of global fungal diversity. *Biodiversity and Conservation*, 16: 99–111.

Schüßler, A., Gehrig, H., Schwarzott, D. and Walker, C., (2001) Analysis of partial Glomales SSU rRNA gene sequences : implications for primer design and phylogeny. *Mycol. Res.*, 105 : 5–15.

Seelanan T, Brubaker C.L., Stewart J.M., Craven L.A., Wendel, J.F. (1999). Molecular systematics of Australian *Gossypium* section Grandicalyx (Malvaceae). *Systematic Botany* 24: 183–208.

Selosse MA, Baudoin E and Vandenkoornhuyse P (2004). Symbiotic microorganisms, a key for ecological success and protection of plants. *C. R. Biol*. 327: 639–648.

Selvaraj, T., Sivakumar, P. and Bhaskaran, C. (1996). Comparative efficiency of different VA mycorrhizal fungi of *Coleus aromaticus* Benth. and *Coleus barbatus* Benth. *J. Indian Bot. Soc*. 75: 271-273.

Sen R. (2000) Budgeting for the wood-wide web. *New Phytologist*, 145: 161-165.

Shalini, R., Chamola B.P. and Mukerji K.G. (2000) Evolution of Mycoorhiza. *In: Mycorrhizal Biology*, Mukerji, K.G., B.P. Chamola and J. Singh (Eds.). Plenum Publishers, USA.

Sharma R M.S, Raju N.S (2013) Frequency and percentage occurrence of soil mycoflora in different crop fields at H D Kote of Mysore district International Journal of Environmental sciences, 3(5): 1569-1576.

Shanmugaiah V, Balasubramanian N, Gomathinayagam S, Monoharan PT, Rajendran A (2009). Effect of single application of *Trichoderma viride* and *Pseudomonas fluorences* on growth promotion in cotton plants. *Afr. J. Agric. Res.* 4(11): 1220-1225.

Shanmugavalli N, Umashankar V and Raheem (2009) Anitmicrobial activity of Vanilla planifolia. *Indian J. Sci. Technol.* 2 (3), 37-40.

Sharma R. M.S. and Raju N.S. (2013) Frequency and percentage occurrence of soil mycoflora in different crop fields at H D Kote of Mysore district, *International Journal of Environmental Sciences,* 3(5): 1569-1576.

Shekh N. F., Mohrir M. N. and Gachande B. D. (2012) Soil Mycoflora of some kharif (monsoon) crops of Nanded districts, *Science Research Reporter*, 2(3): 221-224.

Sheoran, R.S., Yadav, B.D. and Ram, S. (1992). Effect of biofertilizers (mycorrhiza) and nitrogen on forage yield and quality of Sorghum and Bajra. *Int. J. Trop. Agric*. 9(4): 306-308.

Shrestha Y.H., Ishii T. and Kadoya K. (1995) Effect of vesicular mycorrhizal fungi on growth, photosynthesis, transpiration and the distribution of photosynthates of bearing Satsuma mandarin trees., *J. Jpn. Soc. Hortic Sci*., 64:517-525.

Shivaputra, S.S., Patil, C.P., Swami, G.S.K. and Patil, P.B. (2004). Effect of Vesicular arbuscular mycorrhiza fungi and Vermicompost on drought tolerance in Papaya. *Mycorrhiza News*. 16(3): 12-13.

Sieverding, E. and Oehl F. (2006) Revision of *Entrophospora* and description of Kuklospora and Intraspora, two new genera in the arbuscular mycorrhizal Glomeromycetes. *J. Applied Bot. Food Qual*., 80: 69-81.

Simon L. (1996) Phylogeny of the Glomales: Decipheringthe past to understand the present. *New Phytologist*, 133 : 95-101.

Simon, L., Bonsquet J., Levesque R.C. and Lalonde M. (1993) Origin and diversification of endomycorrhizal fungi and coincidence with vascular land plants. *Nature*, 363 : 67-69.

Simon, L., Bonsquet J., Levesque R.C. and Lalonde M. (1993) Origin and diversification of endomycorrhizal fungi and coincidence with vascular land plants.

Simpson, M. E., Marsh P. B, Merola G. V., Ferretti R. J., and. Filsinger E. C. (1973) Fungi that infect cottonseeds before harvest. *Appl. Microbiol*. 26:608-613.

Sinaga S.M. (1986) Biological control of some soilborne fungal pathogens of soyabeans (*Glycine max* L.) Merr. with *Gliocladium* spp. Ph.D. Thesis, University of the Philipines at Los Banos, 170 pp.

Singh J. and Tripathi N.N. (1999) Inhibition of storage fungi of blackgram (*Vigna mungo* L.) by some essential oils. *Flavour Fragrance* J. 14: 1-4.

Singh K., Borana J. and Srivastava S., V.A. (1999) Effect of thiram on root growth, root nodules and nitrogen fixation in *Glycine max* (L) merril by Brady Rhizobium japonicom, *Journal of Soil Biology and Ecology*, 19 : 11-14 .

Singh K.P. (1971) Litter production and nutrient turnover in deciduous forest of Varanasi, Adv. *Trop. Ecol.* , 47: 643-697.

Singh, A.K. and Mishra, R.R., (1995). Effect of vesicular-arbuscular mycorrhiza on growth and phosphorus uptake of phosphorus deficiency tolerant and susceptible paddy varieties (RCPL 101 and RCPL 104) under different soil phosphorus levels. In- *Mycorrhizae: Biofertilizer for the Future*, (eds.) A. Adholeya and S. Singh. TERI, Delhi. pp: 314-321.

Singh, K., Frisvad J.C., Thrane U. and Mathur S.B. (1991) An illustrated Manual on Identification of Some Seed-Borne *Aspergilli, Fusaria, Pencillia* and their Mycotoxins. AiO Tryk as Odense, Denmark., pp: 133.

Singh, R. and Pandya, R.K.(1995). The occurrence of vesicular-arbuscular mycorrhiza in Pearl millet and other hosts. In- Mycorrhizae: *Biofertilizers for the future (Proc. of the Third Nat. Conf. on Mycorrhizae),* (eds.) Adholeya, A. and Singh, S., 13-15, March, pp: 56-58.

Singh D.P., Babu K.S., Mann S.K., Madhu Meeta, Karnisasra S.S., Kalappanavar I.K., Singh R.N., Singh A.K. and Singh S.P. (2010) Integrated Pest Management in Barley (*Hordeum vulgare*), Ind. J. Agric Sci., 80:437-442.

Singleton, P. and Sainsbury D. (1991) Dictionary of Microbiology and Molecular Biology. 2nd Edn., John Wiley and Sons, Chichester, ISBN: 0-471-91114-3, pp: 761-761.

Sinha, K.K. and Choudhary A.K. (2008) Mycotoxins: Toxicity, diagnosis, regulation and control through biotechnology. *Rev. Plant. Pathol*., 4: 261- 299.

Sitaramaiah, K. and Khanna, R. (1997). Effect of *Glomus fasciculatum* on growth and chemical composition of maize. *Indian J. Mycol. Plant Pathol.* 27(1): 21-24.

Sivaprasad, P., Jacob, A., Nair, S.K. and George (1990). Influence of VA mycorrhizal colonization on root Knot nematode infestation in *Piper nigrum* L. 100-101. In- Jalali, B.L., Chand, H. (eds.) *Current Trends in Mycorrhizal Research. Proceedings of the National conference on mycorrhiza*, Haryana Agricultural University, Hisar, India, New Delhi: TERI. Viii. pp. 210.

Siqueria J.Q., Colozzi-Filher A., Fairia F.H.S. and Oliverira E. (1986) Symbiotic effectiveness of vesicular arbuscular mycorrhizal fungal species in cotton. Rev. *Brasi. De.Cien. Dosolo*, 10:213-218.

Skidmore, A.M. and Dickson, C.M.,(1976).Colony interactions and hyphae interferences between Septoria nodorum and phylloplane fungi, *Trans.Br.Mycol.Soc*.,66:57-64.

Srinivasan, D., Nathan, S., Suresh, T., Perumalsamy, O. (2001): Antimicrobial activity of certain Indian medicinal plants used in folkloric medicine. *J. Ethnopharmacol*. 74:217-220.

Swain T. (1977) Secondary compounds as protective agents. *Ann. Rev. Plant Physiol.* 28:479–501.

Smith S E and Gianinazzi-Pearson V (1988) Physiological interactions between symbionts in vesicular-arbuscular mycorrhizal plants. *Annu. Rev. Plant Physiol*. 39, 221- 244.

Smith S.M. and Read D. (1997) *Mycorrhizal Symbiosis* 2nd ed. Academic Press, London

Smith SE, Read DJ. (1997) Mycorrhizal symbiosis. San Diego, CA, USA: Academic Press.

Smith, S.E. and Read D.J. (2008) Mineral Nutrition, Toxic Element Accumulation and Water Relations of Arbuscular Mycorrhizal Plants. *In Mycorrhizal Symbiosis*. 3rd Edn., Academic Press, London, ISBN-10: 0123705266, pp: 145-148.

Smith, S.E. and Read, D.J. (2002). *Mycorrhizal Symbiosis*. Academic Press: London.

Smith G.S. and Roncadori R.W. (1986) Responses of three vesicular-arbuscular mycorrhizal fungi at four soil temperatures and their effects on cotton growth., *New Phytol*, 104:89-95.

Smith, S.E., Smith F.A. and Jokobsen I. (2003) Mycorrhizal fungi can dominate phosphate supply to plants irrespective of growth responses. *Plant Physiol*., 133: 16-20.

Soytong, K., Srinon, W., Rattanacherdchai, K., Kanokmedhakul, S. and Kanokmedhakul, K. (2005). Application of antagonistic fungi to control antracnose disease of grape. International *Journal of Agricultural Technology* 1: 33-41.

Sreenivasa, M.N. and Kulkarni, J.H. (1993). Viability of vesicular-arbuscular mycorrhizal inocula. *Environ. Ecol.* 11(3): 708-709.

Starkey, R. L. (1958) Interrelations between microorganisms and plant rootsin the rhizosphere. *Bacteriol. Rev.* 22: 154-172.

Stephan D. Schmitt M., Carvalho S., Seddon B. and Koch E.(2005) Evaluation of biocontrol preparations and plant extracts for the control of *Phytophthora infestans* on potato leaves. *European Journal of Plant Pathology* 112: 235 – 246.

Stotzky G. (1997) Soil as an Environment for Microbial Life. In: *Modern soil microbiology* (eds. Elsa, Van J.D., Trevors J.T, and Wellington E.M.H) Marcel Dekker, Inc. pp. 1-20.

Strack D, Fester T, Hause B, Schliemann W amd Walter MH **(2003**) Arbuscular mycorrhiza: biological, chemical and molecular aspects. *J Chem Ecol*,29**:** 1955–1979.

Subhedar A., Hande D. and Dharkar N (2006) Effect of Some Rhizosphere Fungal Flora on the Productivity of Some Crop Plants. *Journal of Agronomy*, 5: 239-247.

Sukhada, M. (1978). Field response of tomato (*Lycopersicon esculentum* Mill. Pusa Ruby) to inoculation with VA-mycorrhizal fungus *Glomus fasciculatum* and with *Azotobacter vinelandii*. *Plant Soil.* 98(2): 295-298.

Sulochana, T. and Manoharachary, C. (1990). Effect of vesicular-arbuscular mycorrhizal fungi on biomass of sesame. In- *Mycorrhizal symbiosis and plant growth, Proc. of the Second National Conference on Mycorrhiza*, Bangalore, 21-23, Nov. pp: 88.

Sundar S.K., Palavesam A. and Parthipan B. (2010) Effect of native dominant AM fungus and PGPRs on growth and biochemical characteristics of medicinally important Indigofera aspalathoides Vahl.ex. DC. *Int J Biol Biotechnol,* 7(1–2):59–67.

Suresh C. K., Bagyaraj D. J. and Reddy D. D. R., (1985) Effect of vesicular-arbuscular mycorrhiza on survival, penetration and development of root-knot nematode in tomato. *Plant Soil,* **87**: 305-308.

Susan Issac (1992) Fungal life style In: *Fungal-Plant Interactions*, Pub: Chapman and Hall, London, pp. 1-411.

Sutton J.C. (1973) Development of vesicular arbuscular mycorrhizae in crop plants., *Can. J. Bot*., 51:2487-2493.

Suzuki, T., Kurisu M., Hoshino Y., Ichinoe M., Nose N., Tokumaru Y. and Watanabe A. (1980) Production of trichothecene mycotoxins of Fusarium species in wheat and barley harvested in Saitama Prefecture. *J. Food Hygienic Soc. Japan*, 21: 43-49.

Sylvia D.M. and Chellemi D.O. (2001) Interactions among root inhabiting fungi and their implications for biological control of root pathogens, *Adv. Argon*, 73: 1-33.

Swaminathan, K. and Verma, B.C. (1977). Symbiotic effect on VAM fungi on the phosphorus nutrition of potatoes. *Proc. Indian Acad. Sci. Sect. B.* 85(5): 310-318.

Swarna Latha L and Neelakanta Reddy P (2009) Antimicrobial, antidiarrhoeal and analysis of phytochemical constituents of Sphaeranthus amaranthoides. *Indian J. Sci. Technol*. 2 (3), 45-48.

Tahat M.M., Kamaruzaman, Sijam and Otham R. (2010) Mycorrhizal Fungi as a Biocontrol Agent, *Plant Pathology Journal*, 9(4): 198-207.

Tansey M. R. and Appleton J.A. (1975) Inhibtion of fungal giowth by garlic extract. *Mycologia* 67:409-413

Tapwal A., Singh U., Teixeira da silva J. A., Singh G., Garg S. and Kumar R (2011) *In vitro* antagonism of *Trichoderma viride* against five phytopathogens, Pest Technology, 5(1):59-62.

Taylor R.S.L., Edel F., Manandhar N.P. and Towers G.H.N. (1996) Antimicrobial activity of Southern Nepalese medicinal plants. *J. Ethnopharmacol*., 50: 97-102.

Taylor T.N. (1990) Fungal associations in terrestrial paleoecosystems. *Trends in Ecology and Evolution* 5: 21-25.

Taylor, T.N. Remy, W. Hass H. and Kerp H. (1995) Fossil arbuscular mycorrhizae from the Early Devonian. *Mycologia*, 87:560-573.

Templeton, G.E., Grable, C.E., Fulton, MlO. and Meyer, W.L. (1967) Tentoxin from *Alternaria tenuis*; with isolation and characterization, *In: Proceedings of Mycotoxin Research Seminar* Washington, D.C. USDA – ARE Washington, D.C.

Tester M., Smith S.E., Smith F.A. (1987) The phenomenon of "nonmycorrhizal" plants. *Can J Bot* 65:419–431.

Thormann, M.N. and Rice, A.V. (2007). Fungal from peatlands. *Fungal Diversity* 24: 241-299.

Tian, H., J.P. Gai, J.L. Zhang, P. Christie and X.L. Li, (2009) Arbuscular mycorrhizal fungi in degraded typical steppe of inner Mongolia. *Land Degrad. Dev*., 20: 41-54.

Tinker P.B. Jones, M.D. and Durall D.M. (1994) A functional comparison of ecto and Endomycorrhizas, In: *Mycorrhizas in Ecosystems*. (eds) Read D.J. Lewis D.H. Fitter, A.H. and Alexander I.J. Pub by CABI, U.K. 303-310pp.

Tisdall JM, Smith SE, Rengasamy P. (1997) Aggregation of soil by fungal hyphae. *Australian Journal of Soil Research* 35:55-60.

Tisdall, J.M. and Oades, J.M., (1982) Organic matter and water-stable aggregates in soils, *Journal of soil science*, 33: 141-163.

Tokuda S. and Hayatsu M. (2002) Nitrous oxide emission potential of 21 acidic tea field soils in Japan. *Soil Science and Plant Nutrition*, 47: 637-642.

Tomar D. S. , Shastry P. P., Nayak M. K. and Sikarwar P. (2012) Effect of seed borne mycoflora on cotton seed (JK 4) and their control, J. *Cotton Res. Dev*. 26 (1) :105-108.

Toljander JF, Lindahl BD, Paul LR, Elfstrand M and Finlay RD (2007) Influence of arbuscular mycorrhizal mycelial exudates on soil bacterial growth and community structure. FEMS Microbiol Ecol 61: 295–304.

Toth R, Toth D, Starke D. and Smith D.R. (1990) Vesicular-arbuscular mycorrhizal colonization in *Zea mays* affecting breeding for resistance to fungal pathogens., *Can. J. Bot*., 66: 1039-1044.

Toyota, K., Riz K., Kuninaga S. and Kimura M., (1999) Impact of fumigation with metam sodium upon soil microbial community structure in two Japanese soils. *Soil Sci. Plant Nutr*.45:207–223.

Trappe J.M. (1987) Phylogenetic and ecologic aspects of mycotrophy in the angiosperms from an evolutionary standpoint. In: Safir GR (ed) Ecophysiology of VA mycorrhizal plants. CRC, Boca Raton, pp 5–25.

Treseder, K.K. and Cross A. (2006) Global Distributions of Arbuscular Mycorrhizal Fungi. *Ecosystems*, 9: 305-316.

Trevors J.T. (1998b) Bacterial biodiversity in soil with an emphasis on chemically contaminated soils. *Water Air Soil Pollut*. 101:45– 67.

Ushiki J, Hayakawa Y. and Tadano T. (1996) Medicinal plants for suppressing soilborne plant diseases. I. Screening for medicinal plants with antimicrobial activity in roots. *Soil. Sci.Plant Nutr*. 42: 423-426.

Valicek P. (1979). Wild and cultivated cottons. Coton et Fibres Tropicales, Suppl., pp. 1-72 (abstracted in French as "Cotonniers Sauvages et Cultives" on pp. 1-24 [separately paginated] of the same supplemental issue). This work is evidently a translation (from Czech) of "Plane a Kulturni Bavlniky," Prague, 1974, pp. 1-206.

Van der Heijden, M. G. A., Klironomos, J. N., Ursic, M., Moutoglis, P., Streitwolf-engel, R., Boller, T., Wiemken, A. and Sanders, I. R., (1998) Mycorrhizal fungal diversity determines plant biodiversity, ecosystem variability and productivity. *Nature*, 396 : 69-72.

Van Elsas J.D. and Trevors J.T. (1997) Modern Soil Microbiology. Marcel Dekker, New York

Van, D.H., Marcel, G.A., Ruth, S.E., Ralph, R., Sabine, S., Angelica, N., Kurt, I., Thomas, B., Andres, W. and Ian, R.S. (2006). The mycorrhizal contribution to plant productivity, plant nutrition and soil structure in experimental grassland. *New Phytologist*. 172: 739-752.

Vazquez M., Cesar S., Azcon R. and Barea J.M.(2000) Interactions between arbuscular mycorrhizal fungi and other microbial inoculants(*Azospirillum*, *Pseudomonas* and *Trichoderma*) and their effects on microbial populations and enzyme activities in the rhizosphere of Maize plants, *Apl. Soil, Ecol*., 15(3):261-272.

Vázquez M .M., Barea J .M., Azcón R . (2001) Impact of soil nitrogen concentration on *Glomus* spp.-Sinorhizobium interactions as affecting growth, nitrate reductase activity and protein content of *Medicago sativa*. *Biology and Fertility of Soils*, 34: 57–63.

Verma, N.S., Kaur, R. and Verma, A.K. (1990). Effect of soil inoculation with endomycorrhizal fungi on growth of Cymopsis tetragonoloba. In- *Mycorrhizal symbiosis and plant growth*, Proc. of the Second National Conference on Mycorrhiza, Bangalore, 21-23, Nov. (1990). pp. 82-83.

Vessey, J.K. (2003). Plant growth promoting rhizobacteria as biofertilizers. *Plant and Soil*, 255: 571- 586.

Vetrivel Rajan A, Shanmugavalli N, Greety Sunitha Cand Umashankar V (2009) Hepatoprotective effects of Cassia tora on CCl4 induced liver damage in albino rats. *Indian J. Sci. Technol*. 2 (3):41-44.

Vinale F., Krishnapillai S., Emilio L., Ghisalberti R. M., Sheridan L. and Woo M. L., (2008) *Trichoderma*- plant- pathogen interactions. *Soil Biology Biochemistry* 40: 1–10.

Vinale, F., Sivasithamparam, K., Ghisalberti, E.L., Marra, R., Woo, S.L. and Lorito, M. (2008). *Trichoderma plant pathogen interactions. Soil Biology & Biochemistry* 40: 1-10.

Viswanathan R. and Samiyappan R (1999). Induction of systemic resistance by plant growth-promoting rhizobacteria against red rot disease in sugarcane. *Sugar Technol.* 1: 67–76.

Voorrips, R.E., Finkers, R., Sanjaya, L. and Groenwold, R. (2004). QTL mapping of anthracnose (*Colletotrichum* spp.) resistance in a cross between *Capsicum annum* and *C. Chinese*. *Theoretical and Applied genetics*, 109: 1275-1282.

Vyas, A. (1990). Occurrence and distributions of VA mycorrhizal fungi in Soybean and Chickpea in a black soil. In – *Proceedings of the Second National Conference on Mycorrhiza,* Bangalore, 21-23, Nov. 1990. pp. 12-13.

Wahegaonkar N, Shinde S, Salunkhe S and Palsingankar P. (2009) Diversity of rhizosphere and rhizoplane mycoflora of *Cajanus cajan* L. *Bioinfolet*. 6(3): 186-192.

Waksman, S. A. (1916). Do fungi actually live in soil and produce mycelium. Science N. S., U, 320—2.

Wall D.H. and Virginia R.A. (1999) Controls on soil biodiversity: Insights from extreme environments. *Applied Soil Ecol*., 13: 137-150.

Wang Fa Yuan, and Zhao Yong Shi (2008) Biodiversity of Arbuscular Mycorrhizal Fungi in China: a Review, *Advances in Environmental Biology*, 2(1): 31-39.

Wang H., Hyde K.D., Soytong, K., Lin F. (2008) Fungal diversity on fallen leaves of *Ficus* in northern Thailand. *Journal of Zhejiang University Science*, 9: 835–841.

Wang, H., Wu, G. and Li, H. (1989). Effects of VAM on the growth of *Phaseolus aureus* and its water use. *Acta. Pedol. Sin.* 26(4): 393-400.

Wani S. P. and Lee K. K. (1995) Exploiting vesiculararbuscular mycorrhizae through crop and soil management practices. *Mycorrhiza News*, 6(4): 1-7.

Warcup J.H. (1950) The Soil-plate method for isolation of fungi from Soil, *Nature,* Lond, pp 117-166.

Wright D.P., Scholes J.D. and Read D.J. (1998) Effects of VA mycorrhizal colonization on photosynthesis and biomass production of *Trifolium repens* L., *Plant Cell Environ.*, 21:209-216.

Weber, R., Hrynczuk B., Runowska-Hrynczuk B. and Kita W. (2001) Influence of the mode of tillage on diseases of culm base in some winter wheat varieties, oats, and spring wheat. *J. Phytopathol.*,149: 185-188.

Wendel J. F. and Albert V. A. (1992) Phylogenetics of the cotton genus (*Gossypium*): Character-state weighted parsimony analysis of chloroplast-DNA restriction site data and its systematic and bio-geographic implications. *Syst. Bot*. 17:115-143.

Wendel J.F., Brubaker C.L. and Seelanan T. (2010) The origin and evolution of Gossypium. In: Stewart JM, Oosterhuis DM, Heitholt JJ (eds) Physiology of cotton. Springer, *Dordrecht*, pp 1–18.

Whipps, J.M. and Lynch J.M. (1986) The influence of the rhizosphere on crop productivity. *Adv. Microb. Ecol*., 9: 187-244.

Wijesekara R.O.B., Ratnatunga C.M. and Durbeck K (1997) *The Distillation of Essential oils. Manufacturing and Plant Construction Handbook Eschborn*, Fedral Republic of Germany: Protrade, Department of Foodstuffs & Agricultural products.

Wilkins K.M. and Board R.G. (1989) Natural antimicrobial systms. In G.W. Gould (Eds.), *Mechanisms of Action of Food Preservation Procedures*. Elsevier, London.

Williams, S.E., Wollum, A.G. and Aldon, E.F. (1974). Growth of *Atriplex canescens* (Pursh) Nutt. improved by formation of vesicular-arbuscular mycorrhizae. *Proc. Soil Sci. Soc. Am.* 38: 962-965.

Windham M.T. , Elad Y. and Baker R. (1986) A mechanism for increased plant growth induced by *Trichoderma* spp., *Phytopathology,* 76(5): 518- 520.

Wood T and Cummings B (1992). Biotechnology and the future of VAM commercialization. In*: Allen MF (ed) Mycorrhizal functioning.* Chapman and Hall, London 468-487.

Windham M.T., Elad Y. and Baker R. (1986) A mechanism for increased plant growth induced by *Trichoderma* spp., *Phytopathology,* 76: 518-521.

Wright SF, Upadhyaya A. (1996) Extraction of an abundant and unusual protein from soil and comparison with hyphal protein of arbuscular mycorrhizal fungi. *Soil Science* ,161: 575-586. Wright S.F. and Upadhyaya A. (1998) A survey of soils for aggregate stability and glomalin, a glycoprotein produced by hyphae of arbuscular mycorrhizal fungi. Soil Sci. 16: 575-586

Yao, H., He, Z., Wilson, M.J., Campbell, C.D., 2000. Microbial biomass and community structure in a sequence of soils with increasing fertility and changing land use. Microb. Ecol. 40: 223 – 237.

Yedidia, I., Benhamou, N. and Chet, I. (1999). Induction of defense responses in cucumber plants (*Cucumis sativus* L.) by the biocontrol agent *Trichoderma harzianum*. *Applied and Environmental Microbiology* 65: 1061-1070.

Zak J.C., Michael B., Mc Dhillion S. and Friese C (1998) Arbuscular - mycorrhizal colonization dynamics of cotton (*Gossypium hirsutum* L.) growing under several production system on the southern High Plains of Texas, *Agriculture Ecosystem and Environment* (In Press)

Zeilinger, S. and Omann, M. (2007). *Trichoderma* biocontrol: signal tranduction pathways involve in host sensing and mycoparasitism. *Gene Regulation and Systems Biology* 1: 227-23