6. REFERENCES

Abdin, M. Z., Israr, M., Rehman, R. U., & Jain, S. K. (2003). Artemisinin, a novel antimalarial drug: biochemical and molecular approaches for enhanced production. Planta medica, 69(04), 289-299.

Acton, N., Klayman, D. L., & Rollman, I. J. (1985). Reductive electrochemical HPLC assay for artemisinin (qinghaosu). Planta medica, 51(05), 445-446.

Adediran, J. A., & Banjoko, V. A. (2003). Comparative effectiveness of some compost fertilizer formulations for maize in Nigeria. Nig. J. Soil Sci, 13, 42-48.

Agren, J., & Schemske, D. W. (1993). The cost of defense against herbivores: an experimental study of trichome production in Brassica rapa. The American Naturalist, 141(2), 338-350.

Ahmadi, F., Sadeghi, S., Modarresi, M., Abiri, R., & Mikaeli, A. (2010). Chemical composition, in vitro anti-microbial, antifungal and antioxidant activities of the essential oil and methanolic extract of *Hymenocrater longiflorus* Benth., of Iran. Food and chemical toxicology, 48(5), 1137-1144.

Alakali, J. S., Kucha, C. T., & Rabiu, I. A. (2015). Effect of drying temperature on the nutritional quality of *Moringa oleifera* leaves. African Journal of Food Science, 9(7), 395-399.

Almeida, M. D., & Sangoi, L. (1996). Aumento da densidade de plantas de milho para regiões de curta estação estival de crescimento. Pesquisa Agropecuária Gaúcha, Porto Alegre, 2(2), 179-183.

Ambrose, D. C., Annamalai, S. J. K., & Naik, R. (2013). Effect of Drying on the Volatile Oil Yield of Patchouli. Indian Journal of Science and Technology, 6(12), 5559-5562.

Aminifard, M. H., Aroiee, Hossein., Fatemi, Hamide., Ameri, Atefe., & Karimpour, S. A. J. E. D. E. (2010). Responses of eggplant (*Solanum melongena* L.) to different rates of nitrogen under field conditions. Journal of central European agriculture, 11(4), 243-248.

Anonymous (1979) Qinghaosu Antimalarial Coordinating Research Group. Antimalarial studies on qinghaosu. Chines Med J 92:811-816

Arshad M. and W.T. Frankenberger Jr.(1998) Plant growth regulating substances in the rhizosphere: Microbial production and functions. Advances in Agronomy 62:45-151.

Asekun, O. T., Grierson, D. S., & Afolayan, A. J. (2007). Effects of drying methods on the quality and quantity of the essential oil of *Mentha longifolia* L. subsp. Capensis. Food Chemistry, 101(3), 995-998.

Aslam, N., Zia, M., & Chaudhary, M. F. (2006). Callogenesis and direct organogenesis of *Artemisia scoparia*. Pakistan Journal of Biological Sciences, 9(9), 1783-1786.

AV Barker, DJ Pilbeam, CRC Press Taylor & Francis Group, 2007, 662 p.

Avery, M. A., Chong, W. K., & Jennings-White, C. (1992). Stereoselective total synthesis of (+)-artemisinin, the antimalarial constituent of *Artemisia annua* L. Journal of the American Chemical Society, 114(3), 974-979.

Azizi, M. A. J. I. D., Rezwanee, F., Khayyat, M. H., & Lackzian, A. (2008). The effect of different levels of vermicompost and irrigation on morphological properties and essential oil content of German chamomile (*Matricaria recutita*) CV Goral. Planta Medica, 74(09), PE3.

Babatola, L. A., Ojo, D. O., & Adewoyin, O. B. (2002). Effect of NPK 20: 10: 10 fertilizer levels on the yield of okra-sweetcorn intercrop and post harvest quality of okra. In Proc. Hortic. Soc. Nig. Conf (pp. 74-78).

Balachandran, S., Vishwakarma, R. A., & Popli, S. P. (1987). Chemical investigation of some *Artemisia* species: Search for artemisinin or other related sesquiterpene lactones with a peroxide bridge. Indian J. Pharm. Sci, 49, 152-154.

Ball, R., Kothari, S. P., & Robin, A. (2000). The effect of international institutional factors on properties of accounting earnings. Journal of accounting and economics, 29(1), 1-51.

Baraldi, R., Isacchi, B., Predieri, S., Marconi, G., Vincieri, F. F., & Bilia, A. R. (2008). Distribution of artemisinin and bioactive flavonoids from *Artemisia annua* L. during plant growth. Biochemical Systematics and Ecology, 36(5), 340-348.

Barat, L. M., Palmer, N., Basu, S., Worrall, E. V. E., Hanson, K., & Mills, A. (2004). Do malaria control interventions reach the poor? A view through the equity lens. The American journal of tropical medicine and hygiene, 71(2 suppl), 174-178.

Barker, A., & Pilbeam, D. (2007). Plant nutrition.

Baytop, T. (1984). Treatment with plants in Turkey. Istanbul Univ. Publ, (3255).

Behr, L. C., Fusco, R., Jarboe, C. H., & Weissberger, A. (1967). The Chemistry of Heterocyclic Compounds. Pyrazoles, Pyrazolines, Pyrazolidines, Indazoles and Condensed Rings, 1.

Bennett, M. D., & Leitch, I. J. (1997). Nuclear DNA amounts in angiosperms—583 new estimates. Annals of Botany, 80(2), 169-196.

Bentham, G., & Hooker, J. D. 1862-1883. Genera plantarum, 3.

Bhakuni, R. S., Jain, D. C., & Sharma, R. P. (2002). Phytochemistry of *Artemisia annua* and the development of artemisinin-derived antimalarial agents (pp. 211-248). C. W. Wright (Ed.). Taylor & Francis, London.

Boller, T. (1995). Chemoperception of microbial signals in plant cells. Annual review of plant biology, 46(1), 189-214.

Boussadia, O., Steppe, K., Zgallai, H., El Hadj, S. B., Braham, M., Lemeur, R., & Van Labeke, M. C. (2010). Effects of nitrogen deficiency on leaf photosynthesis, carbohydrate status and biomass production in two olive cultivars 'Meski'and 'Koroneiki'. Scientia Horticulturae, 123(3), 336-342.

Bozorgi, H. R., Faraji, A., Danesh, R. K., Keshavarz, A., Azarpour, E., & Tarighi, F. (2011). Effect of plant density on yield and yield components of rice. World Applied Sciences Journal, 12(11), 2053-2057.

Carlone, M. R., & Russell, W. A. (1987). Response to plant densities and nitrogen levels for four maize cultivars from different eras of breeding. Crop Science, 27(3), 465-470.

Casal, J. J., Deregibus, V. A., & Sanchez, R. A. (1985). Variations in tiller dynamics and morphology in *Lolium multiflorum* Lam. vegetative and reproductive plants as affected by differences in red/far-red irradiation. Annals of botany, 56(4), 553-559.

Cassady, J. M., Ojima, N., Chang, C. J., & McLaughlin, J. L. (1979). An investigation of the antitumor activity of *Micromelum integerrimum* (Rutaceae). Journal of natural products, 42(3), 274-278.

Chang, H. R., & Pechère, J. C. (1988). Arteether, a qinghaosu derivative, in toxoplasmosis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 82(6), 867.

Chang, Y. J., Song, S. H., Park, S. H., & Kim, S. U. (2000). Amorpha-4, 11-diene synthase of *Artemisia annua*: cDNA isolation and bacterial expression of a terpene synthase involved in artemisinin biosynthesis. Archives of Biochemistry and Biophysics, 383(2), 178-184.

Charles, D. J., Cebert, E., & Simon, J. E. (1991). Characterization of the Essential Oil of *Artemisia annua* L. Journal of Essential Oil Research, 3(1), 33-39.

Charles, D. J., Simon, J. E., Wood, K. V., & Heinstein, P. (1990). Germplasm variation in artemisinin content of *Artemism annua* using an alternative method of artemisinin analysis from crude plant extracts. Journal of natural products, 53(1), 157-160.

Chen, H., & Maibach, H. I. (1994). Topical application of artesunate on guinea pig allergic contact dermatitis. Contact Dermatitis, 30(5), 280-282.

Chen, Y. T., Ma, L., Mei, Q., Tang, Y., & Liao, X. G. (1994). An experimental trial of artemether in treatment of *Pneumocystis carinii* in immunosuppressed rats. Chinese medical journal, 107(9), 673-677.

Churngchow, N., & Rattarasarn, M. (2001). Biosynthesis of scopoletin in Hevea brasiliensis leaves inoculated with *Phytophthora palmivora*. Journal of plant physiology, 158(7), 875-882.

Dangash, A. J., Pandya, N., Bharillya, A., Jhala, A., & Dharamchand, Jain (2014). Impact of Exogenous Elicitors on Artemisinin Production and Trichome Density in. Notulae Scientia Biologicae, 6(3), 349.

Delabays, N., Collet, G., & Benakis, A. (1992, July). Selection and breeding for high artemisinin (Qinghaosu) yielding strains of *Artemisia annua*. In WOCMAP I-Medicinal and Aromatic Plants Conference: part 4 of 4 330 (pp. 203-208).

Delabays, N., Simonnet, X., & Gaudin, M. D. A. D. (2001). The genetics of artemisinin content in *Artemisia annua* L. and the breeding of high yielding cultivars. Current medicinal chemistry, 8(15), 1795-1801.

Donald, C. M. (1963). Competition among crop and pasture plants. Advances in agronomy, 15, 1-118.

Duke, M. V., Paul, R. N., Elsohly, H. N., Sturtz, G., & Duke, S. O. (1994). Localization of artemisinin and artemisitene in foliar tissues of glanded and glandless biotypes of *Artemisia annua* L. International Journal of Plant Sciences, 365-372.

Duke, S. O., & Paul, R. N. (1993). Development and fine structure of the glandular trichomes of *Artemisia annua* L. International Journal of Plant Sciences, 107-118.

EABL (2005) East African Botanicals Ltd. Growers' Production Manual for *Artemisia annua*.

Ebadi, M. T., Rahmati, M., Azizi, M., Khayyat, M. H., & Dadkhah, A. (2013). The effects of different drying methods on drying time, essential oil content and composition of basil (*Ocimum basilicum* L.). Iranian Journal of Medicinal and Aromatic Plants, 29(2), 437.

Eder, J., & Cosio, E. G. (1994). Elicitors of plant defense responses. International review of cytology, 148, 1-36.

Efferth, T. (2001). The Human ATP-Binding Cassette Transporter Genes From the Bench to the Bedside. Current molecular medicine, 1(1), 45-65.

Egli, D. B. (1988). Plant density and soybean yield. Crop Science, 28(6), 977-981.

Elhag, H. M., El-Domiaty, M. M., El-Feraly, F. S., Mossa, J. S., & El-Olemy, M. M. (1992). Selection and micropropagation of high artemisinin producing clones of *Artemisia annua* L. Phytotherapy Research, 6(1), 20-24.

ElSohly, H. N., Croom Jr, E. M., El-Feraly, F. S., & El-Sherei, M. M. (1990). A large-scale extraction technique of artemisinin from *Artemisia annua*. Journal of natural products, 53(6), 1560-1564.

Erazo, S., Garcıa, R., Backhouse, N., Lemus, I., Delporte, C., & Andrade, C. (1997). Phytochemical and biological study of Radal *Lomatia hirsuta* (Proteaceae). Journal of ethnopharmacology, 57(2), 81-83.

Ericsson, E. (2003). Carbon accumulation and fossil fuel substitution during different rotation scenarios. Scandinavian Journal of Forest Research, 18, 269-278

Farooqi, A.H., Y.N. Shukla, S. Sharma and R.P. Bansal, (1994) Relationship between Gibberellin and Cytokinin activity and flowering in Rosa damascena Mill. Plant Growth Regulat. (Netherlands), 14: 109–13.

Farrokh, A. R., Azizov, I., Farrokh, A., Esfahani, M., Choubeh, M. R., & Kavoosi, M. (2011). The effect of nitrogen and potassium fertilizers on the wet and dry weights of flue cured tobacco components, cultivar coker 347. International Journal of AgriScience, 1(5), 275-282.

Fashina, A. S., Olatunji, K. A., & Alasiri, K. O. (2002, May). Effect of different plant populations and poultry manure on the yield of Ugu (*Telfairia occidentalis*) in Lagos State, Nigeria. In Proc. of the Annu. Conf. of Horticultural Society of Nigeria (pp. 123-127).

Ferreira, J. F. S., & Duke, S. O. (1997). Approaches for maximising biosynthesis of medicinal plant secondary metabolites. AgBiotech News and Information (United Kingdom).

Ferreira, J. F., & Janick, J. (1996). Distribution of artemisinin in *Artemisia annua.*

Ferreira, J. F., Laughlin, J. C., Delabays, N., & de Magalhães, P. M. (2005). Cultivation and genetics of *Artemisia annua* L. for increased production of the

antimalarial artemisinin. Plant genetic resources: characterization and Utilization, 3(02), 206-229.

Ferreira, J. F., Simon, J. E., & Janick, J. (1995). Developmental studies of *Artemisia annua*: flowering and artemisinin production under greenhouse and field conditions. Planta medica, 61(02), 167-170.

Ferreira, J. F., Simon, J. E., & Janik, G. (2004). *Artemisia annua* L. The hope against malaria and cancer. Medicinal and aromatic plant: Production, business and applications.

Frankenberger, W.T. Jr. and M. Arshad(1995) Phytohormones in Soil: Microbial Production and Functions. Marcel Dekker Inc. New York, USA. 503p.

Fulzele, D. P., Heble, M. R., & Rao, P. S. (1995). Production of terpenoid from *Artemisia annua* L. plantlet cultures in bioreactor. Journal of biotechnology, 40(2), 139-143.

Fulzele, D. P., Sipahimalani, A. T., & Heble, M. R. (1991). Tissue cultures of *Artemisia annua*: organogenesis and artemisinin production. Phytotherapy Research, 5(4), 149-153.

Geng, S. (2001). Flowering of *Artemisia annua* L. test-tube plantlets and artemisinin production with shoot clusters induced from flower organ explants. Chinese Journal of Applied and Environmental Biology, 7(3), 201-206.

GÓMEZ-VÁSQUEZ, R. O. C. Í. O., Day, R., Buschmann, H., Randles, S., Beeching, J. R., & Cooper, R. M. (2004). Phenylpropanoids, Phenylalanine Ammonia Lyase and Peroxidases in Elicitor-challenged Cassava (*Manihot esculenta*) Suspension Cells and Leaves. Annals of botany, 94(1), 87-97.

Govindaraj, S., Kumari, B. D. R., Cioni, P. L., & Flamini, G. (2008). Mass propagation and essential oil analysis of *Artemisia vulgaris*. Journal of bioscience and bioengineering, 105(3), 176-183.

Grover, P. D., & Mishra, S. K. (1996). Biomass briquetting: technology and practices. Food and Agriculture Organization of the United Nations.

Gulati, A., Bharel, S., Jain, S. K., Abdin, M. Z., & Srivastava, P. S. (1996). In vitro micropropagation and flowering in *Artemisia annua*. Journal of Plant Biochemistry and Biotechnology, 5(1), 31-35.

Gupta, M M, Jain, D C, Verma, R K and Gupta, A P. 1996. A rapid analytical method for estimation of artemisinin in *Artemisia annua*. J Med Arom Pl Sci, 18: 5–6

Gupta, S. K., Singh, P., Bajpai, P., Ram, G., Singh, D., Gupta, M. M., ... & Kumar, S. (2002). Morphogenetic variation for artemisinin and volatile oil in *Artemisia annua*. Industrial crops and Products, 16(3), 217-224.

Gustavsson, L. (1995). Reducing CO2 emissions by substituting biomass for fossil fuels. Energy, 20, 1097–1113

Hayat S., A. Ahmad, A. Hussain, M. Mobin, (2001) Growth of wheat seedlings raised from the grains treated with 28–homobrassinolide. Acta Physiol. Plant., 23, 27–30.

Haynes, R. K., & Vonwiller, S. C. (1994). Extraction of artemisinin and artemisinic acid: preparation of artemether and new analogues. Transactions of the Royal Society of Tropical Medicine and Hygiene, 88, 23-26.

He, X. C., Zeng, M. Y., Li, G. F., & Liang, Z. (1983). Callus induction and regeneration of plantlets from *Artemisia annua* and changes of qinhaosu contents. Chih wu Hsueh pao= Acta botanica sinica.

Hektor, B. (1998). Cost effectiveness of measures for the reduction of net accumulation of carbon dioxide in the atmosphere. Biomass and Bioenergy, 15, 299-309.

Hirt, H. M., & Lindsey, K. (2000). Natural medicine in the tropics: experiences. Winnenden, Germany, 20-23.

Holfels, E., McAuley, J., Mack, D., Milhous, W. K., & McLeod, R. (1994). In vitro effects of artemisinin ether, cycloguanil hydrochloride (alone and in combination with sulfadiazine), quinine sulfate, mefloquine, primaquine phosphate, trifluoperazine hydrochloride, and verapamil on Toxoplasma gondii. Antimicrobial agents and chemotherapy, 38(6), 1392-1396.

Homewood, C. A., Jewsbury, J. M., & Chance, M. L. (1972). The pigment formed during haemoglobin digestion by malarial and schistosomal parasites. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 43(3), 517-523.

Jamshidi, R., Afzali, Z., & Afzali, D. (2009). Chemical composition of hydrodistillation essential oil of rosemary in different origins in Iran and comparison with other countries. Am Eurasian J Agric Environ Sci, 5, 78-81.

Jha, S., Sahu, N. P., & Mahato, S. B. (1988). Production of the alkaloids emetine and cephaeline in callus cultures of *Cephaelis ipecacuanha*. Planta medica, 54(06), 504-506.

Jurd, L., Corse, J., King, A. D., Bayne, H., & Mihara, K. (1971). Antimicrobial properties of 6, 7-dihydroxy-, 7, 8-dihydroxy-, 6-hydroxy-and 8-hydroxycoumarins. Phytochemistry, 10(12), 2971-2974.

Kader, A. A., & Rolle, R. S. (2004). The role of post-harvest management in assuring the quality and safety of horticultural produce (Vol. 152). Food & Agriculture Org.

Kang, T. H., Pae, H. O., Jeong, S. J., Yoo, J. C., Choi, B. M., Jun, C. D., ... & Kim, Y. C. (1999). Scopoletin: an inducible nitric oxide synthesis inhibitory active constituent from Artemisia feddei. Planta medica, 65(05), 400-403.

Ke, O. Y., Krug, E. C., Marr, J. J., & Berens, R. L. (1990). Inhibition of growth of Toxoplasma gondii by qinghaosu and derivatives. Antimicrobial agents and chemotherapy, 34(10), 1961-1965.

Khorshidi, J., Mohammadi, R., Fakhr-Tabatabaei, M., Nourbakhsh, H. (2009) Influence of drying methods, extraction time, and organ type on essential oil content of rosemary (*Rosmarinus officinalis* L.). Natu. Sci, 7(11): 42-44

Kim, N. C., & Kim, S. U. (1992). Biosynthesis of artemisinin from 11, 12-dihydroarteannuic acid. Journal of the Korean Society for Applied Biological Chemistry, 35(2), 106-109.

Klayman, D. L. (1985). Qinghaosu (artemisinin): an antimalarial drug from China. Science, 228(4703), 1049-1055.

Klayman, D. L. (1993). *Artemisia annua*: from weed to respectable antimalarial plant. In ACS symposium series (USA).

Krishna, S., Uhlemann, A. C., & Haynes, R. K. (2004). Artemisinins: mechanisms of action and potential for resistance. Drug Resistance Updates, 7(4), 233-244.

Kudakasseril, G. J., Lam, L., & Staba, E. J. (1987). Effect of sterol inhibitors on the incorporation of 14C-isopentenyl pyrophosphate into artemisinin by a cell-free system from *Artemisia annua* tissue cultures and plants. Planta medica, 53(03), 280-284.

Kumar, S., Khanuja, S. P. S., Shasany, A. K., & Darokar, M. P. (1999). Jeevan Raksha" from an isolated population containing high artemisinin in foliage (0.5–1.0%). J Med Arom Plant Sci, 21, 47-48.

Lai, H., & Singh, N. P. (1995). Selective cancer cell cytotoxicity from exposure to dihydroartemisinin and holotransferrin. Cancer letters, 91(1), 41-46.

Laughlin, J. C. (1994). Agricultural production of artemisinin—a review. Transactions of the Royal Society of Tropical Medicine and Hygiene, 88, 21-22.

Laughlin, J. C. (1994). The influence of distribution of antimalarial constituents in *Artemisia annua* L. on time and method of harvest. In Internat. Symposium on Medicinal and Aromatic Plants 390 (pp. 67-74).

Law-Ogbomo, K. E., & Egharevba, R. K. A. (2009). Effects of planting density and NPK fertilizer application on yield and yield components of tomato (*Lycospersicon esculentum* Mill) in forest location. World Journal of Agricultural Sciences, 5(2), 152-158.

Levin, D. A. (1973). The role of trichomes in plant defense. Quarterly Review of Biology, 3-15.

Li GQ, Guo XB, Jin R, Wang ZC, Jain HX, Li ZY (1982) Clinical studies on treatment of cerebral malaria with quinghaosu and its derivatives. J Trad Chin Med 2:125-130

Liersch, R., Soicke, H., Stehr, C., & Tüllner, H. U. (1986). Formation of artemisinin in *Artemisia annua* during one vegetation period*, 1. Planta Medica, 52(05), 387-390.

Lin, A. J., Klayman, D. L., Hoch, J. M., Silverton, J. V., & George, C. F. (1985). Thermal rearrangement and decomposition products of artemisinin (qinghaosu). The Journal of Organic Chemistry, 50(23), 4504-4508.

Lin, Y. L., Yang, C. C., Hsu, H. K., Hsu, S. L., & Chang, C. M. J. (2006). Response surface methodology to supercritical fluids extraction of artemisinin and the effects on rat hepatic stellate cell in vitro. The Journal of supercritical fluids, 39(1), 48-53.

Liu, C. Z., Murch, S. J., El-Demerdash, M., & Saxena, P. K. (2003). Regeneration of the Egyptian medicinal plant *Artemisia judaica* L. Plant cell reports, 21(6), 525-530.

Liu, C., Xu, Y. W. X., Ouyang, F., Ye, H., & Li, G. (1999). Improvement of artemisinin accumulation in hairy root cultures of *Artemisia annua* L by fungal elicitor. Bioprocess Engineering, 20(2), 161-164.

Liu, J. M. (1979). Structure and reaction of arteannuin. Reprinted from Acta Chimica Sinica., 37(2), 129-143.

Lualon, W., De-Eknamkul, W., Tanaka, H., Shoyama, Y., & Putalun, W. (2008). Artemisinin production by shoot regeneration of *Artemisia annua* L. using thidiazuron. Zeitschrift für Naturforschung C, 63(1-2), 96-100.

Luo, X. D., & Shen, C. C. (1987). The chemistry, pharmacology, and clinical applications of qinghaosu (artemisinin) and its derivatives. Medicinal Research Reviews, 7(1), 29-52.

Mackay, W. and S. Kitto.1988. Factors affecting in vitro shoot proliferation of French tarragon. Hort. Science113, 282-287.

Maes L, Inzé D, Goossens A.(2008) Functional specialization of the transparent testa glabra1 network allows differential hormonal control of laminal and marginal trichome initiation in Arabidopsis rosette leaves. Plant Physiol.148:1453–1464.

Magalhaes P.M and Delabays N (1996) the selection of *Artemisia annua* L. for cultivation in intertropical regions. In : Pank F (ed) proceedings of an International Symposium on breedings research on medicinal and aromatic plants, Quedlinburg, germany, 30 June4 July. Quedlinburg: Bundesanstalt fur Zuchtungsforchung an Kulturpflanzen, 185-188.

Marchese, J. A., Casiraghi, V., Lira, R., Tedesco, A. C., & Rehder, V. L. G. (2000, July). Flowering of *Artemisia annua* L. plants submitted to different photoperiod and temperature conditions. In I Latin-American Symposium on the Production of Medicinal, Aromatic and Condiments Plants 569 (pp. 275-280).

Martin, K. (2003). Rapid in vitro multiplication and ex vitro rooting of *Rotula aquatica* Lour., a rare rhoeophytic woody medicinal plant. Plant Cell Reports, 21(5), 415-420.

Martinez, B. C., & Staba, E. J. (1988). The production of artemisinin in *Artemisia annua* L. tissue cultures. Adv Cell Cult, 6, 69-87.

Mazzetti C and Donata M (1998) Micropropagation of *Artemisia mutellina*, ISHS Acta Mountain Lands.

McVaugh R. 1984. Compositae. In WR Anderson, ed, Flora Novo-Galiciana. A descriptive account of the vascular plants of Western Mexico, University of Michigan Press.

Mehrotra, S., Mehrotra, B. N., Aswal, B. S., & Sharma, H. P. (1990). Leaf surface studies of some medicinal artemisias. International Journal of Crude Drug Research, 28(2), 103-119.

Merali, S. A. L. I. M., & Meshnick, S. R. (1991). Susceptibility of Pneumocystis carinii to artemisinin in vitro. Antimicrobial agents and chemotherapy, 35(6), 1225-1227.

Mert, A. 1999. The effect of some agronomic practices on yield and yield components with quality of *Artemisia annua* L [PhD thesis]. [Adana, Turkey] Çukurova University, Institute of Natural and Applied Sciences

Mevi-Schütz, J., Goverde, M., & Erhardt, A. (2003). Effects of fertilization and elevated CO2 on larval food and butterfly nectar amino acid preference in *Coenonympha pamphilus* L. Behavioral Ecology and Sociobiology, 54(1), 36-43.

MH Barzegarkhou, Tobacco Research Institute Publishers, Rasht, Iran, 2007, 40 - 56.

Minamikawa, T., Akazawa, T., & Uritani, I. (1963). Analytical study of umbelliferone and scopoletin synthesis in sweet potato roots infected by *Ceratocystis fimbriata*. Plant physiology, 38(5), 493.

Mitchell, J. C. (1975). Contact allergy from plants. In Recent advances in phytochemistry (pp. 119-138). Springer US.

MIYACHI, H., & CHITAMBAR, C. R. (2001). The anti-malarial artesunate is also active against cancer. International journal of oncology, 18, 767-773.

Moles, A. T., & Leishman, M. R. (2008). The seedling as part of a plant's life history strategy. Seedling ecology and evolution. Cambridge University Press, Cambridge, 217-238.

Morales MR, Charles DJ, Simon JE (1993) Seasonal accumulation of artemisinin in *Artemisia annua* L. Acta Hort 344:416-420

Muchow, R. C. (1988). Effect of nitrogen supply on the comparative productivity of maize and sorghum in a semi-arid tropical environment I. Leaf growth and leaf nitrogen. Field Crops Research, 18(1), 1-16.

Muzemil, A. (2008). Determination of artemisinin and essential oil contents of *Artemisia annua* L. grown in Ethiopia and in vivo antimalarial activity of its crude extracts against Plasmodium berghei in mice (Doctoral dissertation, Department of Pharmaceutical Chemistry, School of Pharmacy, Addis Ababa University).

Nakase, I., Lai, H., Singh, N. P., & Sasaki, T. (2008). Anticancer properties of artemisinin derivatives and their targeted delivery by transferrin conjugation. International journal of pharmaceutics, 354(1), 28-33.

Nam-Cheol, K. JG kim, HJ Lim and TR Hahn. 1992. Production of secondary metabolites by tissue culture of *Artemisia annua* L. J. Korean Agric. Chem. Soc, 35(2), 99-105.

Newman, J. D., Marshall, J., Chang, M., Nowroozi, F., Paradise, E., Pitera, D., ... & Keasling, J. D. (2006). High-level production of amorpha-4, 11-diene in a two-phase partitioning bioreactor of metabolically engineered Escherichia coli. Biotechnology and bioengineering, 95(4), 684-691.

Nin, S., Morosi, E., Schiff, S., & Bennici, A. (1996). Callus cultures of Artemisia absinthium L.: initiation, growth optimization and organogenesis. Plant cell, tissue and organ culture, 45(1), 67-72.

Ojewole, J. A. O., & Adesina, S. K. (1983). Cardiovascular and neuromuscular actions of scopoletin from fruit of *Tetrapleura tetraptera*. Planta medica, 49(10), 99-102.

Okoh, O. O., Sadimenko, A. P., Asekun, O. T., & Afolayan, A. J. (2008). The effects of drying on the chemical components of essential oils of *Calendula officinalis* L. African Journal of Biotechnology, 7(10).

Oladele, O. O., & Aborisade, A. T. (2009). Influence of different drying methods and storage on the quality of Indian spinach *(Basella rubra* L.). Am. J. Food Technol, 4, 66-70.

Olufolaji, A. O., Kintomo, A. A., & Alasiri, K. O. (2002). Comparative evaluation of soil applied and foliar fertilizer on the growth of "Sokoyoko"(*Celosia argentea*). The Plant Scientist, 3, 73-80.

Özgüven, M., Şener, B., Orhan, I., Şekeroğlu, N., Kirpik, M., Kartal, M., ... & Kaya, Z. (2008). Effects of varying nitrogen doses on yield, yield components and artemisinin content of *Artemisia annua* L. industrial crops and products, 27(1), 60-64.

Paniego, N. B., & Giulietti, A. M. (1994). *Artemisia annua* L.: dedifferentiated and differentiated cultures. Plant cell, tissue and organ culture, 36(2), 163-168.

Perazza, D., Vachon, G., & Herzog, M. (1998). Gibberellins promote trichome formation by Up-RegulatingGLABROUS1 in Arabidopsis. Plant physiology, 117(2), 375-383.

Petersen R., A. (2006). A comparison of avoided greenhouse gas emissions when using different kinds of wood energy. Biomass and Bioenergy, 30, 605-617.

Picaud, S., Olofsson, L., Brodelius, M., & Brodelius, P. E. (2005). Expression, purification, and characterization of recombinant amorpha-4, 11-diene synthase from *Artemisia annua* L. Archives of biochemistry and biophysics, 436(2), 215-226.Plant Sci. 22, 239Đ311

Postini, K. MT Shamel Rostami, Iranian J. Agric. Sci, 2000, 2, 363-369

Pras, N., Visser, J. F., Batterman, S., Woerdenbag, H. J., Malingré, T. M., & Lugt, C. B. (1991). Laboratory selection of *Artemisia annua* L. for high artemisinin yielding types. Phytochemical Analysis, 2(2), 80-83.

Purohit S. & Pandya N. (2011) Effect of *Artemisia annua* L. Leaf Mulch on Crop and a Weed. Phytotechnology: Emerging Trends 342-348.

Putalun, W., Luealon, W., De-Eknamkul, W., Tanaka, H., & Shoyama, Y. (2007). Improvement of artemisinin production by chitosan in hairy root cultures of *Artemisia annua* L. Biotechnology letters, 29(7), 1143-1146

Qian Z, Gong K, Zhang L, Lv J, Jing F, Wang Y, Guan S, Wang G, Tang, K. (2007) A simple and efficient procedure to enhance artemisinin content in *Artemisia annua* L. by seeding to salinity stress. African J. Biotechnol. 6:1410-1413.

Quartey, E. T. Briquetting agricultural waste as an energy source in Ghana.

Ram, M., & Kumar, S. (1997). Yield improvement in the regenerated and transplanted mint *Mentha arvensis* by recycling the organic wastes and manures. Bioresource Technology, 59(2), 141-149.

Ravindranathan, T., Kumar, M. A., Menon, R. B., & Hiremath, S. V. (1990). Stereoselective synthesis of artemisinin. Tetrahedron letters, 31(5), 755-758.

Ridley, R. G. (2002). Medical need, scientific opportunity and the drive for antimalarial drugs. Nature, 415(6872), 686-693.

Ro, D. K., Paradise, E. M., Ouellet, M., Fisher, K. J., Newman, K. L., Ndungu, J. M., & Chang, M. C. (2006). Production of the antimalarial drug precursor artemisinic acid in engineered yeast. Nature, 440(7086), 940-943.

Roth, R. J., & Acton, N. (1991). A facile semisynthesis of the antimalarial drug qinghaosu. J. Chem. Educ, 68(7), 612.

Saeed J, 2001 Protein phosphates activity is required for light inducible gene expression in maize. EMBO J, 12: 3497-3505)

Sano M, Akyol CV, Tungtrongchitr A, Ito M, Ishih A (1993) Studies on chemotherapy of parasitic helminths: efficacy of artemether on Japanese strain of *Schistosoma japonicum* in mice. Southeast Asian J Trop Med Public Health 24:53-56

Schmid G and Hofheinz W (1983) Total synthesis of quinghosu. J Am Chem Soc 105: 624-625

Schmidt, J., Leduc, S., Dotzauer, E., Kindermann, G. & Schmid, E. (2007). Cost-effective CO2 emission reduction through heat, power and biofuel production from woody biomass: A spatially explicit comparison of conversion technologies. Applied Energy, 10, 2128– 2141.

Sellami, I. H., Wannes, W. A., Bettaieb, I., Berrima, S., Chahed, T., Marzouk, B., & Limam, F. (2011). Qualitative and quantitative changes in the essential oil of *Laurus nobilis* L. leaves as affected by different drying methods. Food Chemistry, 126(2), 691-697.

Sharifi, R. S., Sedghi, M., & Gholipouri, A. (2009). Effect of population density on yield and yield attributes of maize hybrids. Research Journal of Biological Sciences, 4(4), 375-379.

Simon, J. E., Charles, D., Cebert, E., Grant, L., Janick, J., & Whipkey, A. (1990). *Artemisia annua* L.: A promising aromatic and medicinal. Advances in new crops, 522-526.

Singh H. P., Batish D. R., and Kohli R. K. (2003), Allelopathic interactions and allelochemicals: new possibilities for sustainable weed management. Crit. Rev.

Singh S.S, P Gupta, AK Gupta, Kalyani Publishers, New Delhi, India, (2003) 184-185.

Singh, A., Vishwakarma, R. A., & Husain, A. (1988). Evalutation of *Artemisia annua* strains for higher artemisinin production. Planta medica, 54(05), 475-476.

Singh, N. P., & Lai, H. (2001). Selective toxicity of dihydroartemisinin and holotransferrin toward human breast cancer cells. Life sciences, 70(1), 49-56.

Smith, T. C., Weathers, P. J., & Cheetham, R. D. (1997). Effects of gibberellic acid on hairy root cultures of *Artemisia annua*: growth and artemisinin production. In Vitro Cellular & Developmental Biology-Plant, 33(1), 75-79.

Snow, R. W., Guerra, C. A., Noor, A. M., Myint, H. Y., & Hay, S. I. (2005). The global distribution of clinical episodes of *Plasmodium falciparum* malaria. Nature, 434(7030), 214-217.

Srivastava, P. (2002). Interaction of heat shock proteins with peptides and antigen presenting cells: chaperoning of the innate and adaptive immune responses. Annual review of immunology, 20(1), 395-425.

Sujatha, G., & Kumari, B. R. (2007). Effect of phytohormones on micropropagation of *Artemisia vulgaris* L. Acta Physiologiae Plantarum, 29(3), 189-195.

Tang, W., & Eisenbrand, G. (1992). *Artemisia annua* L. In Chinese Drugs of Plant Origin (pp. 159-174). Springer Berlin Heidelberg.

Tawfik, A. F., Bishop, S. J., Ayalp, A., & El-Feraly, F. S. (1990). Effects of artemisinin, dihydroartemisinin and arteether on immune responses of normal mice. International journal of immunopharmacology, 12(4), 385-389.

Traw BM, Bergelson J (2003) Interactive effects of jasmonic acid, salicylic acid, and gibberellinon induction of trichomes in *Arabidopsis*. Plant Physiol 133:1367–1375.

Trigg, P. I. (1989). Qinghaosu (artemisinin) as an antimalarial drug. Econ Med Plant Res, 3, 19-55.

Van Agtmael, M. A., Eggelte, T. A., & van Boxtel, C. J. (1999). Artemisinin drugs in the treatment of malaria: from medicinal herb to registered medication. Trends in Pharmacological Sciences, 20(5), 199-205.

Vasconcelos, J. M., Silva, A. M., & Cavaleiro, J. A. (1998). Chromones and flavanones from *Artemisia campestris* subsp. maritima. Phytochemistry, 49(5), 1421-1424.

Vyankatrao, N. P., Arts, N. T. A., & Commerce, V. S. S. Effect of drying methods on nutritional value of some vegetables.

Wagner, G. J. (1991). Secreting glandular trichomes: more than just hairs. Plant Physiology, 96(3), 675-679.

Wallaart, T. E., Bouwmeester, H. J., Hille, J., Poppinga, L., & Maijers, N. C. (2001). Amorpha-4, 11-diene synthase: cloning and functional expression of a key enzyme in the biosynthetic pathway of the novel antimalarial drug artemisinin. Planta, 212(3), 460-465.

Wang JW, Xia ZH, Tan RX (2002) Elicitation on artemisinin biosynthesis in *Artemisia annua* hairy roots by the oligosaccharide extract from the endophytic Colletotrichum sp. B501. Acta Bot. Sinica 44: 1233-1238.

Wang, C. W. (1961). Forests of China, with a survey of grassland and desert vegetation.

Wang, H., Ge, L., Ye, H. C., Chong, K., Liu, B. Y., & Li, G. F. (2004). Studies on the effects of fpf1 gene on *Artemisia annua* flowering time and on the linkage between flowering and artemisinin biosynthesis. Planta medica, 70(04), 347-352.

Wang, J. W., & Tan, R. X. (2002). Artemisinin production in *Artemisia annua* hairy root cultures with improved growth by altering the nitrogen source in the medium. Biotechnology letters, 24(14), 1153-1156.

Wang, Y., Yin, J., Qiao, Y., Zhang, H., & Lu, X. Studies on antioxidant activity and chemical constituents of *Artemisia halodendron*. Asian Journal of Traditional Medicines, 2(2007), 30-33.

Weathers, P. J., Bunk, G., & McCoy, M. C. (2005). The effect of phytohormones on growth and artemisinin production in *Artemisia annua* hairy roots. In Vitro Cellular & Developmental Biology-Plant, 41(1), 47-53.

Whitley, A., Simon, J. E., Charles, D. J., & Janick, J. (1992). In vitro production of artemisinin from *Artemisia annua* L. Journal of Herbs, Spices & Medicinal Plants, 1(1-2), 15-25.

WHO, UNDP/World Bank (2007) Malaria Landscape Report, pp. 1-15

Woerdenbag, H. J., Moskal, T. A., Pras, N., Malingré, T. M., El-Feraly, F. S., Kampinga, H. H., & Konings, A. W. (1993). Cytotoxicity of artemisinin-related endoperoxides to Ehrlich ascites tumor cells. Journal of natural products, 56(6), 849-856.

Woerdenbag, H. J., Pras, N., Bos, R., Visser, J. F., Hendriks, H., & Malingré, T. M. (1991). Analysis of artemisinin and related sesquiterpenoids from *Artemisia annua* L. by combined gas chromatography/mass spectrometry. Phytochemical Analysis, 2(5), 215-219.

Woerdenbag, H. J., Pras, N., Chan, N. G., Bang, B. T., Bos, R., van Uden, W., ... & Lugt, C. B. (1994). Artemisinin, related sesquiterpenes, and essential oil in *Artemisia annua* during a vegetation period in Vietnam. Planta medica, 60(03), 272-275.

World Health Organization (WHO). 1986. The development of artemisinin and its derivatives. WHO/TDR/, CHEMM/ART 86.3

World Health Organization. (2006). The world health report: 2006: working together for health.

Xiao, S. H., & Catto, B. A. (1989). In vitro and in vivo studies of the effect of artemether on Schistosoma mansoni. Antimicrobial agents and chemotherapy, 33(9), 1557-1562.

Xu XX, Zhu J, Huang DZ, Zhou WS (1986) Total sunthesis of atreannuin and deoxyarteannuin. Tetrahedron 42:891-828

Yadav, J. S., Babu, R. S., & Sabitha, G. (2003). Stereoselective total synthesis of (+)-artemisinin. Tetrahedron letters, 44(2), 387-389.

Yang, D. M., & Liew, F. Y. (1993). Effects of qinghaosu (artemisinin) and its derivatives on experimental cutaneous leishmaniasis. Parasitology, 106(01), 7-11.

ZHANG, Y. Q., Wei, D. I. N. G., ZHAO, Z. M., Jing, W. U., & FAN, Y. H. (2008). Studies on acaricidal bioactivities of Artemisia annua L. extracts against Tetranychus cinnabarinus Bois.(Acari: Tetranychidae). Agricultural Sciences in China, 7(5), 577-584.