Contents

	Page No.
Acknowledgement	i
Contents	iv
List of abbreviations and symbols	x
PREFACE	xi
Chapter 1 General Introduction	
Abstract	1
1.1 Self-Assembly	1
1.2 1,1-Dithio Ligands	4
1.2.1 Preparation of the 1,1dithiocarbamate ligand	5
1.2.2 Binding Mode of Dithiocarbamates	6
1.2.3 Self-assembly of 1,1-Dithiocarbamates complexes	7
1.2.4 Application of Dithiocarbamates	12
1.3 Objectives of the present work	13
1.4 Reference	13
Chapter 2 Ferrocene Functionalized Achiral Amines: Synthesis, Characterization, *In-silico* study and Evaluation of as Cytotoxic Agents	
Abstract	17
2.1 Introduction	18
2.2 Experimental Section	19
2.2.1 Materials and measurements	19
2.2.2 General procedure for the synthesis of amino methyl ferrocene from ferrocene	19
2.2.3 General procedure for the synthesis of 2-ferrocenylmethylamino)- N-alkylacetamide (1a-5a).	21
2.2.4 General procedure for the synthesis of 2, 2'-(ferrocenylmethylazanediyl)bis(N-alkylacetamide(1b-5b).	21
2.3 Biological assay	24
2.3.1 In vitro Cytotoxicity Assay.	24
2.3.2 Apoptosis assay.	24
2.3.3 Gene Expression study.	24
2.3.4 Western blot analysis.	25
2.3.5 Mitochondrial Membrane potential (MMP).	25
2.4 Molecular docking study.	26
2.4.1 Ligand preparation.	26
2.4.2 Protein preparation and Grid Parameters.	26
2.4.3 Auto Dock 4.0.	26
2.4.4 Visualization of residues Interaction.	27

2.4.5 Pharmacokinetic study 27
2.5 RESULTS AND DISCUSSION 27
2.5.1 Synthesis and Characterization. 27
2.5.2 Thermogravimetric Analysis of 1A-5A and 1B-5B. 30
2.5.3 X-ray crystallographic study 31
2.5.4 Hirshfeld surface analysis 35
2.5.5 Theoretical Investigations. 36
2.5.5.1 Density functional theory calculations 36
2.5.5.2 Molecular electrostatic potential 38
2.5.5.3 Frontier molecular orbital analysis 40
2.5.6 Biological study 41
2.5.6.1 Inhibitory activity and structure activity relationships (SAR). 41
2.5.6.2 AO/ErBr staining. 45
2.5.6.3 Transcript analysis 45
2.5.6.4 Annexin V/ Propidium iodide assay. 48
2.5.6.5 Protein expression analysis. 49
2.5.6.6 Mitochondrial Membrane Potential. 50
2.5.7 Protein- ligand molecular docking. 51
2.6 Conclusions 56
2.7 Reference 56
2.8 Annexures 59

Chapter 3 Ferrocene Functionalized Chiral Amines: Synthesis, Characterization, In-silico study and Evaluation of as Cytotoxic Agents

Abstract 74
3.1 Introduction 75
3.2 Experimental Section 76
3.2.1 General procedure for the synthesis of (S/R) -2- chloro-N-(1- phenylethyl)acetamide and (S/R)-2-chloro-N-(1-(naphthalen-1- yl)ethyl)acetamide (1-4). 76
3.2.2 General procedure for the synthesis of (S/R) -2- iodo-N-(1- phenylethyl)acetamide and (S/R)-2-iodo-N-(1-(naphthalen-1-yl)ethyl)acetamide (5-8). 77
3.2.3 General procedure for the synthesis of (R/S) 2-(ferrocenylmethylamino)-N- alrylacetamide (9-12). 77
3.2.4 General procedure for the synthesis of (R/S) 2, 2'-(ferrocenylmethylazanediyl)bis(N- benzyl acetamide). 78
3.2.5 Biological assay 81
3.2.5.1 In vitro Cytotoxicity Assay. 81
3.2.6 Molecular docking study. 81
3.2.6.1 Ligand preparation. 81
3.2.6.2 Protein preparation and Grid Parameters. 81
3.2.6.3 Validation of Docking 82
3.2.6.4 Visualization of residues Interaction. 82
3.2.7 X-ray Crystallography and Data Collection. 82

3.3 RESULTS AND DISCUSSION 83
3.3.1 Synthesis and Characterization. 83
3.3.2 Thermogravimetric Analysis of S,S-(-)-13 and R,R-(+)-14. 85
3.3.3 X-ray crystallographic study 86
3.3.4 Hirshfeld surface analysis 93
3.3.5 Theoretical Investigations. 96
3.3.5.1 Density functional theory calculations 96
3.3.5.2 Molecular electrostatic potential 98
3.3.6 Biological study 99
3.3.6.1 Inhibitory activity and structure activity relationships (SAR). 99
3.3.7 Protein- ligand molecular docking. 102
3.4 Conclusions 104
3.5 Reference 105
3.6 Annexures 108

Chapter 4 Use of Ferrocene Functionalized Amines in the Development of Novel Ni^{II} dithiocarbamates complexes

Abstract 128
4.1 Introduction 129
4.2 Experimental Section 130
4.2.1 Materials and measurements 130
4.2.2 General procedure for the synthesis of ferrocene functionalized NiII-dithiocarbamate complexes 1, (R,R)-2, (S,S)-3, (R,R)-4 and (S,S)-5 130
4.3 RESULTS AND DISCUSSION 134
4.3.1 Synthesis and Characterization. 134
4.3.2 Thermogravimetric Analysis of S,S-(-)-13 and R,R-(+)-14. 136
4.3.3 X-ray crystallographic study 137
4.3.4 Theoretical Investigations. 140
4.3.4.1 Density functional theory calculations 140
4.3.4.2 Molecular electrostatic potential 142
4.3.5 Cyclic voltametric study 144
4.4 Conclusions 147
4.5 Reference 148
4.6 Annexures 151

Chapter 5 Benzyl Functionalized Chiral 2^0 and 3^0 Amines: Synthesis, Characterization, Crystallographic and *In-silico* study

Abstract 159
5.1 Introduction 160
5.2 Experimental Section 161
5.2.1 Materials and measurements 161

5.2.2 General procedure for the synthesis of S,S-1,R,S-2, R,R-3 and S,R-4 162
5.2.3 General procedure for the synthesis of 5, S,S,S-6, R,R,R-7, S,S,R-8, R,R,S-9, S,S-10, R,R-11, S-12 and R-13 162
5.2.4 X-ray crystallography and data collection 163
5.3 RESULTS AND DISCUSSION 166
5.3.1 Synthesis and Characterization. 166
5.3.2 X-ray crystallographic study 169
5.3.3 Theoretical Investigations. 174
5.3.3.1 Density functional theory calculations 174
5.3.3.2 Molecular electrostatic potential 177
5.4 Conclusions 178
5.5 Reference 179
5.6 Annexures 181

Chapter 6 Use of Benzyl Functionalized Chiral Amines in the Development of Novel Cu^{II} and Ni^{II} dithiocarbamate complexes

Abstract 201
6.1 Introduction 202
6.2 Experimental Section 204
6.2.1 Materials and measurements 204
6.2.2 X-ray crystallography and data collection 205
6.2.3 Computational method 205
6.2.4 General synthetic procedure for MII-dithiocarbamates S,S-1, R,S-2, R,R-3, S,R-4, S,S-5, R,S-6, R,R-7 and S,R-8 205
6.3 RESULTS AND DISCUSSION 209
6.3.1 Synthesis and Characterization. 209
6.3.2 Thermogravimetric Analysis 211
6.3.3 X-ray crystallographic study 213
6.3.4. Density functional theory calculations 216
6.4 Conclusions 221
6.5 Reference 222
6.6 Annexures 226

Chapter 7 Naphthoquinone Functionalized Chiral and Achiral 2^0 Amines: Synthesis, Characterization, In-silico study

Abstract 234
7.1 Introduction 235
7.2 Experimental Section 238
7.2.1 Materials and measurements 238
7.2.2 General procedure for synthesis of 2-(arylamino)-3- 238

chloro-1,4- naphthoquinones (1-9)
7.2.3 X-ray crystallography and data collection 242
7.2.4 Molecular docking study. 242
7.3 RESULTS AND DISCUSSION 243
7.3.1 Synthesis and Characterization. 243
7.3.2 X-ray crystallographic study 244
7.3.3 UV-visible absorption and fluorescence properties 250
7.3.4 Theoretical Investigations. 252
7.3.4.1 Density functional theory calculations 252
7.3.4.2 Molecular electrostatic potential 254
7.3.5 Protein- ligand molecular docking. 255
7.4 Conclusions 257
7.5 Reference 258
7.6 Annexures 263

Chapter 8 Binuclear Metallomacrocyclic MII-Xanthate Complexes With Cu^{II}, Ni^{II} and Zn^{II} Holding Pendent Amido Groups in the Ligand Backbone: Synthesis, Characterization and DFT study

Abstract 277
8.1 Introduction 278
8.2 Experimental Section 280
8.2.1 Materials and measurements 280
8.2.2 General synthetic procedure for the synthesis of diol ligand precursors (L^1, L^2 and L^3) 280
8.2.3 General Synthetic procedure for the synthesis of M^{II}-xanthate complexes (1, S-2, R-3, 4, S-5, R-6, 7, S-8 and R-9) 281
8.3 RESULTS AND DISCUSSION 281
8.3.1 Synthesis and Characterization. 281
8.3.2 UV-Visible absorption study. 286
8.3.3 X-ray crystallographic study 288
8.3.4 Theoretical Investigations. 289
8.3.4.1 Density functional theory calculations 289
8.3.4.2 Molecular electrostatic potential 293
8.4 Conclusions 294
8.5 Reference 295
8.6 Annexures 298

List of publication 310
Papers presented at National /State Level Seminars / Conferences –Poster Presentation.