

REFERENCES

References

- Adames NR, Wilson ML, Fang G, Lux MW, Glick BS, Peccoud J. 2015. GenoLIB: a database of biological parts derived from a library of common plasmid features. *Nucleic Acids Research* 43: 4823-32
- Ahmad P, Kumar A, Gupta A, Hu X, Azooz MM, Sharma S. 2012. Polyamines: role in plants under abiotic stress In *Crop production for agricultural improvement*, pp. 491-512: Springer
- Alabadí D, Carbonell J. 1999. Differential expression of two spermidine synthase genes during early fruit development and in vegetative tissues of pea. *Plant molecular biology* 39: 933-43
- Alcázar R, Altabella T, Marco F, Bortolotti C, Reymond M, Koncz C, Carrasco P, Tiburcio AF. 2010. Polyamines: molecules with regulatory functions in plant abiotic stress tolerance. *Planta* 231: 1237-49
- Alcázar R, Planas J, Saxena T, Zarza X, Bortolotti C, et al. 2010. Putrescine accumulation confers drought tolerance in transgenic *Arabidopsis* plants over-expressing the homologous Arginine decarboxylase 2 gene. *Plant Physiology and Biochemistry* 48: 547-52
- Alcázar R, Tiburcio AF. 2014. Plant polyamines in stress and development: an emerging area of research in plant sciences. *Frontiers in Plant Sciences* 5: 319
- Aloisi I, Cai G, Serafini-Fracassini D, Del Duca S. 2016. Polyamines in pollen: from microsporogenesis to fertilization. *Frontiers in Plant Science* 7: 155
- Altman A, Kaur-Sawhney R, Galston AW. 1977. Stabilization of oat leaf protoplasts through polyamine-mediated inhibition of senescence. *Plant Physiology* 60: 570-74
- Altman A. 1982. Retardation of radish leaf senescence by polyamines. *Physiologia Plantarum* 54: 189-93
- Anwar R, Mattoo AK, Handa AK. 2015. Polyamine interactions with plant hormones: crosstalk at several levels In *Polyamines*, pp. 267-302: Springer
- Apel K, Hirt H. 2004. Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology* 55: 373-99
- Apelbaum A, Burgoon AC, Anderson JD, Lieberman M, Ben-Arie R, Mattoo AK. 1981. Polyamines inhibit biosynthesis of ethylene in higher plant tissue and fruit protoplasts. *Plant Physiology* 68: 453-56
- Apelbaum A, Goldlust A, Icekson I. 1985. Control by ethylene of arginine decarboxylase activity in pea seedlings and its implication for hormonal regulation of plant growth. *Plant Physiology* 79: 635-40
- Arnon DI. 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta vulgaris*. *Plant Physiology* 24: 1

- Bagni N, Tassoni A. 2001. Biosynthesis, oxidation and conjugation of aliphatic polyamines in higher plants. *Amino Acids* 20: 301-17
- Bagni N. 1989. Polyamines in plant growth and development. *The physiology of Polyamines* 2: 107-20
- Bais HP, Ravishankar G. 2002. Role of polyamines in the ontogeny of plants and their biotechnological applications. *Plant Cell, Tissue and Organ Culture* 69: 1-34
- Baldrich P, Campo S, Wu M-T, Liu T-T, Hsing Y-IC, Segundo BS. 2015. MicroRNA-mediated regulation of gene expression in the response of rice plants to fungal elicitors. *RNA Biology* 12: 847-63
- Baniasadi F, Saffari VR, Moud AAM. 2018. Physiological and growth responses of *Calendula officinalis* L. plants to the interaction effects of polyamines and salt stress. *Scientia Horticulturae* 234: 312-17
- Bassard J-E, Ullmann P, Bernier F, Werck-Reichhart D. 2010. Phenolamides: bridging polyamines to the phenolic metabolism. *Phytochemistry* 71: 1808-24
- Belles JM, Pérez-Amador MA, Carbonell J, Conejero V. 1993. Correlation between ornithine decarboxylase and putrescine in tomato plants infected by citrus exocortis viroid or treated with ethephon. *Plant Physiology* 102: 933-37
- Belting M, Mani K, Jönsson M, Cheng F, Sandgren S, et al. 2003. Glypican-1 is a vehicle for polyamine uptake in mammalian cells a pivotal role for nitrosothiol-derived nitric oxide. *Journal of Biological Chemistry* 278: 47181-89
- Berardini TZ, Reiser L, Li D, Mezheritsky Y, Muller R, et al. 2015. The *Arabidopsis* information resource: making and mining the “gold standard” annotated reference plant genome. *Genesis* 53: 474-85
- Berberich T, Sagor G, Kusano T. 2015. Polyamines in plant stress response In *Polyamines*, pp. 155-68: Springer
- Besford R, Richardson C, Campos J, Tiburcio A. 1993. Effect of polyamines on stabilization of molecular complexes in thylakoid membranes of osmotically stressed oat leaves. *Planta* 189: 201-06
- Bey P, Danzin C, Jung M. 1987. Inhibition of basic amino acid decarboxylases involved in polyamine biosynthesis In *Inhibition of polyamine metabolism*, pp. 1-31: Academic Press, Orlando
- Bitonti AJ, Casara PJ, McCann P, Bey P. 1987. Catalytic irreversible inhibition of bacterial and plant arginine decarboxylase activities by novel substrate and product analogues. *Biochemical Journal* 242: 69-74
- Bolwell GP. 1999. Role of active oxygen species and NO in plant defence responses. *Current Opinion in Plant Biology* 2: 287-94
- Borrell A, Carbonell L, Farras R, Puig-Parellada P, Tiburcio A. 1997. Polyamines inhibit lipid peroxidation in senescing oat leaves. *Physiologia Plantarum* 99: 385-90

- Bors W, Langebartels C, Michel C, Sandermann H. 1989. Polyamines as radical scavengers and protectants against ozone damage. *Phytochemistry* 28: 1589-95
- Bouche N, Fromm H. 2004. GABA in plants: just a metabolite? *Trends in Plant Science* 9: 110-15
- Bouchereau A, Aziz A, Larher F, Martin-Tanguy J. 1999. Polyamines and environmental challenges: recent development. *Plant Science* 140: 103-25
- Bown AW, Shelp BJ. 2016. Plant GABA: not just a metabolite. *Trends in Plant Science* 21: 811-13
- Breeze E, Harrison E, McHattie S, Hughes L, Hickman R, et al. 2011. High-resolution temporal profiling of transcripts during *Arabidopsis* leaf senescence reveals a distinct chronology of processes and regulation. *The Plant Cell*. 111.083345
- Burritt DJ, Mackenzie S. 2003. Antioxidant metabolism during acclimation of *Begonia× erythrophylla* to high light levels. *Annals of Botany* 91: 783-94
- Burritt DJ. 2008. The polycyclic aromatic hydrocarbon phenanthrene causes oxidative stress and alters polyamine metabolism in the aquatic liverwort *Riccia fluitans* L. *Plant, Cell & Environment* 31: 1416-31
- Cabanne F, Dalebroux MA, Martin-Tanguy J, Martin C. 1981. Hydroxycinnamic acid amides and ripening to flower of *Nicotiana tabacum* var. xanthi nc. *Physiologia Plantarum* 53: 399-404
- Cai G, Sobieszczuk-Nowicka E, Aloisi I, Fattorini L, Serafini-Fracassini D, Del Duca S. 2015. Polyamines are common players in different facets of plant programmed cell death. *Amino Acids* 47: 27-44
- Capell T, Bassie L, Christou P. 2004. Modulation of the polyamine biosynthetic pathway in transgenic rice confers tolerance to drought stress. *Proceedings of the National Academy of Sciences of the United States of America* 101: 9909-14
- Casero RA, Marton LJ. 2007. Targeting polyamine metabolism and function in cancer and other hyperproliferative diseases. *Nature Reviews Drug Discovery* 6: 373-90
- Cervelli M, Polticelli F, Federico R, Mariottini P. 2003. Heterologous expression and characterization of mouse spermine oxidase. *Journal of Biological Chemistry* 278: 5271-76
- Champa WH, Gill M, Mahajan B, Bedi S. 2015. Exogenous treatment of spermine to maintain quality and extend postharvest life of table grapes (*Vitis vinifera* L.) cv. Flame Seedless under low temperature storage. *LWT-Food Science and Technology* 60: 412-19
- Chattopadhyay MK, Tiwari BS, Chattopadhyay G, Bose A, Sengupta DN, Ghosh B. 2002. Protective role of exogenous polyamines on salinity-stressed rice (*Oryza sativa*) plants. *Physiologia Plantarum* 116: 192-99
- Cheng L, Zou Y, Ding S, Zhang J, Yu X, et al. 2009. Polyamine accumulation in transgenic tomato enhances the tolerance to high temperature stress. *Journal of Integrative Plant Biology* 51: 489-99

- Choubey A, Rajam MV. 2017. Transcriptome response and developmental implications of RNAi-mediated ODC knockdown in tobacco. *Functional and Integrative Genomics*.17: 399-412
- Cohen AS, Popovic RB, Zalik S. 1979. Effects of polyamines on chlorophyll and protein content, photochemical activity, and chloroplast ultrastructure of barley leaf discs during senescence. *Plant Physiology* 64: 717-20
- Cona A, Rea G, Angelini R, Federico R, Tavladoraki P. 2006. Functions of amine oxidases in plant development and defence. *Trends in Plant Science* 11: 80-88
- Consortium TG. 2012. The tomato genome sequence provides insights into fleshy fruit evolution. *Nature* 485: 635
- Cowley T, Walters D. 2002a. Polyamine metabolism in an incompatible interaction between barley and the powdery mildew fungus, *Blumeria graminis* f. sp. *Hordei*. *Journal of Phytopathology* 150: 581-86
- Cowley T, Walters D. 2002b. Polyamine metabolism in barley reacting hypersensitively to the powdery mildew fungus *Blumeria graminis* f. sp. *Hordei*. *Plant, Cell & Environment* 25: 461-68
- Cuevas JC, López-Cobollo R, Alcázar R, Zarza X, Koncz C, et al. 2008. Putrescine is involved in *Arabidopsis* freezing tolerance and cold acclimation by regulating abscisic acid levels in response to low temperature. *Plant Physiology* 148: 1094-105
- Cui X, Ge C, Wang R, Wang H, Chen W, et al. 2010. The BUD2 mutation affects plant architecture through altering cytokinin and auxin responses in *Arabidopsis*. *Cell research* 20: 576
- Curtis MD, Grossniklaus U. 2003. A gateway cloning vector set for high-throughput functional analysis of genes in planta. *Plant Physiology* 133: 462-69
- Cvikrová M, Gemperlová L, Dobrá J, Martincová O, Prášil IT, et al. 2012. Effect of heat stress on polyamine metabolism in proline-over-producing tobacco plants. *Plant Science* 182: 49-58
- Dalton HL, Blomstedt CK, Neale AD, Gleadow R, DeBoer KD, Hamill JD. 2016. Effects of down-regulating ornithine decarboxylase upon putrescine-associated metabolism and growth in *Nicotiana tabacum* L. *Journal of Experimental Botany* 67: 3367-81
- Das DK, Prabhakar M, Kumari D, Kumari N. 2016. Expression of SAMDC gene for enhancing the shelf life for improvement of fruit quality using biotechnological approaches into litchi (*Litchi chinensis* Sonn.) cultivars. *Advances in Bioscience and Biotechnology*7: 300
- Das KC, Misra HP. 2004. Hydroxyl radical scavenging and singlet oxygen quenching properties of polyamines. *Molecular and Cellular Biochemistry* 262: 127-33
- Datta N, Schell MB, Roux SJ. 1987. Spermine stimulation of a nuclear NII kinase from pea plumules and its role in the phosphorylation of a nuclear polypeptide. *Plant Physiology* 84: 1397-401

- Del Duca S, Serafini-Fracassini D, Cai G. 2014. Senescence and programmed cell death in plants: polyamine action mediated by transglutaminase. *Frontiers in Plant Science* 5: 120
- Diao Q-n, Song Y-j, Shi D-m, Qi H-y. 2016. Nitric oxide induced by polyamines involves antioxidant systems against chilling stress in tomato (*Lycopersicon esculentum* Mill.) seedling. *Journal of Zhejiang University-SCIENCE B* 17: 916-30
- Dixon RA, Paiva NL. 1995. Stress-induced phenylpropanoid metabolism. *The Plant Cell* 7: 1085-97
- Dorey S, Baillieul F, Pierrel MA, Saindrenan P, Fritig B, Kauffmann S. 1997. Spatial and temporal induction of cell death, defense genes, and accumulation of salicylic acid in tobacco leaves reacting hypersensitively to a fungal glycoprotein elicitor. *Molecular Plant Microbe Interaction* 10: 646-55
- Duan J, Li J, Guo S, Kang Y. 2008. Exogenous spermidine affects polyamine metabolism in salinity-stressed *Cucumis sativus* roots and enhances short-term salinity tolerance. *Journal of Plant Physiology* 165: 1620-35
- Edreva A. 1996. Polyamines in plants. *Bulg. Journal of Plant Physiology* 22: 73-101
- Edreva A. 1997. Tobacco polyamines as affected by stresses induced by different pathogens. *Biologia Plantarum* 40: 317-20
- Egley G, Paul R, Vaughn K, Duke S. 1983. Role of peroxidase in the development of water-impermeable seed coats in *Sida spinosa* L. *Planta* 157: 224-32
- Espasandin FD, Calzadilla PI, Maiale SJ, Ruiz OA, Sansberro PA. 2018. Overexpression of the arginine decarboxylase gene improves tolerance to salt stress in *Lotus tenuis* plants. *Journal of Plant Growth Regulation* 37: 156-65
- Evans PT, Malmberg RL. 1989. Do polyamines have roles in plant development? *Annual Review of Plant Biology* 40: 235-69
- Even-Chen Z, Mattoo AK, Goren R. 1982. Inhibition of ethylene biosynthesis by aminoethoxyvinylglycine and by polyamines shunts label from 3, 4-[14C] methionine into spermidine in aged orange peel discs. *Plant Physiology* 69: 385-88
- Federico R, Angelini R. 1991. Polyamine catabolism in plants. *Biochemistry and Physiology of Polyamines in Plants*. CRC Press, Boca Raton, FL: 41-56
- Feirer RP, Mignon G, Litvay JD. 1984. Arginine decarboxylase and polyamines required for embryogenesis in the wild carrot. *Science* 223: 1433-35
- Felix H, Harr J. 1987. Association of polyamines to different parts of various plant species. *Physiologia Plantarum* 71: 245-50
- Fernandez-Pozo N, Menda N, Edwards JD, Saha S, Teclé IY, et al. 2014. The Sol Genomics Network (SGN)—from genotype to phenotype to breeding. *Nucleic Acids Research* 43: D1036-D41
- Flores H, Martin-Tanguy J. 1991. Polyamines and plant secondary metabolites. *Biochemistry and Physiology of Polyamines in plants*: 57-76

- Flores HE. 1990. Polyamines and plant stress. *Plant biology (USA)* ISSN:0894-4563
- Fuhrer J, Kaur-Sawhney R, Shih L-M, Galston AW. 1982. Effects of exogenous 1, 3-diaminopropane and spermidine on senescence of oat leaves II. Inhibition of ethylene biosynthesis and possible mode of action. *Plant Physiology* 70: 1597-600
- Fujita M, Fujita Y, Iuchi S, Yamada K, Kobayashi Y, et al. 2012. Natural variation in a polyamine transporter determines paraquat tolerance in *Arabidopsis*. *Proceedings of the National Academy of Sciences* 109: 6343-47
- Galston A, Kaur-Sawhney R, Altabella T, Tiburcio A. 1997. Plant polyamines in reproductive activity and response to abiotic stress. *Botanica Acta* 110: 197-207
- Galston AW, Kaur-Sawhney R. 1995. Polyamines as endogenous growth regulators In *Plant Hormones*, pp. 158-78: Springer
- Galston AW, Sawhney RK. 1990. Polyamines in plant physiology. *Plant Physiology* 94: 406-10
- Garcia-Brugger A, Lamotte O, Vandelle E, Bourque S, Lecourieux D, et al. 2006. Early signaling events induced by elicitors of plant defenses. *Molecular Plant Microbe Interaction* 19: 711-24
- Ge C, Cui X, Wang Y, Hu Y, Fu Z, et al. 2006. BUD2, encoding an S-adenosylmethionine decarboxylase, is required for *Arabidopsis* growth and development. *Cell research* 16: 446
- Goldberg R, Perdrizet E. 1984. Ratio of free to bound polyamines during maturation in mung-bean hypocotyl cells. *Planta* 161: 531-35
- Gong X, Dou F, Cheng X, Zhou J, Zou Y, Ma FJG. 2018. Genome-wide identification of genes involved in polyamine biosynthesis and the role of exogenous polyamines in *Malus hupehensis* Rehd. under alkaline stress. *Gene* 669: 52-62.....
- Gonzalez ME, Marco F, Minguet EG, Carrasco-Sorli P, Blázquez MA, et al. 2011. Perturbation of spermine synthase gene expression and transcript profiling provide new insights on the role of the tetraamine spermine in *Arabidopsis* defense against *Pseudomonas viridiflava*. *Plant Physiology* 156: 2266-77
- Groppa MD, Benavides MP. 2008. Polyamines and abiotic stress: recent advances. *Amino Acids* 34 (1): 35
- Guo J, Wang S, Yu X, Dong R, Li Y, et al. 2018. Polyamines regulate strawberry fruit ripening by abscisic acid, auxin, and ethylene. *Plant Physiology* 177: 339-51
- Gupta K, Sengupta A, Chakraborty M, Gupta B. 2016. Hydrogen peroxide and polyamines act as double edged swords in plant abiotic stress responses. *Frontiers in Plant Science* 7: 1343
- Halliwell B, Gutteridge JM. 2015. *Free radicals in biology and medicine*. Oxford University Press, USA.
- Hamana K, Niitsu M, Samejima K, Matsuzaki S. 1991. Novel polyamines in insects and spiders. *Comparative Biochemistry and Physiology*

- Hanfrey C, Sommer S, Mayer MJ, Burtin D, Michael AJ. 2001. *Arabidopsis* polyamine biosynthesis: absence of ornithine decarboxylase and the mechanism of arginine decarboxylase activity. *The Plant Journal* 27: 551-60
- Hanzawa Y, Imai A, Michael AJ, Komeda Y, Takahashi T. 2002. Characterization of the spermidine synthase-related gene family in *Arabidopsis thaliana*. *FEBS letters* 527: 176-80
- Hanzawa Y, Takahashi T, Michael AJ, Burtin D, Long D, et al. 2000. ACAULIS5, an *Arabidopsis* gene required for stem elongation, encodes a spermine synthase. *The EMBO Journal* 19: 4248-56
- Hao Y-J, Zhang Z, Kitashiba H, Honda C, Ubi B, et al. 2005. Molecular cloning and functional characterization of two apple S-adenosylmethionine decarboxylase genes and their different expression in fruit development, cell growth and stress responses. *Gene* 350: 41-50
- Hartley JL, Temple GF, and Brasch MA. (2000). DNA cloning using in vitro site-specific recombination. *Genome Research* 10, 1788-1795.
- Hashimoto T, Tamaki K, Suzuki K-i, Yamada Y. 1998. Molecular cloning of plant spermidine synthases. *Plant and Cell Physiology* 39: 73-79
- Hatmi S, Gruau C, Trotel-Aziz P, Villaume S, Rabenoelina F, et al. 2014. Drought stress tolerance in grapevine involves activation of polyamine oxidation contributing to improved immune response and low susceptibility to *Botrytis cinerea*. *Journal of Experimental Botany* 66: 775-87
- He L, Ban Y, Inoue H, Matsuda N, Liu J, Moriguchi T. 2008. Enhancement of spermidine content and antioxidant capacity in transgenic pear shoots overexpressing apple spermidine synthase in response to salinity and hyperosmosis. *Phytochemistry* 69: 2133-41
- Heimer YM, Mizrahi Y. 1982. Characterization of ornithine decarboxylase of tobacco cells and tomato ovaries. *Biochemical Journal* 201: 373-76
- Hewezi T, Howe PJ, Maier TR, Hussey RS, Mitchum MG, et al. 2010. *Arabidopsis* spermidine synthase is targeted by an effector protein of the cyst nematode *Heterodera schachtii*. *Plant Physiology* 152: 968-84
- Hibasami H, Tanaka M, Nagai J, Ikeda T. 1980. Dicyclohexylamine, a potent inhibitor of spermidine synthase in mammalian cells. *FEBS letters* 116: 99-101
- Horsch R, Fry J, Hoffman N, Eichholtz D, Rogers Sa, Fraley R. 1985. A simple and general method for transferring genes into plants. *Science* 227: 1229-32
- Hu B, Jin J, Guo A-Y, Zhang H, Luo J, Gao G. 2014. GSDS 2.0: an upgraded gene feature visualization server. *Bioinformatics* 31: 1296-97
- Hu L, Xiang L, Li S, Zou Z, Hu XH. 2016. Beneficial role of spermidine in chlorophyll metabolism and D1 protein content in tomato seedlings under salinity–alkalinity stress. *Physiologia Plantarum* 156: 468-77

- Hummel I, Bourdais G, Gouesbet G, Couée I, Malmberg RL, El Amrani A. 2004. Differential gene expression of arginine decarboxylase ADC1 and ADC2 in *Arabidopsis thaliana*: characterization of transcriptional regulation during seed germination and seedling development. *New Phytologist* 163: 519-31
- Hussain SS, Ali M, Ahmad M, Siddique KH. 2011. Polyamines: natural and engineered abiotic and biotic stress tolerance in plants. *Biotechnology advances* 29: 300-11
- Icekson I, Goldlust A, Apelbaum A. 1985. Influence of ethylene on S-adenosylmethionine decarboxylase activity in etiolated pea seedlings. *Journal of plant physiology* 119: 335-45
- Igarashi K, Ito K, Kashiwagi KJRim. 2001. Polyamine uptake systems in *Escherichia coli*. 152: 271-78
- Igarashi K, Kashiwagi K. 2000. Polyamines: mysterious modulators of cellular functions. *Biochemical and Biophysical Research Communications* 271: 559-64
- Igarashi K, Kashiwagi K.. 2010. Characteristics of cellular polyamine transport in prokaryotes and eukaryotes. *Journal of Plant Physiology and Biochemistry* 48: 506-12
- Ikbal FE, Hernández JA, Barba-Espín G, Koussa T, Aziz A, et al. 2014. Enhanced salt-induced antioxidative responses involve a contribution of polyamine biosynthesis in grapevine plants. *Journal of Plant Physiology* 171: 779-88
- Imai A, Akiyama T, Kato T, Sato S, Tabata S, et al. 2004a. Spermine is not essential for survival of *Arabidopsis*. *FEBS letters* 556: 148-52
- Imai A, Hanzawa Y, Komura M, Yamamoto KT, Komeda Y, Takahashi T. 2006. The dwarf phenotype of the *Arabidopsis* *acl5* mutant is suppressed by a mutation in an upstream ORF of a bHLH gene. *Development* 133: 3575-85
- Imai A, Matsuyama T, Hanzawa Y, Akiyama T, Tamaoki M, et al. 2004b. Spermidine synthase genes are essential for survival of *Arabidopsis*. *Plant Physiology* 135: 1565-73
- Imamura T, Fujita K, Tasaki K, Higuchi A, Takahashi H. 2015. Characterization of spermidine synthase and spermine synthase—The polyamine-synthetic enzymes that induce early flowering in *Gentiana triflora*. *Biochemical and Biophysical Research communication* 463: 781-86
- Imanishi S, Hashizume K, Nakakita M, Kojima H, Matsubayashi Y, et al. 1998. Differential induction by methyl jasmonate of genes encoding ornithine decarboxylase and other enzymes involved in nicotine biosynthesis in tobacco cell cultures. *Plant Molecular Biology* 38: 1101-11
- Jiménez Bremont JF, Marina M, Guerrero-González MdL, Rossi FR, Sánchez-Rangel D, et al. 2014. Physiological and molecular implications of plant polyamine metabolism during biotic interactions. *Frontiers in Plant Science* 5: 95
- Jones P, Binns D, Chang H-Y, Fraser M, Li W, et al. 2014. InterProScan 5: genome-scale protein function classification. *Bioinformatics* 30: 1236-40
- Junglee S, Urban L, Sallanon H, Lopez-Lauri F. 2014. Optimized assay for hydrogen peroxide determination in plant tissue using potassium iodide. *American Journal of Analytical Chemistry* 5: 730

- Takehi J-I, Kuwashiro Y, Motose H, Igarashi K, Takahashi T. 2010. Norspermine substitutes for thermospermine in the control of stem elongation in *Arabidopsis thaliana*. *FEBS letters* 584: 3042-46
- Takehi J-i, Kuwashiro Y, Niitsu M, Takahashi T. 2008. Thermospermine is required for stem elongation in *Arabidopsis thaliana*. *Plant and Cell Physiology* 49: 1342-49
- Kakkar RK, Rai VK. 1993. Plant polyamines in flowering and fruit ripening. *Phytochemistry* 33: 1281-88
- Karimi M, Inzé D, Depicker AJ. 2002. GATEWAY™ vectors for *Agrobacterium*-mediated plant transformation. *Trends in plant sciences* 7: 193-95
- Kasukabe Y, He L, Nada K, Misawa S, Ihara I, Tachibana S. 2004. Overexpression of spermidine synthase enhances tolerance to multiple environmental stresses and up-regulates the expression of various stress-regulated genes in transgenic *Arabidopsis thaliana*. *Plant and Cell Physiology* 45: 712-22
- Kasukabe Y, He L, Watakabe Y, Otani M, Shimada T, Tachibana S. 2006. Improvement of environmental stress tolerance of sweet potato by introduction of genes for spermidine synthase. *Plant Biotechnology* 23: 75-83
- Kaur-Sawhney R, Galston AW. 1979. Interaction of polyamines and light on biochemical processes involved in leaf senescence. *Plant, Cell & Environment* 2: 189-96
- Kaur-Sawhney R, Shih L-M, Flores HE, Galston AW. 1982. Relation of polyamine synthesis and titer to aging and senescence in oat leaves. *Plant Physiology* 69: 405-10
- Khare T, Srivastav A, Shaikh S, Kumar V. 2018. Polyamines and their metabolic engineering for plant salinity stress tolerance, In *Salinity Responses and Tolerance in Plants*, Volume 1, pp. 339-58: Springer
- Kilian J, Whitehead D, Horak J, Wanke D, Weigl S, et al. 2007. The AtGenExpress global stress expression data set: protocols, evaluation and model data analysis of UV-B light, drought and cold stress responses. *The Plant Journal* 50: 347-63
- Kitashiba H, Hao Y-J, Honda C, Moriguchi T. 2005. Two types of spermine synthase gene: MdACL5 and MdSPMS are differentially involved in apple fruit development and cell growth. *Gene* 361: 101-11
- Knott JM, Römer P, Sumper M. 2007. Putative spermine synthases from *Thalassiosira pseudonana* and *Arabidopsis thaliana* synthesize thermospermine rather than spermine. *FEBS letters* 581: 3081-86
- Koc E, Bagga S, Songstad D, Betz S, Kuehn G, Phillips G. 1998. Occurrence of uncommon polyamines in cultured tissues of maize. *In Vitro Cellular & Developmental Biology-Plant* 34: 252-55
- Koncz C, Martini N, Szabados L, Hroudá M, Bachmair A, Schell J. 1994. Specialized vectors for gene tagging and expression studies In *Plant molecular biology manual*, pp. 53-74: Springer

- Kramer GF, Norman HA, Krizek DT, Mirecki RM. 1991. Influence of UV-B radiation on polyamines, lipid peroxidation and membrane lipids in cucumber. *Phytochemistry* 30: 2101-08
- Krause K, Berg S, Krupinska K. 2003. Plastid transcription in the holoparasitic plant genus *Cuscuta*: parallel loss of the *rrn16* PEP-promoter and of the *rpoA* and *rpoB* genes coding for the plastid-encoded RNA polymerase. *Planta* 216: 815-23
- Kremnev D, Strand Å. 2014. Plastid encoded RNA polymerase activity and expression of photosynthesis genes required for embryo and seed development in *Arabidopsis*. *Frontiers in Plant Sciences* 5: 385
- Kröger N, Deutzmann R, Bergsdorf C, Sumper M. 2000. Species-specific polyamines from diatoms control silica morphology. *Proceedings of the National Academy of Sciences USA* 97: 14133-38
- Kubiś J. 2008. Exogenous spermidine differentially alters activities of some scavenging system enzymes, H₂O₂ and superoxide radical levels in water-stressed cucumber leaves. *Journal of Plant physiology* 165: 397-406
- Kuehn GD, Rodriguez-Garay B, Bagga S, Phillips GC. 1990. Novel occurrence of uncommon polyamines in higher plants. *Plant Physiology* 94: 855-57
- Kumar A, Taylor M, Altabella T, Tiburcio AF. 1997. Recent advances in polyamine research. *Trends in Plant Science* 2: 124-30
- Kumar RR, Sharma SK, Rai GK, Singh K, Choudhury M, et al. 2014. Exogenous application of putrescine at pre-anthesis enhances the thermotolerance of wheat (*Triticum aestivum* L.). *Indian Journal of Biochemistry and Biophysics* 5:396-406
- Kusano T, Berberich T, Tateda C, Takahashi Y. 2008. Polyamines: essential factors for growth and survival. *Planta* 228: 367-81
- Kusano T, Yamaguchi K, Berberich T, Takahashi Y. 2007. The polyamine spermine rescues *Arabidopsis* from salinity and drought stresses. *Plant Signaling & Behavior* 2: 251-52
- Landy, A. (1989). Dynamic, structural, and regulatory aspects of lambda Site-specific recombination. *Annual Reviews of Biochemistry* 58, 913-949.
- Larkin MA, Blackshields G, Brown N, Chenna R, McGettigan PA, et al. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics* 23: 2947-48
- Lecourieux D, Raneva R, Pugin A. 2006. Calcium in plant defence-signalling pathways. *New Phytologist* 171: 249-69
- Legocka J, Zajchert I. 1999. Role of spermidine in the stabilization of the apoprotein of the light-harvesting chlorophyll a/b-protein complex of photosystem II during leaf senescence process. *Acta Physiologiae Plantarum* 21: 127-32
- Lescot M, Déhais P, Thijs G, Marchal K, Moreau Y, et al. 2002. PlantCARE, a database of plant cis-acting regulatory elements and a portal to tools for in silico analysis of promoter sequences. *Nucleic acids research* 30: 325-27

- Lesser MP. 2006. Oxidative stress in marine environments: biochemistry and physiological ecology. *Annual Review of Physiology*. 68: 253-78
- Li J, Mu J, Bai J, Fu F, Zou T, et al. 2013. Paraquat resistant1, a golgi-localized putative transporter protein, is involved in intracellular transport of paraquat. *Plant Physiology* 162: 470-83
- Li J-F, Chung HS, Niu Y, Bush J, McCormack M, Sheen J. 2013. Comprehensive protein-based artificial microRNA screens for effective gene silencing in plants. *The Plant Cell*. 113.
- Liu H, Dong B, Zhang Y, Liu Z, Liu Y. 2004. Relationship between osmotic stress and the levels of free, conjugated and bound polyamines in leaves of wheat seedlings. *Plant Science* 166: 1261-67
- Liu J, Nada K, Pang X, Honda C, Kitashiba H, Moriguchi T. 2006. Role of polyamines in peach fruit development and storage. *Tree Physiology* 26: 791-98
- Liu J, Nakajima I, Moriguchi T. 2011. Effects of salt and osmotic stresses on free polyamine content and expression of polyamine biosynthetic genes in *Vitis vinifera*. *Biologia Plantarum* 55: 340-44
- Liu J-H, Kitashiba H, Wang J, Ban Y, Moriguchi T. 2007. Polyamines and their ability to provide environmental stress tolerance to plants. *Plant Biotechnology* 24: 117-26
- Liu J-H, Nada K, Honda C, Kitashiba H, Wen X-P, et al. 2006. Polyamine biosynthesis of apple callus under salt stress: importance of the arginine decarboxylase pathway in stress response. *Journal of Experimental Botany* 57: 2589-99
- Liu J-H, Wang W, Wu H, Gong X, Moriguchi T. 2015. Polyamines function in stress tolerance: from synthesis to regulation. *Frontiers in plant science* 6: 827
- Liu Y, Sun G, Zhong Z, Zheng X, Deng K. 2017. Overexpression of SAMDC gene from *Salvia miltiorrhiza* enhances drought tolerance in transgenic tobacco (*Nicotiana tabacum*). *Journal of Agricultural Biotechnology* 25: 729-38
- Livak KJ, Schmittgen TD. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods* 25: 402-08
- Luo J, Fuell C, Parr A, Hill L, Bailey P, et al. 2009. A novel polyamine acyltransferase responsible for the accumulation of spermidine conjugates in *Arabidopsis* seed. *The Plant Cell* 21: 318-33
- Mainali KP, Heckathorn SA, Wang D, Weintraub MN, Frantz JM, Hamilton III EW. 2014. Impact of a short-term heat event on C and N relations in shoots vs. roots of the stress-tolerant C4 grass, *Andropogon gerardii*. *Journal of plant physiology* 171: 977-85
- Malmberg. 1984. N-feruloylputrescine in infected potato tubers. *Acta Chemica Scandinavica* 38: 153-55

- Mandal C, Ghosh N, Adak MK, Dey N. 2013. Interaction of polyamine on oxidative stress induced by exogenously applied hydrogen peroxide in *Salvinia natans* Linn. *Theoretical and Experimental Plant Physiology* 25: 223-30
- Marco F, Busó E, Carrasco P. 2014. Overexpression of SAMDC1 gene in *Arabidopsis thaliana* increases expression of defense-related genes as well as resistance to *Pseudomonas syringae* and *Hyaloperonospora arabidopsidis*. *Frontiers in plant science* 5: 115
- Marina M, Maiale SJ, Rossi FR, Romero MF, Rivas EI, et al. 2008. Apoplastic polyamine oxidation plays different roles in local responses of tobacco to infection by the necrotrophic fungus *Sclerotinia sclerotiorum* and the biotrophic bacterium *Pseudomonas viridiflava*. *Plant Physiology* 147: 2164-78
- Marina M, Sirera FV, Rambla JL, Gonzalez ME, Blazquez MA, et al. 2013. Thermospermine catabolism increases *Arabidopsis thaliana* resistance to *Pseudomonas viridiflava*. *Journal of experimental botany* 64: 1393-402
- Marini F, Betti L, Scaramagli S, Biondi S, Torrigiani P. 2001. Polyamine metabolism is upregulated in response to tobacco mosaic virus in hypersensitive, but not in susceptible, tobacco. *New phytologist* 149: 301-09
- Marklund S, Marklund G. 1974. Involvement of the superoxide anion radical in the autoxidation of pyrogallol and a convenient assay for superoxide dismutase. *European journal of biochemistry* 47: 469-74
- Martin-Tanguy J, Martin C, Gallet M, Vernoy R. 1976. Potent natural inhibitors of tobacco mosaic virus multiplication. *Comptes rendus hebdomadaires des séances de l'Académie des sciences. Serie D: Sciences naturelles* 282: 2231-34
- Martin-Tanguy J. 1985. The occurrence and possible function of hydroxycinnamoyl acid amides in plants. *Plant Growth Regulation* 3: 381-99
- Martin-Tanguy J. 2001. Metabolism and function of polyamines in plants: recent development (new approaches). *Plant Growth Regulation* 34: 135-48
- Marton LJ, Pegg AE. 1995. Polyamines as targets for therapeutic intervention. *Annual Review of Pharmacology and Toxicology* 35: 55-91
- Mattoo AK, Minocha SC, Minocha R, Handa AK. 2010. Polyamines and cellular metabolism in plants: transgenic approaches reveal different responses to diamine putrescine versus higher polyamines spermidine and spermine. *Amino Acids* 38: 405-13
- Mehta AM, Saftner RA, Schaeffer GW, Mattoo AK. 1991. Translational modification of an 18 kilodalton polypeptide by spermidine in rice cell suspension cultures. *Plant Physiology* 95: 1294-97
- Mehta RA, Cassol T, Li N, Ali N, Handa AK, Mattoo AK. 2002. Engineered polyamine accumulation in tomato enhances phytonutrient content, juice quality, and vine life. *Nature Biotechnology* 20: 613-8

- Mellidou I, Moschou PN, Ioannidis NE, Pankou C, Gemes K, et al. 2016. Silencing S-adenosyl-L-methionine decarboxylase (SAMDC) in *Nicotiana tabacum* Points at a polyamine-dependent trade-off between growth and tolerance responses. *Frontiers in Plant Science* 7:379
- Milhinhos A, Matos A, Vera-Sirera F, Blazquez M, Miguel C. 2011. In search for the role of thermospermine synthase gene in poplar vascular development. In *BMC Proceedings* 5: 72. Biomed Central. .
- Minas K, McEwan NR, Newbold CJ, Scott KP. 2011. Optimization of a high-throughput CTAB-based protocol for the extraction of qPCR-grade DNA from rumen fluid, plant and bacterial pure cultures. *FEMS Microbiology Letters*, 325: 162-69.
- Minguet EG, Vera-Sirera F, Marina A, Carbonell J, Blázquez MA. 2008. Evolutionary diversification in polyamine biosynthesis. *Molecular Biology and Evolution* 25: 2119-28
- Minocha R, Majumdar R, Minocha SC. 2014. Polyamines and abiotic stress in plants: a complex relationship. *Frontiers in Plant Science* 5: 175
- Minois N, Carmona-Gutierrez D, Madeo F. 2011. Polyamines in aging and disease. *Aging (Albany NY)* 3: 716-32
- Mitsuya Y, Takahashi Y, Berberich T, Miyazaki A, Matsumura H, et al. 2009. Spermine signaling plays a significant role in the defense response of *Arabidopsis thaliana* to cucumber mosaic virus. *Journal of Plant Physiology* 166: 626-43
- Mizrahi Y, Applewhite PB, Galston AW. 1989. Polyamine binding to proteins in oat and petunia protoplasts. *Plant Physiology* 91: 738-43
- Mo H, Wang X, Zhang Y, Yang J, Ma Z. 2015. Cotton ACAULIS5 is involved in stem elongation and the plant defense response to *Verticillium dahliae* through thermospermine alteration. *Plant Cell Reports* 34: 1975-85
- Moller SG, McPherson MJ. 1998. Developmental expression and biochemical analysis of the *Arabidopsis* atao1 gene encoding an H₂O₂-generating diamine oxidase. *The Plant Journal for Cell and Molecular Biology* 13: 781-91
- Montague MJ, Armstrong TA, Jaworski EG. 1979. Polyamine metabolism in embryogenic cells of *Daucus carota* II. Changes in arginine decarboxylase activity. *Plant Physiology* 63: 341-45
- Moschou PN, Roubelakis-Angelakis KA. 2013. Polyamines and programmed cell death. *Journal of Experimental Botany* 65: 1285-96
- Moschou PN, Sarris PF, Skandalis N, Andriopoulou AH, Paschalidis KA, et al. 2009. Engineered polyamine catabolism preinduces tolerance of tobacco to bacteria and oomycetes. *Plant Physiology* 149: 1970-81
- Mulangi V, Chibucos MC, Phuntumart V, Morris PF. 2012a. Kinetic and phylogenetic analysis of plant polyamine uptake transporters. *Planta* 236: 1261-73
- Mulangi V, Phuntumart V, Aouida M, Ramotar D, Morris P. 2012b. Functional analysis of OsPUT1, a rice polyamine uptake transporter. *Planta* 235: 1-11

- Muñiz L, Minguet EG, Singh SK, Pesquet E, Vera-Sirera F, et al. 2008. ACAULIS5 controls *Arabidopsis* xylem specification through the prevention of premature cell death. *Development* 135: 2573-82
- Murashige T, Skoog F. 1962. A revised medium for rapid growth and bio assays with tobacco tissue cultures. *Physiologia Plantarum* 15: 473-97
- Murkowski A. 2001. Heat stress and spermidine: effect on chlorophyll fluorescence in tomato plants. *Biologia Plantarum* 44: 53-57
- Nakano Y, Asada K. 1981. Hydrogen peroxide is scavenged by ascorbate-specific peroxidase in spinach chloroplasts. *Plant and Cell Physiology* 22: 867-80
- Nambeesan S, Datsenka T, Ferruzzi MG, Malladi A, Mattoo AK, Handa AK. 2010. Overexpression of yeast spermidine synthase impacts ripening, senescence and decay symptoms in tomato. *The Plant Journal* 63: 836-47
- Nayvelt I, Hyvönen MT, Alhonen L, Pandya I, Thomas T, et al. 2009. DNA condensation by chiral α -methylated polyamine analogues and protection of cellular DNA from oxidative damage. *Biomacromolecules* 11: 97-105
- Nayyar H, Chander S. 2004. Protective effects of polyamines against oxidative stress induced by water and cold stress in chickpea. *Journal of Agronomy and Crop Science* 190: 355-65
- Nayyar H. 2005. Putrescine increases floral retention, pod set and seed yield in cold stressed chickpea. *Journal of Agronomy and Crop Science* 191: 340-45
- Ndayiragije A, Lutts S. 2006. Do exogenous polyamines have an impact on the response of a salt-sensitive rice cultivar to NaCl? *Journal of Plant Physiology* 163: 506-16
- Negrel J, Vallée J-C, Martin C. 1984. Ornithine decarboxylase activity and the hypersensitive reaction to tobacco mosaic virus in *Nicotiana tabacum*. *Phytochemistry* 23: 2747-51
- Neily MH, Baldet P, Arfaoui I, Saito T, Li Q-l, et al. 2011. Overexpression of apple spermidine synthase 1 (MdSPDS1) leads to significant salt tolerance in tomato plants. *Plant Biotechnology* 28: 33-42
- Nölke G, Volke D, Chudobová I, Houdelet M, Lusso M, et al. 2018. Polyamines delay leaf maturation in low-alkaloid tobacco varieties. *Plant Direct* 2:7
- Oshima T. 2007. Unique polyamines produced by an extreme thermophile, *Thermus thermophilus*. *Amino Acids* 33: 367-72
- Oshima T. 1979. A new polyamine, thermospermine, 1, 12-diamino-4, 8-diazadodecane, from an extreme thermophile. *Journal of Biological Chemistry* 254: 8720-22
- Ossowski S, Schwab R, Weigel D. 2008. Gene silencing in plants using artificial microRNAs and other small RNAs. *The Plant Journal* 53: 674-90
- Pál M, Szalai G, Janda T. 2015. Speculation: polyamines are important in abiotic stress signaling. *Plant Science* 237: 16-23

- Panicot M, Minguet EG, Ferrando A, Alcázar R, Blázquez MA, et al. 2002. A polyamine metabolon involving aminopropyl transferase complexes in *Arabidopsis*. *The Plant Cell* 14: 2539-51
- Park SH, Morris JL, Park JE, Hirschi KD, Smith RH. 2003. Efficient and genotype-independent *Agrobacterium*-mediated tomato transformation. *Journal of Plant Physiology* 160: 1253-57
- Patel M, Berry JO. 2008. Rubisco gene expression in C4 plants. *Journal of Experimental Botany* 59: 1625-34
- Pegg A, McCann P. 1982. Polyamine metabolism and function. *American Journal of Physiology-Cell Physiology* 243: 5
- Peng M, Gao Y, Chen W, Wang W, Shen S, et al. 2016. Evolutionarily distinct BAHD N-acyltransferases are responsible for natural variation of aromatic amine conjugates in rice. *The Plant Cell* 28:1533-50
- Pistocchi R, Bagni N, Creus JA. 1987. Polyamine uptake in carrot cell cultures. *Plant Physiology* 84: 374-80
- Pistocchi R, Keller F, Bagni N, Matile P. 1988. Transport and subcellular localization of polyamines in carrot protoplasts and vacuoles. *Plant Physiology* 87: 514-18
- Popovic RB, Kyle DJ, Cohen AS, Zalik S. 1979. Stabilization of thylakoid membranes by spermine during stress-induced senescence of barley leaf discs. *Plant Physiology* 64: 721-26
- Pottosin I, Velarde-Buendia AM, Bose J, Zepeda-Jazo I, Shabala S, Dobrovinskaya O. 2014. Cross-talk between reactive oxygen species and polyamines in regulation of ion transport across the plasma membrane: implications for plant adaptive responses. *Journal of Experimental Botany* 65: 1271-83
- Prabhavathi V, Rajam M. 2007. Mannitol-accumulating transgenic eggplants exhibit enhanced resistance to fungal wilts. *Plant Science* 173: 50-54
- Rabino I, Mancinelli AL. 1986. Light, temperature, and anthocyanin production. *Plant Physiology* 81: 922-24
- Rastogi R, Davies PJ. 1990. Polyamine metabolism in ripening tomato fruit I. Identification of metabolites of putrescine and spermidine. *Plant Physiology* 94: 1449-55
- Rider J, Hacker A, Mackintosh C, Pegg A, Woster P, Casero R. 2007. Spermine and spermidine mediate protection against oxidative damage caused by hydrogen peroxide. *Amino Acids* 33: 231-40
- Rodriguez-Enriquez M, Mehdi S, Dickinson H, Grant-Downton R. 2013. A novel method for efficient in vitro germination and tube growth of *Arabidopsis thaliana* pollen. *New Phytologist* 197: 668-79
- Roy M, Ghosh B. 1996. Polyamines, both common and uncommon, under heat stress in rice (*Oryza sativa*) callus. *Physiologia Plantarum* 98: 196-200

- Roy M, Wu R. 2001. Arginine decarboxylase transgene expression and analysis of environmental stress tolerance in transgenic rice. *Plant Science* 160: 869-75
- Sagor G, Berberich T, Kojima S, Niitsu M, Kusano T. 2016. Spermine modulates the expression of two probable polyamine transporter genes and determines growth responses to cadaverine in *Arabidopsis*. *Plant Cell Reports* 35: 1247-57
- Sagor G, Berberich T, Takahashi Y, Niitsu M, Kusano T. 2013. The polyamine spermine protects *Arabidopsis* from heat stress-induced damage by increasing expression of heat shock-related genes. *Transgenic Research* 22: 595-605
- Sagor G, Takahashi H, Niitsu M, Takahashi Y, Berberich T, Kusano T. 2012. Exogenous thermospermine has an activity to induce a subset of the defense genes and restrict cucumber mosaic virus multiplication in *Arabidopsis thaliana*. *Plant Cell Reports* 31: 1227-32
- Sagor GHM, Liu TB, Takahashi H, Niitsu M, Berberich T, Kusano T. 2013. Longer uncommon polyamines have a stronger defense gene-induction activity and a higher suppressing activity of Cucumber mosaic virus multiplication compared to that of spermine in *Arabidopsis thaliana*. *Plant Cell Reports* 32: 1477-88
- Saha J, Brauer EK, Sengupta A, Popescu SC, Gupta K, Gupta B. 2015. Polyamines as redox homeostasis regulators during salt stress in plants. *Frontiers in Environmental Science* 3: 21
- Saleem BA, Malik AU, Anwar R, Farooq M. Exogenous application of polyamines improves fruit set, yield and quality of sweet oranges. *Acta Horticulturae* 774: 187-94.
- Sánchez-Rodríguez E, Romero L, Ruiz JM. 2016. Accumulation of free polyamines enhances the antioxidant response in fruits of grafted tomato plants under water stress. *Journal of Plant Physiology* 190: 72-78
- Schuber F. 1989. Influence of polyamines on membrane functions. *Biochemical Journal* 260: 1
- Schwab R, Ossowski S, Riester M, Warthmann N, Weigel D. 2006. Highly specific gene silencing by artificial microRNAs in *Arabidopsis*. *The Plant Cell Online* 18: 1121-33
- Šebela M, Radová A, Angelini R, Tavladoraki P, Frébort I, Peč P. 2001. FAD-containing polyamine oxidases: a timely challenge for researchers in biochemistry and physiology of plants. *Plant Science* 160: 197-207
- Seiler N, Raul F. 2005. Polyamines and apoptosis. *Journal of Cellular and Molecular Medicine* 9: 623-42
- Sekula B, Ruskowski M, Malinska M, Dauter Z. 2016. Structural investigations of N-carbamoylputrescine amidohydrolase from *Medicago truncatula*: insights into the ultimate step of putrescine biosynthesis in plants. *Frontiers in Plant Science* 7: 350
- Sequera-Mutiozabal M, Antoniou C, Tiburcio AF, Alcázar R, Fotopoulos V. 2017. Polyamines: emerging hubs promoting drought and salt stress tolerance in plants. *Current Molecular Biology Reports* 3: 28-36

- Sequera-Mutiozabal M, Tiburcio AF, Alcázar R. 2016. Drought stress tolerance in relation to polyamine metabolism in plants. In drought stress tolerance in plants, Vol 1, pp. 267-86: Springer
- Sequera-Mutiozabal MI, Erban A, Kopka J, Atanasov KE, Bastida J, et al. 2016. Global metabolic profiling of *Arabidopsis* polyamine oxidase 4 (AtPAO4) loss-of-function mutants exhibiting delayed dark-induced senescence. *Frontiers in Plant Science* 7:173
- Sharma S, Pareek S, Sagar NA, Valero D, Serrano M. 2017. Modulatory effects of exogenously applied polyamines on postharvest physiology, antioxidant system and shelf life of fruits: A review. *International Journal of Molecular Sciences* 18: 1789
- Shi H, Chan Z. 2014. Improvement of plant abiotic stress tolerance through modulation of the polyamine pathway. *Journal of Integrative Plant Biology* 56: 114-21
- Shin L-J, Lo J-C, Yeh K-C. 2012. Copper chaperone antioxidant protein 1 is essential for copper homeostasis. *Plant Physiology*. 112.195974
- Slocum RD, Kaur-Sawhney R, Galston AW. 1984. The physiology and biochemistry of polyamines in plants. *Archives of Biochemistry and Biophysics* 235: 283-303
- Slocum RD. 1991. Polyamine biosynthesis in plants. *Biochemistry and Physiology of Polyamines in Plants*: 23-40
- Smith T. 1970. Putrescine, spermidine and spermine in higher plants. *Phytochemistry* 9: 1479-86
- Smith TA, Best GR. 1978. Distribution of the hordatines in barley. *Phytochemistry* 17: 1093-98
- Šnyrychová I, Ayaydin F, Hideg É. 2009. Detecting hydrogen peroxide in leaves in vivo—a comparison of methods. *Physiologia plantarum* 135: 1-18
- Sobieszczuk-Nowicka E, Kubala S, Zmienko A, Małecka A, Legocka J. 2016. From accumulation to degradation: reprogramming polyamine metabolism facilitates dark-induced senescence in barley leaf cells. *Frontiers in Plant Science* 6: 1198
- Sobieszczuk-Nowicka E, Legocka J. 2014. Plastid-associated polyamines: their role in differentiation, structure, functioning, stress response and senescence. *Plant Biology* 16: 297-305
- Song J, Wei X, Shao G, Sheng Z, Chen D, et al. 2014. The rice nuclear gene WLP1 encoding a chloroplast ribosome L13 protein is needed for chloroplast development in rice grown under low temperature conditions. *Plant Molecular Biology* 84: 301-14
- Soulet D, Gagnon B, Rivest S, Audette M, Poulin R. 2004. A fluorescent probe of polyamine transport accumulates into intracellular acidic vesicles via a two-step mechanism. *Journal of Biological Chemistry* 279: 49355-66
- Sudha G, Ravishankar G. 2002. Involvement and interaction of various signaling compounds on the plant metabolic events during defense response, resistance to stress factors, formation of secondary metabolites and their molecular aspects. *Plant Cell, Tissue and Organ Culture* 71: 181-212

- Sudha G, Ravishankar G. 2003. Influence of putrescine on anthocyanin production in callus cultures of *Daucus carota* mediated through calcium ATPase. *Acta Physiologiae Plantarum* 25: 69-75
- Tabor CW, Tabor H. 1984. Polyamines. *Annual Review of Biochemistry* 53: 749-90
- Tadolini B. 1988. Polyamine inhibition of lipoperoxidation. The influence of polyamines on iron oxidation in the presence of compounds mimicking phospholipid polar heads. *Biochemical Journal* 249: 33-36
- Takahashi Y, Berberich T, Miyazaki A, Seo S, Ohashi Y, Kusano T. 2003. Spermine signalling in tobacco: activation of mitogen-activated protein kinases by spermine is mediated through mitochondrial dysfunction. *The Plant Journal* 36: 820-29
- Takano A, Kakehi J-I, Takahashi T. 2012. Thermospermine is not a minor polyamine in the plant kingdom. *Plant and Cell Physiology* 53: 606-16
- Takeda Y, Samejima K, Nagano K, Watanabe M, Sugeta H, Kyogoku Y. 1983. Determination of protonation sites in thermospermine and in some other polyamines by ¹⁵N and ¹³C nuclear magnetic resonance spectroscopy. *European Journal of Biochemistry* 130: 383-89
- Tamura K, Stecher G, Peterson D, Filipinski A, Kumar S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. *Molecular Biology and Evolution* 30: 2725-29
- Teuber M, Azemi ME, Namjoyan F, Meier A-C, Wodak A, et al. 2007. Putrescine N-methyltransferases—a structure–function analysis. *Plant Molecular Biology* 63: 787-801
- Thomas H, Huang L, Young M, Ougham H. 2009. Evolution of plant senescence. *BMC Evolutionary Biology* 9: 163
- Thomas H, Stoddart JL. 1980. Leaf senescence. *Annual Review of Plant Physiology* 31: 83-111
- Thomas T, Thomas TJ. 2001. Polyamines in cell growth and cell death: molecular mechanisms and therapeutic applications. *Cellular and Molecular Life Sciences* 58: 244-58
- Tiburcio A, Besford R, Capell T, Borrell A, Testillano P, Risueno M. 1994. Mechanisms of polyamine action during senescence responses induced by osmotic stress. *Journal of Experimental Botany* 45: 1789-800
- Tiburcio A, Campos J, Figueras X, Besford R. 1993. Recent advances in the understanding of polyamine functions during plant development. *Plant Growth Regulation* 12: 331-40
- Tiburcio AF, Altabella T, Bitrián M, Alcázar R. 2014. The roles of polyamines during the lifespan of plants: from development to stress. *Planta* 240: 1-18
- Tisi A, Federico R, Moreno S, Lucretti S, Moschou PN, et al. 2011. Perturbation of polyamine catabolism can strongly affect root development and xylem differentiation. *Plant Physiology* 157: 200-15

- Tiwari M, Sharma D, Trivedi PK. 2014. Artificial microRNA mediated gene silencing in plants: progress and perspectives. *Plant Molecular Biology* 86: 1-18
- Tofilon PJ, Oredsson SM, Deen DF, Marton LJ. 1982. Polyamine depletion influences drug-induced chromosomal damage. *Science* 217: 1044-46
- Torres MA, Dangl JL. 2005. Functions of the respiratory burst oxidase in biotic interactions, abiotic stress and development. *Current Opinion in Plant Biology* 8: 397-403
- Trénor M, Perez-Amador MA, Carbonell J, Blázquez MA. 2010. Expression of polyamine biosynthesis genes during parthenocarpic fruit development in *Citrus clementina*. *Planta* 231: 1401-11
- Tsaniklidis G, Kotsiras A, Tsafouros A, Roussos PA, Aivalakis G, et al. 2016. Spatial and temporal distribution of genes involved in polyamine metabolism during tomato fruit development. *Plant Physiology and Biochemistry* 100: 27-36
- Tsukaya H, Naito S, Rédei GP, Komeda Y. 1993. A new class of mutations in *Arabidopsis thaliana*, *acaulis1*, affecting the development of both inflorescences and leaves. *Development* 118: 751-64
- Urano K, Hobo T, Shinozaki K. 2005. Arabidopsis ADC genes involved in polyamine biosynthesis are essential for seed development. *FEBS Letters* 579: 1557-64
- Urano K, Yoshiba Y, Nanjo T, Igarashi Y, Seki M, et al. 2003. Characterization of *Arabidopsis* genes involved in biosynthesis of polyamines in abiotic stress responses and developmental stages. *Plant, Cell & Environment* 26: 1917-26
- Urano K, Yoshiba Y, Nanjo T, Ito T, Yamaguchi-Shinozaki K, Shinozaki K. 2004. Arabidopsis stress-inducible gene for arginine decarboxylase *AtADC2* is required for accumulation of putrescine in salt tolerance. *Biochemical and Biophysical Research Communications* 313: 369-75
- Valero D, Pérez-Vicente A, Martínez-Romero D, Castillo S, Guillen F, Serrano M. 2002. Plum storability improved after calcium and heat postharvest treatments: role of polyamines. *Journal of Food Science* 67: 2571-75
- van Doorn WG, Yoshimoto K. 2010. Role of chloroplasts and other plastids in ageing and death of plants and animals: a tale of Vishnu and Shiva. *Ageing Research Reviews* 9: 117-30
- Varner JE, Lin L-S. 1989. Plant cell wall architecture. *Cell* 56: 231-39
- Veluthambi K, Poovaiah B. 1984. Polyamine-stimulated phosphorylation of proteins from corn (*Zea mays* L.) coleoptiles. *Biochemical and biophysical research communications* 122: 1374-80
- Vijayanathan V, Thomas T, Thomas T. 2002. DNA nanoparticles and development of DNA delivery vehicles for gene therapy. *Biochemistry* 41: 14085-94
- Waie B, Rajam MV. 2003. Effect of increased polyamine biosynthesis on stress responses in transgenic tobacco by introduction of human S-adenosylmethionine gene. *Plant Science* 164: 727-34

- Wallace HM, Fraser AV, Hughes A. 2003. A perspective of polyamine metabolism. *Biochemical Journal* 376: 1-14
- Walters D, Meurer-Grimes B, Rovira I. 2001. Antifungal activity of three spermidine conjugates. *FEMS Microbiology Letters* 201: 255-58
- Walters D. 2000. Polyamines in plant–microbe interactions. *Physiological and Molecular Plant Pathology* 57: 137-46
- Walters D. 2003a. Resistance to plant pathogens: possible roles for free polyamines and polyamine catabolism. *New Phytologist* 159: 109-15
- Walters DR. 2003b. Polyamines and plant disease. *Phytochemistry* 64: 97-107
- Wang J, Liu J-H. 2009. Change in free polyamine contents and expression profiles of two polyamine biosynthetic genes in citrus embryogenic callus under abiotic stresses. *Biotechnology & Biotechnological Equipment* 23: 1289-93
- Wang X, Ikeguchi Y, McCloskey DE, Nelson P, Pegg AE. 2004. Spermine synthesis is required for normal viability, growth, and fertility in the mouse. *Journal of Biological Chemistry* 279: 51370-75
- Watanabe N, Lam E. 2011. Calcium-dependent Activation and Autolysis of *Arabidopsis* Metacaspase 2d. *Journal of Biological Chemistry* 286: 10027-40
- Wi SJ, Kim SJ, Kim WT, Park KY. 2014. Constitutive S-adenosylmethionine decarboxylase gene expression increases drought tolerance through inhibition of reactive oxygen species accumulation in *Arabidopsis*. *Planta* 239: 979-88
- Wi SJ, Kim WT, Park KY. 2006. Overexpression of carnation S-adenosylmethionine decarboxylase gene generates a broad-spectrum tolerance to abiotic stresses in transgenic tobacco plants. *Plant Cell Reports* 25: 1111-21
- Williams-Ashman H, Schenone A. 1972. Methyl glyoxal bis (guanylhydrazone) as a potent inhibitor of mammalian and yeast S-adenosylmethionine decarboxylases. *Biochemical and Biophysical Research Communications* 46: 288-95
- Wojtasik W, Kulma A, Namysł K, Preisner M, Szopa J. 2015. Polyamine metabolism in flax in response to treatment with pathogenic and non–pathogenic *Fusarium* strains. *Frontiers in Plant Science* 6: 291
- Wu J, Shang Z, Wu J, Jiang X, Moschou PN, et al. 2010. Spermidine oxidase-derived H₂O₂ regulates pollen plasma membrane hyperpolarization-activated Ca²⁺-permeable channels and pollen tube growth. *The Plant Journal* 63: 1042-53
- Wuddineh W, Minocha R, Minocha SC. 2018. Polyamines in the context of metabolic networks. In *Polyamines*, pp. 1-23: Springer
- Xiang SY, Avdiushko SA, Kuc J. 1994. Effects of polyamines on in vitro phosphorylation of soluble and plasma membrane proteins in tobacco, cucumber and *Arabidopsis thaliana*. *Plant Science* 97: 109-18

- Yamaguchi K, Takahashi Y, Berberich T, Imai A, Miyazaki A, et al. 2006. The polyamine spermine protects against high salt stress in *Arabidopsis thaliana*. *FEBS letters* 580: 6783-88
- Yamaguchi K, Takahashi Y, Berberich T, Imai A, Takahashi T, et al. 2007. A protective role for the polyamine spermine against drought stress in *Arabidopsis*. *Biochemical and Biophysical Research Communications* 352: 486-90
- Yamakawa H, Kamada H, Satoh M, Ohashi Y. 1998. Spermine is a salicylate-independent endogenous inducer for both tobacco acidic pathogenesis-related proteins and resistance against tobacco mosaic virus infection. *Plant Physiology* 118: 1213-22
- Yang J, Zhang J, Liu K, Wang Z, Liu L. 2007. Involvement of polyamines in the drought resistance of rice. *Journal of Experimental Botany* 58: 1545-55
- Yatin M. 2002. Polyamines in living organisms. *Journal of Cell and Molecular Biology* 1: 57-67
- Ye J, Coulouris G, Zaretskaya I, Cutcutache I, Rozen S, Madden TL. 2012. Primer-BLAST: a tool to design target-specific primers for polymerase chain reaction. *BMC Bioinformatics* 13: 134
- Yiu J-C, Juang L-D, Fang DY-T, Liu C-W, Wu S-J. 2009. Exogenous putrescine reduces flooding-induced oxidative damage by increasing the antioxidant properties of Welsh onion. *Scientia Horticulturae* 120: 306-14
- Yoda H, Fujimura K, Takahashi H, Munemura I, Uchimiya H, Sano H. 2009. Polyamines as a common source of hydrogen peroxide in host-and nonhost hypersensitive response during pathogen infection. *Plant Molecular Biology* 70: 103-12
- Young ND, Galston AW. 1983. Are polyamines transported in etiolated peas? *Plant Physiology* 73: 912-14
- Yuan Z, Cao Q, Zhang K, Ata-Ul-Karim ST, Tian Y, et al. 2016. Optimal leaf positions for SPAD meter measurement in rice. *Frontiers in Plant Sciences* 7: 719
- Zapata PJ, Serrano M, Pretel MT, Amorós A, Botella MÁ. 2004. Polyamines and ethylene changes during germination of different plant species under salinity. *Plant Science* 167: 781-88
- Zeid I, Shedeed Z. 2006. Response of alfalfa to putrescine treatment under drought stress. *Biologia Plantarum* 50: 635-40
- Zepeda-Jazo I, Velarde-Buendía AM, Enríquez-Figueroa R, Bose J, Shabala S, et al. 2011. Polyamines interact with hydroxyl radicals in activating Ca^{2+} and K^{+} transport across the root epidermal plasma membranes. *Plant Physiology* 157: 2167-80
- Zhang W, Jiang B, Li W, Song H, Yu Y, Chen J. 2009. Polyamines enhance chilling tolerance of cucumber (*Cucumis sativus* L.) through modulating antioxidative system. *Scientia Horticulturae* 122: 200-08