

## Table of Content

Section	Title	Page No.
<b>CHAPTER 1 - INTRODUCTION</b>		
1	Introduction	2
<b>CHAPTER 2 - REVIEW OF LITERATURE</b>		
2	Review of literature	7
2.1	Distribution and localization	9
2.2	Polyamines interaction with cellular molecules and subcellular structure	10
2.2.1	Interaction with nucleic acids	10
2.2.2	Interaction with proteins and enzymes	10
2.2.3	Interaction with membranes and cell wall components	10
2.3	Metabolism and regulation	11
2.3.1	Biosynthesis	11
2.3.2	Degradation	12
2.3.3	Conjugation	13
2.3.4	Transport	14
2.4	Function of polyamines	17
2.4.1	Polyamines in growth and development	17
2.4.2	Polyamines in stress	21
2.4.2.1	Abiotic stress	21
2.4.2.2	Biotic stress	25
2.4.3	Polyamines as antioxidant	29
2.4.4	Polyamines as anti-senescence molecules	29
2.4.5	Polyamines in cell death	31
2.4.6	Polyamines as DNA protectant	31
<b>CHAPTER 3 - MATERIALS AND METHODS</b>		
3	Materials and methods	33
3.1	Identification of polyamine biosynthetic genes in tomato genome	33
3.2	Protein properties and gene structure analysis	33
3.3	Multiple sequence alignment and phylogenetic analysis	33
3.4	Analysis of cis-regulatory elements in promoter sequences	33
3.5	Expression analysis of candidate polyamine biosynthetic genes in different tissues of tomato plants	34
3.5.1	Plant material	34
3.5.2	RNA isolation	34
3.5.3	DNase I treatment	35
3.5.4	First strand cDNA synthesis	35
3.5.5	Expression analysis using semi-quantitative RT-PCR	36
3.5.6	Expression analysis using quantitative RT-PCR (qRT-PCR)	36
3.6	Expression analysis of tomato polyamine biosynthetic genes during stress and hormone treatments	38
3.6.1	Plant material	38
3.6.2	Stress treatments	38
3.6.3	RNA isolation	40

3.6.4	First strand cDNA synthesis	40
3.6.5	Expression analysis using qRT-PCR	40
3.7	Cloning of SolycACL5 (Solyc08g061970.2) gene for generation of gene silencing and overexpresser lines	40
3.7.1	Gateway cloning technology	43
3.7.2	Cloning of artificial microRNA (amiRNA) for silencing of SolycACL5	43
3.7.2.1	Designing of SolycACL5 specific amiRNA (amiRNA-SolycACL5)	43
3.7.2.2	BP recombination reaction	47
3.7.2.3	E. coli transformation	47
3.7.2.4	Plasmid isolation	48
3.7.2.5	LR recombination reaction	49
3.7.2.6	Agrobacterium transformation	49
3.7.2.7	Agrobacterium-mediated genetic transformation of tomato	50
3.7.3	Cloning of SolycACL5 gene for their overexpression in plants	51
3.7.3.1	PCR amplification of SolycACL5 coding sequence for generation of attB1-SolycACL5-attB2 clone	51
3.7.3.2	BP reaction	51
3.7.3.3	LR reaction	51
3.7.3.4	Genetic transformation of SolycACL5 overexpresser construct in tobacco	52
3.8	Molecular and biochemical characterization of SolycACL5 overexpressing (35S::SolycACL5 OE) tobacco lines	53
3.8.1	Genotyping of putative SolycACL5 overexpressing tobacco lines	53
3.8.2	Expression analysis of SolycACL5 overexpressing tobacco lines by semi-quantitative RT-PCR	53
3.8.3	Quantitative RT-PCR expression analysis of 35::SolycACL5 overexpressing tobacco lines	53
3.8.4	Detection of hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> ) accumulation	53
3.8.5	Antioxidant enzymes assays	54
3.8.5.1	Enzyme extraction	54
3.8.5.2	Catalase assay	54
3.8.5.3	Superoxide dismutase assay	54
3.8.5.4	Ascorbate peroxidase assay	54
3.8.5.5	Guaiacol peroxidase assay	55
3.8.6	Estimation of total chlorophyll	55
3.8.7	Anthocyanin measurement	55
3.8.8	MDA content	56
3.8.9	Expression analysis of senescence marker genes	56
3.8.10	Expression analysis of chloroplast associated marker genes	56
3.8.11	Quantification of chloroplast DNA (cpDNA)	56
3.9	Statistical analysis	57
<b>CHAPTER 4 – RESULTS</b>		
4	Results	59
4.1	Identification and nomenclature of candidate polyamine biosynthetic genes in tomato	59

4.1.1	Conserved motifs and phylogenetic analysis	60
4.1.2	Gene structure analysis of candidate polyamine biosynthetic genes	64
4.1.3	Identification of putative cis-regulatory elements in the promoter sequences of candidate polyamine biosynthetic genes	68
4.2	Expression patterns of candidate polyamine biosynthetic genes during development of tomato plants	72
4.3	Expression patterns of candidate polyamine biosynthetic genes during stress responses in tomato	90
4.4	Functional analysis of tomato SolycACL5 in plants	112
4.4.1	Silencing of tomato SolycACL5 in plants	112
4.4.2	Overexpression of tomato SolycACL5 in tobacco	116
4.4.2.1	Phenotyping of selected SolycACL5 overexpresser lines	119
4.4.2.2	Biochemical characterization of SolycACL5 overexpresser lines	122
4.4.2.2.1	Hydrogen peroxide concentration in the OE lines	122
4.4.2.2.2	Antioxidant enzymes activity in the OE lines	124
4.4.2.2.3	Chlorophyll content in the OE lines	126
4.4.2.2.4	Anthocyanin content in OE lines	127
4.4.2.2.5	MDA content in SolycACL5 OE lines	128
4.4.2.2.6	Expression analysis of senescence associated marker genes	129
4.4.2.2.7	Expression of chloroplast-encoded genes in OE plants	131
4.4.2.2.8	Total cPDNA content in OE plants	131
<b>CHAPTER 5 – DISCUSSION</b>		
5	Discussion	134
5.1	Genome-wide identification, nomenclature, phylogenetic and molecular analysis of polyamine biosynthetic genes in tomato	134
5.2	Expression pattern of polyamine biosynthetic genes in different tissues of tomato	138
5.3	Expression pattern of tomato polyamine biosynthetic genes in response to stress and hormone treatments	140
5.4	Silencing of SolycACL5 in tomato	142
5.5	Overexpression of SolycACL5 in tobacco	143
	<b>Summary</b>	148
	<b>References</b>	154
	<b>Supplementary</b>	176