

LIST OF FIGURES

Figure No.	Title	Page No.
2.1	Metabolic pathway of polyamines in plants	16
3.1	Map of Gateway entry vector pDONR207	41
3.2	Map of Gateway destination vector pMDC32	42
3.3	Map of plasmid pRS300 showing the precursor miR319a and position of A and B oligonucleotides	44
3.4	Cloning strategy of amiRNA	46
4.1	Conserved domain structure of polyamine biosynthetic enzymes	61
4.2	Phylogenetic relationships of polyamine biosynthetic genes of tomato (<i>Solyc</i>) with <i>Arabidopsis</i> (<i>At</i>). A) Phylogenetic tree of arginine/ ornithine decarboxylase family. B) Phylogenetic tree of S-adenosyl methionine decarboxylase family. C) Phylogenetic tree of spermidine/ spermine synthases family.	63
4.3	Exon-intron structure of tomato polyamine biosynthetic genes	66
4.4	Chromosomal distribution of tomato polyamine biosynthetic genes	67
4.5	Expression pattern analysis of <i>SolycADC1</i> (A and B) and <i>SolycADC2</i> (C and D) expression in different vegetative and reproductive tissues of tomato plants, respectively.	74
4.6	Quantitative RT-PCR analysis showing expression of <i>SolycODC1</i> (A and B) and <i>SolycODC2</i> (C and D) in vegetative and reproductive tissues of tomato, respectively.	76
4.7	Real time expression analysis of <i>SolycSAMDC1</i> (A and B) and <i>SolycSAMDC2</i> (C and D) in vegetative and reproductive tissues, respectively.	79
4.8	Real time expression pattern analysis of <i>SolycSAMDC3</i> (A and B) and <i>SolycSAMDC4</i> (C and D) F) during vegetative and reproductive tissues development in tomato, respectively.	80
4.9	Real time expression pattern analysis of <i>SolycSAMDC5</i> (A and B) during vegetative and reproductive tissues development in tomato, respectively.	81
4.10	Quantitative RT-PCR analysis showing expression of <i>SolycSPDS1</i> (A and B) and <i>SolycSPDS2</i> (C and D) in vegetative and reproductive tissues development of tomato, respectively.	83
4.11	Expression patterns of <i>SolycSPDS3</i> (A and B) and <i>SolycSPDS4</i> (C and D) in developing vegetative and reproductive tissues of tomato, respectively.	84
4.12	Expression patterns of <i>SolycSPDS5</i> (A and B) in developing vegetative and reproductive tissues of tomato, respectively.	85
4.13	Real time expression analysis of <i>SolycSPMS</i> (A and B) and <i>SolycACL5</i> (C and D) in developing vegetative and reproductive tissues of tomato, respectively.	88
4.14	Real time expression analysis of <i>SolycACL5-Like-1</i> (A and B) and <i>SolycACL5-Like2</i> (C and D) in developing vegetative and reproductive tissues of tomato, respectively.	89

4.15	Expression patterns of SolycADC1 (A, B and C) in tomato plants treated with various physical, chemical and hormonal stresses.	92
4.16	Expression patterns of SolycADC2 (A, B and C) in tomato plants treated with various physical, chemical and hormonal stresses.	93
4.17	Real time expression analysis of SolycODC1 (A, B and C) in tomato plants grown under different stresses.	94
4.18	Real time expression analysis of SolycODC2 (A, B and C) in tomato plants grown under different stresses	95
4.19	Expression pattern of SolycSAMDC1 (A, B and C) in tomato under different stress conditions.	97
4.20	Expression pattern of SolycSAMDC2 (A, B and C) in tomato under different stress conditions.	98
4.21	Expression pattern of SolycSAMDC3 (A, B and C) in tomato under different stress conditions.	99
4.22	Real time expression analysis of SolycSAMDC4 (A, B and C) genes in tomato treated with various stress conditions.	100
4.23	Expression patterns of candidate genes SolycSAMDC5 (A, B and C) in tomato during different stress conditions.	101
4.24	Expression patterns of candidate genes SolycSPDS1 (A, B and C) in tomato during different stress conditions.	103
4.25	Expression patterns of candidate genes SolycPSDS2 (A, B and C) in tomato during different stress conditions.	104
4.26	Expression patterns of SolycSPDS3 (A, B and C) in tomato plants during different stresses.	105
4.27	Expression patterns of SolycSPDS4 (A, B and C) in tomato plants during different stresses.	106
4.28	Expression patterns of SolycSPDS5 (A, B and C) in tomato plants during different stresses.	107
4.29	Expression patterns of SolycSPMS (A, B and C) in tomato plants during different stresses.	108
4.30	Expression patterns of SolycACL5 (A, B and C) in tomato plants during different stresses.	109
4.31	Expression patterns of SolycACL5-Like 1 (A, B and C) in tomato plants during different stresses.	110
4.32	Expression patterns of SolycACL5-Like 2 (A, B and C) in tomato plants during different stresses.	111
4.33	Cloning of silencing construct of Solyc08g061970. A) and B) Designing of Solyc08g061970 amiRNA by overlapping PCR. C), D) and E) Cloning of silencing construct of Solyc08g061970 in pDONR207, pMDC32 and Agrobacterium C58C1, respectively.	113
4.34	Regeneration of amiRNA-SolycACL5 expressing SolycACL5 gene silencing lines in tomato on hygromycin selection plate (A). Regenerated shoot buds which failed to grow beyond 3-5 mm (B).	114
4.35	A). PCR verification of putative amiRNA-SolycACL5 expressing SolycACL5 gene silencing tomato lines using	115

	primers A and B. B). Quantitative RT-PCR analysis showing expression of SolycACL5 in selected amiRNA-SolycACL5 expressing gene silencing line and control tomato plants.	
4.36	A) PCR amplification of Solyc08g061970. B), C) and D) Cloning of overexpresser construct of Solyc08g061970 in pDONR207, pMDC32 and C58C1, respectively.	116
4.37	Genotyping of SolycACL5 overexpresser lines. PCR amplification of transgenic plants using gene specific primers of SolycACL5 (a) and CaMV35S -NosT (b).	118
4.38	Expression analysis of overexpresser lines. qRT-PCR expression analysis of SolycACL5 in control and various transgenic lines of tobacco.	118
4.39	Control and SolycACL5 OE-1 tobacco plants. A) 15 dag seedlings grown on plates B) Two month old plants showing sturdier phenotype.	120
4.40	Phenotypic characteristics of control and SolycACL5 OE tobacco lines. A). Length of the Control and OE-1 and OE-9 plants. B). Length of Control and OE-1 and OE-9 tobacco plant leaves. C). Number of green leaves per plant. D). Number of leaves undergoing senescence.	121
4.41	Calorimetric determination of H ₂ O ₂ in the leaves of control and OE1 plants (A). DAB staining showing H ₂ O ₂ accumulation (B).	123
4.42	Analysis of SOD (A), CAT (B), APX (C) and GP (D) activity in the control and OE plant leaves. YL; young leaf; ML; mature leaf, SL; senescent leaf.	125
4.43	Total chlorophyll content in the leaves of control and OE lines. A) Calorimetric assay B) SPAD analysis. YL; young leaf; ML; mature leaf, SL; senescent leaf.	126
4.44	Anthocyanin content of control and SolycACL5 OE tobacco plants.	127
4.45	MDA content of control and SolycACL5 OE plants.	128
4.46	Expression pattern of senescence associated marker genes in control and SolycACL5 OE line. A). Various developmental stages of Control and OE plant leaves. B). and C). Expression level of SGR1 and SAG12, respectively.	130
4.47	Expression pattern of chloroplast associated marker genes petB, rbcL and rpoA in control and SolycACL5 OE lines. A). Expression level and B).	132
5.1	Comparative polyamine biosynthetic pathway in <i>Arabidopsis</i> (At) and tomato (Solyc).	137