

LITERATURE CITED

- Abarca, D., Roldan, M., Martín, M. and Sabater, B., 2001. Arabidopsis thaliana ecotype Cvi shows an increased tolerance to photo oxidative stress and contains a new chloroplastic copper/zinc superoxide dismutase isoenzyme. *Journal of experimental botany*, 52(360), 1417-1425.
- Abdel-Ghany, S.E. and Pilon, M., 2008. MicroRNA-mediated systemic down-regulation of copper protein expression in response to low copper availability in Arabidopsis. *Journal of Biological Chemistry*, 283(23), 15932-15945.
- Abercrombie, J.M., Halfhill, M.D., Ranjan, P., Rao, M.R., Saxton, A.M., Yuan, J.S. and Stewart, C.N., 2008. Transcriptional responses of Arabidopsis thaliana plants to As (V) stress. *BMC Plant Biology*, 8(1), 87.
- Acar, O., Turkan, I. and Ozdemir, F., 2001. Superoxide dismutase and peroxidase activities in drought sensitive and resistant barley (*Hordeum vulgare* L.) varieties. *Acta Physiologiae Plantarum*, 23(3), 351-356.
- Aina, O.O., Dixon, A.G. and Akinrinde, E.A., 2007. Effect of soil moisture stress on growth and yield of cassava in Nigeria. *Pakistan journal of biological sciences*, 10(18), 3085-3090.
- Akashi, K., Yoshimura, K., Nanasato, Y., Takahara, K., Munekage, Y. and Yokota, A., 2008. Wild plant resources for studying molecular mechanisms of drought/strong light stress tolerance. *Plant biotechnology*, 25(3), 257-263.
- Alfenito, M.R., Souer, E., Goodman, C.D., Buell, R., Mol, J., Koes, R. and Walbot, V., 1998. Functional complementation of anthocyanin sequestration in the vacuole by widely divergent glutathione S-transferases. *The Plant Cell*, 10(7), 1135-1149.
- Alizade, A., 2002. Soil, water and plants relationship, 3rd edn. Emam Reza University Press, Mashhad, Iran.
- Allen, E., Xie, Z., Gustafson, A.M. and Carrington, J.C., 2005. microRNA-directed phasing during trans-acting siRNA biogenesis in plants. *Cell*, 121(2), 207-221.
- Alley, R., Berntsen, T., Bindoff N. L. et al., 2007. Climate change 2007: The physical science basis. Inter governmental Panel of Climate Change, Cambridge University Press, UK.
- Alscher, R.G., Erturk, N. and Heath, L.S., 2002. Role of superoxide dismutases (SODs) in controlling oxidative stress in plants. *Journal of experimental botany*, 53(372), 1331-1341.

- Alves, A.A. and Setter, T.L., 2004. Response of cassava leaf area expansion to water deficit: cell proliferation, cell expansion and delayed development. *Annals of Botany*, 94(4), 605-613.
- Andersson, N.E., 2011. The influence of water stress and air velocity on growth of *Impatiens walleriana* and *Petunia*× hybrid. *Scientia horticultrae*, 128(2), 146-151.
- Andre, C.M., Schafleitner, R., Legay, S., Lefèvre, I., Aliaga, C.A.A., Nomberto, G., Hoffmann, L., Hausman, J.F., Larondelle, Y. and Evers, D., 2009. Gene expression changes related to the production of phenolic compounds in potato tubers grown under drought stress. *Phytochemistry*, 70(9), 1107-1116.
- Angers, B., Castonguay, E. and Massicotte, R., 2010. Environmentally induced phenotypes and DNA methylation: how to deal with unpredictable conditions until the next generation and after. *Molecular Ecology*, 19(7), 1283-1295.
- Anjum, F., Yaseen, M., Rasul, E., Wahid, A. and Anjum, S., 2003. Water stress in barley (*Hordeum vulgare* L.). II. Effect on chemical composition and chlorophyll contents. *Pakistan Journal of Agricultural Science*, 40, 45-49.
- Anjum, S.A., Xie, X.Y., Wang, L.C., Saleem, M.F., Man, C. and Lei, W., 2011. Morphological, physiological and biochemical responses of plants to drought stress. *African Journal of Agricultural Research*, 6(9), 2026-2032.
- Anyia, A.O. and Herzog, H., 2004. Water-use efficiency, leaf area and leaf gas exchange of cowpeas under mid-season drought. *European Journal of Agronomy*, 20(4), 327-339.
- Apel, K. and Hirt, H., 2004. Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology*, 55, 373-399.
- Aprile, A., Mastrangelo, A.M., De Leonardis, A.M., Galiba, G., Roncaglia, E., Ferrari, F., De Bellis, L., Turchi, L., Giuliano, G. and Cattivelli, L., 2009. Transcriptional profiling in response to terminal drought stress reveals differential responses along the wheat genome. *BMC genomics*, 10(1), 279.
- Arenas-Huertero, C., Pérez, B., Rabanal, F., Blanco-Melo, D., De la Rosa, C., Estrada-Navarrete, G., Sanchez, F., Covarrubias, A.A. and Reyes, J.L., 2009. Conserved and novel miRNAs in the legume *Phaseolus vulgaris* in response to stress. *Plant molecular biology*, 70(4), 385-401.
- Arjenaki, F.G., Jabbari, R. and Morshedi, A., 2012. Evaluation of drought stress on relative water content, chlorophyll content and mineral elements of wheat (*Triticum*

- aestivum L.) varieties. *International Journal of Agriculture and Crop Sciences*, 4(11), 726-729.
- Arnon, D.I., 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta vulgaris*. *Plant physiology*, 24(1), 1.
- Arvin, M.J. and Donnelly, D.J., 2008. Screening potato cultivars and wild species to abiotic stresses using an electrolyte leakage bioassay. *Journal of Agricultural Science and Technology*, 10, 33-42.
- Asada, K., Takahashi, M., 1987. Production and scavenging of active oxygen in photosynthesis. In: Kyle, D.J., et al. (Eds.), *Photoinhibition*. Elsevier, Amsterdam, 227-287.
- Ashraf, M., 2010. Inducing drought tolerance in plants: recent advances. *Biotechnology advances*, 28(1), 169-183.
- Atteya, A.M., 2013. A Study on Vegetation Changes under Drought Conditions in Western Mediterranean Desert, Egypt. *Advances in Bioresearch Journal*, India, 2, 95-100.
- Aukerman, M.J. and Sakai, H., 2003. Regulation of flowering time and floral organ identity by a microRNA and its APETALA2-like target genes. *The Plant Cell*, 15(11), 2730-2741.
- Avramova, V., AbdElgawad, H., Zhang, Z., Fotschki, B., Casadevall, R., Vergauwen, L., Knapen, D., Taleisnik, E., Guisez, Y., Asard, H. and Beemster, G.T., 2015. Drought induces distinct growth response, protection, and recovery mechanisms in the maize leaf growth zone. *Plant physiology*, 169(2), 1382-1396.
- Axtell, M.J. and Bartel, D.P., 2005. Antiquity of microRNAs and their targets in land plants. *The Plant Cell*, 17(6), 1658-1673.
- Axtell, M.J. and Bowman, J.L., 2008. Evolution of plant microRNAs and their targets. *Trends in plant science*, 13(7), 343-349.
- Axtell, M.J., Snyder, J.A. and Bartel, D.P., 2007. Common functions for diverse small RNAs of land plants. *The Plant Cell*, 19(6), 1750-1769.
- Backhaus, A., Kuwabara, A., Bauch, M., Monk, N., Sanguinetti, G. and Fleming, A., 2010. LEAFPROCESSOR: a new leaf phenotyping tool using contour bending energy and shape cluster analysis. *New phytologist*, 187(1), 251-261.
- Badawi, G.H., Yamauchi, Y., Shimada, E., Sasaki, R., Kawano, N., Tanaka, K. and Tanaka, K., 2004. Enhanced tolerance to salt stress and water deficit by

- overexpressing superoxide dismutase in tobacco (*Nicotiana tabacum*) chloroplasts. *Plant Science*, 166(4), 919-928.
- Bai, L.P., Sui, F.G., Ge, T.D., Sun, Z.H., Lu, Y.Y., Zhou, G.S., 2006. Effects of soil drought stress on leaf water status, membrane permeability and enzymatic antioxidant system of maize. *Pedosphere* 16 (3), 326–332.
- Bakhshi, B., Fard, E.M., Nikpay, N., Ebrahimi, M.A., Bihamta, M.R., Mardi, M. and Salekdeh, G.H., 2016. MicroRNA signatures of drought signaling in rice root. *PloS one*, 11(6), e0156814.
- Bakhshy, J., Ghassemi–Golezani, K., Zehtab-Salmasi, S. and Moghaddam, M., 2013. Effects of Water Deficit and Shading on Morphology and Grain Yield of Soybean (*Glycine Max L.*) *Technical Journal of Engineering and Applied Sciences* 3(1), 39-43.
- Balakumar, T., Vincent, V. and Paliwal, K., 1993. On the interaction of UV-B radiation (280–315 nm) with water stress in crop plants. *Physiologia Plantarum*, 87(2), 217-222.
- Ballen-Taborda, C., Plata, G., Ayling, S., Rodríguez-Zapata, F., Becerra Lopez-Lavalle, L.A., Duitama, J. and Tohme, J., 2013. Identification of cassava MicroRNAs under abiotic stress. *International journal of genomics*, 1, 857-986.
- Barakat, A., Wall, K., Leebens-Mack, J., Wang, Y.J., Carlson, J.E. and DePamphilis, C.W., 2007. Large scale identification of microRNAs from a basal eudicot (*Eschscholzia californica*) and conservation in flowering plants. *The Plant Journal*, 51(6), 991-1003.
- Barrera-Figueroa, B.E., Gao, L., Diop, N.N., Wu, Z., Ehlers, J.D., Roberts, P.A., Close, T.J., Zhu, J.K. and Liu, R., 2011. Identification and comparative analysis of drought-associated microRNAs in two cowpea genotypes. *BMC plant biology*, 11(1), 127.
- Bartel, D.P., 2004. MicroRNAs: genomics, biogenesis, mechanism, and function. *Cell*, 116(2), 281-297.
- Basu, S., Roychoudhury, A., Saha, P.P. and Sengupta, D.N., 2010. Differential antioxidative responses of indica rice cultivars to drought stress. *Plant Growth Regulation*, 60(1), 51.
- Bates, B.C., Kundzewicz, Z.W., Wu, S., Palutikof, J.P. (Eds.), 2008. *Climate Change and Water*. Technical Paper, International Panel on Climate Change (IPCC) Secretariat, Geneva.

- Beauchamp, C. and Fridovich, I., 1971. Superoxide dismutase: improved assays and an assay applicable to acrylamide gels. *Analytical biochemistry*, 44(1), 276-287.
- Bell, D.L. and Sultan, S.E., 1999. Dynamic phenotypic plasticity for root growth in *Polygonum*: a comparative study. *American Journal of Botany*, 86(6), 807-819.
- Ben Chaabane, S., Liu, R., Chinnusamy, V., Kwon, Y., Park, J.H., Kim, S.Y., Zhu, J.K., Yang, S.W. and Lee, B.H., 2013. STA1, an Arabidopsis pre-mRNA processing factor 6 homolog, is a new player involved in miRNA biogenesis. *Nucleic acids research*, 41(3), 1984-1997.
- Bertolini, E., Verelst, W., Horner, D.S., Gianfranceschi, L., Piccolo, V., Inzé, D., Pè, M.E. and Mica, E., 2013. Addressing the role of microRNAs in reprogramming leaf growth during drought stress in *Brachypodium distachyon*. *Molecular Plant*, 6(2), 423-443.
- Biehler, K. and Fock, H., 1996. Evidence for the contribution of the Mehler-peroxidase reaction in dissipating excess electrons in drought-stressed wheat. *Plant Physiology*, 112(1), 265-272.
- Bjorkman, O. and Powles, S.B., 1984. Inhibition of photosynthetic reactions under water stress: interaction with light level. *Planta*, 161(6), 490-504.
- Blokland, R.V., Geest, N., Mol, J.N.M. and Kooter, J.M., 1994. Transgene - mediated suppression of chalcone synthase expression in *Petunia hybrida* results from an increase in RNA turnover. *The Plant Journal*, 6(6), 861-877.
- Bonnet, E., Wuyts, J., Rouze, P. and Van de Peer, Y., 2004. Detection of 91 potential conserved plant microRNAs in *Arabidopsis thaliana* and *Oryza sativa* identifies important target genes. *Proceedings of the National Academy of Sciences of the United States of America*, 101(31), 11511-11516.
- Boo, Y.C. and Jung, J., 1999. Water deficit—induced oxidative stress and antioxidative defenses in rice plants. *Journal of Plant Physiology*, 155(2), 255-261.
- Bordo, D., Djinoovic, K. and Bolognesi, M., 1994. Conserved patterns in the Cu, Zn superoxide dismutase family. *Journal of molecular biology*, 238(3), 366-386.
- Borsani, O., Zhu, J., Verslues, P.E., Sunkar, R. and Zhu, J.K., 2005. Endogenous siRNAs derived from a pair of natural cis-antisense transcripts regulate salt tolerance in *Arabidopsis*. *Cell*, 123(7), 1279-1291.
- Bossdorf, O., Richards, C.L. and Pigliucci, M., 2008. Epigenetics for ecologists. *Ecology letters*, 11(2), 106-115.

- Boutraa, T., 2010. Growth performance and biomass partitioning of the desert shrub *Calotropis procera* under water stress conditions. *Research Journal of Agriculture and Biological Sciences*, 6(1), 20-26.
- Bowler, C., Montagu, M.V. and Inze, D., 1992. Superoxide dismutase and stress tolerance. *Annual review of plant biology*, 43(1), 83-116.
- Bradshaw, A.D. and Hardwick, K., 1989. Evolution and stress—genotypic and phenotypic components. *Biological Journal of the Linnean Society*, 37(1-2), 137-155.
- Bradshaw, A.D., 2006. Unravelling phenotypic plasticity—why should we bother?. *New Phytologist*, 170(4), 644-648.
- Burnett, S.E., Pennisi, S.V., Thomas, P.A. and van Iersel, M.W., 2005. Controlled drought affects morphology and anatomy of *Salvia splendens*. *Journal of the American Society for Horticultural Science*, 130(5), 775-781.
- Cai, Z.Q., Chen, Y.J., Guo, Y.H. and Cao, K.F., 2005. Responses of two field-grown coffee species to drought and re-hydration. *Photosynthetica*, 43(2), 187-193.
- Carroll, A.B., Pallardy, S.G. and Galen, C., 2001. Drought stress, plant water status, and floral trait expression in fireweed, *Epilobium angustifolium* (Onagraceae). *American Journal of Botany*, 88(3), 438-446.
- Carvalho, L.M.D., Casali, V.W.D., Souza, M.A.D. and Cecon, P.R., 2003. Soil water availability and growth of feverfew. *Horticultura Brasileira*, 21(4), 726-730.
- Chalker-Scott, L., 1999. Environmental significance of anthocyanins in plant stress responses. *Photochemistry and photobiology*, 70(1), 1-9.
- Chan, S.W.L., Zilberman, D., Xie, Z., Johansen, L.K., Carrington, J.C. and Jacobsen, S.E., 2004. RNA silencing genes control de novo DNA methylation. *Science*, 303(5662), 1336-1336.
- Chandrashekar, T.R., Nazeer, M.A., Marattukalam, J.G., Prakash, G.P., Annamalaiathan, K. and Thomas, J., 1998. An analysis of growth and drought tolerance in rubber during the immature phase in a dry subhumid climate. *Experimental agriculture*, 34(03), 287-300.
- Chapman, E.J. and Carrington, J.C., 2007. Specialization and evolution of endogenous small RNA pathways. *Nature Reviews Genetics*, 8(11), 884-896.
- Chatzidimitriadou, K., Nianiou-Obeidat, I., Madesis, P., Perl-Treves, R. and Tsaftaris, A., 2009. Expression of SOD transgene in pepper confer stress tolerance and improve shoot regeneration. *Electronic Journal of Biotechnology*, 12(4), 7-8.

- Chaves, M.M., Flexas, J. and Pinheiro, C., 2009. Photosynthesis under drought and salt stress: regulation mechanisms from whole plant to cell. *Annals of botany*, 103(4), 551-560.
- Chen, K. and Rajewsky, N., 2007. The evolution of gene regulation by transcription factors and microRNAs. *Nature Reviews Genetics*, 8(2), 93-103.
- Chen, X., 2004. A microRNA as a translational repressor of APETALA2 in Arabidopsis flower development. *Science*, 303(5666), 2022-2025.
- Chen, X., 2010. Small RNAs—secrets and surprises of the genome. *The plant journal*, 61(6), 941-958.
- Chen, X., Xia, J., Xia, Z., Zhang, H., Zeng, C., Lu, C., Zhang, W. and Wang, W., 2015. Potential functions of microRNAs in starch metabolism and development revealed by miRNA transcriptome profiling of cassava cultivars and their wild progenitor. *BMC plant biology*, 15(1), 33.
- Chen, Z.H., Bao, M.L., Sun, Y.Z., Yang, Y.J., Xu, X.H., Wang, J.H., Han, N., Bian, H.W. and Zhu, M.Y., 2011. Regulation of auxin response by miR393-targeted transport inhibitor response protein1 is involved in normal development in Arabidopsis. *Plant molecular biology*, 77(6), 619-629.
- Chi, X., Yang, Q., Chen, X., Wang, J., Pan, L., Chen, M., Yang, Z., He, Y., Liang, X. and Yu, S., 2011. Identification and characterization of microRNAs from peanut (*Arachis hypogaea* L.) by high-throughput sequencing. *PloS one*, 6(11), e27530.
- Chinnusamy, V. and Zhu, J.K., 2009. Epigenetic regulation of stress responses in plants. *Current opinion in plant biology*, 12(2), 133-139.
- Chu, C.C., Lee, W.C., Guo, W.Y., Pan, S.M., Chen, L.J., Li, H.M. and Jinn, T.L., 2005. A copper chaperone for superoxide dismutase that confers three types of copper/zinc superoxide dismutase activity in Arabidopsis. *Plant Physiology*, 139(1), 425-436.
- Chutia, J. and P. Borah, 2012. Water stress effects on leaf growth and chlorophyll content but not the grain yield in traditional rice (*Oryza sativa* Linn.) genotypes of Assam, India II. Protein and proline status in seedlings under PEG induced water stress. *American Journal of Plant Sciences* 03(07), 971-980.
- Chylinski, W.K., Łukaszewska, A.J. and Kutnik, K., 2007. Drought response of two bedding plants. *Acta Physiologiae Plantarum*, 29(5), 399.

- Conn, S., Zhang, W. and Franco, C., 2003. Anthocyanic vacuolar inclusions (AVIs) selectively bind acylated anthocyanins in *Vitis vinifera* L.(grapevine) suspension culture. *Biotechnology letters*, 25(11), 835-839.
- Cook, K.H. and E.K. Vizzy, 2008. Effects of twenty-first-century climate change on the Amazon Rain Forest. *Journal of Climate*, 21, 542-560.
- Cornelissen, J.H.C., Lavorel, S., Garnier, E., Diaz, S., Buchmann, N., Gurvich, D.E., Reich, P.B., Ter Steege, H., Morgan, H.D., Van Der Heijden, M.G.A. and Pausas, J.G., 2003. A handbook of protocols for standardised and easy measurement of plant functional traits worldwide. *Australian journal of Botany*, 51(4), 335-380.
- Cortes, A.J., Monserrate, F.A., Ramirez-Villegas, J., Madrinan, S. and Blair, M.W., 2013. Drought tolerance in wild plant populations: the case of common beans (*Phaseolus vulgaris* L.). *PloS one*, 8(5), e62898.
- Coscolin, R., Broetto, F., Marchese, J.A., Campohermoso, M.C. and Paladini, M.V., 2011. Effects of hydric deficiency on gas exchange parameters and metabolism of *Eucalyptus grandis* clones. *Brazilian Journal of Plant Physiology*, 23(4), 255-262.
- Crawford, R.M., 1989. Studies in plant survival: ecological case histories of plant adaptation to adversity, *Studies in Ecology*, 11.
- Crowley, T.J., 2000. Causes of climate change over the past 1000 years. *Science*, 289(5477), 270-277.
- Cruz de Carvalho, M.H., 2008. Drought stress and reactive oxygen species: production, scavenging and signaling. *Plant signaling & behavior*, 3(3), 156-165.
- Curaba, J., Talbot, M., Li, Z. and Helliwell, C., 2013. Over-expression of microRNA171 affects phase transitions and floral meristem determinancy in barley. *BMC plant biology*, 13(1), 6.
- Czovek, P., Kiraly, I., Paldi, E., Molnár, I. and Gaspar, L., 2006. Comparative analysis of stress tolerance in *Aegilops* accessions and *Triticum* wheat varieties to detect different drought tolerance strategies. *Acta Agronomica Hungarica*, 54(1), 49-60.
- Dang, P.M., Chen, C.Y. and Holbrook, C.C., 2013. Evaluation of five peanut (*Arachis hypogaea*) genotypes to identify drought responsive mechanisms utilising candidate-gene approach. *Functional Plant Biology*, 40(12), 1323-1333.

- Davatgar, N., Neishabouri, M.R., Sepaskhah, A.R. and Soltani, A.F.S.H.I.N., 2009. Physiological and morphological responses of rice (*Oryza sativa* L.) to varying water stress management strategies. *International Journal of Plant Production*, 3(4), 19-32.
- Dave, M. and Krishnayya, N.S.R., 2004. Habitat alteration and floristic changes in and around Harni pond, Baroda, India. *Tropical Ecology*, 45(2), 293-302.
- Davies, W.J. and Zhang, J., 1991. Root signals and the regulation of growth and development of plants in drying soil. *Annual review of plant biology*, 42(1), 55-76.
- Davis, B.J., 1964. Disc electrophoresis—II method and application to human serum proteins. *Annals of the New York Academy of Sciences*, 121(2), 404-427.
- Deeba, F., Pandey, A.K., Ranjan, S., Mishra, A., Singh, R., Sharma, Y.K., Shirke, P.A. and Pandey, V., 2012. Physiological and proteomic responses of cotton (*Gossypium herbaceum* L.) to drought stress. *Plant Physiology and Biochemistry*, 53, 6-18.
- Desikan, R., Soheila, A.H., Hancock, J.T. and Neill, S.J., 2001. Regulation of the *Arabidopsis* transcriptome by oxidative stress. *Plant physiology*, 127(1), 159-172.
- Devakumar, A.S., Gawai Prakash, P., Sathik, M.B.M. and Jacob, J., 1999. Drought alters the canopy architecture and micro-climate of *Hevea brasiliensis* trees. *Trees-Structure and Function*, 13(3), 161-167.
- Diamond, J., 2002. Evolution, consequences and future of plant and animal domestication. *Nature*, 418(6898), 700-707.
- Dinler, B.S. and Aksoy, M., 2014. Drought Tolerance of Knotgrass (*Polygonum maritimum* L.) Leaves under different drought treatments. *Pakistan Journal of Botany*, 46(2), 417-421.
- Donald, C.M.T., 1968. The breeding of crop ideotypes. *Euphytica*, 17(3), 385-403.
- Earl, H.J. and Davis, R.F., 2003. Effect of drought stress on leaf and whole canopy radiation use efficiency and yield of maize. *Agronomy journal*, 95(3), 688-696.
- Efeoglu, B., Ekmekci, Y. and Cicek, N., 2009. Physiological responses of three maize cultivars to drought stress and recovery. *South African Journal of Botany*, 75(1), 34-42.
- Eldem, V., Akçay, U.Ç., Ozhuner, E., Bakır, Y., Uranbey, S. and Unver, T., 2012. Genome-wide identification of miRNAs responsive to drought in peach (*Prunus persica*) by high-throughput deep sequencing. *PloS one*, 7(12), e50298.
- Emery, J.F., Floyd, S.K., Alvarez, J., Eshed, Y., Hawker, N.P., Izhaki, A., Baum, S.F.

- and Bowman, J.L., 2003. Radial patterning of Arabidopsis shoots by class III HD-ZIP and KANADI genes. *Current Biology*, 13(20), 1768-1774.
- Fahlgren, N., Howell, M.D., Kasschau, K.D., Chapman, E.J., Sullivan, C.M., Cumbie, J.S., Givan, S.A., Law, T.F., Grant, S.R., Dangel, J.L. and Carrington, J.C., 2007. High-throughput sequencing of Arabidopsis microRNAs: evidence for frequent birth and death of MIRNA genes. *PloS one*, 2(2), e219.
- Fahlgren, N., Jogdeo, S., Kasschau, K.D., Sullivan, C.M., Chapman, E.J., Laubinger, S., Smith, L.M., Dasenko, M., Givan, S.A., Weigel, D. and Carrington, J.C., 2010. MicroRNA gene evolution in Arabidopsis lyrata and Arabidopsis thaliana. *The Plant Cell*, 22(4), 1074-1089.
- Farooq, M., Kobayashi, N., Ito, O., Wahid, A. and Serraj, R., 2010. Broader leaves result in better performance of indica rice under drought stress. *Journal of plant physiology*, 167(13), 1066-1075.
- Farooq, M., Wahid, A., Kobayashi, N., Fujita, D. and Basra, S.M.A., 2009. Plant drought stress: effects, mechanisms and management. *Agronomy for sustainable development*, 29(1), 185-212.
- Fazeli, F., Ghorbanli, M. and Niknam, V., 2007. Effect of drought on biomass, protein content, lipid peroxidation and antioxidant enzymes in two sesame cultivars. *Biologia Plantarum*, 51(1), 98-103.
- Feng, S., Xu, Y., Guo, C., Zheng, J., Zhou, B., Zhang, Y., Ding, Y., Zhang, L., Zhu, Z., Wang, H. and Wu, G., 2016. Modulation of miR156 to identify traits associated with vegetative phase change in tobacco (*Nicotiana tabacum*). *Journal of experimental botany*, 67(5), 1493-1504.
- Feng, X.M., Qiao, Y., Mao, K., Hao, Y.J. and You, C.X., 2010. Overexpression of arabidopsis AtmiR408 gene in tobacco. *Acta Biologica Cracoviensia Series Botanica*, 52(2), 26-31.
- Fernandez-Ocana, A., Chaki, M., Luque, F., Gomez-Rodríguez, M.V., Carreras, A., Valderrama, R., Begara-Morales, J.C., Hernandez, L.E., Corpas, F.J. and Barroso, J.B., 2011. Functional analysis of superoxide dismutases (SODs) in sunflower under biotic and abiotic stress conditions. Identification of two new genes of mitochondrial Mn-SOD. *Journal of plant physiology*, 168(11), 1303-1308.

- Ferreira, T.H., Gentile, A., Vilela, R.D., Costa, G.G.L., Dias, L.I., Endres, L. and Menossi, M., 2012. microRNAs associated with drought response in the bioenergy crop sugarcane (*Saccharum s*). PLoS One, 7(10), e46703.
- Fitter, A. H., and R. K. M. Hay. 1993. Environmental physiology of plants, 2nd ed. Academic Press, San Diego.
- Flexas, J., Bota, J., Loreto, F., Cornic, G. and Sharkey, T.D., 2004. Diffusive and metabolic limitations to photosynthesis under drought and salinity in C3 plants. Plant Biology, 6(03), 269-279.
- Floyd, S.K. and Bowman, J.L., 2004. Gene regulation: ancient microRNA target sequences in plants. Nature, 428(6982), 485-486.
- Foyer, C.H., Lelandais, M. and Kunert, K.J., 1994. Photooxidative stress in plants. Physiologia plantarum, 92(4), 696-717.
- Frazier, T.P., Sun, G., Burklew, C.E. and Zhang, B., 2011. Salt and drought stresses induce the aberrant expression of microRNA genes in tobacco. Molecular biotechnology, 49(2), 159-165.
- Fridovich, I., 1986. Biological effects of the superoxide radical. Archives of biochemistry and biophysics, 247(1), 1-11.
- Fridovich, I., 1995. Superoxide radical and superoxide dismutases. Annual review of biochemistry, 64(1), 97-112.
- Galen, C., 1999. Why do flowers vary? The functional ecology of variation in flower size and form within natural plant populations. Bioscience, 49(8), 631-640.
- Galen, C., 2000. High and dry: drought stress, sex-allocation trade-offs, and selection on flower size in the alpine wildflower *Polemonium viscosum* (Polemoniaceae). The American Naturalist, 156(1), 72-83.
- Gandikota, M., Birkenbihl, R.P., Hohmann, S., Cardon, G.H., Saedler, H. and Huijser, P., 2007. The miRNA156/157 recognition element in the 3' UTR of the Arabidopsis SBP box gene SPL3 prevents early flowering by translational inhibition in seedlings. The Plant Journal, 49(4), 683-693.
- Gao, F., Wang, N., Li, H., Liu, J., Fu, C., Xiao, Z., Wei, C., Lu, X., Feng, J. and Zhou, Y., 2016. Identification of drought-responsive microRNAs and their targets in *Ammopiptanthus mongolicus* by using high-throughput sequencing. Scientific reports, 6.

- Gao, J., Xiao, Q., Ding, L., Chen, M., Yin, L., Li, J., Zhou, S. and He, G., 2008. Differential responses of lipid peroxidation and antioxidants in *Alternanthera philoxeroides* and *Oryza sativa* subjected to drought stress. *Plant Growth Regulation*, 56(1), 89.
- Gapinska, M., Skłodowska, M. and Gabara, B., 2008. Effect of short-and long-term salinity on the activities of antioxidative enzymes and lipid peroxidation in tomato roots. *Acta Physiologiae Plantarum*, 30(1), 11-18.
- Garnier, E., Laurent, G., Bellmann, A., Debain, S., Berthelie, P., Ducout, B., Roumet, C. and Navas, M.L., 2001. Consistency of species ranking based on functional leaf traits. *New Phytologist*, 152(1), 69-83.
- Gedroc, J.J., McConnaughay, K.D.M. and Coleman, J.S., 1996. Plasticity in root/shoot partitioning: optimal, ontogenetic, or both?. *Functional Ecology*, 44-50.
- Gentile, A., Dias, L.I., Mattos, R.S., Ferreira, T.H. and Menossi, M., 2015. MicroRNAs and drought responses in sugarcane. *Frontiers in plant science*, 6.
- Gepts, P., 2004 Domestication as a long-term selection experiment. *Plant Breeding Review* 24, 1–44.
- Ghorecha, V., Krishnayya, N.S.R. and Sunkar, R., 2013. Impact of climate change on microRNA expression in plants. *Climate change and plant abiotic stress tolerance*, 507-520.
- Gianoli, E. and Gonzalez-Teuber, M., 2005. Environmental heterogeneity and population differentiation in plasticity to drought in *Convolvulus chilensis* (Convolvulaceae). *Evolutionary Ecology*, 19(6), 603-613.
- Gibson, A., Hubick, K.T. and Bachelard, E.P., 1991. Effects of abscisic acid on morphological and physiological responses to water stress in *Eucalyptus camaldulensis* seedlings. *Functional Plant Biology*, 18(2), 153-163.
- Gill, S.S. and Tuteja, N., 2010. Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant physiology and biochemistry*, 48(12), 909-930.
- Gonzalez, N., De Bodt, S., Sulpice, R., Jikumaru, Y., Chae, E., Dhondt, S., Van Daele, T., De Milde, L., Weigel, D., Kamiya, Y. and Stitt, M., 2010. Increased leaf size: different means to an end. *Plant Physiology*, 153(3), 1261-1279.
- Gorai, M., Hachef, A. and Neffati, M., 2010. Differential responses in growth and water relationship of *Medicago sativa* (L.) cv. Gabès and *Astragalus gombiformis*

- (Pom.) under water-limited conditions. *Emirates Journal of Food and Agriculture*, 22(1), 1.
- Gou, J.Y., Felippes, F.F., Liu, C.J., Weigel, D. and Wang, J.W., 2011. Negative regulation of anthocyanin biosynthesis in *Arabidopsis* by a miR156-targeted SPL transcription factor. *The Plant Cell*, 23(4), 1512-1522.
- Gould, K.S., 2004. Nature's Swiss army knife: the diverse protective roles of anthocyanins in leaves. *BioMed Research International*, 5, 314-320.
- Granier, C., Aguirrezabal, L., Chenu, K., Cookson, S.J., Dauzat, M., Hamard, P., Thioux, J.J., Rolland, G., Bouchier-Combaud, S., Lebaudy, A. and Muller, B., 2006. PHENOPSIS, an automated platform for reproducible phenotyping of plant responses to soil water deficit in *Arabidopsis thaliana* permitted the identification of an accession with low sensitivity to soil water deficit. *New Phytologist*, 169(3), 623-635.
- Guan, Q., Lu, X., Zeng, H., Zhang, Y. and Zhu, J., 2013. Heat stress induction of miR398 triggers a regulatory loop that is critical for thermotolerance in *Arabidopsis*. *The Plant Journal*, 74(5), 840-851.
- Guan, X., Pang, M., Nah, G., Shi, X., Ye, W., Stelly, D.M. and Chen, Z.J., 2014. miR828 and miR858 regulate homoeologous MYB2 gene functions in *Arabidopsis* trichome and cotton fibre development. *Nature communications*, 5, 3050.
- Guerfel, M., Baccouri, O., Boujnah, D., Chaïbi, W. and Zarrouk, M., 2009. Impacts of water stress on gas exchange, water relations, chlorophyll content and leaf structure in the two main Tunisian olive (*Olea europaea* L.) cultivars. *Scientia Horticulturae*, 119(3), 257-263.
- Gupta, A.S., Heinen, J.L., Holaday, A.S., Burke, J.J. and Allen, R.D., 1993. Increased resistance to oxidative stress in transgenic plants that overexpress chloroplastic Cu/Zn superoxide dismutase. *Proceedings of the National Academy of Sciences*, 90(4), 1629-1633.
- Gutierrez, L., Bussell, J.D., Păcurar, D.I., Schwambach, J., Păcurar, M. and Bellini, C., 2009. Phenotypic plasticity of adventitious rooting in *Arabidopsis* is controlled by complex regulation of AUXIN RESPONSE FACTOR transcripts and microRNA abundance. *The Plant Cell*, 21(10), 3119-3132.
- Guzman, F., Almerao, M.P., Körbes, A.P., Loss-Morais, G. and Margis, R., 2012. Identification of microRNAs from *Eugenia uniflora* by high-throughput sequencing and bioinformatics analysis. *PLoS One*, 7(11), e49811.

- Hackenberg, M., Gustafson, P., Langridge, P. and Shi, B.J., 2015. Differential expression of microRNAs and other small RNAs in barley between water and drought conditions. *Plant biotechnology journal*, 13(1), 2-13.
- Hajyzadeh, M., Turktas, M., Khawar, K.M. and Unver, T., 2015. miR408 overexpression causes increased drought tolerance in chickpea. *Gene*, 555(2), 186-193.
- Halpin, C., 2005. Gene stacking in transgenic plants—the challenge for 21st century plant biotechnology. *Plant Biotechnology Journal*, 3(2), 141-155.
- Hamilton, A.J. and Baulcombe, D.C., 1999. A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science*, 286(5441), 950-952.
- Hammond, S.M., Bernstein, E., Beach, D. and Hannon, G.J., 2000. An RNA-directed nuclease mediates post-transcriptional gene silencing in *Drosophila* cells. *Nature*, 404(6775), 293-296.
- Hamza, N.B., Sharma, N., Tripathi, A. and Sanan-Mishra, N., 2016. MicroRNA expression profiles in response to drought stress in *Sorghum bicolor*. *Gene Expression Patterns*, 20(2), 88-98.
- Han, M.H., Goud, S., Song, L. and Fedoroff, N., 2004. The Arabidopsis double-stranded RNA-binding protein HYL1 plays a role in microRNA-mediated gene regulation. *Proceedings of the National Academy of Sciences of the United States of America*, 101(4), 1093-1098.
- Hancock, J.F., 2005. Contributions of domesticated plant studies to our understanding of plant evolution. *Annals of Botany*, 96(6), 953-963.
- Hannon, G.J., 2002. RNA interference. *Nature*, 418(6894), 244-251.
- Hanssens, J., De Swaef, T., Wittemans, L., Goen, K., Marien, H., Desmedt, J. and Steppe, K., 2012, November. Model-assisted analysis of elevated temperature and vapour pressure deficit effects on tomato stem and fruit water balance. In *IV International Symposium on Models for Plant Growth, Environmental Control and Farm Management in Protected Cultivation*, 957, 37-44.
- Harborne, J.B., 1965. Flavonoids: Distribution and contribution to plant colour. *Chemistry and biochemistry of plant pigments*, 247-267.
- Hartung, W., Sauter, A. and Hose, E., 2002. Abscisic acid in the xylem: where does it come from, where does it go to?. *Journal of Experimental Botany*, 53(366), 27-32.

- Hashimoto, K., 1961. On the size of anther in rice plant varieties. Rep. Hokkaido Branch. Crop Science Society Japan and Society Breeding Japan, 2(11).
- Heath, R.L. and Packer, L., 1968. Photoperoxidation in isolated chloroplasts: I. Kinetics and stoichiometry of fatty acid peroxidation. Archives of biochemistry and biophysics, 125(1), 189-198.
- Heiser, C.B., 1988. Aspects of unconscious selection and the evolution of domesticated plants. Euphytica, 37(1), 77-81.
- Herrera, J., 2004. Flower size variation in *Rosmarinus officinalis*: individuals, populations and habitats. Annals of Botany, 95(3), 431-437.
- Hetherington, S.E., 1997. Profiling photosynthetic competence in mango fruit. Journal of Horticultural Science, 72(5), 755-763.
- Hilbricht, T., Varotto, S., Sgaramella, V., Bartels, D., Salamini, F. and Furini, A., 2008. Retrotransposons and siRNA have a role in the evolution of desiccation tolerance leading to resurrection of the plant *Craterostigma plantagineum*. New Phytologist, 179(3), 877-887.
- Hillel, D. and Rosenzweig, C., 2011. Handbook of climate change and agroecosystems: impacts, adaptation, and mitigation, vol 1, ICP series on climate change impacts, adaptation, and mitigation. Imperial College Press/World Scientific Publishing, London/Singapore/Hackensack
- Holtsford, T.P. and Ellstrand, N.C., 1992. Genetic and environmental variation in floral traits affecting outcrossing rate in *Clarkia tembloriensis* (Onagraceae). Evolution, 216-225.
- Houghton, J.T., Ding, Y.D.J.G., Griggs, D.J., Noguer, M., van der Linden, P.J., Dai, X., Maskell, K. and Johnson, C.A., 2001. Climate change 2001: the scientific basis. The Press Syndicate of the University of Cambridge.
- Hsiao, T.C., Silk, W.K. and Jing, J., 1985. Leaf growth and water deficits: biophysical effects. Control of leaf growth, 239-266.
- Huang, C., Zhao, S., Wang, L., Anjum, S.A., Chen, M., Zhou, H. and Zou, C., 2013. Alteration in chlorophyll fluorescence, lipid peroxidation and antioxidant enzymes activities in hybrid ramie (*Boehmeria nivea* L.) under drought stress. Australian Journal of Crop Science, 7(5), 594.

- Huseynova, I.M., Aliyeva, D.R. and Aliyev, J.A., 2014. Subcellular localization and responses of superoxide dismutase isoforms in local wheat varieties subjected to continuous soil drought. *Plant Physiology and Biochemistry*, 81, 54-60.
- Isaacson, T., Damasceno, C.M., Saravanan, R.S., He, Y., Catalá, C., Saladié, M. and Rose, J.K., 2006. Sample extraction techniques for enhanced proteomic analysis of plant tissues. *Nature Protocols*, 1(2), 769.
- Islam, M.T., Ferdous, A.S., Najnin, R.A., Sarker, S.K. and Khan, H., 2015. High-throughput sequencing reveals diverse sets of conserved, nonconserved, and species-specific miRNAs in jute. *International journal of genomics*, 15.
- Iturbe-Ormaetxe, I., Escuredo, P.R., Arrese-Igor, C. and Becana, M., 1998. Oxidative damage in pea plants exposed to water deficit or paraquat. *Plant physiology*, 116(1), 173-181.
- Iyer, N.J., Jia, X., Sunkar, R., Tang, G. and Mahalingam, R., 2012. microRNAs responsive to ozone-induced oxidative stress in *Arabidopsis thaliana*. *Plant signaling & behavior*, 7(4), 484-491.
- Jagadeeswaran, G., Nimmakayala, P., Zheng, Y., Gowdu, K., Reddy, U.K. and Sunkar, R., 2012. Characterization of the small RNA component of leaves and fruits from four different cucurbit species. *Bmc Genomics*, 13(1), 329.
- Jagadeeswaran, G., Zheng, Y., Li, Y.F., Shukla, L.I., Matts, J., Hoyt, P., Macmil, S.L., Wiley, G.B., Roe, B.A., Zhang, W. and Sunkar, R., 2009. Cloning and characterization of small RNAs from *Medicago truncatula* reveals four novel legume - specific microRNA families. *New Phytologist*, 184(1), 85-98.
- Jagadish, S.V.K., Muthurajan, R., Oane, R., Wheeler, T.R., Heuer, S., Bennett, J. and Craufurd, P.Q., 2010. Physiological and proteomic approaches to address heat tolerance during anthesis in rice (*Oryza sativa* L.). *Journal of experimental botany*, 61(1), 143-156.
- Jagtap, S. and Shivaprasad, P.V., 2014. Diversity, expression and mRNA targeting abilities of Argonaute-targeting miRNAs among selected vascular plants. *BMC genomics*, 15(1), 1049.
- Jagtap, V., Bhargava, S., Streb, P. and Feierabend, J., 1998. Comparative effect of water, heat and light stresses on photosynthetic reactions in *Sorghum bicolor* (L.) Moench. *Journal of Experimental Botany*, 49(327), 1715-1721.

- Jaillon, O., Aury, J.M., Noel, B., Policriti, A., Clepet, C., Casagrande, A., Choisne, N., Aubourg, S., Vitulo, N., Jubin, C. and Vezzi, A., 2007. The grapevine genome sequence suggests ancestral hexaploidization in major angiosperm phyla. *nature*, 449(7161), 463.
- Jaleel, C.A., Gopi, R., Sankar, B., Gomathinayagam, M. and Panneerselvam, R., 2008. Differential responses in water use efficiency in two varieties of *Catharanthus roseus* under drought stress. *Comptes Rendus Biologies*, 331(1), 42-47.
- Jaleel, C.A., Manivannan, P., Wahid, A., Farooq, M., Al-Juburi, H.J., Somasundaram, R. and Panneerselvam, R., 2009. Drought stress in plants: a review on morphological characteristics and pigments composition. *International Journal of Agriculture and Biology*, 11(1), 100-105.
- Javed, S., Yasin Ashraf, M., Meraj, M., Anwer Bukhari, S. and Zovia, I., 2013. Salinity and drought induced antioxidant responses in different cultivars of safflower (*Carthamus tinctorius* L.). *Current pharmaceutical biotechnology*, 14(9), 814-819.
- Jia, X., Ren, L., Chen, Q.J., Li, R. and Tang, G., 2009. UV-B-responsive microRNAs in *Populus tremula*. *Journal of plant physiology*, 166(18), 2046-2057.
- Jia, X., Shen, J., Liu, H., Li, F., Ding, N., Gao, C., Pattanaik, S., Patra, B., Li, R. and Yuan, L., 2015. Small tandem target mimic-mediated blockage of microRNA858 induces anthocyanin accumulation in tomato. *Planta*, 242(1), 283-293.
- Jiang, F. and Hartung, W., 2007. Long-distance signalling of abscisic acid (ABA): the factors regulating the intensity of the ABA signal. *Journal of Experimental Botany*, 59(1), 37-43.
- Jin, H., Vacic, V., Girke, T., Lonardi, S. and Zhu, J.K., 2008. Small RNAs and the regulation of cis-natural antisense transcripts in *Arabidopsis*. *BMC Molecular Biology*, 9(1), 6.
- Jonas, C.S. and Geber, M.A., 1999. Variation among populations of *Clarkia unguiculata* (Onagraceae) along altitudinal and latitudinal gradients. *American Journal of Botany*, 86(3), 333-343.
- Jones-Rhoades, M.W. and Bartel, D.P., 2004. Computational identification of plant microRNAs and their targets, including a stress-induced miRNA. *Molecular cell*, 14(6), 787-799.
- Jones-Rhoades, M.W., Bartel, D.P. and Bartel, B., 2006. MicroRNAs and their regulatory roles in plants. *Annu. Rev. Plant Biol.*, 57, 19-53.

- Juarez, M.T., Twigg, R.W. and Timmermans, M.C., 2004. Specification of adaxial cell fate during maize leaf development. *Development*, 131(18), 4533-4544.
- Jung, J.H. and Park, C.M., 2007. MIR166/165 genes exhibit dynamic expression patterns in regulating shoot apical meristem and floral development in *Arabidopsis*. *Planta*, 225(6), 1327-1338.
- Jung, J.H., Seo, Y.H., Seo, P.J., Reyes, J.L., Yun, J., Chua, N.H. and Park, C.M., 2007. The GIGANTEA-regulated microRNA172 mediates photoperiodic flowering independent of CONSTANS in *Arabidopsis*. *The Plant Cell*, 19(9), 2736-2748.
- Juszczak, I. and Baier, M., 2012. The strength of the miR398 - Csd2 - CCS1 regulon is subject to natural variation in *Arabidopsis thaliana*. *FEBS letters*, 586(19), 3385-3390.
- Kamoshita, A., Babu, R.C., Boopathi, N.M. and Fukai, S., 2008. Phenotypic and genotypic analysis of drought-resistance traits for development of rice cultivars adapted to rainfed environments. *Field crops research*, 109(1), 1-23.
- Kanematsu, S. and Asada, K., 1990. Characteristic amino acid sequences of chloroplast and cytosol isozymes of CuZn-superoxide dismutase in spinach, rice and horsetail. *Plant and Cell physiology*, 31(1), 99-112.
- Kantar, M., Lucas, S.J. and Budak, H., 2011. miRNA expression patterns of *Triticum dicoccoides* in response to shock drought stress. *Planta*, 233(3), 471-484.
- Kantar, M., Unver, T. and Budak, H., 2010. Regulation of barley miRNAs upon dehydration stress correlated with target gene expression. *Functional & integrative genomics*, 10(4), 493-507.
- Karl, T.R. and Trenberth, K.E., 2003. Modern global climate change. *Science*, 302(5651), 1719-1723.
- Kasschau, K.D., Fahlgren, N., Chapman, E.J., Sullivan, C.M., Cumbie, J.S., Givan, S.A. and Carrington, J.C., 2007. Genome-wide profiling and analysis of *Arabidopsis* siRNAs. *PLoS biology*, 5(3), e57.
- Katiyar-Agarwal, S. and Jin, H., 2010. Role of small RNAs in host-microbe interactions. *Annual review of phytopathology*, 48, 225-246.
- Katiyar-Agarwal, S., Gao, S., Vivian-Smith, A. and Jin, H., 2007. A novel class of bacteria-induced small RNAs in *Arabidopsis*. *Genes & development*, 21(23), 3123-3134.

- Kawasaki, S., Miyake, C., Kohchi, T., Fujii, S., Uchida, M. and Yokota, A., 2000. Responses of wild watermelon to drought stress: accumulation of an ArgE homologue and citrulline in leaves during water deficits. *Plant and Cell Physiology*, 41(7), 864-873.
- Ke, Y., Han, G., He, H. and Li, J., 2009. Differential regulation of proteins and phosphoproteins in rice under drought stress. *Biochemical and biophysical research communications*, 379(1), 133-138.
- Khaksefidi, R.E., Mirlohi, S., Khalaji, F., Fakhari, Z., Shiran, B., Fallahi, H., Rafiei, F., Budak, H. and Ebrahimie, E., 2015. Differential expression of seven conserved microRNAs in response to abiotic stress and their regulatory network in *Helianthus annuus*. *Frontiers in plant science*, 6.
- Khraiweh, B., Zhu, J.K. and Zhu, J., 2012. Role of miRNAs and siRNAs in biotic and abiotic stress responses of plants. *Biochimica et Biophysica Acta (BBA)-Gene Regulatory Mechanisms*, 1819(2), 137-148.
- Kiani, S.P., Maury, P., Sarrafi, A. and Grieu, P., 2008. QTL analysis of chlorophyll fluorescence parameters in sunflower (*Helianthus annuus* L.) under well-watered and water-stressed conditions. *Plant science*, 175(4), 565-573.
- Kim, B., Yu, H.J., Park, S.G., Shin, J.Y., Oh, M., Kim, N. and Mun, J.H., 2012. Identification and profiling of novel microRNAs in the *Brassica rapa* genome based on small RNA deep sequencing. *BMC plant biology*, 12(1), 218.
- Kim, J.H., Choi, D. and Kende, H., 2003. The AtGRF family of putative transcription factors is involved in leaf and cotyledon growth in *Arabidopsis*. *The Plant Journal*, 36(1), 94-104.
- Kim, V.N., 2005. MicroRNA biogenesis: coordinated cropping and dicing. *Nature reviews Molecular cell biology*, 6(5), 376-385.
- Kirnak, H., Kaya, C., Tas, I. and Higgs, D., 2001. The influence of water deficit on vegetative growth, physiology, fruit yield and quality in eggplants. *Bulgarian Journal of Plant Physiology*, 27(3-4), 34-46.
- Kliebenstein, D.J., Monde, R.A. and Last, R.L., 1998. Superoxide dismutase in *Arabidopsis*: an eclectic enzyme family with disparate regulation and protein localization. *Plant physiology*, 118(2), 637-650.
- Knight, H. and Knight, M.R., 2001. Abiotic stress signalling pathways: specificity and cross-talk. *Trends in plant science*, 6(6), 262-267.

- Kołodziejek, J. and Michlewska, S., 2015. Effect of soil moisture on morpho-anatomical leaf traits of *Ranunculus acris* (Ranunculaceae). *Polish Journal of Ecology*, 63(3), 400-413.
- Kooter, J.M., Matzke, M.A. and Meyer, P., 1999. Listening to the silent genes: transgene silencing, gene regulation and pathogen control. *Trends in plant science*, 4(9), 340-347.
- Krugman, T., Chagué, V., Peleg, Z., Balzergue, S., Just, J., Korol, A.B., Nevo, E., Saranga, Y., Chalhoub, B. and Fahima, T., 2010. Multilevel regulation and signalling processes associated with adaptation to terminal drought in wild emmer wheat. *Functional & integrative genomics*, 10(2), 167-186.
- Kulkarni, M. and Deshpande, U., 2007. *In vitro* screening of tomato genotypes for drought tolerance using polyethylene glycol. *African Journal of Biotechnology*, 6, 691-696.
- Kulcheski, F.R., de Oliveira, L.F., Molina, L.G., Almerão, M.P., Rodrigues, F.A., Marcolino, J., Barbosa, J.F., Stolf-Moreira, R., Nepomuceno, A.L., Marcelino-Guimarães, F.C. and Abdelnoor, R.V., 2011. Identification of novel soybean microRNAs involved in abiotic and biotic stresses. *BMC genomics*, 12(1), 307.
- Kwak, P.B., Wang, Q.Q., Chen, X.S., Qiu, C.X. and Yang, Z.M., 2009. Enrichment of a set of microRNAs during the cotton fiber development. *BMC genomics*, 10(1), 457.
- Kyparissis, A., Petropoulou, Y., Manetas, Y., 1995. Summer survival of leaves in a soft-leaved shrub (*Phlomis fruticosa* L., Labiatae) under Mediterranean field conditions: avoidance of photoinhibitory damage through decreased chlorophyll contents. *Journal of Experimental Botany*, 46, 1825-1831.
- Laemmli, U.K., 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227(5259), 680-685.
- Larcher, W., 2003. *Physiological plant ecology: ecophysiology and stress physiology of functional groups*. Springer Science & Business Media.
- Laubinger, S., Sachsenberg, T., Zeller, G., Busch, W., Lohmann, J.U., Ratsch, G. and Weigel, D., 2008. Dual roles of the nuclear cap-binding complex and SERRATE in pre-mRNA splicing and microRNA processing in *Arabidopsis thaliana*. *Proceedings of the National Academy of Sciences*, 105(25), 8795-8800.

- Laufs, P., Peaucelle, A., Morin, H. and Traas, J., 2004. MicroRNA regulation of the CUC genes is required for boundary size control in Arabidopsis meristems. *Development*, 131(17), 4311-4322.
- Lauter, N., Kampani, A., Carlson, S., Goebel, M. and Moose, S.P., 2005. microRNA172 down-regulates *glossy15* to promote vegetative phase change in maize. *Proceedings of the National Academy of Sciences of the United States of America*, 102(26), 9412-9417.
- Lawlor, D.W. and Tezara, W., 2009. Causes of decreased photosynthetic rate and metabolic capacity in water-deficient leaf cells: a critical evaluation of mechanisms and integration of processes. *Annals of botany*, 103(4), 561-579.
- Lazaridou, M. and Koutroubas, S.D., 2004. Drought effect on water use efficiency of *berseem clover* at various growth stages. In *New directions for a diverse planet: Proceedings of the 4th International Crop Science Congress Brisbane, Australia* (Vol. 26).
- Lazcano-Ferrat, I. and Lovatt, C.J., 1999. Relationship between relative water content, nitrogen pools, and growth of *Phaseolus vulgaris* L. and *P. acutifolius* A. Gray during water deficit. *Crop Science*, 39(2), 467-475.
- Lelandais-Briere, C., Naya, L., Sallet, E., Calenge, F., Frugier, F., Hartmann, C., Gouzy, J. and Crespi, M., 2009. Genome-wide *Medicago truncatula* small RNA analysis revealed novel microRNAs and isoforms differentially regulated in roots and nodules. *The Plant Cell*, 21(9), 2780-2796.
- Leung, A.K. and Sharp, P.A., 2007. microRNAs: a safeguard against turmoil?. *Cell*, 130(4), 581-585.
- Li, C. and Lu, S., 2014. Genome-wide characterization and comparative analysis of R2R3-MYB transcription factors shows the complexity of MYB-associated regulatory networks in *Salvia miltiorrhiza*. *BMC genomics*, 15(1), 277.
- Li, C., Berninger, F., Koskela, J. and Sonninen, E., 2000. Drought responses of *Eucalyptus microtheca* provenances depend on seasonality of rainfall in their place of origin. *Functional Plant Biology*, 27(3), 231-238.
- Li, H., Dong, Y., Yin, H., Wang, N., Yang, J., Liu, X., Wang, Y., Wu, J. and Li, X., 2011. Characterization of the stress associated microRNAs in *Glycine max* by deep sequencing. *BMC plant biology*, 11(1), 170.

- Li, J., Yang, Z., Yu, B., Liu, J. and Chen, X., 2005. Methylation protects miRNAs and siRNAs from a 3'-end uridylation activity in Arabidopsis. *Current biology*, 15(16), 1501-1507.
- Li, R.H., Guo, P.G., Michael, B., Stefania, G. and Salvatore, C., 2006. Evaluation of chlorophyll content and fluorescence parameters as indicators of drought tolerance in barley. *Agricultural Sciences in China*, 5(10), 751-757.
- Li, W., Cui, X., Meng, Z., Huang, X., Xie, Q., Wu, H., Jin, H., Zhang, D. and Liang, W., 2012. Transcriptional regulation of Arabidopsis MIR168a and argonaute1 homeostasis in abscisic acid and abiotic stress responses. *Plant physiology*, 158(3), 1279-1292.
- Li, W.X. and Ding, S.W., 2001. Viral suppressors of RNA silencing. *Current Opinion in Biotechnology*, 12(2), 150-154.
- Li, W.X., Oono, Y., Zhu, J., He, X.J., Wu, J.M., Iida, K., Lu, X.Y., Cui, X., Jin, H. and Zhu, J.K., 2008. The Arabidopsis NFYA5 transcription factor is regulated transcriptionally and posttranscriptionally to promote drought resistance. *The Plant Cell*, 20(8), 2238-2251.
- Li, X., Li, Y., Zhang, Z. and Li, X., 2015. Influences of environmental factors on leaf morphology of *Chinese jujubes*. *PloS one*, 10(5), e0127825.
- Liu, Y.X., Chang, W., Han, Y.P., Quan, Z.O.U., Guo, M.Z. and Li, W.B., 2011. In silico detection of novel microRNAs genes in soybean genome. *Agricultural Sciences in China*, 10(9), 1336-1345.
- Liu, F. and Stutzel, H., 2004. Biomass partitioning, specific leaf area, and water use efficiency of vegetable amaranth (*Amaranthus* spp.) in response to drought stress. *Science Horticulture*, 102(1), 15–27.
- Liu, F., Liu, Q., Liang, X., Huang, H. and Zhang, S., 2005. Morphological, anatomical, and physiological assessment of ramie [*Boehmeria nivea* (L.) Gaud.] tolerance to soil drought. *Genetic Resources and Crop Evolution*, 52(5), 497-506.
- Liu, H.H., Tian, X., Li, Y.J., Wu, C.A. and Zheng, C.C., 2008. Microarray-based analysis of stress-regulated microRNAs in *Arabidopsis thaliana*. *RNA*, 14(5), 836-843.
- Liu, Q. and Chen, Y.Q., 2009. Insights into the mechanism of plant development: interactions of miRNAs pathway with phytohormone response. *Biochemical and biophysical research communications*, 384(1), 1-5.

- Liu, W., Zhou, Y., Li, X., Wang, X., Dong, Y., Wang, N., Liu, X., Chen, H., Yao, N., Cui, X. and Jameel, A., 2017. Tissue-Specific Regulation of Gma-miR396 Family on Coordinating Development and Low Water Availability Responses. *Frontiers in Plant Science*, 8.
- Liu, X., Huang, J., Wang, Y., Khanna, K., Xie, Z., Owen, H.A. and Zhao, D., 2010. The role of floral organs in carpels, an *Arabidopsis* loss - of - function mutation in *MicroRNA160a*, in organogenesis and the mechanism regulating its expression. *The Plant Journal*, 62(3), 416-428.
- Liu, Y.X., Wang, M. and Wang, X.J., 2014. Endogenous small RNA clusters in plants. *Genomics, proteomics & bioinformatics*, 12(2), 64-71.
- Lobell, D.B., Burke, M.B., Tebaldi, C., Mastrandrea, M.D., Falcon, W.P. and Naylor, R.L., 2008. Prioritizing climate change adaptation needs for food security in 2030. *Science*, 319(5863), 607-610.
- Loggini, B., Scartazza, A., Brugnoli, E. and Navari-Izzo, F., 1999. Antioxidative defense system, pigment composition, and photosynthetic efficiency in two wheat cultivars subjected to drought. *Plant physiology*, 119(3), 1091-1100.
- Lu, S., Sun, Y.H. and Chiang, V.L., 2008. Stress - responsive microRNAs in *Populus*. *The Plant Journal*, 55(1), 131-151.
- Lu, S., Sun, Y.H., Amerson, H. and Chiang, V.L., 2007. MicroRNAs in loblolly pine (*Pinus taeda* L.) and their association with fusiform rust gall development. *The Plant Journal*, 51(6), 1077-1098.
- Lu, S., Sun, Y.H., Shi, R., Clark, C., Li, L. and Chiang, V.L., 2005. Novel and mechanical stress-responsive microRNAs in *Populus trichocarpa* that are absent from *Arabidopsis*. *The Plant Cell*, 17(8), 2186-2203.
- Lu, Y.Y., Deng, X.P. and Kwak, S.S., 2010. Over expression of CuZn superoxide dismutase (CuZn SOD) and ascorbate peroxidase (APX) in transgenic sweet potato enhances tolerance and recovery from drought stress. *African Journal of Biotechnology*, 9(49), 8378-8391.
- Ludlow, M.M. and Björkman, O., 1984. Paraheliotropic leaf movement in *Siratro* as a protective mechanism against drought-induced damage to primary photosynthetic reactions: damage by excessive light and heat. *Planta*, 161(6), 505-518.

- Lukasik, A., Pietrykowska, H., Paczek, L., Szweykowska-Kulinska, Z. and Zielenkiewicz, P., 2013. High-throughput sequencing identification of novel and conserved miRNAs in the *Brassica oleracea* leaves. *BMC genomics*, 14(1), 801.
- Ma, C., Burd, S. and Lers, A., 2015. miR408 is involved in abiotic stress responses in *Arabidopsis*. *The Plant Journal*, 84(1), 169-187.
- Ma, M. and Eaton, J.W., 1992. Multicellular oxidant defense in unicellular organisms. *Proceedings of the National Academy of Sciences*, 89(17), 7924-7928.
- Macar, K.T. and Ekmekçi, Y., 2009. Alterations in photochemical and physiological activities of chickpea (*Cicer arietinum* L.) cultivars under drought stress. *Journal of Agronomy and Crop Science*, 195(5), 335–346.
- Mafakheri, A., Siosemardeh, A., Bahramnejad, B., Struik, P.C. and Sohrabi, Y., 2010. Effect of drought stress on yield, proline and chlorophyll contents in three chickpea cultivars. *Australian journal of crop science*, 4(8), 580.
- Mallory, A.C. and Vaucheret, H., 2006. Functions of microRNAs and related small RNAs in plants. *Nature Genetics*, 38, 31–36.
- Mallory, A.C., Dugas, D.V., Bartel, D.P. and Bartel, B., 2004. MicroRNA regulation of NAC-domain targets is required for proper formation and separation of adjacent embryonic, vegetative, and floral organs. *Current Biology*, 14(12), 1035-1046.
- Manavella, P.A., Hagmann, J., Ott, F., Laubinger, S., Franz, M., Macek, B. and Weigel, D., 2012. Fast-forward genetics identifies plant CPL phosphatases as regulators of miRNA processing factor HYL1. *Cell*, 151(4), 859-870.
- Manivannan, P., Jaleel, C.A., Sankar, B., Kishorekumar, A., Somasundaram, R., Lakshmanan, G.A. and Panneerselvam, R., 2007. Growth, biochemical modifications and proline metabolism in *Helianthus annuus* L. as induced by drought stress. *Colloids and Surfaces B: Biointerfaces*, 59(2), 141-149.
- Maroco, J.P., Rodrigues, M.L., Lopes, C. and Chaves, M.M., 2002. Limitations to leaf photosynthesis in field-grown grapevine under drought—metabolic and modelling approaches. *Functional Plant Biology*, 29(4), 451-459.
- Marron, N., Dreyer, E., Boudouresque, E., Delay, D., Petit, J.M., Delmotte, F.M. and Brignolas, F., 2003. Impact of successive drought and re-watering cycles on growth and specific leaf area of two *Populus* × *canadensis* (Moench) clones, 'Dorskamp' and 'Luisa_Avanzo'. *Tree physiology*, 23(18), 1225-1235.

- Marron, N., Maury, S., Rinaldi, C. and Brignolas, F., 2006. Impact of drought and leaf development stage on enzymatic antioxidant system of two *Populus deltoides* × *nigra* clones. *Annals of Forest Science*, 63(3), 323-327.
- Massacci, A., Nabiev, S.M., Pietrosanti, L., Nematov, S.K., Chernikova, T.N., Thor, K. and Leipner, J., 2008. Response of the photosynthetic apparatus of cotton (*Gossypium hirsutum*) to the onset of drought stress under field conditions studied by gas-exchange analysis and chlorophyll fluorescence imaging. *Plant Physiology and Biochemistry*, 46(2), 189-195.
- Matsui, T. and Kagata, H., 2003. Characteristics of floral organs related to reliable self - pollination in rice (*Oryza sativa* L.). *Annals of Botany*, 91(4), 473-477.
- Matsui, T. and Omasa, K., 2002. Rice (*Oryza sativa* L.) cultivars tolerant to high temperature at flowering: anther characteristics. *Annals of Botany*, 89(6), 683-687.
- Matzke, M., Matzke, A.J. and Kooter, J.M., 2001. RNA: guiding gene silencing. *Science*, 293(5532), 1080-1083.
- Mayrose, M., Kane, N.C., Mayrose, I., Dlugosch, K.M. and Rieseberg, L.H., 2011. Increased growth in sunflower correlates with reduced defences and altered gene expression in response to biotic and abiotic stress. *Molecular Ecology*, 20(22), 4683-4694.
- Mckersie, B.D., Bowley, S.R., Harjanto, E. and Leprince, O., 1996. Water-deficit tolerance and field performance of transgenic alfalfa overexpressing superoxide dismutase. *Plant Physiology*, 111(4), 1177-1181.
- Meir, S., Philosoph-Hadas, S. and Aharoni, N., 1992. Ethylene-increased accumulation of fluorescent lipid-peroxidation products detected during senescence of parsley by a newly developed method. *Journal of the American Society for Horticultural science*, 117(1), 128-132.
- Miklos, G.L.G. and Rubin, G.M., 1996. The role of the genome project in determining gene function: insights from model organisms. *Cell*, 86(4), 521-529.
- Miralles-Crespo, J., Sánchez-Blanco, M.J., Navarro, A., Martínez-Sánchez, J.J. and Bañón, S., 2010. Comparison of stem diameter variations in three small ornamental shrubs under water stress. *HortScience*, 45(11), 1681-1689.
- Mittler, R., 2002. Oxidative stress, antioxidants and stress tolerance. *Trends in plant science*, 7(9), 405-410.

- Montes, R.A.C., Rosas-cárdenas, F.D.F., De Paoli, E., Accerbi, M., Rymarquis, L.A., Mahalingam, G., Marsch-Martinez, N., Meyers, B.C., Green, P.J. and De Folter, S., 2014. Sample sequencing of vascular plants demonstrates widespread conservation and divergence of microRNAs. *Nature communications*, 5, 3722.
- Moran, J.F., Becana, M., Iturbe-Ormaetxe, I., Frechilla, S., Klucas, R.V. and Aparicio-Tejo, P., 1994. Drought induces oxidative stress in pea plants. *Planta*, 194(3), 346-352.
- Moxon, S., Jing, R., Szittyá, G., Schwach, F., Pilcher, R.L.R., Moulton, V. and Dalmay, T., 2008. Deep sequencing of tomato short RNAs identifies microRNAs targeting genes involved in fruit ripening. *Genome research*, 18(10), 1602-1609.
- Munne-Bosch, S. and Alegre, L., 2000. Changes in carotenoids, tocopherols and diterpenes during drought and recovery, and the biological significance of chlorophyll loss in *Rosmarinus officinalis* plants. *Planta*, 210(6), 925-931.
- Munne-Bosch, S. and Penuelas, J., 2003. Photo-and antioxidative protection, and a role for salicylic acid during drought and recovery in field-grown *Phillyrea angustifolia* plants. *Planta*, 217(5), 758-766.
- Mutum, R.D., Balyan, S.C., Kansal, S., Agarwal, P., Kumar, S., Kumar, M. and Raghuvanshi, S., 2013. Evolution of variety - specific regulatory schema for expression of osa-miR408 in indica rice varieties under drought stress. *The FEBS journal*, 280(7), 1717-1730.
- Nag, A., King, S. and Jack, T., 2009. miR319a targeting of TCP4 is critical for petal growth and development in *Arabidopsis*. *Proceedings of the National Academy of Sciences*, 106(52), 22534-22539.
- Nageshbabu, R. and Jyothi, M.N., 2013. Profile of small interfering RNAs from French bean *Phaseolus vulgaris* under abiotic stress conditions. *International Journal of Pharma and Biological Sciences*, 4, 176-185.
- Nageshbabu, R., Jyothi, M.N., Sharadamma, N., Sahu, S., Rai, D.V. and Devaraj, V.R., 2013. Expression of miRNAs regulates growth and development of French bean (*Phaseolus vulgaris*) under salt and drought stress conditions. *International Research Journal of Biological Science*, 2, 52-56.
- Napoli, C., Lemieux, C. and Jorgensen, R., 1990. Introduction of a chimeric chalcone synthase gene into petunia results in reversible co-suppression of homologous genes in trans. *The plant cell*, 2(4), 279-289.

- New, M., Liverman, D., Schroder, H. and Anderson, K., 2011. Four degrees and beyond: the potential for a global temperature increase of four degrees and its implications. *Philosophical transactions Series A, Mathematical, physical, and engineering sciences*, 369, 6–19.
- Nicotra, A.B., Atkin, O.K., Bonser, S.P., Davidson, A.M., Finnegan, E.J., Mathesius, U., Poot, P., Purugganan, M.D., Richards, C.L., Valladares, F. and van Kleunen, M., 2010. Plant phenotypic plasticity in a changing climate. *Trends in plant science*, 15(12), 684-692.
- Niinemets, . and Kull, O., 1998. Stoichiometry of foliar carbon constituents varies along light gradients in temperate woody canopies: implications for foliage morphological plasticity. *Tree Physiology*, 18(7), 467-479.
- Niu, G., Rodriguez, D.S. and Mackay, W., 2008. Growth and physiological responses to drought stress in four oleander clones. *Journal of the American Society for Horticultural Science*, 133(2), 188-196.
- Niu, S., Fan, G., Zhao, Z., Deng, M. and Dong, Y., 2014. High-throughput sequencing and degradome analysis reveal microRNA differential expression profiles and their targets in *Paulownia fortunei*. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 119(3), 457-468.
- Ober, E.S. and Luterbacher, M.C., 2002. Genotypic variation for drought tolerance in *Beta vulgaris*. *Annals of Botany*, 89(7), 917-924.
- O'Connor, T.G., 1995. Acacia karroo invasion of grassland: environmental and biotic effects influencing seedling emergence and establishment. *Oecologia*, 103(2), 214-223.
- Ogaya, R. and Penuelas, J., 2006. Contrasting foliar responses to drought in *Quercus ilex* and *Phillyrea latifolia*. *Biologia Plantarum*, 50(3), 373-382.
- Onemli, F. and Gucer, T., 2010. Response to drought of some wild species of *Helianthus* at seedling growth stage. *Helia*, 33(53), 45-54.
- Ori, N., Cohen, A.R., Etzioni, A., Brand, A., Yanai, O., Shleizer, S., Menda, N., Amsellem, Z., Efroni, I., Pekker, I. and Alvarez, J.P., 2007. Regulation of LANCEOLATE by miR319 is required for compound-leaf development in tomato. *Nature genetics*, 39(6), 787.
- Ormrod, D.P., Landry, L.G. and Conklin, P.L., 1995. Short - term UV - B radiation and ozone exposure effects on aromatic secondary metabolite accumulation and shoot

- growth of flavonoid - deficient Arabidopsis mutants. *Physiologia Plantarum*, 93(4), 602-610.
- Pagliarani, C., Vitali, M., Ferrero, M., Vitulo, N., Incarbone, M., Lovisolo, C., Valle, G. and Schubert, A., 2017. Accumulation of MicroRNAs differentially modulated by drought is affected by grafting in grapevine. *Plant Physiology*, 01119.
- Painawadee, M., Jogloy, S., Kesmla, T., Akkasaeng, C. and Patanothai, A., 2009. Identification of traits related to drought resistance in peanut (*Arachis hypogaea* L.). *Asian Journal of Plant Sciences*, 8(2),120.
- Palatnik, J.F., Edwards, A., Wu, X. and Schommer, C., 2003. Control of leaf morphogenesis by microRNAs. *Nature*, 425(6955), 257.
- Pan, S.M. and Yau, Y.Y., 1992. Characterization of superoxide dismutase in Arabidopsis. *Plant Cell Physiol*, 37(1), 58-66.
- Pan, Y., Wu, L.J. and Yu, Z.L., 2006. Effect of salt and drought stress on antioxidant enzymes activities and SOD isoenzymes of liquorice (*Glycyrrhiza uralensis* Fisch). *Plant Growth Regulation*, 49(2-3), 157-165.
- Pandey, H.C., Baig, M.J., Chandra, A. and Bhatt, R.K., 2010. Drought stress induced changes in lipid peroxidation and antioxidant system in genus Avena. *Journal of Environmental Biology*, 31, 435-440
- Pandolfi, P.P., Sonati, F., Rivi, R., Mason, P., Grosveld, F. and Luzzatto, L., 1995. Targeted disruption of the housekeeping gene encoding glucose 6-phosphate dehydrogenase (G6PD): G6PD is dispensable for pentose synthesis but essential for defense against oxidative stress. *The EMBO journal*, 14(21), 5209.
- Parida, A.K., Dagaonkar, V.S., Phalak, M.S., Umalkar, G.V. and Aurangabadkar, L.P., 2007. Alterations in photosynthetic pigments, protein and osmotic components in cotton genotypes subjected to short-term drought stress followed by recovery. *Plant Biotechnology Reports*, 1(1), 37-48.
- Park, M.Y., Wu, G., Gonzalez-Sulser, A., Vaucheret, H. and Poethig, R.S., 2005. Nuclear processing and export of microRNAs in Arabidopsis. *Proceedings of the National Academy of Sciences of the United States of America*, 102(10), 3691-3696.
- Park, W., Li, J., Song, R., Messing, J. and Chen, X., 2002. CARPEL FACTORY, a Dicer homolog, and HEN1, a novel protein, act in microRNA metabolism in *Arabidopsis thaliana*. *Current Biology*, 12(17), 1484-1495.

- Parrish, S. and Fire, A., 2001. Distinct roles for RDE-1 and RDE-4 during RNA interference in *Caenorhabditis elegans*. *RNA*, 7(10), 1397-1402.
- Parrish, S., Fleenor, J., Xu, S., Mello, C. and Fire, A., 2000. Functional anatomy of a dsRNA trigger: differential requirement for the two trigger strands in RNA interference. *Molecular cell*, 6(5), 1077-1087.
- Parry, M., Canziani, O.F., Palutikof, J., van der Linden, P., Hansen, C. (Eds.), 2007. *Climate Change 2007: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel of Climate Change (IPCC)*. Cambridge University Press, Cambridge.
- Paul, S., Kundu, A. and Pal, A., 2014. Identification and expression profiling of *Vigna mungo* microRNAs from leaf small RNA transcriptome by deep sequencing. *Journal of integrative plant biology*, 56(1), 15-23.
- Pelaez, P., Trejo, M.S., Iñiguez, L.P., Estrada-Navarrete, G., Covarrubias, A.A., Reyes, J.L. and Sanchez, F., 2012. Identification and characterization of microRNAs in *Phaseolus vulgaris* by high-throughput sequencing. *BMC genomics*, 13(1), 83.
- Pellegrineschi, A., Reynolds, M., Pacheco, M., Brito, R.M., Almeraya, R., Yamaguchi-Shinozaki, K. and Hoisington, D., 2004. Stress-induced expression in wheat of the *Arabidopsis thaliana* DREB1A gene delays water stress symptoms under greenhouse conditions. *Genome*, 47(3), 493-500.
- Pennisi, E., 2013. Evolution heresy? Epigenetics underlies heritable plant traits. *Science*, 341(6150), 1055-1055.
- Pereira and Chaves, 1993 Pereira JS, Chaves MM. Plant water deficits in Mediterranean ecosystems. In: Smith JAC Griffiths H, editor. *Plant responses to water deficits-from cell to community*. Oxford: BIOS Scientific, 237–251.
- Petit, J.R., Jouzel, J., Raynaud, D., Barkov, N.I., Barnola, J.M., Basile, I., Bender, M., Chappellaz, J., Davis, M., Delaygue, G. and Delmotte, M., 1999. Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica. *Nature*, 399(6735), 429-436.
- Phookaew, P., Netrphan, S., Sojikul, P. and Narangajavana, J., 2014. Involvement of miR164-and miR167-mediated target gene expressions in responses to water deficit in cassava. *Biologia plantarum*, 58(3), 469-478.
- Plasterk, R.H., 2002. RNA silencing: the genome's immune system. *Science*, 296(5571), 1263-1265.

- Polle, A., 2001. Dissecting the superoxide dismutase-ascorbate-glutathione-pathway in chloroplasts by metabolic modeling. Computer simulations as a step towards flux analysis. *Plant Physiology*, 126(1), 445-462.
- Poorter, H. and Garnier, E., 2007. Ecological significance of inherent variation in relative growth rate and its components. *Handbook of Functional Plant Ecology* (eds F.I. Pugnaire & F. Valladares), Marcel Dekker, New York, USA, 81–120.
- Porra, R.J., Thompson, W.A. and Kriedemann, P.E., 1989. Determination of accurate extinction coefficients and simultaneous equations for assaying chlorophylls a and b extracted with four different solvents: verification of the concentration of chlorophyll standards by atomic absorption spectroscopy. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 975(3), 384-394.
- Poulsen, A.D., 1996. Species richness and density of ground herbs within a plot of lowland rainforest in north-west Borneo. *Journal of Tropical Ecology*, 12(2), 177-190.
- Pradhan, G.P., Prasad, P.V., Fritz, A.K., Kirkham, M.B. and Gill, B.S., 2012. Effects of drought and high temperature stress on synthetic hexaploid wheat. *Functional Plant Biology*, 39(3), 190-198.
- Prasad, R., Khan, A.H. and Singh, R.B., 1982. Investigations on growth and metabolism of organic acids of wheat in relation to water stress. *Acta Botanica Indica*.10, 19-24.
- Purugganan, M.D. and Fuller, D.Q., 2009. The nature of selection during plant domestication. *Nature*, 457(7231), 843.
- Puzey, J.R. and Kramer, E.M., 2009. Identification of conserved *Aquilegia coerulea* microRNAs and their targets. *Gene*, 448(1), 46-56.
- Qi, Y., He, X., Wang, X.J., Kohany, O., Jurka, J. and Hannon, G.J., 2006. Distinct catalytic and non-catalytic roles of ARGONAUTE4 in RNA-directed DNA methylation. *Nature*, 443(7114), 1008.
- Qin, Y., Duan, Z., Xia, X. and Yin, W., 2011. Expression profiles of precursor and mature microRNAs under dehydration and high salinity shock in *Populus euphratica*. *Plant cell reports*, 30(10), 1893.
- Rabbani, M.A., Maruyama, K., Abe, H., Khan, M.A., Katsura, K., Ito, Y., Yoshiwara, K., Seki, M., Shinozaki, K. and Yamaguchi-Shinozaki, K., 2003. Monitoring expression profiles of rice genes under cold, drought, and high-salinity stresses and

- abscisic acid application using cDNA microarray and RNA gel-blot analyses. *Plant physiology*, 133(4), 1755-1767.
- Rabino, I. and Mancinelli, A.L., 1986. Light, temperature, and anthocyanin production. *Plant Physiology*, 81(3), 922-924.
- Rajagopalan, R., Vaucheret, H., Trejo, J. and Bartel, D.P., 2006. A diverse and evolutionarily fluid set of microRNAs in *Arabidopsis thaliana*. *Genes & development*, 20(24), 3407-3425.
- Ramanjulu, S. and Bartels, D., 2002. Drought and desiccation induced modulation of gene expression in plants. *Plant, cell & environment*, 25(2), 141-151.
- Ramos, M.L.G., Parsons, R., Sprent, J.I. and James, E.K., 2003. Effect of water stress on nitrogen fixation and nodule structure of common bean. *Pesquisa Agropecuária Brasileira*, 38(3), 339-347.
- Reddy, A.M., Zheng, Y., Jagadeeswaran, G., Macmil, S.L., Graham, W.B., Roe, B.A., Desilva, U., Zhang, W. and Sunkar, R., 2009. Cloning, characterization and expression analysis of porcine microRNAs. *BMC genomics*, 10(1), 65.
- Reddy, A.R., Chaitanya, K.V. and Vivekanandan, M., 2004. Drought-induced responses of photosynthesis and antioxidant metabolism in higher plants. *Journal of plant physiology*, 161(11), 1189-1202.
- Reichel, M. and Millar, A.A., 2015. Specificity of plant microRNA target MIMICs: Cross-targeting of miR159 and miR319. *Journal of plant physiology*, 180, 45-48.
- Reinhardt, B., Hanggi, E., Müller, S., Bauch, M., Wyrzykowska, J., Kerstetter, R., Poethig, S. and Fleming, A.J., 2007. Restoration of DWF4 expression to the leaf margin of a *dwf4* mutant is sufficient to restore leaf shape but not size: the role of the margin in leaf development. *The Plant Journal*, 52(6), 1094-1104.
- Reinhart, B.J., Weinstein, E.G., Rhoades, M.W., Bartel, B. and Bartel, D.P., 2002. MicroRNAs in plants. *Genes & development*, 16(13), 1616-1626.
- Reyes, J.L. and Chua, N.H., 2007. ABA induction of miR159 controls transcript levels of two MYB factors during *Arabidopsis* seed germination. *The Plant Journal*, 49(4), 592-606.
- Rhoades, M.W., Reinhart, B.J., Lim, L.P., Burge, C.B., Bartel, B. and Bartel, D.P., 2002. Prediction of plant microRNA targets. *Cell*, 110(4), 513-520.
- Richards, R.A., 2000. Selectable traits to increase crop photosynthesis and yield of grain crops. *Journal of Experimental Botany*, 51, 447-458.

- Rigano, M.M., Arena, C., Di Matteo, A., Sellitto, S., Frusciante, L. and Barone, A., 2016. Eco-physiological response to water stress of drought-tolerant and drought-sensitive tomato genotypes. *Plant Biosystems-An International Journal Dealing with all Aspects of Plant Biology*, 150(4), 682-691.
- Rock, C.D., 2013. Trans-acting small interfering RNA4: key to nutraceutical synthesis in grape development?. *Trends in plant science*, 18(11), 601-610.
- Rosenzweig, C., Karoly, D., Vicarelli, M., Neofotis, P., Wu, Q., Casassa, G., Menzel, A., Root, T.L., Estrella, N., Seguin, B. and Tryjanowski, P., 2008. Attributing physical and biological impacts to anthropogenic climate change. *Nature*, 453(7193), 353.
- Royer, D.L., McElwain, J.C., Adams, J.M. and Wilf, P., 2008. Sensitivity of leaf size and shape to climate within *Acer rubrum* and *Quercus kelloggii*. *New Phytologist*, 179(3), 808-817.
- Ruan, M.B., Zhao, Y.T., Meng, Z.H., Wang, X.J. and Yang, W.C., 2009. Conserved miRNA analysis in *Gossypium hirsutum* through small RNA sequencing. *Genomics*, 94(4), 263-268.
- Ryser, P. and Urbas, P., 2000. Ecological significance of leaf life span among Central European grass species. *Oikos*, 91(1), 41-50.
- Sairam, R.K., Deshmukh, P.S. and Saxena, D.C., 1998. Role of antioxidant systems in wheat genotypes tolerance to water stress. *Biologia plantarum*, 41(3), 387-394.
- Sakaguchi, J. and Watanabe, Y., 2012. miR165/166 and the development of land plants. *Development, growth & differentiation*, 54(1), 93-99.
- Sakuma, Y., Maruyama, K., Osakabe, Y., Qin, F., Seki, M., Shinozaki, K. and Yamaguchi-Shinozaki, K., 2006. Functional analysis of an Arabidopsis transcription factor, DREB2A, involved in drought-responsive gene expression. *The Plant Cell*, 18(5), 1292-1309.
- Samis, K., Bowley, S. and McKersie, B., 2002. Pyramiding Mn superoxide dismutase transgenes to improve persistence and biomass production in alfalfa. *Journal of experimental botany*, 53(372), 1343-1350.
- Sandoval-Villa, M., Wood, C.W., Guertal, E.A., 2002. Tomato leaf chlorophyll meter readings as affected by variety, nitrogen form, and night-time nutrient solution strength. *J. Plant Nutr.* 25, 2129–2142.

- Scarpella, E., Marcos, D., Friml, J. and Berleth, T., 2006. Control of leaf vascular patterning by polar auxin transport. *Genes & development*, 20(8), 1015-1027.
- Schlichting, C.D. and Pigliucci, M., 1998. Phenotypic evolution: a reaction norm perspective. Sinauer Associates Incorporated.
- Schlichting, C.D., 1986. The evolution of phenotypic plasticity in plants. *Annual review of ecology and systematics*, 17(1), 667-693.
- Schmalenbach, I., Zhang, L., Reymond, M. and Jiménez-Gómez, J.M., 2014. The relationship between flowering time and growth responses to drought in the *Arabidopsis* Landsberg erecta x Antwerp-1 population. *Frontiers in plant science*, 5.
- Schmid, M., Uhlenhaut, N.H., Godard, F., Demar, M., Bressan, R., Weigel, D. and Lohmann, J.U., 2003. Dissection of floral induction pathways using global expression analysis. *Development*, 130(24), 6001-6012.
- Schroeder CA. 1965. Temperature relationship in fruit tissues under extreme conditions. *Proceedings of the American Society of for Horticultural Science*, 87, 199–203.
- Schulze, S., Schäfer, B.N., Parizotto, E.A., Voinnet, O. and Theres, K., 2010. LOST MERISTEMS genes regulate cell differentiation of central zone descendants in *Arabidopsis* shoot meristems. *The Plant Journal*, 64(4), 668-678.
- Schwab, R., Palatnik, J.F., Riester, M., Schommer, C., Schmid, M. and Weigel, D., 2005. Specific effects of microRNAs on the plant transcriptome. *Developmental cell*, 8(4), 517-527.
- Seki, M., Narusaka, M., Abe, H., Kasuga, M., Yamaguchi-Shinozaki, K., Carninci, P., Hayashizaki, Y. and Shinozaki, K., 2001. Monitoring the expression pattern of 1300 *Arabidopsis* genes under drought and cold stresses by using a full-length cDNA microarray. *The Plant Cell*, 13(1), 61-72.
- Seki, M., Narusaka, M., Ishida, J., Nanjo, T., Fujita, M., Oono, Y., Kamiya, A., Nakajima, M., Enju, A., Sakurai, T. and Satou, M., 2002. Monitoring the expression profiles of 7000 *Arabidopsis* genes under drought, cold and high salinity stresses using a full length cDNA microarray. *The Plant Journal*, 31(3), 279-292.
- Seo, P.J., Xiang, F., Qiao, M., Park, J.Y., Lee, Y.N., Kim, S.G., Lee, Y.H., Park, W.J. and Park, C.M., 2009. The MYB96 transcription factor mediates abscisic acid signaling during drought stress response in *Arabidopsis*. *Plant Physiology*, 151(1), 275-289.

- Shao, F. and Lu, S., 2013. Genome-wide identification, molecular cloning, expression profiling and posttranscriptional regulation analysis of the Argonaute gene family in *Salvia miltiorrhiza*, an emerging model medicinal plant. *BMC genomics*, 14(1), 512.
- Sharitz, R.R. and McCormick, J.F., 1973. Population dynamics of two competing annual plant species. *Ecology*, 54(4), 723-740.
- Sharma, D., Tiwari, M., Pandey, A., Bhatia, C., Sharma, A. and Trivedi, P.K., 2016. MicroRNA858 is a potential regulator of phenylpropanoid pathway and plant development in *Arabidopsis*. *Plant physiology*, 01831.
- Shi, M.Z. and Xie, D.Y., 2014. Biosynthesis and metabolic engineering of anthocyanins in *Arabidopsis thaliana*. *Recent patents on biotechnology*, 8(1), 47-60.
- Shirley, B.W., 1996. Flavonoid biosynthesis: 'new' functions for an 'old' pathway. *Trends in plant science*, 1(11), 377-382.
- Shuai, P., Liang, D., Zhang, Z., Yin, W. and Xia, X., 2013. Identification of drought-responsive and novel *Populus trichocarpa* microRNAs by high-throughput sequencing and their targets using degradome analysis. *BMC Genomics*, 14(1), 233.
- Simova-Stoilova, L., Demirevska, K., Petrova, T., Tsenov, N. and Feller, U., 2009. Antioxidative protection and proteolytic activity in tolerant and sensitive wheat (*Triticum aestivum* L.) varieties subjected to long-term field drought. *Plant growth regulation*, 58(1), 107-117.
- Slama, I., Tayachi, S., Jdey, A., Rouached, A. and Abdelly, C., 2011. Differential response to water deficit stress in alfalfa (*Medicago sativa*) cultivars: Growth, water relations, osmolyte accumulation and lipid peroxidation. *African Journal of Biotechnology*, 10(72), 16250-16259.
- Smirnoff, N., 1993. The role of active oxygen in the response of plants to water deficit and desiccation. *New Phytologist*, 125(1), 27-58.
- Smirnoff, N., 1995. Antioxidant systems and plant response to the environment. In: Smirnoff V (Ed.), *Environment and Plant Metabolism: Flexibility and Acclimation*, BIOS Scientific Publishers, Oxford, UK.
- Smith, M.W. and Doolittle, R.F., 1992. A comparison of evolutionary rates of the two major kinds of superoxide dismutase. *Journal of molecular evolution*, 34(2), 175-184.
- Solomon, S., Plattner, G.K., Knutti, R. and Friedlingstein, P., 2009. Irreversible climate change due to carbon dioxide emissions. *Proceedings of the national academy of sciences*, 106(6), 1704-1709.

- Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K.B., Tignor, M., Miller, H.L., 2007. Climate change 2007-the physical science basis: Working group I contribution to the fourth assessment report of the IPCC, vol 4. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 105–108.
- Stauffer, B., 1999. Climate change: Cornucopia of ice core results. *Nature*, 399(6735), 412-412.
- Steyn, W.J., Wand, S.J.E., Holcroft, D.M. and Jacobs, G., 2002. Anthocyanins in vegetative tissues: a proposed unified function in photoprotection. *New Phytologist*, 155(3), 349-361.
- Subramanian, S., Fu, Y., Sunkar, R., Barbazuk, W.B., Zhu, J.K. and Yu, O., 2008. Novel and nodulation-regulated microRNAs in soybean roots. *BMC Genomics*, 9(1), 160.
- Sultan et al., 1998 Sultan, S.E., Wilczek, A.M., Bell, D.L. and Hand, G., 1998. Physiological response to complex environments in annual *Polygonum* species of contrasting ecological breadth. *Oecologia*, 115(4), 564-578.
- Sultan, S.E., 1987. Evolutionary implications of phenotypic plasticity. *Evolutionary biology*, 21, 127-178.
- Sultan, S.E., 2000. Phenotypic plasticity for plant development, function and life history. *Trends in plant science*, 5(12), 537-542.
- Sun, G., Stewart Jr, C.N., Xiao, P. and Zhang, B., 2012. MicroRNA expression analysis in the cellulosic biofuel crop switchgrass (*Panicum virgatum*) under abiotic stress. *PLoS One*, 7(3), e32017.
- Sun, J., Gu, J., Zeng, J., Han, S., Song, A., Chen, F., Fang, W., Jiang, J. and Chen, S., 2013. Changes in leaf morphology, antioxidant activity and photosynthesis capacity in two different drought-tolerant cultivars of chrysanthemum during and after water stress. *Scientia horticulturae*, 161, 249-258.
- Sunkar, R. and Jagadeeswaran, G., 2008. In silico identification of conserved microRNAs in large number of diverse plant species. *BMC plant biology*, 8(1), 37.
- Sunkar, R. and Zhu, J.K., 2004. Novel and stress-regulated microRNAs and other small RNAs from *Arabidopsis*. *The Plant Cell*, 16(8), 2001-2019.
- Sunkar, R., Chinnusamy, V., Zhu, J. and Zhu, J.K., 2007. Small RNAs as big players in plant abiotic stress responses and nutrient deprivation. *Trends in plant science*, 12(7), 301-309.

- Sunkar, R., Kapoor, A. and Zhu, J.K., 2006. Posttranscriptional induction of two Cu/Zn superoxide dismutase genes in Arabidopsis is mediated by downregulation of miR398 and important for oxidative stress tolerance. *The Plant Cell*, 18(8), 2051-2065.
- Sunkar, R., Li, Y.F. and Jagadeeswaran, G., 2012. Functions of microRNAs in plant stress responses. *Trends in plant science*, 17(4), 196-203.
- Sunkar, R., Zhou, X., Zheng, Y., Zhang, W. and Zhu, J.K., 2008. Identification of novel and candidate miRNAs in rice by high throughput sequencing. *BMC plant biology*, 8(1), 25.
- Surendar, K.K., Devi, D.D., Ravi, I., Jeyakumar, P. and Velayudham, K., 2013. Water stress affects plant relative water content, soluble protein, total chlorophyll content and yield of Ratoon Banana. *International Journal of Horticulture*, 3.
- Suzuki, S., 1981. Cold tolerance in rice plants with special reference to the floral characters. I. Varietal differences in anther and stigma length and effects of planting densities on these characters. *Japanese Journal of Breeding* 31, 57–64.
- Suzuki, S., 1982. Cold tolerance in rice plants with special reference to the floral characters. II. Relations between floral characters and the degree of cold tolerance in segregating generations. *Japanese Journal of Breeding* 32, 9–16.
- Szittyá, G., Moxon, S., Santos, D.M., Jing, R., Fevèreiro, M.P., Moulton, V. and Dalmay, T., 2008. High-throughput sequencing of *Medicago truncatula* short RNAs identifies eight new miRNA families. *BMC genomics*, 9(1), 593.
- Tahkokorpi, M., Taulavuori, K., Laine, K. and Taulavuori, E., 2007. After-effects of drought-related winter stress in previous and current year stems of *Vaccinium myrtillus* L. *Environmental and experimental botany*, 61(1), 85-93.
- Takahashi, M.A. and Asada, K., 1983. Superoxide anion permeability of phospholipid membranes and chloroplast thylakoids. *Archives of Biochemistry and Biophysics*, 226(2), 558-566.
- Tanaka, K., Takio, S., Yamamoto, I. and Satoh, T., 1996. Purification of the cytosolic CuZn-superoxide dismutase (CuZn-SOD) of *Marachantia paleacea* var. diptera and its resemblance to CuZn-SOD from chloroplasts. *Plant and cell physiology*, 37(4), 523-529.

- Tang, S., Wang, Y., Li, Z., Gui, Y., Xiao, B., Xie, J., Zhu, Q.H. and Fan, L., 2012. Identification of wounding and topping responsive small RNAs in tobacco (*Nicotiana tabacum*). *BMC plant biology*, 12(1), 28.
- Taulavuori, E., Hellström, E.K., Taulavuori, K. and Laine, K., 2001. Comparison of two methods used to analyse lipid peroxidation from *Vaccinium myrtillus* (L.) during snow removal, reacclimation and cold acclimation. *Journal of Experimental Botany*, 52(365), 2375-2380.
- Taulavuori, E., Tahkokorpi, M., Laine, K. and Taulavuori, K., 2010. Drought tolerance of juvenile and mature leaves of a deciduous dwarf shrub *Vaccinium myrtillus* L. in a boreal environment. *Protoplasma*, 241(1-4), 19-27.
- Tijsterman, M., Ketting, R.F., Okihara, K.L., Sijen, T. and Plasterk, R.H., 2002. RNA helicase MUT-14-dependent gene silencing triggered in *C. elegans* by short antisense RNAs. *Science*, 295(5555), 694-697.
- Tognon, G.B., Petry, C. and Cuquel, F.L., 2012. Response to water deficit of *Ipomoea cairica* (L.) Sweet. *Ciencia e Agrotecnologia*, 36(3), 318-324.
- Traore, S.B., Carlson, R.E., Pilcher, C.D. and Rice, M.E., 2000. Bt and non-Bt maize growth and development as affected by temperature and drought stress. *Agronomy Journal*, 92(5), 1027-1035.
- Trewavas, A.J. and Malho, R., 1997. Signal perception and transduction: the origin of the phenotype. *The Plant Cell*, 9(7), 1181.
- Trindade, I., Capitaó, C., Dalmay, T., Fevereiro, M.P. and Dos Santos, D.M., 2010. miR398 and miR408 are up-regulated in response to water deficit in *Medicago truncatula*. *Planta*, 231(3), 705-716.
- Tuberosa, R. and Salvi, S., 2006. Genomics-based approaches to improve drought tolerance of crops. *Trends in plant science*, 11(8), 405-412.
- Tucic, B., Vuleta, A. and Jovanovic, S.M., 2009. Protective function of foliar anthocyanins: *in situ* experiments on a sun-exposed population of *Iris pumila* L. (Iridaceae). *Polish Journal of Ecology*, 57(4), 779-783.
- Turkan, I., Bor, M., Ozdemir, F. and Koca, H., 2005. Differential responses of lipid peroxidation and antioxidants in the leaves of drought-tolerant *P. acutifolius* Gray and drought-sensitive *P. vulgaris* L. subjected to polyethylene glycol mediated water stress. *Plant Science*, 168(1), 223-231.

- Turner, M., Nizampatnam, N.R., Baron, M., Coppin, S., Damodaran, S., Adhikari, S., Arunachalam, S.P., Yu, O. and Subramanian, S., 2013. Ectopic expression of miR160 results in auxin hypersensitivity, cytokinin hyposensitivity, and inhibition of symbiotic nodule development in soybean. *Plant physiology*, 162(4), 2042-2055.
- Unamba, C.I., Nag, A. and Sharma, R.K., 2015. Next generation sequencing technologies: the doorway to the unexplored genomics of non-model plants. *Frontiers in plant science*, 6.
- Urano, K., Kurihara, Y., Seki, M. and Shinozaki, K., 2010. 'Omics' analyses of regulatory networks in plant abiotic stress responses. *Current opinion in plant biology*, 13(2), 132-138.
- Valladares, F. and Sanchez-Gomez, D., 2006. Ecophysiological traits associated with drought in Mediterranean tree seedlings: individual responses versus interspecific trends in eleven species. *Plant Biology*, 8(05), 688-697.
- Van Breusegem, F., Sooten, L., Stassart, J.M., Moens, T., Botterman, J., Van Montagu, M. and Inze, D., 1999. Overproduction of *Arabidopsis thaliana* FeSOD confers oxidative stress tolerance to transgenic maize. *Plant and cell physiology*, 40(5), 515-523.
- Van Camp, W., Capiiau, K., Van Montagu, M., Inze, D. and Sooten, L., 1996. Enhancement of oxidative stress tolerance in transgenic tobacco plants overproducing Fe-superoxide dismutase in chloroplasts. *Plant Physiology*, 112(4), 1703-1714.
- Van Hees, A.F.M., 1997. Growth and morphology of pedunculate oak (*Quercus robur* L) and beech (*Fagus sylvatica* L) seedlings in relation to shading and drought. In *Annales des Sciences Forestieres*, 54(1), 9-18.
- Vaucheret, H., 2006. Post-transcriptional small RNA pathways in plants: mechanisms and regulations. *Genes & development*, 20(7), 759-771.
- Vaucheret, H., Beclin, C. and Fagard, M., 2001. Post-transcriptional gene silencing in plants. *Journal of cell science*, 114(17), 3083-3091.
- Vaucheret, H., Mallory, A.C. and Bartel, D.P., 2006. AGO1 homeostasis entails coexpression of MIR168 and AGO1 and preferential stabilization of miR168 by AGO1. *Molecular cell*, 22(1), 129-136.
- Vaucheret, H., Vazquez, F., Crete, P. and Bartel, D.P., 2004. The action of ARGONAUTE1 in the miRNA pathway and its regulation by the miRNA pathway are crucial for plant development. *Genes & development*, 18(10), 1187-1197.
-
-

- Vitousek, P.M., Mooney, H.A., Lubchenco, J. and Melillo, J.M., 1997. Human domination of Earth's ecosystems. *Science*, 277(5325), 494-499.
- Voinnet, O., 2009. Origin, biogenesis, and activity of plant microRNAs. *Cell*, 136(4), 669-687.
- Walker, J. M., 2002. *The protein protocols handbook* (second edition) Totowa, New Jersey, Humana Press, 57-60.
- Walter, H., 1971. *Ecology of tropical and subtropical vegetation*. Oliver & Boyd., Edinburgh, 270-278.
- Wang, H., Liu, L. and Zhou, D., 2012. Effects of soil water deficit on seedlings of different *Medicago falcata* L. populations. *African Journal of Agricultural Research*, 7(21), 3228-3236.
- Wang, F.Z., Wang, Q.B., Kwon, S.Y., Kwak, S.S. and Su, W.A., 2005. Enhanced drought tolerance of transgenic rice plants expressing a pea manganese superoxide dismutase. *Journal of plant physiology*, 162(4), 465-472.
- Wang, J.W., Czech, B. and Weigel, D., 2009. miR156-regulated SPL transcription factors define an endogenous flowering pathway in *Arabidopsis thaliana*. *Cell*, 138(4), 738-749.
- Wang, K., Li, M., Gao, F., Li, S., Zhu, Y. and Yang, P., 2012. Identification of conserved and novel microRNAs from *Liriodendron chinense* floral tissues. *PloS one*, 7(9), e44696.
- Wang, T., Chen, L., Zhao, M., Tian, Q. and Zhang, W.H., 2011. Identification of drought-responsive microRNAs in *Medicago truncatula* by genome-wide high-throughput sequencing. *BMC genomics*, 12(1), 367.
- Waterhouse, P.M., Ming-Bo, W. and Lough, T., 2001. Gene silencing as an adaptive defence against viruses. *Nature*, 411(6839), 834.
- Weber, M.J., 2005. New human and mouse microRNA genes found by homology search. *The FEBS journal*, 272(1), 59-73.
- Wei, B., Cai, T., Zhang, R., Li, A., Huo, N., Li, S., Gu, Y.Q., Vogel, J., Jia, J., Qi, Y. and Mao, L., 2009. Novel microRNAs uncovered by deep sequencing of small RNA transcriptomes in bread wheat (*Triticum aestivum* L.) and *Brachypodium distachyon* (L.) Beauv. *Functional & integrative genomics*, 9(4), 499.

- Wellburn, F.A., Lau, K.K., Milling, P.M. and Wellburn, P.M., 1996. Drought and air pollution affect nitrogen cycling and free radical scavenging in *Pinus halepensis* (Mill.). *Journal of experimental Botany*, 47(9), 1361-1367.
- Wendel, J.F. and Weeden, N.F., 1989. Visualization and interpretation of plant isozymes. In: Soltis DE, Soltis PE (eds) *Isoenzymes in plant biology*. Dioscorides, Oregon, 5–45.
- Willekens, H., Chamnongpol, S., Davey, M., Schraudner, M., Langebartels, C., Van Montagu, M., Inze, D. and Van Camp, W., 1997. Catalase is a sink for H₂O₂ and is indispensable for stress defence in C₃ plants. *The EMBO journal*, 16(16), 4806-4816.
- Windels, D. and Vazquez, F., 2011. miR393: integrator of environmental cues in auxin signaling? *Plant signaling & behavior*, 6(11), 1672-1675.
- Winkel-Shirley, B., 2002. Molecular genetics and control of anthocyanin expression. *Advances in Botanical Research*, 37, 75-94.
- Wright, S.J., 1992. Seasonal drought, soil fertility and the species density of tropical forest plant communities. *Trends in ecology & evolution*, 7(8), 260-263.
- Wu, G., Park, M.Y., Conway, S.R., Wang, J.W., Weigel, D. and Poethig, R.S., 2009. The sequential action of miR156 and miR172 regulates developmental timing in *Arabidopsis*. *Cell*, 138(4), 750-759.
- Wu, X., Shiroto, Y., Kishitani, S., Ito, Y. and Toriyama, K., 2009. Enhanced heat and drought tolerance in transgenic rice seedlings overexpressing OsWRKY11 under the control of HSP101 promoter. *Plant cell reports*, 28(1), 21-30.
- Xia, R., Xu, J. and Meyers, B.C., 2017. The emergence, evolution, and diversification of the miR390-TAS3-ARF pathway in land plants. *The Plant Cell*, 185.
- Xia, R., Zhu, H., An, Y.Q., Beers, E.P. and Liu, Z., 2012. Apple miRNAs and tasiRNAs with novel regulatory networks. *Genome biology*, 13(6), 47.
- Xiao, J., Li, J., Grandillo, S., Ahn, S.N., Yuan, L., Tanksley, S.D. and McCouch, S.R., 1998. Identification of trait-improving quantitative trait loci alleles from a wild rice relative, *Oryza rufipogon*. *Genetics*, 150(2), 899-909.
- Xie, F., Wang, Q., Sun, R. and Zhang, B., 2015. Deep sequencing reveals important roles of microRNAs in response to drought and salinity stress in cotton. *Journal of experimental botany*, 66(3), 789-804.

- Xie, K., Shen, J., Hou, X., Yao, J., Li, X., Xiao, J. and Xiong, L., 2012. Gradual increase of miR156 regulates temporal expression changes of numerous genes during leaf development in rice. *Plant physiology*, 158(3), 1382-1394.
- Xie, K., Wu, C. and Xiong, L., 2006. Genomic organization, differential expression, and interaction of SQUAMOSA promoter-binding-like transcription factors and microRNA156 in rice. *Plant physiology*, 142(1), 280-293.
- Xie, Z., Johansen, L.K., Gustafson, A.M., Kasschau, K.D., Lellis, A.D., Zilberman, D., Jacobsen, S.E. and Carrington, J.C., 2004. Genetic and functional diversification of small RNA pathways in plants. *PLoS biology*, 2(5), 104.
- Xin, M., Wang, Y., Yao, Y., Xie, C., Peng, H., Ni, Z. and Sun, Q., 2010. Diverse set of microRNAs are responsive to powdery mildew infection and heat stress in wheat (*Triticum aestivum* L.). *BMC plant biology*, 10(1), 123.
- Xing, S., Salinas, M., Höhmann, S., Berndtgen, R. and Huijser, P., 2010. miR156-targeted and nontargeted SBP-box transcription factors act in concert to secure male fertility in Arabidopsis. *The Plant Cell*, 22(12), 3935-3950.
- Xu, F., Guo, W., Xu, W. and Wang, R., 2008. Habitat effects on leaf morphological plasticity. *Acta Biologica Cracoviensia Series Botanica*, 50, 19-26.
- Xu, F., Guo, W., Xu, W., Wei, Y. and Wang, R., 2009. Leaf morphology correlates with water and light availability: What consequences for simple and compound leaves? *Progress in Natural Science*, 19(12), 1789-1798.
- Xu, Z. and Zhou, G., 2008. Responses of leaf stomatal density to water status and its relationship with photosynthesis in a grass. *Journal of experimental botany*, 59(12), 3317-3325.
- Yahdjian, L. and Sala, O.E., 2006. Vegetation structure constrains primary production response to water availability in the Patagonian steppe. *Ecology*, 87(4), 952-962.
- Yamaguchi-Shinozaki, K. and Shinozaki, K., 2006. Transcriptional regulatory networks in cellular responses and tolerance to dehydration and cold stresses. *Annual Review of Plant Biology*, 57, 781-803.
- Yamasaki, H., Abdel-Ghany, S.E., Cohu, C.M., Kobayashi, Y., Shikanai, T. and Pilon, M., 2007. Regulation of copper homeostasis by micro-RNA in Arabidopsis. *Journal of Biological Chemistry*, 282(22), 16369-16378.
- Yang, F. and Yu, D., 2009. Overexpression of Arabidopsis MiR396 enhances drought tolerance in transgenic tobacco plants. *Acta Botanica Yunnanica*, 31(5), 421-426.

- Yang, J., Zhang, N., Mi, X., Wu, L., Ma, R., Zhu, X., Yao, L., Jin, X., Si, H. and Wang, D., 2014. Identification of miR159s and their target genes and expression analysis under drought stress in potato. *Computational biology and chemistry*, 53, 204-213.
- Yang, S., Vanderbeld, B., Wan, J. and Huang, Y., 2010. Narrowing down the targets: towards successful genetic engineering of drought-tolerant crops. *Molecular plant*, 3(3), 469-490.
- Yang, Z., Zheng, S., Hu, A., Zheng, Y. and Yan, J., 2000. Response of cucumber plants to increased UV-B radiation under water stress. *Journal of Environmental Sciences*, 12(2), 236-240.
- Yates, M.J., Anthony Verboom, G., Rebelo, A.G. and Cramer, M.D., 2010. Ecophysiological significance of leaf size variation in Proteaceae from the Cape Floristic Region. *Functional Ecology*, 24(3), 485-492.
- Yin, K., Tang, Y. and Zhao, J., 2015. Genome-wide characterization of miRNAs involved in N Gene-mediated Immunity in response to tobacco mosaic virus in *Nicotiana benthamiana*. *Evolutionary bioinformatics*, 11(1), 1.
- Yu, B., Yang, Z., Li, J., Minakhina, S., Yang, M., Padgett, R.W., Steward, R. and Chen, X., 2005. Methylation as a crucial step in plant microRNA biogenesis. *Science*, 307(5711), 932-935.
- Yu, N., Cai, W.J., Wang, S., Shan, C.M., Wang, L.J. and Chen, X.Y., 2010. Temporal control of trichome distribution by microRNA156-targeted SPL genes in *Arabidopsis thaliana*. *The Plant Cell*, 22(7), 2322-2335.
- Yu, S., Galvao, V.C., Zhang, Y.C., Horrer, D., Zhang, T.Q., Hao, Y.H., Feng, Y.Q., Wang, S., Schmid, M. and Wang, J.W., 2012. Gibberellin regulates the Arabidopsis floral transition through miR156-targeted SQUAMOSA PROMOTER BINDING-LIKE transcription factors. *The Plant Cell*, 24(8), 3320-3332.
- Yu, X., Wang, H., Lu, Y., de Ruiter, M., Cariaso, M., Prins, M., van Tunen, A. and He, Y., 2011. Identification of conserved and novel microRNAs that are responsive to heat stress in *Brassica rapa*. *Journal of Experimental Botany*, 63(2), 1025-1038.
- Zaharieva, M., Monneveux, P., Henry, M., Rivoal, R., Valkoun, J. and Nachit, M.M., 2001. Evaluation of a collection of wild wheat relative *Aegilops geniculata* Roth and identification of potential sources for useful traits. In *Wheat in a Global Environment*, 739-746.

- Zamore, P.D., Tuschl, T., Sharp, P.A. and Bartel, D.P., 2000. RNAi: double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. *Cell*, 101(1), 25-33.
- Zhan, X., Wang, B., Li, H., Liu, R., Kalia, R.K., Zhu, J.K. and Chinnusamy, V., 2012. Arabidopsis proline-rich protein important for development and abiotic stress tolerance is involved in microRNA biogenesis. *Proceedings of the National Academy of Sciences*, 109(44), 18198-18203.
- Zhang, X., Zang, R. and Li, C., 2004. Population differences in physiological and morphological adaptations of *Populus davidiana* seedlings in response to progressive drought stress. *Plant Science*, 166(3), 791-797.
- Zhang, B., 2015. MicroRNA: a new target for improving plant tolerance to abiotic stress. *Journal of experimental botany*, 66(7), 1749-1761.
- Zhang, B., Pan, X., Cannon, C.H., Cobb, G.P. and Anderson, T.A., 2006. Conservation and divergence of plant microRNA genes. *The Plant Journal*, 46(2), 243-259.
- Zhang, C., Xian, Z., Huang, W. and Li, Z., 2015. Evidence for the biological function of miR403 in tomato development. *Scientia Horticulturae*, 197, 619-626.
- Zhang, J. and Kirkham, M.B., 1994. Drought-stress-induced changes in activities of superoxide dismutase, catalase, and peroxidase in wheat species. *Plant and Cell Physiology*, 35(5), 785-791.
- Zhang, J. and Kirkham, M.B., 1996. Enzymatic responses of the ascorbate-glutathione cycle to drought in sorghum and sunflower plants. *Plant Science*, 113(2), 139-147.
- Zhang, L., Zheng, Y., Jagadeeswaran, G., Li, Y., Gowdu, K. and Sunkar, R., 2011. Identification and temporal expression analysis of conserved and novel microRNAs in Sorghum. *Genomics*, 98(6), 460-468.
- Zhao, B., Ge, L., Liang, R., Li, W., Ruan, K., Lin, H. and Jin, Y., 2009. Members of miR-169 family are induced by high salinity and transiently inhibit the NF-YA transcription factor. *BMC Molecular Biology*, 10(1), 29.
- Zhao, B., Liang, R., Ge, L., Li, W., Xiao, H., Lin, H., Ruan, K. and Jin, Y., 2007. Identification of drought-induced microRNAs in rice. *Biochemical and biophysical research communications*, 354(2), 585-590.

- Zhou, L., Liu, Y., Liu, Z., Kong, D., Duan, M. and Luo, L., 2010. Genome-wide identification and analysis of drought-responsive microRNAs in *Oryza sativa*. *Journal of experimental botany*, 61(15), 4157-4168.
- Zhou, M., Li, D., Li, Z., Hu, Q., Yang, C., Zhu, L. and Luo, H., 2013. Constitutive expression of a miR319 gene alters plant development and enhances salt and drought tolerance in transgenic creeping bentgrass. *Plant Physiology*, 161(3), 1375-1391.
- Zhou, X., Wang, G. and Zhang, W., 2007. UV - B responsive microRNA genes in *Arabidopsis thaliana*. *Molecular systems biology*, 3(1), 103.
- Zhou, Z.S., Song, J.B. and Yang, Z.M., 2012. Genome-wide identification of *Brassica napus* microRNAs and their targets in response to cadmium. *Journal of experimental botany*, 63(12), 4597-4613.
- Zhu, H., Hu, F., Wang, R., Zhou, X., Sze, S.H., Liou, L.W., Barefoot, A., Dickman, M. and Zhang, X., 2011. *Arabidopsis* Argonaute10 specifically sequesters miR166/165 to regulate shoot apical meristem development. *Cell*, 145(2), 242-256.
- Zilberman, D., Cao, X., Johansen, L.K., Xie, Z., Carrington, J.C. and Jacobsen, S.E., 2004. Role of *Arabidopsis* ARGONAUTE4 in RNA-directed DNA methylation triggered by inverted repeats. *Current Biology*, 14(13), 1214-1220.
- Zlatev, Z. 2005. Effects of water stress on leaf water relations of young bean plants. *Journal of Central European Agriculture*, 6, 5-14.
- Zohary, D. 2004. Unconscious selection and the evolution of domesticated plants. *Economic Botany*, 58, 5–10.