

## THESES INDEX

| Sr. No | Contents             | Page |
|--------|----------------------|------|
| 1      | Abstract             | I    |
| 2      | Acknowledgement      | II   |
| 3      | Contents             | V    |
| 4      | List of Tables       | VIII |
| 5      | List of Figures      | IX   |
| 6      | Nomenclature         | XII  |
| 7      | Publications/Patents | XIV  |
| 8      | Bio-Data             | XV   |

## CONTENTS

| Sr. No             | Contents   | Page |
|--------------------|--|------|
| <b>Chapter - 1</b> | <b>Introduction</b>                              |      |
| 1.1                | Impetus for research                             | 1    |
| 1.2                | Research outline                                 | 2    |
| <b>Chapter - 2</b> | <b>Flammability of Textiles</b>                  |      |
| 2.1                | Mechanism of burning                             | 5    |
| 2.2                | Factors influencing flammability characteristics | 8    |
| 2.3                | Ignition   | 9    |
| 2.3.1              | <i>Ignition types and definitions</i>            | 10   |
| 2.3.2              | <i>Ignition of textiles</i>                      | 12   |
| 2.4                | Flame temperatures and heat release              | 14   |
| 2.5                | Flame spread                                     | 16   |
| 2.6                | Measurement of fabric flammability               | 18   |
| 2.6.1              | <i>Fabric ignition measurement techniques</i>    | 19   |
| 2.6.2              | <i>Flame spread measurement techniques</i>       | 21   |
| 2.7                | Heat release measurement techniques              | 22   |
| 2.8                | Flammability regulations and standards           | 24   |
| 2.9                | Need of safety regulations                       | 25   |
| 2.10               | Current regulations and standards                | 26   |
| <b>Chapter - 3</b> | <b>Burn Severity</b>                             |      |
| 3.1                | Introduction                                     | 30   |
| 3.2                | Classification of burn injuries                  | 30   |
| 3.2.1              | <i>First degree burns</i>                        | 31   |
| 3.2.2              | <i>Second degree burns</i>                       | 31   |
| 3.2.3              | <i>Third degree burns</i>                        | 32   |
| 3.3                | The process of skin burns                        | 32   |
| 3.4                | Skin burn injury factor                          | 33   |
| 3.4.1              | <i>Skin burn severity</i>                        | 34   |
| 3.5                | Heat transfer                                    | 35   |
| <b>Chapter - 4</b> | <b>Analysis of Clothing Burn Statistics</b>      |      |
| 4.1                | Introduction                                     | 38   |
| 4.2                | World burn statistics                            | 38   |
| 4.3                | Location of fire accident                        | 42   |
| 4.4                | Causes of ignition                               | 42   |

|                    |  |     |
|--------------------|--|-----|
| 4.5                | Gender of clothing fire victims  | 43  |
| 4.6                | Type of clothing involved  | 44  |
| 4.7                | Age group of clothing fire victim  | 45  |
| 4.8                | Recent studies on burn victims   | 46  |
| <br>               |  |     |
| <b>Chapter - 5</b> | <b>Development of Burn Hazard Potential Tester (BHPT) and Testing Method</b> |     |
| 5.1                | Introduction   | 55  |
| 5.2                | Principle of operation and design  | 55  |
| 5.3                | Tester configuration   | 56  |
| 5.4                | Prerequisites for flammability test  | 62  |
| 5.5                | Sample preparations  | 62  |
| 5.6                | Procedure of flammability test   | 62  |
| 5.7                | Calculations of thermal parameters   | 64  |
| 5.7.1              | <i>Measurement of ignition time</i>  | 64  |
| 5.7.2              | <i>Measurement of flame propagation rate</i>                                 | 64  |
| 5.7.3              | <i>Measurement of burning rate</i>   | 64  |
| 5.7.4              | <i>Measurement of heat absorbed</i>  | 65  |
| 5.7.5              | <i>Measurement of incident heat flux</i>                                     | 65  |
| 5.7.6              | <i>Average incident heat flux</i>  | 66  |
| 5.7.7              | <i>Average incident heat flux for initial 60 seconds</i>                     | 66  |
| 5.7.8              | <i>Prediction of burn injury</i>   | 66  |
| 5.9                | Mathematical model for heat transfer in skin layers                          | 68  |
| 5.9.1              | <i>Bio-heat transfer model</i>   | 68  |
| 5.9.2              | <i>Numerical solution</i>  | 71  |
| <br>               |  |     |
| <b>Chapter - 6</b> | <b>Hazard Potential of Saree and Supporting Garments</b>                     |     |
| 6.1                | Introduction   | 73  |
| 6.2                | Materials and methods  | 74  |
| 6.2.1              | <i>Specification of sample fabrics</i>                                       | 74  |
| 6.2.2              | <i>Experimental techniques</i>   | 74  |
| 6.3                | Ignition behaviour of saree at different combinations                        | 80  |
| 6.3.1              | <i>Nylon saree (SA1) along with supporting garments</i>                      | 82  |
| 6.3.2              | <i>Polyester/ cotton 33/67 saree (SA2) along with supporting garments</i>    | 87  |
| 6.3.3              | <i>Polyester/ viscose 67/33 saree (SA3) along with supporting garments</i>   | 91  |
| 6.3.4              | <i>Polyester/ viscose 33/ 67 saree (SA4) along with supporting garments</i>  | 95  |
| 6.3.5              | <i>Polyester/ cotton 67/33 saree (SA5) along with supporting garments</i>    | 99  |
| 6.3.6              | <i>Polyester saree (SA6) along with supporting garments</i>                  | 102 |
| 6.3.7              | <i>Cotton (SA7) along with supporting garments</i>                           | 106 |
| 6.3.8              | <i>Polyester/ cotton 50/50 (SA8) along with supporting garments</i>          | 109 |
| 6.3.9              | <i>Polyester/ viscose 50/ 50 saree (SA9) along with supporting garment</i>   | 112 |
| 6.3.10             | <i>Silk saree (SA10) along with its supporting garments</i>                  | 116 |
| 6.4                | Prediction of thermal parameters using ANN                                   | 116 |
| 6.4.1              | <i>Prediction of time for ignition</i>                                       | 117 |
| 6.4.2              | <i>AIHF 60 values and flame propagation rate</i>                             | 119 |
| 6.4.3              | <i>GSM and AIHF 60 values</i>  | 124 |
| 6.4.4              | <i>Relation between GSM and flame propagation rate</i>                       | 126 |
| 6.4.5              | <i>Prediction burning rate from GSM</i>                                      | 127 |
| 6.5                | Fabric samples of actual fire victims  | 127 |
| <br>               |  |     |
| <b>Chapter - 7</b> | <b>Influence of Fabric Characteristics on Flammability of Fabrics</b>        |     |
| 7.1                | Introduction   | 203 |

|                    |  |     |
|--------------------|--|-----|
| 7.2                | Materials and methods  | 203 |
| 7.3                | Result and discussions                                       | 211 |
| 7.3.1              | <i>Effect of pick density</i>                                | 211 |
| 7.3.2              | <i>Effect of weave</i>                                       | 216 |
| 7.3.3              | <i>Effect of dye</i>   | 217 |
| <b>Chapter- 8</b>  | <b>Aftercare Practices and Flammability of Fabrics</b>       |     |
| 8.1                | Introduction   | 221 |
| 8.2                | Materials and methods  | 221 |
| 8.2.1              | <i>Washing</i>   | 222 |
| 8.2.2              | <i>Ironing</i>   | 222 |
| 8.2.3              | <i>Exposure to light</i>                                     | 222 |
| 8.2.4              | <i>Blueing</i>   | 224 |
| 8.3                | Results and Discussions                                      | 224 |
| 8.3.1              | <i>Effect of washing on burning behaviour of fabrics</i>     | 224 |
| 8.3.2              | <i>Combined effect of washing and ironing</i>                | 225 |
| 8.3.3              | <i>Effect of light exposure</i>                              | 225 |
| 8.3.4              | <i>Effect of blueing</i>                                     | 226 |
| <b>Chapter - 9</b> | <b>Conclusions and Suggestions for Further Research Work</b> |     |
| 9.1                | Study on burn victims  | 230 |
| 9.2                | Ignition studies   | 230 |
| 9.3                | Average incident heat flux studies                           | 231 |
| 9.4                | Thermal parameters correlation                               | 232 |
| 9.5                | Fabric characteristics studies                               | 232 |
| 9.6                | Aftercare practices  | 233 |
| 9.7                | Suggestion for further work                                  |     |
|                    | References   | 236 |
|                    | Appendices   |     |
| I                  | Circuit specifications BHPT                                  | 240 |
| II                 | Temperature and heat flux monitoring program [BHPT]          | 243 |
| III                | Elite Artificial Neural Network                              | 248 |