

## LIST OF ILLUSTRATIONS

- Map I.           Map of Surat and environs.
- Map II.           Taluka Chorasi.
- Plate I.          An aquatic community - in a pond near Ichapor village.
- Plate 2.          The River Tapi - near Nana Varachha.
- Plate 3. A.       A large tract occupied by the coastal plants - southwards of Abhava.  
          B.       The same tract near Bhimpor.
- Plate 4. A.       Spinifex littoreus - a pioneer grass of the coastal region.  
          B.       Arthrocnemum indicum - on saline, mud flats.
- Plate 5. A.       Suaeda fruticosa on hard saline soils near Abhava.  
          B.       Suaeda nudiflora on dry saline soils near Hajira.
- Plate 6. A.       Sesuvium portulacastrum near the sea coast of Hajira.  
          B.       A close-up of Sesuvium portulacastrum.
- Plate 7. A.       A gully filled with tidal waters is an ideal site for the growth of Acanthus ilicifolius.  
          B.       A gully is fully occupied by the gregarious growth of Acanthus ilicifolius.
- Plate 8. A.       Avicennia alba and Spinifex littoreus on muddy soils.  
          B.       A close-up of Avicennia alba.
- Plate 9. A.       Opuntia elatior and Blumea obliqua - observed on dried soils.  
          B.       A close-up of Opuntia elatior.

- Plate 10. A. Ipomoea pescaprae - planted as a sand-binder near Hajira.
- B. Cassia auriculata, Acacia nilotica ssp. indica and Prosopis chilensis occupied the tract between shore land and arable land.
- Plate 11. A. A community of Acacia nilotica ssp. indica near Hajira.
- B. Borassus flabellifer with the strangling growth of Ficus amplissima.
- Plate 12. The effect of heavy rain and severe floods on the vegetation.
- Plate 13. A. A lower belt of the river Tapi occupied by Polygonum association near Nana Varachha.
- B. A close-up of the Polygonum association.
- Plate 14. Xerophytic weeds on the lower belt of the river Tapi during summer.
- Plate 15. A. Sida cordifolia, Datura innoxia on sandy elevated river bank near Singanpor.
- B. A patchy growth of Calotropis procera - an ideal sand stabilizer on river bed near Singanpor.
- Plate 16. A. A community of Borassus flabellifer occupying the huge tract of upper belt near Variav.
- B. Phoenix sylvestris near Jahangirpura (Rander).
- Plate 17. A. An aquatic community with floating leaves and flowers.
- B. Eichhornia crassipes - an aggressive aquatic weed.
- Plate 18. A. Nelumbo nucifera - in cultivation.
- B. Typha angustata - an important marsh plant - seen in all the ditches along roadsides.
- Plate 19. A. The scattered individuals of Cassia auriculata.
- B. Echinops echinatus.

- Plate 20. Xanthium strumarium - on a slope by the side of the railway track between Surat - Udhana.
- Plate 21. A. Prosopis chilensis - along the roadside near Hajira.  
B. Phoenix sylvestris - plantations making room for housing settlements along the roadsides of Surat - Adajan.
- Plate 22. A. Ipomoea fistulosa - the most popular hedge plant.  
B. Delonix elata planted along the border of fields.
- Plate 23. A. An attractive combination of Delonix elata, Borassus flabellifer, Azadirachta indica and Ipomoea fistulosa - on the way to Bhatha.  
B. Ipomoea hederifolia - with charming scarlet flowers - on the hedges near Nana Varachha.
- Plate 24. Plumbago zeylanica adds beauty of the hedges.
- Plate 25. Ocimum americanum and Laportea interrupta seen on the steps of an old palace at Dumas.
- Plate 26. A. Euphorbia dracunculoides often found as a weed in the non-irrigated fields.  
B. Celosia argentea - found along with Ricinus crop.
- Plate 27. A. Cichorium intybus - an important rabi weed.  
B. Euphorbia geniculata - a common weed found along with a variety of crops.
- Plate 28. A. Amaranthus hybridus ssp. cruentus - often cultivated along with wheat.  
B. The cultivation of Nicotiana tabacum and Ricinus communis.
- Plate 29. A plantation of Musa paradisiaca.
- Plate 30. Zizyphus mauritiana - planted throughout the area.
- Plate 31. A. Couroupita guianensis - a handsome tree planted in gardens.  
B. Guaiacum officinale planted at Hari Nursery.

- Plate 32. A. Solanum seforthianum - a recently introduced plant.  
 B. Polianthes tuberosa - a popular ornamental plant.
- Plate 33. A. Cypripedium grown as an ornamental potted plant at Hari Nursery.  
 B. Vanilla planifolia - an ornamental orchid - cultivated at Hari Nursery.
- Plate 34. A tall palm - Washingtonia filifera along with extensive climber.  
Monstera deliciosa - at the entrance of the Gandhi Baug.
- Plate 35. A, B, C, D. Illustrations of Morphological Terms.
- Plate 36. A flower of Nymphaea nouchali.
- Plate 37. Cleome simplicifolia Hook. f.
- Plate 38. Tamarix troupii Hole
- Plate 39. Abelmoschus ficulneus (L.) Wight & Arn.
- Plate 40. Abutilon ramosum (Cav.) Guill.
- Plate 41. Sida cordifolia L.
- Plate 42. Maytenus emarginata (Willd.) Ding Hou
- Plate 43. Atylosia platycarpa Benth. & Atylosia scarabaeoides Benth.
- Plate 44. Crotalaria orixensis Willd.
- Plate 45. The genus Desmodium Desv.
- Plate 46. Smithia conferta Sm.
- Plate 47. Taverniera cuneifolia Ann.
- Plate 48. Tephrosia jamnagarensis Sant.
- plate 49. Tephrosia strigosa (Dalz.) Sant, & T. jamnagarensis Sant. |
- Plate 50. Turnera ulmifolia L.
- Plate 51. Illustrations of Morphological Terms of the Family Asteraceae.

- Plate 52. Emilia sonchifolia (L.) DC.
- Plate 53. Goniocaulon glabrum Cass.
- Plate 54. Flaveria trinervia (Spreng.) C. Mohr.
- Plate 55. Parthenium hysterophorus L.
- Plate 56. Anagallis arvensis L.
- Plate 57. Chrysophyllum cainito L.
- Plate 58. Diospyros chloroxylon Roxb.
- Plate 59. Rauvolfia tetraphylla L.
- Plate 60. Cynoctonum mitreola (L.) Britton
- Plate 61. Canscora concanensis Clarke
- Plate 62. Hoppea dichotoma Willd.
- Plate 63. Merremia quinquefolia (L.) Hall f.
- Plate 64. Lindernia crustacea (L.) F. Muller
- Plate 65. Scoparia dulcis L.
- Plate 66. Veronica anagallis-aquatica L.
- Plate 67. Utricularia stellaris L.
- Plate 68. Martynia annua L.
- Plate 69. Acanthus ilicifolius Linn.
- Plate 70. Avicennia alba Blume
- Plate 71. Orthosiphon pallidus Benth.
- Plate 72. Rivinia humilis L.
- Plate 73. Amaranthus dubius Mart. ex Thell.
- Plate 74. Suaeda fruticosa Forsk.
- Plate 75. Suaeda nudiflora Moq.
- Plate 76. Traagia cannabina L.
- Plate 77. Nechamandra alternifolia (Roxb.) Thw.
- Plate 78. Ottelia alismoides (L.) Pers.

- Plate 79. Vanilla planifolia Andr.
- Plate 80. Potamogeton perfoliatus Linn.
- Plate 81. Eriocaulon cinereum R. Br.
- Plate 82. Illustrations of Morphological terms of the  
Cyperaceae.
- Plate 83. Cyperus pulcherrimus Willd.
- Plate 84. Fuirena ciliaris (L.) Roxb.
- Plate 85. Lipocarpha argentea R. Br. (L. chinensis)
- Plate 86. Scleria tessellata Willd. (S. parvula )
- Plate 87. Aeluropus lagopoides (L.) Trin. ex Thw.
- Plate 88. Saccharum spontaneum L. - a weed in banana field.
- Plate 89. Urochondra setulosa (Trin.) Hubb.

\*\*\*\*\*