ACKNOWLEDGEMENT

With reverence and gratitude, I express my indebtness to Dr. Sukh Dev, D.Sc., F.N.A., Director, Malti-Chem Research Centre, Nandesari, Baroda, who not only suggested the problem but also provided meticulous and ever inspiring guidance at every stage of this endeavour. It is indeed a privilege to work in his research group and I am grateful to him for being ever so kind to me and for his patient bearing of my lapses. I shall always cherish the fond memories of my association with him.

It is my pleasant duty to express my grateful and sincere thanks to Dr. R. Soman whose humility of nature, encouragement and valuable suggestions helped me to execute my work with patience and at a good pace.

Grateful thanks are also due to Dr. H.P.S. Chawla, Dr. N.P. Damodaran and Dr. S.C. Bisarya for the benefit of many a stimulating and fruitful discussions during the course of this work.

I am thankful to Dr. C.L. Bhagchandani and his staff for Mass, PMR, UV & IR spectra, Mr. V.K. Kulkarni for GLC data and Prof. K.N. Trivedi, Head, Dept of Chem., M.S. University for microanalysis.

Last but not least, it is my duty to record, as I do now sincerely and without reservation, the debt I owe to my sister and my brother for taking care of me, all these years.

Financial assistance by C.S.I.R., New Delhi is gratefully acknowledged.

March 1981
Malti-Chem Research Centre
Baroda.

PBhan

(PURSHOTAM BHAN)