CHAPTER 6

LITERATURE CITED

CHAPTER 6: LITERATURE CITED

- Abate S, Damtew Z, Mengesha B (2011) *Artemisia annua* L. as an alternative potential weed control option. African Journal of Food, Agriculture, Nutrition and Development 11(6).
- Abdul Raoof KM, Siddiqui MB (2012) Allelopathic effect of aqueous extracts of different parts of *Tinospora cordifolia* (Willd.) Miers on some weed plants. Journal of Agricultural Extension and Rural Development 4(6): 115-119.
- Abrahim D, Francischini AC, Pergo EM, Kelmer-Bracht AM, Ishii-Iwamoto EL (2003) Effects of a-pinene on the mitochondrial respiration of maize seedlings. Plant Physiology and Biochemistry 41: 985–991.
- Acharya D, Mitaine-Offer AC, Kaushik N, Miyamoto T, Paululat T, Lacaille-Dubois MA (2008) Steroidal saponins from the roots of *Chlorophytum borivilianum*. Planta Med 74 (PB23). DOI: 10.1055/s-0028-1084368.
- Agrawal A, Srivastava S, Srivastava MM (2003) Antifungal activity of *Boerhavia diffusa* against some dermatophytic species of *Microsporum*. Hindustan antibiotics bulletin 45-46(1-4):1-4.
- Al Harun AY, Johnson J, Robinson RW (2015) The contribution of volatilization and exudation to the allelopathic phytotoxicity of invasive *Chrysanthemoides monilifera* subsp. monilifera (boneseed). Biological Invasions 17:3609–3624.
- Alagesaboopathi C (2011) Allelopathic effects of *Andrographis paniculata* Nees on germination of *Sesamum indicum* L. Asian Journal of Experimental Biological Science 2 (1): 147-150.
- Albuquerque MBD, Santos RCD, Lima LM, Melo Filho PDA, Nogueira RJMC, Camara CAJD, Ramos ADR (2011) Allelopathy, an alternative tool to improve cropping systems: A review. Agronomy for Sustainable Development. 31: – 379 395.
- Allaie RR, Reshi Z, Rashid I, Wafai BA (2006) Effect of aqueous leaf leachate of *Anthemis cotula* – An alien invasive species, on germination behaviour of some field crops. Journal of Agronomy & Crop Science 192: 186—191.
- An M (2005) Mathematical modelling of dose-response relationship (hormesis) in allelopathy and its application. Nonlinearity in Biology, Toxicology and Medicine 3: 153–172.
- An M, Haig T, Pratley JE (2000) Phytotoxicity of vulpia residues: ii. separation, identification, and quantitation of allelochemicals from *Vulpia myuros*. Journal of Chemical Ecology 26(6): 1465-1476.
- An M, Pratley JE, Haig T (2001) Phytotoxicity of *Vulpia* residues: iv. dynamics of allelochemicals during decomposition of *Vulpia* residues and their corresponding phytotoxicity. Journal of Chemical Ecology 27(2): 395-409.

- Anaya AL (1999) Allelopathy as a tool in the management of biotic resources in agroecosystems. Critical Reviews in Plant Sciences, 18(6): 697-739. DOI: 10.1080/07352689991309450.
- Anita A, Retna AM (2013) Review on the medicinial plant - *Aerva lanata*. Asian Journal of Biochemical and Pharmaceutical Research Issue 1(3): 215-224.
- Anjum T, Bajwa R (2010) Isolation of bioactive allelochemicals from sunflower (variety Suncross-42) through fractionation-guided bioassays. Natural Product 24(18): 1783-1788.
- Araniti F, Lupini A, Sorgona A, Conforti F, Marrelli M, Statti GA, Menichini F, Abenavoli MR (2013) Allelopathic potential of *Artemisia arborescens*: Isolation, identification and quantification of phytotoxic compounds through fractionation-guided bioassays. Natural Product Research: Formerly, Natural Product Letters 27(10): 880-887. DOI: 10.1080/14786419.2012.691491.
- Armbruster BL, Molin WT, Bugg MW (1991) Effect of the herbicide dithiopyr on cell division in wheat root tips. Pesticide Biochemistry and Physiology 39: 110-120.
- Arnon DI (1949) Copper enzymes in isolated chloroplasts, polyphenoloxidase in *Beta vulgaris.* Plant Physiology 24(1): 1-15.
- Aslam J, Khan SH, Siddiqui JH, Zohra F, Mehpara M, Bhat MA, Sekh AN, Ilah A, Iffat ZA, Khan SA, Mujib A, Sharma MP (2010) *Catharanthus roseus* (l.) G. Don. An important drug: it's applications and production. Pharmacie Globale. International Journal of comprehensive pharmacy 4 (12): 1□16.
- Azirak S, Karaman S (2008) Allelopathic effect of some essential oils and components on germination of weed species, Acta Agriculturae Scandinavica, Section B—Soil & Plant Science 58(1): 88-92. DOI: 10.1080/0906471070122a8353.
- Babula P, Adam V, Kizek R, Sladky Z, Havel L (2009) Naphthoquinones as allelochemical triggers of programmed cell death. Environmental and Experimental Botany 65: 330–337.
- Bagchi GD, Jain DC, Kumar S (1997) Arteether: a potent plant growth inhibitor from *Artemisia annua*. Phytochemistry 45(6): 1131-1133.
- Bais HP, Weir TL, Perry LG, Gilroy S, Vivanco JM (2006) The role of root exudates in rhizosphere interactions with plants and other organisms. The Annual Review of Plant Biology 57: 233–66.
- Baratelli TdeG, Gomes ACC, Wessjohann LA, Kuster RM, Simas NK (2012) Phytochemical and allelopathic studies of *Terminalia catappa* L. (Combretaceae). Biochemical Systematics and Ecology 41: 119–125.
- Barnes JP, Putnam AR (1987) Role of benzoxazinones in allelopathy by rye (*Secale cereale* L.). Journal of Chemical Ecology 13: 889–905.
- Bartoli CG, Casalongue CA, Simontacchia M, Marquez-Garciac B, Foyerc CH (2013) Interactions between hormone and redox signalling pathways in the

control of growth and cross tolerance to stress. Environmental and Experimental Botany 94: 73–88.

- Baskaran C, Sivamani P, Bai VR (2011) Evaluation of phytochemical and antimicrobial activities of *Boerhavia diffusa*. Journal of Pharmacy Research 4(2): 434-436.
- Batish DR, Arora K, Singh HP, Kohli RK (2007) Potential utilization of dried powder of *Tagetes minuta* as a natural herbicide for managing rice weeds. Crop Protection 26: 566–571.
- Batish DR, Kaur S, Singh HP, Kohli RK (2009) Nature of interference potential of leaf debris of *Ageratum conyzoides*. Plant Growth Regulation 57:137–144.
- Batish DR, Kohli RK, Saxena DB, Singh HP (1997) Growth regulatory response of parthenin and its derivatives. Plant Growth Regulation 21: 189-194.
- Batish DR, Lavanya K, Singh HP, Kohli RK (2007) Root-mediated Allelopathic Interference of Nettle-leaved Goosefoot (*Chenopodium murale*) on Wheat (*Triticum aestivum*). Journal of Agronomy & Crop Science 193: 37-44.
- Batish DR, Singh HP, Kaur S (2001) Crop allelopathy and its role in ecological agriculture. Journal of Crop Production 4(2): 121-161. DOI: 10.1300/J144v04n02_03.
- Batish DR, Singh HP, Rana N, Kohli RK (2006) Assessment of allelopathic interference of *Chenopodium album* through its leachates, debris extracts, rhizosphere and amended soil. Archives of Agronomy and Soil Science 52(6): 705 – 715.
- Battey NH, Blackbourn HD (1993) The control of exocytosis in plant cells. New Phytologist 125: 307-338.
- Belz RG (2007) Stimulation versus inhibition—bioactivity of parthenin, a phytochemical from *Parthenium hysterophorus* L. Dose-Response, X:xxx–xxx, Formerly Nonlinearity in Biology, Toxicology, and Medicine. DOI: 10.2203/dose-response.07-007.
- Belz RG, Cedergreen N, Duke SO (2011) Herbicide hormesis – can it be useful in crop production?. 51: 321–332. DOI: 10.1111/j.1365-3180.2011.00862.x.
- Ben-Hammouda M, Kremer RJ, Minor HC, Sarwar M (1995) A chemical basis for the differential allelopathic potential of sorghum hybrids on wheat. Journal of Chemical Ecology 21:775□786.
- Bertin C, Yang X, Weston LA (2003) The role of root exudates and allelochemicals in the rhizosphere. Plant and Soil 256: 67–83.
- Bhakuni RS, Jain DC, Sharma RP, Kumar S (2001) Secondary metabolites of Artemisia annua and their biological activity. Current Science 80(1): 35-48.
- Bharati A, Kar M, Sabat SC (2012) Artemisinin inhibits chloroplast electron transport activity: mode of action. Plos One 7(6): e38942. Doi:10.1371/journal.pone.0038942.

- Bhowmik PC, Inderjit (2003) Challenges and opportunities in implementing allelopathy for natural weed management. Crop Protection 22: 661–671.
- Bidarnamani F, Rahimi M, Shabanipoor M (2015) Effects of allelopathic three medicinal plants on germination and seeding growth of *Cynodon dactylon* (L.)Pers. Biological Forum 7(1): 1537-154.
- Biesen CMZ (2010) The rise to prominence of *Artemisia annua* L. – the transformation of a Chinese plant to a global pharmaceutical. African sociological review 14(2) pp
- Birkett MA, Chamberlain K, Hooper AM, Pickett1 JA (2001) Does allelopathy offer real promise for practical weed management and for explaining rhizosphere interactions involving higher plants?. Plant and Soil 232: 31–39.
- Blanco JA (2007) The representation of allelopathy in ecosystem-level forest models. Ecological modelling 209: 65–77.
- Blum U, Shafer SR, Lehman ME (1999) Evidence for inhibitory allelopathic interactions involving phenolic acids in field soils: concepts vs. an experimental model. Critical Reviews in Plant Sciences 18(5): 673-693.
- Bogatek R, Gniazdowska A (2007) ROS and Phytohormones in Plant-Plant Allelopathic Interaction. Plant Signaling & Behavior 2:4, 317-318.
- Bogatek R, Gniazdowska A, Zakrzewska W, Oracz K, Gawronsk SW (2006) Allelopathic effects of sunflower extracts on mustard seed germination and seedling growth. Biologia Plantarum 50(1): 156-158.
- Bogatek R, Gniazdowska A, Stępien J, Kupidłowska E (2005) Sunflower allelochemicals mode of action in germinating mustard Seeds. In proceedings of 'The Fourth World Congress on Allelopathy' Charles Sturt University in Wagga Wagga, NSW, Australia in August 2005.
- Bonanomi G, Sicurezza MG, Caporaso S, Esposito A, Mazzoleni S (2006) Phytotoxicity dynamics of decaying plant materials. New Phytologist 169: 571–578.
- Bradbury JH, Hammer BC (1990) Comparative study of proteinase inhibitors in tropical root crops and survey of allelochemicals in the edible aroids Journal of Agricultural and Food Chemistry 38:1448–1453.
- Bradford MM (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein–dye binding. Analytical Biochemistry 72: 248-254.
- Brown PD, Morra MJ (1995) Glucosinolate-containing plant tissues as bioherbicides. Journal of Agriculture and Food Chemistry 43: 3070-3074.
- Burg SP (1968) Ethylene, plant senescence and abscission. Plant Physiology 43:1503-1511.
- Burg SP, Burg EA (1965) Ethylene action and the ripening of fruits. Science 148: 1190 - 1196.

- Caamal-Maldonado JA, Jimenez-Osornio JJ, Torres-Barragan A, Anaya AL (2001) The use of allelopathic legume cover and mulch species for weed control in cropping systems. Agronomy Journal 93:27–36.
- Callaway RM, Aschehoug ET (2000) Invasive plants versus their new and old neighbors: a mechanism for exotic invasion. Science 290:521 – 523.
- Callaway RM, Ridenour WM (2004) Novel weapons: invasive success and the evolution of increased competitive ability. Frontier Ecology and the Environment 2(8): 436 – 443.
- Carballeira A, Reigosa MJ (1999) Effects of natural leachates of *Acacia dealbata* Link in Galicia (NW Spain). Botanical Bulletin of Academia Sinica 40: 87 – 92.
- Carlsen SCK, Pedersen HA, Spliid NH, Fomsgaard IS (2012) Fate in soil of flavonoids released from white clover (*Trifolium repens* L.). Applied and Environmental Soil Science 1-2. doi:10.1155/2012/743413.
- Casini P (2004) Allelopathic influences of common cocklebur (*Xanthium italicum* Moretti) on maize. Allelopathy Journal 13(2):189-199.
- Catalan P, Vazquez-de-Aldana BR, Heras PDL, Fernandez-Seral A, Perez-Coron ME (2013) Comparing the allelopathic potential of exotic and native plant species on understory plants: are exotic plants better armed?. Anales de Biologia 35: 65-74.
- Chakraborthy GS, Vidhu A (2009) Phytochemical and antimicrobial studies of *Chlorophytum borivilianum.* International Journal of Pharmaceutical Sciences and Drug Research 1(2):110 – 112.
- Chandra S, Chatterjee P, Bhattacharya S (2012) Allelopathic effect of ashwagandha against the germination and radicle growth of *Cicer arietinum* and *Triticum aestivum*. Pharmacognosy Research 4(3): 166 –169.
- Chawala A, Chawala P, Mangalesh, Roy RC (2011) *Asparagus racemosus* (Willd): Biological activities and its active principles. Indo- global Journal of Pharmceutical Sciences 1:113□120.
- Chen PK1, Leather GR (1990) Plant growth regulatory activities of artemisinin and its related compounds. Journal of Chemical Ecology 16(6):1867- 1876. Doi: 10.1007/BF01020500.
- Cheng F and Cheng Z (2015) Research progress on the use of plant allelopathy in agriculture and the physiological and ecological mechanisms of allelopathy. Frontiers in Plant Sci. 6:1020. Doi: 10.3389/fpls.2015.01020.
- Chiapusio G, Pellissier F, Gallet C (2004) Uptake and translocation of phytochemical 2-benzoxazolinone (BOA) in radish seeds and seedlings, Genevieve. Journal of Experimental Botany 55(402): 1587–1592.
- Chiapusio G, Sanchez AM, Reigosa MJ, Gonzalez L, Pellissier F (1997) Do germination indices adequately reflect allelochemical effects on the germination process?. Journal of Chemical Ecology 23(11): 2445-2453.
- Chon SU, Jennings JA, Nelson CJ (2006) Alfalfa (*Medicago sativa* L.) autotoxicity: Current Status. Allelopathy Journal 18(1): 1-24.

- Chopra RN, Nayar SL, Chopra IC (1956) Glossary of Indian Medicinal Plants. CSIR, New Delhi.
- Chou CH (1999) Roles of allelopathy in plant biodiversity and sustainable agriculture. Critical Reviews in Plant Sciences 18(5): 609-636.
- Connick WJ Jr., Bradow JM, Legendre MG (1989) Identification and bioactivity of volatile allelochemicals from amaranth residues. Journal of Agriculture and Food Chemistry 37: 792-796.
- Cruz-Ortega R, Ayala-Cordero G, Anaya Al (2002) Allelochemical stress produced by the aqueous leachate of *Callicarpa acuminata*: effects on roots of bean, maize, and tomato. Physiologia Plantarum 116: 20–27.
- Cruz-Ortega R, Lara-Nunez A, Anaya AL (2007) Allelochemical stress can trigger oxidative damage in receptor plants mode of action of phytotoxicity. Plant Signaling & Behavior 2(4): 269-270.
- Cui C, Cai J, Jiang Z, Zhang S (2012) Isolation and identification of allelochemicals in rhizosphere and adjacent soil under walnut (*Juglans regia* L.) trees. Allelopathy Journal 29 (1): 25-36.
- Czarnota MA, Paul RN, Dayan FE, Nimbal CI, Weston LA (2001) Mode of action, localization of production, chemical nature, and activity of sorgoleone: A potent PSII inhibitor in *Sorghum spp*. root exudates. Weed Technology 15(4) 813-825.
- Daniel M (1990) A phytochemical approach to economic botany, Kalyani publishers, New Delhi.
- Dayan FE, Duke SO, Grossmann K (2010) Herbicides as Probes in Plant Biology. Weed Science 58: 340–350.
- Dayan FE, Hernandez A, Allen AN, Moraes RM, Vroman JA, Avery MA, Duke SO (1999) Comparative phytotoxicity of artemisinin and several sesquiterpene analogues. Phytochemistry 50: 607–614.
- Dayan FE, Owens DK, Duke SO (2012) Rationale for a natural products approach to herbicide discovery. Pest Management Science 68: 519–528.
- Dayan FE, Watson SB, Galindo JCG, Hernandez A, Dou J, McChesney JD, Duke SO (1999) Phytotoxicity of quassinoids: physiological responses and structural requirements. Pesticide Biochemistry and Physiology 65: 15–24.
- Deepak AV, Thippeswamy G, Shivakameshwari MN, Salimatha BP (2003) Isolation and characterization of a 29-kDa glycoprotein with antifungal activity from bulbs of *Urginea indica.* Biochemical and Biophysical Research Communications 311: 735–742.
- Deore SL, Khadabadi SS (2010) Isolation and characterization of phytoconstituents from *Chlorophytum borivilianum*. Pharmacognosy Research 2(6): 343–349. Doi:10.4103/0974-8490.75452.
- Dhindsa RS, Dhindsa PP, Thorne TA (1981) Leaf senescence: Correlated with increased levels of membrane permeability and lipid peroxidation and decreased level super peroxide dismutase. Journal of Experimental Botany 32: 93–101.

- Ding J, Sun Y, Xiao CL, Shi K, Zhou YH, Yu JQ (2007) Physiological basis of different allelopathic reactions of cucumber and figleaf gourd plants to cinnamic acid. Journal of Experimental Botany 58(13): 3765–3773.
- Dudai N, Poljakoff-Mayber A, Mayer AM, Putievsky E, Lerner HR (1999) Essential oils as allelochemicals and their potential use as bioherbicides. Journal of Chemical Ecology 25(5): 1079-1089.
- Duke SO (2015) Proving Allelopathy in Crop–Weed Interactions. Weed Science, 63(sp1):121-132. Doi: http://dx.doi.org/10.1614/WS-D-13-00130.1.
- Duke SO, Bajsa J, Pan Z (2013) Omics methods for probing the mode of action of natural and synthetic phytotoxins. Journal of Chemical Ecology 39:333–347. DOI 10.1007/s10886-013-0240-0.
- Duke SO, Canel C, Rimando AM, Tellez MR, Duke MV, Paul RN (2000) Current and potential exploitation of plant glandular trichome productivity. Advances in Botanical Research 31:121–151.
- Duke SO, Dayan FE, Rimando AM, Schrader KK, Aliotta G, Oliva A, Romagni JG (2002) Chemicals from nature for weed management. Weed Science 50(2): 138-151.
- Duke SO, Vaughn KC, Croom EM Jr., Elsohly HN (1987) Artemisinin, a constituent of annual wormwood (*Artemisia annua*), is a selective phytotoxin. Weed Science 35(4): 499-505.
- Einhellig FA (1996) Interactions Involving Allelopathy in Cropping Systems. Agronomy Journal 88(6): 886-893.
- Einhellig FA, Rasmussen JA, Hejl AM, Souza IF (1993) Effects of root exudates sorgoleone on photosynthesis. Journal of Chemical Ecology 19(2): 369-75. doi: 10.1007/BF00993702.
- Einhelling FA, Schon MK, Rasmussen JA (1982) Synergistic effects of four cinnamic acid compounds on grain sorghum. Journal of Plant Growth Regulation 1: 251-258.
- Elangovan K, Sathasivam A, Rajendran R (2015) Phytochemical screening and antibacterial activity of *Aerva Lanata* L. Microbiology 4(9): 215-224.
- Fanaei M, Aboutalebi A, Hasanzadeh H (2013) Allelopathic effects of Sweet basil (*Ocimum basilicum*) extract and essence on chlorophyll content of three weed species. International Research Journal of Applied and Basic Sciences 4 (6): 1511-1513.
- Feo VD, Simone FD, Senator F (2002) Potential allelochemicals from the essential oil of *Ruta graveolens*. Phytochemistry 61: 573–578.
- Fletcher RA, Renney AJ (1863) A growth inhibitor found in *Centaurea spp*. Canadian Journal of Plant Science 43: 475 – 481.
- Friebe A (2001) Role of Benzoxazinones in cereals. Journal of Crop Production 4(2): 379-400. DOI: 10.1300/J144v04n02_18.
- Fujii Y, Furukawa M, Hayakawa Y, Sugawara K, Shibuya T (1991) Survey of Japanese medicinal plants for the detection of allelopathic properties. Weed Research Japan. 36: 36–42.

- Fujii Y, Parvez SS, Parvez MM, Ohmae Y and Iida O (2003) Screening of 239 medicinal plant species for allelopathic activity using sandwich method. Weed Biological Management 3: 233-241.
- Fujii Y, Shibuya T, Yasuda T (1990) Survey of Japanese weed and crops for the detection of water-extractable allelopathic chemicals using Richards' function fitted to lettuce germination test. Weed Res. Japan 35: 362–370 (in Japanese with English summary).
- Gao X, Li M, Gao Z, Li C, Sun Z (2009) Allelopathic effects of *Hemistepta lyrata* on the germination and growth of wheat, sorghum, cucumber, rape, and radish seeds. Weed Biology and Management 9: 243–249.
- Garg SN, Misra LN, Agarwal SK (1989) Corchioside a, an orcinol glycoside from *Curculigo orchioides.* Phytochemtstry 28 (6): 1771 1772.
- Ghayal N, Dhumal K, Deshpande N ,Ruikar A, Phalgune U (2013) Phytotoxic effects of leaf leachates of an invasive weed Synedrella nodiflora and characterization of its allelochemical. International Journal of Pharmaceutical Sciences Reviews Research 19(1): 79-86.
- Ghayal N, Padhye A, Dhumal K (2010) Larvicidal activity of invasive weeds *Cassia uniflora* and *Synedrella nodiflora*. International Journal of Pharma and Bio Sciences 1(3): 1-10.
- Ghayal NA, Biware MV, Dhumal KN (2014) Effect of leachates of alien weeds on seed germination, seedling growth and physiology in mungbean. International Journal of Agriculture and Bioscience 3(4): 141-148.
- Gliesmann SR (1998) Agroecology: researching the ecological processes in sustainable agriculture. In: Frontiers in Biology: The Challenges of Biodiversity, Biotechnology and Sustainable Agriculture: 173–186. Chou, C. H. and Shao, K. T., Eds., Academia Sinica, Taipei, ROC.
- Glinwood R, Ninkovic V, Pettersson J (2011) Chemical interaction between undamaged plants – Effects on herbivores and natural enemies. Phytochemistry 72: 1683–1689.
- Gold M (2006) What is organic production?. National Agricultural Library. USDA. Web site: http://www.ams.usda.gov/AMSv 1.0/getfile?dDocName=STELP RDC5057442.
- Gonzilez L, Souto XC, Reigosa MJ (1995) Allelopathic effects *of Acacia melanoxylon* R.Br. phyllodes during their decomposition. Forest Ecology and Management 77 53-63.
- Gopal TK, Vidyadhar S, Saidulu M, Reddy UM, Chamundeeswari L, Reddy S, Saidulu A, Banji D (2011) In-vitro antifungal activity of various extracts of *Enicostemma littorale*. Journal of Biotechnolgoy and Biotherapeutics 1(2): 24 30.
- Govindarajan M, Jebanesan A, Pushpanathan T, Samidurai K (2008) Studies on effect of *Acalypha indica* L. (Euphorbiaceae) leaf extracts on the malarial vector, *Anopheles stephensi* Liston (Diptera:Culicidae). Parasitol Research 103:691–695.

- Govindarajan M, Jebanesan A, Reetha D, Amsath R, Pushpanathan T, Samidurai K (2008) Antibacterial activity of *Acalypha indica* L. European Review for Medical and Pharmacological Sciences 12: 299-302.
- Gulzar A, Siddiqui MB (2013) Evaluation for allelopathic impact of *Terminalia arjuna* (Roxb.) wight and arn bark against *Cassia sophera*. African Journal of Agricultural Research 8(39):4937-4940. DOI: 10.5897/AJAR2012.2181.
- Gursoy N (2012) Influence of the seasonal conditions on phenolics composition and antioxidant activity of *Vitis vinifera* L. African Journal of Microbiology Research 6(43): 7059-7067. DOI: 10.5897/AJMR12.385.
- Gustafsson L, Baker SC, et al. (2012) Retention forestry to maintain multifunctional forests: a world perspective. BioScience 62(7): 633- 645.
- Haig T (2001) Application of hyphenated chromatography–mass spectrometry techniques to plant allelopathy research. Journal of Chemical Ecology 27(12): 2363-2396.
- Haig T (2008) Allelochemicals in plants, In: Allelopathy in sustainable agriculture and forestry Zeng RS, Mallik AU, Luo SM, ISBN: 978-0-387-77336-0, Springer Science, Newyork, USA.
- Han CM, Pan KW, Wu N, Wang JC, Li W (2008) Allelopathic effect of ginger on seed germination and seedling growth of soybean and chive. Scientia Horticulturae 116: 330–336.
- Han J, Ye M, Qiao X, Xu M, Wang B, Guo D (2008) Characterization of phenolic compounds in the Chinese herbal drug *Artemisia annua* by liquid chromatography coupled to electrospray ionization mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis 47: 516–525.
- Harborne JB (1984) Phytochemical methods: A guide to Modern Techniques of plant analysis - Method of Plant Analysis 2^{ed}, Chapman and Hall London.
- Harper JR, Balk NE (1981) characterization of the inhibition of K+ absorption in oat roots by salicylic acid. Plant Physiology 68: 1349-1353.
- Haugland E, Brandsaeter LO (1996) Experiments on bioassay sensitivity in the study of allelopathy. Journal of Chemical Ecology 22: 1845–1859.
- Hayea PY, Jahidin AH, Lehmann R, Penman K, Kitching W, De Vossa JJ (2008) Steroidal saponins from the roots of *Asparagus racemosus*. Phytochemistry 69(3): 796–804.
- Heath RL, Packer L (1986) Photoperoxidation in isolated chloroplasts. I Kinetics and Stoichiometry of fattyacid peroxidation. Archives in Biochemistry and Biophysics 125: 189 □ 198.
- Heisey RM, Delwiche CC (1983) A Survey of California Plants for Water-Extractable and Volatile Inhibitors. Botanical Gazette 144(3): 382-390.
- Henkel T, Brunne RM, Muller H, Reichel F (1999) Statistical investigation into the structural complementarity of natural products and synthetic compounds. Angewandte Chemie International Edition 38(5): 643- 647.
- Hess FD (1987) Herbicide effects on the cell cycle of meristematic plant cells. Reviews of Weed Science 3: 183-203.

- Hierro JL, Callaway RM (2003) Allelopathy and exotic plant invasion. Plant and Soil 256: 29–39.
- Hisiger S, Jolicoeur M (2007) Analysis of *Catharanthus roseus* alkaloids by HPLC. Phytochemical Review 6:207–234. DOI:10.1007/s11101-006-9036-y.
- Hobbs PR, Sayre K, Gupta R (2008) The role of conservation agriculture in sustainable agriculture. Philosophical Transactions of the Royal Society B 363: 543–555. doi:10.1098/rstb.2007.2169.
- Hong NH, Xuan TD, Eiji T, Hiroyuki T, Mitsuhiro M, Khanh TD (2003) Screening for allelopathic potential of higher plants from Southeast Asia. Crop Protection 22: 829–836.
- Hoult AHC, Lovett JV (1993) Biologically active secondary metabolites of barley. III. A method for identification and quantification of hordenine and gramine in barley by high-performance liquid chromatography. Journal of Chemical Ecology 19(10): 2245-2254.
- Huang Z, Liao L, Wang S. Cao G (2000) Allelopathy of phenolics from decomposing stump-roots in replant chinese fir woodland. Journal of Chemical Ecology 26(9): 2211-2219.
- Hussain MI, Reigosa MJ (2011) Allelochemical stress inhibits growth, leaf water relations, PSII photochemistry, non-photochemical fluorescence, quenching, and heat energy dissipation in three C3 perennial species. Journal of Experimental Botany 62(13): 4533–4545.
- Hussain MI, Reigosa MJ (2014) Evaluation of herbicide potential of sesquiterpene lactone and flavonoid: impact on germination, seedling growth indices and root length in *Arabidopsis thaliana.* Pakistan Journal of Botany 46(3): 995-1000.
- Hussaina MI, Reigosaa MJ (2014) Higher peroxidase activity, leaf nutrient contents and carbon isotope composition changes in Arabidopsis thaliana are related to rutin stress. Journal of Plant Physiology 171:1325–1333.
- Huter OF (2011) Use of natural products in the crop protection industry. Phytochemical Review 10:185–194. DOI 10.1007/s11101-010-9168-y.
- Ibrahim M, Mehjabeen SS, Narsu ML (2011) Pharmacological evaluation of Catharanthus roseus. International Journal of Pharmaceutical Applications 2(3): 165-173.
- Ikeda T, Tsumagari H, Nohara T (2000) Steroidal oligoglycosides from Solanum nigrum. Chemical and Pharmaceutical Bulletin 48: 1062 □ 1064.
- Inderjit , Callaway RM, Vivanco JM (2006) Can plant biochemistry contribute to understanding of invasion ecology?. TRENDS in Plant Science 11(12): 574-580.
- Inderjit, Callaway RM (2003) Experimental designs for the study of allelopathy. Plant and Soil 256: 1–11.
- Inderjit, Dahl CCV, Baldwin IT (2009) Use of silenced plants in allelopathy bioassays: a novel approach. Planta 229:569–575. DOI 10.1007/s00425-008-0856-4.

- Inderjit, Duke SO (2003) Ecophysiological aspects of allelopathy. Planta 217: 529–539.
- Inderjit, Nilsen ET (2003) Bioassays and field studies for allelopathy in terrestrial plants: progress and problems. Critical Reviews in Plant Sciences 22(3-4): 221-238. DOI: 10.1080/713610857.
- Inderjit, Wardle DA, Karban R, Callaway RM (2011) The ecosystem and evolutionary contexts of allelopathy. Trends in Ecology and Evolution 26(12): 655-662.
- Inderjit, Weiner J (2001) Plant allelochemical interference or soil chemical ecology?. Perspectives in Plant Ecology, Evolution and Systematics 4/1:3–12.
- Iqbal Z, Furubayashi A, Fujii Y (2004) Allelopathic effect of leaf debris, leaf aqueous extract and rhizosphere soil of *Ophiopogon japonicas* Ker-Gawler on the growth of plants. Weed Biology and Management 4: 43–48.
- Isaacson T, Damasceno CMB, Saravanan RS, He Y, Catala C, Saladie M, Rose JK (2006) Sample extraction techniques for enhanced proteomic analysis of plant tissues. Nature Protocols 1(2): 769-774.
- Jaleel CA, Gopi R, Gomathinayagam M, Panneerselvam R (2009) Traditional and non-traditional plant growth regulators alters phytochemical, constituents in *Catharanthus roseus*. Process Biochemistry 44: 205□209.
- Jandova K, Dostal P, Cajthaml T (2014) Searching for *Heracleum mantegazzianum* allelopathy in vitro and in a garden experiment. Biological Invasions. DOI 10.1007/s10530-014-0771-5.
- Javaid A, Shafique S, Kanwal Q, Shafique S (2010) Herbicidal activity of flavonoids of mango leaves against *Parthenium hysterophorus* L. Natural Product Research, 24(19): 1865-1875. DOI: 10.1080/14786419.2010.488231.
- Jefferson LV, Pennacchio M (2003) Allelopathic effects of foliage extracts from four *Chenopodiaceae* species on seed germination. Journal of Arid Environments 55: 275–285.
- Jessing KK, Duke SO, Cedergreeen N (2014) Potential ecological roles of artemisinin produced by *Artemisia annua* L. Journal of Chemical Ecology 40:100–117. DOI 10.1007/s10886-014-0384-6.
- John J, Sarada S (2012) Role of phenolics in allelopathic interactions Allelopathy Journal 29 (2): 215-230.
- Joshi A, Rajamani G, Kaswan V (2013) Separation of steroidal saponins from *Chlorophytum borivilianum* by high performance liquid chromatography, Advances in Applied Research 5(1):78 – 80.
- Kakati B, Baruah A (2013) Allelopathic effect of aqueous extract of some medicinal plants on seed germination and seedling length of mung bean (Vigna radiata (l.) wilczek.) Indian Journal of Plant Sciences 2 (3): 8-11.
- Kakkar A, Verma DR, Suryavanshi S, Dubey P (2013) Characterization of chemical constituents of *Tinospora cordifolia*. Chemistry of Natural Compounds 49(1): 177-179.

- Kalinova J, Vrchotova N, Triska J (2007) Exudation of Allelopathic Substances in Buckwheat (*Fagopyrum esculentum* Moench). Journal of Agriculture and Food Chemistry 55(16): 6453 − 6459.
- Kalyani B, Laddha KS (2009) Discriminating features of safed musli and shatavari. Journal of Planar Chromatography 22(2): 1-5. DOI: 10.1556/JPC.22.2009.2.00.
- Kanchan SD, Jayachandra (1980) Allelopathic effects of *Parthenium hysterophorus* L. IV. Identification of inhibitors. Plant Soil 55: 67–75.
- Kanchan SD, Jayachandra A (1979). Allelopathic effects of *Parthenium bysterophorus* L. I. Exudation of inhibitors through roots. Plant Soil 53:27-35.
- Kathiresan R, Koger CH, Reddy KN (2006) Allelopathy for weed control in aquatic and wetland systems, In Allelochemicals: Biological Control Of Plant Pathogens And Diseases pp: 103 122. By Inderjit And K.G. Mukerji (Eds.), © Springer. Printed In The Netherlands.
- Kato-Noguchi H (2004) Allelopathic substance in rice root exudates: Rediscovery of momilactone B as an allelochemicals. Journal of Plant Physiology 161: 271–276.
- Kato-Noguchi H, Hasegawa M, Ino T, Ota K, Kujime H (2010) Contribution of momilactone A and B to rice allelopathy. Journal of Plant Physiology 167: 787–791.
- Kato-Noguchi H, Ino T (2003) Rice seedlings release momilactone B into the environment. Phytochemistry 63: 551–554.
- Kato-Noguchi H, Ino T (2005) Possible involvement of momilactone B in rice allelopathy. Journal of Plant Physiology 162: 718—721.
- Kato-Noguchi H, Ino T, Ota K (2008) Secretion of momilactone A from rice roots to the rhizosphere. Journal of Plant Physiology 165: 691—696.
- Kaur H, Kaur R, Kaur S, Baldwin IT, Inderjit (2009) Taking ecological function seriously: soil microbial communities can obviate allelopathic effects of released metabolites. Plos One 4(3): e4700. doi:10.1371/journal.pone. 0004700
- Kavitha C, Rajamani K, Vadivel E (2010) *Coleus forskohlii*: A comprehensive review on morphology, phytochemistry and pharmacological, aspects. Journal of Medicinal Plants Research 4 (4): 278□285.
- Khan AL, Hamayun M, Hussain J, Khan H, Gilani SA, Kikuchi A, Watanabe KN, Jung EH, Lee IJ (2009) Assessment of allelopathic potential of selected medicinal plants of Pakistan. African Journal of Biotechnology 8(6): 1024-1029.
- Khanh TD, Chung MI, Xuan TD, Tawat S (2005) The exploitation of crop allelopathy in sustainable agricultural production. Journal of Agronomy and Crop Science 191: 172—184.
- Khanh TD, Hong NH, Xuan TD, Chung IM (2005) Paddy weed control by medicinal and leguminous plants from Southeast Asia. Crop Protection 24 421–431.

- Kimura F, Sato M, Kato-Noguchi H (2015) Allelopathy of Pine Litter: Delivery of Allelopathic Substances into Forest Floor. Journal Plant Biology 58:61-66.
- Kirtikar KR, Basu BD (1991) Indian Medicinal Plants Vol. 3, Periodical Experts Books Agency 2nd edition, New Delhi.
- Kobayashi K (2004) Factors affecting phytotoxic activity of allelochemicals in soil. Weed Biology and Management 4: 1–7.
- Koch MA, Schuffenhauer A, Scheck M, Wetzel S, Casaulta M, Odermatt A, Ertl P, Waldmann H (2005) Charting biologically relevant chemical space: A structural classification of natural products (SCONP). Proceedings of the National Academy of Sciences102 (48): 17272–17277.
- Kozel PC, Tukey HB, Tukey Jr. (1968) Loss of gibberellins by leaching from stems and foliage of *Chrysanthemum morifolium* 'Princess Anne'. American Journal of Botany 55(10): 1184-1189.
- Kruse M, Strandberg M, Strandberg B (2000) Ecological effects of allelopathic plants – a Review. National Environmental Research Institute, Silkeborg, Denmark. 66 pp. – NERI Technical Report No. 315.
- Kumar AO, Naidu ML, Rao KGR (2010) In vitro antibacterial activity in the extracts of *Andrographis paniculata* Burm. F. International Journal of PharmTech Research 2(2): 1383-1385.
- Kumar K, Goh KM (1999) Crop residue management: effects on soil quality, soil nitrogen dynamics, crop yield and nitrogen recovery. Advances in Agronomy 68:197-319.
- Kumeta Y, Maruyama T, Wakana D, Kamakura H, Goda Y (2013) Chemical analysis reveals the botanical origin of shatavari products and confirms the absence of alkaloid asparagamine A in *Asparagus racemosus,* Journal of Natural Medicines 67(1): 168-173.
- Laemmli UK (1970) Nature 227: 680–685.
- Lambert JDH, Campbell G, Arnason JT, Majak W (1991) Herbicidal properties of alpha-terthienyl, a naturally occurring phototoxin. Canadian Journal of Plant Sciences 71: 215-218.
- Lankau R (2008) A chemical trait creates a genetic trade-off between intra and interspecific competitive ability. Ecology 89(5): 1181–1187.
- Lapkin AA, Walker A, Sullivan N, Khambay B (2009) Development of HPLC analytical protocols for quantification of artemisinin in biomass and extract. Journal of Pharmaceutical and Biomedical analysis 49: 908-915.
- Leelaprakash G, Dass SM (2012) Antimicrobial activity and phytochemical screening of methanol extract of *Enicostemma axillare*. International Journal of Pharmacy and Pharmaceutical Sciences 4(1): 342-348.
- Levitt J, Lovett JV (1984) Activity of allelochemicals of *Datura stramonium* L. (Thorn-apple) in contrasting soil types. Plant and Soil 79(2): 181-189.
- Li Y, Huang XF, Ding WL (2011) Autotoxicity of *Panax ginseng* rhizosphere and non-rhizosphere soil extracts on early seedlings growth and identification of chemicals. Allelopathy Journal 28 (2): 145-154.

- Li Z, Wang Q, Ruan X, Pan C, Jiang D (2010) Phenolics and plant allelopathy. Molecules 15: 8933-8952. Doi:10.3390/molecules15128933.
- Liebman M, Dyck E (1993) Crop rotation and intercropping strategies for weed management. Ecological Applications 3(1): 92-122.
- Loi RX, Solar MC, Weidenhamer JD (2008) Solid-phase microextraction method for in vivo measurement of allelochemical uptake. Journal of Chemical Ecology 34:70–75.
- Lovett JV, Ryuntyu MY, Liu DL (1989) Allelopathy, chemical communication and plant defense. Journal of Chemical Ecology 15:1193–1202.
- Luck H (1974) Methods of Enzymatic analysis. vol. 2, Academia Press, New York, 885–894.
- Luster J, Gottlein A, Nowack B, Sarret G (2009) Sampling, defining, characterising and modelling the rhizosphere—the soil science tool box. Plant Soil 321:457–482,
- Lydon J, Teasdale JR, Chen PK (1997) Allelopathic activity of annual wormwood (*Artemisia annua*) and the role of artemisinin. Weed Science 45(6): 807-811.
- Ma L, Wu H, Bai R, Zhou L, Yuan X, Hou A (2011) Phytotoxic effects of *Stellera chamaejasme* L. root extract. African Journal of Agricultural Research 6(5): 1170-1176. DOI: 10.5897/AJAR10.732.
- Macias FA, Galindo JLG, Galindo JCG (2007) Evolution and current status of ecological phytochemistry. Phytochemistry 68: 2917–2936.
- Macias FA, Oliva RM, Varela RM, Torres ST, Molinillo JMG (1999) Allelochemicals from sunflower leaves cv. Peredovick. Phytochemistry 52: 613–621.
- Macias FA, Torres AN, Molinillo JMG, Varela RM, Castellano D (1996) Potential allelopathic sesquiterpene lactones from sunflower leaves. Phytochemistry 43(6): 1205-1215.
- Macias FA, Varela RM, Torres AN, Molinillo JMG (1993) Potential allelopathic guaianolides from cultivar suflower leaves, var. sh-222. Phytochemistry 34(3): 669-614.
- Macias FA, Varela RM, Torres AN, Oliva RM, Molinillo JMG (1998) Bioactive norsesquiterpenes from *Helianthus annuus* with potential allelopathic activity. Phytochemistry 48(4):631-636.
- Maffei ME (2010) Sites of synthesis, biochemistry and functional role of plant volatiles. South African Journal of Botany 76: 612–631.
- Mamolos AP, Kalburtji KL (2001) Significance of allelopathy in crop rotation. Journal of Crop Production 4(2):197-218.
- Mandal A,Tarai P, Kaushik SK, Mahata AC, Chakarborti P (2013) Allelopathic action of *Rauwolfia tetraphylla* L. root extracts on gram (Cicer arietinum L.) seeds. Journal of Crop and Weed 9(2):72-75.

- Manigandan R, Priya P, Suresh R, Giribabu K, Munusamy S, kumar SP, Muthamizh S, Lakshman AB, Narayanan V. Antibacterial activity of *U. indica* extract obtained by maceration method. International Journal of Innovative Research in Science & Engineering, ISSN (Online) 2347-3207.
- Mathur A, Singh R, Yousuf S, Bhardwaj A, Verma SK, Babu P, Gupta V, Prasad GBKS, Dua VK (2011) Antifungal activity of some plant extracts against clinical pathogens. Advances in Applied Science Research 2 (2): 260-264.
- McCully ME (1999) Roots in soil: Unearthing the complexities of roots and their rhizospheres. Annual review of plant physiology and plant molecular biology 50:695–718.
- Meazza G, Scheffler BE, Tellez MR, Rimando AM, Romagni JG, Duke SO, Nanayakkara D, Khan IA Abourashed EA, Dayan FE, (2002) The inhibitory activity of natural products on plant p-hydroxyphenylpyruvate dioxygenase. Phytochemistry 59: 281–288.
- Meier CL, Bowman WD (2008) Phenolic-rich leaf carbon fractions differentially influence microbial respiration and plant growth. Oecologia 158:95–107. DOI 10.1007/s00442-008-1124-9.
- Metlen KL, Aschehoug ER, Callaway RM (2009) Plant behavioural ecology: dynamic plasticity in secondary metabolites. Plant, Cell and Environment 32:641–653. Doi: 10.1111/j.1365-3040.2008.01910.x.
- Mitra D, Prasad C (2010) Allelopathic influence of malabar nut (*Adhatoda vasica* Nees.) on turnip (*Brassica rapa* L.): I. Seed and seedling traits. Cruciferae Newsletter 29: 63-65.
- Mizutani J (1999) Selected allelochemicals. Critical Reviews in Plant Sciences 18(5): 653-671.
- Modilal RD, Anandan R, Sindhu R, Logeshwari MN (2015) Screening of *Solanum nigrum* for its phytochemical and antimicrobial activity against respiratory tract pathogens. International Journal of Pure and Applied Zoology 3(3): 210-215.
- Mohan SC, Dinakar S, Anand T, Elayaraja R, Priya BS (2012) Phytochemical, GC-MS analysis and antibacterial activity of a medicinal plant Acalypha indica. International Journal of PharmTech Research 4(3): 1050-1054.
- Mohy-Ud-Din A, Khan Z, Ahmad M, Kashmiri MA (2010) Chemotaxonomic value of alkaloids in *Solanum nigrum* complex. Pakistan Journal of Botany 42(1): 653-660.
- Mominul Islam AKM, Kato-Noguchi H (2012) Allelopathic Potentiality of medicinal plant *Leucas aspera*. International Journal of Sustainable Agriculture 4 (1): 01-07.
- Mominul Islam AKM, Kato-Noguchi H (2013) Allelopathic potential of five Labiatae plant species on barnyard grass (*Echinochloa crus galli*). Australlian Journal of Crop Sciences 7(9):1369-1374.

- Mominul Islam AKM, Kato-Noguchi H (2013) Plant growth inhibitory activity of medicinal plant *Hyptis suaveolens*: could allelopathy be a cause?. Emirates Journal of Food and Agriculture 25 (9): 692-701. Doi: 10.9755/ejfa.v25i9.16073.
- Morvilloa CM, de la Fuente EB, Gil A, Martinez-Ghersa MA, Gonzalez-Andujarc JL (2011) Competitive and allelopathic interference between soybean crop and annual wormwood (*Artemisia annua* L.) under field conditions. European Journal of Agronomy 34: 211–221.
- Moussavi-Nik SM, Bijeh keshavarzi MH, Gharibdosti AB (2011) Effect of aqueous extracts of allelopathic *Artemisia annua* on germination and early growth of Isabgol (*Plantago ovate*). Annals of Biological Research 2 (6): 687-691.
- Muller WH, Muller CH (1964) Volatile Growth Inhibitors Produced by Salvia Species. Bulletin of the Torrey Botanical Club 91(4): 327-330.
- Murti K, Panchal MA, Ambole V (2010) Pharmacological Properties of Boerhaavia diffusa - a Review. International Journal of Pharmaceutical Sciences 5(2): 107-110.
- Muscolo A, Panuccio MR, Sidari M (2001) The effect of phenols on respiratory enzymes in seed germination respiratory enzyme activities during germination of *Pinus laricio* seeds treated with phenols extracted from different forest soils. Plant Growth Regulation 35:31-35.
- Muto M, Mulabagal V, Huang HC, Takahashi H, Tsay HS, Huang JW (2006) Toxicity of black nightshade (*Solanum nigrum*) extracts on *Alternaria brassicicola*, causal agent of black leaf spot of Chinese cabbage (*Brassica pekinensis*). Journal Phytopathology 154: 45–50.
- Nagaprashanthi CH, Khan RP, Chand GK, Aleemuddin MA, Begum RG (2012) In vitro antimicrobial activity of *Tinospora cordifolia* and its phytochemical screening. International Journal of PharmTech Research 4(3): 1004-1008.
- Nagaraja TG and Deshmukh SM (2009) Phytotoxic effect of Andrographis paniculata nees on metabolism of *Parthenium hysterophorus* L. Journal of Biopesticides 2(2): 165-167.
- Nagesh KS, Shanthamma C (2009) Antibacterial activity of *Curculigo orchioides* rhizome extract on pathogenic bacteria. African Journal of Microbiology Research 3(1): 005-009.
- Nakajima N, Hiradate S, Fujii Y (2000) Plant growth inhibitory activity of l-canavanine and its mode of action. Journal of Chemical Ecology 27(1): 19-31.
- Nazir T,Uniyal AK, Todari NP (2007) Allelopathic behaviour of three medicinal plant species on traditional agriculture crops of Garhwal Himalaya, India. Agroforestry System 69:183–187.
- Negi JS, Singh P, Joshi nee Pant G, Rawat MSM (2011) High performance liquid chromatographic analysis of derivatized sapogenin of *Asparagus* (RP-

HPLC analysis of derivatized sapogenin of Asparagus) Journal of Medicinal Plants Research 5(10): 1900-1904.

- Netzly DH, Butler LG (1986) Roots of Sorghum exude hydrophobic droplets containing biologically active components. Crop Science 26: 775-778.
- Nicollier GF, Pope DF, Thompson AC (1983) Biological Activity of Dhurrin and Other Compounds from Johnson grass (*Sorghum halepense*). Journal of Agriculture Food Chemistry 31: 744-748.
- Nidiry SJ, Ganeshan G, Lokesha AN (2015) Antifungal activity of the extract of *Andrographis paniculata* and andrographolide Eugene. Journal of Pharmacognosy and Phytochemistry; 4(2): 08-10.
- Nimbal CI, Pedersen JF, Yerkes CN, Weston LA, Welle SC (1996) Phytotoxicity and distribution of sorgoleone in grain sorghum germplasm. Journal Agriculture Food Chemistry 44: 1343 – 1347.
- Ninkovic V, Glinwood R, Pettersson J (2006) Communication between undamaged plants by volatiles: the role of allelobiosis. DOI: 10.1007/978-3-540-28516-8_28. In Communication in Plants. Baluska F, Mancuso S, Volkmann D. Springer-Verlag Berlin Heidelberg.
- Nour V, Trandafir I, Cosmulescu S (2012) HPLC determination of phenolic acids, flavonoids and juglone in walnut leaves. Journal of Chromatographic Science: 1–8. Doi:10.1093/chromsci/bms180.
- Oburger E, Dellmour M, Hann S, Wieshammer G, Puschenreiter M, Wenzel WW (2013) Evaluation of a novel tool for sampling root exudates from soil-grown plants compared to conventional techniques. Environmental and Experimental Botany 87: 235– 247.
- Ohno T, Doolan K, Zibilske LM, Liebman M, Gallandt, Berube C (2000) Phytotoxic effects of red clover amended soils on wild mustard seedling growth. Agriculture, Ecosystems and Environment 78: 187–192.
- Olofsdotter M, Jensen LB, Courtois B (2002) Improving crop competitive ability using allelopathy — an example from rice. Plant Breeding 121: 1-9.
- Orr SP, Rudgers JA, Clay K (2005) Invasive plants can inhibit native tree seedlings: testing potential allelopathic mechanisms. Plant Ecology 181(2):153-165.
- Othman MR, Leong ST, Bakar B, Awang K, Suffian M, Annuar M (2012) Allelopathic potentials of *Cuscuta campestris* Yuncker extracts on germination and growth of radish (*Raphanus sativus* L.) and Lettuce (*Lactuca sativa* L.). Journal of Agricultural Science 4(9): 57-63.
- Overland L (1966) The Role of Allelopathic Substances in the "Smother Crop" Barley. American Journal of Botany 53(5): 423-43.
- Owens DK, Nanayakkara NPD, Dayan FE (2013) In planta mechanism of action of leptospermone: Impact of its physico-chemical properties on uptake, translocation, and metabolism. Journal of Chemical Ecology 39:262–270.
- Paltinean R, Toiu A, Wauters Jn, Frederich M, Tits M ,Angenot L ,Tamas M , Crisan G (2013) Identification and determination of alkaloids in *Fumaria*

species from Romania. Digest Journal of Nanomaterials and Biostructures 8(2): 817 – 824.

- Panduranga MG, Mamtharani DR, Tejas TS, Suarlikerimath NM (2011) Phytochemical analysis, in vitro anti-bacterial and antioxidant activities of wild onion sps. International Journal of Pharma and Bio Sciences 2(3): 230-237.
- Patel DA, Pandya NR (2013) Allelopathic effect of few medicinal plants on *Raphanus sativus* L. International Journal of Research in Plant Science 3(4): 88-93.
- Perez AJ, Simonet AM, Calle JM, Pecio L, Guerra JO, Stochmal A, Macias FA (2014) Phytotoxic steroidal saponins from *Agave offoyana* leaves. Phytochemistry 105: 92–100.
- Perez de Luque A, Galindo JCG, Macias FA, Jorrin J (2000) Sunflower sesquiterpene lactone models induce *Orobanche cumana* seed germination Phytochemistry 53: 45–50.
- Perez FJ, Ormeno-Nunez J (1999) Root exudates of wild oats: allelopathic effect on spring wheat. Phytochemistry 30(7): 2199-22021.
- Petroski RJ, Stanley DW (2009) Natural compounds for pest and weed control. Journal Agriculture Food Chemistry 57: 8171–8179.
- Pholphana N, Rangkadilok N, Thongnest S, Ruchirawat S, Ruchirawat M, Satayavivad J (2004) Determination and variation of three active diterpenoids in *Andrographis paniculata* (Burm.f.) Nees. Phytochemical Analysis 15: 365□371.
- Pimentel D, McNair S, Janecka J, Wightman J, Simmonds C, O'Connell C, Wong E, Russel L, Zern J, Aquino T, Tsomondo T (2001) Economic and environmental threats of alien plant, animal, and microbe invasions. Agriculture, Ecosystems and Environment 84 1–20
- Powles SB, Yu Q (2010) Evolution in action: plants resistant to herbicides. The Annual Review of Plant Biology 61:317– 347.
- Price AJ, Norsworthy JK (2013) Cover crops for weed management in southern reduced-tillage vegetable cropping systems. Weed Technology, 27(1):212-217.
- Pukclai P, Kato-Noguchi H (2012) Allelopathic potential of *Tinospora tuberculata* Beumee on twelve test plant species. Journal of Plant Biology Research 1(1): 19-28.
- Purohit S, Pandya N (2013) Allelopathic activity of *Ocimum sanctum* L. and *Tephrosia purpurea* (L.) pers. leaf extracts on few common legumes and weeds. International Journal of Research in Plant Science 3(1): 5-9.
- Putnam AR (1988) Allelochemicals from plants as herbicides. Weed Technology 2(4): 510-518.
- Putter J (1974) Methods of enzymatic analysis, vol. 2, Academia Press, New York, 865.

- Qasem JR, Foy CL (2001) Weed allelopathy, its ecological impacts and future prospects. Journal of Crop Production 4(2): 43-119. DOI: 10.1300/J144v04n02_02.
- Qian GP, Yang YW, Ren QL (2005) Determination of artemisinin in *Artemisia annua* L. by reversed phase HPLC. Journal of Liquid Chromatography and Related Technology 28(5): 705-712.
- Raaman N, Selvarajan S, Balakrishnan D, Balamurugan G (2009) Preliminary phytochemical screening, antimicrobial activity and nutritional analysis of methanol extract of *Curculigo orchioides* Gaerten rhizomes. Journal of Pharmacy Research, 2(7):1201-1202.
- Rabotnov TA et al. (1982) Importance of the evolutionary approach to the study of allelopathy. Ekologia 3: 5–8.
- Ramya S, Rajasekaran C, Kalaivani T, Sundararajan G, Jayakumararaj R (2008) Biopesticidal effect of leaf extracts of *Catharanthus roseus* L (G) Don. on the larvae of gram pod borer - *Helicoverpa armigera* (Hubner). Ethnobotanical Leaflets 12: 1096-1101.
- Rathi MJ, Gopalakrishnan S (2006) Insecticidal activity of aerial parts of *Synedrella nodiflora* Gaertn (Compositae) on *Spodoptera litura* (Fab.). Journal of Central European Agriculture 7(2): 141-148.
- Ray S, Chatterjee S, Chakrabarti CS (2013) Antiproliferative activity of allelochemicals present in aqueous extract of *Synedrella nodiflora* (L.) Gaertn. in apical meristems and wistar rat bone marrow cells Journal Of Pharmacy 3(2):1-10.
- Reigosa MJ, Nuria P, Luis G (2006) Allelopathy: a physiological process with ecological implications, Springer ISBN 1-4020-4279-5.
- Reigosa MJ, Pazos-Malvido E (2007) Phytotoxic effects of 21 plant secondary metabolites on *Arabidopsis thaliana* germination and root growth. Journal of Chemical Ecology 33:1456–1466. DOI 10.1007/s10886-007-9318-x.
- Reigosa MJ, Sanchez-Moreiras A, Gonzalez L (1999) Ecophysiological approach in allelopathy, Critical Reviews in Plant Sciences, 18(5): 577-608.
- Rial C, Novaes P, Varela RM, Molinillo JMG, Macias FA (2014) Phytotoxicity of Cardoon (*Cynara cardunculus*) Allelochemicals on Standard Target Species and Weeds. Journal of Agriculture and Food Chemistry 62: 6699−6706.
- Rice EL (1984) Allelopathy. Academic Press, Orlando, FL.
- Rimando AM, Olofsdotter M, Dayan FE, Duke SO (2001) Searching for Rice allelochemicals: An Example of Bioassay-Guided Isolation. Agronomy Journal 93:16–20.
- Rizvi SJH, Mukerji D, Mathur SN (1981) Selective phyto-toxicity of 1,3,7-trimethylxanthine between *Phaseolus mungo* and some weeds, Agricultural and Biological Chemistry 45(5): 1255-1256. DOI: 10.1080/00021369.1981.10864686.

- Rizvi SJH, Rizvi V, Mukerji D, Mathur SN (1987) 1,3,7–trimethylxanthine, an allelochemical from seeds of *Coffea arabica*, some aspects of its mode of action as a natural herbicide. Plant Soil 98: 81–91.
- Romero-Romero T, Anaya Al, Cruz-Ortega R (2002) Screening for effects of phytochemical variability on cytoplasmic protein synthesis pattern of crop plants. Journal of Chemical Ecology 28(3): 617-628.
- Roshchina VV, Yashin YA, Yashina AV, Goltyaev MV (2011) Coloured allelochemicals in modelling of cell-cell, allelopathic interactions. Allelopathy Journal 28 (1): 1-12.
- Sakthi SS, Geetha M (2011) Pharmacological screening of *Datura metel* and Acalypha indica for its antifungal activity against pathogenic fungi. International journal of pharmaceutical science and health care 2(1): 15-30.
- Saleem K,Perveen S, Sarwar N , Latif F ,Akhtar KP, Arshad HMI (2013) Identification of phenolics in mango leaves extract and their allelopathic effect on canary grass and wheat. Pakistan Journal of Botanty 45(5): 1527-1535.
- Sampath Kumar KP, Bhowmik D, Chiranjib, Tiwari P, Kharel R (2010) Indian traditional herbs *Adhatoda vasica* and its medicinal application. Journal of Chemical Pharm. Res. 2(1): 240 245.
- Sampietro DA, Vattuone MA, Isla MI (2006) Plant growth inhibitors isolated from sugarcane (*Saccharum officinarum*) straw. Journal of Plant Physiology 163: 837 – 846.
- Sanchez-Moreiras AM, de la Pena TC, Reigosa MJ (2008) The natural compound benzoxazolin-2(3H)-one selectively retards cell cycle in lettuce root meristems. Phytochemistry 69: 2172–2179.
- Sankhala LN, Saini RK, Saini BS (2012) A review on chemical and biological properties of Tinospora cordifolia. Int. J. Med. Arom. Plants 2(2): 340-344.
- Saswade RR, Dhumal KN (2010) Weedcidal effects of *Celosia argentea* L. and *Euphorbia hirta* L against some weed species. Asian J. Exp. Biol. Sci. Spl.:59-64.
- Scherr SJ, McNeely JA (2000) Reconciling agriculture and biodiversity: policy and research challenges of ‘ecoagriculture’. World Summit on Sustainable Development.
- Schmidt SK, Lipson DA (2004) Microbial growth under the snow: Implications for nutrient and allelochemical availability in temperate soils. Plant and Soil 259: 1–7.
- Scognamiglio M, Esposito A, D’Abrosca B, Pacifico S, Fiumano, Tsafantakis N, Monaco P, Fiorentino A (2012) Isolation, distribution and allelopathic effect of caffeic acid derivatives from *Bellis perennis* L. Biochemical Systematics and Ecology 43: 108–113.
- Sheludko Y, Gerasimenko I, Unger M, Kostenyuk I, Stoeckigt J (1999) Induction of alkaloid diversity in hybrid plant cell cultures. Plant Cell Reports 18: 911–918.

- Shenoy SR, Shiva Kameshwari MN, Swaminathan S, Gupta MN (2006) Major antifungal activity from the bulbs of Indian Squill *Urginea indica* is a chitinase Biotechnoly Progress 22: 631-637.
- Shiva kameshwari MN, Lakshman BA, Paramasivam G (2012) Biosystematics studies on medicinal plant *Urginea indica* Kunth. Liliaceae - A review. International Journal Of Pharmacy & Life Sciences 3(1): 1394-1406.
- Singh B, Singh V, Kumar M (2009) Effect of *Tinospora cordifolia* aqueous extract on traditional food crops of Garhwal Himalaya. International Journal of Sustainable Agriculture 1 (2): 36-40.
- Singh D, Pokhriyal B, Joshi YM, Kadam V (2012) Phytopharmacological aspects of *Chlorophytum borivilianum* (safed musli): A review. International Journal Of Research In Pharmacy And Chemistry 2(3): 853-859.
- Singh HP, Batish DR, Kohli RK (1999) Autotoxicity: concept, organisms, and ecological significance. Critical Reviews in Plant Sciences 18(6): 757-772, DOI: 10.1080/07352689991309478.
- Singh HP, Batish DR, Kohli RK (2003) Allelopathic interactions and allelochemicals: new possibilities for sustainable weed management, Critical Reviews in Plant Sciences 22(3-4): 239-311. DOI: 10.1080/713610858.
- Singh S, Srivastava R, Choudhary S (2010) Antifungal and HPLC analysis of the crude extracts of *Acorus calamus, Tinospora cordifolia* and *Celestrus paniculatus.* Journal of Agricultural Technology 6(1): 149-158.
- Singh SS, Pandey SC, Srivastava S, Gupta VS, Patro B, Ghosh AC (2003) Chemistry and medicinal properties of *Tinospora cordifolia*,(Guduchi). Indian Journal of Pharmacology 35: 83 □ 91.
- Soares AR, Marchiosi R, Siqueira-Soares R, de Lima RB, dos Santos WD, Ferrarese-Filho O. (2014) The role of L-DOPA in plants. Plant Signaling & Behavior 9(e28275): 1-7.
- Sodaeizadeh H, Rafieiolhossaini M, Damme PV (2010) Herbicidal activity of a medicinal plant, Peganum harmala L., and decomposition dynamics of its phytotoxins in the soil Industrial Crops and Products 31: 385–394.
- Soltys D, Krasuska U , Bogatek R, Gniazdowska A (2013) Allelochemicals as Bioherbicides — Present and Perspectives. In Herbicides - Current Research and Case Studies in Use", by Price AJ, Kelton JA, Science, Technology and Medicine open access publisher. DOI: 10.5772/56185.
- Stickney, J.S., & P.R. Hoy. 1881. Toxic action of black walnut. Transactions of the Wisconsin Horticultural Society 11:166–167.
- Streibig JC, Dayan FE, Rimando AM, Duke SO (1999) Joint action of natural and synthetic photosystem II inhibitors. Pesticide Science 55:137–146.
- Swanton CJ, Murphy SD (1996) Weed science beyond the weeds: the role of integrated weed management (IWM) in Agroecosystem Health. Weed Science 44(2): 437-445.

- Tamil R, Selvan AK, Sultan M, Sheriff MA, Azmathullah NM (2012) Screening of *Acalypha indica* L. Leaf extracts. International Journal of Applied Biology and Pharmaceutical Technology 3 (2):158 161.
- Teasdale JR, Beste CE, Potts WE (1991) Response of weeds to tillage and cover crop residue. Weed Science 39(2): 195-199.
- Temikotan T, Akinyele BO, Odiyi AC, Arotupin DJ (2013) Phytochemicals of some members of the family Hyacinthaceae and their significance in plant protection, Proceedings of the World Congress on Engineering Vol II, WCE 2013, London, U.K.
- Tesio F, Ferrero A (2010) Allelopathy, a chance for sustainable weed management. The International Journal of Sustainable Development and World Ecology 17(5): 377–389.
- Tharayil N, Bhowmik P, Alpert P, Walker E, Amarasiriwardena D, Xing B (2009) Dual purpose secondary compounds: phytotoxin of *Centaurea diffusa* also facilitates nutrient uptake. New Phytologist 181: 424–434. Doi: 10.1111/j.1469-8137.2008.02647.x.
- Troc M, Saja D, Kornas A, Zuraw A, Skoczowski A (2011) Strong endothermic effects caused by allelopathic interactions during growth of mustard, rape, wheat and clover seedlings. Journal of Thermal Analysis and Calorimetry 104:141–148.
- Tsuzuki E, Shimazaki A, Naivaluevu LU, Tomiyama K (1995) Injury by continuous cropping to taro and its related factors. Japanese Journal of Crop Sciences 64:195–200. (in Japanese with English abstract).
- Tukey HB Jr. (1966) Leaching of metabolites from above-ground plant parts and its implications. Bulletin of the Torrey Botanical Club 93(6): 385-401.
- Tukey HB Jr. (1969) Implications of Allelopathy in Agricultural Plant Science, Botanical Review 35(1):1-16.
- Tumbas VT, Mandic AI, Cetkovic GS, Dilas SM, Canadanovic-Brunet JM (2004) Hplc analysis of phenolic acids in mountain germander (*Teucrium montanum* L.) extracts. Acta Periodica Technologica 35: 265-273.
- Turk MA, Tawaha AM (2003) Allelopathic effect of black mustard (*Brassica nigra* L.) on germination and growth of wild oat (*Avena fatua* L.). Crop Protection 22: 673–677, M.A.
- Upadhyay RK, Baks H, Patra DD, Tiwari SK, Sharma SK, Katiyar RS (2011). Integrated weed management of medicinal plants in India. International Journal of Medicinal and Aromatic plant 1(2)51-56.
- Vaughn SF, Boydston RA (1997) Volatile allelochemicals released by crucifer green manures. Journal of Chemical Ecology 23(9): 2107-2116.
- Vaughn SF, Spencer GF (1993) Volatile monoterpenes as potential parent structures for new herbicides. Weed Science 41(1): 114-119.
- Ved DK, Goraya GS (2007) Demand and supply of medicinal plants in india. NMPB, New Delhi & FRLHT, Bangalore, India.

- Verma M, Rao PB (2006) Allelopathic effect of four weed species extracts on germination, growth and protein in different varieties of *Glycine max* (L.) Merrill. Journal of Environmental Biology 27(3): 571-577.
- Verpoorte R, Contin A, Memelink J (2002) Biotechnology for the production of plant secondary metabolites. Phytochemistry Reviews 1:13–25.
- Vishwakarma S, Rajani M, Bagul M, Goyal R (2004) A rapid method for the isolation of swertiamarin from *Enicostemma littorale*. Pharmaceutical Biology 42(6): 400-403. DOI: 10.1080/13880200490885095.
- Vivanco JM, Querci M, Salazar LF (1999) Antiviral and antiviroid activity of MAP-containing extracts from *Mirabilis jalapa* roots. Plant Disease 83:1116-1121.
- Vyvyan J R (2002) Allelochemicals as leads for new herbicides and agrochemicals. Tetrahedron 58: 1631-1646.
- Wahyuni DSC, Kooy Fvd, Klinkhamer PGL, Verpoorte R, Leiss K (2013) The use of bio-guided fractionation to explore the use of leftover biomass in dutch flower bulb production as allelochemicals against weeds. Molecules 18: 4510-4525. Doi: 10.3390/molecules18044510.
- Wang Q, Ruan X, Li Z, Pan C (2007) Autotoxicity of plants and research of coniferous forest autotoxicity. Scientia Silvae Sinicae 43(06): 134-142. DOI: 10.11707/j.1001-7488.20070624.
- Weidenhamer JD (2005) Biomimetic measurement of allelochemical dynamics in the rhizosphere. Journal of Chemical Ecology 31(2): 221-236. DOI 10.1007/s10886-007-9401-3.
- Weidenhamer JD, Boes PD, Wilcox DS (2009) Solid-phase root zone extraction (SPRE): a new methodology for measurement of allelochemical dynamics in soil. Plant Soil 322:177–186.
- Weidenhamer JD, Romeo JT (2004) Allelochemicals of *Polygonella myriophylla*: chemistry and soil degradation. Journal of Chemical Ecology 30(5): 1067-1082.
- Weir TL, Park SW, Vivanco JW (2004) Biochemical and physiological mechanisms mediated by allelochemicals. Current Opinion in Plant Biology 7:472–479.
- Weston LA (1996) Utilization of allelopathy for weed management in agroecosystems . Agronomy Journal 88:860-866.
- Weston LA (2005) History and current trends in the use of allelopathy for weed management. HortTechnology 15(3):529–534.
- Weston LA, Mathesius U (2013) Flavonoids: their structure, biosynthesis and role in the rhizosphere, including allelopathy. Journal of Chemical Ecology 39:283–297. DOI 10.1007/s10886-013-0248-5.
- Weston LA, Ryan PR, Watt M (2012) Mechanisms for cellular transport and release of allelochemicals from plant roots into the rhizosphere. Journal of Experimental Botany: 1 -10. Doi:10.1093/jxb/ers054.

- White RH, Worsham AD, Blum U (1989) Allelopathic potential of legume debris and aqueous extracts. Weed Science 37(5): 674-679.
- Whittaker RH (1968) Chemistry of communities. Address at meeting on plant-plant and plant-animal interactions, Santa Barbara, Calif. March 16, 1968, and Science.
- Whittaker RH, Feeny PP (1971) Allelochemics: chemical interactions between Species. Science 171(3973): 757-770.
- Willis RJ (2000) Juglans spp., juglone and allelopathy. Allelopathy Journal 7: 1–55.
- Wilson JS, Foy CL (1990) Weed control in no-tillage and conventional Corn (*Zea mays*) with ICIA-0051 and SC-0774. Weed Technology 4(4): 731-738.
- Wojcik-Wojtkowiak D, Politycka B, Schneider M, Perkowski J ()Phenolic substances as allelopathic agents arising during the degradation of rye (Secale cereale) tissues. Plant and Soil 124(1): 143-147.
- Wolf RB, Spencer GF, Kwolek WF (1984) Inhibition of velvetleaf (*Abutilon theophrasti*) germination and growth by Benzyl Isothiocyanate, a Natural Toxicant. Weed Science 32(5): 612-615.
- Woods FW (1960) Biological antagonisms due to phytotoxic root exudates. Botanical Review 26(4): 546-569.
- Wu H, Haig T, Pratley J, Lemerle D, An M (2000) Allelochemicals in Wheat (*Triticum Aestivum* L.): Variation of phenolic acids in root tissues. Journal of Agriculture and Food Chemistry 48: 5321−5325.
- Xuan TD, Eiji T, Hiroyukia T, Mitsuhiro M, Khanh TD , Chung IM (2004) Evaluation on phytotoxicity of neem (*Azadirachta indica*. A. Juss) to crops and weeds. Crop Protection 23: 335–345.
- Xuan TD, Shinkichi T, Khanh TD, Min CI (2005) Biological control of weeds and plant pathogens in paddy rice by exploiting plant allelopathy: an overview. Crop Protection 24: 197–206.
- Yamunadevi MEG, Wesely, Johnson M (2011) Chemical Profile Studies on the Alkaloids of medicinally important plant *Aerva lanata* L. using HPTLC. Journal of Natura Conscientia 2(2): 341□349.
- Yang RZ, Tang CS (1988) Plants used for pest control in China: A literature review. Economic Botany 42: 376-406.
- Yeasmin R, Kalemelawa F, Motoki S, Matsumoto H, Nakamatsu K, Yamamoto S, Nishihara E (2013) Root residue amendment on varietal allelopathy and autotoxicity of replanted Asparagus (*Asparagus officinalis* L.). Experimental Agriculture & Horticulture: An International Journal for Sustainable Production Systems. 2(1): 31-44. DOI: 10.1080/01448765.2013.796570.
- Yeasmin R, Motoki S, Yamamoto S, Nishihara E (2013) Allelochemicals inhibit the growth of subsequently replanted asparagus (*Asparagus officinalis* L.). Biological Agriculture & Horticulture: An International Journal for Sustainable Production Systems. DOI: 10.1080/01448765.2013.796570.

- Yoder JI (1999) Parasitic plant responses to host plant signals: a model for subterranean plant–plant interactions. Current Opinion in Plant Biology 2:65–70.
- Yoshitomi KJ, Shann JR (2001) Corn (Zea mays L.) root exudates and their impact on 14C-pyrene mineralization. Soil Biology and Biochemistry 33(12–13): 1769–1776.