CHAPTER 6

BIBLIOGRAPHY

Aadhan K and Anand SP (2017) Documentation of rare, endanger and threatened medicinal plants species in Sadhuragiri Hills, Tamil Nadu, India. Int J Bot Stud 2(1): 32-37.

Abdul KS (1987) Plant growth regulators (In Arabic). Salahaddin Univ, Ministry of higher education and scientific research, IRAQ.

Abebe Z, Mengesha A, Teressa A and Tefera W (2009) Efficient *in vitro* multiplication protocol for *Vanilla planifolia* using nodal explants in Ethiopia. Afr J Biotechnol 8(24): 6817-6821.

Abhyankar G and Reddy VD (2007) Rapid micropropagation via axillary bud proliferation of *Adhatoda vasica* Nees from nodal segments. Ind J Exp Biol 45: 268-271.

Abraham F, Bhatt A, Keng CL, Indrayanto G and Sulaiman SF (2011) Effect of yeast extract and chitosan on shoot proliferation, morphology and antioxidant activity of *Curcuma mangga in vitro* plantlets. Afr J Biotechnol 10(40): 7787-7795.

Agastian P, Williams L and Ignacimuthu S (2006) *In vitro* propagation of *Justicia gendarussa* Burm. F.-a medicinal plant. Ind J Biotechnol 5: 246-248.

Ahandani EA, Gawwad MRA and Yavari A (2013) Extraction and preparation of psoralen from different plant part of *Psoralea corylifolia* and psoralen increasing with some elicitors. J Plant Biol Res 2(2): 25-37.

Ahmad N, Faisal M, Anis M and Aref IM (2010) *In vitro* callus induction and plant regeneration from leaf explants of *Ruta graveolens* L. South Afr J Bot 76: 597-600.

Ahmed ABA, Gouthaman T, Rao AS and Rao MV (2005) Micropropagation of *Phyla nodiflora* (L.) Greene: an important medicinal plant. Iran J Biotechnol 3(3): 186-190.

Ahmed G, Roy PK and Mamun ANK (2001) High frequency shoot regeneration from nodal and shoot tip explants in *Holarrhena antidysenterica* L. Ind J Exp Biol 39: 1322-1324.

Alagar P, Nair RR and Doss G (2014) Influence of different pathways of regeneration on genetic and phytochemical instability of *Curculigo orchioides*. Plant Tiss Cult Biotechnol 24(2): 173-189.

Al-Ajlouni ZI, Abbas S, Shatnawi M and Al-Makhadmeh I (2015) *In vitro* propagation, callus induction, and evaluation of active compounds on *Ruta graveolens*. J Food Agri Environ 13(2): 101-106.

Alam MI and Gomes A (1998a) Adjuvant effects and antiserum action potentiation by a (herbal) compound 2-hydroxy-4-methoxy benzoic acid isolated from the root extract of the Indian medicinal plant `sarsaparilla' (*Hemidesmus indicus* R. Br.). Toxicon 36(10): 1423-1431.

Alam MI and Gomes A (1998b) Viper venom-induced inflammation and inhibition of free radical formation by pure compound (2-hydroxy-4-methoxy benzoic acid) isolated and purified from anantamul (*Hemidesmus indicus* R.Br.) root extract. Toxicon 36(1): 207-215.

Alam MI, Auddy B and Gomes A (1996) Viper venom neutralization by Indian medicinal plant (*Hemidesmus indicus* and *Pluchea indica*) root extracts. Phytother Res 10: 58-61.

Alex D, Bach TJ and Chye ML (2000) Expression of *Brassica juncea* 3-hydroxy-3-methylglutaryl CoA synthase is developmentally regulated and stress responsive. Plant J 22(5): 415-426.

Ali M, Isah T, Dipti and Mujib A (2016) Climber plants: medicinal importance and conservation strategies. In: Biotechnological strategies for the conservation of medicinal and ornamental climbers (Shahzad A, Sharma S and Siddiqui SA, eds.). Springer, Switzerland, pp. 101-138.

Alizah Z and Nurulaishah Y (2015) Multiple shoot regeneration from nodal explants of *Gynura procumbens* (Lour.) Merr. Ann Res Rev Biol 6(2): 85-88.

Amalraj VA, Velayudhan KC and Abraham Z (1991) Threatened medicinal plants in Western Ghats. In: Proceedings of the symposium on rare endangered and endemic plants of Western Ghats (Karunakaran CK, ed.), pp. 215-220.

Aman N, Hadi F, Khalil SA, Zamir R and Ahmad N (2013) Efficient regeneration for enhanced steviol glycosides production in *Stevia rebaudiana* (Bertoni). C R Biol 336: 486-492.

Amoo SO and Van Staden J (2013) Influence of plant growth regulators on shoot proliferation and secondary metabolite production in micropropagated *Huernia hystrix*. Plant Cell Tiss Organ Cult 112: 249-256.

Amoo SO, Aremu AO and Van Staden J (2012) *In vitro* plant regeneration, secondary metabolite production and antioxidant activity of micropropagated *Aloe arborescens* Mill. Plant Cell Tiss Organ Cult 111: 345-358.

Amudha P and Shanthi P (2011) Indirect organogenesis and *in vitro* layering of *Acmella calva* (DC.) from various explants. J Agric Technol 7: 636–648.

Anand SP and Jeyachandran R (2004) *In vitro* multiple shoot regeneration from nodal explants of *Zehneria scabra* (L.f.) Sonder an important medicinal climber. Plant Tiss Cult 14(2): 101-106.

Anand SP, Velmurugan G and Doss A (2015) *In vitro* direct regeneration from nodal explants of *Toddalia asiatica* (L.) Lam. Asian J Plant Sci Res 5(1): 49-53.

Ananthi R, Chandra N, Santhiya ST and Ramesh A (2010) Genotoxic and antigenotoxic effects of *Hemidesmus indicus* R. Br. root extract in cultured lymphocytes. J Ethnopharmacol 127: 558-560.

Anbazhagan M, Kalpana M, Rajendran R, Natarajan V and Dhanavel D (2010) *In vitro* production of *Stevia rebaudiana* Bertoni. Emir J Food Agric 22(3): 216-222.

Anitha S and Pullaiah T (2002) *In vitro* propagation of *Decalepis hamiltonii*. J Trop Med Plant 3: 227–232.

Annapurna A, Reddy CS, Akondi RB and Rao SR (2009) Cardioprotective actions of two bioflavonoids, quercetin and rutin, in experimental myocardial infarction in both normal and streptozotocin- induced type I diabetic rats. J Pharm Pharmacol 61(10): 1365-1374.

Anonymous (1959) The wealth of India, CSIR Publication, New Delhi, India, pp. 162.

Anonymous (1965) The wealth of India, part VI, CSIR Publication, New Delhi, India, pp. 266.

Anonymous (1996) Indian Pharmacopoeia. Indian pharmacopoeia committee, Ministery of Health and Family Welfare, Government of India, New Delhi, India.

Anonymous (2003) British Pharmacopoeia. British pharmacopoeia commission, market towers, 1 nine elms lane, London, UK.

Anonymous (2005) Quality standards of Indian medicinal plants, ICMR, New Delhi 2:119-128.

Anoop A and Jegadeesan M (2003) Biochemical studies on the anti-ulcerogenic potential of *Hemidesmus indicus* R.Br. var. *indicus*. J Ethnopharmacol 84: 149-156.

Anuruddhika SSSP and Ekanayake S (2013) Green leafy porridges: how good are they in controlling glycaemic response? Int J Food Sci Nutr 64(2): 169-174.

Anusha TS, Joseph MV and Elyas KK (2016) HPTLC profile of methanolic leaf extract of field grown tissue culture raised plant and mother plant of C*elastrus paniculatus* Wild-an endangered medicinal plant in India. World J Pharm Pharm Sci 5(9): 2080-2088.

Aqil F, Zahin M and Ahmad I (2008) Antimutagenic activity of methanolic extracts of four ayurvedic medicinal plants. Ind J Exp Biol 46: 668-672.

Aratanechemuge Y, Hibasami H, Sanpin K, Katsuzak H, Imai K and Komiya T (2004) Induction of apoptosis by lupeol isolated from mokumen (*Gossampinus malabarica* L. Merr) in human promyelotic leukemia HL-60 cells. Oncol Rep 11: 289-292.

Arikat NA, Jawad FM, Karama NS and Shibli RA (2004) Micropropagation and accumulation of essential oils in wild sage (*Salvia fruticosa* Mill.). Sci Hort 100: 193-202.

Arjunan N, Murugan K, Madhiyazhagan P, Kovendan K, Prasannakumar K, Thangamani S and Barnard DR (2012) Mosquitocidal and water purification properties of *Cynodon dactylon*, *Aloe vera*, *Hemidesmus indicus* and *Coleus amboinicus* leaf extracts against the mosquito vectors. Parasitol Res 110: 1435-1443.

Arya V, Shekhawat NS and Singh RP (2003) Micropropagation of *Leptadenia reticulata*- a medicinal plant. In Vitro Cell Dev Biol-Plant 39: 180-185.

Ashraf MF, Aziz MAbd, Kemat N and Ismail I (2014) Effect of cytokinin types, concentrations and their interactions on *in vitro* shoot regeneration of *Chlorophytum borivilianum* Sant. & Fernandez. Eletron J Biotechnol 17: 275-279.

Askari E and Ehsanzadeh P (2015) Drought stress mitigation by foliar application of salicylic acid and their interactive effects on physiological characteristics of fennel (*Foeniculum vulgare* Mill.) genotypes. Acta Physiol Plant 37(4): 1-14.

Aslam J, Mujib A, Nasim SA and Sharma MP (2009) Screening of vincristine yield *in ex vitro* and *in vitro* somatic embryos derived plantlets of *Catharanthus roseus* L. (G) Don. Sci Hort 119: 325-329.

Atal CK, Sharma ML, Kaul A and Khajuria A (1986) Immunomodulating agents of plant origin.I:preliminary screening. J Ethanophamacol 18: 133-141.

Atroch EMAC (1999) Aspectos fisiológicos, anatômicose biossintéticos de flavonóides em plantas jovens de Bauhinia forficata Link. submetidas a diferentes níveis de irradiância. Dissertação (Mestrado em Agronomia). Universidade Federal de Lavras, Lavras. pp. 62.

Austin A (2008) A review on Indian sarsaparilla, *Hemidesmus indicus* (L.) R. Br. J Biol Sci 8(1): 1-12.

Ayabe SI and Akashi T (2006) Cytochrome P450s in flavonoid metabolism. Phytochem Rev 5: 271-282.

Ayurvedic Pharmacopoeia Committee (1989) Hemidesmus indicus. Ministry of Health and Family Welfare, Department of Ayurveda, Yoga and Naturopathy, Unani, Siddha and Homoeopathy (AYUSH), The Ayurvedic Pharmacopoeia of India, Government of India, New Delhi, pp. 107.

Azevedo MI, Pereira AF, Nogueira RB, Rolim FE, Brito GA, Wong DV, Lima-Junior RC, de Albuquerque RR and Vale ML (2013) The antioxidant effects of the flavonoids rutin and quercetin inhibit oxaliplatin-induced chronic painful peripheral neuropathy. Mol Pain 9: 53.

Baenas N, García-Viguera C and Moreno DA (2014) Elicitation: a tool for enriching the bioactive composition of foods. Mol 19(9): 13541-13563.

Bak S, Beisson F, Bishop G, Hamberger B, Höfer R, Paquette S and Werck-Reichhart D (2011) Cytochromes P450. In: The Arabidopsis Book 9: e0144.

Balaraju K, Agastian P and Ignacimuthu S (2009) Micropropagation of *Swertia chirata* Buch.-Hams. ex Wall.: a critically endangered medicinal herb. Acta Physiol Plant 31: 487-494.

Banerjee S, Tripathi J, Verma PC, Dwivedi PD, Singh Khanuja SP and Bagchi GD (2004) Thidiazuron-induced high-frequency shoot proliferation in *Cineraria maritima* Linn. Curr Sci 87(9): 1287-1290.

Bapat VA, Yadav SR and Dixit GB (2008) Rescue of endangered plants through biotechnological applications. Natl Acad Sci Lett 31: 201-211.

Baskaran P and Jayabalan N (2005) An efficient micropropagation system for *Eclipta alba*-a valuable medicinal herb. In Vitro Cell Dev Biol-Plant 41: 532-539.

Baskaran P, Ncube B and Van Staden J (2012) *In vitro* propagation and secondary product production by *Merwilla plumbea* (Lindl.) Speta. Plant Growth Regul 67: 235-245.

Basu S and Jha TB (2013) *In vitro* root culture: an alternative source of bioactives in the rare aphrodisiac herb *Chlorophytum borivilianum* Sant et Fern. Plant Tiss Cult Biotechnol 23(2): 133-146.

Bedi YS, Ogra RK, Koul K, Kaul BL and Kapil RS (1996) Yew (*Taxus* spp). A new look on utilization, cultivation and conservation. In: Supplement to cultivation and utilization of medicinal plants (Handa SS and Kaul MK, eds.). Regional Research Laboratory, Jammu-Tawi, India, pp. 443-456.

Beena MR, Martin KP, Kirti PB and Hariharan M (2003) Rapid *in vitro* propagation of medicinally important *Ceropegia candelabrum*. Plant Cell Tiss Organ Cult 72: 285-289.

Behera B, Sinha P, Gouda S, Rath SK, Barik DP, Jena PK, Panda PC and Naik SK (2018) *In vitro* propagation by axillary shoot proliferation, assessment of antioxidant activity, and genetic fidelity of micropropagated *Paederia foetida* L. J App Biol Biotechnol 6(2): 41-49.

Bennett RN and Wallsgrove RM (1994) Secondary metabolites in plant defence mechanisms. New Phytol 127: 617-633

Bentley R (2010) Medicinal plants. Domville-Fife Press, London, pp. 23-46.

Bevan M, Bancroft I, Bent E, Love K, Goodman H, Dean C, Bergkamp R, Dirkse W, Van Staveren M, Stiekema W et al. (1998) Analysis of 1.9 Mb of contiguous sequence from chromosome 4 of *Arabidopsis thaliana*. Nature 391: 485-488.

Bhalerao BM, Vishwakarma KS and Maheswari VL (2013) *Tinospora cordifolia* (Willd.) Miers Ex Hook.F.& Thoms. plant tissue culture and comparative chemo-profiling study as a function of different supporting trees. Ind J Nat Prod Res 4(4): 380-386.

Bhat MA, Mujib A, Junaid A and Mahmooduzzafar (2010) *In vitro* regeneration of *Solanum nigrum* with enhanced solasodine production. Biol Plant 54(4): 757-760.

Bhojwani SS and Razdan MK (1996) Plant tissue culture: Theory and practice, Revised ed. Elsevier Press, New York. pp. 483-536.

Bidarigh S and Azarpour E (2013) Evaluation of the effect of MS medium levels on rooting in microcuttings of tea (*Camellia sinensis* L.) under *in vitro* culture condition. ARPN J Agric Biol Sci 8: 24-28.

Biondi S, Scaramagli S and Oksman-Caldentey KM (2002) Secondary metabolism in roots and callus cultures of *Hyoscyamus muticus* L.: The relationship between morphological organization and the response to methyl jasmonate. Plant Sci 163: 563-569.

Birk CD, Provensi G and Gosmann G (2005) TLC fingerprint of flavonoids and saponins from *Passiflora* species. J Liq Chromatogr Relat Technol 28: 2285-2291.

Biswas A, Bari MA, Roy M and Bhadra SK (2009) Clonal Propagation through nodal explant culture of *Boerhaavia diffusa* L.-a Rare Medicinal Plant. Plant Tiss Cult Biotechnol 19(1): 53-59.

Biswas A, Bari MA, Roy M and Bhadra SK (2011) *In vitro* propagation of *Stemona tuberosa* Lour.-a rare medicinal plant through high frequency shoot multiplication using nodal explants. Plant Tiss Cult Biotechnol 21(2): 151-159.

Blain EJ, Ali AY and Duance VC (2009) *Boswellia frereana* (frankincense) suppresses cytokineinduced matrix metalloproteinase expression and production of pro-inflammatory molecules in articular cartilage. Phytother Res 24: 905-912.

Blakesey D (1991) Uptake and metabolosm of 6-benzyladenine in shoot proliferation of *Musa* and *Rhododendron*. Plant Cell Tiss Organ Cult 25: 69-74.

Blume B, Nurnberger T, Nass N and Scheel D (2000) Receptor-mediated increase in cytoplasmic free calcium required for activation of pathogen defence in parsley. Plant Cell 12: 1425-1440.

Bohidar S, Thirunavoukkarasu M and Rao TV (2008) Effect of plant growth regulators on *in vitro* micropropagation of ‘Garden rue’ (*Ruta graveolens* L.). Int J Int Biol 3(1): 36-43.

Boller T (1995) Chemoperception of microbial signals in plant cells. Annu Rev Plant Physiol Plant Mol Biol 46: 189-214.

Bonfill M, Cusido RM, Palazon J, Piñol MT and Morales C (2002) Influence of auxins on organogenesis and ginsenoside production in *Panax ginseng* calluses. Plant Cell Tiss Organ Cult 68: 73-78.

Bonvicinia F, Lianzab M, Mandroneb M, Polib F, Gentilomia GA and Antognoni F (2018) *Hemidesmus indicus* (L.) R. Br. extract inhibits the early step of herpes simplex type 1 and type 2 replication. New Microbiol 41(2): 187-194.

Borzabad RK, Sudarshana MS and Niranjan MH (2010) *In vitro* plant regeneration from leaf explants of *Artemisia vulgaris* L.-a medicinal herb. Modern Appl Sci 4(9): 130-134.

Bourgaud F, Gravot A, Milesi S and Gontier E (2001) Production of plant secondary metabolites: a historical perspective. Plant Sci 161: 839-851.

Brader G, Tas E and Palva ET (2001) Jasmonate-dependent induction of indole glucosinolates in arabidopsis by culture filtrates of the nonspecific pathogen *Erwinia carotovora*. Plant Physiol 126: 849-860.

Briskin DP (2000) Medicinal plants and phytomedicines. Linking plant biochemistry and physiology to human health. Plant Physiol 124: 507-514.

Brooks CJW and Watson DG (1986) Elicitation of capsidiol accumulation in suspended callus cultures of *Capsicum annuum*. Phytochem 27: 1089-1092.

Brugliera F, Barri-Rewell G, Holton TA and Mason JG (1999) Isolation and characterization of a flavonoid 3'-hydroxylase cDNA clone corresponding to the *Ht1* locus of *Petunia hybrida*. Plant J 19: 441-451.

Busilacchi H, Severin C, Gattuso M, Aguirre A, DiSapio O and Gattuso S (2008) Field culture of micropropagated *Passiflora caerulea* L. histological and chemical studies. Bol Latinoam Caribe Plant Med Arom 7(5): 257-263.

Butler MS (2004) The role of natural product chemistry in the drug discovery. J Nat Prod 67(12): 2141-2153.

Cameron RK (2000) Salicylic acid and its role in plant defence responses: what do we really know? Physiol Mol Plant Pathol 56: 91-93.

Chand S, Sahrawat AK and Prakash DVSSR (1997) *In vitro* culture of *Pimpinella anisum* L (anise). J Plant Biochem Biotech 6: 1-5.

Chandra R, Deepak D and Khare A (1994) Pregnane glycosides from *Hemidesmus indicus*. Phytochem 35: 1545-1548.

Chandramu C, Rao DM and Reddy VD (2003) High frequency induction of multiple shoots from nodal explants of *Vitex negundo* L. using sodium sulphate. J Plant Biotechnol 5(2): 107-113.

Chatterjee RC and Bhattacharya BK (1955) A note on the isolation of β-sitosterol from *Hemidesmus indicus*. J Ind Chem Soc 32: 485-486.

Chatterjee S and Sastry ARK (2000) Conservation of medicinal plants of India. In: Tenth Asian symposium on medicinal plants, ASOMPS X 2000, Dhaka, Bangladesh, pp. 87.

Chaturvedi PK, Bhui K and Shukla Y (2008) Lupeol: connotations for chemoprevention. Cancer Lett 8 263(1): 1-13.

Chaudhuri AB (2007) Endangered medicinal plants. Daya Publishing House, New Delhi, India, pp.155.

Chawla HS (2002) Introduction to plant biotechnology. Oxford and IBH publishing Co. Pvt. Ltd, New Delhi.

Chen CC, Agrawal DC, Lee MR, Lee RJ, Kuo CL, Wu CR, Tsay HS and Chang HC (2016) Influence of LED light spectra on *in vitro* somatic embryogenesis and LC–MS analysis of chlorogenic acid and rutin in *Peucedanum japonicum* Thunb.: a medicinal herb. Bot Stud 57: 9.

Cheong JJ and Choi YD (2003) Methyl jasmonate as a vital substance in plants. Trends Genet 19: 409-413.

Chiou GC and Xu XR (2004) Effects of some natural flavonoids on retinal function recovery after ischemic insult in the rat. J Ocul Pharmacol Ther 20(2): 107-113.

Chong TM, Abdullah MA, Lai QM, Nor'Aini FM and Lajis NH (2005) Effective elicitation factors in *Morinda elliptica* cell suspension culture. Process Biochem 40: 3397-3405.

Choquenet B, Couteau C, Paparis E and Coiffard IJ (2008) Quercetin and rutin as potential sunscreen agents: determination of efficacy by an *in vitro* method. J Nat Prod 71: 1117-1118.

Choudhury SS and Tetali SD (2018) Antiinflammatory and antihyperlipidemic activities of root extracts of *Hemidesmus indicus*: *in vitro* and *in vivo* studies. Ann Pharmacol Pharm 3(1): 1-7.

Christianson ML and Warnick DA (1983) Competence and determination in the process of *in vitro* shoot organogenesis. Dev Biol 95: 288-293.

Christianson ML and Warnick DA (1984) Phenocritical times in the process of *in vitro* shoot organogenesis. Dev Biol 101: 382-390.

Christianson ML and Warnick DA (1985) Temporal requirement for phytohormone balance in the control of organogenesis *in vitro*. Dev Biol 12: 494-497.

Christison ML and Warnick DA (1988) Organogenesis *in vitro* as a developmental process. Hort Sci 23: 115-119.

Chung IM, Kaliyaperumal R, Govindasamy R and Muthu T (2018) Elicitation of silver nanoparticles enhanced the secondary metabolites and pharmacological activities in cell suspension cultures of bitter gourd. 3 Biotech 8: 412

Ciddi V, Srinivasan V and Shuler ML (1995) Elicitation of *Taxus* sp. cell cultures for production of taxol. Biotechnol Lett 17: 1343-1346.

Cioć M, Szewczyk A, Żupnik M, Kalisz A and Pawłowska B (2018) LED lighting affects plant growth, morphogenesis and phytochemical contents of *Myrtus communis* L. *in vitro*. Plant Cell Tiss Organ Cult 132: 433-447

Cole IB, Saxena PK and Murch SJ (2007) Medicinal biotechnology in the genus *Scutellaria*. In Vitro Cell Dev Biol-Plant 43: 318-327.

Collin HA (2001) Secondary product formation in plant tissue cultures. Plant Growth Regulation 34: 119-134.

Colque R, Viladomat F, Bastida J and Codina C (2004) Improved production of galanthamine and related alkaloids by methyl jasmonate in *Narcissus confusus* shoot-clumps. Planta Med 70: 1180-1188.

Contreras RA, Köhler H, Pizarro M and Zúñiga GE (2015) *In vitro* cultivars of *Vaccinium corymbosum* L. (ericaceae) are a source of antioxidant phenolics. Antioxidants 4: 281-292.

Cosio EG, Frey T, Verduyn R, van Boom J and Ebel J (1990) High-affinity binding of a synthetic heptaglucoside and fungal glucan phytoalexin elicitors to soybean membranes. FEBS Lett 271: 223-226.

Coste A, Vlase L, Halmagyi A, Deliu C and Coldea G (2011) Effects of plant growth regulators and elicitors on production of secondary metabolites in shoot cultures of *Hypericum hirsutum* and *Hypericum maculatum*. Plant Cell Tiss Organ Cult 106: 279-288.

Creelman RA and Mullet JE (1997) Biosynthesis and action of jasmonates in plants. Annu Rev Plant Physiol Plant Mol Biol 48: 355-381.

da Silva MAS, Ming LC, Pereira AMS, Bertoni BW, Batistini AP and Pereira PS (2006) Phytochemical and genetic variability of *Casearia sylvestris* Sw. from São Paulo state Atlantic forest and Cerrado populations. Rev Bras Plant Med 8: 159-166.

da Silva RR, de Oliveira TT, Nagem TJ, Pinto AS, Albino LF, de Almeida MR, de Moraes GH and Pinto JG (2001) Hypocholesterolemic effect of naringin and rutin flavonoids. Arch Latinoam Nutr 51(3): 258-264.

Dakah A, Zaid S, Suleiman M, Abbas S and Wink M (2014) *In vitro* propagation of the medicinal plant *Ziziphora tenuior* L. and evaluation of its antioxidant activity. Saudi J Biol Sci 21: 317-323.

Dandin VS and Murthy HN (2012) Regeneration of *Andrographis paniculata* Nees: Analysis of genetic fidelity and andrographolide content in micropropagated plants. Afr J Biotechnol 11(61): 12464-12471.

Das G and Rout GR (2002) Direct plant regeneration from leaf explants of *Plumbago sp*. Plant Cell Tiss Organ Cult 68: 311-314.

Das PC, Joshi PC and Mandal S (1992) New coumarinolignoids from *Hemidemus indicus* R.Br. Ind J Chem 31B: 342-345.

Das R, Ghosh S and Gomes A (2016) Indian black scorpion (*Heterometrus bengalensis*) venom action neutralization by Indian medicinal plants in experimental animals. J Toxins 3(2): 7-13.

Das S and Devaraj SN (2006) Antienterobacterial activity of *Hemidesmus indicus* R. Br. root extract. Phytother Res 20: 416-421.

Das S, Das MK, Mitra MP, Das S and Basu PS (2012) *In vitro* cytotoxic activity of methanolic extract of *Hemidesmus indicus* R.Br. Int J Pharm Sci Res 1(1): 23-26.

Davies PJ (1995) Plant hormones: Their nature, occurrence and function. In: Plant hormones: physiology, biochemistry and molecular biology (Davies PJ, ed.). Kluwer Academic Publishers, Dordrecht. pp. 1-12.

de Figueiro A, Andrade Correa CM, Astarita LV and Santarem ER (2010) Long-term maintenance of *in vitro* cultures affects growth and secondary metabolism of St John's Wort. Cienc Rural 40: 2115-2121.

Deepak S, Srivastava S and Khare A (1995) Indicusin: a pregnane diester triglycoside from *Hemidesmus indicus* R. Br. Nat Proc Lett 6: 81-86.

Deepak S, Srivastava S and Khare A (1997) Pregnane glycosides from *Hemidesmus indicus*. Phytochem 44: 145-151.

Dello IR, Linhares FS, Scacchi E, Casamitjana-Martinez E, Heidstra R, Costantino P and Sabatini S (2007) Cytokinins determine Arabidopsis root-meristem size by controlling cell differentiation. Curr Biol 17(8): 678-682.

Desai S, Babaria P, Nakarani M, Shah K and Paranjape A (2017) Antiosteoporotic effect of *Hemidesmus indicus* Linn. on ovariectomised rats. J Ethnopharmacol 199: 1-8.

Di Pompo G, Poli F, Mandrone M, Lorenzi B, Roncuzzi L, Baldini N and Granchi D (2014) Comparative "*in vitro*" evaluation of the antiresorptive activity residing in four Ayurvedic medicinal plants. *Hemidesmus indicus* emerges for its potential in the treatment of bone loss diseases. J Ethnopharmacol 154(2): 462-470.

Dias ACP, Seabra RM, Andrade PB and Fernandes-Ferreira M (1999) The development and evaluation of an hplc-dad method for the analysis of the phenolic fractions from *in vivo* and *in vitro* biomass of *Hypericum* species. J Liq Chromatog Related Technol 22(2): 215-227.

Dias ACP, Tomás-Barberán FA, Fernandes-Ferreira M and Ferreres F (1998) Unusual flavonoids produced by callus of *Hypericum perforatum*. Phytochem 48(7): 1165-1168.

Diwan R and Malpathak N (2011) Bioprocess optimization of furanocoumarin elicitation by medium renewal and re-elicitation: a perfusion-based approach. Appl Microbiol Biotechnol 163: 756-764.

Dixon RA (2001) Natural products and plant disease resistance. Nature 411(6839): 843-847.

Dixon RA and Paiva NL (1995) Stress-induced phenylpropanoid metabolism. Plant Cell 7(7): 1085-1097.

Dogan M (2017) Multiple shoot regeneration from shoot tip and nodal explants of *Rotala rotundifolia* (Buch-Ham. ex Roxb) Koehne. Ant J Bot 1(1): 4-8.

Dornenburg H and Knorr D (1995) Strategies for the improvement of secondary metabolite production in plant cell cultures. Enzyme Microb Technol 17: 674-684.

Elahi MM, Huq H, Hoque ME and Khatun F (2017) *In vitro* rapid regeneration of betel vine (*Piper betle* L.). J Adv Biol Biotechnol 16(3): 1-11.

Elela MEA, Orabi MAA, Abdelkader MSA and Darwish FMM (2015) Phytochemical screening and HPTLC studies of *Ceiba pentandra* (L.) Gaertn. variety *pentandra* cultivated in Egypt. J Pharmacogn Phytochem 4(1): 10-17.

El-Nabarawy MA, El-Kafafi SH, Hamza MA and Omar MA (2015) The effect of some factors on stimulating the growth and production of active substances in *Zingiber officinale* callus cultures. Ann Agric Sci 60(1): 1-9.

Erisen S, Yorgancilar M, Atalay E and Babaoglu M (2010) Prolific shoot regeneration of *Astragalus cariensis* Boiss. Plant Cell Tiss Organ Cult 100: 229-233.

Ertola RJ and Hours R (1998) Role of yeast extract components in microbial cultures not associated with amino acid, vitamins and minerals a review. Appl Biol Sci 4: 1-15.

Eskandari SA, Piri KH, Kayhanfar M and Hasanloo T (2012) Influence of jasmonicacids, yeast extract and salicylic acid on growth and accumulation of hyosciamine and scopolamine in hairy root cultures of *Atropa belladonna* L. Int J Agri Res Rev 2: 403-409.

Evans DA, Sharp WR, Ammirato PV and Yamada Y (1983) Handbook of plant cell culture, vol. I- techniques for propagation and breeding. Macmillan Publishing Co., New York.

Faisal M and Anis M (2003) Rapid mass propagation of *Tylophora indica* Merrill via leaf callus culture. Plant Cell Tiss Organ Cult 75: 125-129.

Faisal M, Ahmad N and Anis M (2007) An efficient micropropagation system for *Tylophora indica*: an endangered, medicinally important plant. Plant Biotechnol Rep 1: 155-161.

Falginella L, Castellarin SD, Testolin R, Gambetta GA, Morgante M and Di Gaspero G (2010) Expansion and subfunctionalisation of flavonoid 30,50-hydroxylases in the grapevine lineage. BMC Genomics 11: 562, doi:10.1186/1471-2164-11-562.

Fan G, Zhai Q, Li X and Zhan Y (2013) Compounds of *Betula platyphylla* cell suspension cultures in response to fungal elicitor. Biotechnol Biotechnol Equip 27(1): 3569-3572.

Farmer EE, Almeras E and Krishnamurthy V (2003) Jasmonates and related oxylipins in plant responses to pathogenesis and herbivory. Curr Opin Plant Biol 6: 372-378.

Fasolo FM and Predieri S (1988) *In vivo* rooting of gf 655-2 peach rootstock and kiwi cv. “Hayward” microcuttings. Acta Hortic 227: 500-503.

Feng JC, Yu XM, Shang XL, Li JD and Wu YX (2010) Factors influencing efficiency of shoot regeneration in *Ziziphus jujuba* Mill. ‘Huizao’. Plant Cell Tiss Organ Cult 101: 111-117.

Fernandez MA, de las Heras B, Garcia MD, Saenz MT and Villar A (2001) New insights into the mechanism of action of the anti-inflammatory triterpene lupeol. J Pharm Pharmacol 53: 1533-1539.

Fitwe P, Rathod V, Sarnaik DK and Wakade RB (2013) Sugandi the healing-magical-spiritual dream herb. Asian J Biomed Pharm Sci 3(22):6-8.

Fracaro F and Echeverrigaray S (2001) Micropropagation of *Cunila galioides*, a popular medicinal plant of south Brazil. Plant Cell Tiss Organ Cult 64: 1-4.

Gadzovska S, Maury S, Delaunay A, Spasenoski M, Hagege D, Courtois D and Joseph C (2013) The influence of salicylic acid elicitation of shoots, callus, and cell suspension cultures on production of naphtodianthrones and phenylpropanoids in *Hypericum perforatum* L. Plant Cell Tiss Organ Cult 113: 25-39.

Gadzovska S, Maury S, Ounnar S, Righezza M, Kascakova S, Refregiers M, Spasenoski M, Joseph C and Hagège D (2005) Identification and quantification of hypericin and pseudohypericin in different *Hypericum perforatum* L. *in vitro* cultures. Plant Physiol Biochem 43: 591-601.

Gagnon H and Ibrahim RK (1997) Effect of various elicitors on the accumulation and secretion of isoflavonoids in white lupin. Phytochem 448: 1463-1467.

Galhena BP, Samarakoon SSR, Thabrew MI, Paul SFD, Perumal V and Mani C (2017) Protective effect of a polyherbal aqueous extract comprised of *Nigella sativa* (seeds), *Hemidesmus indicus* (roots), and *Smilax glabra* (rhizome) on bleomycin induced cytogenetic damage in human lymphocytes. Biomed Res Int, doi: https://doi.org/10.1155/2017/1856713

Gallo FR, Multari G, Giambenedetti M and Federici E (2008) Chemical fingerprinting of *Lawsonia inermis* L. using HPLC and HPTLC and densitometry. Phytochem Anal 19: 550-559.

Gallo, FR, Multari G, Federici E, Palazzino G, Giambenedetti M, Petitto V, Poli F and Nicoletti M (2011) Chemical fingerprinting of *Equisetum arvense* L. using HPTLC densitometry and HPLC. Nat Prod Res 25: 1261-1270.

Gan F and Ye R (2006) New approach on similarity analysis of chromatographic fingerprint of herbal medicine. J Planar Chromatogr A 1104: 100-105.

Ganesan A, Marichamy K and Thagamariappan J (2016) Development of medicinal plants sector in India -an empirical study. Int J Eng Technol Manag Appl Sci 4(1): 82-88.

Gantait S and Kundu S (2017) Does synthetic seed storage at higher temperature reduce reserpine content of *Rauvolfia serpentina* (L.) Benth. ex Kurz.? Rend Fis Acc Lincei 28: 679-686.

Garland P and Stoltz LP (1981) Micropropagation of Pissardi plum. Ann Bot 48: 387-389.

Gaspar TH, Kevers C, Faivre-rampant O, Crevecoeur M, Penel C, Greppin H and Dommes J (2003) Changing concepts in plant hormone action. In Vitro Cell Dev Biol-Plant 39: 85-106.

Gaspar TH, Kevers C, Penel C, Greppin H, Reid DM and Thorpe TA (1996) Plant hormones and plant growth regulators in plant tissue culture. In Vitro Cell Dev Biol-Plant 32: 272-289.

Gautheret RJ (1934) Culture du tissus cambial. Comptes Rendus Hebdomadaires des Seances de l'Academie des Sciences 198: 2195-2196.

Gautheret RJ (1935) Recherches sur la culture des tissus vegetaux. Ph.D. Thesis, Paris.

Geetha T and Varalakshmi P (2001) Anti-inflammatory activity of lupeol and lupeol linoleate in rats. J Ethnopharmacol 76: 77-80.

Geng S, Ma M, Ye HC, Liu BY, Li GF and Cong K (2001) Effect of *IPT* gene expression on the physiological and chemical characteristics of *Artemisia annua* L. Plant Sci 160: 691-698.

Gentry AH (1991) The distribution and evolution of climbing plants. In: The biology of vines (Putz FE and Mooney HA, eds.) Cambridge University Press, Cambridge, UK, pp. 3-49.

George EF (1993) Plant propagation by tissue culture, Part 1- The technology. Exegetics Ltd., Edington.

George EF and Sherrington PD (1984) Plant propagation by tissue culture. Exegetics Ltd., Eversley, England.

George EF, Hall MA and Klerk GJD (2008) Plant propagation by tissue culture, 3rd ed. Springer, The Netherlands.

Gil M, Pontin M, Berli F, Bottini R and Piccoli P (2012) Metabolism of terpenes in the response of grape (*Vitis vinifera* L.) leaf tissues to UV-B radiation. Phytochem 77: 89-98.

Giridhar P, Kumar V and Ravishankar GA (2004) Somatic embryogenesis, organogenesis, and regeneration from leaf callus culture of *Decalepis hamiltonii* Wight & Arn., an endangered shrub. In Vitro Cell Dev Biol-Plant 40: 567-571.

Goel MK, Mehrotra S and Kukreja AK (2011) Elicitor-induced cellular and molecular events are responsible for productivity enhancement in hairy root cultures: an insight study. Appl Biochem Biotechnol 165(5-6): 1342-1355.

Gomez-Vasquez R, Robert D, Buschmann H, Randles S, Beeching JR and Cooper RM (2004) Phenylpropanoids, phenylalanine ammonia lyase and peroxidises in elicitor challenged cassava (*Manihot esculenta*) suspension cells and leaves. Ann Bot 94: 87-97.

Gonçalves JC, Coelho MT, da Graça Diogo M, Alves VD, Bronze MR, Coimbra MA, Martins VM and Moldão-Martins M (2018) *In vitro* shoot cultures of *Pterospartum* *tridentatum* as an alternative to wild plants as a source of bioactive compounds. Nat Prod Comm 13(4): 439-442.

Gopalakrishnan M, Janarthananm B, Lakshmi Sai G and Sekar T (2009) Plant Regeneration from leaf explants of *Plumbago rosea* L. Plant Tiss Cult Biotechnol 19(1): 79-87.

Gopi C, Sekhar YN and Ponmurugan P (2006) *In vitro* multiplication of *Ocimum gratissimum* L. through direct regeneration. Afr J Biotechnol 5(9): 723-726.

Gorelick J and Bernstein N (2014) Elicitation: an underutilized tool in the development of medicinal plants as a source of therapeutic secondary metabolites. Adv Agron 124: 201-230.

Goyal S and Ramawat KG (2008) Increased isoflavonoids accumulation in cell suspension cultures of *Pueraria tuberose* by elicitors. Ind J Biotechnol 7: 378–382.

Greenish HG (1899) An introduction to the study of materia medica. Kessinger Publishing, J&A Churchill, London, pp. 348.

Grover A, Yadav JS, Biswas R, Pavan CSS, Mishra P, Bisaria VS and Sundar D (2012) Production of monoterpenoids and aroma compounds from cell suspension cultures of *Camellia sinensis*. Plant Cell Tiss Organ Cult 108: 323-331.

Grzegorczyk I and Wysokinska H (2008) Liquid shoot culture of *Salvia officinalis* L. for micropropagation and production of antioxidant compounds: effect of triacontanol. Acta Soc Bot Pol 73: 99-104.

Grzegorczyk I and Wysokinska H (2009) The effect of methyl jasmonate on production of antioxidant compounds in shoot cultures of *Salvia officinalis* L. Herba Pol 55(3): 238-243.

Grzegorczyk-Karolak I, Kuźma Ł and Wysokinska H (2015) The effect of cytokinins on shoot proliferation, secondary metabolite production and antioxidant potential in shoot cultures of *Scutellaria alpina*. Plant Cell Tiss Organ Cult 122(3): 699-708.

Grzegorczyk-Karolak I, Rytczak P, Bielecki S and Wysokinska H (2017) The influence of liquid systems for shoot multiplication, secondary metabolite production and plant regeneration of *Scutellaria alpina*. Plant Cell Tiss Organ Cult 128(2): 479-486.

Gunathilake KDPP and Ranaweera KKDS (2016) Antioxidative properties of 34 green leafy vegetables. J Funct Foods 26: 176-186.

Gunathilake PMPC, Abayagunawardhana N, Wimalasiri S, Sangakkara UR and Eeswara JP (2008) Direct shoot organogenesis from nodal and leaf explants of *Munronia pinnata* (Wall) Theob: a valuable medicinal plant. Trop Agri Res 20: 213-225.

Günaydin M, Laghari AH, Bektaş E, Sökmen M and Sökmen A (2017) Accumulation of phenolics in natural and micropropagated plantlets of *Thymus pseudopulegioides* Klokov & Des.-Shost. with their antioxidant potentials. Turk J Biol 41: 754-764.

Gupta MM, Verma RK and Misra LN (1992) Terpenoids from *Hemidesmus indicus*. Phytochem 31: 4036-4037.

Gupta PN (1981) Antileprotic action of an extract from "Anantamul' (*Hemidesmus indicus* R. Br.). Leprosy Ind 53(3): 354-359.

Gupta SK, Khanuja SPS and Kumar S (2001) *In vitro* micropropagation of *Lippia alba*. Curr Sci 81(2): 206-210.

Gurib-Fakim A (2006) Medicinal plants: tradition of yesterday and drugs of tomorrow. Mol Aspects Med 27(1): 1-93.

Gururaj HB, Giridhar P and Ravishankar GA (2007) Micropropagation of *Tinospora cordifolia* (Willd.) Miers ex Hook. F & Thoms-a multipurpose medicinal plant. Curr Sci 92(1): 23-26.

Hahn MG (1996) Microbial elicitors and their receptors in plants. Annu Rev Phytopathol 34: 387-412.

Hammerschmidt R (1999) Induced disease resistance: how do induced plants stop pathogens? Physiol Mol Plant Pathol 55: 77-84.

Hamoudova R, Pospisilova M and Spilkova J (2006) Analysis of selected constituents in methanolic extracts of *Hypericum perforatum* collected in different localities by capillary ITP-CZE electrophoresis 27: 4820-4826.

Haque SM and Ghosh B (2013) Field evaluation and genetic stability assessment of regenerated plants produced via direct shoot organogenesis from leaf explant of an endangered ‘asthma plant’ (*Tylophora indica*) along with their *in vitro* conservation. Natl Acad Sci Lett 36(5): 551-562.

Harborne JB (1984) Phytochemical methods: a guide to modern techniques of plant analysis, 2nd ed. Chapman and Hall, London, New York.

Harborne JB (1986) Nature, distribution and function of plant flavonoids. Prog Clin Biol Res 213: 15-24.

Hata K, Hori K and Takahashi S (2002) Differentiation and apoptosis-inducing activities by pentacyclic triterpenes on a mouse melanoma cell line. J Nat Prod 65: 645-648.

Haw AB and Keng CL (2003) Micropropagation of *Spilanthes acmella* L., a bio-insecticidal plant through proliferation of multiple shoots. J Appl Hort 5: 65-68.

Hayashi H, Huang P, Takada S, Obinata M, Inoue K, Shibuya M and Ebizuka Y (2004) Differential expression of three oxidosqualene cyclase mRNAs in *Glycyrrhiza glabra*. Biol Pharm Bull 27: 1086-1092.

Hayat Q, Hayat S, Irfan M and Ahmad A (2010) Effect of exogenous salicylic acid under changing environment: a review. Environ Exp Bot 68: 14-25.

Hayta S, Akgun IH, Ganzera M, Bedir E and Gurel A (2011) Shoot proliferation and HPLC-determination of iridoid glycosides in clones of *Gentiana cruciata* L. Plant Cell Tiss Organ Cult 107: 175-180.

Hazra B, Sarkar R, Chaudhuri D, Ghate NB, Panja S and Mandal N (2015) Attenuation of iron overload induced liver toxicity by *Hemidesmus indicus* root in Swiss albino mice. Int J Pharm Bio Sci 6(1): 354-364.

He SY (1996) Elicitation of plant hypersensitive response by bacteria. Plant Physiol 112(3): 865-869.

Hegde BM (2003) Future medicare system. J Ind Acad Clin Med 4: 92-95.

Hiregoudar LV, Murthy HN, Bhat JG, Nayeem A, Hema BP, Hahn EJ and Paek KY (2006) Rapid clonal propagation of *Vitex trifolia*. Biol Plant 50: 291-294.

Hiregoudar LV, Murthy HN, Hema BP, Hahn EJ and Paek KY (2003) Multiple shoot induction and plant regeneration of *Feronia limonia* (L.) Swingle. Sci Hort 98: 357-364.

Holton TA (1996) Transgenic plants exhibiting altered flower colour and methods for producing same. International Patent Publication number WO96/36716.

Holton TA, Brugliera F, Lester DR, Tanaka Y, Hyland CD, Menting JGT, Lu CY, Farcy E, Stevenson TW and Cornish EC (1993) Cloning and expression of cytochrome P450 genes controlling flower colour. Nature 366: 276-279.

Hoshino A, Morita Y, Choi JD, Saito N, Toki K, Tanaka Y and Iida S (2003) Spontaneous mutations of the flavonoid 30-hydroxylase gene conferring reddish flowers in the three morning glory species. Plant Cell Physiol 44: 990-1001.

Hosmani SB, Athani SL and Chougala SB (2018) Experimental evaluation of shukral activity (spermatogenic activity) of sariva (*Hemidesmus indicus* R.Br). Int J Ayu Res 2(3): 1-9.

Hou S, Sun Z, Linghu B, Wang Y, Huang K, Xu D and Han Y (2014) Regeneration of buckwheat plantlets from hypocotyl and the influence of exogenous hormones on rutin content and rutin biosynthetic gene expression *in vitro*. Plant Cell Tiss Organ Cult 120(3): 1159-1167.

Hu CY and Wang PJ (1983) Meristem, shoot-tip and bud culture. In: Handbook of plant cell culture, vol. 1 (Evans DA, Wang WR, Ammirato PV and Yamada Y, eds.). MacMillan, New York, pp. 177-277.

Huang WL, Lee CH and Chen YR (2012) Levels of endogenous abscisic acid and indole-3-acetic acid influence shoot organogenesis in callus cultures of rice subjected to osmotic stress. Plant Cell Tiss Organ Cult 108: 257-263.

Huang X, Yao J, Zhao Y, Xie D, Jiang X and Xu Z (2016) Efficient rutin and quercetin biosynthesis through flavonoids-related gene expression in *Fagopyrum tataricum* Gaertn. hairy root cultures with UV-B irradiation. Front. Plant Sci, doi-10.3389/fpls.2016.00063

Ibáñez A, Valero M and Morte A (2003) Influence of cytokinins and subculturing on proliferation capacity of single-axillary-bud microcuttings of *Vitis vinifera* L. cv. Napoleón. An Biol 25: 81-90.

Ishiguro K, Masumi T and Tanaka Y (2012) Functional analysis of *Antirrhinum kelloggii* flavonoid 30-hydroxylase and flavonoid 30,50-hydroxylase genes; critical role in flower color and evolution in the genus *Antirrhinum*. J. Plant Res. 125: 451-456.

Ishikawa A, Kitamura Y, Ozeki Y and Watanabe M (2007) Different responses of shoot and root cultures of *Glehnia littoralis* to yeast extract. J Nat Med 61: 30-37.

Itoh M, Hiwatashi K, Abe Y, Kimura F, Toshima G, Takahashi J, Sasaki H and Hata K (2009) Lupeol reduces triglyceride and cholesterol synthesis in human hepatoma cells. Phytochem Lett 2: 176-178.

Ivanov I, Georgiev V and Pavlov A (2013) Elicitation of galanthamine biosynthesis by *Leucojum aestivum* liquid shoot cultures. J Plant Physiol 170: 1122-1129.

Jain R, Sinha A, Jain D, Kachhwaha S and Kothari SL (2011) Adventitious shoot regeneration and in vitro biosynthesis of steroidal lactones in *Withania coagulans* (Stocks) Dunal. Plant Cell Tiss Organ Cult 105: 135-140.

Jain SC, Singh R and Jain R (2008) Biopotentialities of *Verbesina encelioides* cell cultures. Ind J Plant Physiol 13(3): 224-230.

Jaleel CA, Gopi R, Gomathinayagam M and Panneerselvam R (2009) Traditional and non-traditional plant growth regulators alters phytochemical constituents in *Catharanthus roseus*. Process Biochem 44: 205-209.

Jana S, Sivanesan I and Jeong BR (2013) Effect of cytokinins on *in vitro* multiplication of *Sophora tonkinensis*. Asian Pac J Trop Biomed 3(7): 549-553.

Janarthanam B, Gopalakrishnan M, Sai GL and Sekar T (2009) Plant Regeneration from leaf derived callus of *Stevia rebaudiana* Bertoni. Plant Tiss Cult Biotechnol 19(2): 133-141.

Jangid MS and Sharma SS (2011) Climbers of Taluka Modasa, District Sabarkatha (Gujarat) India. Life Sci Leaflet 14: 466-471.

Javed H, Khan MM, Ahmad A, Vaibhav K, Ahmad ME, Khan A, Ashafaq M, Islam F, Siddiqui MS, Safhi MM and Islam F (2012) Rutin prevents cognitive impairments by ameliorating oxidative stress and neuroinflammation in rat model of sporadic dementia of Alzheimer type. Neurosci 17: 340-352.

Jena S, Ray A, Sahoo A, Sahoo S, Kar B, Panda PC and Nayak S (2018) High-frequency clonal propagation of *Curcuma angustifolia* ensuring genetic fidelity of micropropagated plants. Plant Cell Tiss Organ Cult, doi: https://doi.org/10.1007/s11240-018-1480-z

Jiao J, Gai QY, Wang X, Qin QP, Wang ZY, Liu J and Fu YJ (2018) Chitosan elicitation of *Isatis tinctoria* L. hairy root cultures for enhancing flavonoid productivity and gene expression and related antioxidant activity. Ind Crops Prod 124: 28-35.

Jin H, Deng ZC and He H (2014) Effect of explant types and plant growth regulators on direct regeneration in medicinal plant *Pogostemon cablin*. Plant Omics J 7(5): 322-327.

Jogia MK (1984) Essential oil composition at different stages of growth in two Fiji *Ocimum*. Figi Agri J 46(2): 9-12.

Johnson M, Mariswamy Y and Gnaraj WE (2011) Chromatographic fingerprint analysis of steroids in *Aerva lanata* L. by HPTLC technique. Asian Pac J Trop Biomed 428-433.

Joseph B, Sujatha S and Anusha JR (2011) Bioactivity of *Hemidesmus indicus* (L.) on human pathogenic bacteria and *Culex qinquifasciatus* (Diptera: Culicidae). Res J Med Plant 5(5): 613-620.

Joshi A, Lad H, Sharma H and Bhatnagar D (2018) Evaluation of phytochemical composition and antioxidative, hypoglycaemic and hypolipidaemic properties of methanolic extract of *Hemidesmus indicus* roots in streptozotocin-induced diabetic mice. Clinic Phytosci, doi: https://doi.org/10.1186/s40816-018-0064-0

Joshi AG and Padhya MA (2010) Shoot regeneration from leaf explants of *Withania somnifera* (L.) Dunal. Not Sci Biol 2(1): 63-65.

Joshi AG, Pathak AR, Sharma AM and Singh S (2010) High frequency of shoot regeneration on leaf explants of *Bacopa monnieri*. Env Exp Biol 8: 81-84.

Jung CH, Lee JY, Cho CH and Kim CJ (2007) Anti-asthmatic action of quercetin and rutin in conscious guinea-pigs challenged with aerosolized ovalbumin. Arch Pharm Res 30(12): 1599–1607.

Kabir AH, Sarker KK, Sharmin SA, Islam MS and Alam MF (2008) Callus induction and plantlet regeneration in *Abelmoschus esculentus* (L.) Moench. J Agri Technol 4(1): 193-204.

Kai GY, Dai LM, Mei XY, Zheng JG, Wang W, Lu Y, Qian ZY and Zhou GY (2008) *In vitro* plant regeneration from leaf explants of *Ophiorrhiza japonica*. Biol Plant 52(3): 557-560.

Kala CP (2004) Revitalizing traditional herbal therapy by exploring medicinal plants: a case study of Uttaranchal State in India. In: Indigenous knowledges- Transforming the academy, Proceedings of an international conference Pennsylvania, Pennsylvania State University, pp. 15-21.

Kala SC, Mallikarjuna K and Aruna P (2014) An efficient protocol devised for rapid callus induction from leaf explants of *Biophytum sensitivum* (Linn) DC. Int J Phytopharm Res Art 4(1): 20-24.

Kale VM and Namdeo AG (2015) Micropropogation of *Alpinia purpurata* using low cost media for quantification of rutin. Der Pharm Lett 7(5): 50-57.

Kalimuthu K and Jeyaraman S (2012) Morphogenetic callus and multiple shoot regeneration; and thin layer chromatography studies of *Tylophora indica* (Burn.f) Merill. J Med Plant Res 6(37): 5094-5098.

Kamat MG and Rao PS (1978) Vegetative multiplication of eggplants (*Solanum melongena*) using tissue culture techniques. Plant Sci Lett 13(1): 57-65.

Kamboj A and Saluja AK (2013) Development of validated HPTLC method for quantification of stigmasterol from leaf and stem of *Bryophyllum pinnatum*. Arab J Chem 10(2): S2644-S2650.

Kamel KM, Abd El-Raouf OM, Metwally SA, Abd El-Latif HA and El-sayed ME (2014) Hesperidin and rutin, antioxidant citrus flavonoids, attenuate cisplatin-induced nephrotoxicity in rats. J Biochem Mol Toxicol 28(7): 312-319.

Kaminek M (1992) Progress in cytokinin research. Trends Biotech 10: 159-162.

Kaminek M, Motyka V and Vankova R (1997) Regulation of cytokinin content in plant cells. Physiol Plant 101: 689-700.

Kamonwannasit S, Phrompittayarat W, Ingkaninan K, Tanaka H and Putalun W (2008) Improvement of pseudojujubogenin glycosides production from regenerated *Bacopa monnieri* (L.) Wettst. and enhanced yield by elicitors. Z Naturforsch 63c: 879-883.

Kanashiro A, Andrade DC, Kabeya LM, Turato WM, Faccioli LH, Uyemura SA and Lucisano-Valim YM (2009) Modulatory effects of rutin on biochemical and haematological parameters in hypercholesterolemic Golden Syrian hamsters. An Acad Bras Cienc 81(1): 67-72.

Kang SM, Jung HY, Kang YM, Yun DJ, Bahk JD, Yang J and Choi MS (2004) Effects of methyl jasmonate and salicylic acid on the production of tropane alkaloids and the expression of PMT and H6H in adventitious root cultures of *Scopolia parviflora*. Plant Sci 166: 745-751

Karalija E, Kurtagić H and Parić A (2014) Kinetin induced changes in rutin content in *Knautia sarajevensis* (G. Beck) Szabó shoot cultures. Bull Chem Technol Bosnia Herzegovina 43: 45-48.

Karppinen K, Hokkanen J, Tolonen A, Maltila S and Hohtola A (2007) Biosynthesis of hyperforin and adhyperforin from amino acid precursors in shoot cultures of *Hypericum perforatum*. Phytochem 68: 1038-1045.

Karuppusamy S (2009) A review on trends in production of secondary metabolites from higher plants by *in vitro* tissue, organ and cell cultures. J Med Plant Res 3(13): 1222-1239.

Kasagana VN and Karumuri SS (2011) Conservation of medicinal plants (past, present & future trends). J Pharm Sci Res 3: 1378-1386.

Kaufman PB, Cseke LJ, Warber S, Duke JA and Brielmann HL (1999) Natural products from plants. CRC Press, Boca Raton, FL.

Kaul S, Das S and Srivastava PS (2013) Micropropagation of *Ajuga bracteosa*, a medicinal herb. Physiol Mol Biol Plant 19: 289-296.

Keen NT (1975) Specific elicitors of plant production: Determinants of race specificity in pathogens? Science 187(4171): 74-75.

Khadke S, Rani S, Awad V, Meti N, Singh E, Kuvalekar A and Harsulkar A (2013) An improved protocol for *in vitro* regeneration of *Rubia cordifolia* L. via organogenesis. Int J Plant An Env Sci 3(4): 61-69.

Khan MM, Ahmad A, Ishrat T, Khuwaja G, Srivastawa P, Khan MB, Raza SS, Javed H Vaibhav K, Khan A and Islam F (2009) Rutin protects the neural damage induced by transient focal ischemia in rats. Brain Res 1292: 123-135.

Khanam MN and Anis M (2018) Organogenesis and efficient *in vitro* plantlet regeneration from nodal segments of *Allamanda cathartica* L. using TDZ and ultrasound assisted extraction of quercetin. Plant Cell Tiss Organ Cult 134: 241-250.

Khandelwal VKM, Balaraman R, Pancza D and Ravingerova T (2011) *Hemidesmus indicus* and *Hibiscus rosa-sinensis* affect ischemia reperfusion injury in isolated rat hearts. Evid Based Complement Alternat Med, doi: http://dx.doi.org/10.1155/2011/802937.

Kharade SS, Samal CK, Das G and Rout GR (2014) *In vitro* studies of *Curcuma longa* L. and assessment of genetic uniformity through chemo and DNA profiling. J Plant Sci Res 30(2): 213-219.

Khory RN and Katrak NN (1981) Materia medica of India and their therapeutics. Neeraj Publication House, New Delhi, pp.399-400.

Kieber JJ and Schaller GE (2014) Cytokinins. The Arabidopsis Book. 12:e0168, doi: 10.1199/tab.0168.

Kikowska M, Budzianowski J, Krawczyk A and Thiem B (2012) Accumulation of rosmarinic, chlorogenic and caffeic acids in *in vitro* cultures of *Eryngium planum* L. Acta Physiol Plant 34: 2425-2433.

Kikowska M, Kędziora I, Krawczyk A and Thiem B (2015) Methyl jasmonate, yeast extract and sucrose stimulate phenolic acids accumulation in *Eryngium planum* L. shoot cultures. Acta Biochimica Pol 62(2): 197-200.

Kim OT, Kim MY, Hong MH, Ahn JC and Huang B (2004) Stimulation of asiticoside accumulation in the whole plant cultures of *Centella asiatica* (L.) Urban by elicitors. Plant Cell Rep 23: 339-344.

Kirthikar KR and Basu BD (1935) Indian medicinal plants, vol. III. Periodical Experts, New Delhi, pp. 1596-1598.

KIT (2003) Cultivating a healthy enterprise. In: Bulletin 350, Royal Tropical Institute, Amsterdam, The Netherlands.

Kojoma M, Ohyama K, Seki H, Hiraoka Y, Asazu SN, Sawa S, Sekizaki H, Yoshida S and Muranaka T (2010) *In vitro* proliferation and triterpenoid characteristics of licorice (*Glycyrrhiza uralensis* Fischer, Leguminosae) stolons. Plant Biotechnol 27: 59-66.

Kollmeier M, Felle HH and Horst WJ (2000) Is basipetal auxin flow involved in inhibition of root elongation. Plant Physiol 122: 945-956.

Komalavalli N and Rao MV (2000) *In vitro* micropropagation of *Gymnema sylvestre-a* multipurpose medicinal plant. Plant Cell Tiss Organ Cult 61: 97-105.

Kondamudi R, Vijayalakshmi V and Murthy KSR (2010) Induction of morphogenetic callus and multiple shoot regeneration in *Ceropegia pusilla* Wight and Arn. Biotechnol 9(2): 141-148.

Koroch A, Juliani HR, Kapteyn J and Simon JE (2002) *In vitro* regeneration of *Echinacea purpurea* from leaf explants. Plant Cell Tiss Organ Cult 69: 79-83.

Koroch AR, Kapteyn J, Juliani HR and Simon JE (2003) *In vitro* regeneration of *Echinacea pallida* from leaf explants. In Vitro Cell Dev Biol-Plant 39: 415-418.

Korrapati V, Kuttappan Nair VK, Venugopalan R and Perumal P (2011) Anti-ulcer activity of *Hemidesmus indicus* root extract on indomethacin induced gastric ulcer in albino wistar rats. J Pharm Res 4(2): 391-392.

Korsangruang S, Soonthornchareonnon N, Chintapakorn Y, Saralamp P and Prathanturarug S (2010) Effects of abiotic and biotic elicitors on growth and isoflavonoid accumulation in *Pueraria candollei* var. *candollei* and *P. candollei* var. *mirifica* cell suspension cultures. Plant Cell Tiss Organ Cult 103: 333-342.

Kotnis MS, Patel P, Menon SN and Sane RT (2004) Renoprotective effect of *Hemidesmus indicus,* a herbal drug used in gentamicin-induced renal toxicity. Nephrol 9: 142-152.

Kovacik J, Gruz J, Backor M, Strnad M and Repcak M (2009) Salicylic acid-induced changes to growth and phenolic metabolism in *Matricaria chamomilla* plants. Plant Cell Rep 28: 135-143.

Krikorian AD (1995) Hormones in tissue culture and micropropagation. In: Plant hormones: physiology, biochemistry and molecular biology (Davies PJ, ed.). Kluwer Academic Publishers, Dordrecht, pp. 774-796.

Krikorian AD and Berquam DL (1969) Plant cell and tissue cultures: The role of Haberlandt. Bot Rev 35: 59-67.

Krzyzanowska J, Czubacka A and Oleszek W (2010) Dietary phytochemicals and human health. In: Bio-farms for nutraceuticals: functional food and safety control by biosensors, vol. 698 (Giardi MT, Rea G and Berra B, eds.). Springer, USA, pp. 74-99.

Kulkarni KM, Patil LS, Khanvilkar VV and Kadam VJ (2014) Fingerprinting techniques in herbal standardization. J Pharm Res 4(2): 1049-1062.

Kumar A and Sopory S (2010) Applications of plant biotechnology: *in vitro* propagation. In: Plant transformation and secondary metabolite production (Widholm JM, ed.). I.K. International, New Delhi, India, pp. 606.

Kumar N, Vijay Anand KG, Sudheer Pamidimarri DVN, Sarkara T, Reddy MP, Radhakrishnan T, Kaul T, Reddy MK and Sopori SK (2010) Stable genetic transformation of *Jatropha curcas* via *Agrobacterium tumefaciens*-mediated gene transfer using leaf explants. Ind Crops Prod 32: 41-47.

Kumar S and Singh N (2010) Micropropagation of *Prosopis Cineraria* (L.) Druce-a multipurpose desert tree. Rep Opin 2(8): 44-47.

Kumar V, Chauhan RS and Sood H (2013) *In vitro* production and efficient quantification of major phytopharmaceuticals in an endangered medicinal herb, *Swertia chirata*. Int J Biotechnol Bioeng Res 4: 495-506.

Kumari S and Singh N (2012) *In vitro* plantlet regeneration from cotyledonary node explants of *Salvadora persica* L. a medicinally important desert tree. J Agri Tech 8(5): 1839-1854.

Kumari U, Vishwakarma RK, Gupta N, Ruby MV, Shirgurkar and Khan BM (2015) Efficient shoots regeneration and genetic transformation of *Bacopa monniera*. Physiol Mol Biol Plant 21(2): 261-267.

Kundu A and Mitra A (2013) Flavoring extracts of *Hemidesmus indicus* roots and *Vanilla planifolia* pods exhibit *in vitro* acetylcholinesterase inhibitory activities. Plant Foods Hum Nutr 68(3):247-53.

Kundu A and Mitra A (2014) Evaluating tyrosinase (monophenolase) inhibitory activity from fragrant roots of *Hemidesmus indicus* for potent use in herbal products. Ind Crops Prod 52: 394-399.

Kuo CL, Agrawal DC, Chang HC, Chiu YT, Huang CP, Chen YL, Huang SH and Tsay HS (2015) *In vitro* culture and production of syringin and rutin in *Saussurea involucrata* (Kar. et Kir.)-an endangered medicinal plant. Bot Stud, doi: https://doi.org/10.1186/s40529-015-0092-8.

Lane WD (1978) Regeneration of apple plants from shoot meristem tips. Plant Sci Lett 13: 281-285.

Largia MJV, Pothiraj G, Shilpha J and Ramesh M (2015) Methyl jasmonate and salicylic acid synergism enhances bacoside A content in shoot cultures of *Bacopa monnieri* (L.). Plant Cell Tiss Organ Cult 122(1): 9-20.

Laribi B, Rouatbi N, Kouki K and Bettaieb T (2012) *In vitro* propagation of *Stevia rebaudiana* (Bert.)-a non caloric sweetener and antidiabetic medicinal plant. Int J Med Arom Plant 2(2): 333-339.

Lata H, Chandra S, Khan IA and ElSohly MA (2010) High frequency plant regeneration from leaf derived callus of high Δ^9-tetrahydrocannabinol yielding *Cannabis sativa* L. Planta Med 76: 1629-1633.

Lee ST and Huang WL (2013) Cytokinin, auxin, and abscisic acid affects sucrose metabolism conduce to de novo shoot organogenesis in rice (*Oryza sativa* L.) callus. Bot Stud, doi: 10.1186/1999-3110-54-5

Lee TT (1971) Cytokinin-controlled indoleacetic acid oxidase isoenzymes in tobacco callus cultures. J Plant Physiol 47(12): 181-185.

Lee Y, Lee DE, Lee HS, Kim SK, Lee WS, Kim SH and Kim MW (2011) Influence of auxins, cytokinins, and nitrogen on production of rutin from callus and adventitious roots of the white mulberry tree (*Morus alba* L.). Plant Cell Tiss Organ Cult 105(1): 9-19.

Lee YJ and Jeune KH (2013) The effect of rutin on antioxidant and antiinflammation in streptozotocin-induced diabetic rats. Appl Micro 43: 54-64.

Leelavathi D, Yashoda and Kuppan N (2013) An efficient protocol for *in vitro* aseptic shoot multiplication and plant regeneration of *Rosmarinus officinalis*-an important medicinal plant using axillary bud. Int J Pure App Biosci 1(6): 51-55.

Lewinsohn E (2004) Linking chemistry and genomics for the study of secondary metabolism in aromatic and medicinal plants. Acta Horti 629: 435-447.

Li GJ, Wang SC, Xia K and Zhou X (2003) Effect of yeast elicitor and salicylic acid on the fluctuation of phytohormone contents in Ti-transformed *Salvia miltiorrhiza* cell cultures. Plant Growth Regul 39: 27-32.

Li X, Thwe AA, Park CH, Kim SJ, Arasu MV, Al-Dhabi NA, Lee SY and Park SU (2017) Ethephon-induced phenylpropanoid accumulation and related gene expression in tartary buckwheat (*Fagopyrum tataricum* (L.) Gaertn.) hairy root. Biotechnol Biotechnol Equip 31(2): 304-311.

Liberman R, Shahar L, Nissim-Levi A, Evenor D, Reuveni M and Oren-Shamir M (2010) Shoot regeneration from leaf explants of *Brunfelsia calycina*. Plant Cell Tiss Organ Cult 100: 345-348.

Liby KT, Yore MM and Sporn MB (2007) Triterpenoids and rexinoids as multifunctional agents for the prevention and treatment of cancer. Nat Rev Cancer 7: 357-369.

Lillo C, Lea US and Ruoff P (2008) Nutrient depletion as a key factor for manipulating gene expression and product formation in different branches of the flavonoid pathway. Plant Cell Environ 31: 587-601.

Lima LM, Perazzo FF, Carvalho JCT and Bastos JK (2007) Anti-inflammatory and analgesic activities of the ethanolic extracts from *Zanthoxylum riedelianum* (Rutaceae) leaves and stem bark. J Pharm Pharmacol 59: 1151-1158.

Lin GZ, Zhao XM, Hong SK and Lian YJ (2011) Somatic embryogenesis and shoot organogenesis in the medicinal plant *Pulsatilla koreana* Nakai. Plant Cell Tiss Organ Cult 106: 93-103.

Lin JP, Yang JS, Lin JJ, Lai KC, Lu HF, Ma CY, Sai-Chuen WR, Wu KC, Chueh FS, Gibson Wood W and Chung JG (2012) Rutin inhibits human leukemia tumor growth in a murine xenograft model *in vivo*. Environ Toxicol 27(8): 480-484.

Lingaiah EM and Rao PN (2016) Effect of *Hemidesmus indicus* leaf extract on liver enzymes of diabetic induced Wistar rats. Am J Sci Med Res 1(2): 202-206.

Liu CZ, Gao M and Guo B (2008) Plant regeneration of *Erigeron breviscapus* (vant.) Hand. Mazz. and its chromatographic fingerprint analysis for quality control. Plant Cell Rep 27: 39-45.

Liu CZ, Zhao Y and Wang YC (2006) Artemisinin: current state and perspectives for biotechnological production of an antimalarial drug. Appl Microbiol Biotechnol 72: 11-20.

Liu S, Ju J and Xia G (2014) Identification of the flavonoid 3’-hydroxylase and flavonoid 3’, 5’-hydroxylase genes from Antarctic moss and their regulation during abiotic stress. Gene 543: 145-152.

Loganathan K and Bai VN (2014) High frequency *in vitro* plantlet regeneration and antioxidant activity of *Enicostema axillare* (Lam.) Raynal ssp. *littoralis* (Blume) Raynal: An important medicinal plant. Asian Pac J Reprod 3(3): 241-248.

Lopez-Orenes A, Martinez-Moreno JM, Calderon AA and Ferrer MA (2013) Changes in phenolic metabolism in salicylic acid-treated shoots of *Cistus heterophyllus*. Plant Cell Tiss Organ Cult 113: 417-427.

Lorence A and Nessler CL (2004) Molecules of interest-camptothecin, over four decades of surprising findings. Phytochem 65: 2735-2749.

Loreti E, Povero G, Novi G, Solfanelli C, Alpi A and Perata P (2008) Gibberellins, jasmonate and abscisic acid modulate the sucrose-induced expression of anthocyanin biosynthetic genes in *Arabidopsis*. New Phytol 179: 1004-1016.

Lu MB, Wong HL and Teng WL (2001) Effects of elicitation on the production of saponin in cell culture of *Panax ginseng*. Plant Cell Rep 20: 674-677.

Lubaina AS and Murugan K (2012) Effect of growth regulators in callus induction, plumbagin content and indirect organogenesis of *Plumbago zeylanica*. Int J Pharm Pharm Sci 4(1): 334-336.

Ma B, Luo Y, Jia L, Qi X, Zeng Q, Xiang Z and He N (2014) Genomewide identification and expression analyses of cytochrome P450 genes in mulberry (*Morus notabilis*). J Integr Plant Biol 56: 887-901.

Mahadev MD, Panthula CS and Naidu CV (2014) Efficient protocol for direct shoot organogenesis from *in vitro* raised nodal explants of *Solanum viarum* (Dunal)-an important anticancer medicinal plant. Int J Med Arom Plants 4(1): 48-55.

Maiti S (2004) Inventory, documentation and status of medicinal plants research in India. In: Medicinal plants research in Asia: the framework and project workplans, vol. 1 (Batugal PA, Kanniah J, Lee SY and Oliver JT, eds.). International plant genetic resources institute-regional office for Asia, the Pacific and Oceania (IPGRI-APO), Serdang, Selangor, DE, Malaysia.

Malathy S and Pai JS (1998) *In vitro* propagation of *Hemidesmus indicus*. Fitoterapia 69(6): 533-536.

Mallikarjun N, Mesta SC, Prashith Kekuda TR, Sudharshan SJ and Vinayaka KS (2010) Antimosquito (insecticidal) activity of extracts of *Hemidesmus indicus* and *Swertia chirata* against *Aedes aegypti* mosquito larvae- a comparative study. Drug Invent Today 2(2): 106-108.

Mammen D, Daniel D and Sane RT (2011) Rapid and parallel analysis using HPTLC to detect seasonal and geographical variation in *Aerva lanata* Juss. Ex Schultes. J Planar Chromatogr A 24(5): 388-393.

Mandal J and Laxminarayana U (2014) Indirect shoot organogenesis from leaf explants of *Adhatoda vasica* Nees. SpringerPlus, doi: 10.1186/2193-1801-3-648.

Mandal S, Das PC, Joshi PC and Chaterjee A (1991) Hemidesmine, a new coumarinolignoid from *Hemidesmus indicus* R.Br. Ind J Chem 30B: 712-713

Mandal S, Das PC, Joshi PC and Chatterjee A (1995) Chemistry of coumarinolignoids, a rare class of plant products having anti-cancer and anti-hepatotoxic activities. Proceedings of seminar on research in Ayurveda and Siddha. CCRAS, New Delhi, India.

Mangal AK, Tewari D, Shantha TR, Bansal S and Mangal M (2018) Pharmacognostical standardization and HPTLC fingerprint analysis of *Crous sativus* L. Ind J Tradit Knwol 17(3): 592-597.

Mani M, Revathi P, Prabhusaran N and Pramila M (2018) *In vitro* antitoxin activity of aqueous extracts of selective medicinal herbs against *Naja naja* venom. Pharm Innov J 7(1): 585-589.

Manoharan S, Palanimuthu D, Baskaran N and Silvan S (2012) Modulating effect of lupeol on the expression pattern of apoptotic markers in 7,12-dimethylbenz(a)anthracene induced oral carcinogenesis. Asian Pac J Cancer Prevent 13: 5753-5757.

Maqsood M and Abdul M (2017) Yeast extract elicitation increases vinblastine and vin-cristine yield in protoplast derived tissues and plantlets in *Catharanthus roseus*. Rev Bras Farmacogn 27(5): 549-556.

Marks TR and Simpson SE (1994) Factors affecting shoot development in apically dominant Acer cultivars *in vitro*. J Hort Sci 69: 543-551.

Martin G, Geetha SP, Raja SS, Raghu AV, Balachandran I and Ravindran PN (2006) An efficient micropropagation system for *Celastrus paniculatus* Willd.: a vulnerable medicinal plant. J For Res 11: 461-465.

Martin KP (2002) Rapid propagation of *Holostemma ada-kodien* Schult., a rare medicinal plant, through axillary bud multiplication and indirect organogenesis. Plant Cell Rep 21: 112-117.

Martin KP, Beena MR and Joseph D (2003) High frequency axillary bud multiplication and *ex vitro* rooting of *Wedelia chinensis* (Osbeck) Merr. -a medicinal plant. Ind J Exp Biol 41: 262-266.

Matthew KM (1983) Flora of Tamil Nadu Carnatic, Rapinat herbarium, Tiruchirapalli, Tamil Nadu, Part 1 and 11.

Mehrotra S, Goel MK, Kukreja AK and Mishra BN (2007) Efficiency of liquid culture systems over conventional micropropagation: A progress towards commercialization. Afr J Biotechnol 6: 1484-1492.

Mehta A, Sethiya NK, Mehta C and Shah GB (2012a) Anti-arthritis activity of roots of *Hemidesmus indicus* R.Br. (Anantmul) in rats. Asian Pac J Trop Med 130-135.

Mehta J, Ansari R, Syedy M, Khan S, Sharma S, Gupta N, Rathore R and Vaishnav K (2012b) An effective method for high frequency Multiple shoots regeneration and callus induction of *Bacopa monnieri* (L.) Pennel.: an important medicinal plant. Asian J Plant Sci Res 2(5): 620-626.

Mehta J, Sain M, Mathuriya BL, Naruka R, Kavia A and Sharma DR (2012c) Rapid micropropagation and callus induction of *Terminalia bellerica* Roxb.-an endangered plant. Asian J Plant Sci Res 2(3): 364-368.

Mehta SR and Subramanian RB (2005) Direct *in vitro* propagation of *Asparagus adscendens* Roxb. Plant Tiss Cult 15(1): 25-32.

Mei-Yin C and Sani H (2018) *In vitro* plantlet regeneration from nodal explant and callus induction of *Vernonia amygdalina* Delile. J Plant Sci 6(1): 1-6.

Menke FLH, Parchmann S, Mueller MJ, Kijne JW and Memelink J (1999) Involvement of the octadecanoid pathway and protein phosphorylation in fungalelicitor induced expression of terpenoid indole alkaloid biosynthetic genes in *Catharanthus roseus*. Plant Physiol 119: 1289-1296.

Mercier H, Souza BM, Kraus JE, Hamasaki RM and Sotta B (2003) Endogenous auxin and cytokinin contents associated with shoot formation in leaves of pineapple cultured *in vitro*. Braz J Plant Physiol 15(2): 107-112.

Meyer EM, Touchell DH and Ranney TG (2009) *In vitro* shoot regeneration and polyploid induction from leaves of *Hypericum* species. Hort Sci 44(7): 1957-1961.

Mineo L (1990) Plant tissue culture techniques (Gold Man CA, ed.) pp. 151-174.

Misra N and Mehrotra S (2006) Effect of mutagens on production of secondary metabolites in callus culture of Indian sarsaparilla (*Hemidesmus indicus*). Hort Environ Biotechnol 47(1): 23-27.

Misra N, Misra P, Datta SK and Mehrotra S (2003) Improvement in clonal propagation of *Hemidesmus indicus* R.Br. through adenine sulphate. J Plant Biotechnol 5: 239-244.

Misra N, Misra P, Datta SK and Mehrotra S (2005) *In vitro* biosynthesis of antioxidants from *Hemidesmus indicus* R.Br. cultures. In Vitro Cell Dev Biol-Plant 41: 285-290.

Mitra A and Pal A (2007) *In vitro* regeneration of *Stevia rebaudiana* (Bert) from the nodal explant. J Plant Biochem Biotechnol 16(1): 59-62.

Moffat CA (2001) Clarke's analysis of drugs and poisons. Pharmaceutical Press, London, pp. 392.

Mohammed AA and Al-Younis MA (1991) Fundamentals of plant physiology (In Arabic), Third part. College of Agriculture, Baghdad Univ, IRAQ.

Mohanty S, Parida R, Singh S, Joshi RK, Subudhi E and Nayak S (2011) Biochemical and molecular profiling of micropropagated and conventionally grown *Kaempferia galanga*. Plant Cell Tiss Org Cult 106: 39-46.

Mohapatra H, Barik DP and Rath SP (2008) *In vitro* regeneration of medicinal plant *Centella asiatica*. Biol Plant 52(2): 339-342.

Mohapatra HP and Rath SP (2005) *In vitro* studies of *Bacopa monnieri*-an important medicinal plant with reference to its biochemical variations. Ind J Exp Biol 43: 373-376.

Moharana A, Das A, Subudhi E, Naik SK and Barik DP (2018) Assessment of genetic fidelity using random amplified polymorphic dna and inter simple sequence repeats markers of *Lawsonia inermis* L. plants regenerated by axillary shoot proliferation. Proc Natl Acad Sci Ind Sect B Biol Sci 88(1): 133-141.

Mok DWS and Mok MC (2001) Cytokinin metabolism and action. Annu Rev Plant Physiol Plant Mol Biol 52: 89-118.

Moreau RA, Whitaker BD and Hicks KB (2002) Phytosterols, phytostanols, and their conjugates in foods: structural diversity, quantitative analysis, and health-promoting uses. Prog Lipid Res 41: 457-500.

Moreno PRH, Poulsen C, Heijden R and Verpoorte R (1996) Effects of elicitation on different metabolic pathways in *Catharanthus roseus* (L.) G. Don cell suspension cultures. Enzyme Microbiol Technol 18: 99-107.

Morrissey JP and Osbourn AE (1999) Fungal resistance to plant antibiotics as a mechanism of pathogenesis. Microbiol Mol Biol Rev 63: 708-724.

Moses T, Pollier J, Faizal A, Apers S, Pieters L, Thevelein JM, Geelen D and Goossens A (2015) Unraveling the triterpenoid saponin biosynthesis of the African shrub *Maesa lanceolata*. Mol Plant 8: 122-135.

Mousa MAA and Bakhashwain AAS (2014) Genotypic and growth regulator combination effects on *in vitro* nodal segments of jojoba (*Simmondsia chinensis* (Link). Life Sci J 11(4): 37-42.

Mukherjee P (2001) Evaluation of Indian traditional medicine. Drug Inf J 35: 623-631.

Muller D and Leyser O (2011) Auxin, cytokinin and the control of shoot branching. Ann Bot 107(7): 1203-1212.

Murashige T (1979) Principles of rapid propagation. In: Propagation of higher plants through tissue culture: A bridge between research and application (Hughes KW, Hanks R and Constantin M, eds.). Alexandria: National Tech in to Serv, US Dept of commerce Spring field's. pp. 14-24.

Murashige T and Skoog F (1962) A revised medium for rapid growth and bio-assays with tobacco tissue cultures. Physiol Plant 15: 473-497.

Murch SJ, Krishna Raj S and Saxena PK (2000) Tryptophan is a precursor for melatonin and serotonin biosynthesis in *in vitro* regenerated St. John's wort (*Hypericum perforatum* L. cv. Anthos) plants. Plant Cell Rep 19: 698-704.

Murthi BR and Seshadri TR (1941) A study of the chemical components of the roots of *Decalepis hamiltoni*, Part III. Comparison with *Hemidesmus indicus* (Indian sarsaparilla). Proc Ind Acad Sci 13: 399-403.

Murthy SRK, Kondamudi R and Vijayalakshmi V (2010) Micropropagation of an endangered medicinal plant *Ceropegia spiralis* L. J Agri Technol 6: 179-191.

Musallam I, Duwayri M, Shibli R and Alali F (2012) Investigation of rutin content in different plant parts of wild caper (*Capparis spinosa* L.) populations from Jordan. Res J Med Plant 6(1): 27-36.

Nadkarni AN (1989) Indian Materia Medica, vol I. Popular Book Depot, Bombay, pp. 619-622.

Nagahatenna DSK and Peiris SE (2007) *In vitro* propagation of *Hemidesmus indicus* (L.) R. Br. (Iramusu) through nodal culture. Trop Agri Res 19: 181-192.

Nagaraj M, Sunitha S and Varalakshmi P (2000) Effect of lupeol, a pentacyclic triterpene, on the lipid peroxidation and antioxidant status in rat kidney after chronic cadmium exposure. J App Toxicol 20: 413-417.

Nair VD, Panneerselvama R, Gopia R and Hong-bo S (2013) Elicitation of pharmacologically active phenolic compounds from *Rauvolfia serpentina* Benth. Ex. Kurtz. Ind Crops Prod 45: 406- 415.

Najar RA, da Fayaz M, Bhat MH, Bashir M, Kumar A and Jain AK (2018) An efficient micropropagation protocol for direct organogenesis from nodal explants of medicinal climber, *Tylophora indica*. Biosci Biotech Res Comm 11(1): 144-153.

Nakatsuka T, Nishihara M, Mishiba K, Hirano H and Yamamura S (2006) Two different transposable elements inserted in flavonoid 30, 50-hydroxylase gene contribute to pink flower coloration in *Gentiana scabra*. Mol Genet Genomics 275: 231-241.

Nalawade SM, Sagare AP, Lee CY, Kao CL and Tsay HS (2003) Studies on tissue culture of Chinese medicinal plant resources in Taiwan and their sustainable utilization. Bot Bull Acad Sin 44: 79-98.

Namdeo AG (2007) Plant cell elicitation for production of secondary metabolites: a review. Pharmacogn Rev 1: 69-79.

Nandini BP, Sudarshana MS, Sherief MU and Niranjan MH (2013) *In vitro* propagation and flowering from nodal explants of *Rumex vesicarius* L.-an important medicinal plant. Int J Pharm Bio Sci 4(3): 13-18.

Naoumkina MA, Modolo LV, Huhman DV, Urbanczyk-Wochniak E, Tang Y, Sumner LW and Dixon RA (2010) Genomic and coexpression analyses predict multiple genes involved in triterpene saponin biosynthesis in *Medicago truncatula*. Plant Cell 22: 850-866.

Nasiri-Bezenjani MA, Riahi-Madvar A, Baghizadeh A and Ahmadi AR (2014) Rosmarinic acid production and expression of tyrosine aminotransferase gene in *Melissa officinalis* seedlings in response to yeast extract. J Agri Sci Technol 16: 921-930.

Natarajan D, John Britto S, Balaguru B, Nagamurugan N, Soosairaj S and Arockiasamy DT (2004) Identification of conservation priority sites using remote sensing and GIS-a case study from Chitteri Hills, Eastern Ghats, Tamil Nadu. Curr Sci 86: 1316-1323.

Natesh S (2000) Biotechnology in the conservation of medicinal and aromatic plants. In: Biotechnology in horticulture and plantation crops (Chadha KL, Ravindran PN and Sahajram L, eds.). Malhotra Publishing House, New Delhi, India, pp. 548-561.

Natesh S (2001) The changing scenario of herbal drug: role of botanists. Phytomorphol 51(3): 75-95.

National Medicinal Plants Board (2015) Standard for good field collection practices of medicinal plants [DOC: NMPB-GFCP-01(FD)]; Accessed from: http://www.nmpb.nic.in/WriteReadData/links/9695357829Standard%20for%20Good%20Field%20Collection%20Practices.pdf

Nayar TS, Beegam AR, Mohanan N and Rajkumar G (2006) Flowering plants of Kerala, A handbook. Tropical Botanical garden and research institute, Thiruvanathapuram, Kerala, India, pp. 89-90.

Newman DJ, Cragg GM and Snader KM (2000) The influence of natural products upon drug discovery. Nat Prod Rep 17(3): 215-234.

Newman DJ, Cragg GM and Snader KM (2003) Natural products as sources of new drugs over the period 1981-2002. J Nat Prod 66(7): 1022-1037.

Nicoletti M (2011) HPTLC fingerprint: a modern approach for the analytical determination of botanicals. Rev Bras Farmacogn 21: 818-823.

Nieoczym D, Socała K, Raszewski G and Wlaz P (2014) Effect of quercetin and rutin in some acute seizure models in mice. Prog Neuropsychopharmacol Biol Psychiatry 54: 50-58.

Nigam N, Prasad S and Shukla Y (2007) Preventive effects of lupeol on DMBA induced DNA alkylation damage in mouse skin. Food Chem Toxicol 45: 2331-2335.

Nikam TD and Savant RS (2009) Multiple shoot regeneration and alkaloid cerpegin accumulation in callus culture of *Ceropegia juncea* Roxb. Physiol Mol Biol Plant 15(1): 71-77.

Nikam TD, Savant RS and Parage RS (2008) Micropropagation of *Ceropegia hirsute* Wt. & Arn.- a starchy tuberous asclepid. Ind J Biotechnol 7: 129-132.

Norstrog K (1970) Induction of embryo like structures by kinetin in cultured barley embryos. Dev Biol 23: 665-670.

North JJ and Ndakidemi PA (2012) Evaluation of different ratios of auxin and cytokinin for the *in vitro* propagation of *Streptocarpus rexii* Lindl. Int J Phys Sci 7(7): 1083-1087.

Nürnberger T (1999) Signal perception in plant pathogen defence. Cell Mol Life Sci 55: 167-182.

Oberai K, Khare MP and Khare A (1985) A pregnane ester diglycoside from *Hemidesmus indicus*. Phytochem 24: 2395-2397.

Oksman-Caldentey KM and Hiltunen R (1996) Transgenic crops for improved pharmaceutical products. Field Crops Res 45: 57-69

Oksman-Caldentey KM and Inzé D (2004) Plant cell factories in the post-genomic era: new ways to produce designer secondary metabolites. Trends Plant Sci 9(9): 433-440.

Othman R, Zaifuddin FAM and Hassan NM (2015) Constitutive, institutive and up-regulation of carotenogenesis regulatory mechanism via *in vitro* culture model system and elicitors. Malays J Ana Sci 19(2): 437-444.

Padhye SM, Mahanto SB and Dutta NL (1973) Asclepiadaceae triterpenoids from the roots of *Hemidemus indicus* R.Br. Phytochem 12: 217.

Palazon J, Moyano E, Bonfill M, Osuna LT, Cusido RM and Pinol MT (2006) Effect of organogenesis on steroidal saponin biosynthesis in calli cultures of *Ruscus aculeatus*. Fitoterapia 77: 216-220.

Palenius HGN and Alejo NO (2005) Effect of phenylalnine and phenylpropanoids on the accumulation of capsaicinoids and lignan in cell cultures of chilli pepper (*Capsicum annuum* L.). In Vitro Cell Dev Biol-Plant 42: 801-805.

Pandey MM, Rastogi S and Rawat AKS (2013) Indian traditional Ayurvedic system of medicine and nutritional supplementation. Evid Based Complement Alternat Med, doi: http://dx.doi.org/10.1155/2013/376327

Parale AP and Nikam TD (2009) Influence of auxins, cytokinins and biotic elicitors on accumulation of memory enhancer comound bacoside-A in tissue culture of *Bacopa monniera* (L.) Pennell. Med Arom Plant Sci Biotechnol 3(1): 74-81.

Parr AJ (1989) The production of secondary metabolites by plant cell cultures. J Biotechnol 10: 1-26.

Pasqua G, Avato P, Monacelli B, Santamaria AR and Argentieri MP (2003) Metabolites in cell suspension cultures, calli, and *in vitro* regenerated organs of *Hypericum perforatum* cv. Topas. Plant Sci 165(5): 977-982.

Pasqua G, Silvestrini A, Monacelli B, Mulinacci N, Menendez P and Botta B (2006) Triterpenoids and ellagic acid derivatives from *in vitro* cultures of *Camptotheca acuminata* Decaisne. Plant Physiol Biochem 44: 220-225

Patel AK, Agarwal T, Phulwaria M, Kataria V and Shekhawat NS (2014) An efficient *in vitro* plant regeneration system from leaf of mature plant of *Leptadenia reticulata* (Jeewanti): a life giving endangered woody climber. Ind Crops Prod 52: 499-505.

Patel MB and Patel RS (2013) Effects of plant growth regulators (PGRs) on callus induction from leaf segments explant of *Tecomella undulate* (Sm.) Seem-an important medicinal plant. Int J Sci Res Pub 3(12): 1-4.

Patel RM and Shah RR (2009) Regeneration of *stevia* plant through callus culture. Ind J Pharm Sci 71: 46-50.

Pathak A and Joshi A (2017) Somaclonal variation. In: Plant biotechnology: principles, techniques and applications, vol.1 (Prasad BD, Sahni S, Kumar P and Siddiqui MW, eds.). Apple Academic Press, New York, USA, pp. 185-213.

Patil JG, Ahire ML, Nitnaware KM, Panda S, Bhatt VP, Kavi Kishor PB and Nikam TD (2013) *In vitro* propagation and production of cardiotonic glycosides in shoot cultures of *Digitalis purpurea* L. by elicitation and precursor feeding. Appl Microbiol Biotechnol 97: 2379-2393.

Patil S, Wankhade S, Somkuwar D and Kamble V (2014) Phytochemical and chromatographic fingerprint studies on chloroformic extracts of *Cassia tora* L. Int J Drug Dev Res 6(3): 53-62.

Patnaik J and Debata BK (1996) Micropropagation of *Hemidesmus indicus* (L.)R.Br. through axillary bud culture. Plant Cell Rep 15: 427-430.

Patni S, Zaidi Y, Asghar S and Jamaluddin S (2010) *In vitro* propagation and callus formation of *Bacopa monnieri* (L.) Penn. Plant Tiss Cult Biotechnol 20(2): 119-125.

Patocka J (2003) Biologically active pentacyclic triterpenes and their current medicine signification. J App Biomed 1: 7-12.

Pattar PV and Jayaraj M (2012) *In vitro* regeneration of plantlets from leaf and nodal explants of *Aristolochia indica* L.-an important threatened medicinal plant. Asian Pac J Trop Biomed (2012): S488-S493.

Paul A, Thapa G, Basu A, Mazumdar P, Kalita MC and Sahoo L (2010) Rapid plant regeneration, analysis of genetic fidelity and essential aromatic oil content of micropropagated plants of Patchouli, *Pogostemon cablin* (Blanco) Benth.-An industrially important aromatic plant. Ind Crops Prod 32: 366-374.

Paunescu A (2009) Biotechnology for endangered plant conservation: a critical review. Rom Biotechnol Lett 14: 4095-4103.

Pawar RK, Sharma S, Sing KC and Sharma RK (2011) Physico-chemical standardization and development HPTLC method for the determination of Andrographonin, Kalmegh Navyas Loha-an Ayurvedic formulation. Int J Res Ayurvedic Pharm 2(1): 295-301.

Pence VC (2010) The possibilities and challenges of *in vitro* methods for plant conservation. Kew Bull 65: 539-547.

Perez-Tortosa V, Lopez-Orenes A, Martinez-Perez A, Ferrer MA and Calderon AA (2012) Antioxidant activity and rosmarinic acid changes in salicylic acid-treated *Thymus membranaceus* shoots. Food Chem 130: 362-369.

Perk AA, Shatynska-Mytsyk I, Gerçek YC, Boztas K, Yazgan M, Fayyaz S and Farooqi AA (2014) Rutin mediated targeting of signaling machinery in cancer cells. Cancer Cell Int 14: 124-128.

Petrova M, Zayova E, Todorova M and Stanilova M (2011) Enhancement of *Arnica montana in vitro* shoot multiplication and sesquiterpene lactones production using temporary immersion system. Int J Pharm Sci Res 11: 5170-5176.

Petrovska BB (2012) Historical review of medicinal plants' usage. Pharmacogn Rev 6(11): 1-5.

Phatak VS and Heble MR (2002) Oraganogenesis and terpenoid synthesis in *Mentha arvensis*. Fitoterapia 73: 32-39.

Philip J, Nair GS, Premalatha and Sudhadevi PK (1991) Standardisation of vegetative propagation techniques in some of the medicinal plants grown in Kerala. Arecanut Spices J 15: 12-14.

Phulwaria M, Rai MK, Patel AK, Kataria V and Shekhawat NS (2013a) A genetically stable rooting protocol for propagating a threatened medicinal plant-*Celastrus paniculatus*. AoB Plants 5: pls054, doi: 10.1093/aobpla/pls054.

Phulwaria M, Shekhawat NS, Rathore JS and Singh RP (2013b) An efficient *in vitro* regeneration and *ex vitro* rooting of *Ceropegia bulbosa* Roxb.-a threatenedand pharmaceutical important plant of Indian Thar Desert. Ind Crops Prod 42: 25-29.

Pierik RLM (1997) *In vitro* culture of higher plants, 1st ed. Springer, The Netherlands.

Planning Commission (2000) Report of the task force on conservation and sustainable use of medicinal plants, Government of India.

Prabakan M, Anandan R and Devaki T (2000) Protective effect of *Hemidesmus indicus* against rifampicin and isoniazid-induced hepatotoxicity in rats. Fitoterapia 71: 55-59.

Prakash A (2011) Uses of some threatened and potential ethnomedicinal plants among the tribals of Uttar Pradesh and Uttrakhand in India. National Conference on Forest Biodiversity: Earth's Living Treasure, pp. 93-99.

Prakash K, Sethi A, Deepak D, Khare A and Khare MP (1991) Two pregnane glycosides from *Hemidesmus indicus*. Pytochem 30: 279-299.

Prasad S, Kalra N, Singh M and Shukla Y (2008) Protective effects of lupeol and mango extract against androgen induced oxidative stress in Swiss albino mice. Asian J Androl 10: 313-318.

Praveen N, Naik PM, Manohar SH, Nayeem A and Murthy HN (2009) *In vitro* regeneration of brahmi shoots using semisolid and liquid cultures and quantitative analysis of bacoside A. Acta Physiol Plant 31: 723-728.

Preetha SP, Kanniappan M, Selvakumar E, Nagaraj M and Varalakshmi P (2006) Lupeol ameliorates aflatoxin B1-induced peroxidative hepatic damage in rats. Comp Biochem Physiol 143: 333-339.

Preethi D, Sridhar TM and Naidu CV (2011) Efficient protocol for indirect shoot regeneration from leaf explants of *Stevia rebaudiana* (Bert.)-an important calorie free biosweetner. J Phytol 3(5): 56-60.

Preethi MP, Sangeetha U, Pradeepa D, Valizadeh M and Senthil K (2014) Principal component analysis and HPTLC fingerprint of *in vitro* and field grown root extracts of *Withania coagulans.* Int J Pharm Pharm Sci 6(5): 480-488.

Previati M, Corbacella E, Astolfi L, Catozzi M, Khan MTH, Lampronti I, Gambari R, Capitani S and Martini A (2007) Ethanolic extract from *Hemidesmus indicus* (Linn) displays otoprotectant activities on organotypic cultures without interfering on gentamicin uptake. J Chem Neuroanat 34: 128-133.

Puri HS (2003) Rasayana: Ayurvedic herbs for longevity and rejuvenation. Taylor and Francis, London and New York.

Purohit P, Bais RT, Singh P and Kha S (2015) Comparative assessment of lupeol in wild plant and *in vitro* callus culture of *Hemidesmus indicus* by HPLC technique. UK J Pharm Biosci 3(1): 42-46.

Purohit SD and Kukda G (2004) Micropropagation of an adult tree-*Wrightia tinctoria*. Ind J Biotechnol 3: 216-220.

Putalun W, Udomsin O, Yusakul G, Juengwatanatrakul T, Sakamoto S and Tanaka H (2010) Enhanced plumbagin production from *in vitro* cultures of *Drosera burmanii* using elicitation. Biotechnol Lett 32: 721-724.

Radman R, Bucke C and Keshavarz T (2004) Elicitor effects on *Penicillium chrysogenum* morphology in submerged cultures. Biotechnol Appl Biochem 40: 229-233.

Raghu AV, Geetha SP, Martin G, Balachandran I and Ravindran PN (2006) Direct shoot organogenesis from leaf explants of *Embelia ribes* Burm. f.: a vulnerable medicinal plant. J For Res 11: 57-60.

Rai MK, Jaiswal VS and Jaiswal U (2009) Shoot multiplication and plant regeneration of guava (*Psidium guajava*L.) from nodal explants of *in vitro* raised plantlets. J Fruit Ornam Plant Res 17(1): 29-38.

Rajasekharan PE and Ganeshan S (2002) Conservation of medicinal plant biodiversity in Indian perspective. J Med Aromat Plant Sci 24(1): 132-147.

Ram M, Abdin MZ, Khan MA and Prabhakar J (2011) HPTLC fingerprint analysis: a quality control for authentication of herbal phytochemicals. In: High-performance thin-layer chromatography (HPTLC) (Ram M, Abdin MZ, Khan MA and Prabhakar J, eds.). Springer-Verlag, Berlin, Heidelberg, pp. 105-116.

Rama Devi B, Mohan Ch, Manjula P, Kumar BK, Naresh B and Prathibha Devi B (2014) Phytochemical and micropropagation studies in *Hemidesmus indicus* (L.) R. Br. J Ind Bot Soc 93(3&4): 19-24.

Ramakrishnappa K (2002) Impact of cultivation and gathering of medicinal plants on biodiversity: global trends and issues. In: Biodiversity and the ecosystem approach in agriculture, Forestry and Fisheries, [online], FAO, (http://www.fao.org/DOCREP/005/AA021E/AA021e00.htm).

Rana MG, Dudhrejiya AV and Katbamna RV (2017) Antihyperlipidemic activity of *Hemidesmus indicus* biofraction in poloxamer-407 induced hyperlipidemic rats. World J Pharm Pharm Sci 6(7): 1683-1697.

Rani A and Kumar S (2017) Tissue culture as a plant production technique for medicinal plants: a review. Int J Adv Res Sci Eng 6(1): 784-795.

Rao NK (2004) Plant genetic resources: advancing conservation and use through biotechnology. Afr J Biotechnol 3: 136-145.

Rao PV, Sujana P, Vijaykanth T, Nanda SS, Vijaya KB, Naidu D and Gan SH (2013) Analysis of the phytochemical content and the antibacterial, antifungal and antioxidant activities of the roots, stems and leaves of *Hemidesmus indicus*, *Ocimum sanctum* and *Tinospora cordifolia*. Int J Pharmacol 9: 277-287.

Rao RS and Ravishankar GA (2002) Plant cell cultures: chemical factories of secondary metabolites. Biotechnol Adv 20: 101-153.

Raskin I (1992) Salicylate, a new plant hormone. Plant Physiol 99: 799-803.

Rates SMK (2001) Plants as source of drugs. Toxicon 39: 603-613.

Rathinavel S and Sellathurai T (2010) *In vitro* regeneration and phytochemical screening of *Tylophora indica*, an endangered medicinal herb. J Exp Sci 1(11): 4-6.

Rathore MS, Rathore MS and Shekhawat NS (2013) *Ex vivo* implications of phytohormones on various *in vitro* responses in *Leptadenia reticulata* (Retz.) Wight. & Arn.-an endangered plant. Environ Exp Bot 86: 86-93.

Rausher MD (2006) The evolution of flavonoids and their genes. In: The science of flavonoids (Grotewold E, ed.). Springer, Berlin, Germany, pp. 175-211.

Rausher MD (2008) Evolutionary transitions in floral color. Int J Plant Sci 169: 7-21.

Ravishankara MN, Shrivastava N, Padh H and Rajani M (2002) Evaluation of antioxidant properties of root bark of *Hemidesmus indicus* R. Br. (Anantmul). Phytomed 9: 153-160.

Ray S and Jha S (2001) Production of withaferin A in shoot cultures of *Withania somnifera.* Planta Med 67(5): 432-436.

Razali Z, Hamid NAA, Rahim NS, Kawi RM and Ismail WINW (2017) Yeast extract stimulate growth and production of phenol, 2, 4-bis (1,1-dimethylethyl) of tissue culture *Orthosiphon stamineus*. J Appl Environ Biol Sci 7(6): 17-22.

Rea G, Antonacci A, Lambreva M, Margonelli A, Ambrosi C and Giardi MT (2010) The NUTRASNACKS project: Basic research and biotechnological programs on nutraceutical. In: Bio-farms for nutraceuticals: Functional food and safety control by biosensors, vol. 698 (Giardi MT, Rea G and Berra B, eds.). Springer, USA, pp. 1-16.

Reddy PS, Rodrigues R and Rajasekharan R (2001) Shoot organogenesis and mass propagation of *Coleus forskohlii* from leaf derived callus. Plant Cell Tiss Organ Cult 66: 183-188.

Reinert J (1959) The control of morphogenesis and induction of adventitious embryos in cell cultures of carrots. Planta 53: 318-333.

Renuga G and Saravana KSN (2014) Induction of vanillin related compounds from nodal explants of *Vanilla planifolia* using BAP and Kinetin. Asian J Plant Sci Res 4(1): 53-61.

Riov J and Yang S (1989) Ethylene and auxin-ethylene interaction in adventitious root formation in mung bean (*Vigna radiata*) cuttings. J Plant Growth Regul 8(2): 131-141.

Rojsanga P, Bunsupa S, Brantner AH and Sithisarn P (2017) Comparative phytochemical profiling and *in vitro* antioxidant activity of extracts from raw materials, tissue-cultured plants, and callus of *Oroxylum indicum* (L.) Vent. Evid Based Complement Alternat Med, doi: https://doi.org/10.1155/2017/6853212

Ross IA (2005) Medicinal plants of the world: chemical constituents, traditional and modern medicinal uses, vol. 3. Humana Press Inc, New Jersey, pp. 110-132.

Rout GR, Samantaray S and Das P (2000) *In vitro* manipulation and propagation of medicinal plants. Biotechnol Adv 18: 91-120.

Sabir F, Mishra S, Sangwan RS, Jadaun JS and Sangwan NS (2013) Qualitative and quantitative variations in withanolides and expression of some pathway genes during different stages of morphogenesis in *Withania somnifera* Dunal. Protoplasma 250: 539-549.

Sachs T and Thimann KV (1964) Release of lateral buds from apical dominance. Nature 201: 939-940

Saha S, Mukhopadhyay MJ and Mukhopadhyay S (2003) *In vitro* clonal propagation through bud culture of *Hemidesmus indicus* (L.) R. Br: an important medicinal herb. J Plant Biochem Biotechnol 12(1): 61-64.

Sahai A, Shahzad A and Anis M (2010) High frequency plant production via shoot organogenesis and somatic embryogenesis from callus in *Tylophora indica*, an endangered plant species. Turk J Bot 34: 11-20.

Sahoo Y and Chand PK (1998) Micropropagation of *Vitex negundo* L., a woody aromatic medicinal shrub, through high frequency axillary shoot proliferation. Plant Cell Rep 18: 301-307.

Sahu R, Gangopadhyay M and Dewanjee S (2013) Elicitor-induced rosmarinic acid accumulation and secondary metabolism enzyme activities in *Solenostemon scutellarioides*. Acta Physiol Plant 35(5): 1473-1481.

Sain M and Sharma V (2013) Efficient shoot regeneration from node explant of *Catharanthus roseus* (A milestone in cancer chemotherapy). Int J Pure App Biosci 1(5): 42-50.

Sak M, Dokupilová I, Mihálik D, Lakatošová J, Gubišová M and Kraic J (2014) Elicitation of phenolic compounds in cell culture of *Vitis vinifera* L. by *Phaeomoniella chlamydospora*. Nova Biotechnol Chimica 13(2): 162-171.

Sakakibara H, Takei K and Hirose N (2006) Interactions between nitrogen and cytokinin in the regulation of metabolism and development. Trends Plant Sci 11: 440-448.

Saleem M (2009) Lupeol, a novel anti-inflammatory and anti-cancer dietary triterpene. Cancer Lett 285(2): 109-115.

Saleem M, Afaq F, Adhami VM and Mukhtar H (2004) Lupeol modulates NF-kappaB and PI3K/Akt pathways and inhibits skin cancer in CD-1 mice. Oncogene 23: 5203-5214.

Saleem M, Alam A, Arifin S, Shah MS, Ahmed B and Sultana S (2001) Lupeol, a triterpene, inhibits early responses of tumor promotion induced by benzoyl peroxide in murine skin. Pharmacol Res 43: 127-134.

Saleem M, Kaur S, Kweon M, Adhami VM, Afaq F and Mukhtar H (2005a) Lupeol, a fruit and vegetable based triterpene, induces apoptotic death of human pancreatic adenocarcinoma cells via inhibition of Ras signaling pathway. Carcinogenesis 26: 1956-1964.

Saleem M, Kweon M, Yun J, Adhami VM, Khan N, Syed DN and Mukhtar H (2005b) A novel dietary triterpene lupeol induces Fas-mediated apoptotic death of androgen-sensitive prostate cancer cells and inhibits tumor growth in a xenograft model. Cancer Res 65: 11203-11213.

Saleem M, Murtaza I, Witkowsky O, Kohl AM and Maddodi N (2009) Lupeol triterpene, a novel diet-based microtubule targeting agent: Disrupts survivin/cFLIP activation in prostate cancer cells. Biochem Biophy Res Comm 388: 576-582.

Saleem R, Ahmad SI, Ahmed M, Faizi Z, Zikr-ur-Rehman S, Ali M and Faizi S (2003) Hypotensive activity and toxicology of constituents from *Bombax ceiba* Stem Bark.. Biol Pharm Bull 26: 41-46.

Saleh MS (1991) Physiology of plant growth regulators (In Arabic). Salahaddin Univ, Ministry of higher education and scientific research, IRAQ.

Samuelsson G (2004) Drugs of natural origin: a textbook of pharmacognosy, 5^{th} Swedish Pharmaceutical Press, Stockholm, Sweden.

Sanchez-Sampedro MA, Fernandez-Tarrago J and Corchete P (2005) Yeast extract and methyl jasmonate-induced silymarin production in cell cultures of *Silybum marianum* (L.) Gaernt J Biotechnol 119: 60-69.

Sangwan NS, Farooqi AHA, Shabih F and Sangwan RS (2001) Regulation of essential oil production in plants. Plant Growth Regul 34: 3-21.

Santarem ER and Astarita LV (2003) Multiple shoot formation in *Hypericum perforatum* L. and hypericin production. Br J Plant Physiol 15: 21-26.

Saraf A and Srinivas KS (2014) Development of HPTLC fingerprints of flavanoids using quercetin and baicalein as markers in *Oroxylum indicum* (L.) Vent. J Biomed Pharm Res 3(6): 09-26.

Sarasan V (2010) Importance of *in vitro* technology to future conservation programmes worldwide. Kew Bull 65: 549-554.

Sarasan V, Soniya EV and Nair GM (1994) Regeneration of Indian sarsaparilla, *Hemidesmus indicus* R. Br., through organogenesis and somatic embryogenesis. Ind J Exp Biol 32: 284-287.

Saravanan N and Nalini N (2008) *Hemidesmus indicus* protects against ethanol-induced liver toxicity. Cell Mol Biol Lett 13: 20-37.

Sarkate A, Banerjee S, Mir JI, Roy P and Sircar D (2017) Antioxidant and cytotoxic activity of bioactive phenolic metabolites isolated from the yeast-extract treated cell culture of apple. Plant Cell Tiss Organ Cult 130(3): 641-649.

Sarwar M and Skirvin RM (1997) Effect of thidiazuron and 6-benzylaminopurine on adventitious shoot regeneration from leaves of three strains of ‘McIntosh’ apple (*Malus domestica* Borkh.) *in vitro*. Sci Hort 68: 95-100.

Sasaki H, Kawarasaki S, Sugawara M and Hata K (2008) Effects of lupeol on visceral fat weights and serum lipoprotein profiles in high-fat diet mice. J Clin Biochem Nutr 43: 422-424.

Sasidharan N (2004) Biodiversity documentation for Kerala, part 6: Flowering plants. Kerala forest research institute, Peechi, Kerala, India, pp. 294.

Sastry JLN and Sawanth BS (2008) Illustrated dravyaguna vijnana, Chaukhamba orientalia, New Delhi, India.

Savio LEB, Astarita LV and Santarem ER (2012) Secondary metabolism in micropropagated *Hypericum perforatum* L. grown in non-aerated liquid medium. Plant Cell Tiss Organ Cult 108: 465-472

Scheiner SM (1993) Genetics and evolution of phenotypic plasticity. Annu Rev Ecol System 24: 35-68.

Schippmann U, Leaman DJ and Cunningham AB (2002) Impact of cultivation and gathering of medicinal plants on biodiversity: global trends and issues. In: Biodiversity and the ecosystem approach in agriculture, Forestry and Fisheries, FAO, pp. 1-21.

Schmeda-Hirschmann G, Jordan M, Gerth A and Wilken D (2005) Secondary metabolite content in rhizomes, callus cultures and *in vitro* regenerated plantlets of *Solidago chilensis*. Z Naturforsch 60c: 5-10

Schmeda-Hirschmann G, Jordan M, Gerth A, Wilken D, Hormazabal E and Tapia AA (2004) Secondary metabolite content in *Fabiana imbricata* plants and *in vitro* cultures. Z Naturforsch. 59c: 48-54.

Scholz M, Lipinski M, Leupold M, Luftmann H, Harig L, Ofirc R, Fischer R, Prüfer D and Müller KJ (2009) Methyl jasmonate induced accumulation of kalopanax saponin I in *Nigella sativa*. Phytochem 70: 517-522.

Schumann A, Torras-Claveria L, Berkov S, Claus D, Gerth A, Bastida J and Codina C (2013) Elicitation of galanthamine production by *Leucojum aestivum* shoots grown in temporary immersion system. Biotechnol Progr 29(2): 311-318.

Schwarz OJ and Beaty RM (1996) Propagation from non-meristematic tissue organogenesis. In: Plant tissue culture concepts and laboratory exercises (Trigiano RN and Gray DJ, eds.). CRC press, Florida, USA, pp. 95-103.

Scindia JM (2010) India's herbal product exports rising at a compounded annual rate of 16.8 per cent news. In: Industry, Domain-B.com (http://www.domain-b.com/industry/Healthcare/20101213 herbal product.html).

Seetharam YN, Barad A, Gururaj C and Jyothishawaran G (2002) *In vitro* shoot regeneration from leaf and nodal explants of *Enicostemma hyssopifolium* (Wild) Verd.-a vulnerable medicinal plant. Ind J Biotechnol 1: 401-404.

Seetharam YN, Rajanna LN, Jyothishwaran G, Arvind B, Sharanabasappa G and Mallikharjun PB (2007) *In vitro* shoot regeneration from leaf and nodal explants of *Vernonia cinerea* (L.) Less. Ind J Biotechnol 6: 418-420.

Seitz C, Eder C, Deiml B, Kellner S, Martens S and Forkmann G (2006) Cloning, functional identification and sequence analysis of flavonoid 3'-hydroxylase and flavonoid 3',5'-hydroxylase cDNAs reveals independent evolution of flavonoid 3',5'-hydroxylase in the Asteraceae family. Plant Mol Biol 61: 365-381.

Sen A, Sharma MM, Grover D and Batra A (2009) *In vitro* regeneration of *Phyllanthus amarus* Schum. and Thonn.: an important medicinal plant. Our Nature 7: 110-115.

Sen MK, Nasrin S, Rahman S and Jamal AHM (2014) *In vitro* callus induction and plantlet regeneration of *Achyranthes aspera* L., a high value medicinal plant. Asian Pac J Trop Biomed 4(1): 40-46.

Sen S and Chakraborty R (2017) Revival, modernization and integration of Indian traditional herbal medicine in clinical practice: Importance, challenges and future. J Tradit Complement Med 7: 234-244.

Sequeida Á, Tapia E, Ortega M, Zamora P, Castro Á, Montes C, Zúñiga GE and Prieto H (2012) Production of phenolic metabolites by *Deschampsia antarctica* shoots using UV-B treatments during cultivation in a photobioreactor. Electron J Biotechnol, doi: 10.2225/vol15-issue4-fulltext-7

Sethi PD (1996) High performance thin layer chromatography; quantitative analysis of pharmaceutical formulation. CBS publishers and Distributers, New Delhi, India, pp. 10-60.

Shaheenuzzaman M., Haque MS, Karim MM and Noor ZU (2011) *In vitro* shoot proliferation and development of micropropagation protocol from leaf disc of *Gladiolus*. J Bangla Agric Univ 9(1): 21-26.

Shahzad A, Parveen S and Fatema M (2011) Development of a regeneration system via nodal segment culture in *Veronica anagallis-aquatica* L.-an amphibious medicinal plant. J Plant Interact 6(1): 61-68.

Shalaka DK and Sandhya P (2009) Micropropagation and organogenesis in *Adhatoda vasica* for the estimation of vasine. Pharmacogn Mag 5: 539-363.

Shanmugapriya AK and Sivakumar T (2011) Regeneration of *in vitro* plantlets in *Hemidesmus indicus* (L.)R.Br. through nodal and leaf explants. Int Multi Res J 1: 41-45.

Sharma M, Ahuja A, Gupta R and Mallubhotla S (2015) Enhanced bacoside production in shoot cultures of *Bacopa monnieri* under the influence of abiotic elicitors. Nat Prod Res 29: 745-749.

Sharma MM, Verma RN, Singh A and Batra A (2014) Assessment of clonal fidelity of *Tylophora indica* (Burm. f.) Merrill "*in vitro*" plantlets by ISSR molecular markers. SpringerPlus 3: 400, doi: https://doi.org/10.1186/2193-1801-3-400

Sharma P, Patil A and Patil D (2016) Quantification of β-sitosterol from field grown plants and callus of *Crataeva tapia* L. Int J Pharm Sci Res 7(4): 1556-1563.

Sharma P, Yadav S, Srivastava A and Shrivastava N (2013a) Methyl jasmonate mediates upregulation of bacoside A production in shoot cultures of *Bacopa monnieri*. Biotechnol Lett 35: 1121-1125.

Sharma S and Arya R (2016) Biodiversity conservation with special reference to medicinal climbers: present scenario, challenges, strategies, and policies. In: Biotechnological strategies for the conservation of medicinal and ornamental climbers (Shahzad A, Sharma S and Siddiqui SA, eds.). Springer, Switzerland, pp. 23-63.

Sharma S, Ali A, Ali J, Sahni JK and Baboota S (2013b) Rutin: therapeutic potential and recent advances in drug delivery. Exp Opin Investigational Drugs 22: 1063-1079.

Shekhawat MS and Manokari M (2016) *In vitro* regeneration frequency, micro-morphological studies and *ex vitro* rooting of *Hemidesmus indicus* (L.) R. Br.: a multipotent endangered climber. Ind J Plant Physiol 21(2): 151-160.

Shekhawat MS, Kannan N, Manokari M and Ravindran CP (2015a) *In vitro* regeneration of shoots and *ex vitro* rooting of an important medicinal plant *Passiflora foetida* L. through nodal segment cultures. J Genet Engg Biotechnol 13: 209-214.

Shekhawat MS, Manokari M and Ravindran CP (2015b) An improved micropropagation protocol by *ex vitro* rooting of *Passiflora edulis* Sims. f. *flavicarpa* Deg. through nodal segment culture. Scientifica, doi: http://dx.doi.org/10.1155/2015/578676.

Shetty D and Chandra N (2012) Comparative study of chemical variants in regenerants and mother plants of ashwagandha (*W. somnifera* (L.) Dunal) by HPTLC fingerprinting. Int J Res Ayurveda Pharm 3(5): 317-319.

Shetty TK, Satav JG and Nair CKK (2005) Radiation protection of DNA and membrane *in vitro* by extract of *Hemidesmus indicus*. Phytother Res 19: 387-390.

Shilpashree HP and Rai R (2009) *In vitro* plant regeneration and accumulation of flavonoids in *Hypericum mysorense*. Int J Integrative Biol 8(1): 43-49.

Shinde AN, Malpathak N and Fulzele DP (2009) Optimized production of isoflavones in cell cultures of *Psoralea corylifolia* L. using elicitation and precursor feeding. Biotechnol Bioprocess Eng 14: 612-618.

Shirley BW (1996) Flavonoid biosynthesis: 'new' functions for an 'old' pathway. Trends Plant Sci 1: 377-382.

Shu YZ (1998) Recent natural products based drug development: a pharmaceutical industry perspective. J Nat Prod 61:1053-1071.

Shukla R, Chakravarty M and Gautam MP (2008) Indigenous medicine used for treatment of gynecological disorders by tribal of Chhattisgarh. Ind J Med Plants Res 2(12): 356-360.

Siddique I and Anis M (2007) *In vitro* shoot multiplication and plantlet regeneration from nodal explants of *Cassia angustifolia* (Vahl.): a medicinal plant. Acta Physiol Plant 29: 233-238.

Siddique NA and Bari MA (2006) Plant regeneration from axillary shoot segments derived callus in *Hemidesmus indicus* (L.) R. Br. (Anantamul) an endangered medicinal plant in Bangladesh. J Plant Sci 1(1): 42-48.

Siddique NA, Bari MA, Naderuzzaman ATMM, Khatun N, Rahman MH, Sultana RS, Matin MN, Sahnewaz S and Rahman MM (2004) Collection of indigenous knowledge and identification of endangered medicinal plants by questionnaire survey in Barind tract of Bangladesh. J Biol Sci 4: 72-82.

Siddique NA, da Silva JAT, Anisuzzaman M and Bari MA (2006) Comparative *in vitro* study of plant regeneration from axillary shoot derived callus in *Aristolochia indica* Linn. and *Hemidesmus indicus* (L.) R. Br-endangered medicinal plants in Bangladesh. J Plant Sci 1: 286-296.

Siddiqui MR, AlOthman ZA and Rahman N (2017) Analytical techniques in pharmaceutical analysis: a review. Arab J Chem 10: S1409-S1421.

Sigler P, Saksena R, Deepak D and Khare A (2000) C21 steroidal glycosides from *Hemidesmus indicus*. Phytochem 54: 983-987.

Silva TD (2010) Indica rice anther culture: can the impasse be surpassed? Plant Cell Tiss Organ Cult 100: 1-11.

Singh B, Sharma RA, Vyas GK and Sharma P (2011a) Estimation of phytoconstituents from *Cryptostegia grandiflora* (Roxb.) R. Br. *in vivo* and *in vitro*. II. Antimicrobial screening. J Med Plants Res 5(9): 1598-1605.

Singh CK, Raj SR, Patil VR, Jaiswal PS and Subhash N (2013) Plant regeneration from leaf explants of mature sandalwood (*Santalum album* L.) trees under *in vitro* conditions. In Vitro Cell Dev Biol-Plant 49: 216-222.

Singh G and Shetty S (2011) Impact of tissue culture on agriculture in India. Biotechnol Bioinfo Bioeng 1(2): 147-158.

Singh K, Kumar A and Shalini (2015) Micropropagation and multiple shoot formation from nodal explants of *Hemidesmus indicus* (L.) R.Br. -a rare medicinal plant. Int J Adv Res 3(10): 725-728.

Singh M and Chaturvedi R (2010) Improved clonal propagation of *Spilanthes acmella* Murr. for production of scopoletin. Plant Cell Tiss Organ Cult 103: 243-253.

Singh M and Chaturvedi R (2012) Screening and quantification of an antiseptic alkylamide, spilanthol from *in vitro* cell and tissue cultures of *Spilanthes acmella* Murr. Ind Crops Prod 36: 321-328.

Singh M and Chaturvedi R (2013) Sustainable production of azadirachtin from differentiated *in vitro* cell lines of neem (*Azadirachta indica*). AoB Plants 5: plt034, doi:10.1093/aobpla/plt034.

Singh N, Meena MK and Patni V (2011b) *In vitro* rapid multiplication of a highly valuable medicinal plant *Naringi crenulata* (Roxb.) Nicolson. J Med Plant Res 5(31): 6752-6758.

Singh S, Kuanar A, Mohanty S, Subudhi S and Nayak S (2011c) Evaluation of phytomedicinal yield potential and molecular profiling of micropropagated and conventionally grown turmeric (*Curcuma longa* L.). Plant Cell Tiss Organ Cult 104: 263-269.

Sinha S and Mondal AK (2011) The morphological diversification of pollinia of some members of Asclepiadaceae. Afr J Biotechnol 10(41): 7981-7986.

Sivakumar V, Raja MSD, Sadiq AM and Jayanthi M (2014) *In vitro* micropropagation of *Tinospora cordifolia* (Willd.) Miers ex Hook. F. & Thoms-an important medicinal plant. J Pharmacogn Phytochem 3(2): 5-10.

Sivanandhan G, Rajesh M, Arun M, Jeyaraj M, Dev GK, Arjunan A, Manickavasagam M, Muthuselvam M, Selvaraj N and Ganapathi A (2013) Effect of culture conditions, cytokinins, methyl jasmonate and salicylic acid on the biomass accumulation and production of withanolides in multiple shoot culture of *Withania somnifera* (L.) Dunal using liquid culture. Acta Physiol Plant 35: 715-728.

Sivaram L and Mukundan U (2003) *In vitro* culture studies on *Stevia rebaudiana*. In Vitro Cell Dev Biol-Plant 39: 520-523.

Sivaraman D, Shantha Kumar S, Muralidharan P and Rahman H (2012) Effect of *Hemidesmus indicus* on cerebral infract ischemia-reperfusion injured rats by four vessel occlusion method. Pharmacol 3(4): 91-102.

Skirvin RM (1984) The tissue culture of stone fruit. In: Handbook of Plant Cell Culture, vol. 3- Crop Species (Ammirato PV, Evans DA, Sharp WR and Yamada Y, eds.). Macmillan Publishing Co., New York, USA, pp. 402- 452.

Skirvin RM and Chu MC (1979) *In vitro* culture of ‘Forever Yours’ rose. Hort Sci 14: 608-610.

Skoog F and Miller CO (1957) Chemical regulation of growth and organ formation in plant tissues cultured *in vitro*. Symp P Soc Exp Biol 54: 118-130.

Skrzypczak-Pietraszek Ewa, Słota J and Pietraszek J (2014) The influence of L-phenylalanine, methyl jasmonate and sucrose concentration on the accumulation of phenolic acids in *Exacum affine* Balf. f. ex Regel shoot culture. Acta Biochimica Pol 61(1): 47-53.

Slusarkiewicz-Jarzina A, Ponitka A and Kaczmarek Z (2005) Influence of cultivar, explant source and plant growth regulator on callus induction and plant regeneration of *Cannabis sativa* L. Acta Biol Cracov Bot 47(2): 145-151.

Smetanska I (2008) Production of secondary metabolites using plant cell cultures. Adv Biochem Eng Biotechnol 111: 187-228.

Solecki RS (1975) Shanidar IV, a Neanderthal Flower Burial in Northern Iraq. Science 190(4217): 880-881.

Soliman HIA, Metwali EMR and Almaghrabi OAH (2014) Micropropagation of *Stevia rebaudiana* Betroni and assessment of genetic stability of *in vitro* regenerated plants using inter simple sequence repeat (ISSR) marker. Plant Biotechnol 31: 249-256.

Somerville C and Somerville S (1999) Plant functional genomics. Science 285: 380-383.

Sonappanavar AB and Jayaraj M (2011) Rapid *in vitro* callogenesis and phytochemical screening of leaf and leaf callus of *Ionidium suffruticosum*, Ging.-a seasonal mulitpotent medicinal herb. World J Agri Sci 7(1): 55-61.

Soniya EV and Das MR (2002) *In vitro* micropropagation of *Piper longum*-an important medicinal plant. Plant Cell Tiss Organ Cult 70: 325-327.

Sood H and Chauhan ERS (2009) Biosynthesis and accumulation of a medicinal compound, picroside-I, in cultures of *Picrorhiza kurroa* Royle ex Benth. Plant Cell Tiss Organ Cult 100: 113-117.

Sowmia C and Kokilavani R (2007) Antidiabetic and antihypercholesterolemic effect of *Hemidesmus indicus* Linn. R. root in Alloxan induced diabetic rats. Anc Sci Life 26(4): 4-10.

Sreedhar RV, Venkatachalam L, Thimmaraju R, Bhagyalakshmi N, Narayan MS and Ravishankar GA (2008) Direct organogenesis from leaf explants of *Stevia rebaudiana* and cultivation in bioreactor. Biol Plant 52(2): 355-360

Sreekumar S, Seeni S and Pushpangadan P (2000) Micropropagation of *Hemidesmus indicus* for cultivation and production of 2-hydroxy-4-methoxybenzaldehyde. Plant Cell Tiss Organ Cult 62: 211-218.

Sridhar TM and Aswath CR (2014) Review on medicinal plants propagation: a comprehensive study on role of natural organic extracts in tissue culture medium. Am J Plant Sci 5: 3073-3088.

Srilatha T, Anithadevi U and Ugandhar T (2014) Efficient plantlet regeneration from nodal explant culture of Blackgram (*Vigna mungo* L.) Hepper. Biosci Discover 5(2): 131-138.

Srivastava A and Shrivastava N (2008) Phytochemical and preclinical screening of aseptically produced herbal raw material: *Bacopa monnieri*. Med Arom Plant Sci Biotechnol 2(2): 123-127.

Srivastava MM (2011) An overview of HPTLC: A modern analytical technique with excellent potential for automation, optimization, hyphenation, and multidimensional applications. In: High-performance thin-layer chromatography (HPTLC) (Srivastava MM, ed.). Springer-Verlag, Heidelberg, Germany, pp. 3-24.

Srivastava P and Chaturvedi R (2008) *In vitro* androgenesis in tree species: An update and prospect for further research. Biotechnol Adv 26: 482-491.

Srivastava P and Chaturvedi R (2011) Increased production of azadirachtin from an improved method of androgenic cultures of a medicinal tree *Azadirachta indica* A. Juss. Plant Signal Behav 6(7): 974-981.

Stals H and Inzé D (2001) When plant cells decide to divide. Trends Plant Sci 6: 359-364.

Statti G, Marrelli M, Conforti F, Spagnoletti A, Tacchini M, Fimognari C, Brognara E, Gambari R, Sacchetti G and Guerrini A (2015) Inhibition of cancer cell proliferation and antiradical effects of decoction, hydroalcoholic extract, and principal constituents of *Hemidesmus indicus* R. Br. Phytother Res 29: 857-863.

Stefaan P, Werbrouck O and Debergh PC (1994) Applied aspects of plant regeneration. In: Plant cell culture: a practical approach (Dixon RA and Gonzales RA, eds.), Oxford University Press, Oxford, NY, pp. 127-145.

Stefanache CP, Tănase C, Wolfram E and Dănilă D (2014) *In situ* and *in vitro* comparative study on the bioproductivity of *Arnicae folium* et caulis from the Northern area of the Romanian Eastern carpathians. J Plant Dev 21: 3-13.

Su YH, Liu YB and Zhang XS (2011) Auxin-cytokinin interaction regulates meristem development. Mol Plant 4(4): 616-625.

Subramanian SS and Nair AGR (1968) Flavonoids of some Asclepiadaceous plants. Phytochem 7: 1703-1704.

Subrat N (2002) Ayurvedic and herbal products industry: an overview. In: Proc wise practices and experiential learning in the conservation and management of Himalayan medicinal plants, Kathumandu, Nepal.

Sudha G and Ravishankar G (2002) Involvement and interaction of various signaling compounds on the plant metabolic events during defense response, resistance to stress factors, formation of secondary metabolites and their molecular aspects. Plant Cell Tiss Organ Cult 71: 181-212.

Sudhahar V, Kumar SA and Varalakshmi P (2006) Role of lupeol and lupeol linoleate on lipemic–oxidative stress in experimental hypercholesterolemia. Life Sci 78: 1329-1335.

Sudhahar V, Kumar SA, Mythili Y and Varalakshmi P (2007) Remedial effect of lupeol and its ester derivative on hypercholesterolemia-induced oxidative and inflammatory stresses. Nutri Res 27: 778-787.

Sudipta KM, Kumara SM, Balasubramanya S and Anuradha M (2011) Cost effective approach for *in vitro* propagation of (*Leptadenia reticulata* Wight & Arn.)-a threatened plant of medicinal importance. J Phytol 3(2): 72-77.

Sugiyama M (1999) Organogenesis *in vitro*. Curr Opin Plant Biol 2: 61-64.

Sukumaran S and Raj ADS (2007) Rare, endemic, threatened (RET) trees and lianas in the sacred groves of Kanyakumari district. Ind Forest 133: 1254-1266.

Sunandakumari C, Zhang CL, Martin KP, Slater A and Madhusoodanan PV (2005) Effect of auxins on indirect *in vitro* morphogenesis and expression of *gus*A transgene in a lectinaceous medicinal plant, *Euphorbia nivulia* Buch.-Ham. In Vitro Cell Dev Biol-Plant 41(5): 695-699.

Sundar AN and Jawahar M (2011) *In vitro* plant regeneration from leaf and stem explants of *Solanum xanthocarpum* Schrad & Wendl.-an important medicinal herb. J Agric Technol 7(2): 301-306.

Sundarmani DNP and Hasina M (2015) *In vitro* regeneration and sodium chloride salt tolerant *Hemidesmus indicus* (L.) R. Br. plant production. ANJAC J Sci 12(2): 55-62.

Suri R, Radzali M, Marziah M and Aspollah SM (2002) Effect of elicitors on the production of naringin and rutin in leech lime (*Citrus hystrix*) callus. J Trop Agri Food Sci 30(1): 89-94.

Suzuki H, Achnine L, Xu R, Matsuda SPT and Dixon RA (2002) A genomics approach to the early stages of triterpene saponin biosynthesis in *Medicago truncatula*. Plant J 32: 1033-1048.

Swamy MK, Balasubramanya S and Anuradha M (2010) *In vitro* multiplication of *Pogostemon cablin* Benth. through direct regeneration. Afr J Biotechnol 9(14): 2069-2075.

Szalai G, Horgosi S, Soos V, Majlath I, Balazs E and Janda T (2011) Salicylic acid treatment of pea seeds induces its de novo synthesis. J Plant Physiol 168: 213-219.

Szopa A, Kokotkiewicz A, Bednarz M, Luczkiewicz M and Ekiert H (2017) Studies on the accumulation of phenolic acids and flavonoids in different *in vitro* culture systems of *Schisandra chinensis* (Turcz.) Baill. using a DAD-HPLC method. Phytochem Lett 20: 462-469.

Taiz L and Zeiger E (2003) Auxins. In: Plant physiology (Taiz L and Zeiger E, eds.). Macmillan Publishing Co., New York. pp. 623.

Taiz L and Zeiger E (2006) Plant physiology, 4th edn. Sinauer Associates, Inc., Massachusetts, pp. 315-344.

Tanaka Y and Brugliera F (2013) Flower colour and cytochromes P450. Phil Trans R Soc B, doi: 10.1098/rstb.2012.0432.

Tejovathi G, Goswami H and Bhadauria R (2011) *In vitro* propagation of endangered medicinal plant-*Commiphora wightii*. Ind J Sci Technol 4(11): 1537-1541.

Thakur AK and Srivastava DK (2006) High-efficiency plant regeneration from leaf explants of male himalayan poplar (*Populus ciliata* Wall.). In Vitro Cell Dev Biol-Plant 42: 144-147.

Thaweesak J, Seiichi S, Hiroyuki T and Waraporn P (2011) Elicitation effect on production of plumbagin in *in vitro* culture of *Drosera indica* L. J Med Plant Res 5(19): 4949-4953.

Thimann K and Skoog F (1933) Studies on the growth hormone in plants. III. The inhibiting action of growth substances on bud development. Proc Natl Acad Sci USA 19: 714-716.

Thiyagarajan M and Venkatachalam P (2012) Large scale *in vitro* propagation of *Stevia rebaudiana* (Bert.) for commercial application: pharmaceutically important and antidiabetic medicinal herb. Ind Crops Prod 37: 111-117.

Thomas TD and Maseena EA (2006) Callus induction and plant regeneration in *Cardiospermum halicacabum* Linn. an important medicinal plant. Sci Hort 108: 332-336.

Thomas TD and Philip B (2005) Thidiazuron-induced high-frequency shoot organogenesis from leaf-derived callus of a medicinal climber, *Tylophora indica* (Burm. F.) Merrill. In Vitro Cell Dev Biol-Plant 41: 124-128.

Thomas TD and Yoichiro H (2010) *In vitro* propagation for the conservation of a rare medicinal plant *Justicia gendarussa* Burm. f. by nodal explants and shoot regeneration from callus. Acta Physiol Plant 32: 943-950.

Thorpe TA (1980) Organogenesis *in vitro*. Structural, physiological, and biochemical aspects. Int Rev Cytol Suppl 11A: 71-112.

Thorpe TA (2007) History of plant tissue culture. Mol Biotechnol 37: 169-180.

Thorpe TA, Joy RW and Leung DWM (1986) Starch turnover in shoot-forming tobacco callus. Physiol Plant 66: 58-62.

Tirumani P, Venu S, Sridhar G, Kumar MP, Rajashekhar AV and Naga Raju T (2018) Delaying of cataract through intervention of *Hemidesmus indicus* in STZ induced diabetic rats. Nat Prod Res 32(11): 1295-1298.

Touchell D, Smith J and Ranney TG (2008) Organogenesis from *Hypericum frondosum* leaves. SNA Res Conf 53: 222-225.

Trewavas A (1981) How do plant growth substances work? Plant Cell Env 4(3): 203-228.

Tůmová L, Tůma J, Doležal M, Dučaiová Z and Kubeš J (2016) New synthetic pyrazine carboxamide derivatives as potential elicitors in production of secondary metabolite in *in vitro* cultures. Pharmacogn Mag 12(Suppl 1): S57-S62.

Turrini E, Calcabrini C, Tacchini M, Efferth T, Sacchetti G, Guerrini A, Paganetto G, Catanzaro E, Greco G and Fimognari C (2018a) *In vitro* study of the cytotoxic, cytostatic, and antigenotoxic profile of *Hemidesmus indicus* (L.) R.Br. (Apocynaceae) crude drug extract on T lymphoblastic cells. Toxins, doi:10.3390/toxins10020070.

Turrini E, Catanzaro E, Muraro MG, Governa V, Trella E, Mele V, Calcabrini C, Morroni F, Sita G, Hrelia P, Tacchini M and Fimognari C (2018b) *Hemidesmus indicus* induces immunogenic death in human colorectal cancer cells. Oncotarget 9: 24443-24456.

Turrini E, Ferruzzi L, Guerrini A, Gotti R, Tacchini M, Teti G, Falconi M, Hrelia P and Fimognari C (2015) *In vitro* anti-angiogenic effects of *Hemidesmus indicus* in hypoxic and normoxic conditions. J Ethnopharmacol 162: 261-269.

Uchida H, Ohyama K, Suzuki M, Yamashita H, Muranaka T and Ohyama K (2010) Triterpenoid levels are reduced during *Euphorbia tirucalli* L. callus Formation. Plant Biotechnol 27: 105-109.

Ueyama U, Suzuki K, Fukuchi-Mizutani M, Fukui Y, Miyazaki K, Ohkawa H, Kusumi T and Tanaka Y (2002) Molecular and biochemical characterization of torenia flavonoid 3’-hydroxylase and flavones synthase II and modification of flower color by modulating the expression of these genes. Plant Sci 163: 253-263.

Ujjwala D, Rambabu M and Ramaswamy N (2013) Effect of plant growth regulators on callus induction and organogenesis in *Gmelina arborea* Roxb. Asian J Exp Biol Sci 4(2): 203-208.

Valentao P, Andrade PB, Areias F, Ferreres F and Seabra RM (1999) Analysis of vervain flavonoids by HPLC/diode array detector method. Its application to quality control. J Agri Food Chem 47: 4579-4582

Vanisree M and Tsay HS (2004) Plant cell cultures-an alternative and efficient source for the production of biologically important secondary metabolites. Int J Appl Sci Eng Res 2: 29-48.

Vanitha A, Kalimuthu K, Chinnadurai V, Juliet YS and Prabakaran R (2016) GCMS analysis of leaf and salt stress callus of eggplant (*Solanum melongena* L.). Br J Pharm Res 14(6): 1-11.

Varma A, Padh H and Shrivastava N (2011) Ecogeographical phytochemistry of *Adhatoda vasica* Nees in relation to quantitative variations of alkaloids. J Planar Chromatogr A 24(5): 406-411.

Vasconcelos JF, Teixeira MM, Barbosa-Filho JM, Lúcio ASSC, Almeida JRGS, de Queiroz LP, Ribeiro-dos-Santos R and Soares MBP (2008) The triterpenoid lupeol attenuates allergic airway inflammation in a murine model. Int Immunopharmacol 8: 1216-1221.

Vasconsuelo A and Boland R (2007) Molecular aspects of the early stages of elicitation of secondary metabolites in plants. Plant Sci 172(5): 861-875.

Vasil IK and Hildebrandt AC (1966) Growth and chlorophyll production in plant callus tissues grown *in vitro*. Planta 68: 69-82.

Ved DK and Goraya GS (2007) Demand and Supply of Medicinal Plants in India. NMPB, New Delhi & FRLHT, Bangalore, India.

Veersham C (2004) Elicitation. In: Medicinal plant biotechnology (Veersham C, ed.). CBS Publisher, India, pp. 270-293.

Velayutham P, Ranjithakumari BD and Baskaran P (2006) An efficient *in vitro* plant regeneration system for *Cichorium intybus* L.-an important medicinal plant. J Agri Technol 2(2): 287-298.

Venkateshan S, Subramaniyan V, Chinnasamy V and Chandiran S (2016) Anti-oxidant and anti-hyperlipidemic activity of *Hemidesmus indicus* in rats fed with high-fat diet. Avicenna J Phytomed 6(5): 516-525.

Verma DC and Dougall DK (1977) Influence of carbohydrates on quantitative aspects of growth and embryo formation in wild carrot suspension cultures. Plant Physiol 59: 81-85.

Verma P and Mathur AK (2011) Direct shoot bud organogenesis and plant regeneration from pre-plasmolysed leaf explants in *Catharanthus roseus*. Plant Cell Tiss Organ Cult 106: 401-408.

Verma PR, Joharapurkar AA, Chatpalliwar VA and Asnani A (2005) Antinociceptive activity of alcoholic extract of *Hemidesmus indicus* R.Br. in mice. J Ethnopharmacol 102: 298-301.

Verma RN, Jamal SM, Sharma MM, Rao DV and Batra A (2010) Regulation of organogenesis using leaf, internode and petiole explants in *Tylophora indica* (Burm. f.) Merr. Int J Pharm Sci Rev Res 5(1): 35-40.

Verpoorte R and Memelink J (2002) Engineering secondary metabolite production in plants. Curr Opin Biotechnol 13: 181-187.

Verpoorte R, Van der Heijden R, ten Hoopen HJG and Memelink J (1999) Metabolic engineering of plant secondary metabolite pathways for the production of fine chemicals. Biotechnol Lett 21: 467-479.

Vibrant Gujarat (2017) Vibrant Gujarat report on setting up a medicinal herbs extraction unit, agro and food processing, Government of Gujarat.

Vicente MRS and Plasencia J (2011) Salicylic acid beyond defence: its role in plant growth and development. J Exp Bot 62: 3321-3338.

Victório CP, Kuster RM and Lage CLS (2009) Production of rutin and kaempferol-3-*o*-glucuronide by tissue cultures of *Alpinia purpurata* (Vieill) K. Schum. Lat Am J Pharm 28 (4): 613-616

Vines G (2004) Herbal harvests with a future: towards sustainable sources for medicinal plants. Plantlife International, www.plantlife.org.uk

Wadl PA, Dattilo AJ, Vito LM and Trigiano RN (2011) Shoot organogenesis and plant regeneration in Pityopsis ruthii. Plant Cell Tiss Organ Cult 106: 513-516.

Wagner H and Bladt S (2001) Plant drug analysis: a thin layer chromatography atlas. Springer, Berlin.

Wakdikar S (2004) Global health care challenge: Indian experiences and new prescriptions. Electron J Biotechnol 7(3): 214-220.

Waksmundzka-Hajnos M, Sherma J and Kowalska T (2008) Thin layer chromatography in phytochemistry. CRC Press, USA.

Walia N, Kaur A and Babbar SB (2007) An efficient *in vitro* cyclic production of shoots from adult trees of *Crataeva nurvala* Buch. Ham. Plant Cell Rep 26: 277-284.

Wang C, Wu J and Mei X (2001) Enhancement of taxol production and excretion of *Taxus chinensis* cell culture by fungal elicitation and medium renewal. Appl Microbiol Biotechnol 55: 404-410.

Wang J, Qian J, Yao L and Lu Y (2015) Enhanced production of flavonoids by methyl jasmonate elicitation in cell suspension culture of *Hypericum perforatum*. Bioresour Bioprocess, doi: https://doi.org/10.1186/s40643-014-0033-5.

Wang PJ and Charle A (1991) Micropropagation through meristem culture. In: Biotechnology in agriculture and forestry (Bajaj YPS, ed.). Springer Verlag, New York, USA, pp. 41-44.

Wang SW, Wang YJ, Su YJ, Zhou WW, Yang SG, Zhang R, Zhao M, Li YN, Zhang ZP, Zhan DW and Liu RT (2012) Rutin inhibits β-amyloid aggregation and cytotoxicity, attenuates oxidative stress, and decreases the production of nitric oxide and proinflammatory cytokines. Neurotoxicol 33(3): 482-490.

Wang YS, Xu YJ, Gao LP, Yu O, Wang XZ, He XJ, Jiang XL, Liu YJ and Xia T (2014) Functional analysis of flavonoid 3',5'-hydroxylase from tea plant (*Camellia sinensis*): critical role in the accumulation of catechins. BMC Plant Biol doi: 10.1186/s12870-014-0347-7.

Weissner W (2014) Anantamul (*Hemidesmus indicus*)-a review of biomedical studies and U.S. products. Ayur J Health 12(4): 40-52.

Williamson E, Okpako DT and Evans FJ (1996) Selection, preparation and pharmacological evaluation of plant material. Wiley, Chichester.

Wink M and Schimmer O (1999) Modes of action of defensive secondary metabolites. In: Functions of plant secondary metabolites and their exploitation in biotechnolog, (Wink M, ed.). CRC Press, Boca Raton, FL, pp. 17-112.

Wittstock U and Gerschenzon J (2002) Constitutive plant toxins and their role in defense against herbivores and pathogens. Curr Opin Plant Biol 5: 300-307.

Wolucka BA, Goossens A and Inze D (2005) Methyl jasmonate stimulates the de novo biosynthesis of vitamin C in plant cell suspensions. J Exp Bot 56(419): 2527-2538.

World Health Organization (2004) The world medicines situation. World Health Organization, Geneva.

World Health Organization (2013) WHO traditional medicine strategy 2014-2023. World Health Organization, Geneva.

Wu SX, Zu YG and Wu M (2003) High yield salidroside production in the compact callus aggregate suspension culture of *Rhodiola sachalinensis*. J Biotechnol 106: 33-43.

Wungsintaweekul J, Choo-malee J, Charoonratana T and Keawpradub N (2012) Methyl jasmonate and yeast extract stimulate mitragynine production in *Mitragyna speciosa* (Roxb.) Korth. shoot culture. Biotechnol Lett 34: 1945-1950.

Xiaoqiang MA and Gang DR (2006) Metabolic profiling of *in vitro* micropropagated and conventionally greenhouse grown ginger (*Zingiber officinale*). Phytochem 67: 2239-2255.

Xie PS (2001) A feasible strategy for applying chromatography fingerprint to assess quality of Chinese herbal medicine. Tradit Chin Drug Res, Clin Pharm 12(3): 141-169.

Xu MJ, Dong J and Zhu M (2005) Nitric oxide mediates the fungal elicitor-induced hypericin production of *Hypericum perforatum* cell suspension cultures through a jasmonic-acid-dependent signal pathway. Plant Physiol 139: 991-998.

Yadav K and Singh N (2011) *In vitro* propagation and biochemical analysis of field established wood apple (*Aegle marmelos* L.). Analele Universităţii din Oradea - Fascicula Biologie XVIII(1):23-28

Yadav K and Singh N (2012) Factors influencing *in vitro* plant regeneration of Liquorice (*Glycyrrhiza glabra* L.). Iran J Biotechnol 10: 161-167.

Yeh CH, Yang JJ, Yang ML, Li YC and Kuan YH (2014) Rutin decreases lipopolysaccharide-induced acute lung injury via inhibition of oxidative stress and the MAPK-NF-jB pathway. Free Radic Biol Med 69: 249-257.

Yin J, Li CX, Sun HR, Wang ZH, Xiao JL, Zhan YG and Zhang MY (2014) The physiological characteristics, expression of oxidosqualene cyclase genes and accumulation of triterpenoids in White Birch (*Betula platyphylla* suk) saplings by SA and MeJA treatment. J Plant Biochem Physiol, doi: 10.4172/2329-9029.1000129.

Zaheer M and Giri CC (2015) Multiple shoot induction and jasmonic versus salicylic acid driven elicitation for enhanced andrographolide production in *Andrographis paniculata*. Plant Cell Tiss Organ Cult 122(3): 553-563.

Zaragoza-Martinez F, Lucho-Constantino GG, Ponce-Noyola T, Esparza-Garcia F, Poggi-Varaldo H, Cerda-Garcia-Rojas CM, Trejo-Tapia G and Ramos-Valdivia AC (2016) Jasmonic acid stimulates the oxidative responses and triterpene production in *Jatropha curcas* cell suspension cultures through mevalonate as biosynthetic precursor. Plant Cell Tiss Organ Cult 127: 47-56.

Zarei M, Baker S and Zarei M (2013) Effect of *Hemidesmus indicus* root extract on the blood glucose level in alloxan induced diabetic rats. J Microbiol Biotechnol Res 3(2): 64-67.

Zhang SB and Lemaux PG (2004) Molecular analysis of *in vitro* shoot organogenesis. Critical Rev Plant Sci 23: 325-335.

Zhang X, Dong J, Liu H, Wang J, Qi Y and Liang Z (2016) Transcriptome sequencing in response to salicylic acid in *Salvia miltiorrhiza*. PLoS One, doi: 10.1371/journal.pone.0147849.

Zhao J, Davis LC and Verpoorte R (2005) Elicitor signal transduction leading to production of plant secondary metabolites. Biotechnol Adv 23: 283-333.

Zhao J, Zheng B, Li Y, Shan T, Mou Y, Lu S, Li P and Zhou L (2011) Enhancement of diepoxin production by yeast extract and its fractions in liquid cultureof Berkleasmium-like endophytic fungus Dzf12 from *Dioscorea zingiberensis*. Molecules 16: 847-856.

Zhao JL, Zhou LG and Wu JY (2010) Effects of biotic and abiotic elicitors on cell growth and tanshinone accumulation in *Salvia miltiorrhiza* cell cultures. Appl Microbiol Biotechnol 87: 137-144.

Zhao ZJ, Song YG, Liu YL, Qiao M, Zhai XL and Xiang FN (2013) The effect of elicitors on oleanolic acid accumulation and expression of triterpenoid synthesis genes in *Gentiana straminea*. Biol Plant 57(1): 139-143.

Zhou LG and Wu JY (2006) Development and application of medicinal plant tissue cultures for production of drugs and herbal medicinals in China. Nat Prod Rep 23: 789-810.

Zhu S, Liu T, Fang Z, Xia K, Zeng S, da Silva JAT and Zhang M (2011) Micropropagation and pharmacological analysis of a medicinal herb *Sarcandra glabra*. Med Arom Plant Sci Biotechnol 5(1): 16-19.

Zimmerman RH and Broome OC (1981) Phloroglucinol and *in vitro* rooting of apple cultivar cuttings. J Am Soc Hort Sci 106: 648-652.

Zuzarte MR, Dinis AM, Cavaleiro C, Salgueiro LR and Canhoto JM (2010) Trichomes, essential oils and *in vitro* propagation of *Lavandula pedunculata* (Lamiaceae). Ind Crops Prod 32: 580-587.