References

1) Abadi. 2007. Integrated coastal land use development using analytic network process and GIS: Case of Kuala Langat District, Malaysia. (PhD Thesis).

2) Alanbari, M.A., Al-Ansari , N., Jasim, H.K., Knutsson, S. 2014. Modeling Landfill Suitability Based on GIS and Multicriteria Decision Analysis: Case Study in Al-Mahaweelqadaa. Natural Science. 6:828-851.

3) Anon, 1992. Canadian Council of Forest Ministers (CCFM). Principles. - p. 11-51. In Sustainable forests: a Canadian commitment. Hull, Quebec: CCFM, 1992. (http://www.iisd.org/sd/principle.asp?pid=15&display=1).

4) Anon, 2007 A report by Industries Commissionarate, Govt of Gujarat.pp80

5) Anon, 2008. Environmentally sensitive zones. Maharashtra Pollution Control Board.

6) Anon, 2000. Prioritization of target areas for forest restoration, Final Report, Produced by WCMC for WWF International. 1-8.

7) Anonymous, 2001. Annual Report. Planning Commission Government of India New Delhi. 1-147.

8) Balaguru, B., John B. S., Nagamurugan, N., Natarajan, D., Soosairaj, S. 2006. Identifying conservation priority zones for effective management of tropical forests in Eastern Ghats of India. Biodiversity and Conservation, 2: 469-483.

9) Bale CL, Charley JL. 1994. The impact of aspect on forest floor characteristics in some Eastern Australian sites. Forest Ecology and Management 67: 305–317.

10) Bandyopadhyay, J., Mondal, I. and Roy, B. 2014. Change Detection Of Land Use & Land Cover and Identification of Interrelationship Between

Geomorphology and Land Use Land Cover in and Around Bakkhali-Fraserganj and Henry Island, South 24 Parganas, West Bengal, India. International Journal of Remote Sensing & Geoscience. 3(2):44-51.

11) Bebarta,K.C. 2008. Application of GIS, GPS and remote sensing technologies in forest management: A Case study of Chhatisgarh. The Indian Forester,134(1): 36 -41.

12) Beinat, E. and Nijkamp, P. 1998. Multicriteria Analysis for Land Use Management, Kluwer, Dordrecht.

13) Bergkamp, G., Orlando, B. and Burton, I. 2003. *Change: adaption of water resources management to climate change.* Gland, Switzerland, World Conservation Union (IUCN).

14) Boerner REJ. 2006. Unraveling the Gordian Knot: interactions among vegetation, topography, and soil properties in the central and southern Appalachians. Journal of the Torrey Botanical Society 133: 321–361.

15) Brandon, R., and Bottomley B., A. 1998. Mapping Rural Land Use and Land Cover Change in Carroll County, Arkansas Utilizing Multi-Temporal Landsat Thematic Mapper Satellite Imagery. University of Arkansas, USA. (http://www.cast.uark.edu/local/brandon_thesis/index.html)

16) Brar, G.S. 2013 Detection of land use and land cover change with Remote Sensing and GIS: A case study of Punjab Siwaliks International Journal of Geomatics and Geosciences 4(2): 296 - 304

17) Briney, A. 2009. Thematic Maps – Display Data on a Map.(http:// geography.about.com/od/understandsmaps/a/thematicmaps.html)

18) Cammack, R.G. 2005. Web Mapping Services: A Tool for Thematic Internet Maps, Proceeding in: XXII International Cartographic Conference (ICC2005), A Coruna, Spain.

19) CARA (Consortium for Atlantic Regional Assessment), (2006), Land Use Primer. (http://www.cara.psu.edu/land/lu-primer/luprimer01.asp.)

20) Cantlon JE. 1953. Vegetation and microclimates on north and south slopes of Cushetunk Mountain, New Jersey. Ecological Monographs 23: 241–270.

21) Capuzucca, J., and Federal H. 2001. An extraordinarily environmentally sensitive and historically significant area. Executive Summary.

22) Census Commission, Census of India., 2001. Series 25 Gujarat, District census handbook Panchmahal village and town directory primary census abstract / Census Commission.-- Delhi: Controller of Publication, 2006, pp: 412.

23) Chapin S. F., Zavaleta, E. S., Eviner, V. T., Naylor, R. L., Vitousek, P. M., Reynolds,H. L., Hooper, D. U., Lavore, S., SalaI, O. E., Hobbie, S.E., Mack M. C. & Díaz S. 2000. Consequences of changing biodiversity. NATURE, vol 405, 234-242.

24) Chavan, A.R. & G.M. Oza. 1966. The Flora of Pavagadh.: Published by Botanical Memoirs: No.1.,Baroda M.S. University of Baroda.1-296.

25) Christine, J.S and McCarthy, B.C. 2005. Relationship of understory diversity to soil nitrogen, topographic variation and stand age in an eastern Oak forest USA. For. Ecol.Manage. 217:229-243.

26) Cihlar, J. 2000. Land cover mapping of large areas from satellite status and research priorities. International Journal of Remote Sensing 21(6), 1093-1114.

27) Collins, M.,Steiner, F.and Rushman, M. 2001. Land-use suitability analysis in the United States: Historical development and promising technological achievements.J Environ Manage 28(5): 611 – 621.

28) Cooke, T., 1958. The flora of the Presidency of Bombay. Vol.-I & II. London. (B S I reprinted 1958, Vol. I-III, Calcutta).

29) Curtis, J.T. & Cottam., G. 1956. Plant Ecology Work Book. Laboratory Field Reference Manual. Burgess Publishing Co. Minnisota.

30) Curtis, J.T.and McIntosh, R.P., 1951. An Upland continuum in the Praine F orest Border region of Wisconsin. Ecology. 32: 476-496.

31) Das, A., Mondal, M., Das, B. and Ghosh, A.R. 2012 Analysis of drainage morphometry and watershed prioritization in Bandu Watershed,Purulia,West Bengal through Remte sensing and GIS Technology – A Case study. International Journal of Geomatics and Geosciences 2(4) : 995-1013.

32) Debinska, M.,Brussard, F. 1994 Using biodiversity data to assess Species-Habitat relationship in Glacier National Park,Montana. Ecological Applications 4(4) : 833-843.

33) Dogra K., Sarvesh Sood., Parveen Dobhal. & Seema .Sharma 2010. Alien plant invasion and their impact on indigenous species diversity at global scale. Journal of Ecology and the Natural Envionment, 2(9), 175-186.

34) Forest Survey of India, 2011. India State of Forest Report (ISFR).

35) FAO,1993 A framework for land evaluation, FAO Soils bulletin 32,Soil resources development and conservation service land and water development division, FAO AND AGRICULTURE ORGANIZATION OF

THE UNITED NATIONS Rome.

36) FAO, 2010. Global Forest Resources Assessment 2010 Main report, FAO Forestry Paper 163. 1-378.

37) FAO, 2009 State of the world's forests 2009. Rome, Italy

38) FAO, 2012. State of the worlds forests.pp.60

39) Flamenco-Sandoval A., Ramos\ M., Masera O., R. 2007. Assessing implications of land-use and land-cover change dynamics for conservation of a highly diverse tropical rain forest, 138(1–2):131–145.

40) Foody, G. M. 2003. Remote sensing of tropical forest environments: towards the monitoring of environmental resources for sustainable development. International Journal of Remote Sensing, 24(23): 4035-4046.

41) Forkuo, E.K. and Frimpong, A. 2012. Analysis of Forest Cover Change Detection. International Journal of Remote Sensing Applications. Vol. 2 (4):82-92.

42) Forest survey of India, 2011, India state of forest report, 322.

43) Forest Survey of India , 2013. India State of Forest Report (ISFR). 322.

44) Franklin, J., Logan, T. L., Woodcock, C. E. and Strahler, A. H. 1986. Coniferous vegetaiton coverage classification and inventory using Landsat and digital terrain data. IEEE Transactions on Geoscience and Remote Sensing. GE 24(1): 139-149.

45) Graymore ,M.L.M., Wallis, A. M., Richards, A., J. 2009. An Index of Regional Sustainability: A GIS-based multiple criteria analysis decision support system for progressing sustainability. Ecological Complexity, 6, 453–462.

46) Geldenhuys, C.J. & Murray, B. 1993. Floristic and structural composition of Hanglip forest in the South Pansberg, Northern Transvaal. South African Forestry Journal 165: 9-20.

47) Gurmessa, D. and Nemomissa, S. 2013 Chapter-3 GIS based Land Suitability Assessment for Optimum Allocation of Land to Foster Sustainable Development: the Case of the Special Zone of Oromia Regional State around Addis Ababa City, Ethiopia, in book "Spatial enablement in support of Economic Development & Poverty reduction research, development & Education perpectives" edited by Harlon Onsrud & Abbas Rajabifard. pp.300.

48) Giri, C., Defourny, P. and Shrestha, S. 2003. Land cover characterization and mapping of continental Southwest Asia muti-resolution satellite sensor data. International Journal of Remote Sensing. 24(21): 4181-4196.

49) Gray, R., Walters, D., Bebbington, J. and Thompson, I. 1995. The greening of enterprise: An exploration of the (Non) Role of Environmental accounting and environmental accountants in organizational change, Critical perspectives on accounting. 6: 211-239.

50) Gugan, D. J. 1993. Integration of remote sensing and GIS. Proceedings of the InternationalSymposium on the Operationalization of Remote Sensing, Enschede, ITC, 77–85.

51) Hellden, U., Olsson, L. and Stern, M. 1982. Approaches to desertification monitoring in Sudan. In Satellite Remote Sensing in Developing Countries (eds Longman and Lery, G.), European Space Agency, Paris, 131–144.

52) Hemkumara, G. P. T. S.,2009. GIS based analysis on environmental sensitive areas and identification of the potential disaster hazard-ous locations in southern Sri Lanka. Int. J. Civil Environ. Eng., 9, 311–315.

53) Horton, R.E., 1932 Drainage Basin characteristics. Am. Geophys. Union,Trans. 13: 348 -352.

54) Houghton, R.A., Skole, D.L., Nobre C.A., Hackler, J.L., Lawrence, K.T., Chomentowski, W.H. 2000. Annual fluxes of Carbon from deforestion and regrowth in the Brazillian Amazon. Nature 403, 301-304.

55) Hurlbert, S.H., 1971. The nonconcept of species diversity: a critique and alternative parameters. Ecology 52: 577-586.

56) Husain, Z. 2003. Environmental Issues of North East India, Regency Publications, New Delhi. 237.

57) Hussain M., Chen, D., Cheng, A., Wei., H & Stanley, D. 2008. Change detection from remotely sensed images: From pixel-based to object-based approaches ISPRS journal of Photogrammertry and remote sensing, 60:91-106.

58) Innes, J.L. 1993. Forest health: Its assessment and status. CAB International, Wallingford. 1-677.

59) ITTO, 1998. Criteria and indicators for sustainable forest management of natural tropical forests. ITTO Policy Development Series No. 7, International Tropical Timber Organization, Japan.

60) Jaiswal R., Mukherjee S., Kumaran D., Saxena R. 2002 Forest fire risk zone mapping from satellite imagery and GIS. International Journal of Applied Earth Observation and Geoinformation, 4 (2002) : 1-10.

61) Jensen, J.R.,1996 Introductory Digital Image Processing: A Remote Sensing Perspective, Second Edition, Prentice Hall, Upper Saddle London, Upper Saddle River, New Jersey, pp.316

62) Khadri, S. F. R., Thakare, S. and Surkar, P. 2014. Land Use and Land Cover Area Estimation For Nagpur City, Maharashtra Using Remote Sensing And GIS Techniques. International Journal of Pure and Applied Research in Engineering and Technology. 2(9):10-20.

63) Kilic, S., Evrendilek, F., Berberoglu, S. and Demirkesen, A.C. 2006. Environmental Monitoring of Land-Use And Land-Cover Changes In A Mediterranean Region Of Turkey. Environmental Monitoring and Assessment. 114: 157–168.

64) Kotwal, P. C. and Prasad, R. 2001. Progress of implementation of Sustainable Management of Dry Forests in Asia with special emphasis on Indian initiative Paper contributed for the International expert meeting on Monitoring, Assessment and Reporting (MAR) on the progress toward Sustainable Forest Management, Yokohama, Japan.

65) Kumar, S., Singh, R. Gond, D., Saini, D.,C, and Kamal. 2011. Indian Forests: A Natural Paradise for Biodiversity of Foliar Fungi (with reference to North-Eatern U.P. Forests) a paper presented at National Conference on Forest Biodiversity :Earth's Living Treasure 22 nd May, 2011.

66) Kushwaha, S. P. S. 1993. Applications of remote sensing in shifting cultivation areas. Technical Report. Abteilung Luftbildmessung und Fernerkundung, Albert-Ludwigs Unisersitaet, Freiburg, 23–28.

67) Kushwaha, S. P. S., Subramanian, S. K., Chennaiah, G. Ch., Ramana Murthy, J., Rao, S. V. C., Perumal, A. and Behera, G. 1996. Interfacing

remote sensing and GIS methods for sustainable rural development. Int. J. Remote Sensing, 17, 3055–3069.

68) Lamprecht, H. 1989. Silviculture in the tropics – Tropical Forest Ecosystems and their tree species – Possibilities and methods for their long-term utilization – T2 – Verlagsgesels chaft mbH, postatch 1164, D-16101 RoBdort, Federal Republic of Germany. 296.

69) Lillesand, T., Kiefer, R., and Chipman, J. 2004. Remote Sensing and Image Interpretation, 5th ed. New York: John Wiley & Sons. 1-820.

70) Lin, M., Cao, Y., Tao, Y., Shih, J.,; Yan, Lee, G.Y., Xiao, D., ; Wang, S; Chiu, H. 2006. Changing landscapes: monitoring ecologically sensitive ecosystems in a dynamic semi-arid landscape using satellite imagery: a case study in Ejin Oasis, Western China. In Agriculture and Hydrology Applications of Remote Sensing (eds Kuligowski, R. and Parihar, J. S.)

71) Lu, D., Mausel, P., Brondízio, E. and Moran, E. 2004. Change Detection Techniques. International Journal of Remote Sensing, 25(12) : 2365-2407

72) MacDonald, A. 2000. Assessment of risk and identification of environmentally sensitive areas. In Interspill Marseille 2000 Conference and Exhibition.

73) Magurran, A.E. 1988. Ecological Diversity and its Measurement. Princeton University Press, Princeton, New Jersey, 179.

74) Magurran, A.E. 2006 Measuring biological diversity. Blackwell, Oxford.

75) Mahto, B. 2001 Quantification of forest growing stock using remote sensing data for planning and management : A case study of Tikauli forest in Chitwan District, Nepal. Paper presented at the 22nd Asian Conference on Remote sensing, 5-9 November 2001, Singapore

76) Maini, J.S. 1989 http://www.fao.org/docrep/u6010e/u6010e03.htm.

77) Marble, D. F., Peuquet, D. J., Boyle, A. R., Bryant, N., Calkin, H.W. and Johnson, T. 1983. Geographic information system and remote sensing. In Manual of Remote Sensing (ed. Colwell, R. N.), Falls Church, American Society of Photogrammetry.

78) Margalef, R., 1958. Information theory in ecology. General Systematics 3: 36-71.

79) Martín, M.A, and Rey, J.M,. 2000. On the role of Shannon's entropy as a measure of heterogeneity. Geoderma 98 :1-3.

80) Marzluff, J.M. and Ewing, K. 2001. Restoration of Fragmented Landscapes for the Conservation of Birds: A General Framework and Specific Recommendations for Urbanizing Landscapes. Restoration Ecology 9(3):280–292.

81) Mas, J. F. 1999. Monitoring Land-Cover Changes: A Comparison of Change Detection Techniques. International Journal of Remote Sensing, 20(1):139 - 152.

82) McCook, L.J., Folke, C., Hughes, T., Nystrom, M., Obura, D. & Salm, R. 2007. Ecological resilience, climate change and the Great Barrier Reef. In: Climate change and the Great Barrier Reef: a vulnerability assessment, eds J.E. Johnson & P.A. Marshall, Great Barrier Reef Marine Park Authority and Australian Greenhouse Office, Townsville, Australia, 75-96.

83) Mckinney, M.L. 2002. Urbanization, Biodiversity, and Conservation. BioScience. 52(10):883-890.

84) Mendoza, G.A. and Martins, H. 2006 Multi-criteria decision analysis in natural resource management: A critical review of methods and new modelling paradigms. Forest Ecology and Management 230:1–22.

85) Merh,S.S.,1995 Geology of Gujarat Geological Survey of India. pp222.

86) Meyer, W.B. 1995. Past and Present Land-use and Land-cover in the U.S.A. Consequences.

87) Mickelson, J. G., Civco, D. L. and Silander, J. A. 1998. Delineating vegetation coverage canopy species in the northeastern United States using multi-temporal TM imagery. Photogrammetric Engineering & Remote Sensing. 64(9): 891

88) Miller, A. B.; Bryant, E. S., and Birnie, R. W. 1998. An Analysis of Land Cover Changes in the Northern Forest of New England Using Multi-temporal LANDSAT MSS Data. International Journal Remote Sensing, 19(2):215-265.

89) Mmom, P.C and Fred-Nwagwu, F.W. 2013. Analysis of Landuse and Landcover Change around the City of Port Harcourt, Nigeria. Global Advanced Research Journal of Geography and Regional Planning. 2(5):076-086.

90) Mohit, A. and Ali, M. 2006. Integrating GIS and AHP for land sutiabiltiy Analysis for Urban Development in a Secondary City of Bangladesh. Journal alam Bina, Jilid 8, No 1.

91) Mokarram, M. And Aminzadeh, F. 2010. GIS-Based Multicriteria Land Suitability Evaluation using Ordered Weight Averaging with Fuzzy Quantifier: A Case Study in Shavur Plain, Iran. ISPRS Archives. XXXVIII(Part 2):508-512.

92) Munier, N. 2005 . Introduction to Sustainability-Road to a Better Future, Springer Publications pp. 1-444.

93) Murrey, A.T. 2003. Site placement uncertainty in location analysis. Computers, Environment and Urban Systems, 27, 205–221.

94) Nellis, M. D., Lulla, K. and Jensen, J. 1990. Interfacing geographic information system and remote sensing for rural land use analysis. Photogramm. Eng. Remote Sensing. 56:329–331.

95) Noss, R.F.1999. Assessing and monitoring forest biodiversity: A suggested framework and indicators. Forest Ecology and Management. 115: 135-146.

96) Nyeko, M. 2012. GIS and Multi-Criteria Decision Analysis for Land Use Resource Planning. Journal of Geographic Information System. 4:341-348.

97) Odum EP. 1971. Fundamentals of Ecology. 3rd Edition. WB Saunders Company, Philadelphia, USA. 1-624.

98) OECD,2012,"Inclusive Green growth: For the future We want "URL: http://www.oecd.org/greengrowth/Rio+20%20brochure%20FINAL%20ENGLISH%20web%202.pdf

99) Pande, P.K. 2001. Structure of tropical dry deciduous teak forest of Satpura Plateau (India) with special emphasis on regeneration and disturbances. Journal of Tropical Forest Science 13: 329–343.

100) Percy, K.E. and Ferretti, M. 2004. Air pollution and forest health: toward new monitoring concepts. Environmental Pollution. 130:113–126.

101) Perring, F. 1959. Topographical gradients of chalk grassland. J. Ecol. 47: 447- 481.

102) Philips E. A. 1959. Methods of vegetation study, Henery Halt and co. Inc., pp.105.

103) Phillis, Y.A. and Andriantiatsaholiniaina, L. A. 2001. Sustainability : an ill-defined concept and assessment using fuzzy logic. Ecological Economics 37(3):435-456.

104) Raison, R.J., Flinn, D.W. and Brown, A.G. 2001. Application of Criteria and Indicators to Support Sustainable Forest Management. In: Raison, R.J., Brown, A.G., Flinn, D.W. (Eds.), Criteria and Indicators for Sustainable Forest Management. IUFRO Research Series 7, CABI Publishing, 5-18.

105) Rajesh, S. 2014. Land cover land use mapping using optimized wavelet packet transform features. Thesis, Anna University. 1-149.

106) Raju, S. and Ghosh, S. 2003. Role of Remote Sensing and Digital Cartography in Sustainable Development. INDIAN CARTOGRAPHER, 86-95.

107) Rao, D.P. 2000. Role of remote sensing and geographic information system In sustainable development International Archives of Photogrammetry and Remote Sensing. Vol. XXXIII, Part B7. Amsterdam, 1231-1251.

108) Ravindranath, N. H., 1995. Community Forestry: An Ecological, Economic and Institutional Assessment in Western Shiwaliks of J&K, Draft Report of Sampark- Centre for Development Interaction, Udhampur, J&K.

109) Ravindranath, N. H., Murali, K. S., Malhotra, K. C. 2000. Joint Forest Management and Community Forestry in India - An Ecological and Institutional Assessment. Oxford & IBH Publishing Co. Pvt. Ltd., New Delhi.

110) Roy, P.S. and Ravan, S. A., 1996. Biomass estimation using satellite remote sensing data—An investigation on possible approaches for natural forest J. Biosci.2(4) :535-561

111) Saaty, T.L. 2007. Time dependent decision-making; dynamic priorities in the AHP/ANP: Generalizing from points to functions and from real to complex variables. Mathematical and Computer Modelling, 46, 860–891.

112) Sarojini Devi, B., Vijayasekaran, D. Kangabam, R.D., Selvaraj, M. and Govindaraju, M. 2013. Dynamics of land-use and land-cover changes and its impacts on wetlands of ramanathapuram district, tamil nadu- remote sensing and GIS perspective. International Jouranl of current research. 5(9): 2515-2519.

113) Sathya, N., Kalaiselvi, S., Gomathi, V., Srinivasagan, K.G. 2014. Unsupervised monitoring of urban land use and land cover change detection in multitemporal images. International Conference on Electronics and Communication Systems (ICECS). 1-5.

114) Saxena, M. R., Kumar, R., Saxena, P. R., Nagaraja, R. and Jayanthi, S. C. 2007. Remote sensing and GIS based approach for environmental sensitivity studies. A case study from Indian Coast. International Society for Photogrammetry and Remote Sensing.

115) Sedeño-Díaz J. E. and López-López E. 2007. Water quality in the Río Lerma, Mexico: An overview of the last quarter of the twentieth century, Water Resour. Manage. 21: (10):1797–1812.

116) Shadwick, D.D. and Smith, L.A. 1994. Selected air quality and deposition data summaries. In: Forest health monitoring. Forest health monitoring

1991 statistical summary. EPA/620/R-94/028. Washington, DC: U.S. Environmental Protection Agency. 178.

117) Shah, G.L. 1978. Flora of Gujarat State, I & II. S P University, Vallabh Vidhyanagar.

118) Shrivastava ,K.D. and Anitha, D. 2010 Mapping of non-timber forest products using remote sensing and GIS. Tropical Ecology 51(1): 107-116

119) Simpson, E.H. 1949. Measurement of diversity. Nature, Lond. 163, 688.

120) Singh, V. and Dubey, A. 2012. Land Use Mapping Using Remote Sensing & GIS Techniques in Naina - Gorma Basin, Part of Rewa District, M.P., India. International Journal of Emerging Technology and Advanced Engineering. 2(11):151-156.

121) Skidmore A., K., Bijker, W., Schmidt K. and Kumar L. 1997**.** Use of remote sensing and GIS for sustainable land management. Remote sensing and GIS for SLM, ITC Journal 1997-3/4, 302-315.

122) Smith, A. Y. and Blackwell, R. J. 1980. Development of an information data base for watershed monitoring. Photogramm. Eng. Remote Sensing, 46, 1027–1038.

123) Smith, K. G.1950. Standards for grading textures of erosional topography. Am. Jour. Sci. 248:655-688.

124) Smith, W.H. 1981. Air pollution and forest interactions between air contaminants and forest ecosystems. Springer-Verlag, New York. 379.

125) Southern Appalachian Man and the Biosphere (SAMAB). 1996. The Southern Appalachian assessment atmospheric technical report. Report 3 of 5. Atlanta: U.S. Department of Agriculture, Forest Service, Southern Region. 83.

126) Southwood, T.R.E, and Henderson, P.A,. 2000. Ecological methods. Blackwell, Malden, Massachusetts.

127) Space Application Center. 1992. A GIS based information system for regional planning–a case study for Bharatpur district. Project Report, Space Application Centre, Ahmedabad.

128) Steiner, F., Blair, J., McSherry, L., Guhathakurtha, S., Marruffo, J. and Holm, M., A. 2000. Watershed at watershed: the potential for environmentally sensitive area protection in the upper San Pedro Drainage Basic (Mexico and USA). Landsc. Urban Plann., 49, 129–148.

129) Sternberg, M. And Shoshany, M. 2001. Influence of slope aspect on Mediterranean woody formations: Comparison of a semiarid and an arid site in Israel. Ecological Research. 16(2):335–345.

130) Sudhakar, S., Reddy, Ch. S., Sudha, K., Babar, S., Pottet, S. 2006. Sustainable Developmant of Forest Resourse Through Rs & Gis Techniques- A Case Study In R V Nagar Range, Visakhapatnam District, Andhra Pradesh. ISPRS Archives –XXXVI(4):1-12.

131) Tiwari, K. and Khanduri K. 2011. Land Use / Land cover change detection in Doon valey (Dehradun Tehsil), Uttarakhand: using GIS& Remote Sensing Technique. International Journal of Geomatics and Geosciences. 2(1):34-41.

132) Trotter, C. M. 1991. Remotely sensed data as information source for geographical information system in natural resource management: a review. Int. J. Remote Sensing, 5, 225–239.

133) Turesson G. 1914. Slope exposure as a factor in the distribution of Pseudotsuga taxifolia in arid parts of Washington. Torrey Botanical Club Bulletin 41: 337–345.

134) Turner W., Spector S., Gardiner N., Fladeland M., Sterling E., Steininger M. 2003. Remote sensing for biodiversity science and conservation. Trends in ecology and evolution 18(6): 306–314.

135) Tyagi, S.N. 2008. Working Plan of Panchmahal and Kheda Districts. Part 1 & 2. 1-665.

136) Wang K., Franklin S., Guo X. and Cattet M., 2010.Remote Sensing of Ecology, Biodiversity and Conservation: A Review from the Perspective of Remote Sensing Specialists, Sensors.10 : 9647 -9667

137) WCED. 1987. Our Common Future" Report of the World Commission on Environment and Development, 1-247.

138) Welsh, R., Remillard, M. and Albert, J. 1992. Integration of GPS, remote sensing and GIS techniques for coastal resources management. Photogramm. Eng. Remote Sensing, 58, 1571–1578.

139) Williams, M. 1990. "Forests". in Mayer W.B and Turnnor II, B.C(Eds). The Earth as transformed by human action: A global and regional changes in the biosphere over the past 300 years. Cambridgem University press.179-223.

140) Williams, M. 2002. Deforesting the earth: from prehistory to global crisis. Chicago, USA, University of Chicago Press.

141) World Bank, 2000. World Development Report 2000. Oxford University Press. 1-357.