CHAPTER – 5
REFERENCES

REFERENCES

AbdulRahaman AA, Oladele FA (2003) Stomatal complex types. Size, density and index in some vegetable speices. *Nigerian Journal of Botany* 16: 144-150.

Abu-Goukh AA, Abu-Sarra AF (1993) Compositional changes during mango fruit ripening. University of Khartoun. *Journal of Agricultural Sciences* 1(1): 32-51.

Addoms RM, Nightingale GT, Blake MA (1930) Development and ripening of peaches as correlated with physical characteristics, chemical composition and histological structure of the fruit II. Histology and microchemistry. *NewYork Agricricultural Expermimental Station Bulletin 507*.

Adel AK, Barrett DM (2005) Classification, Composition of fruits and postharvest maintenance of quality, Part I Biology, Principles and Applications. In "Processing Fruits" 2nd Eds. CRC press.

Agbagwa OI, Ndukwu BC (2004) The value of morphoanatomical features in the systematic of *Cucurbita* L. (Cucurbitaceae) species in Nigeria. *African Journal of Biotechnology* 3(10):541-546.

Ahmad KJ (1964) On stomatal abnormalities in Solanaceae. *Science and Culture* 30:349-350.

Ahmad S (1964) Propagation of mango by veneer grafting. *West Pakistan Journal of Agriculture research* 2, 32-44.

Aina JO, Olandunjoye OO (1993) Respiration, pectolytic activity and textural changes in ripening African mango (*Irvinga gabonensis*) fruits. *Journal of Science, Food and Agriculture* 63: 451-454.

Akcin OE, Ozyurt MS, Senel G (2011) Petiole anatomy of some Lamiaceae taxa. *Pakistan Journal of Botany* 43(3): 1437-1443.

Akcin OE, Senel G, Akcin Y (2013) Leaf epidermis morphology of some *Onosma* (Boraginaceae) species from Turkey. *Turkish Journal of Botany* 37: 55-64.

Albert S, Sharma B (2012) Comparative foliar micromorphological studies of some *Bauhinia* (Leguminosae). *Turkish Journal of Botany* 37: 276-281.

Aleykutty KM, Inamdar JA (1978) Structure, ontogeny and taxonomic significance of trichomes and stomata in osme Capparidaceae. *Feddes Repertorium* 89(1): 19-30.

Andreu GP, Delgado R, Velho J (2005) *Mangifera indica* L. extract (Vimang) inhibits Fe-citrate-induced lipoperoxidation in isolated rat liver mitochondria. *Pharmacological Research* 51: 427-2-435.

Annamani B, Prabhakar M (1991) Foliar architecture of the Vishakhapatnam Flora 1. Rannales. *Indian Journal of Forestry* 14: 131-137.

Anonymous (1962) Wealth of India- Raw Material 6 (L-M) New Delhi, India: Publication and information directorate, CSIR.

Anonymous (1994) Precise color communication. Minolta Corporation, Ramsey, New Jersey 49pp.

Arruda RCO, Gomes DMS, Azevedo AC, Magalhaes ML and Gomes M (2010) Leaf anatomy and Micromorphology of six *Posoqueria Aublet* species (Rubiaceae). *Rodriguesia* 61(3):505-518.

Ashton PMS, Berlyn GP (1992) Leaf adaptation of some *Shorea* species to sun and shade. *New Phytologist* 121(4):587-596.

Augustin MA, Ling ET (1987) Composition of mango seed kernel. *Pertanika* 10: 53-59.

Augustyn WA, Combrinck S, Botha BM (2011) Comparison of mangiferin in mango leaf and honeybush infusions. *Planta Medica* 77- 81

Avita S, Inamdar JA (1981b) Stomatal complex in Lauraceae: structure and ontongeny. *Acta Botanica Indica*, 9:50-56.

Aworinde DO, Ogundairo BO (2009) Leaf epidermal Micromorphology in some members of *Solanum* L (Solanaceae) in Nigeria. University of Zambia. *Journal of Science and Technology* 13(2): 29-40.

Baker EA (1982) Chemistry and morphology of plant epicuticular waxes. In "The Plant Cuticle" Eds DF Culter, KL Alvin and CE Pric (Academic Press: New York, USA) pp. 139-155

Banerjee G (1978) Foliar venation and leaf histology of certain members of Compositae II members with combination craspedodromous *Amberboa ramose* Roxb. Wagnev (Syn: *Voluntarella ramose* Roxb.) *Journal of Indian Botanical Society* 57: 338-342.

Banerjee G, Deshpande BD (1973) Foliar venation and leaf histology of certain members of Compositae. *Flora* 162: 529-532.

Banerji ML, Das S (1972) Minor venation Pattern in the Indian Acers, "Advances in Plant Morphology" (Eds) YS Murty et al (Meerut: Sarita Prakashan) 51-57 pp.

Barady CJ (1987) Fruit ripening. *Annual Review on Plant Physiology* 38: 155-178.

Barnova M (1992) Principles of comparative stomatographic studies of flowering plants. *Botanical Review* 53:53-79.

Beaufils ER (1973) Diagnosis and Recommendaion Integrated System (DRIS). Soil Sci Bull Nr 1 Univ of Natal Pietermaritzburg, South Africa.

Beerling Dj, Woodward FI (1997) Changes in land plant function over the Phanerozoic: reconstructions based on the fossil record. *Botanical Journal of Linnean Society* 124: 137-153.

Beltran AE, Alvarez Y, Xavier FE (2004) Vascular effects of the *Mangifera indica* L. extract (Vimang). *European Journal of Pharmacology* 499: 297-305.

Bijhouwer APC (1937) Een Bijdrage tot de Kennis Omtrent het Bloeien en het Vruchtdrangende, Vermogen van den Magga (*Mangifera indica* L.) H. Veenman and Zonen, Wageningen, the Netherlands, Bulletin 542. Pp. 106

Blake MA, Davidson OW (1936) Some studies of the degree of maturity of peaches at harvest in relation to flesh firmness, keeping quality, and edible texture. *NewYork Agricricultural Expermimental Station Bulletin* 606.

Boodle LA and Fritsch FE (1908) "Solereder's Systematic Anatomy of the Dicotyledons". Revised by Scott D.H. I and II, Clarendon Press, Oxford, U.K.

Brady C (1987) Fruit ripening. *Annual Review on Plant Physiology* 38: 155-178.

Brownleader MD, Jackson P, Mobasheri A, Pantelides AT, Sumar S, Trevan M, Dey PM (1999) Molecular aspects of cell wall modifications during fruit ripening. *Critical Review Food Science and Nutrition* 39: 149-164.

Burns W, Prayag SH (1921) The book of the mango, Department of Agriculture Bombay, Bull. 103.

Cabrera DM, Teresa T, Ochoterena (2009). Foliar and petiole anatomy of tribe Hamelieae and other Rubiaceae. *Annals of the Missouri Botanical Gardern* 96(1): 133-145.

Callander F (1974) Chemistry of grapes and other fruits as the raw materials involved in winemaking p. 11-49. In: "Chemistry of winemaking": Advances in chemistry AD Webb (Eds). Series 137.

Campa C, Ballester JF, Doulbeau S, Dussert S, Hamon S, Noirot M (2004) Trigonellline and sucrose diversity in wild *Coffea* species. *Food Chemistry* 88:39-43.

Campa C, Mondolot L, Rakotondravao A, Bidel LPR, Gargadennec A, Couturon E, Fisca PL, Rakotomalala JJ, Allemand CJ, Davis AP (2012) A survey of mangiferin and hydroxycinnamic acid ester accumulation in coffee (*Coffea*) leaves: biological implications and uses. *Annals of Botany* 110: 595-613.

Carlquist S (1961) Comparative plant anatomy In: "Plant Anatomy", Mauseth, J.D.1988 (Eds). The Benjamin/Cummings Publishing Co. Sand Hill: New York.

Carpenter SB, Smith ND (1975) Stomatal distribution and size in southern Appalachian hardwoods. *Canadian Journal of Botany* 53: 1153-1156.

Carr SG, Carr DJ (2004) *Acalypha wilkesiana* Floridata. Com LC Florida *http://www.floridata.com/ref/Alacalwil.cfm.*

Castor JGB, Archer TE (1956) Amino acids in must and wines, proline, serine and threonine. *American Journal of Enology and viticulture* 7: 19-25.

Chalmers DJ, Rowan KS (1971) The climacteric in ripening tomato fruit. *Plant Physiology* 48: 235-240.

Chan HT, Kwok SCM (1975) Identification and determination of sugars in some tropical food products. *Journal Food Science* 40: 419-420.

Chandra A, Chandra A (1997) Production and Postharvest Technology of Fruits, NBS Pub and Distributors, Bikaner, India.

Chaudhari GS, Inamdar JA, (1984) Leaf architecture of some Acanthaceae. *Botanical Magazine Tokyo* 97: 469-481.

Cheema GS, Dani PG (1934) Report on export of mango to Europe in 1932-33. Bull. 170, Agric. Dep., Bombay.

Chen ZI (1996) The morphology and anatomy of *Sonneratia* L. China. *Jorunal of Tropical and Subtropical Botany* 4:18-24.

Chia, CL, Hamilton RA, Evans DO (1988) Mango. Hawaii Cooperative Extension Service, Hawaii Institute of Tropical Agriculture and Human Resources, University of Hawaii at Manoa.

Clark J (1960) Preparation of leaf epidermis for topographic study. *Stain Technology* 35: 35-39

Cleal CJ (1981) A new species of *Neuropteris* from the middle Westphalian of Palencia. *Estudios geologicos* 37: 77-82.

Clements H (1935) Morphology and Physiology of the pome lenticels of *Pyrus malus*. *Botanical Gazette*. 97:101-117.

Copeland HF (1961) Observations on the reproductive structures of *Anacardium occidentale*. *Phytomorphology* 11: 345-325.

Crook PR, Grierson D (1983) Ultrasturcture of tomato fruit ripening and role of polygalacturonase isoenzymes. *Plant Physiology 72*: 1-088.

Curtis JD, Lersten NR (1990) Internal secretory structures in *Hypericum* (Clusiaceae): *H.perforatum* L. and *H.balearicum* L. *New Phytologists* 114:571-580.

Dar A, Faizi S, Naqvi S (2005) Analgesic and antioxidant activity of mangiferin and its derivatives: the structure activity relationship. *Biological and Pharmceutical Bulletin* 28(4): 596-600.

Dardick CD, Callahan AM, Chiozzoto R, Schaffer RJ, Piagnani MC, Scorza R. (2010) Stone formation in peach fruit exhibits spatial coordination of the lignin and flavonoid pathways and similarity to *Arabidopsis* dehiscence *BMC Biology* 8(1): 13.

Datta PC, Dasgupta A (1979) Comparison of vegetative anatomy fo Piperales III. Vascular supplies to leaves. *Acta Botanica Indica* 7:39-46.

Davies AP, Rakotonasolo F (2010) Three new species of Coffea L. (Rubiaceae) from NE Madagascar. *Adansonia* 23: 137-146.

De Candolle A (1904) Origin of Cultivated Plants. Kegan Paul, Trench,Trubner et Co., London.

Devi P (2001) Principles and Methods in Plant Molecular Biology, Biochemistry and Genetics, Agrobios, Jodhpur, India.

Dickison WC (2000) Integrative plant anatomy. Academic press, San Diego.

Dickson WC (1969) Comparative morphological studies in Dilleniaceae, IV, Anatomy of the node and vascularization of the leaf. *Journal of Arnold Arboretum of Harvard University* 50:384-410.

Dickson WC (1980) Diverse nodal anatomy of the Cunoniacae. *Americal Journal of Botany* 67:975-981.

Dietz TH Thimma, Raju KR , Joshi SS (1988) Structure and development of cuticle and lenticels in fruit of certain cultivars of mango. *Acta Horticulture* 231: 457-60.

Dinc M, Duran A, Pinar M, Ozturk M (2008) Anatomy, palynology and nutlet Micromorphology of Turkish endemic *Teucrium sandrasicum* (Lamiaceae). *Biologia* 63/5: 637-641.

Du Plooy GW (2006) Aspects of mango (*Mangifera indica* L.) fruit rind morphology and chemistry and their implication for postharvest quality. Thesis, University of Pretoria, Pretoria.

Dubery IA,Van Rensburg LJ, Schabort JC (1984) Malic enzyme activity and related biochemical aspects during ripening of γ-irradiated mango fruit. *Phytochemistry* 23:1383-1386.

El Ansari, Reddy K, Sastry K, Nayudamma Y (1969) Polyphenolic components of mango (*Mangifera indica* L.) fruit. *Leather Science* 16: 13-14.

Elahi M, Khan N (1973) Physiological changes in some Pakistani mango varieties during storage ripening. *Journal of Agricultural and Food Chemistry* 21:229-231.

El-Zoghbi M (1994) Biochemical changes in some tropical fruits during ripening. *Food chemistry* 49: 33-37.

Engler A (1896) Anacardiaceae: Anatomisches Verhalten. Leipzig.Die Naturlichen Planzenfamilien Bd, 139-140.

Essiest UA (2010) Petiole anatomy for systematic purposed in *Eremomastax polysperma*, *Justicia insularis* and *Asystacia gangetica* (Acanthaceae) *World Journal of Applied Science and Technology* 2(1):69-75.

Essiett UA (2004) Biosystematics. Studies of some Nigeria *Dioscorea* Species PhD. Thesis Department of Botany and Microbiology, University of Uyo, Uyo. Nigeria.

Farrooqui P (1979 a) Sequence of stomatal meristemoid formation in some Leguminosae. *Current Sci*ence 48(11): 489-490.

Farooqui P (1979 b) On the occurrence of abnormal stomata in plants. *Current Sci*ence 48 (19): 841-849.

Foster AS (1950) Venation pattern in the leaves of Angiosperms with special reference to the Quiinaceae. *Proceedings of Seventh Botanical Congress, Stockholm* 380-381.

Foster AS (1961) The phylogenetic significance of dichotomous venation in angiosperms. *Recent Advances in Botany* 2: 971-975.

Foster AS (1966) Morphology of anastomoses in the dichotomous venation of Circaester. *American Journal of Botany* 53: 588-599.

Foster AS (1968) Further morphological studies on anastomoses in the dichotomous venation of Circaeaster. *Jounal of Arnold Arboretum* 49: 52-67.

Foster AS (1970) Types of blind vein ending in the dichotomous venation of *Circaeaster*. *Jounal of Arnold Arboretum* 51: 70-80.

Franklin G, Conceicao LFR, Kombrink E, Dias ACP (2009) Xanthone biosynthesis in *Hypericum perforatum* cells provides antioxidant and antimicrobial protection upon biotic stress. *Phytochemistry* 70:60-68.

Frylinck L (1987) Biochemical changes involved in stress response and ripening behavior of γ-irradiated mango fruit. *Phytochemistry* 26: 565-578.

Fuchs Y, Pesis E and Zauberman G (1980) Changes in amylase activity, starch and sugar contents in mango fruit pulp. *Scientia Horticulturae* 13: 155-160.

Gandhi SR (1955) The mango in India. Farm Bull. 6, Indian Council of Agricultural Research, New Delhi.

Gangolly SR., Singh R., Katyal, SL and Singh D (1957) The Mango. ICAR, New Delhi.

Garcia D, Leiro J, Delgado R (2003) *Mangifera indica* L. extract (Vimang) and mangiferin modulate mouse humoral immune responses. *Phytotherapy Research* 17 (10): 1182-1187.

Garcin AG (1891) Contribution a L'etude des pericarpes charnus. Du noyau des drupes. Histologie et histogenese. *Annales de la Societe Botanique de Lyon* 17: 27-39.

Garrido G, Delgado R, Lemus Y (2004) Protection against septic shock and suppression of tumor nectosis factor alpha and nitric oxide production on macrophages and microglia by a standard aqueous extract of *Mangifera indica* L. (Vimang) role of mangiferin isolated from the extract. *Pharmacological Research* 50: 165-172.

Garz JM (1966) Verteilung und Bindungsform der Mineralstoffe (P,K,Mg und Ca) in den Leguminosensamen in Abhangigkeit von der Mineralstofflumlagerung innerhalb der Pflanze und den Ernahrungsbedingungen. *Kueh-Arch* 80: 137-194.

Ghosh S (1960) The content of folic acid and its conjugates in some common Indian fruits. *Science and Culture*, 26: 287-288.

Gopalan C, Rama Shashtri BV, Balasubramanian SC (1989) Nutritive value of Indian foods, revised (eds). ICMR, National Institute of Nutrition, Hyderabad, India.pp 156.

Gowda DIN, Huddar AG (2001) Studies on ripening changes in mango (*Mangifera indica* L.) fruits. *Journal of Food Science and Technology* 38: 135-137.

Gowda IND, Ramanjaneya KH (1994) Studies on physicochemical characteristics of some commercial cultivars of mango. *Indian Food Packer* 48:45-49.

Grundwag M (1976) Embryology and fruit development in four species of *Pistacia* L. (Anacardiaceae) *Botanical Journal of Linnean Society* 73: 355-70

Gupta R (1961) Correlation of tissues in leaves. I. Absolute vein-islet numbers and absolute veinlet termination numbers. *Annals of Botany* 25: 65-70.

Gustafson FG (1926) Growth studies on fruits. *Plant Physiology* 1: 265-72.

Hartless AC (1913) The flowering mango. *Agriculture Journal of India* 8:9.

Hawker JS (1969) Changes in the activities of enzymes concerned with sugar metabolism during the development of grape berries. *Phytochemistry* 8(1): 9-17.

Hedrick UP (1935) Systematic Pomology. Rural Text Book Sr. Edited by L.H. Bailey. Macmillan and Co., New York.

Hemavathy J, Prabhakar JV, Sen DP (1987) Composition of polar lipids of Alphonso mango (*Mangifera indica* L.) kernel. *Journal of Food Science* 52: 833-834.

Heneidak SA, Samai and Shaheen M (2007) Characteristics of the proximal to distal regions of the petioles to identify tree species of Papilionoideae- Fabaceae. *Bangladesh Journal Plant Taxonomy*, 14 (2): 101-115.

Hernandez P, Rodriguez PC, Delgado R (2007) Protective effect of *Mangifera indica* L. Polyphenols on human T lumphocytes against activation-induced cell death. *Pharmacological Research* 55: 167-173.

Hickey LJ (1973) Classification of the architecture of dicotyledonous leaves. *Americal Journal of Botany* 60*: 17 — 33.*

Hickey LJ and Wolfe JA (1975) The base of angiosperm phylogeny. Vegetative morphology. *Annals Missouri Botanical Garden* 62(3): 538-589.

Hobson GE (1965) The firmness of tomato fruit in relation to polygalacturonase activity. *Journal of Horticulture Science* 40: 66-72.

Hobson GE (1981) Enzymes and texture changes during ripening. In: Recent Advances in the Biochemistry of Fruits and Vegetables. Friend J and Rhodes, MJC (Eds.) Academic Press, London, pp. 123-132.

Hoover WS (1986) Stomata and stomatal cluster in *Begonia*: ecological response in two Mexican species. *Biotropica* 18: 16-21.

Howard RA (1962) The vascular structure of the petiole as a taxonomic character. In Proceedings of the XVth International Horticultural Congress, Nice 1958 New York, Pergamon Press. pp.7-13.

Huber DJ (1983) The role of cell wall hydrolases in fruit softening. *Horticulture Review* 5: 169-219.

Hulme AC (1971) The Biochemistry of Fruits and ther Products, Vol 2, Academic Press, New York, pp 233-53.

Inamdar JA (1969a) Epidermal structure and ontogeny of stomata in some Verbenaceae. *Annals of Botany* 33:55-66.

Inamdar JAand Patel RC (1970) Epidermal structure and normal and abnormal stomatal development in vegetatice and floral organs of *Plumbago zeylanica* L. *Ibid.* 159: 503-511.

Inamdar JA, Murthy GSR (1981) Leaf architecture in some Solanaceae. *Flora* 167: 265-272.

Irwine FR (1961) Woody Plants of Ghana. Oxford University Press.

Iyer CPA (1991) Recent Advances in varietal improvement in mango. *Acta Horticulturae* 291: 109-132.

Jackman RL, Stanley DW (1995) Persoectives in the textural evaluation of plant foods . *Trends in Food Science and Technology* 6: 187-194.

Jain DK (1978) Studies in Bignoniaceae III. Leaf architecture. *Journal of Indian Botanical Society* 57: 369-387.

Jain NL (1961) Chemistry and Technology of mango. *Review on Food Technology* 3: 131-135.

Jain NL, Krishnamurthy GV, Lal GC (1959) Non volatile organic acids in unripe pickling mangoes and salted mango slices by paper chromatography. *Food Science* 3: 115-118.

Joel DM (1981) The duct systems of the base and stalk of the mango fruit. *Botanical Gazette* 142 (3): 329-333.

Joel DM, Fahn A (1980) Ultrastructure of the Resin Ducts of *Mangifera indica* L. (Anacardiaceae). 2. Resin Secretion in the Primary Stems Ducts. *Annals of Botany* 46 (6): 779-783.

Johansen DA (1940) *Plant Microtechnique*. New York: McGraw-Hill Book Company, Inc.

Juliano JB, Cuevas NL (1932) Floral morphology of the mango (*M.indica* L.) with special reference to the Pico variety from the Philippines. *Philipp Agriculture* 21: 15-24.

Jutiviboonsuk A, Sardsaengjun C (2010) Mangiferin in Leaves of Three Thai Mango (*Mangifera indica* L.) varieties. *Indian Journal of Pharmaceutical Sciences* 6(3) 122-128.

Kadiri AB, Olowokudejo JD and Ogundipe OT (2005/2006) Some aspects of foliar epidermal morphology of *Cylicodiscus gabunensis* (Taub) Harm (Mimosaceae). *Journal of Scientometric Research* 10: 33-38.

Kadiri AB. and Olowokudejo JD (2008) Comparative foliar epidermal morphology of the West African species of the Genus *Afzelia smith* (Leguminosae) *Gayana Botanica* 65(1):84-92.

Kalra SK, Tandon DK, Singh BP (1995) of fruit science and technology. Production, Composition, Storage and Processing. Mango. In: Handbook Salunkhe, DK Kadam, SS (Eds.). Marcel Dekker, Inc. New York, pp. 123-169.

Keil H, Wasserman D, Dawson ER (1946) Mango dermatitis and its relationship to poison-ivy hypersensitivity. *Annals of Allergy* 4: 268-281.

Ketsa S, Daengkanit T (1999) Firmness and activities of polygalacturonase, pectinesterase, β-galactosidase and cellulase in ripening durian harvested at different stages of maturity. *Scinetia horticulturae* 80 (3-4) 181-188.

Kharazian N (2007) The taxonomy and variation of leaf anatomical characters in the genus *Aegilops* L. (Poaceae) in Iran. *Turkish Journal of Botany* 31:1-19.

Kliewer WM (1969) The free amino acids and other nitrogenous substances of table varieties. *Journal of food science* 34: 274-278.

Kobel F, (1954) Lehrbuch des Obstbaus auf physiologischer Grundlage. Springer, Berlin, 348 pp.

Kocsis MJ, Borhidi A (2004) Comparative leaf anatomy and morphology of some neotrophical *Rondeletia* (Rubiaceae) species. *Plant systematic and evolution* 248:205-218.

Kohler E (1993) Blattnervatur-Muster der Buxaceae Dumortier und Simmondsiaceae Van Tieghem. *Feddes Repertorium* 104: 145-167.

Kothari MJ, Shah GL (1975) Epidermal structure and ontogeny of stomata in the Papolionaceae. *Botanical Gazette* 13: 372-379.

Krapf B (1961) Entwicklung und Bau der Lentizellen des Apfels und ihre Bedeutung fur die Lagerung. *Landw Jahrb Der Schweiz* 10: 387-440.

Krishnamurthy KH, Sundaram R (1970) Histomorpholgy of foliar epidermis and pharmacognosy in Asclepiadiaceae. *Journal of Indian Botanical Society* 46:160-168.

Krishnamurthy S, Subramanyam H (1973) Pre and post harvest physiology of mango fruit- a review. *Tropical Science* 15: 167-193.

Krishnamurty S, Patwardhan MV, Subramanyam H (1971) Biochemical changes during ripening of the mango fruit. *Phytochemistry* 10: 2577-2581.

Kumar M, Ponnuswami V, Jeyakumar P, Kennedy RR, Saraswathy S (2013) Studies on influence of season for biochemical parameter in mango cultivars. *African Journal of agriculture research* 8(49): 6394-6400.

Kumar R, Kaushik RA, Chharia AS (1992) Effect of post harvest treatments on the quality of mango during storage. *Haryana Journal of Horticulture Science* 21:46-55.

Lakshminarayan S (1980) Mango. In: Tropical and subtropical fruits: Composition, Properties and Uses. Nagy S and Shaw PE (Eds) AVI Publishing, Westport p.184-257.

Lakshminaryana S, Subhdra NV, Subramanyam H (1970) Some aspects of developmental physiology of mango fruit. *Journal of Horticultural Science* 45: 133-42.

Larrauri JA, Ruperez P, Borroto B, Saura-Calixto F (1996) Mango peels as a new tropical finre: preparation and characterization *Lenensmitterl-Wissenschaft and Technologie, Food science and technology* 29: 729-733.

Leiro JM, Alvarez E, Arranz JA (2003) In vitro effects of mangiferin on superoxide concentration and expression of the inducible nitric oxide synthase, tumour necrosis factor-α and transforming growth factor β genes. *Biochemical Pharmacology* 65: 1361-1371.

Leley VK, Narayan N, Daji JA (1943) Biochemical studies on growth and ripening of Alphonso mango. *Indian Journal of Agriculture Science* 13: 291.

Levin FA (1929) The taxonomic value of veinislet areas based upon a study of The genera *berosma, cassia, erythroxylon* and *digitalis. Journal of Pharmacy and Pharmacology* 2: 17-43.

Lin TS, Crane JC, Ryugo K, Polito VS, Dejong TM (1984) Comparative study of leaf morphology, photosynthesis, and leaf conductance in selected *Pistacia* species. *Journal of American Society of Horticultural Science* 109: 325–330.

Ling LT, Yap SA, Radhakrishnan AK (2009) Standardised *Mangifera indica* extract is an ideal antioxidant. *Food Chemistry* 113: 1154-1159.

Ling PP (1981) Stomatal studies in Chinese Taccaceae with a discussion of its taxonomical significance. Bull. Nanjing *Botanical Garden, Mem.Sun Yat Sen*, 1981: 20-24.

Long EM (1943) Developmental anatomy of the fruit of the Deglet Noor date. *Botanical Gazette* 104: 426-436

Lowry OH, Rosebrough NJ, Farr AL, Randall RJ (1951) Protein measurement with the folin phenol reagent *Journal of Biological Chemistry* 193:265.

Maheshwari P (1934) The Indian mango. *Current Science* 3:97-8.

Maksymowych AB, Orkwiszewski AJ, Maksymowych R (1983) Vascular bundles in petioles of some herbaceous and woody dicotledons. *American Journal of Botany* 70(9): 1289-1296.

Mann SS, Singh PN, Pandey RM (1974) Maturity studies in Dashehari and Langra cvs. of mango (*Mangifera indica* L.) *Haryana Journal of Horticulture Science* 3: 97-105.

Mannan MA, Khan SAKU, Islam MR, Islam S, Siddiqua A (2003) A study on the physicochemical characteristics of some mango varieties in Khulna region. *Pakistan Journal of Biological Sciences* 6(2) : 2034-2039.

Maries (1901-02) Indian mangoes. *F.R horticultural Society* 26, 755.

Martinez- Cabrera D, Terrazas T, Ocholerena H (2009) Foliar and petiole anatomy of tribe Hameliaeae and other Rubiaceae. *Annals of Missouri Botanical Garden* 96:133-145.

Martinez G, Giuliani A, Leona OS (2001) Effect of *Mangifera indica* L. extract (QF808) on protein and heptic mcirosome peroxidation. *Phytotherapy Research* 15(7): 581-585.

Mattoo AK, Modi VV (1969) Biochemical aspects of ripening and chilling injury in mango fruit. Proceeding of the conference on tropical and subtropical fruits. Tropical Products Institute (London) September 15-19, 111-5.

Mattoo AK, Modi VV, Reddy VVR (1968) Oxidation and carotenogenesis regulating factors in mangoes. *Indian Journal of Biochemistry* 5: 111-114.

Mauk CS, Nooden LD (1992) Regulation of mineral redistribution in pod-bearing soybean explants. *Journal of Experimental Bot*any 43:1429-1440.

Mauseth JD (1988) Plant anatomy. The Benjamin Cummings Publishing Company, Inc., California.

Mavi DO, Dogan M, Cabi E (2010) Comparative leaf anatomy of the genus *Hordeum* L. (Poaceae). *Turkish Journal of Botany* 35:357-368.

Mazumdar BC, Majumder K (2003) Methods on physico-chemical analysis of fruits, Daya Publishing House, Delhi, India.

McMillan GP, Perombelon MCM (1995) Purification and characterization of a high pl pectin methyl esterase isoenzyme and its inhibitor from tubers of *Solanum tuberosum* subsp. cv. Katahdin. *Physiological and molecular plant pathology* 46(5): 413-427.

Medlicott AP, Sigrist SMM, Reynolds SB, Thompson AK (1986) Effect of ethylene and acetylene on mango fruit ripening. *Annals of Applied Biology* 111: 439-444.

Melville R (1976) The terminology of leaf architecture. *Taxon.* 25: 549 - 561.

Metcalfe CR, Chalk L (1950) Anatomy of the Dicotyledons: leaves, stems and wood in relation to taxonomy- with notes on economic uses. 1 ed. Vol. 1. Clarendon Press, Oxford. pp 1498.

Metcalfe CR, Chalk L (1983) Anatomy of the Dicotyledons II, Oxford University Press. London.

Metcalfe CR, Chalk L (1963) Comparative anatomy as a modern botanical discipline. *Advances in Botanical Research* 1: 101-147.

Metcalfe CR, Chalk L (1979) Anatomy of Dicotyledons I. Oxford University Press, London.

Metcalfe CR, Chalk L (1988) Anatomy of the Dicotyledons. Oxford University Press, Oxford.

Mishra MK, Dandamudi P, Nayani SP, Munikoti SS. Chelukunda SS, Jayarama (2011) Variability in stomatal features and leaf venation pattern in Indian coffee (*Coffea arabica* L.) cultivars and their functional significance. *Botanica Serbica* 35 (2): 111-119.

Mishra MK, Padmajyothi D, Prakash NS, Ram AS, Srinivasan CS, Sreenivasan MS (2010) Leaf architecture in Indian Coffee (*Coffea Arabica* L) Cultivars and their adaptive significance. *World Journal of Fungal and Plant Biology* 1(2): 37-41.

Miura T, Ichiki H, Hashimoto I (2001) Antidiabetic activity of a xanthone compound, mangiferin. *Phytomedicine* 8(2): 85-87.

Mohan JSS, Inamdar JA (1984) Leaf venation studies in some Asclepiadaceae, *Phytomorphology.* 34: 36-45.

Molisch H (1931) Beitrage zur Mikrochemie der Pflanzen 18. Uber Eiweisskristale in den Sekret ganagen der Anacardiaceen. *Ber Deult Botan Ges* 49:324-327.

Morga NS, Lustre, AO, Tunac, MM, Balagot, AH, Soriano MR (1979) Physico-chemical changes in Philippine Carabao mangoes during ripening. *Food Chemistry* 4(3): 225-234.

Mott KA, Denne F, Powell J (1997) Interactions among stomata in response to perturbation humidity. *Plant Cell and Environment*. 20: 1098-1107.

Mott KA, Shope JC, Buckley TN (1999) Effects of humidity on light induced stomatal opening evidence for hydraulic coupling among stomata. *Journal of Experimental Botany* 50: 1207-1213.

Mukehrjee SK (1951) Origin of Mango. *Indian Journal of Genetics and Plant Breeding* 11: 49-56.

Mukherjee SK (1950) Mango: its allopolyploid nature. *Nature* 166: 196–7.

Mukherjee SK, Litz C (2009) CAB International. *The Mango, 2nd Edition: Botany, Production and Uses* (ed. R.E. Litz).

Mukherjee, SK (1948) The varieties of mango (*Mangifera indica* L.) and their classification. *Bulletin of the Botanical Society of Bengal* 2:101-133.

Mukherjee, SK (1949b) Mango and its relatives. *Science and Culture* 15:5-9: July.

Mukherjee, SK (1953) Origin, distribution and phylogenetic affinities of the species of *Mangifera* L. *Journal of Linnean Society* 55:65-83.

Mulas M (1994) Genetic variability of histological characteristic in olive fruits. *Acta Horticulturae* 356: 70-73.

Muruganandan, S, Srinivasan K, Gupta S, Gupta PK, Lal J (2005) Effect of mangiferin on hyperglycemia and atherogenicity in streptozotocin diabetic rats *Journal of Ethanopharmacology* 97: 497-501.

Musahib-ud-din (1946) Fruit bud differentiation in mangoes in the Punjab. *Punjab Fruit Journal* 10: 30-31.

Mustard MJ, Lynch SJ (1946) Flower bud formation and development in *Mangifera indica*. *Botanical Gazette* 108, 136-140.

Naik KC, Gangolly SR (1950) A monograph on classification and nomenclature of South Indian mangoes. Supdt. Govt. Press, Madras.

Naik KC, Rao MM (1943) Studies on the blossom biology and pollination in mangoes (*Mangifera indica* L.). *Indian Journal of Hortiuclture*. 1: 107–19.

Nitsch JP (1953) The physiology of fruit growth. *Annual Review of Plant Physiology*. 4: 199-236.

Noggle GR, Fritz (1976) Introductory Plant Physiology,. Prentice-Hall Inc., USA. pp322.

Nong C, He W, Fleming D (2005) Capillary electrophoresis analysis of mangiferin extracted from *Mangifera indica* L. bark and *Mangifera persiciformis* C.Y. Wu et T.L. Ming leaves. *Journal of Chromatography* B 826:226-231.

Ochse JJ, Soule MJ, Dijkman MJ, Wehlburg C (1961) Tropical and Subtropical Agriculture. *Soil Science* 91(5): 356.

Odyek O, Bbosa GS, Waako P (2007) Antibacterial activity of *Mangifera indica* L. *African Journal of Ecology* 45(1): 13-16.

Ogata JN, Kawano Y, Bevenue A, Casarett LJ (1972) Ketoheotose content of some tropical fruits. *Journal of Agriculture and Food Chemsitry* 20 (1): 113-115.

Ogundipe OT, Kadiri AB, Adekanmbi OH (2009) Foliar epidermal morphology of some Nigerian species of *Senna* (Caesalpiniaceae) *Indian Journal of science and Technology* 2 (10): 5-9.

Ogunrade CS, Saheed SA (2012) Foliar epidermal characters and petiole anatomy of four species of *Citrus* L. (Rutaceae) from south-western Nigeria. *Bangladesh Journal of Plant Taxonomy* 19(1): 25-31.

Okeke SE (2004) The taxonomic position of members of the so called *Dioscorea cayenensis-rotundata* complex (Dioscoreaceae). *Niger Journal of Botany* 17:95-103.

Olowokudejo JD (1987) Taxonomic valye of petiole anatomy in the genus Biscutella L. (Cruiciferae) *Bulletin du Jardin Botanique Naitonal de Belgique- Bulletin van de Nationale Plantentuin van Belgie* 57:307-320.

Ozdemir C, G Senel (1999) The morphological, anatomical and karyological properties of *Salvia sclarea* L. *Turkish journal of Botany*, 23:7-18.

Ozdemir C, G Senel (2001) The morphological, anatomical and karyological properties of *Salvia forskahlei* L. (Lamiaceae) in Turkey. *Jornal of Economic and Taxonomic Botany*, 297-313.

Pacheco-Trejo J, Terrazas T, Ochoterena H (2009) Leaf architecture of the genus *Didymaea* Hook. f. (Rubiaceae). *Plant systematics and evolution 281*(1-4): 137-149.

Palaniswamy KP, Muthukrishnan CR, Shanmugavelu KG (1974) Physico-chemical characteristics of some varieties of mango. *Indian Food Packer* 28:12-19.

Paliwal GS (1966) Structure and ontogeny of stomata in some Acanthaceae. *Phytomorphology* 16: 527-532.

Paliwal GS, Bhandari NN (1962) Stomatal development in some Magnoliaceae. *Phytomorphology* 12: 409-412.

Pandey RM, Rao MM, Singh RN (1974) Biochemical changes in developing mango fruit (*Mangifera indica* L), cv. Dashehari. *Progress in Horticulture* 5: 47-53.

Pant DD, Kidwai P (1964) On the diversity in the development and organization of stomata in *Phyla nodiflora* L. Greene. *Current Science* 33: 653-654.

Pant DD, Kidwai PF (1966) Structure of leaves and stomatal ontogeny in some Pandanales and Spathiflorae. *Senkenberrgiana Biologica* 47: 309-333.

Pant DD, Banerji R (1965) Epidermal structures and development of stomata in some Convolvulaceae. *Senckenberrgiana Biologica* 46:155-173.

Pant DD, Mehra B (1963) Development of caryophyllaceous stomata in Asteracantha longifolia Nees. *Ibid* 27: 647-52.

Parikh HR, Nair GM, Modi V V (1990) Some structural changes during ripening of mangoes (*Mangifera indica* var. Alphonso) by abscisic acid treatment. *Annals of Botany*, 65(2), 121-127.

Pataky S (1969) Leaf epidermis of Salix. In: Anatomy of the Dicotyledons, Vol.1 2nd Eds (Eds. C.R. Metcalfe and L. Chalk) Clarendon Press, Oxford, pp 100.

Patel RC, Inamdar JA (1971) Structure and ontogeny of stomata in some Polemoniales. *Annals of Botany* 35:389-409.

Pathak N, Sanwal GG (1998) Multiple forms of polygalacturonase from banana fruits. *Phytochemistry* 48: 249-255.

Pathak RA, Pandy RM (1977) A note on the status of mineral content of inflorescences and fruits at different stages of their growth in mango cv.Dusehri. *Indian Journal of Plant Physiology* 20: 41-43.

Pathak SR, Sarada JR (1974) Lipids of mango (*Mangifera indica*). *Current Science* 43: 716-719.

Payne WW (1970) Helicocytic and allelocytic stomata: unrecognized pattern in the dicotyledonae. *American Journal of Botany* 57: 140-147.

Peng ZG, Luo J, Xia LH, Song SJ, Chen Y (2004) Inhibitory effect of mangiferin on the proliferation of K562 leukemia cells., *Journal of Guangxi Medical University*, 21(2): 168-170.

Pesis E, Fuchs Y, Zauberman G (1978) Cellulase activity and fruit softening in avocado. *Plant Physiology* 61:416-419.

Plymale, EC, Wylie RB (1944) The major veins of mesomorphic Leaves. *American Journal of Botany 42:* 18-27.

Poncher S, Rojas R, Bornemisza (1993) Seasonal variation of nutrients in mango (*Mangifera indica* L.) trees on three soils of dry pacific region of Costa Rica. I Macronutrients. *Agronomica Costarricense* 17: 21-30.

Popenoe (1932) Manual of Tropical and Subtropical Fruits. Macmillan Co., New York.

Popenoe W (**1917)** The Pollination of the mango. USDA, Washington DC.

Popenoe W (1920) Manual of Tropical and Subtropical Fruits, 474pp. The Macmillan Co., New York.

Popenoe W (1939) Manual of Tropical and Sub-tropical Fruits. The MacMillian Co., New York.

Pratt HK, Goeschl JD (1969) Physiological roles of ethylene in plants. Ann Rev *Plant Physiology* 20: 541-584.

Quintana EG, Nanthachai P, Hiranpradit H, Mendoza Jr DB, Kesta S (1984) Changes in mango during growth and maturation. In: Mango: Fruit development, post-harvest physiology and marketing in ASEAN. Mendoza Jr DB and Wills RBH (Eds.) AFHB, Malaysia.p.21.

Ragaland CH (1934) The development of peach fruit, with special reference to split-pit and gumming. *Proceedings of the American Society for Horticulture Science* 31: 1-21.

Raghupati HB, Bhargava BS (1994) Concentration and distribution of nutrients in different parts of mango fruit. *South Indian Horticulture* 42:259-267

Rahman MA, Ckushi AJ, Karim AJMS (2009) Growth and yield components of wheat genotypes exposed to high temperature stress under control environment. *Bangladesh Journal of Agriculture Research* 34: 361-372.

Rao NV, Inamdar JA (1983) Leaf architectural studies in the brassicaceae. *The Botanical Magazine Tokyo* 96: 15-28.

Rao S, Giridhar PVN, Prasad PSRK, Rao GN (1970) Optimum maturity and harvesting time of mangoes, var 'Baneshan' (syn. 'Banganapalle') I. Physio-morphological features of fruit vs. maturity. *Indian Journal of Horticulture* 27:117-122.

Rao S, Giridhar PVN, Prasad PSRK, Rao N (1972) Optimum maturity and harvesting time of mangoes, var 'Baneshan' I. Physico-chemical components of fruit vs. maturity. *Indian Journal of Horticulture* 29:126-134.

Rao VS, Inamdar JA (1985) Leaf architecture in cultivars of cotton. *Phyton* 52 (1): 65-72.

Ravindranath K, Inamdar JA (1982) Leaf architectural studies in the Asteraceae I. *Pakistan Journal of Botany* 14(2): 143-154.

Reeve RM (1954) Fruit histogenesis in *Rubus strigosus* II. Endocarp tissues. *Americal Journal of Botany* 41: 173-181.

Reeve RM (1959) Fruit hsitogenesis in *Rubus strigosus* I. Outer epidermis, parenchyma and receptacle. *Americal Journal of Botany* 41:173-181.

Rezaei Nejad A, Harbinson J, van Meeteren U (2006) Dynamics of spatial heterogeneity of stomatal closure in *Tradescantia virginiana* altered by growth at high relative humidity. *Journal of Experimental Botany* 57: 3669-3678.

Rhodes MJC (1980) The maturation and ripening of fruit, Senescence in plants (KV Thimman, ed.) CRC Press, Boca Raton, FL.

Ribeiro SMR, Barbosa LCA, Queiroz JH (2008) Phenolic compounds and antioxidants capacity of Brazilian mango (*Mangifera indica* L.) varieties. *Food Chemistry* 110: 620-626.

Rivera DG, Balmaseda IH, Leon AA, Hernandez BC, Montiel LM, Garrido GG, Cuzzocrea S, Hernanadez RD (2006) Anti-allergic properties of *Mangifera indica* L. extract (Vimang) and contribution of its glucosylxanthone mangiferin . *Journal of Pharmacy and Pharmacology* 58(3): 385-392.

Rizvi AF, Tong CH (1997) Fractional conversion for determining texture degradation kinetics of vegetables. *Journal of Food Science* 62: 1-7.

Robbani M, Sharfuddin AFM, Rabbani MG (1996) Effect of growing conditions and GA_3 on growth. Yield and quality of Grape CV. ZAKKAO. *Bangladesh Horticulture* 24 (1and2): 71-75.

Rolphs PH (1915) Mangoes in Florida, *University of Florida Agriculture Experimental Station Bulletin* (Cambodiana, Haden). 127.

Roth I (1974) Desarrollo y estrura anatomica del Merey (*Anacardium occidentale* L.) *Acta Botanica Venezuelica* 9: 197-233.

Roth I (1977) Fruits of angiosperms. In Encyclopedia of plant anatomy, K Linsbauer, FG Tischer and Pascher A (Eds) Gebruder Borntraeger, Berlin P 258-291.

Royer DL (2001) Stomatal density and stomatal index as indicators of paleostmospheric CO_2 concentration, *Review of Paleobotany and Palynology* 114: 1-28.

Saadu Ro, Abdulrahaman AA, Oladele FA, (2009) Stomatal complex types and transpiration rates in some tropical tuber species. *African Journal of Plant Science* 3(5): 107-112.

Sachar RC, Chopra RN (1957) A study of the endosperm and embryo in *Mangifera*. *Indian Journal of Agricultural Science* 27: 219-228.

Sadasivam S, Manickam A (1992) Biochemical method for agricultural sciences. Wiley Eastern Limited, New Delhi, India.

Sadhu MK, Bose TK (1976) Studies on mango cultivars part I: Morphological and physicochemical studies of some promising mango cultivars of the district Mursidabad, West Bengal. *Indian Food Packer* 30: 24-32.

Sadhu MK, Bose TK (1982) Studies on mango (*Mangifera indica* L.) cultivars II Morphological and Physico-chemical studies of some promising mango cultivars of the district Murshidabad, West Bengal. *Indian Agric*ulture 26: 243-256.

Saini SS, Singh RN, Paliwal GS (1971) Growth and development of mango (*Mangifera indica* L.) fruit. I. Morphology and cell division**.** *Indian Journal Horticulture* 28: 247-256

Salimpour F, Mazooji A, Onsori S (2009) Stem and leaf anatomy of ten *Geranium* L. species in Iran. *African Journal of Plant Science* 3(11): 238-244.

Salisbury EJ (1927) On the cause and ecological significance of stomatal frequency with special reference to the woodland flora. Philosophical Transaction of the Royal Society of London. *Biological Science* 216: 1-65.

Sanchez GM, Re L, Giuliani A (2000) Protective effects of *Mangifera indica* L. extract, mangiferin and selected antioxidants against TPA-induced biomolecules oxidation and peritoneal macrophage activation in mice. *Pharmacological Research* 42(6): 565-573.

Sarkar A, Sreenivasan Y, Ramesh GT (2004) β-d-glucoside suppresses tumour necrosis factor induced activation of nuclear transcription factor KB but potentiates apoptosis. *Journal of Biological Chemistry* 279: 33768-33781.

Scartezzini P, Speroni E (2000) Review on some plants of Indain traditional medicine with antioxidant activity. *Journal of Ethnopharmacology* 71:23-43.

Schofield EK, (1968) Petiole anatomy of Guttiferae and related families.Mem. *Journal of New York Botanical Garden*18:1-55.

Sehgal L, Paliwal GS (1974) Studies on the leaf anatomy of *Euphorbia* II Venation Patterns. *Botanical Journal of Linnean Society* 68: 173-208.

Selles AJN, Catro HTV, Aguero-Aguero J, Gonzalez-Gonzalez J, Naddeo F, Simone De, Rastrelli L (2002) Isolation and quantitative analysis of phenolic antioxidants, free sugars and polyols from mango (*Mangifera indica* L) stem bark aqueous decoction used in Cuba as a nutritional supplement. *Journal of Agricultural and Food Chemistry* 50: 762-766.

Selvaraj Y, Kumar R (1994) Enzymatic regulation in ripening mango fruit. *Indian Journal of Horticulture* 51: 316-323.

Selvaraj Y, Kumar R, Pal DK (1989) Chnages in sugars, organic acids, amino acids lipid constituents and aroma characteristics of ripening mango (*Mangifera indica* L.) fruit *Journal of Food Science and Technology* 26: 308-313.

Sen PK (1939) Annual report, Fruit Research Station, Sabour (Bihar), India

Sen PK, Malik PC (1941) The time of differentiation of the flower-bud of the mango. *The Indian Journal of Agriculture Sciences* XI (Part 1): 74-79.

Sen PK, Sen SK, Guha D (1963) Carbohydrates and nitrogen contents of mango shoots in relation to fruit bud differentiation. *India Agriculturist* 7: 133-138.

Seymour GB, Wainwright H, Tucker GA (1989) Cell wall changes in ripening mangoes. *Aspects of Applied Biology*. 20: 93.

Shafiq MZ, Ibrahim M, Helali MOH, Biswas SK (2006) Studies on the Physiological and Biochemical compostion of different mango cultivars at various maturity levels. *Bangladesh Journal of Scientific and Industrial Research* 41(1-2): 101-108.

Sharaf A, Ahmed FA, El-Saadany SS (1989) Biochemical changes in some fruits at different ripening stages. *Food Chemistry* 31 (1): 19-26.

Sharma BG, Albert S, Dhaduk HL (2011) An approach to identify different varieties of *Mangifera indica* L. using morphological traits. In "Plant environment interaction" Pointer Publishers, India. pp 105-115.

Shashirekha MS, Patwardhan MV (1976) Changes in aminoacids, sugars and non volatile organic acids in a ripening mango fruit (*Mangifera indica* L. Badami variety) *Lebens Wissens Technology*. 9: 369-370.

Shastry V, Haldankar A, Kadam N (2009) HPLC estimation of mangiferin in *Salacia chinensis* L. *Asian Journal of Chemistry* 21 (9): 6679-6682.

Simao RA, Silva APFB, Peroni, FHG, do Nascimento, JRO, Louro, RP, Lajolo FM, Cordenunsi BR (2008) Mango starch degradation. I. A microscopic view of the granule during ripening. *Journal of agricultural and food chemistry*, *56*(16), 7410-7415.

Singh BN, Sheshagiri PVV, Gupta SS (1937) Response of the respiratory system in mango and guava to alternation in the concentration of oxygen and nitrogen. *Annals of Botany London* 1:311.

Singh D (1967) Varieties and Nomenclature. In " The Mango- A Handbook, ICAR, New Delhi.

Singh D, Chundawat B (1991) Post harvest treatments of ripening changes and quality of mango fruits cvs 'Kesar' and 'Amrapali'. *Acta Horticulturae* 291: 389-403.

Singh DB, Chundawat BS (1991) Mango II. *Acta Horticulturae*. Leonard Hill, London, 2nd eds. 291: 472.

Singh LB (1959) Movement of the flowering substances in the mango (*Mangifera indica* L.) leaves. *Advance in Horticultural science* 32:20-27

Singh LB, Singh RN (1956) A monograph on the mangoes of Uttar Pradesh. Superintendent of Printing, Lucknow, India.

Singh RN (1954) Studies in floral biology and subsequent development of fruit in the mango (*Mangifera indica* L.) varieties Dashehari and Langra. *Indian Journal horticulture* 11:1

Singh RN (1958) Studies in the differentiation and development of fruit-buds in mango (*Mangifera indica* L.). II. Morphological and histological changes. *Indian Journal horticulture* 5:96-106.

Singh RN (1960) Studies in the differentiation and development of fruit buds in mango (*Mangifera indica* L.) IV. Periodical changes in the chemical composition of shoots and ther relation with fruit bud differentiation. *Indian Journal horticulture* 4:48.

Singh RN (1966) Sex expression in mango (*Mangifera indica* L.) with reference to prevailing temperature. *Proceeding of The American Society Hort Sci* 89:229

Singh RN (1990) Mango. Indian Council Agricultural Research, New Delhi, India.

Singh RN, Mazumdar PK, Sharma DK (1965) Studies on the bearing behavior of some south Indian varieties of mango under north Indian conditions. *Tropical Agriculture* 42:171-174.

Singh UP, Singh DP, Singh M, Maurya JS, Srivastava RB, Singh SP (2004) Characterization of phenolic compounds in some Indian mango varieties. *International Journal of Food Science and Nutrition* 55: 163-169.

Singh V, Jain DK, Sharma M (1976) Leaf architecture in *Salix. Journal of Indian Botanical Society* 55: 140-150.

Singh VK (2006) Physiological and biochemical changes with special reference to mangiferin and oxidative enzymes level in malformation resistant and susceptible cultivars of mango (*Mangifera indica* L.) *Scientia Horticulturae*, 108(1): 43-48.

Singh Z, Dhillon BS (1987) Occurrence of malformin-like substances in seedling of mango (*Mangifera indica* L.). *Journal of Phytopathoogyl* 120: 245-248.

Spence RD (1987) The problem of variability in stomatal responses, particularly aperture variance, to environmental and experimental conditions. *New Phytologist* 107: 303-315.

Stace CA (1965) Cuticular studies as an aid to plant taxonomy, Bulletin of the British Museum (Natural History), Botany. 4: 3-78.

Stafford AE (1984) Mango. In Handobook of Tropical foods pp. 399-432. HT Chan Jr Editor. New York/Basel: Marcel Dekker.

Stahl A (1935) Changes in composition of Florida avocados in relation to maturity. Bulletin of the University of Florida, *Agricultural experimental station* 259: 1-61.

Sturrock D (1951) Frost protection of young mango trees. Mango studies, Florida Mango Forum.

Sturrock TT (1934) Flower-bud formation in the mango. Univ. of Florida Res. Pub. (Cf Review from a bibliography of the mango (*Mangifera indica* L.). by M.J. Soule Jr., Florida Mango Forum, Univ, Miami, p.24, E.52.

Subramanyam H, Gouri S, Krishnamarthy S (1976) Ripening behavior of mango fruit graded on specific gravity basis. *Journal of food science and technology* 13(2): 84-86.

Tahir FM, Ibrahim M, Hamid K (2003) Seasonal variation in nutrient concentration of bearing and non bearing terminals in Mango (*Mangifera indica* L.) *Asian Journal of Plant Sciences* 2(1): 113-115.

Tandon DK, Kalara SK (1984) Pectic changes during the development of mango cv. 'Dashehari'. *Journal of Horticultural Science* 59: 283-6.

Tandon DK, Karla SK (1983) Studies on maturity of developing mango fruit cv. Dashehari. *Plant Physiol Biochemistry*, 10:113.

Tandon DK, Karla SK (1986) Studies on developing mango fruits to assess maturity. *Indian Journal of Horticulture* 43: 51-59.

Tang M, YX Hu,JX Lin (2002) Developmental mechanism and distribution pattern of stomatal clusters in *Begonia peltatifolia*. *Acta Botanica Sinica* 44: 384-390.

Teaotia SS, Singh RD, Maurya VN (1968) Studies on maturity standards for *Mangifera indica* L. cv. 'Langra'. *Indian Journal of Horticulture* 25:24.

Tetley U (1930) A study of the anatomical development of the apple and some observations on the "pectic constituents" of the cell walls. *Journal of Pomology and Horticulture Science* 8: 153-172.

Tetley U (1931) The morphology and cytology of the apple fruit with special reference to the Bramley's seedling variety. *Journal of Pomology and Horticulture Science*. 9: 278-297.

Thimmaiah SK (1999) Standard methods of biochemical analysis. Kalyani publisher, New Delhi.

Thimmappaiah, Suman CL, Suman (1987) Sex ratio in relation to fruit set and fruit yield in mango. *Punjab horticulture Journal* 27: 8-11.

Tomlinson PB (1974) Development of the stomatal complex as a taxonomic character in the monocotyledons. *Taxon* 23 (1): 109-128.

Tripathi JS (1980) Note on post-harvest changes during storage and ripening of Gaurjeet mango fruits. *Current agriculture*.

Tucker GA, Grierson D (1987) Fruit ripening. In: "The Biochemistry of Plants". Davies (Ed.) vol. 12. Academic Press Inc, New York, pp. 265-319.

Tukey HB (1936) Development of cherry and peach fruits as affected by destruction of the embryo. *Botanical Gazette* 98 (1): 1-24.

Turner GW, Berry AM, Gifford EM (1998) Schizogenous secretory cavities of *Citurs limon* (L.) Burm.f and re-evaluation of the lysigenous gland concept. *International Journal of Plant Science* 159: 75-88.

Ulmert Y (1970) Black knot on fruits leaves and branches of mango trees. MSc thesis, Hebrew University of Jerusalem, Rehovoth. (Hebrew).

Urban L, Lu P, Thibaud R (2004) Inhibitory effect of flowering and early fruit growth on leaf photosynthesis in mango. *Tree Physiology* 24: 387-399.

Van Buren JP (1979) The chemistry of texture in fruits and vegetables. *Journal of Texture Studies* 10:1-23.

Van Cotthem W (1970) A classification of stomatal types. *Botanical Journal of Linnean Society* 63 : 235-246.

Verghese TM (1969) A contribution to the foliar venation of *Scrophulariaceae.*In: Choudhary K. A. (ed.), In: "Recent advances in the anatomy of tropical seed plants", Hindustan publishing corporation, Delhi, India. pp. 253-266

Vijay P, Malik SK, Srivastava GC (2007) Intervareital differences in the surface morphology and anatomy of Mango (*Mangifera indica* L) fruit. *Phytomorphology* 57(3-4): 211-220

Vogel S (1994) Life in moving fluids. Princeton, Princeton University Press.

Voragen AGJ, Pilnik W, Thibault JF, Axelos MAV, Renard CMCG (1995) Pectins. In: Food Polysaccharides and their Applications. Stephen AM (ed.). Marcel Dekker, Inc. New York. Pp. 287-339.

Wagner WL, Lorence DH (1998) A new, dioecious species of Heydyotis (Rubiaceae) from Kaua'i, Hawaiian Islands and the taxonomy of Kaua'I Heydyotis schlechtendahliana resolved. *Novon* 31: 1-317.

Waldron KW, Smith AC, Parr AJ, Ng A, Parker ML (1997) New approaches to understanding and controlling cell separation in relation to fruit and vegetable texture. *Trends Food Science and Technology* 8: 213-221.

Wali YA, Hassan YM (1965) Qualitative Chromatographic survey of the sugars prevailing in some horticultural crops. *Proceedings of American Society of Horticulture Science* 87:264-269.

Walther H (1998) Die Tertiarflora von Hammerunterwiesenthal (Freistaat Sachsen). Abhandlungen des Staalichen Museums Fur Mineralogie und Geologie zu Dresden 43/44: 239-264.

Wang H, Ngwenyama N, Liu Y, Walker JC Zhang S (2007) Stomatal development and patterning are regulated by environmentally responsive mitogen activated protein kinases in *Arabidopsis*. Plant Cell 19: 63-73.

Wardlaw, Leonard (1936) The storage of West Indian mangoes. Low Temperature Research Station Memoir 3:47.

Watt BK, Merril LA (1963) Composition of Food, Agricutlrue Handbook No.8, US Department of Agriculture, Washington, DC.

Watt G (1891) Dictionary of Economic Products of India.

Webster GL (1956) A monographic study of West Indian species of *Phyllanthus Journal of the Arnold Aroboretum* 39: 49-100, 111-212.

Webster GL (1958) A monographic study of West Indian species of *Phyllanthus Journal of the Arnold Aroboretum* 37: 91-122, 217-268, 340-359.

Wester (1920) A descriptive list of mango varieties in India. Philip. *Agriculture Review*.8

Wester PJ (1924) Descriptive list of mango varieties in India. Philip. *Agriculture Review.* 17 (4):283-92.

Wilson CW III Shaw PE, Knight RJ Jr. (1990) Importance of some lactones and 2, 5-dimethyl-4-hydroxy-3 (2H)-furanone to mango (*Mangifera indica* L.) aroma. *Journal of Agriculture and Food Chemistry* 38: 1556-1559.

Wood LL, Murray BJ, Okatan Y, Nooden (1986) Effect of petiole phloem distribution on starch and mineral distribution in senescing soybean leaves. *American Journal of Botany* 73:1377-1383.

Woodhouse EJ (1909a) Mangoes in Bhagalpur. A preliminary note. *Quarterly journal of the department of Bengal* 2:168.

Woodhouse EJ (1909b) The mangoes of Bihar. *Ibid* 2: 283.

Yamaki S, Kakiuchi N (1979) Changes in hemicellulose degrading enzymes during development and ripening of Japanese pear Fruit. *Plant and Cell Physiology* 20:301-309.

Yashoda HM (2003) Biochemical basis of textural softening in mango during ripening. Thesis, central food technological research institute, University of Mysore.

Yi Gan, Zhou L, Shen ZJ, Shen ZX, Zhang YQ, Wang GX (2010). Stomatal clustering, a new marker for environment perception and adaptation in terrestrial plants. *Botanical studies* 51: 325-336.

Yoshikawa M, Nishida N, Shimoda, H, Takada M, Kawahara Y., Matsuda H, (2001) Polyphenol constituents from Salacia species: quantitative analysis of mangiferin with α-glucosidase and aldose reductase inhibitory activities. *Yakugaku Zasshi* 121, 371-378.

Yoshimin N, Matsunaga K, Katayama M (2001) The inhibitory effects of mangiferin, a naturally occyirng glycosylxanthone, in bowel carcinogenesis of male F344 rats. *Cancer Letter* 163 (2): 163-170.

Zainon MA, Chin LH, Hamid L (2004) A comparative study on wall degrading enzymes, pectin modification and softening during ripening of selected tropical fruits. *Plants science* 167: 317-327.