TABLE OF CONTENTS

CHAPTER 1: INTRODUCTION..... 25-37

1.1 Importance of Medicinal plants..... 25-26

1.2 Plant tissue culture and its importance…… 26-28

1.3 Role of Plant Growth Regulators (PGR's) in plant tissue culture.....28

1.4 Metabolites from plants and their importance…….....29

1.5 Mutation and its importance……..... 29-30

1.6 In vitro mutagenesis and its application in plant tissue culture…….....…30- 31

1.7 Selection of *Portulaca* spp. as experimental plant…….....31

1.7.1 *P oleracea* Linn……. 31- 32

1.7.1.1 *P oleracea* - source of fatty acids……..32- 33

1.7.2 *P grandiflora* Hook……..33- 34

1.7.2.1 *P.grandiflora*-source of betalains…….…….....34- 35

1.8 Rationale of the selection of *P oleracea* and *P grandiflora* for the present studies…36

1.9 Hypothesis for the present studies…….…….…36

1.10 Objectives.....……..……....37

CHAPTER 2: REVIEW OFLITERATURE……..…..39- 53

2.1Plant Regeneration Studies……..……39

2.1.1Role of plant growth regulators in regeneration of shoots……..…..39- 41

2.1.2 Role of plant growth regulators in regeneration of callus……....41- 42

2.1.3 Elongation of the in vitro shoots……..….42- 43

2.1.4 Rooting of in vitro shoots……..…..43

2.2 Metabolite Studies……...…….43

2.2.1Metabolites from invivo plants and in vitro cultures……..43-44

2.2.2Fatty acid profile in plants and in vitro cultures……..……..44- 45

2.2.2.1*P oleracea*- a source of fatty acid…….....45

2.2.3 Betalains are a source of food colour……..…….....46

2.3 Mutation Studies……..……46

2.3.1Mutation in plants……..46- 47

2.3.2 Role of Physical mutagens in inducing mutagenesis within in vitro cultures……47

2.3.3Role of chemical mutagens in inducing in vitro mutagenesis……. ….47- 48
2.3.4 Role of EMS in tissue culture……...……...…48- 50
2.3.5 Effects on metabolite content by in vitro mutagenesis…….....50- 51
2.3.6 Effect on fatty acid content…….52
2.3.7Mutation induction in *Portulaca*……..…52- 53

CHAPTER 3: MATERIALS AND METHODS……...…....…55- 74
3.1 Source of plant material ……..…..……...55
3.2 Glassware…….55
3.3 Chemicals……..56
3.4 Plant Regeneration Studies…….56
3.4.1 Instruments and Equipments ..……...56
3.4.2 Preparation of Murashige and Skoog's Medium (1962)……..56- 57
3.4.2.1 Macro nutrients……..57- 58
3.4.2.2 Micro nutrients…...……..58
3.4.2.3 Iron stock solution……...…….58
3.4.2.4 Vitamin stock solution……...……..59
3.4.2.5 Stock solutions of PGR's……..……..59
3.4.2.6 Additives……...…….59- 60
3.4.2.7 Modified macronutrient and micronutrient stock solution for shoot tip necrosis studies (*P grandiflora*)…… 60
3.4.3 Carbon Source……..……...61
3.4.4 Gelling agent……..…….61
3.4.5 Medium preparation……..……..61
3.4.5.1 Addition of GA_3 to the medium……..…….....61
3.4.6 Inoculation of the explant on the medium……...……61
3.4.6.1 Surface sterilization of the explant……...……...……..…62
3.4.6.2 Procedure of inoculation……...……...62
3.4.6.3 Incubation conditions……...……...62
3.4.7 Regeneration from in vivo leaf explant……...……..62-63
3.4.8 Multiplication and elongation of in vitro shoots……...……..63
3.4.9Regeneration from in vitro leaf explants…….....63
3.4.10 Regeneration from nodal explant for *P grandiflora*…….....64
3.4.10.1 Study of shoot tip necrosis in *P grandiflora*……...…….....64

3.4.11 Rooting of micro shoots……..... 64- 65
3.4.12Establishment of callus cultures……..……65- 66
3.4.12.1*P oleracea*……..……..66
3.4.12.2 *P grandiflora*……..66
3.4.13 Histology of regenerative leaf……..…….....66
3.5 Metabolite Studies……..……67
3.5.1Instruments and Equipments……...…….....67
3.5.2 *P oleracea*-Fatty acids…..…….……68
3.5.2.1 Plant Material…….……68
3.5.2.2 Preparation of chemicals…….……68
3.5.2.3 Preparation of sample for the extraction of fatty acids……68-69
3.5.2.4Test of fats…….……..…69
3.5.2.5 Esterification of fatty acids…….…….....69
3.5.2.6 Fingerprinting of fatty acids…….…69-70
3.5.2.7 Mass Spectrometry for identification of fatty acids…….…….70
3.5.3 *P grandiflora*-Betalains……..……...71
3.5.3.1 Preparation of McIlvaine's Buffer …….……...71
3.5.3.2 Extraction of Betalains……..……...……71
3.5.3.3 Paper chromatography of Betalain……..…...71
3.5.3.4 Spectrophotometric analysis……..…….....72
3.6 Mutation Studies……..……...73
3.6.1 Instrument……..……...73
3.6.2Preparation of Ethyl methane sulphonate (EMS)……...……...73
3.6.3Treatment of the in vitro leaves with EMS……..…….....73
3.6.4 Estimation of LC50 Concentration……..73
3.6.5 Inoculation of the EMS treated explants on an optimized media…….....73
3.6.6Study of the EMS treated in vitro shoots and callus……...…….....74
3.6.7 Histology of EMS treated in vitro leaf explants…….....74
3.7 Statistical Analysis……..……74

CHAPTER 4: RESULTS……..……..76-185
4.1 Plant Regeneration Studies……..…….....76
4.1.1 Effect of PGR's on leaf explants of *P oleracea*……...……....76
4.1.1.1 Effect of individual cytokinins (BA/Kin)……76-79

4.1.1.2 Effect of individual auxins (IAA/NAA/2,4D)……..…..79- 82
4.1.1.3 Effect of synergistic cytokinins (BA and Kin) …….....….82- 83
4.1.1.4 Effect of synergistic cytokinins and auxins (BA/Kin and IAA/NAA/2,4D)....83-101
4.1.1.5 Elongation of in vitro shoots obtained on an optimized media……...……101-103
4.1.1.6 Histological study of differentiating leaf explants in *P oleracea*.…..…....…...103-104
4.1.1.7 Regeneration from in vitro leaf explants…….....….104-106
4.1.1.8 Rooting of the microshoots……...……..106-108
4.1.2 Effect of PGR's on leaf/nodal explants of *P grandiflora*…….....….…109
4.1.2.1 Effect of individual cytokinins (BA/Kin)……...……109
4.1.2.2 Effect of individual auxins (IAA/NAA/2,4D)…….…..……109
4.1.2.3 Effect of synergistic cytokinins (BA and Kin)…… ……..……109-111
4.1.2.4 Effect of synergistic cytokinins and auxins (BA/Kin and IAA/NAA/2,4D)...112-121
4.1.2.5 Multiplication and elongation of in vitro shoots…….……..…121-123
4.1.2.6 Histological study of differentiating leaf explants in *P grandflora*…....……..125-126
4.1.2.7 Regeneration from in vitro leaf…….……...….127
4.1.2.8 Regeneration from nodal explants……127-128
4.1.2.9 Control of Shoot tip Necrosis……...128-132
4.2 Metabolite Studies……133
4.2.1*P oleracea*……...……..133
4.2.1.1 Extraction of oil by soxhlet apparatus……...…….……..133
4.2.1.2 Qualitative test for the presence of fat…….133
4.2.1.3 Estimation for the presence of total fat……141
4.2.1.4 Fingerprinting of the fatty acids present in the in vivo and in vitro sample…..141-144
4.2.1.5 Gas chromatography and Mass spectrometry of the in vivo and in vitro samples.....144-150
4.2.2 *P grandiflora*……...…….…….…151
4.2.2.1Paper chromatography of the standard and whole plant of *P grandiflora*…….….151
4.2.2.2 Effect of sodium ascorbate on the content of betalains……..……151-155
4.3 Mutation Studies……...……..…155
4.3.1*P oleracea*.…….....……...…155
4.3.1.1 Determination of Lethal Concentration 50 (LC50)……..……..155-156
4.3.1.2 Effect of different doses of EMS (0.1-1%) on in vitro leaf explants of *P oleracea*.....156-162
4.3.1.3 Fatty acid fingerprinting of the in vitro culture obtained after EMS

treatment….....…162-172
4.3.1.4 Mass spectrometry of the fatty acids present in EMS treated samples……..…173-183
4.3.1.5 Histological study of in vitro shoot cultures initiated from EMS treated explants.....184-185

CHAPTER 5: DISCUSSION……..……187-211
5.1 Plant Regeneration Studies……..……..187-188
5.1.1 *P oleracea*…….188
5.1.1.1 Individual cytokinins induced shoot buds and in vitro shoots……..……..188-189
5.1.1.2 Individual auxins induced roots and callus ……...…...….189
5.1.1.3 Synergistic cytokinins enhanced the rate of regeneration……...……190-191
5.1.1.4 Response of synergistic cytokinin and auxins shifted to indirect organogenesis.....191-193
5.1.1.5 Multiplication and elongation of in vitro shoots…….193-194
5.1.1.6 Regeneration from in vitro leaf explants……194
5.1.1.7 Rooting of the in vitro shoots……..194-195
5.1.1.8 Optimization of callus biomass and callus growth index……...……195
5.1.2 *P grandiflora*…….195
5.1.2.1 Individual cytokinins or auxins induced low response……..….195-196
5.1.2.2 Cytokinins differentiated shoot buds at high concentration…….....……196
5.1.2.3 Combination of cytokinins and auxins induced shoot bud differentiation..…...196-197
5.1.2.4 Young leaf explants had a high regenerative potential…….....…....198
5.1.2.5 Multiplication of in vitro shoots on high concentration of BA…..……....198
5.1.2.6 Elongation of shoots with GA_3.....199
5.1.2.7 Invitro leaf explants has less regenerative capacity…….....……..199
5.1.2.8 Cytokinins induced regeneration from nodal explants……...…..199
5.1.2.9 Shoot tip necrosis is reduced in presence of high level of Ca^{2+}……...……..199-200
5.2 Metabolite Studies…… ……200
5.2.1 *P oleracea*…….....……201
5.2.1.1 Fat content in the in vivo and in vitro samples…….....……201-202
5.2.1.2 Fatty acid fingerprinting of in vivo and in vitro samples……...……202-204
5.2.1.3 Occurrence of long chain fatty acids in cultures……...…204
5.2.2 *P grandiflora*…….205
5.2.2.1 Beetroot is utilized as a standard for analysis of betalain ……..… 205

5.2.2.2 Betalain content was highest in the stem of the plant…… ..205-206
5.2.2.3 Sodium ascorbate in the samples stabilizes betalain content……..….....206

5.3 Mutation Studies……...…….207
5.3.1 *P oleracea*……..……207
5.3.1.1 EMS is a suitable chemical mutagen to induce mutation……..207
5.3.1.2 Determination of LC50 dose…….208
5.3.1.3 The number of EMS treated in vitro shoots per explant was less than Control 208-209
5.3.1.4 Callus biomass decreased in EMS treated explants……..... 209
5.3.1.5 Alterations in metabolite in EMS treated cultures…...…….. 209-211

CHAPTER 6: CONCLUSION…….....213-217
6.1 Plant Regeneration studies…….213-215
6.2 Metabolites Studies…….215-216
6.3 Mutation Studies…….....…..216-217
6.4 Outcome of the studies……...……217

CHAPTER 7: BIBLIOGRAPHY……...219-247
Appendices……249-304
Plagiarism Reports……. .305-310
Publications……....……...312-323