

BIBLIOGRAPHY

6 BIBLIOGRAPHY

- Bailey, I.W. 1944. The development of vessels in angiosperms and its significance in morphological research. *Amer. J. Bot.* 31:421-428.
- Bailey, I.W. 1956. Nodal anatomy in retrospect. *J. Arnold Arbor.*, Harv. Univ. 37:269-287.
- Balfour, E.E. and W.R. Philipson. 1962. The development of the primary vascular system in certain dicotyledons. *Phytomorphology* 12:110-153.
- Beck, C.B., R.Schmid and G.W. Rothwell. 1982. Stelar morphology and the primary vascular system of seed plants. *Bot. Rev.*48 : 691-815.
- Behnke, H.D. and R.D. Sjolund. 1990. Sieve elements: Comparative Structure, Induction and Development. Springer-Verlag, Germany.
- Benzing, D.H. 1967. Developmental patterns in stem primary xylem of woody Ranales. I. Species with unilacunar nodes. *Amer. J. Bot.* 54 : 813-820.
- Berlyn, G.P. and J.P. Miksche. 1976. *Botanical Microtechnique and Cytochemistry*. IOWA State Univ. Press, Ames, IOWA.
- Butterfield, B.G. 1976. The ontogeny of the vascular cambium in Hoheria angustifolia Raoul. *New Phytol.* 77 : 409-420.
- *Candolle, C.De. 1879. Anatomie compare des fernilles chez quelques familles de dicotyledones. *Mem. Soc. Phys. Hist. Nat. Geneva* 26:427-480. (From Howard, 1974).
- Catesson, A.M. 1964. Origine, fonctionnement et variations cytologiques saisonnieres du cambium de l'. Acer pseudoplatanus L. *Ann. sci. nat. Bot.* (Ser.12)5:229-498.
- Catesson, A.M. 1974. Cambial cells. In: A.W. Robards (ed.), *Dynamic Aspects of Plant Ultrastructure*. McGraw-Hill, New York, pp.358-390.
- Chang, Y.P. 1954: *Anatomy of common North American pulpwood barks*. Tappi Monogr. Ser. 14.
- Cheadle, V.I., E.M. Gifford and K. Esau. 1953. A staining combination for phloem and contiguous tissues. *Stain Tech.* 28:49-53.
- Cheadle, V.I. and K. Esau. 1958. Secondary phloem of the Calycanthaceae. *Univ. Calif. Publs. Bot.* 29:397-510.
- Cheadle, V.I. and K. Esau. 1964. Secondary phloem of Liriodendron tulipifera. *Univ. Calif. Publs. Bot.* 36:143-252.

- Colbert, T.T. and R.F. Evert. 1982. Leaf vasculature in sugarcane. *Planta* 156:136-151.
- Cooke, T. 1905. Flora of Presidency of Bombay. Vol. 2.
- Cronshaw, J. 1981. Phloem structure and function. *Annu. Rev. Plant Physiol.* 32 : 465-484.
- Cronshaw, J. and K. Esau. 1968. P-protein in the phloem of Cucurbita. I. The development of P-protein bodies. *J. Cell Biol.* 38:25-39.
- Cronshaw, J. and D.D. Sabnis. 1990. Phloem proteins. In: H.D. Behnke and R.D. Sjolund (eds.), *Sieve elements : Comparative Structure, Induction and Development*. Springer-Verlag, Germany. pp.257-278.
- Cumbie, B.G. 1967. Development and structure of the xylem in Canavalia (Leguminosae). *Bull. Torrey Bot. Club* 111:42-50.
- Cutter, E.G. 1971. *Plant Anatomy. Experiment and Interpretation. Part 2, Organs*. Edward Arnold, London.
- Dave, Y.S. and K.S. Rao. 1981. Seasonal nuclear behaviour in fusiform cambial initials of Tectona grandis L. *Flora* 171 : 299-305.
- Dave, Y.S. and K.S. Rao. 1982. Seasonal activity of the vascular cambium in Gmelina arborea. *IAWA Bull.* 3:59-65.
- De Maria, M.E. and R. Thaine. 1974. Strands in sieve tubes in longitudinal cryostat sections of Cucurbita pepo stems. *J. Exp. Bot.* 25:871-885.
- Dehgran, B. 1982. Comparative anatomy of the petiole and intrageneric relationships in Jatropha. *Amer. J. Bot.* 69: 1683-1695.
- Dengler, R.E. and N.G. Dengler. 1990. Leaf vascular architecture in the atypical C₄ NADP-malic enzyme grass Arundinella hirta. *Can. J. Bot.* 68:1208-1221.
- Devadas, C. and C.B. Beck. 1971. Development and morphology of stelar components in the stems of some members of the Leguminosae and Rosaceae. *Amer. J. Bot.* 58 : 432-446.
- Devadas, C. and C.B. Beck. 1972. Comparative morphology of the primary vascular systems in some species of Rosaceae and Leguminosae. *Amer. J. Bot.* 59:557-567.
- Dickison, W.C. 1975. The bases of angiosperm phylogeny: Vegetative anatomy. *Ann. Missouri Bot. Gard.* 62:590-620.

- Dickison, W.C. 1987. Leaf and nodal anatomy and systematics of Staphyleaceae. Bot. Gaz. 148 : 475-489.
- Dormer, K.J. 1945. An investigation of the taxonomic value of shoot structure in angiosperms, with special reference to the Leguminosae. Ann. Bot. 9:141-153.
- Eames, A.J. and L.H. McDaniels. 1947. An Introduction to Plant Anatomy. 2nd Ed. McGraw Hill, New York.
- Eleftheriou, E. P. and I. Tsekos. 1982. Development of proto-phloem in roots of Aegilops comosa var. thessalica. II. Sieve element differentiation. Protoplasma 113:221-233.
- Elliot, J.H. 1937. The development of the vascular system in evergreen leaves more than one year old. Ann. Bot. 1:107-127.
- Engleman, E.M. 1965. Sieve element of Impatiens sultanii. I. Wound reaction. Ann. Bot. 29:83-101.
- Enright, A.M. and B.G. Cumbie. 1973. Stem anatomy and internode development in Phaseolus vulgaris. Amer. J. Bot. 60: 915-922.
- Esau, K. 1938. Ontogeny and structure of the phloem of Tobacco. Hilgardia 11:343-406.
- Esau, K. 1942. Vascular differentiation in the vegetative shoot of Linum. I. The procambium. Amer. J. Bot. 29:738-747.
- Esau, K. 1943a. Vascular differentiation in the vegetative shoot of Linum. II. The first phloem and xylem. Amer. J. Bot. 30:248-255.
- Esau, K. 1943b. Origin and development of primary vascular tissues in seed plants. Bot. Rev. 9:125-206.
- Esau, K. 1954. Primary vascular differentiation in plants. Biol. Rev. 29:46-86.
- Esau, K. 1965a. Vascular Differentiation in Plants. Holt, Rinehart and Winston, New York.
- Esau, K. 1965b. Plant Anatomy. John Wiley and Sons, New York.
- Esau, K. 1967. Minor veins in Beta leaves : Structure related to function. Proc. Amer. Phil. Soc. 111:219-233.
- Esau, K. 1969. The Phloem: In: W. Zimmermann, P. Ozenda, H.D. Wulff (eds.), In Encyclopedia of Plant Anatomy, Vol. 5(2). Stuttgart : Gebruder Borntraeger, Berlin.
- Esau, K. 1970. On the phloem of Mimosa pudica L. Ann. Bot. 34:505-515.

- Esau, K. 1973. Comparative structure of companion cells and phloem parenchyma in Mimosa pudica. Ann. Bot. 37:625-632.
- Esau, K. 1975. The phloem of Nelumbo nucifera Gaertn. Ann. Bot. 39:901-913.
- Esau, K. 1977. Anatomy of Seed Plants. John Wiley and Sons, New York.
- Esau, K. 1978. Developmental features of the primary phloem of Phaseolus vulgaris. Ann. Bot. 42:1-13.
- Esau, K. and V.I. Cheadle. 1955. Significance of cell divisions in differentiating secondary phloem. Acta. Bot. Neerland. 4:348-357.
- Evert, R.F. 1960. Phloem structure in Pyrus communis L. and its seasonal changes. Univ. Calif. Publs. Bot. 32:127-194.
- Evert, R.F. 1963. Ontogeny and structure of the secondary phloem in Pyrus malus. Amer. J. Bot. 50:8-37.
- Evert, R.F. 1977. Phloem structure and histochemistry. Ann. Rev. Plant Physiol. 28:199-222.
- Evert, R.F. 1980. Vascular anatomy of angiospermous leaves, with special consideration of the maize leaf. Ber. Dtsch. Bot. Ges. 93:43-55.
- Evert, R.F. 1982. Sieve-tube structure in relation to function. Bioscience 32:789-795.
- Evert, R.F. 1984. Comparative structure of phloem. In: R.A. White and W.C. Dickison (eds.), Contemporary Problems in Plant Anatomy. Academic Press, Orlando, Florida. pp.145-234.
- Evert, R.F. 1990. Dicotyledons. In : H.D. Behnke and R.D. Sjolund (eds.), Sieve elements. Comparative structure, Induction and Development. Springer-Verlag, Germany. pp.103-130.
- Evert, R.F. and W.F. Derr. 1964. Slime substance and strands in sieve elements. Amer. J. Bot. 51:875-880.
- Evert, R.F., W. Eschrich and S.E. Eichhorn. 1973. P-protein distribution in mature sieve elements of Cucurbita maxima. Planta 109:193-210.
- Evert, R.F., W. Esrich and W. Heyser. 1978. Leaf structure in relation to solute transport and phloem loading in Zea mays L. Planta 138:279-294.

Ewers, F.W. 1982. Developmental and cytological evidence for mode of origin of secondary phloem in needle leaves of Pinus longaeva (bristlecone pine) and P. flexilis. Bot. Jahrb. Syst. 103:59-88.

Ewers, F.W and R. Schmid. 1981. Longevity of needle fascicles of Pinus longaeva (bristle cone pine) and other North American Pines. Oecologia (Berlin) 51:107-115.

Ewers, F.W. and R. Aloni. 1987. Seasonal secondary growth in needle leaves of Pinus strobus and Pinus brutia. Amer. J. Bot. 74:980-987.

Ezelarab, G.E. and K.J. Dormer. 1963. The organization of the primary vascular system in Ranunculaceae. Ann. Bot. 27:21-38.

Fahn, A. 1982. Plant Anatomy, 3rd ed. Pergamon Press, Oxford, England.

Fahn, A. and I.W. Bailey. 1957. The nodal anatomy and the primary vascular cylinder of Calycanthaceae. J. Arnold Arb. 38:107-117.

Fahn, A., R. Ben-Sasson and T. Sachs. 1972. The relation between the procambium and the cambium. In : A.K.M.Ghouse and M. Yunus (eds.), Research Trends in Plant Anatomy. McGraw-Hill, New Delhi. pp. 161-170.

Fisher, D. G. 1990. Leaf structure of Cananga odorata (Annonaceae) in relation to the collection of photosynthate and phloem loading : Morphology and anatomy. Can. J. Bot. 68: 354-363.

Fisher, D.G. and R.F. Evert. 1982a. Studies on the leaf of Amaranthus retroflexus : Morphology and anatomy. Amer. J. Bot. 69:1133-1147.

Fisher, D.G. and R.F. Evert. 1982b. Studies on the leaf of Amaranthus retroflexus : Quantitative aspects and solute concentration in the phloem. Amer. J. Bot. 69:1375-1388.

Gamalei, Y.V. 1988a. The structural and functional evolution of leaf minor veins. Bot. Zh. 11:1513-1522.

Gamalei, Y.V. 1988b. The taxonomical distribution of the leaf minor vein types. Bot. Zh. 12:1662-1671.

Gendels, T.V. 1989. Structure of the conductive system of the node and petiole with respect to the morphogenesis of woody dicotyledonous leaves. Bot. Zh. 74 : 1154-1160.

- Ghouse, A.K.M. and M. Yunus. 1973. Some aspects of cambial development in the shoots of Dalbergia sisoo. Flora 18: 549-558.
- Ghouse, A.K.M., M.I.H. Khan, S.Khan and A.H. Khan. 1980. A comparative study on the structure of vascular cambium in some Verbenaceae. Phytomorphology 30:32-40.
- Ghouse, A.K.M. and M. Yunus. 1974. Cambial structure in Dalbergia. Phytomorphology 24:152-158.
- Giaquinta, R.T. 1983. Phloem loading of sucrose. Annu. Rev. Plant Physiol. 34:347-387.
- Govindaiah, T.P., K. Sengupta and N. Suryanarayana. 1990. Nodal anatomy in Morus L. Ind. Jr. Ser. 29:159-161.
- Gunckel, J.E. and R.H. Wetmore. 1946. Studies of development in long shoots and short shoots of Ginko biloba L. I. The origin and pattern of development of the cortex, pith and procambium. Amer. J. Bot. 33: 285-295.
- Gunning, B.E.S. 1976. The role of plasmodesmata in short distance transport to and from the phloem. In: B.E.S. Gunning and A.W. Robards (eds.), Intercellular Communication in Plants: Studies on plasmodesmata. Springer, Berlin. pp.203-227.
- Hare, C.C. 1943. The anatomy of the petiole and its taxonomic value. Proc. Linn. Soc. London 155:223-229.
- *Hartig, T. 1837. Vergleichende Untersuchungen uber die Organisation des Stammes der einheimischein waldbaune-Jahresh. Fortsche Fortwiss. Und. Forstl. Naturk.1:125-168. (From Esau, 1969).
- Hernandez, M.N. and D.Driss Ecole. 1990. Identification of future procambial cells during leaf initiation in Lycopersicon esculentum. Can. J. Bot. 68:163-166.
- Hickey, L.J. 1979. A revised classification of the architecture of dicotyledonous leaves. In : C.R. Metcalfe and L.Chalk (eds.), Anatomy of the Dicotyledons, 2nd ed. Vol.1, Clarendon Press, Oxford. pp. 25-39.
- Hong, S.S. and W.Y. Soh. 1993. Early ontogeny of vascular cambium in cotyledonary node of seedlings in Pinus koraiensis S. et. Z. Kor. J. Bot. 36:29-34.
- Howard, R.A. 1963. The vascular structure of the petiole as a taxonomic character. Adv. Hort. Sci. 3:7-13.

Howard, R.A. 1970. Some observations on the nodes of woody plants with special reference to the problem of the 'split-lateral' versus the 'common gap'. Bot. J. Linn. Soc. 63:195-214.

Howard, R.A. 1974. The stem-node-leaf continuum of the dicotyledonae. J. Arnold Arbor. 55:125-181.

Howard, R.A. 1979a. The stem-node-leaf continuum of the Dicotyledonae. In : C.R. Metcalfe and L. Chalk, (eds.) Anatomy of the Dicotyledons. 2nd ed. Vol. 1, Clarendon, Oxford. pp. 76-87.

Howard, R.A. 1979b. The petiole. In: C.R. Metcalfe and chalk (eds.), Anatomy of the Dicotyledons. 2nd ed. Vol. 1. Clarendon, Oxford. pp. 88-96.

*Huber, B. and E. Graf. 1955: Vergleichende Untersuchungen uber die Geleitzellen der Siebrohen - Ber. Deut. Bot. Ges. 68: 303-310. (From Esau, 1969).

Iqbal, M. (ed.) 1990. The Vascular Cambium. Res. Studies Press Ltd., England.

Isebrands, J.G., R.E. Dickison and P.R. Larson. 1976.
14

Translocation and incorporation of C into the petiole from different regions within developing cottonwood leaves. Planta 128 : 185-193.

Isebrands, J.G. and P.R. Larson. 1977a. Organization and ontogeny of the vascular system in the petiole of eastern cottonwood. Amer. J. Bot. 64 : 65-77.

Isebrands, J.G. and P.R. Larson. 1977b. Vascular anatomy of the nodal region in eastern cottonwood. Amer. J. Bot. 64:1066-1077.

Isebrands, J.G. and P.R. Larson. 1980. Ontogeny of the major veins in the lamina of Populus deltoides Bartr. Amer. J. Bot. 67:23-33.

Jarvis, P., R. Thaine and J.W. Leonard. 1973. Structures in sieve elements cut with a Cryostat following different rates of freezing. J. Exp. Bot. 24:905-919.

Johansen, D.A. 1940. Plant Microtechnique. McGraw-Hill, New York.

Kato, N. 1966. On the variation of nodal types in woody plants. J. Jap. Bot. 41:101-106.

Kato, N. 1967. On the variation of nodal types in woody plants. J. Jap. Bot. 42:161-168.

- Khare, P.K. and R. Shankar. 1989. On the petiolar structure of some Asplenium sp. Can. J. Bot 67:95-103.
- Kozlowski, T.T. (ed.), 1973. Shedding of Plant Parts. Academic Press, New York.
- Kramer, P.J. and T.T. Kozlowski. 1979. Physiology of Woody Plants. Academic Press, New York.
- Krishnamurthy, K.V. 1988. Methods in Plant Histochemistry. S. Vishwanathan Publ., Madras.
- Larson, P.R. 1975. Development and organization of the primary vascular system in Populus deltoides according to phyllotaxy. Amer. J. Bot. 62:1084-1099.
- Larson, P.R. 1976. Procambium vs cambium and protoxylem vs metaxylem in Populus deltoides seedlings. Amer. J. Bot. 63:1332-1348.
- Larson, P.R. 1980a. Control of vascularization by developing leaves. In : C.H.A. Little (ed.), Control of Shoot Growth in Trees : Proc. IUFRO Workshop, Fredericton, N.B., Canada. pp. 157-172.
- Larson, P.R. 1980b. Interrelations between phyllotaxis, leaf development and the primary-secondary vascular transition in Populus deltoides. Ann. Bot. 46:757-769.
- Larson, P.R. 1982. The concept of cambium. In : P. Baas. (ed.), New Perspectives in Wood Anatomy. Nijhoff/Junk, The Hague. pp. 85-121.
- Larson, P.R. 1983. Primary vascularization and the siting of primordia. In : J.E. Dale and F.L. Milthorpe (eds.), The Growth and Functioning of leaves. Cambridge Uni. Press, Cambridge, London. pp. 25-51.
- Larson, P.R. 1984a. The role of subsidiary trace in stem and leaf development of the dicotyledonae. In : R.A. White and W.C. Dickison (eds.), Contemporary Problems in Plant Anatomy. Acad. Press, Florida. pp. 109-143.
- Larson, P.R. 1984b. Vascularization of developing leaves of Gleditsia triscanθος I. The node, rachis and rachillae. Amer. J. Bot. 71:1201-1210.
- Larson, P.R. 1986a. Vascularization of a multilacunar species: Polyscias quifoylei (Araceae). I. The stem. Amer. J. Bot. 73:1620-1631.
- Larson, P.R. 1986b. Vascularization of a multilacunar species: Polyscias quifoylei (Araceae). II. The leaf base and rachis. Amer. J. Bot. 73:1632-1641.

Larson, P.R. and J.G. Isebrands. 1974. Anatomy of the primary-secondary transition zone in stem of Populus deltoides. Wood Sci. and Tech. 8:11-26.

Larson, P.R. and T.D. Pizzolato. 1977. Axillary bud development in Populus deltoides. I. Origin and early development. Amer. J. Bot. 64:835-848.

14

Larson, P.R. and R.E. Dickison. 1986. C translocation pathways in honey locust and green ash : woody plants with complex leaf forms. Physiol. Plant. 66:21-30.

Lehmann, J. 1979. Nachweis von ATP und ATPase in den Siebröhren von Cucurbita pepo. Z. Pflanzenphysiol. 94:331-338.

Lersten, N.R. 1962. The pattern of differentiation of procambium and protoxylem in the leaflets of Trifolium. Amer. J. Bot. 49:661.

Longmann, K.A. and J.J. Jenik. 1974. Tropical Forest and its Environment. Longmanns, Green, New York.

Lowerts, G., E.A. Wheeler and R.C. Kellison. 1986. Characteristics of wound - associated wood of yellow-poplar (Liriodendron tulipifera L.) Wood Fiber Sci. 18:537-552.

Majumdar, G.P. 1942. The organization of the shoot in Heracleum in the light of development. Ann. Bot. 6:49-82.

Marsden, M. and I.W. Bailey. 1955. A fourth type of nodal anatomy in dicotyledons illustrated by Clerodendron trichotomum Thunb. J. Arnold Arbor. 36:1-51.

Masuda, T. 1933. Studies on the elongation of petioles in some dicotyledons. Bot. Mag. Tokyo 47:347-370.

Mazia, D., P.A. Brewer and M. Alfert. 1953. The cytochemical staining and measurement of protein with mercuric bromophenol blue. Biol. Bull. 104 : 57-67.

McCauley, M.M. and R.F. Evert. 1988. Morphology and vasculature of the leaf of potato (Solanum tuberosum). Amer. J. Bot. 75:377-390.

McGahan, M.W. 1955. Vascular differentiation in the vegetative shoot of Xanthium chinense. Amer. J. Bot. 42:132-140.

McLean, J. and P.B. Gahan, 1970. The distribution of acid phosphatases and esterases in differentiating roots of Vicia faba. Histochemie 24:41-49.

- Mehta, A.S. 1964. A study of the primary phloem of the petiole of Nymphoides peltatum. J. Ind. Bot. Soc. 53:257-261.
- Mehta, A.S. and D.C. Spanner. 1962. The fine structure of the sieve tubes of the petiole of Nymphoides peltatum. Ann. Bot. 26:291-299.
- Metcalf, C.R. and L. Chalk. 1950. Anatomy of the Dicotyledons. Clarendon Press, Oxford.
- Mitra, G.C. and G.P. Majumdar, 1952. The leaf base and the internode-their true morphology. The Paleobotanist 1:351-367.
- Mohan Ram, H.Y. 1993. Trees : Their uses and biology. Curr. Sci. 64:151-161.
- Mueller, R.J. 1991. Identification of procambium in the primary root of Trifolium pratense (Fabaceae). Amer. J. Bot. 78:53-62.
- Murukesan, V.K. 1993. Seasonal Studies on Phloem in Leaves. Ph.D. Thesis, M.S. University, Baroda, Gujarat.
- Neubauer, H.F. 1979. On nodal anatomy and petiolar vascularization of some Valerianaceae and Dipsacaceae. Phytomorphology 28:431-436.
- Neubauer, H.F. 1981. Der Knotenbau einiger Rubiaceae. Plant Syst. Evol. 139:103-111.
- O'Brien, T.P. and M.E. McCully. 1981. The Study of Plant Structure : Principles and Selected Methods. Termarcarpic Pty. Ltd., Melbourne, Australia.
- Paliwal, G.S. and N.V.R.S.K. Prasad. 1970. Seasonal activity of cambium in some tropical trees. I. Dalbergia sisoo. Phytomorphology 20:333-339.
- Paliwal, G.S. and N.V.R.S.K. Prasad. 1971. Seasonal variation in size of cambial initials in Dalbergia sisoo. Curr. Sci. 40:114-115.
- Paliwal, G.S., N.V.R.S.K. Prasad, V.S. Sajwan and S.K. Aggarwal. 1975. Seasonal activity of cambium in some tropical trees. II. Polyalthia longifolia. Phytomorphology 25:478-484.
- Paliwal, G.S., V.S. Sajwan and S.K. Agrawal. 1976. Seasonal activity of cambium in some tropical trees. III. Salvadora persica L. Acta Soc. Bot. Pol. 45:303-312.
- Pant, D.D. and B. Mehra. 1964. Nodal anatomy in retrospect. Phytomorphology 14:384-387.

Parthasarathy, M.V. 1975. Sieve-element structure. In : M.H. Zimmerman and J.A. Milburn (eds.), Encyclopedia of Plant Physiology. Vol.I. Transport in Plants.1. Phloem Transport. Springer, Berlin-Heidelberg.

Perry, T.O. 1971. Dormancy of trees in winter. Science 171:29-36.

Petrova, M.V. 1983. Anatomical structure of leaves in some Lupinus L. species. Tri. Pri. Bot. Gen. Sci. 74 : 100-108.

Philipson, W.R. and E.E. Balfour. 1963. Vascular pattern in dicotyledons. Bot. Rev. 29:382-404.

Philipson, W.R. and J.M. Ward. 1965. The ontogeny of the vascular cambium in the stem of seed plants. Biol. Rev. 40:534-579.

Philipson, W.R. and M.N. Philipson. 1968. Diverse nodal types in Rhododendron. J. Arnold Arbor. 49:193-224.

Philipson, W.R., J.M. Ward and B.G. Butterfield. 1971. The vascular Cambium : Its Development and Activity. Chapman and Hall, London.

Phillips, I.D.J. 1976. The cambium. In: M.M. Yeoman (ed.), Cell Division in Higher Plants. Acad. Press, New York. pp.347-390.

Pimenov, M.G. 1970. The anatomical structure of petioles in Angelica L. sps. and its feasibility in the taxonomy of the genus. Bjull. Mosk. Obsc. ispyt. Prir., Otd. Biol., 75:66-76.

Raju, J. 1968. Studies in Phloem Anatomy of Certain Dicotyledons. Ph.D. Thesis, Sardar Patel University, Vallabh Vidyanagar, Gujarat.

Ramji, M.V. 1975. Histology of growth with regard to embryos and apical meristems in some angiosperms I. Embryogeny of Stellaria media. Phytomorphology 25:131-145.

Ramji, M.V. and N. Parameswaran. 1961. Ontogeny of vegetative axillary bud in Clerodendron aculeatum. Proc. Indian Acad. Sci.45:152-168.

Rao, K.S. and Y.S. Dave. 1981. Seasonal variations in the cambial anatomy of Tectona grandis (Verbenaceae). Nord. J. Bot. 1:535-542.

Rao, K.S. and Y.S. Dave. 1983. Ultrastructure of active and dormant cambial cells in Teak (Tectona grandis L.) New Phytol. 93 : 447-456.

Rao, K.S. and Y.S. Dave. 1985. Developmental changes in the fusiform cambial cells of some tropical trees. *Flora* 177:187-194.

*Resch, A. 1954. Beiträge zur Kenntnis der Tange. *Hahrb. Wiss. Bot.* 10:317-382. (From Esau, 1969).

*Resch, A. 1958: Weitere Untersuchungen über das Phloem von Vicia faba. *Planta* 52:121-143. (From Esau, 1969).

Russell, S.H. and R.F. Evert. 1985. Leaf vasculature in Zea mays L. *Planta* 164:448-458.

Russin, W.A. and R.F. Evert. 1984. Studies on the leaf of Populus deltoides (Salicaceae) : Morphology and anatomy. *Amer. J. Bot.* 71:1398-1415.

Russin, W.A. and R.F. Evert. 1985. Studies on the leaf of Populus deltoides (Salicaceae) : Quantitative aspects and the solute concentrations of the sieve tube members. *Amer. J. Bot.* 72 : 487-500.

Samantarai, B. and T. Kabi. 1953. Secondary growth in petioles and the partial shoot theory of the leaf. *Nature* 172:37.

Samantarai, B. and T. Kabi. 1974. Role of hormones in the initiation of cambium and formation of secondary xylem in the petioles of some herbaceous dicot leaves. *J. Indian Bot. Soc.* 53:58-64.

Schneider, H. 1945. The anatomy of peach and cherry phloem. *Bull. Torrey Bot. Club.* 72:137-156.

Schneider, H. 1955: Ontogeny of lemon tree bark. *Amer. J. Bot.* 42:893-905.

Schofield, E.K. 1968. Petiole anatomy of Guttiferae and related families. *Mem. New York Bot. Garden* 18:1-55.

Sehgal, L. and G.S. Paliwal. 1974. Studies on the leaf anatomy of Euphorbia. III. The node. *Bot. J. Linn. Soc.* 69:37-43.

Semichishina, S.D., R.A. Avsadzhanova and V.G. Nikolaerokil. 1985. Quantitative anatomical parameters of the leaf blade and petiole in some apple sp. in relation to their ecological features. *Ref. Zh.* 345. pp.13.

Shah, G.L. 1978. *Flora of Gujarat State. Vol. I and II.* Sardar Vallabh Vidyanagar Press. Vallabh Vidyanagar, Gujarat.

- Shah, J.J. and R. Jacob. 1969. Development and structure of phloem in the petiole of Lagenaria siceraria and Momordica charantia. Ann. Bot. 33 : 855-868.
- Shah, J.J. and M.R. James. 1969. Observations on companion cells and specialized phloem parenchyma cells of Nelumbo nucifera Gaertn. Ann. Bot. 33: 185-189.
- Shah, J.J., K.V. Poulouse and K. Unnikrishnan. 1969. Nodal anatomy of some species of Clerodendrum. J. Ind. Bot. Soc. 48: 85-89.
- Shininger, T.L. 1979. The control of vascular development. Ann. Rev. Plant Physiol. 30:313-337.
- Shtromberg, A. Ya. 1959. Cambial activity in leaves of several woody dicotyledonous plants. Dokl. Akad. Nauk. S.S.R. Bot. Sci. Sect. 124 : 699 - 707.
- Siebers, A.M. 1971. Initiation of radial polarity in the interfascicular cambium of Ricinus communis L. Acta. Bot. Neerl. 20:211-220.
- Sinnot, E.W. 1914. Investigation on the phylogeny of the angiosperms. I. The anatomy of the node as an aid in the classification of angiosperms. Amer. J. Bot. 1:303-322.
- Soh, W.Y. 1972. Early ontogeny of vascular cambium I. Ginkgo biloba. Bot. Mag. 85:111-124.
- Soh, W.Y. 1974a. Early ontogeny of vascular cambium II. Aucuba japonica and Weigela coracensis Bot. Mag. 87:17-32.
- Soh, W.Y. 1974b. Early ontogeny of vascular cambium III Robinia pseudo-acacia and Syringa oblata. Bot. Mag. 87: 99-112.
- Soh, W.Y. 1990. Origin and development of cambial cells. In: M. Iqbal (ed.), The Vascular Cambium. Res. Studies Press Ltd., England.
- Soh, W.Y., S.S. Hong and D.Y. Cho. 1988. The ontogeny of the vascular cambium in Ginkgo biloba roots. Bot. Mag. 101:39-53.
- Soh, W.Y., K.D. Kang and W.Y. Yang. 1989. Ontogeny of the interfascicular cambium in the hypocotyl of Ricinus communis. IAWA Bull. 10:347.
- Soh, W.Y., S.S. Hong and D.Y. Cho. 1991. Early ontogeny of vascular cambium in the seedling roots of Acer saccharinum L. Kor. J. Bot. 34:311-316.

- Sokolova, E.A. 1989. Significance of traits of petiole anatomical structure for the systematics of the genera Cerasus and Padus (Rosaceae) Sbo. Na. Tr. Pri. Bot. Gen. Sel. 124:109-112.
- Steeves, T.A. and I.M. Sussex. 1972. Patterns in Plant Development. Prentice-Hall, Englewood Cliffs, New Jersey.
- Sterling, C. 1945. Growth and vascular development in relation to phyllotaxis. Amer. J. Bot. 32:380-386.
- Sterling, C. 1946. Growth and vascular development in the shoot apex of Sequoia sempervirens (Lamb.) Endl. III. Cytological aspects of vascularization. Amer. J. Bot. 33:35-45.
- Sugiyama, M. 1972. A vascular system of "node to leaf" in Magnolia virginiana L. Jap. Bot. 47:313-320.
- Sugiyama, M. 1976. II. Node-leaf vascular system of Eupomatia laurina R. Br. J. Jap. Bot. 51:169-174.
- Swamy, B.G.L. and K.V. Krishnamurthy. 1980. On the origin of vascular cambium in dicotyledonous stems. Proc. Indian Acad. Sci. (Plant Sci.). 89:1-6.
- Thaine, R., M.E. De Maria and H.I.M. Sarisalo. 1975. Evidence of transcellular strands in transverse cryostat sections of Cucurbita pepo sieve tubes. J. Exp. Bot. 26:91-101.
- Tippett, J. and A.L. Shigo. 1981. Barriers to decay in conifer roots. Eur. J. For. Pathol. 11:51-59.
- Tomlinson, P.B. and M.H. Zimmerman (eds.). 1978. Tropical Trees as Living Systems. Cambridge University Press, London.
- Van den Born, W.H. 1963. Histochemical studies of enzyme distribution in shoot tips of white spruce (Picea glauca (Moevch) Voss). Can. J. Bot. 41:1509-1528.
- Venugopal, N. and K.V. Krishnamurthy. 1989. Organization of vascular cambium during different seasons in some tropical timber trees. Nord. J. Bot. 8:631-638.
- Vogelmann, T.C., P.R. Larson and R.E. Dickison. 1982. Translocation pathways in the petioles and stem between source and sink leaves of Populus deltoides. Planta 156:345-358.
- Walsh, M.A. 1980. Presentation of the tonoplast in metaphloem sieve elements of embryonic roots of Zea mays L. Ann. Bot. 46:557-565.

- Warmbroadt, R.D. and W.J. Van der Woude. 1990. Leaf of Spinacia oleracea (Spinach) : ultrastructure and plasmodesmatal distribution and frequency, in relation to sieve tube loading. Amer. J. Bot. 77: 1361-1377.
- Watari, S.H. 1934. Anatomical studies on some leguminous leaves with special reference to the vascular system in petioles and rachises. J. Fac. Sci. Imper. Univ. Tokyo., Sect. III (Bot.) 5: 1-73.
- Watari, S. 1936. Anatomical studies on the vascular system in the petioles of some species of Acer, with notes on the external morphological features. J. Fac. Sci. Imper. Univ. Tokyo., sect. III (Bot.) 5: 1-73.
- Watari, S.H. 1939. Anatomical studies on the leaves of some saxifragaceous plants, with special reference to the vascular system. J. Fac. Sci. Imper. Univ. Tokyo, Sect. III (Bot.) 5:195-316.
- Weidlich, W.H. 1976a. The organization of the vascular system in the stems of Nymphaeaceae. I. Nymphaea subgenera Castalia and Hydrocallis. Amer. J. Bot. 63:499-509.
- Weidlich, W.H. 1976b. The organization of the vascular system in the stem of Nymphaeaceae. II. Nymphaea subgenera Anecphya, Lotos, Brachyceras. Amer. J. Bot. 63:1365-1379.
- Wergin, W.P., B.A. Palevitz and E.H. Newcomb. 1975. Structure and development of P-protein in phloem parenchyma and companion cells of legumes. Tissue Cell 7:227-242.
- Wetmore, R.H. 1943. Leaf-stem relationships in the vascular plants. Torrey 43 : 16-28.
- Wetmore, R.H. and T.A. Steeves. 1971. Morphological introduction to growth and development. In: F.C. Steward (ed.), Plant Physiology: A Treatise. Academic Press, New York. pp:541.
- White, R.A. and W.C. Dickison 1984. Contemporary Problems in Plant Anatomy. Academic Press, Florida.
- Wilkinson, H.P. 1989. Leaf anatomy of the Menispermaceae tribe Tiliacoreae Miers. Bot. J. Linn. Soc. 99:125-174.
- Zakorko, N.G. 1985. Anatomical features of the petiole in representatives of the family Ulmaceae. Bot. Zh. 70:1621-1625.
- Zee, S.Y. 1968. Ontogeny of cambium and phloem in the epicotyl of Pisum sativum. Aust. J. Bot. 17:441-456.

Zimmerman, M.H. and C.L. Brown. 1971. Trees, Structure and Function. Springer, Berlin.

Zubkova, I. G. 1965. Anatomical structure of the petiole in Vitaceae, its taxonomic and evolutionary significance. Bot. Zh. 50:1556-1557.

* Original not seen.