BIBLIOGRAPHY

BIBLIOGRAPHY

Amarasingham, R.D., Bisset, N.G., Millard, A.H. and M.C. Wood. (1964). Phytochemical survey of Malaya, Part III. Alkaloids and Saponins. Eco. Bot. 18 (3) : 270-275.

Andronova, N.N. (1984). The structure of the anther and pollen development in Rubiaceae. Bot. Zh. (Leningr.) 69 (1) : 43-54.

Atal, C.K. and S.S. Lamba. (1959). Pharmacognosy of Randia dumetorum Lamk. Fruits. Ind. J. Pharm. 21, (12), 336 - 340.

Bapalal, G. Vaidya. (1965). Nighantu Adarsha, Shri Swami Atmanand Saraswati Ayurvedic Sahakari Pharmacy Ltd., Surat.

Bate - Smith, E.C. (1972). Chemistry and phylogeny of the angiosperms. Nature. 236:353-354.

Bate - Smith, E.C. and T. Swain. (1966). The asperulosides and the aucubins - In Swain, T. (ed). Comparative Phytochemistry. Academic Press, London. 159-174.

Benson, L. (1957). Plant Classification. Boston.

Bessey, C.E. (1915). The phylogenetic taxonomy of flowering plants. Ann. Missouri. Bot. Gard. 2:109-164

Bremekamp, C.E.B. (1954). (cf. Bremekamp, C.E.B. 1966).

Bremekamp, C.E.B. (1966). Remarks on the position, the delimitation and the subdivision of the Rubiaceae Acta. Bot. Neerl. 15: 1-53

Chopra, R.N., Chopra, I.C., Handa, K.L. and L.D. Kapur. (1958). Chopra's Indigenous Drugs of India, U.N. Dhur & Sons Private Ltd., Calcutta.

Cronquist, A. (1968). The Evolution and Classification of Flowering Plants. Thomas Nelson (Printers) Ltd., London.

Cronquist, A. (1986). An Integrated System of Classification of Flowering Plants. Columbia University Press. New York. 992.

Cronquist, A. (1987). A botanical critique of cladism. Bot. Rev. 53. (1). 1-52.

Dahlgren, R. (1975). A system of classification of the angiosperms to be used to demonstrate the distribution of characters. Bot. Notiser 128:119-147.

Daniel, M. and S.D. Sabnis. (1979). Chemotaxonomy of Loganiaceae. Curr. Sci. 48 : 383 - 385.

Daniel, M. and S.D. Sabnis. (1982). A Chemotaxonomic appraisal of the status of Apocynaceae and Asclepiadaceae. Indian. Bot. Reptr. 1 (2) : 84-90.

De Candole, A.P. (1830). Systematis naturalis regni vegetabilis. Prodromus. 4 : 342 - 343.

* De Eds, F. (1968). In Comprehensive Biochemistry (ed) M. Florkin and E.H. Stotz. Elsevier Publishing Co. Amsterdam.

Doyle, J.A. and M.J. Donghue. (1986). Seed plant phylogeny and the origin of angiosperms. An experimental cladistic approach. Bot. Rev. 52 : 321-431

Dymock, W., Warden, C.J.H. and D. Hooper. (1890). Pharmacographica Indica. Vol. II. Thacker, Spink and Co., Calcutta.

Engler, A. and L. Diels. (1936). Engler's Syllabus der Pflanzenfamilien. 11th edn. (ed) L. Diels, Berlin.

Erdtman, G. (1952). Pollen Morphology and Plant Taxonomy of Angiosperms. Almqvist and Wiksell, stockholm.

Geissman, T.A. (ed.). (1962). Chemistry of the flavonoid Compounds. Pergamon press, Oxford.

Gibbs, R.D. (1974). Chemotaxonomy of Flowering Plants. McGill Queens Univ. Press, Montreal.

Harborne, J.B. (1967). Comparative Biochemistry of Flavonoids. Academic Press, London.

Harborne, J.B. (1977). Flavonoids and the evolution of the Angiosperms. Biochem. Syst. Ecol. 5: 7-22.

Harborne, J.B. (1984). Phytochemical Methods. 2nd Edn. Chapman and Hall. London.

Harborne, J.B., Mabry, T.J. and H. Mabry. (1975). The Flavonoids Chapman and Hill, London.

Harborne, J.B. and C.A. Williams. (1971.) 6-Hydroxyluteolin and scutellarein as phyletic markers in higher plants. Phytochemistry. 10 : 367-378.

Hegnauer, R. (1966). Aucubinartige Glucoside. Uber die Verbreitung and Bedeutung als. Systematisches Merkmal. Pharm. Acta. Helv. 41:557-587.

Hegnauer, R. (1969). Chemical evidence for the classification of some plant taxa - In Perspectives in Phytochemistry (Swain; T. and J.B. Harborne. ed.) 1, 121-138.

*Hegnauer, R. (1971). Pflanzenstoffe und Pflanzensystematik. Naturwissenschaften, 58 : 585 - 598.

Hillebrand, G.R. (1966). Phytoserological systematic investigation of the Genus Viburnum. Ph.D. Thesis. Rutgers University.

Hillebrand, G.R. and D.E. Fairbrothers. (1970). Serological investigation of the systematic position of Caprifoliaceae Amer. J. Bot. 57. 810-815.

Hooker, J.D. (1873) In Genera Plantarum (Bentham G & J.D.Hooker ed.) Vol II. Reeve and Co. London.

Hungund, B.L. and C.H. Pathak. (1971). A phytochemical survey of Gujarat forests for alkaloids, Saponins and tannins. U.S.D.A. Forest Service research paper, NE. 201.

Hutchinson, J. (1969). Evolution and Phylogeny of Flowering plants. Academic Press. London.

Hutchinson, J. (1973). The Families of Flowering Plants. Vol. I Claredon Press, Oxford.

Ibrahim, R.K. and G.H.N. Towers. (1960). The identification by paper chromatography of plant phenolic acids. Arch. Biochem. and Biophys. 87 : 125.

Jensen, R.J. (1981). Wagner net work and Wagner trees. A presentation of methods for estimating most parsimonious solutions. Taxon, 30: 576-590.

Jensen, S.R., Neilsen, B.J. and R. Dahlgren. (1975). Iridoid compounds, their occurence and systematic importance in the Angiosperms. Bot. Notiser. 128: 148-180.

Johansen, D.A. (1940) Plant Microtechnique. Mc Graw Hill book company, New York and London.

Joshi, K.C., Prakash, L. and P. Singh. (1973). Quinones and other constituents from Tabebuia rosea. Phytochemistry. 12:942.

Kirtikar, K.R. and B.D. Basu. (1918). Indian Medicinal Plants. Part I. Sudhindra Nath Basu, Panini office, Bhuvaneshwari asrama, Bahadurganj. 641-666.

Koek-Noorman, J. and C. Puff. (1983). The wood anatomy of Rubiaceae, tribes Anthospermeae and Paederieae. Plant Syst. Evol. 143 (1-2):17-46.

Krishnamurti, M., Seshadri. T.R. and N.D. Sharma. (1972). Chemical investigation of Dikamali gum. Isolation of two new flavones, dimethoxy and trimethoxy-wogonins. Ind. J. Chem. 10 (1), 23-25.

Kubitzki, K. (1969). Chemosystematische Betrachtungen Zur Grossgliederung der Dicotylen. Taxon. 18:360-368.

Lawrence, G.H.M. (1951). Taxonomy of Vascular Plants. Oxford.

Lee, Y.S. and D.E. Fairbrothers. (1978). Serological approaches to the Rubiaceae and related families. Taxon, 27: 159 - 185.

Lindley, J. (1846). The Vegetable Kingdom. 2nd Edn. London.

Mabry. T.J., Markham, K.R. and M.B. Thomas. (1970). The Systematic Identification of Flavonoids. Springer Verlag, Berlin.

Maheswari, P. (1950). An Introduction to the Embryology of Angiosperms. McGraw Hill Book Company, Inc. New York.

Maheswari, P. (1963). Recent Advances in the Embryology of Angiosperms. International Society of plant morphologists, University of Delhi, 41, 214.

Manske, R.H.F. (1944). The Alkaloids. Ann. Rev. Biochem., 13:533-548.

Markham, K.R. (1982). Techniques of Flavonoid Identification. Academic Press. London.

Mathew, P.M. and Omana Philip. (1975). Pollen buds in Ophiorrhiza mungos L. Sci. Cult. 41:610-611.

Mathew, P.M. and Omana Philip. (1976). Chemical dimorphism of pollen grains of Rubiaceae, Curr. Sci. 45:529.

Mathew, P.M. and Omana Philip. (1979 a). Cytology of the South Indian Rubiaceae I. Ophiorrhiza. Nucleus. 22:47-50

Mathew, P.M. and Omana Philip. (1979 b). Cytology of the South Indian Rubiaceae II. Cytology of Cinchona. Nucleus 22:125-127

Mathew P.M. and Omana Philip. (1983). Advances in Pollen Spore Research Vol. X. Studies in the Pollen Morphology of South Indian Rubiaceae. (ed.) P.K.K. Nair, Today & Tomorrow's printers & Publishers. New Delhi.

Mathis, C. (1966). Comparative biochemistry of hydroxyquinones, In Comparative Phytochemistry, T. Swain (ed.) Academic Press, London. 245 - 270.

*Meeuse, A.D.J. (1970). The descent of the flowering plants in the light of evidence from phytochemistry and from other sources I and II. Acta Bot. Neerl, 19:61-72, 133-140.

Metcalfe, C.R. and L. Chalk. (1957). Anatomy of the Dicotyledons, Clarendon Press. Oxford.

Meyers, F.H., Jawetz, E. and Goldfien. (1972). Review of medical pharmacology, 3rd Edn., Lange Medical Publications, Los Altos, California.

Nadkarni, A.K. (1954). Indian Materia Medica, Vol.I. Popular book depot., Bombay, and Dhootpapeshwar Prakashan Ltd., Panvel.

Nair, P.K.K. (1974). Phylogeny of Angiosperms. A Phylogenical analysis. Evol. Biol. 7: 127-137.

Narayana Aiyer, K. and M. Kolammal. (1962). Pharmacognosy of Ayurvedic Drugs, Kerala, Department of Pharmacognosy University of Kerala, Trivandrum. Series 1, number 5, P.44.

Peach, K. and M.V. Tracey. (1955). Modern Methods of Plant Analysis Vol. II Springer-Verlag.

Philip Omana. (1978). Cytological and Palynological Studies on the South Indian Rubiaceae. Ph.D. Thesis. Kerala University.

Philip Omana and P.M. Mathew. (1975). Cytology of exceptional development of the male gametophyte in Ophiorrhiza mungos. Can. J. Bot. 63:2032-2037.

Price, J.R. (1963). The distribution of Alkaloids in Rubiaceae. In Chemical Plant Taxonomy. Swain T. (ed.) Academic Press, London. 429-452.

Rama Rao, A.G. and K. Venkataraman. (1968) The constitution of Gardenin. Ind. J. Chem. 6 (11), 677-678.

Rama Rao, A.G. and K. Venkataraman. Five flavones from Gardenia-lucida: Gardenin A, B, C, D, and E. (1970). Ibid, 8 (5), 398-400.

Richter, H.G. and U. Schmitt - Iawa. (1987). Unusual crystal formations in the secondary xylem of Cosmocalyx spectabilis, Int. Assoc. Wood Anat. Bull. 8(4), 323-329.

Schumann, K. (1891). Rubiaceae. In Engler, A. and K. Prantl. Die Naturlichen Pflanzenfamilien. IV P.16

Selvaraj, R. (1987). Karyo-morphological studies in South Indian Rubiaceae, Cytologia (Tokyo) 52 (2):343-356.

Srinivasan, Lucas, S.T., Burrowes, C.B., Wanderman, N.A., Redner, A., Bernstein, S. and P.N. Sawyer.(1971). Effect of some flavonoids on the surface change characteristics of the vascular system and their anti thrombogenic characteristics. European Conf. Micro circulation, 6, 394.

Sutaria, R.N. (1958). A text-book of Systematic Botany. Khadayata Book Depot, Ahmedabad.

Takhtajan, A. (1969). Flowering Plants, Origin and Dispersal. Jeffry Oliver and Boyd, Edinburgh.

Takhtajan, A. (1980). Outline of the classification of flowering plants. (Magnoliophyta). Bot. Rev. 46: 225-359.

The Wealth of India. (1948). Raw Materials, Publications and Information Directorate, C.S.I.R. New Delhi, Vol. I.

The Wealth of India (1959). Ibid, Vol. V

The Wealth of India (1966). Ibid, Vol. VII

The Wealth of India (1972) Ibid, Vol. IX

Thorne, R.F. (1976). A phylogenetic classification of the angiosperms P.35-106. In Hecht, M.C., W.C. Steeve and B. Wallace (ed.) Evolutionary Biology, Vol.9. Plenum Press, New York.

Trease, G.E. and W.C. Evans. (1972). Pharmacognosy. Bailliere Tindall, London. 125, 546, 547.

* Trim A.R. and R. Hill, (1951). Biochem. J. 50. 310.

Verdcourt, B. (1958). Remarks on the classification of the Rubiaceae. Bull. Jard. Bot. Brux. 28:209-290.

Wagenitz, G.(1959). Die Systematische Stellung der Rubiaceae. Bot. Jahrb. Syst. 79 : 17-35

Wagenitz, G. (1964). Rubiaceae. P. 417-424. In Melchior, H. (ed). Engler's Syllabus der Pflanzenfamilien II, Gebr. Berlin-Nikolassee, Borntraeger.

Wagner, W.H. Jr. (1980). Origin and philosophy of groundplan divergence methods of cladistics. Syst. Bot.5 : 173-193.

Wallis, T.E. (1960). A Text Book of Pharmacognosy, J. & .A. Churchill Ltd., Gloucester place, London

*Wieffering, J.H. (1966). Phytochemistry, 5:1055.

Wodehouse, R.P. (1931). Pollen grains in the identification and classification of plants. VI. Polygonaceae. Amer. J. Bot. 18:749-764.

* Not referred to the original article.