REFERENCES

1. Ahmed, M. (2003): Heavy metal accumulation and physiological consequences in selected good plant grown on sewage sludge amended soils. *Journal of Scientific Research*, **21**(3): 140-147.
2. Ahmad, P. and Jhon, R. (2005): Effect of salt stress on growth and biochemical parameters of *Pisum sativum* L. *Archives of Agronomy and Soil Science*, **51**: 665-672.
3. Ahmad, M.A., Hussain, M., Ijaz, S. and Alvi, A.K. (2008): Photosynthetic performance of two mung bean (*Vigna radiata (L.) Wilczek*) cultivars under lead and copper stress. *International Journal of Agriculture Biology*, **10**: 167-172.
4. Ahmad, P., Sharma, S. and Srivastava, P.S. (2006): Differential physico-biochemical responses of high yielding varieties of mulberry (*Morus alba*) under alkalinity (Na_2CO_3) stress *in vitro*. *Physiology and Molecular Biology of Plants*, **12**: 59-66.
5. An Y.J., Kim, Y.M., Kwon, T.I. and Jeong, S.W. (2004): Combined effect of copper, cadmium, and lead upon *Cucumis sativus* growth and bioaccumulation. *Science Total Environment*, **326**: 85–93.
6. Andres-Colas, N., Sancenon, V., Rodriguez-Navarro, S., Mayo, S., Thiele, D. J. and Ecker, J. R.(2006): The Arabidopsis heavy metal P-type ATPase HMA5 interacts with metallochaperones and functions in copper detoxification of roots. *Plant J*ournal **45**: 225–236.
7. Alloway, B.J. (1996): In: *Heavy Metal in Soils.* Halsted Press, John Wiley & Sons Inc., London.
8. APHA-AWWA-WPCF (1989): In: *Standard Methods for Examination of Water and Waste water* (17th Edn) American Public Health Association, Washington D. C.
9. Apel, K. and Hirt, A. (2004): Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Annual Review Plant Biology*. **55**:373–399.
10. Appenroth K. J. and Gabrys H. (2001): Light-induced starch degradation in non-dormant turions of *Spirodela polyrhiza*. *Photochemistry and Photobiology* **73**:77–82.

11. Arnon, D.I. (1949): Copper enzymes in isolated cholorplast. Polyphenol oxidase in *Beta vulgaris*. *Plant Physiol*ogy, **24**: 65-71.

12. Asahina, H., Shinozaki, J., Masuda, K., Morimitsu, Y. and Satake, M. (2010): Identification of medicinal *Dendrobium* species by phylogenetic analyses using matK and rbcL sequences. *Journal of Natural Medicines*, **64(2)**:133-138.

13. Astofi (2004): Activity of plasma membrane vesicles isolated from roots of different S-supplied maize (*Zea mays* L.) plants. *Plant Science.* **169**: 361–368.

14. Baruah, S., Hazarika, K. and Sarma, K.P. (2012): Uptake and localization of lead in *Eichhornia crassipes* grown within a hydroponic system. *Advance in Appied. Science Research*, **3(1)**: 51-59.

15. Baryla, A., Carrier, P., Franck, F., Coulomb, C., Sahut, C. and Havaux, M. (2001): Leaf chlorosis in oilseed rape plants (*Brassica napus*) grown on cadmium-polluted soil: causes and consequences for photosynthesis and growth. *Planta*, **212**: 696-709.

16. Baszynski, T., Wajda, L., Krol, M., Wolinska, D., Krupa, Z. and Tuken-Dorf A. (1980): Photosynthetic activities of cadmium-treated tomato plants. *Physiologia Plantarum.* **48**:365–370.

17. Bhatt, J. B. (1993): Studies on the Flora of Western Kachchh. *Ph. D. Thesis.* M. S. University, Baroda.

18. Becana, M., Dalton, D. A., Moran, J. F., Iturbe-Ormaetxe, I., Matamoros, M. A. and Rubio, M. C., (2000): Reactive oxygen species and antioxidants in legume nodules. *Physiologia Plantarum* **109**: 372–81.

19. Bennet, R.J., Breen, C.M., and Fey, M.V**. (**1987): The effects of aluminum on root cap function and root development in *Zea mays* L. *Enviroment Experimental Botany.* **27**: 91-104.

20. Bergmann, P.J. and Russell, A.P. (2007): Systematics and biogeography of the widespread Neotropical gekkonid genus *Thecadactylus* (Squamata), with the description of a new cryptic species. *Zoological Journal of the Linnean Society*, **149**: 339-370.

21. Bishnoi, N.R., Sheoran, I.S., and Singh, R. (1993): Influence of cadmium and nickel on photosynthesis and water relations in wheat leaves of different insertion level. *Photosynthetica*, **28**: 473 -479.

22. Blaxter, M. (2003): Molecular systematics: counting angels with DNA. *Nature* **421**: 122–124.

23. Boominathan R. and Doran P. M. (2002): Ni-induced oxidative stress in roots of the Ni hyperaccumulator, *Alyssum bertolonii. New Phytol*ogist, **156**: 205 – 215.

24. Bor, M., Ozdemir, F., Turkan, I. (2003): The effect of salt stress on lipid peroxidation and antioxidants in leaves of sugar beet *Beta vulgaris* L. and wild beet *Beta maritima* L. *Plant Science* **164**:77-84.

25. Brennan, M. A. and Shelley, M. L. (1999): A model of the uptake, translocation, and accumulation of lead (Pb) by maize for the purpose of phytoextraction. *Ecology Engineering.* **12**, 271- 291.

26. Bridson, D. and Foreman, L. (1998): *The Herbarium Handbook*. Royal botanical Gardens, Kew. Great Britain, Third edition.

27. Burgess, K.S., Fazekas, A.J., Kesanakurti, P.R. and Graham, S.W. (2011): Discriminating plant species in a local temperate flora using the rbcL+matK DNA barcode. *Method Ecological Evolution.* 2: 333-340.

28. Burzynski, M. and Klobus, G. (2004). Changes of photosynthetic parameters in cucumber leaves under Cu, Cd, and Pb stress. *Photosynthetica* **42**:505–510.

29. Carpenter, S., Caraco, F., Correll, D., Howarth, R., Sharpley, N. and Smith, V. (1998): Nonpoint pollution of surface waters with phosphorus and nitrogen. *Ecological Applications*, **8(3)**, 559-568.

30. CBOL Plant Working Group (2009): *A DNA barcode for land plants*. Proc. Natl. Acad. Sci. U. S. A. **106**: 12794-12797.

31. Chaloupkova, K. and Smart, C. C. (1994): The abscisic acid induction of a novel peroxidase is antagonized by cytokinin in S*pirodela polyrrhiza* L. *Plant Physiology*. **105**:497-507.

32. Chase, M.W., Soltis, D.E., Olmstead R.G. and Morgan, D. (1993): Phylogenetics of seed plants: An analysis of nucleotide sequences from the plastid gene rbcL. *Annals of Missouri Botanical Garden*, **80**: 528-580.

33. Chase, M.W. and Fay, M.F. (2009): Barcoding of plants and fungi. *Science*, **325**: 682 -683.

34. Cheng, J.J. and Stomp, A. M. (2009): Growing duckweed to recover nutrients from wastewaters and for production of fuel ethanol and animal feed. *Clean: Soil, Air, Water* **37**:17-26.

35. Chmielewska, E. and Chwil, M. (2011): Lead induced histological and ultrastructural changes in leaves of soyabean (*Glycine max*(L.)Merr.). *Soil Sci. and Plant Nutrition*. **51**: 203 – 212.

36. Clegg, R.M., Murchie, A.I., Zechel, A, Carlberg, C, Diekmann, S. and Lilley, D.M. (1992): Fluorescence resonance energy transfer analysis of the structure of the four-way DNA junction. *Biochemistry*; **31**(20):4846–4856.

37. Cobbett, C.S. (2000): Phytochelatins and Their Roles in Heavy Metal Detoxification. *Plant Physiology*. **123**: 825-832.

38. Cojocaru, S., (2008): 'Appreciative Evaluation – A Form of Formative Evaluation. Revista de cercetare şi intervenţie socială, **20**: 42-48.

39. Cook, C.D. (1996): Identification keys. In Aquatic and Wetland Plants of India. *Oxford University Press*;13-21.

40. Corradi, M.G, Bianchi, A. and Albasini, A. (1993): Chromium toxicity in *Salvia sclarea* effects of hexavalent chromium on seed germination and seedling development. *Environmental Experimental Botany*. **33**: 405-413.

41. Cris, A., (2012): Effect of nickel stress on growth and antioxidants in cyanobacterium Cylindrospermum sp. *Asian Journal of Bio Science*, **7(1)**:13-17.

42. Cullis, C.A. (2005): Mechanisms and control of rapid genomic changes in flax. *Annals of Botany* **95**: 201–206.

43. Cunningham, S.D., Berti, W.R. and Huang, J.W.(1995): Phytoremediation of contaminated soils. *Trends Biotechnology*. **13**: 393-397.

44. Dabgar, P.J. (2012): A contribution to the flora of wadhwana wetland, Dabhoi Taluka (Gujarat) India. *Bioscience Discovery* **3(2)**:218-221.

45. Das P., Samantaray S. and Rout, G.R. (1997): Studies on cadmium toxicity in plants: a review. *Environtal Pollution.* **98**:29-36.

46. Davis, D. G. and Swanson, H.R. (2001): Activity of stress-related enzymes in the perennial weed leafy spurge (*Euphorbia esula* L.). *Environment Experimental Botany*. **46**:95-108.

47. Deng, H., Ye, Z.H. and Wong, M.H. (2004): Accumulation of lead, zinc, copper and cadmium by 12 wetland plant species thriving in metal-contaminated sites in China. *Environmental Pollution*, **132:**29-40.

48. De Groot G. A, During, H. J., Maas, J.W. and Schneider, H. (2011): Use of rbcL and trnL-F as a two-locus DNA barcode for identification of NW-European ferns: an ecological perspective. *PLoS One* **6**: e16371.

49. Delgado, M., Bigeriego, M. and Guardiola, E. (1993): Uptake of Zn, Cr and Cd by water hyacinths. *Water Resources.* **27**(2):227–269.

50. Dhir, B., Sharmila, P. and Saradhi, P.P.(2004): Hydrophytes lack potential to exhibit cadmium stress induced enhancement in lipid peroxidation and accumulation of proline. *Aquatic Toxicology*. **66**, 141-147.

51. Dierberg, F.F., DeBusk T.A., and Goulet, J. (1987): Removal of copper and lead using a thin film technique. In: Reddy, K.B. and W.H. Smith (eds.). Aquatic Plants for Water Treatment and Resource Recovery. *Magnolia Pub. Inst*., Florida.

52. Dixon, D.O., Lapthorn, A., Edwards, R. (2002): Plant glutathione transferases. *Genome Biology* **3**:1-10.

53. Doyurum, S. and Celik, A., (2006): Pb (II) and Cd (II) removal from aqueous solutions by olive cake. *Journal* of *Hazardous Materials*, **138 (1)**, 22-28.

54. Djebali, W., Chaïbi, W. and Ghorbel, M.H. (2002): Croissance., activité peroxydasique et modifications structurales et ultrastructurales induites par le cadmium dans la racine de tomate (*Lycopersicon esculentum*). *Canadian journal of botany*, **80**: 942-953.

55. Djebali, W., Zarrouk, M., Brouquisse, R., El Kahoui. S., Limam, F., Ghorbel, M.H. and Chaïbi, W.(2005): Ultrastructure and lipid alterations induced by cadmium in tomato (*Lycopersicon esculentum*) chloroplast membranes. *Plant Biology*, **7**: 358-368.

56. Djebali, W., Gallusci, P., Polge, C., Boulila, L., Galtier, N., Raymond, P., Chaïbi, W. and Brouquisse, R. (2008): Modifications in endopeptidase and 20S proteasome expression and activities in cadmium treated tomato (*Solanum lycopersicum* L.) plants. *Planta*, **227**: 625-639.

57. Duffy, A.M., Kelchner, S.A. and Wolf, P.G. (2009): Conservation of selection on matK following an ancient loss of its flanking intron. *Gene* **438**: 17-25.

58. Dushenkov, V., Kumar, P.B., Motto, H. and Raskin, I. (1995): Rhizofilteration : the use of plant to remove heavy metals from aqueous streams. *Environment Science Technology.* **29**:1239-1245.

59. Doebley, J., Durbin, M., Golenberg, E. M., Clegg, M. T. and Ma, D. P. (1990): Evolutionary Analysis of the Large Subunit of Carboxylase (rbcL) Nucleotide Sequence among the Grasses (Gramineae). *Evol*ution. **44**: 1097-1108.

60. Doganlar, Z. B. (2012): Quizalofop-p-ethyl-induced phytotoxicity and genotoxicity in *Lemna minor* and *Lemna gibba. Journal of Environment Science and Health*, Part A **47**: 1-13.

61. Edreva, A. (2005): Generation and scavenging of reactive oxygen species in chloroplasts: a submolecular approach. *Agricultural Ecosystem Environment.* **30**:119–133.

62. Elankumaran, R., Raj M.B., and Madhyastha, M.N.(2003): Biosorption of Copper from Contaminated water by *Hydrilla Verticillata Casp* and *Salvinia sp*. Green Page Environmental News Sources, Karnataka, India,

63. Elloumi, N., Ben, F., Rhouma, A., Ben, B. and Mezghani, I. (2007): in almond seedlings grown in solution culture. *Acta Physiologica Planta*, **29**:57-32.

64. Fazekas, A.J., Burgess, K.S., Kesanakurti, P.R., Graham, S.W., Newmaster, S.G., Husband, B.C., Percy, D.M., Hajibabaei, M. and Barrett, S.C. (2008): Multiple multilocus DNA barcodes from the plastid genome discriminate plant species equally well. *PLoS One*, **3(7)**:e2802.

65. Flegler, S. L., Heckman, J. W. and Klomparens, K. L. (1993): *Scanning and Transmission Electron Microscopy*, W. H. Freeman and Company, New York.

66. Floyd, R., Eyualem, A., Papert, A. and Blaxter, M. (2002): Molecular barcodes for soil nematode identification. *Molecular Ecology*. **11**, 839–850.

67. Gajewska, E. Sklodowska, M. Slaba, M. and Mazur, J. (2006): Effect of nickel on antioxidative enzyme activities, proline and chlorophyll contents in wheat shoots. *Biologia. Plantarum*., **50**: 653-659.

68. Gratao, P.L., Monteiro, C., Rossi M., Martinelli, A., Peres L., Medici, L., Lea, P. and Azevedo R. (2009): Differential ultrastructure changes in tomato hormonal mutants exposed to cadmium. *Envionmental And Experimental Botany*. **67**: 387 – 394.

69. Gill, S.S., and Tuteja, N., (2010): Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology Biochemistry*. **48**: 909-930.

70. Greger, M. (1999): Metal availability and bioconcentration in plants. In: Prasad MNV, Hagemeyer J (eds) Heavy metal stress in plants. From molecules to ecosystems. *Springer-Verlag Heidelberg*. pp 1-27.

71. Gopal, B. (1990): Ecology and management of aquatic vegetation in Indian Subcontinent. *Kluwer Academic Publishers*, Dordrecht, The Netherland.

72. Graham, S. (2002): *Global estimate of endangered plant species triples.* Scientific American. Species Triples.

73. Hall, J. L. (2002): Cellular mechanisms for heavy metal detoxification and tolerance. *Journal of Experimental Botany.* **53**(366): 1-11.

74. Hassan, S. H., Talat, M. and Rai, S. (2007): Sorption of cadmium and zinc from aqueous solutions by water hyacinth *(Eichhornia crassipes*). *Bioresource Technol*ogy **98:** 918–928.

75. Hasebe, M., Kofuji R., Iwatasuki K. and Ueda K. (1992): Phylogenetic relationships in Gnetophyta deduced from *rbcL* gene sequences. *Botanical Magazine, Tokyo* **105**: 385–391.

76. Hickerson, M., Meyer, C. and Moritz, C. (2006): DNA-Barcoding will fail to discover animal species over broad parameter space. *Systematic Biology* **55(5)**: 729-739.

77. Hilu, K.W. and Liang, H. (1997): The matK gene: sequence variation and application in plant systematics. *American Journal of Botany* **84**: 830-839.

78. Hebert, P. D., Cywinska, A., Ball, S. L. and de Waard, J. R. (2003): Biological identifications through DNA barcodes. *Proceedings of the Royal Society B-Biological Sciences.* **270**: 313–321.

79. Hegedus, A., Erdei, S., and Horvath, G. (2001): Comparative studies of H_2O_2 detoxifying enzymes in green and greening barley seedlings under cadmium stress. *Plant Science.* **160**:1085-1093.

80. Heiss, S., Wachter, A., Bogs, J., Cobbett, C. and Rausch, T. (2003): Phytochelatin synthase (PCS) protein is induced in *Brassica juncea* leaves after prolonged Cd exposure. *Journal of Experimental Botany.* **54**: 1833-1839.

81. Hendawy, S.F. and Khalid, K.A. (2005): Response of sage *(Salvia officinalis L.*) plants to zinc application under different salinity levels. *Journal of Applied Science Research*, **1**, 147–155.

82. Hoagland, D. R. and Arnon, D. I. (1938): The water culture method for growing plants without soil. *California Agricultural Experiment station.* **347**: 1-39.

83. Hollingsworth, M. L., Andra, C.A., Forrest, L.L. and Richardson, J. (2009): Selecting barcoding loci for plants: evaluation of seven candidate loci with species-level sampling in three divergent groups of land plants. *Molecular Ecology Resource.* **9**: 439-457.

84. Holmquist, R. (1983): Transitions and transversions in evolutionary descent. *Journal of Molecular Evol*ution. **19**:134-144.

85. Hu, C., Zheng L., Hamilton, D., Zhou, W., Yang, T. and Zhu, D. (2007): Physiological responses induced by copper bioaccumulation in *Eichhornia crassipes. Hydrobiologia*. **579**:211-218.

86. Huebert, D.B. and Shay, J.M. (1993): The response of (*Lemna trisulca* L.) to cadmium. *Environ. Pollution.* **80**: 247–53.

87. Huebert, D.B. and Gorham, P.R. (1993): Biohasic mineral nutrition of the submerged aquatic macrophyte *Potamogeton pectinatus* L. *Aquatic Botanica*, **16**: 269–84.

88. Hussain, K., Abdussalam, A.K., Chandra, R.P. and Salim, N. (2011): Heavy metal accumulation potential and medicinal property of *Bacopa monnieri*- a paradox. *Journal of Stress Physiology and Biochemistry.* **7**(4), 39-50.

89. http://www.boldsystems.org

90. Ivanova, D., Stanimirova, P. and Vla di mi rov, V. Reports (1445-1456). (2005): In: Kamari, G., Blanché, C. and Garbari, F.(eds), Mediterranean chromosome number reports – 15. – Fl. Medit, **15**: 719-728.

91. Jacobs, D.L., (1947): An ecological life history of *Spirodela polyrrhiza* (greater duckweed) with emphasis on the turion phase. *Ecological Monograph*. **17**, 437–4467.

92. Johansen, A. (1940): In: Plant micro technique: *Mc Graw Hill Book Company*, INC. pp: 126-154.

93. Jiang, H.M., Yang, J.C.and Zhang J.F. (2007): Effects of external phosphorus on the ultrastructure and the chlorophyll content of maize under cadmium and zinc stress. *Environ. Pollution* **147**: 750-756.

94. Jones, J.B. (1982): Hydroponics: its history and use in plant nutrition studies. *Journal of plant Nutrition* **5**:1003-1030.

95. Kabata-Pendias, A. and H. Pendias, (1992): *Trace Metals in Soils and Plants*. CRC Press. Boca Raton, FL, p.12.

96. Kadlec, R.H., Knight, R.L., Vymazol J., Brix, H., Cooper R. and Habert, R. (2000): Constructed Wetlands for Pollution Control. Processes, Performance, Design and operation. IWA Specialist group on the use of macrophytes in water pollution control, IWA Scientific and technical report no. 8, IWA publishing, London.

97. Kara, Y. (2005): Bioaccumulation of Cu, Zn and Ni from the waste water by treated *Nasturtium officinale. International Journal of Environment Science and Techbology*. **2**(1), 63-67.

98. Kaya, C., Higgs D. and Burton, A. (2000): Plant growth, phosphorus nutrition and acid phosphatase enzyme activity in three tomato cultures grown hydroponically at different zinc concentrations. *Journal of Plant Nutrition.* **23**: 569–579.

99. Kesanakurti P.R., Fazekas A.J., Burgess K.S. and Percy D.M. (2011): Spatial patterns of plant diversity below-ground as revealed by DNA barcoding. *Molecular Ecology.* **20**: 1289-1302.

100. Kress, W.J., Wurdack, K.J., Zimmer, E.A., Weigt, L.A. and Janzen, D. H.(2005): Use of DNA barcodes to identify flowering plants. *Proceedings of the National Academy of Sciences of the United States of America*, **102(23)**:8369-8374.

101. Kress, J. and Erickson, D.L. (2007): A two-locus global DNA barcode for land plants: the coding rbcL gene complements the non-coding trnH-psbA spacer region. *PLoS One*, **6**:1-10.

102. Kress, W.J., Erickson, D.L., Jones, F.A., Swenson, N.G., Perez, R., Sanjur, O. and Bermingham, E. (2009): Plant DNA barcodes and a community phylogeny of a tropical forest dynamics plot in Panama. *Proceeding of Natural Science Academy. USA*, **106(44)**:18621-18626.

103. Kovacs, M, Nyary, I. and Toth, L. (1984): The microelement content some submerged and floating aquatic plants. *Acta Botanica.* **30**:173-185.

104. Lahaye, R., Savolainen , Vincent, Duthoit , Sylvie , Maurin , Olivier , van der Bank, Michelle (2008): A test of psbK-psbI and atpF-atpH as potential plant DNA barcodes using the flora of the Kruger National Park (South Africa) as a model system. *Nature Precedings.*

105. Landolt, E. and Kandeler, R. (1987): Biosystematic investigations in the family of duckweeds (Lemnaceae). vol.4. The family of Lemnaceaea monographic study, vol. 2. Veröffentlichungen des Geobatananischen Institutes der ETH, Stiftung Rubel, Zurich.

106. Ladygein,V.G. (2004): Changes in the biochemical composition, structure and fuction of pea leag chloroplasts in iron deficiency and root anoxia. *Prikladnaya Biokhimiya Microbiologiya.* **40**(5): 584-95.

107. Ladygein V.G. and Semenova, G.A. (2003): Structural and functional organization of chloroplasts in leaves of Pisum sativam L., under conditions of root hypoxia and iron deficiency. *Tsilogiia,* **45**(8): 780- 85.

108. Lindsay, W. L. (1979): *Chemical Equilibra in Soils*: Wiley, New York. 449 pp.

109. Li F.W, Tan B.C., Buchbender V. and Moran R.C.(2009): Identifying a mysterious aquatic fern gametophyte. *Plant Systematic Evolution.* **281**: 77-86.

110. Levin, R.A., Wagner, W.L. and Hoch, P.C. (2003): Family-level relationships of Onagraceae based on chloroplast rbcL and ndhF data. *American Journal of Botany*, **90**:107-115.

111. Lu, X., Kruatrachue. M., Pokethitiyook, P., Homyok, K. (2004): Removal of Cadmium and Zinc by Water Hyacinth *Eichhornia crassipes. Research Article*, **30**: 93-103.

112. Marschner (1995): *Mineral nutrition of higher plants.* 2nd Edition. Academic Press, San Diego. 889 pp.

113. Meagher, R.B. and Rugh, C. (1996): Phytoremediation of Mercury Pollution using a modified bacterial mercuric ion reductase gene. *International photosynthetic Research.* **36 :** 75-80.

114. Mertens, J., Vervaeke, P., De Schrijver, A. and Luyssaert, S. (2002): The defensive role of nickel hyperaccumulation by plants, a field experiment. *American Journal of Botany*, **89**: 998 – 1003.

115. Mazen, A., and Maghraby, E. O. (1997): Accumulation of cadmium, lead and strontium, and a role of calcium oxalate in water hyacinth tolerance. *Biologia Plantarum*, **40:** 411–417.

116. Meyer, C. P., Paulay, G., (2005): DNA barcoding: error rates based on comprehensive sampling. *PLoS Biol.* **3(12)**:422.

117. Miller, G., Shulaev, V. and Mittler, R. (2008): Reactive oxygen signaling and abiotic stress. *Physiologia Plantarum.* **133**,481–489.

118. Mittler, R. (2002): Oxidative stress, antioxidants and stress tolerance, *Trends Plant Science* **7**:405-410.

119. Mithofer, A., Schulze, B. and Boland, W. (2004): Biotic and heavy metal stress response in plants: evidence for common signals. *FEBS Letters* **566**: 1–5.

120. Melo, H.C., Castro, E.M., Soares, A.M. Melo, L.A. and Alves, J.D. (2007): Anatomical and physiological alterations in *Setaria anceps* Stapf ex Massey and *Paspalum paniculatum L*. under water deficit conditions. *Hoehnea* **34**: 145-153.

121. Mona, D. and Krishanaya, N.S.R. (2004): Habitat alteration and floristic changes in and around harni pond Baroda, India. *Tropical Ecology*, **45**(2): 293-301.

122. Mocquot, B., Vangronsveld J., Clijsters, H. and Mench, M. (1996): Copper toxicity in young maize (*Zea mays* L.) plants. Effect on growth, mineral and chlorophyll contents and enzyme activities. *Plant Soil*, **182**:287-300.

123. Moya, J.L., Ros, R., and Picazo, I. (1993): Influence of cadmium and nickel on growth, net photosynthesis and carbohydrate distribution in rice plants. *Photosyntthesis Research.* **36**: 75-80.

124. Nagalakshmi N. and Prasad M. N. (2001): Responses of glutathione cycle enzymes and glutathione metabolism to copper stress in *Scenedesmus bijugatus*. *Plant Science.* **160**:291-299.

125. Neuhaus, H. and Link, G. (1987): The chloroplast t RNA^{LYS}(UUU) gene from mustard (*Sinapis alba*) contains a class II intron potentially coding for a maturaserelated polypeptide. *Current Genetics* **11**: 251-257.

126. Newmaster S.G., Fazekas A.J., Steeves R.A.D. and Janovec, J. (2008): Testing candidate plant barcode regions in the Myristicaceae. *Molecular Ecology Resources,* **8(3)**:480-490.

127. Nieboer, E. and Richardson, D.H.S. (1980): The replacement of the nondescript term 'heavy metals' by a biologically and chemically significant classification of metal ions. *Environmental Pollution.* **1**(B): 3-26.

128. O'Neil, P. (1993): *Environmental Chemistry*. London: Chapman and Hall. p. 193.

129. Olah, V., Toth, G.D., SzoIlosi, E. and Kiss, T. (2008): Comparative study on sensitivity of different physiological properties of *Spirodela polyrrhiza* (L.) Schleiden to Cr (VI) treatments. *Acta Biologia*. **52**:181-182.

130. Olmstead, R.G. and Palmer, J.D. (1994): Chloroplast DNA systematics: a review of methods and data analysis. *American Journal of Botany* **81**: 1205-1224.

131. Oliveira, J.A, Cambraia, J, Oliva, M.A, Jordao, C.P. (2001): Absorcao e acúmulo de cádmio e seus efeitos sobre o crescimento relativo de plantas de aguapé e de Salvínia. Rev. Bras. Fisiol. Veg. **13**:329-341.

132. Padmaja, K, Prasad, D.K., Prasad, A.R.K. (1990): Inhibition of chlorophyll synthesis in *Phaseolus vulgaris* Seedlings by cadmium acetate. *Photosynthetica*. **24**:399–405.

133. Palma, J.M., Sandalio, L.M., Corpas, F.J., Romero-Puertas, M.C., McCarthy I, and del Rio L.A. (2002): Plant proteases, protein degradation and oxidative stress: role of peroxisomes. *Plant Physiology and Biochemistry.* **40**: 521–530.

134. Palmer, J.D., Osorio, B., Aldrich, J. and Thompson, W.F. (1987): Chloroplast DNA evolution among legumes: loss of a large inverted repeat occurred prior to other sequence rearrangements. *Current Genetics*. **11**:275–286.

135. Palmer, J.D. and Herbon, L.A. (1988): Plant mitochondrial DNA evolved rapidly in structure, but slowly in sequence. *Journal of Molecular Evolution*. **28**:87–97.

136. Palmer, J.D., (1991): Plastid chromosomes: structure and evolution. In: Bogorad L, Vasil IK, editors. Cell Culture and Somatic Genetics of Plant. *Academic Press*, San Diego: Molecular Biology of Plastids; pp. 5–53.

137. Pandey, N, Sharma, C.P. (2002): Effect of heavy metals Co^{2+} Ni^{2+} and Cd^{2+} on growth and metabolism of Cabbage. *Plant Science* **163**: 753-758.

138. Panoufilotheou, H., Bosabalidis A.M., and Kofidis G. (2006): Structural response of oregno stems to excess of soil copper. *Journal of Biological Research.* ***5***: 99 - 104.

139. Papadopoulos, A. (2007): Determination and evaluation of cadmium, copper, nickel, and zinc in agricultural soils of western Macedonia, Greece. *Environment Management*. **40**, 719 – 726.

140. Patel, Y., Patel R.M., Roy A. and Joshi P.N., (2013): Status and diversity of ethno-medicinal plants of dhinodhar hill, Kutch district, Gujarat. *International Journal of Plant animal and Environmental Science.* **3(1)** 265-273.

141. Patel, K.R., and Patel, N.K., (2014): Study of aquatic angiospermic plants of Anand City, Gujarat, India. *Life science leaflets*.**53**, 61-64.

142. Paul, S., Suttogier A. and Ward B. (2015): Exploring connections among nature, biodiversity, ecosystem services, and human health and well – being: opportunities to enhance health and biodiversity conservation. *Ecosystem Services.* 12:1-15.

143. Pennisi, E. (2007): TAXONOMY: Wanted: A barcode for plants. *Science*, **318(5848)**:190-191.

144. Peter, H. R. and Edward, O. W. (1992): A Fifty year plan for biodiversity survey. *Science, New Series*, 258, (5085): 1099-1100.

145. Pereira, G.J.G, Molina, S.M.G, Lea, P.J. and Azevedo R.A. (2002): Activity of antioxidant enzymes in response to cadmium in *Crotalaria juncea*. *Plant Soil* **239**:123-132.

146. Piredda, R., Simeone, M.C., Attimonelli, M., Bellarosa, R. and Schirone, B. (2010): Prospects of barcoding the Italian wild dendroflora: oaks reveal severe limits to track species identity. *Molecular Ecology Resources*. **11**:72 –83.

147. Phatak, V.G. and Satakopan. S. (1957): Plant types of the ponds of the plains around Baroda. I- Pond vegetation at harni (Baroda). *Journal of The M.S. University of Baroda*, **6:** 11-40.

148. Punz, W.F., and Sieghardt, H. (1993): The response of roots of herbaceous plant species to heavy metals. *Environmental Experimental Botany.* **33**, 85- 98.

149. Prasad, M.V., Malec, P. , Bojko, M. and Stralka, K. (2001): Physiological responses of (*Lemna trisulca* L.) to cadmium and copper bioaccumulation. *Plant Science*, **161**: 881–900.

150. Prasad, M.N. and Strzalka, K. (2002): *Physiology and Biochemistry of heavy metal toxicity and tolerance in plants*. Dordrecht, Kluwer Academic Publishers.

151. Prokopiev, E. (1978): Afforestation of Industrial Areas. Zemizdat, Sofia. (In Bulgarian)207 pp.

152. Rabie, M.H., Eleiwa M.E., Aboseoud, M.A. and Khalil, K.M. (1992): Effect of nickel on the content of carbohydrate and some mineral in corn and broad bean plant. *Journal of King Abdulaziz University-Science.* 4, 37.

153. Radic, S., Babic, M., Skobic, D., Roje, V., and Pevalek-Kozlina, B. (2010): Ecotoxicological effects of aluminum and zinc on growth and antioxidants in *Lemna minor L. Ecotoxicology and Environmental Safety*, **73**, 336-342.

154. Raize, O., Argaman, Y. and Yannai, S.(2004): Biotechnology and Bioengineering, **87**: 451- 458.

155. Ritland, K. and Clegg, M. T. (1987): Evolutionary Analysis of Plant DNA Sequences. *American Nature.* **130**: 74–100.

156. Rao, K.S.S. (1981): Flora of southern – eastern kachchh. *Ph.D. Thesis* submitted to M. S. University of Baroda, Vadodara.

157. Rao, K.V. and Sresty, T.V.S. (2000): Antioxidative parameters in the seedlings of pigeon pea (*Cajanus cajan*) in response to Zn and Ni stress. *Plant Science* **157**: 113-128.

158. Rubinoff, D. (2006): Utility of mitochondrial DNA barcodes in Species Conservation. *Conservation Biology*.1523-1739.

159. Robertson, A.I. (1985): The poisoning of roots of *Zea mays* by nickel ions, and the protection afforded by magnesium and calcium. *New Phytol*ogia. **100**: 173-189.

160. Robertson, A.I., and Meakin, M.E. (1980): The effect of nickel on cell division and growth of *Brachystegia spiciformis seedlings. Kirkia*, **12**: 115- 125.

161. Roosen, N., Verbruggen, N., Meerts, P., Ximenez- Embun and Smith, A.C. (2003): Natural variation in cadmium tolerance and its relationship metal hyperaccumulation for seven populations of *Thlaspi caerulescens* from Western Europe. *Plant cell and environment* **26**, 1657- 1672.

162. Rout, N.P. and Shaw, B.P. (2001): Salt tolerance in aquatic macrophytes: possible involvement of the antioxidative enzymes. *Plant Science.* **160**:415-423.

163. Roy, S., Tyagi, A., Shukla, V. and Kumar, A. (2010): Universal plant DNA barcode loci may not work in complex groups: a case study with Indian berberis species. *PLoS One* **5**: e13674.

164. Sabatini, S.E., Juarez, A.B., Eppis, M.R., Bianchi, L, Luquet, C.M., del Carmen Rios and de Molina M. (2009): Oxidative stress and antioxidant defenses in two green microalgae exposed to copper. *Ecotoxicology Environment Safety* **72**(4): 1200-1206.

165. Sabnis, S. D. and Rao, K. S. S. (1983): Observation on Some Rare and Endangered Endemics of Kachchh. In, Assessment of Threatened plants of India. (eds.) S.K.Jain and R.R.Rao. *Botanical Survey of South Eastern India*, Howrah. 71-77.

166. Sadasivam, S. and Manikam, A. (1991): In: *Biochemical Methods* (2 nd Edn), New Age International (P) Ltd., New Delhi

167. Sadler, P.J., Higham, D.P. and Nickolson, J.K. (1985): *The environmental chemistry of metals with examples from studies of the speciation of cadmium*. In: Irgolic, K.J. and Martel, A.E. (Eds.) Environmental Inorganic Chemistry, VCH Publishers Inc., Florida, pp. 239-271.

168. Salt, D.E., Blaylock, M., Kumar , P.B.A.N., Dusheukov, E., Ensley, B.B., Chet, I. and Raskin I. (1995): Phytoremediation : A novel strategy for removal of toxic metals from environment using plants. *Biotechnology*. **13**:468-475.

169. Sambrok, J., Frith E.F. and Maniatis, T. (1982): Molecular cloning. A Laboratory Manual. 2nd Edn. Cold spring *Harbor Laboratory Press, Newyork*, USA.

170. Sandalio, L.M.; Dalurzo, H.C., Gómes, M., Romero-Puertas, M.C. and Del Rio, L.A. (2001): Cadmium-induced changes in the growth and oxidative metabolism of pea plants. *Journal of Experimental Botany*. **52**: 2115-2126.

171. Saquib, M., Ahmad, A. and Ansari, K., (2010): Morphological and physiological responses of *Croton bonplandianum Baill*. to air pollution. *Ecoprint.* **17**: 35-41.

172. Sawhney, V., Sheoran, S. and Singh, R. (1990); Nitrogen fixation, photosynthesis and enzymes of ammonia assimilation and biogenesis in nodules of mungbean (*Vigna radiata*) grown in presence of cadmium. *Indian Journal of Experimental Biology.* **28**:883–886.

173. Saygideger, S. and Dogan, M. (2005): Influence of pH on lead uptake, chlorophyll and nitrogen content of *Nasturtium officinale R. Br.* and *Mentha aquatica L. Journal of Environtal Biology.* **26**, 753 – 759.

174. Schützendubel, A. and Polle, A. (2002): Plant responses to abiotic stresses: heavy metal-induced oxidative stress and protection by mycorrhization. *Journal of Experimental Botany* **53**:1351-1365.

175. Seliya, A. R. and Patel, N. K. (2009): Ethnomedicinal uses of climbers from Saraswati river region of Patan district, North Gujarat. *Ethnobotanical leaflets*, **13**, 865-872.

176. Shah, K., Kumar, R. G., Verma, S. and Dubey, R. S., (2001): Effect of cadmium on lipid peroxidation, superoxide anion generation and activities of antioxidant enzymes in growing rice seedlings. *Plant Science* **161**, 1135–1144.

177. Sheoran, I.S., Agarwal, N. and Singh R. (1990): Effect of cadmium and nickel on in vivo carbon dioxide exchange rate of pigeonpea (*Cajanus cajan* L.) *Plant Soil.* **129**:243–249.

178. Siedlecka, A. and Krupa, Z. (1996): Interaction between cadmium and iron and its effects on photosynthetic capacity of primary leaves of *Phaseolus vulgaris. Plant Physiology and Biochemistry.* **34**: 833–841.

179. Singh, S., Zacharias, M., Kalpana, S. and Mishra, S. (2010): Heavy metals accumulation and distribution pattern in different vegetable crops. *Journal of Environtal Chemistry and Ecotoxicology.* **4**: 75-81.

180. Singh, S., Sinha, S. (2005): Accumulation of metals and its effects in *Brassica juncea* (L.) Czern (cv. Rohini) grown on various amendments of tannery waste. *Ecotoxicology and Environment Safety.* **62**: 118-127.

181. Singh, S., Eapen, S. and Souza, S.F.D. (2006): Cadmium accumulation and its influence on lipid peroxidation and antioxidative system in an aquatic plant, *Bacopa monnieri* L. *Chemosphere* **62**:233-246.

182. Sridhar, B., Han, F., Diehl, S., Monts, D., and Su, Y. (2007): Effects in Zn and Cd accumulation on structural and physiological characteristics of barley plants. *Brailian Journal of Plant Physiology*. **19(1)**: 15 – 22.

183. Soltis, P.S., Soltis, D.E., and Doyle, J.J., eds. (1992): Molecular systematics of plants. 434 pp. *Chapman & Hall, New York.*

184. Soudek, P., Tykva, R. and Vanek, T. (2004): Laboratory analyses of 131Cs uptake by sunflower, reed, and poplar. *Chemosphere*, **54**: 1081–1087.

185. Starrett, J. and Hedin, M. (2007): Multilocus genealogies reveal multiple cryptic species and biogeographical complexity in the California turret spider *Antrodiaetus riversi* (Mygalomorphae, Antrodiaetidae). *Molecular Ecology.* **16**:583–604.

186. Steven, G.N. and Subramanyam, R. (2009): Testing plant barcoding in a sister species complex of pantropical Acacia (Mimosoideae, Fabaceae). *Molecular Ecology Resources*, **9**:172-180.

187. Stiborova, M., Ditrichova, M. and Brezinova, A. (1987): Effect of heavy metal ions on growth and biochemical characteristics of photosynthesis of barley and maize seedlings. *Plant Biology.* **29**: 453–467.

188. Stratford, H.K., William, T.H. and Leon, A. (1984): Effects of heavy metals on water hyacinths (*Eichhorniacrassipes*), *Aquatic Toxicology*. **5**(2): 117-28.

189. Sugita, M., Shinozaki, K., and Sugiura, M. (1985): Tobacco chloroplast $tRNA^{Lys}$(UUU) gene contains a 2.5-kilobase-pair intron: an open reading frame and a conserved boundary sequence in the intron. Proceedings of the National Academy of Sciences, USA **82**:3557-3561.

190. Tabita, F.R, Hanson, T.E, Li, H, Satagopan, S, Singh, J. and Chan, S. (2007): Function, structure, and evolution of the RubisCO-like proteins and their RubisCO homologs. *Microbiol. Molecular Biological* Review. **71**:576–599.

191. Tajima, F. (**1993**): Simple methods for testing molecular clock hypothesis. *Genetics* **135**:599-607.

192. Tamura, K. and Nei, M .(1993): Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Molecular Biological Evolution.* **10**: 512-526.

193. Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M., and Kumar, S. (**2011**): MEGA5: Molecular Evolutionary Genetics Analysis using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. *Molecular Biology and Evolution* (In Press).

194. Tautz, D., Arctander, P., Minelli, A., Thomas, R.H. and Vogler, A.P. (2003): A plea for DNA taxonomy. *Trends Ecology and Evolution.* **18(2)**, 71–74.

195. Tahseen, F. and Chaudhry, N.Y(2004): Morphogenetic effect of growth hormones *i.e.* Indole 3 – acetic acid, Giberellic acid and heavy metal i.e., lead nitrate on the external and internal morphology of seedlings of *Cicer arietinum L. Pakistan Journal of Botanical Science*, **7**(8): 1443-1452.

196. Thimmaiah, S. K. (1999): In: *Standard Methods of Biochemical Analysis*, Kalyani publishers, New Delhi

197. Thapar, R.; Srivastava, A.K.; Bhargava, P.; Mishra, Y. and Rai, L.C., (2008): Impact of different abiotic stress on growth, photosynthetic electron transport chain, nutrient uptake and enzyme activities of Cu-acclimated *Anabaena doliolum. Journal of Plant Physiol.*, **165**: 306-316.

198. Tewari, G. and Bisht, A.(1991): Aquatic Biodiversity: Threat and Conservation. *Aquafind fish database.*

199. Thorsteinsson, B., Tilberg J. and Tilberg, E. (1987): Carbonhydrate portitioning, photosynthesis and growth in Lemna gibba G3.I. Effect of nitrogen limitation. *Physiologia Plantarum.* **71:** 264–70.

200. Tsukaya, H, Nakajima, M. and Okada, H. (2011): Kalimantanorchis: A new genus of Mycotrophic orchid from West Kalimantan, Borneo. *Systematic Botany*. **36**: 49-52.

201. Van Assche, F. and Clijsters, H.(1990): Effects of metals on enzyme activity in plants. *Plant, Cell and Environment*, **13(3)**, 195–206.

202. Videa, J.R., Gardea-Torresdey, J.L., Gomez, E., Tiemann, K.J., Parsons, J.G. and Carrillo, G. (2002): Effect of mixed cadmium, copper, nickel and zinc at different pHs upon alfalfa growth and heavy metal uptake. *Environtal Pollution.* **119**: 291–301.

203. Vijaykumar, A. (2007): Effect of chemical impregnation of seeds on seed yield and quality in blackgram CV.Co.5. *Legume Res*earch. **30(1)**: 53-56.

204. Velikova, V., Yordanov, I. and Edreva, U. (2000): Oxidative stress and some antioxidant system in acid rain treated bean plants: Protective role of exogenous polyamines. *Plant Sci*ence. 151: 59-66.

205. Vitória, A.P., Lea, P.J. and Azevedo, R.A. (2001): Antioxidant enzymes responses to cadmium in radish tissues. *Phytochemistry.* **57**:710-715.

206. Vogler, A.P., Monaghan, M.T. (2007): Recent advances in DNA taxonomy.*Journal of Zoology and Systematic Evolutionary Research.* **45**:1–10.

207. Vyas, S. P. (2001): Ethno-medicinal plants of Kachchh. *Indian Journal of Environmental Science.* **6 (1)**: 91-94.

208. Wang, W., Wu, Y. and Messing, J. (2014): RNA-Seq transcriptome analysis of *Spirodela* dormancy without reproduction. *BMC Genomics* **15**:60.

209. Wang, X., Shi, G. X., Xu, Q. S., Xu, B. J. and Zhao, J. (2007): Lanthanum and cerium induced oxidative stress in submerged *Hydrilla verticillata* plants. *Russian Journal of Plant Physiology.* **54**, 693-697.

210. Warrier, R.R and Saroja, S. (2008): Histochemical studies on water hyacinth with particular reference to water pollution. *International Journal of Integrated Biology.* **3(2)**:96 -99.

211. Weisberg, S.B., Griffith, J.F. and Mc. Gee, C.D. (2003): Evaluation of microbial source tracking methods using mixed fecal sources in aqueous test samples. *International Journal of Water Health.* **1**, 141–151.

212. Wojcik, M., Vangronsveld, J., D'Haen, J. and Tukiendorf, A., (2005): Cadmium tolerance in *Thlaspi caerulescensII.* Localization of cadmium in Thlaspi caerulescens. *Environment Experimental Botany*. **53**, 163–171.

213. Wolfe, K.H., Li, W. and Sharp, P.M. (1987): Rates of nucleotide substitution vary greatly among plant mitochondrial, chloroplast, and nuclear DNAs. *Proceeding of National Acadamy of Science* USA **84**:9054–9058.

214. Xun, Q.S. (2004): Response of *Hydrilla verticillata* (Linn F.). Role to Cd, Cu, Zn stress. *Ph.D thesis,* Nanjing normal university.

215. Xyländer, M, Augsten H. and Appenroth, K-J (1993): Influence of nickel on the life cycle of the duckweed *Spirodela polyrhiza* (L.) Schleiden. *Journal of Plant Physiology.* **142**:208-213.

216. Yadav, M. and Yadav, S. (2014): Operational Power Plants Based Impacts on Biodiversity to Assess Ecosystem Degradation in UP (India). *International Journal of Environmental Research and Development*. **4(3)**: 219-226.

217. Zaigham, H., Anwar,Z., Khalid, U., Mzhar, I., Khan, R., Khan, J. and Khattak (2012): Civic pollution and its effect on water quality of river Toi at district Kohat, NWFT", *Research Journal of Environment and earth Sci*. **4(5)** 334 -339.

218. Zengin, F.K. and Munzuroglu, O. (2005): Effects of some heavy metals on content of chlorophyll, proline and some antioxidant chemicals in bean *(Phaseolus Vulgaris L.*) seedling. *Acta Biologica Cracoviensia Seiesr Botanica.* 47: 157–164.

219. Zengin, F.K. and Munzuroglu, O., (2006): Toxic effects of cadmium (Cd^{++}) on metabolism of sunflower (*Helianthus annuus* L.) seedlings. *Plant Soil Sci.* **56**, 224-229.

220. Zoghlami, L., Djebali, W., Chaïbi, W. and Ghorbel, H. (2006): Structural and physiological changes induced by cadmium-calcium interaction in tomato (*Lycopersicon esculentum*). *Comptes rendus Biologies*, **329**: 702-711.

221. Zurawski, G., Clegg, M. T. and Brown, A. H. D. (1984): The nature of nucleotide sequence divergence between barley and maize chloroplast DNA. *Genetics.* **106**:735-749.

222. Zulfi, A., Melia, K., Zein, R., Aziz, H. and Munaf, E., (2013): Prediction of Pb (II) and Cu (II) Ions Biosorption by *Annona muricata L.* Seeds Using Artificial Neural Network (ANN) Approach. *Research Journal of Pharmaceutical, Biological and Chemical science*, **4**(4): 1443-1451.