

R E F E R E N C E S

- Agrawal, G. C. (1984). Further studies on Tertiary and Quaternary sequence of South Gujarat with reference to their structural style and geomorphic expressions. Unpubl. Ph.D. Thesis, M.S. University of Baroda, Vadodara. p. 177.
- Alavi, S. A. (1990). Morphotectonic analysis of South Gujarat landscape. Unpubl. Ph.D. thesis, M.S. University of Baroda, Vadodara, p. 203.
- Alavi, S. A. and Merh, S. S. (1991). Morphotectonic analysis of South Gujarat landscape, Proc. of the Ind. Nat. Sci. Acad. 557, p. 683-698.
- Alexander, P. O. (1979). Rare-earth elements in Dhanduka bore-hole suite, Deccan basalts, Western India, Jour. Geol. Soc. Ind., v. 20, p. 74-82.
- Auden, J. B. (1949), Dykes in Western India. Trans. Nat. Inst. of Science, India, V. 3, p. 123-157.
- Babu, P. V. L. P. (1977). Geomorphology of the Cambay Basin, Photonirvachak, Jour. Ind. Soc. Photo Int. Vol. 5, p. 9-17.
- Babu, P. V. L. P. (1984). A structural synthesis of the Lower Narmada River Basin and its bearing on the Mesozoic oil prospects. Petroleum Asia Journal. Vol. VII, No. 1, P. 97-101.
- Bansal, B. K. and Gupta, S. (1998), A glance through the Seismicity of Peninsular India. Jour. Geol. Soc. India, V. 52, p. 67-80.
- Beane, J. E., Turner, C. A., Hooper, P. R., Subbarao, K. V. and Walsh, J. N. (1986). Stratigraphy, composition and formation of Deccan basalts, Western Ghats, India. Bull. Volcanology Vol. 48: p. 61-83.
- Belousov, V. V. (1962), Basic problems of Geo-tectonics. Mc-Graw-Hill. London, 816pp.
- Biscaye P. E. (1965). Mineralogy and sedimentation of recent deep-sea clays in the Atlantic ocean and adjacent seas and oceans. Bull. Geol. Soc. Am. Vol. 76, p. 803-832.
- Biswas, S. K. (1980). Structure of Kutch-Kathiawar region, W. India. Proc. 3rd Ind. Geol. Congr., Pune, p. 255-272.
- Biswas, S. K. (1982), Rift basins in the western margin of India and their hydrocarbon prospects. Bull. Am. Assoc. Pet. Geol. Vol. 66 (10), p. 1497-1513.
- Biswas, S. K. (1987), Regional tectonic framework, structural and evolution of western marginal basins of India. Tectonophysics, Vol. 135, p. 315-327.
- Biswas, S. K. and Deshpande, S. V. (1973). Mode of eruption of Deccan Trap lavas with special reference to Kutch, Journal of Geol. Soc. India. Vol. 14, p. 134-141.
- Biswas, S. K. and Deshpande, S. V. (1983). Geology and hydrocarbon prospects of Kutch, Saurashtra and Narmada basins, In; L. L. Bhandari, B. S. Venkatachala, R. Kumar, S. N. Swamy, P. Garga and D. C. Srivastava (Eds.). Petroliferous Basins of India, Pet. Asia Jour., Vol. 6(4), p. 111-126.

- Blanford, W. T. (1867), On the geology of Tapti and Narbudda valleys and some adjoining districts, Mem. Geol. Surv. India, V. VI, part 3.
- Bose, M. K. (1972). Deccan Basalts. *Lithos*, Vol. 5, p. 131-145.
- Bose, M. K. (1980). Alkaline volcanism in the Deccan volcanic province. *Jour. Geol. Soc. India*. Vol. 21, p. 317-329.
- Bose, D. N., Banerjee, A. and Tamhane, (1982). Facies distribution and petroleum geology of the Bombay offshore basin, India. *Jour. Petrol. Geol.* Vol. 5. p. 51-75.
- Burke, K. and Dewey, J. F. (1973). Plume generated triple junctions; key indicators in applying plate tectonics to old rocks. *Jour. Geol.* Vol. 81, p. 406-433.
- Carroll, D. (1970). *Clay Minerals: A guide to their X-Ray identification*. Geol. Soc. Am., Spec. Paper. Vol. 77. 80p.
- Carver, R. E. (1971). *Procedures in sedimentary petrology*. Wiley Interscience. 645p.
- Chamley H. (1989). *Clay sedimentology*. Springer, Berlin, 623p.
- Chandra, U. C. (1977). Earthquakes of peninsular India: A Seismotectonic Study, *Bull. Seismo. Soc. America*. Vol. 65. p. 1387-1413.
- Chandra, P. K. and Chowdhary, L. R. (1969), Stratigraphy of the Cambay basin; *Bull. ONGC* V. 6 (2), p. 37-50.
- Chandrasekharam, D. (1985). Structures and evolution of the western continental margin of India deduced from gravity, seismic, geomagnetic and geo-chronological studies. *Physics of the Earth and Planetary Interiors*, Vol. 41, p. 186-198.
- Chandrasekharam, D. (2000), Geothermal energy resources of India: Country Update. *Proc. World Geothermal Congr. 2000, Japan*, p. 133-142.
- Chappell, J. and Shackleton, N. J. (1986). Oxygen isotope and sea level. *Nature*. Vol. 524. p. 137-140.
- Chaube, V. D. (1971), Narmada-Son lineaments of India. *Nature*, V. 232(28), p. 38-40.
- Chaube, A. N. (1980). Geologic framework of the oil and gas fields of the Indian platform. Energy Conference, Honolulu.
- Couch, E. L. (1971). Calculation of palaeosalinities from Boron and clay mineral data. *Bull. Am. Assoc. Petrol. Geol.* Vol. 55. p. 1829-1837.
- Courtillot, V. E., Feraud, G., Maluski, H., Vandamme, D., Moreau, M. G., and Besse, J., (1988). Deccan flood basalts and the Cretaceous-Tertiary boundary. *Nature*. Vol. 333, p. 843-846.
- Cox, K. G. (1983). The Deccan Traps and the Karoo: Stratigraphic implications of possible hot-spot origins. *Abs. IAVCEI Hamburg Meeting*, P. 9.
- Cox, K. G. (1989). The role of mantle plumes in the development of continental drainage patterns. *Nature*. Vol. 342. p. 873-877.

- Crawford, A. R. (1971). Gondwanaland and the growth of India. *Jour. Geol. Soc. Ind.* Vol. 12, p. 205-221.
- Crawford, A. R. (1978). Narmada – Son lineament of India traced into Madagascar. *Jour. Geol. Soc. India*, Vol. 19(4), p. 144-153.
- Culver, S.J, Bull, P. A., Campbell, S., Shakesby, R. A. and Whalley, W. B. (1985). Environmental discrimination based on quartz grains surface textures; a statistical investigation, *Sedimentology*, Vol. 30, p. 129-136.
- Das, B. and Patel, N. P. (1984). Nature of Narmada-Son lineament. *Jour. Geol. Soc. India*, V. 25(5), p. 267-276.
- Davis W. M. (1909). Complications of the geographical cycle. *Proc. 8th, Int. Geol. Congr.* p. 150-163.
- Deota, B. S. (1991). Geological studies on the south Gujarat Quaternary landscape with special reference to environmental planning and management. Unpubl. Ph. D. Thesis, p. 214.
- Dhar, P. C. and Singh, R. R. (1990). Evolution of Cambay basin. Abs. in Indo-Soviet Symp. On Rifted Basin and Aulacogen related Sedimentation, Crustal Evolution and Mineralization (New Delhi). Jan. p. 22-30.
- Dietz, G. H. and Holden, J. C. (1970). Reconstruction of Pangea, breakup and dispersion of continents, Permian to Present. *Jour. Geophys. Research*, Vol. 75, p. 4939-4959.
- Dubey, R. and Saxena, R. K. (1988). Thermal springs and associated tectonics of Tapi basin area, districts Dhule and Jalgaon, Maharashtra. *Rec. Geol. Surv. India*, V. 115, p. 150-174.
- Dumont, J. F. (1996). Neotectonics of the Subandes-Brazilian craton boundary using geomorphological data: the Marañon and Beni basins. *Tectonophysics*, Vol. 257. p. 137-151.
- Duncan, R. A. and Pyle, D. G. (1988). Rapid eruption of Deccan flood basalts, western India. *In: Subbarao, K. V. (Eds.) Deccan Flood Basalts. Geol. Soc. Mem.*, 10, p. 1-9.
- Einsele, G. (1992). *Sedimentary basins, evolution, facies and sediment budget.* Springer Verlag, Germany, 628p.
- Eremenko, N. A., Negi, B. S. and Kasianov, N. V. (1968), Tectonic Map of India (1968) by the ONGC principles of preparation, *O. N. G. C. Bull.*, V. 6(1), p. 1-11.
- Fairbridge R. W. (1972). Climatology of a glacial cycle. *Quaternary Research*, Vol. 2. p. 283-302.
- Folk, R. L. (1974). *Petrology of sedimentary rocks.* Hemphill Publishing Company, Austin, Texas. 182pp.
- Folk, R. L. and Ward, W. (1957). Brazos river bar: a study in the significance of grain size parameters. *Jour. Sediment. Petrol.* Vol. 27. p. 3-26.
- Foote, R. B. (1898). *Geology of Baroda state.* Baroda. 122p.
- Friedman, G. M. (1961). Distinction between dune, beach and river sands from their textural characteristics. *Jour. Sed. Petrology*, Vol. 31, p. 514-529.

- Friedman, G. M. (1962). On sorting, sorting coefficients, and the log-normality of the grain-size, size distribution of sandstones. *Jour. Geology*, Vol. 70, p. 737-753.
- Friedman, G. M. (1967). Dynamic processes and statistical parameters computed for the frequency distribution of beach and river sands. *Jour. Sed. Petrology*, Vol. 37(2), p. 327-354.
- Friedman, G. M. (1969). Depositional environment in carbonate rocks. a symposium, Soc. Econ. Palaeont., Mineral. 209pp.
- Friedman, G. M. and Johnson K. G. (1982). *Exercises in sedimentology*, John Wiley and Sons, Inc. New York, 208p.
- Gadekar, D. R. (1975). Geology of the Tertiary rocks of south Gujarat with special reference to their stratigraphy and sedimentation. Unpubl. Ph. D. Thesis, M. S. Univ., Baroda, p. 225.
- Gadekar, D. R. (1977). Sedimentary structures in Tertiary rocks of south Gujarat and their environmental significance. *Jour. Geol. Soc. Ind.* V. 18, p. 549-557.
- Ganapathi, S., Desai, S. J. and Merh, S. S. (1981). Significance of Narmada geo-fracture in Quaternary history of Gujarat coast. *Proc. Symp. Quat. Episodes-Dept. Geol. M. S. Univ. Baroda*, p. 97-107.
- Gibbs, R. J. (1965). Error due to segregation in quantitative clay mineral x-ray diffraction mounting techniques. *Am. Mineralogists*, Vol. 50. p. 741-751.
- Gleister, R. P. and Nelson, H. W. (1974). Grain size distribution; an aid on facies identification, *Bull. Can. Petrol. Geol.* Vol. 22, p. 203-240.
- Goldschmidt, V. M. and Peters, C. (1932). Zur geochemie des Bors. Teil I u II: *Akad. Wiss. Göttingen, Nachr. Mat.-Phys. K1.* p. 402-407, 528-554.
- Goudie, A. S. (1973). *Duricrusts in tropical and sub-tropical landscapes*. Clarendon Press, Oxford, England. 174pp.
- Goudie, A. S. (1983). Calcrete. *In: Chemical sediments and geomorphology* (Goudie, A. S. and Pye, K. eds.) Academic Press, London: pp. 93 – 131.
- Griffin, G. M. (1971). Interpretation of X-Ray diffraction data. *In; Carver, R. E. (Ed.) Procedures in Sedimentary Petrology.* p. 541-569.
- Grim, R. E. (1968). *Clay mineralogy*. McGraw Hills Publications, 596pp.
- Gubin, I. E. (1969). Earthquake and seismic zoning of Indian peninsula. Central Water and Power Commission. Offset Press. New Delhi.
- Guha, S. K., Gosavi, P. D., Nand, K., Padale, J. G. and Marwadi, S. C. (1974), Koyna earthquakes (October 1963 to December 1973), Report, Central Water and Power Station, Poona, India.
- Haas, C. S., Pellin, R. A. and Everingham, M. R. (1964). Spectrophotometric determination of traces of boron in silicon tetrachloride utilizing an extractive separation. *Anal. Chem.* Vol. 36, p. 245-246.
- Higgs, R. (1979). Quartz grain surface features of Mesozoic-Cenozoic sands from the Labrador and western Greenland continental margins, *Jour. Sed. Petrology*, Vol. 49(2), p. 599-610.

- Holmes, A., (1965). Principles of physical geology. Thomas Nelson and Sons, London, 1288pp.
- Holmes, R. S. and Hearn, W. E., (1942). Chemical and physical properties of some of the important alluvial soils of the Mississippi drainage basin, U. S. Dept. Agr., Tech. Bull, 833pp.
- Howard, A. D. (1967), Drainage analysis in geologic interpretation: a summation. Amer. Asso. Pet. Geol. Bull. Vol. 51(11), p. 2246-2259.
- Inman, D. L., (1949). Sorting of sediments in the light of fluid mechanisms. Jour. Sed. Petrology, Vol. 19, p. 51-70.
- Inman, D. L., (1952). Measures for describing the size distribution of sediments. Jour. Sed. Petrology, Vol. 22, p. 125-145.
- ISSC – International Sub-Commission on Stratigraphic Classification (1970). Preliminary report on litho-stratigraphic units. H. D. Hedberg, ed. International Union of Geological Sciences, ISSC, Rept. 3, 30p.
- Jagger, J. J., Courtillot, V. and Tapponnier, P. (1989). Palaeontological view of the ages of the Deccan traps, the Cretaceous-Tertiary boundary and the India-Asia collision, Geology, Vol. 17, p. 316-319.
- Jain, S. C., Nair, K. K. K., and Yedekar, D. B. (1995), Tectonic evolution of the Son-Narmada-Tapi lineament zone. In: Project CRUMANSONATA- Geoscientific Studies of the Son-Narmada-Tapi Lineament Zone. Geol. Surv. India, Sp. Pub. 10, p. 333-371.
- Jefferey, P. G. (1975). Chemical methods of rock analysis. International Series of Mono. Ana. Chem., 2nd Ed. Pergamon Press. 420pp.
- Joint Committee on Powder Diffraction Standard Cards (1974). Selected powder diffraction data for minerals, First Edition.
- Jootun, L. S., (1982). Geological and geomorphological studies on the west coast between Teethal and Dahanu, with special reference to the recent Sedimentation Processes and evaluation of terrain attributes. Unpubl. Thesis. M. S. University of Baroda.
- Jootun, L. S., Vashi, N. M., Hardas, M. G. and Merh, S. S. (1982). Geomorphic studies on the coastal plains of south Gujarat. Unpubl. U.G.C. Report. M.S.University of Baroda. pp. 286-313.
- Kaila, K. L., (1988). Mapping the thickness of Deccan trap flows in India from DSS Studies and inferences about a hidden Mesozoic basin in the Narmada-Tapti region. *In*: Subbarao, K. V. (Eds.) Deccan Flood Basalts. Geol. Soc. Mem., 10, p. 91-116.
- Kaila, K. L., Krishna, V. G., and Mall, D. M. (1981). Crustal structure along Mehmedabad - Billimora profile in the Cambay basin, India, from deep seismic soundings. Tectonophysics, 76. pp. 99-130.
- Kaila, K. L. and Krishna, V. G. (1992). Deep seismic sounding studies in India and major discoveries. Current Science, 62. pp. 117-154.

- Kamath, R. and Vashi, N. M. (1981). Geochemical studies of the sediments along the coastal segment between the rivers Tapi and Ambica, Gujarat. a report of work based on the UGC sponsored research programme on Quaternary Geology, p. 267-269.
- Karant, R. V. and Sant, D. A. (1995). Lineaments and dyke swarms of lower Narmada valley and southern Saurashtra, Western India. *Memoir Geol. Soc. India*. No. 33, p. 425-434.
- Katz, M. B. (1978), Sri Lanka in Gondwanaland and the evolution of the Indian Ocean. *Geol. Mag.*, V. 115(4), p. 237-244.
- Keith, M. L. and Degens, E. T. (1959). Geochemical indicators of marine and fresh water sediments In; Abelson, P. H. (ed) *Researches in Geochemistry*. John Wiley & Sons, New York. p. 38-61.
- Kessarkar, P. M., Rao, V. P., Ahmad, S. M. and Anil Babu, G. (2003). Clay minerals and Sr-Nd isotopes of the Sediments along the western margin of India and their implication for sediment provenance. *Marine Geology*. Vol. 202, p. 55-69.
- Khan, A. A. and Banerjee, S. N. (1984), Geological and geomorphological studies around Tapti-Vaghur Confluence, District Jalgaon, Maharashtra. *Rec. Geol. Surv. India*.
- King C. A. M. (1972). *Beaches and coasts*. Edward Arnold, London, 559p.
- Klootwijk, C. G. (1979), A review of palaeomagnetic data from Indo-Pakistan fragment of Gondwanaland, in A. Farah and K. A. De Jong, Eds. *Geodynamics of Pakistan*, Pak. Geol. Survey, p. 41-86.
- Krinsley, D. H. and Doornkamp, J. C. (1973). *Atlas of quartz sand surface textures*. Cambridge University Press, Cambridge. 91pp.
- Krinsley, D. H. and Donahue, J. (1968). Environmental interpretation of sand grains surface textures by electron microscopy. *Bull. Geo. Soc. of America*. Vol. 79, p. 743-748.
- Krinsley, D. H. and Funnell, M. B. (1965). Environmental history of quartz grains from the lower and middle Pleistocene of Norfolk, England, *Quart. Jour. Geol. Soc. London*, Vol. 121, p. 435-461.
- Krishnan, M. S. (1953). The structural and tectonic history of India. *Mem. Geol. Soc. India*, V. 81, p. 2-12.
- Krishnan, M. S. (1960). *Geology of India and Burma*, Fourth Edition Higginbothams (Pvt.) Ltd. Madras-2, p. 536.
- Krishnamacharlu, T. (1972). Dyke around Dediapada, Broach dist. Gujarat. *Bull. Volcano*. Vol. 35, p. 947-956.. 536.
- Krumbien, W. C. and Sloss, L. L. (1963). *Stratigraphy and sedimentation*. 2nd Edition. W. H. Freeman & Co. Sanfrancisco and London. 660 pp.
- Kumar, S. and Singh, I. B. (1978). Sedimentological study of Gomti river sediments, Uttar Pradesh, India, example of a river in alluvial plain. *Senckenbergiana Marit*. Vol. 10, p. 145-211.
- Lafond, R. L. (1961). Mineralogical study of actual clays from the Vilaine Basin, *Compt. Read*, Vol. 252. p. 14-16.

- Landergren, S. (1945). Contribution to the geochemistry of Boron. II. The distribution of boron, in some Swedish sediments, rocks and iron ores; the Boron cycle in the upper lithosphere: *Arkiv Kemi. Mineralogi och Geologi*, Bd. 19. Heft 5, Ano. 26. 31pp.
- Le Pichon, X. and Heirtzler, J. R. (1969). Magnetic anomalies in the Indian ocean and sea floor spreading, *Jour. Geophys. Res.* Vol. 73, p. 2101-2117.
- Lee, W. H. K., and Rayleigh, C. B. (1969). Fault plane solution of the Koyna (India) earthquake. *Nature*. Vol. 223. p. 172-173.
- Leopold, L. B., Wolman, M. G. and Miller, J. P. (1969), *Fluvial processes in geomorphology*, Eurasic publisher house (P) Ltd. Ram Nagar, New Delhi-1, p. 532.
- Ly, C. K. (1978). Grain surface features in environmental determination of late Quaternary deposits in New South Wales, *Jour. Sed. Petrology*, Vol. 48(4), p. 1219-1226.
- Mahadevan, T. M. (1995). Seismicity of the Indian peninsular shield. constraints from deep continental structure. *Indian. Jour. of Geology*, Vol. 67(1). p. 49-76.
- Mahoney, J. J. (1984), *Isotopic and chemical studies of the Deccan and Rajmahal traps, India, mantle sources and petrogenesis*, Ph. D. Thesis, University of California, San Diego.
- Mahoney, J. J. (1988). Deccan traps, In; MacDougall, J. D. (Eds.) *Continental Flood Basalts*, Kluwer Dordrecht, p. 151-194.
- Mallik J. N. (1995). Quaternary sedimentation and neotectonism in the lower Tapi valley, *Man and Environment XX (2)*, p. 1-9.
- Manickam S. and Barbaroux, L. (1987). Variations in surface textures of suspended quartz grains in Loire River; An SEM Study. *Sedimentology*, Vol. 34, p. 495-510.
- Manker, J. P. and Ponder, R. D. (1978). Quartz grain surface features from fluvial environments of north-eastern Georgia, *Jour. Sed. Petrology* Vol. 48(4), p. 1227-1232.
- Marathe A. (1995). Pre-history and Quaternary sea level changes along the west coast of India: A Summary. In; *Quaternary Environments and Geoarchaeology of India*, Wadia S., Korisettar R. and Kale V. S. (Eds.), *Geol. Soc. India Memoir 32*, p. 405-413.
- Margolis, S. V. and Kennett, J. P. (1971). Cenozoic palaeo-glacial history of Antarctica recorded in Sub-Antarctic deep-sea cores. *Am. Jour. Science*, Vol. 271, p. 1-36.
- Markevich, V. P. (1976). Prognostic assessment of oil and gas prospects of India and main guidelines for future exploration (ONGC Report).
- Mason B. (1966). *Principles of geochemistry*. 3rd Edition. New York, John Wiley & Sons. 329p.
- Mason, C. C. and Folk, R. L. (1976). Differentiation of beach, dune and aeolian flat environment by size analysis, Mustang Island, Texas, *Jour. Sed. Petrology*, Vol. 28, p. 211-226.
- Mathur, L. P., and Kohli, G. (1963). Exploration and development for oil in India, 6th World Pet. Congr. Frankfurt, Proc. Sec. 1, p. 633-658.
- Mathur, L. P., and Evans, P. (1964). oil in India. 22nd Int. Geol. Congr. New Delhi, Spec. Pap. p. 1-87.

- Mathur, L. P., Rao, K. L. N. and Chaube, A. N. (1968), Tectonic framework of Cambay basin, *India Bull. O. N. G. C.*, V. 5(1), p. 1-28.
- McKenzie, D. P. and Sclater, J. G. (1971). Plate tectonics of the Indian ocean, *Geophys. Jour. R. Astron. Soc.* Vol. 25, p. 437-528.
- Merh, S. S. (1986). "Evolution of Gujarat coastline". Professor S. Mukherjee Memorial Lecture, M. G. Science Institute, Ahmedabad – 9.
- Merh, S. S. (1987). Quaternary sea level changes: The present status vis-à-vis records along coasts of India. *Indian Journal of Earth Sciences*, vol. 14, Nos. 3-4, p. 235-251.
- Merh, S. S. (1993). Neogene-Quaternary sequence in Gujarat: A review. *Journal of Geol. Soc. India*, vol. 41, p. 259-276.
- Merh, S. S. and Chamyal, L. S. (1997), The Quaternary geology of Gujarat alluvial plains. *Monog. Ind. Nat. Sci. Acad. New Delhi*, 98p.
- Milanovsky E. F. (1972). Continental rift zones, their arrangements and developments. *Tectonophysics*, Vol. 15, p. 65-87.
- Millot G. (1953). Mineraux argileux et leurs relations avec la geologie. *Rev. Inst. Fr. Petrole*, 8, numero special, p. 75-86.
- Millot G. (1970). *Geology of the clays*. Springer, New York, 430p.
- Mishra, P. S., Venatraman, N. V., Abhinaba Roy, and Tiwari, M. P. (1999). Seismotectonic evaluatino of Quaternary sedimentary basins yoked with Satpura horst. *Gondwana Geol. Magz. Spl. Vol. 4*. p. 81-96.
- Mitra, P., Zutshi, P.L., Chourasia, R. A., Chugh, M. L., Ananthnarayanan, S. and Shukla, B. (1983), Exploration in western offshore basins, *Petr. Asia Jour.*, V. 6, p. 15-24.
- Moila, R. J. and Weiser, D. (1968), Textural parameters: an evaluation. *Jour. Sed. Res.* V. 38, No. 1, p. 45-53.
- Morgan, W. J. (1981), Hotspot tracks and the opening of the Atlantic and Indian oceans. In: *The Sea 7* (Ed. Emiliani, C.) Wiley, New York, P. 443 – 487.
- Morner, N. (1990). Neotectonics and strucutral geology; general introduction. *Bull. Int. Quat. Ass. Neotect. Comm.* Vol 13. p. 87.
- Mukherjee, M. K. (1980), Neotectonism of south Cambay basin In: K. B. Powar, S. S. Thigale and D. N. Patil (ed): *Proc. 3rd Ind. Geol. Congr. Poona*, p. 309-322.
- Mukherjee, M. K. (1985), Morphology of the south Gujarat Coast – its neotectonic significance. In *Proc. Quat. Epi. India, Dept. Geol., M. S. Univ. Baroda*, p. 26-33.
- Murthy, N. G. K. (1987). Mafic dyke swarms of India. *Spec. Publ. Geol. Assoc. Can.* Vol. 34. p. 393-400.
- Naini, B. R. and Kolla, V. (1982), Tectonics and sedimentation along the continental margin of western India, Pakistan and adjacent sea. *Am. Assoc. Pet. Geol. Bull.*, V. 66(5), p. 611 (abstr.).

- Nair, K. K. K., Jain, S. C. and Yedekar, D. B. (1988). "Geology and tectonics of Deccan traps in Narmada – Tapti Region of Maharashtra and Madhya Pradesh, Central India; Deccan Flood Basalts, G. S. I. Mem. No. 10 (Abstract).
- Nair, R. R., Hashimi N. H. and Rao, V. P. (1982). Distribution and dispersal of clay minerals on the western Continental shelf of India. *Marine Geology*, Vol. 50, M1-M9.
- Nayak P. N., Dutta K. K. Ravi Shanker and Sehgal M. N. (1986). Geological and geophysical studies vis-à-vis results of deep seismic profiles in central India. In; *Deep Seismic Sounding and Crustal Tectonics* (Kaila, K. L. and Tiwari H. C. (Eds.). AEG Publication, Hyderabad, India.
- Norton, I. O. and Sclater, J. G. (1979). A model for the evolution of the Indian ocean and the breakup of the Gondwana. *Jour. Geophys. Res.* Vol. 84, p. 6803-6830.
- Obruchev V. A. (1948). Osnovnyje cerry kinetiki i plastiki neotectoniki. *Izv. Akad. Nauk. SSSR Ser. Geol.* 5.
- Ollier, C. D. and Powar, K. B. (1985). The western ghats and the morphotectonics of peninsular India". *Z. Geomorph. N. F. Suppl. Bd. 54*, Berlin-Stuttgart, p 57-69.
- Packham, R. F., Rosaman, D. and Midgely, H. G. (1961). A mineralogical examination of suspended solids from nine English river, *Clay Minerals Bull.* Vol. 4(25), p. 239-242.
- Pandey J. P., Singh N. P., Krishna B. R., Sharma D. D., Paraikh A. K. and Nath S. S. (1993). Cambay basin – volume I. Lithostratigraphy of Indian petroliferous basins, Document-III. ONGC report, KDMIPE, Dehradun, 166p.
- Pascoe, E. H. (1964). A manual of geology of India and Burma Govt. of India Publ. New Delhi, Vol. 3, p. 1345-2130.
- Passega, R. (1957). Texture as characteristic of clastic deposition. *Bull. Am. Assoc. Petrol. Geol.* Vol. 41. p. 1952-1984.
- Passega, R. (1964). Grain size representation by CM patterns as a geological tool. *Jour. Sediment. Petrol.* Vol. 34. p. 830-847.
- Patel, M. P. (1991). Depositional environment of inland miliolite occurrences of Saurashtra and Kutch. *Proc. Sem. Quat. Land. Indian Subcont.* Baroda p. 139-154.
- Pettijohn, F. J. (1984). *Sedimentary Rocks*. Third edition, CBS Publishers, Delhi, India. 628p.
- Picard M. D. and High L. R. (1969). Some sedimentary structures resulting from flash floods. In; Jensen M. L. (ed.). *Guidebook of Northern Utah*. Bull. Utah Geol. Minerol. Surv. Vol. 82. p. 175-190.
- Potter, P. E., Shimp, N. F. and Witters, I., (1963). Trace elements in marine and fresh water argillaceous sediments. *Geochem. et. Cosmochimica Acta.* Vol. 27, p. 669-674.
- Powar, K. B. (1981). Lineament fabric and dyke pattern in the western part of the Deccan volcanic province. *Geol. Soc. Mem.*, No. 3, p. 45-57.
- Powar, K. B. (1987). Evolution of the Deccan volcanic province, presidential address, *Proc. 74th Indian Sci. Congr.*, Bangalore, pt. II, p. 1-30.

- Powar, K. B. (1993). Geomorphological evolution of Konkan coastal belt and adjoining Sahyadri upland with reference to Quaternary uplift. *Current Science*, Vol. 64, p. 793-796.
- Powell, C. Mc. A. (1979). A speculative tectonic history of Pakistan and Surroundings: some constraints from the Indian ocean. In; A. Farah, and K. A. De Jong (Eds.) *Geodynamics of Pakistan*, Pakistan Geol. Survey, Quetta, p. 5-24.
- Prucha, J. J., Graham, J. A. and Nickelson, R. P., (1965), Basement controlled deformation in rocky mountains foreland. *Am. Assoc. Pet. Geol. Bull.*, V. 49(7), p. 966-992.
- Pryor W. A., and Glass H. D., (1961). Cretaceous-Tertiary clay mineralogy of the upper Mississippi embayment, *Jour. Sed. Petrology*. Vol. 31. p. 38-51.
- Qureshy M. N. (1964). Gravity anomalies, isostasy and crust mantle relations in the Deccan traps and contiguous areas. *In: Subbarao, K. V. and Sukeshwala, R. N. (Eds.) Deccan Volcanism. Geol. Soc. India Mem.*, 3, p. 184-197.
- Radhakrishna, B. P. (1965). The western ghats of the Indian peninsula". *Sagar Symposium*, p. 4-14.
- Radhakrishna, B. P. and Naqvi, S. M. (1986). Precambrian continental crust of India and its evolution, *Jour. Geol.* Vol. 94. p. 145-166.
- Rai V. (1991), Environmental Hazards and some observations on the fluvial geomorphology of the Rivers Purna and Ambica, Valsad District, Gujarat, India. In; *Proc. Quat. Landscape of Indian Subcontinent*, Geology Department, M. S. University of Baroda. p. 153-158.
- Raju A. T. R. (1968), Geological evolution of Assam and Cambay Tertiary basins of India. *Am. Assoc. Pet. Geol. Bull.*, V. 52, p. 2422-2437.
- Raju A. T. R. (1979), Basin analysis and petroleum exploration with some examples in Indian sedimentary basins, *Jour. Geol. Soc. India*, Vol. 20, p. 47-60.
- Raju A. T. R. and Srinivasan, S. (1983). More hydrocarbons from well explored Cambay basin; In; L. L. Bhandari, B. S. Venkatachala, R. Kumar, S. N. Swamy, P. Garga and D. C. Srivastava (Eds.). *Petroliferous Basins of India*, *Pet. Asia Jour.*, Vol. 6(4), p. 25-35.
- Ramanathan S. and Pandey J. (1988). Neogene/Quaternary boundary in Indian basins. *Jour. Palaeontological Soc. India*, Vol. 33, p. 21-45.
- Rao, K. L. N. (1969). "Litho-stratigraphy of Paleogene succession for southern Cambay basin". *Bull. ONGC*, Vol. 6, No. 1, p. 24-37.
- Rao, K. L. N. (1987). "Geological study of the northern Cambay basin with special reference to its tectonic framework and depositional environments. Unpubl. Ph. D. Thesis. M. S. University of Baroda.
- Rao, V. P. (1990). The occurrence of caliche pisolites from the western continental shelf of India. *Sedimentary Geology*. Vol. 69. p. 13-19.
- Rao, B. R. and Rao, P. S. (1984). Historical seismicity of peninsular India. *Bull. Seism. Soc. America*. Vol. 74. p. 2219-2533.

Rao, V. P. and Rao, B. R. (1995). Provenance and distribution of clay minerals in the sediments of the western continental shelf and slope of India. *Continental Shelf Research*. Vol. 15(14), p. 1757-1771.

Rao, D. T., Jambusaria, B. B., Rama Rao, J. V., Thatte, C. D. and Srivastava, H. N. (1986), A seismological study of recent Valsad Earth tremors, South Gujarat, 8th Symp. Earthquake Engg. Roorkee, V. 1, p. 55-62.

Rateev, M. A. (1957). Clay minerals and their facial occurrence in water basins of the humid zones, *Isstad. i Ispol. z. Glin, L'vovsk. Gos. Univ., Materialy Soveshch.*, Lvov, p. 117-132.

Ravi Shanker (1987). Neotectonic activity along the Tapti Satpura lineament in central India. *Ind. Miner.* V. 41(1), p. 19-30.

Ravi Shanker (1991). Thermal and crustal structure of "Sonata" – A zone of mid-continental rifting in Indian Shield. *Jour. Geol. Soc. Ind.* Vol. 37. p. 211-220.

Ravi Shanker and Dubey, R. (1984). Landforms, neotectonism and geothermal activity in part of Tapi basin, District Jalgaon, Maharashtra A Study. *Rec. Geol. Surv. India*. Vol. 113(6). p. 70-85.

Sahu, B. K. (1964). Depositional mechanisms from the size analysis of clastic sediments. *Jour. Sed. Petrology*, Vol. 34(1), p. 73-83.

Sahu, B. K. (1983). Multi-group discrimination of depositional environment using size distribution statistics. *Indian Jour. Earth Sci.* Vol. 10(1), p. 20-29.

Sali, S. A. (1973), Direct evidence of late Pleistocene tectonic movement in the Central Tapti basin in Maharashtra, *Radiocarbon and India Archaeology*, Ed. D. P. Agarwal and A. Ghosh, p. 96-105.

Sastry, V. L. N., Awasthi, A. M., Mahapatra, P., Mool Chand, Subrata Ray and Kaila, K. L. (1964), Seismic exploration in Cambay basin. 22nd Int. Geol. Congr., New Delhi, Part II-2, *Geological Results of Applied Geophysics*, p. 292-306.

Scheidegger, A. E. and Padale, J. G. (1982). "A geodynamic study of peninsular India". *Mechanique Des Roches*, Springer Verlag, p. 209-241.

Schumm, S. A., Mosley, M. P. and Weaver, W. E. (1987). *Experimental fluvial geomorphology*, New York. John Wiley and Sons, 413 pp.

Sclater J. G. and Fisher R. L. (1974). "Evolution of the east-central Indian Ocean, with emphasis on the tectonic setting of the ninety east ridge: *Geol. Soc. Am. Bull.* Vol. 85, No. 5, p. 683-702.

Sengupta, S. M. (1994). *Introduction to sedimentology*, Oxford and IBH Publishing Cp, Pvt. Ltd. New Delhi. 314p.

Shackleton N. J. and Opdyke N. D. (1973). Oxygen isotope and palaeomagnetic stratigraphy of equatorial Pacific core V28-238: Oxygen isotope temperatures and ice volumes on a 10⁵ year and 10⁶ year scale. *Quaternary Research*, Vol. 3. p. 39-55.

Singh, A. P. (1998). 3D structure and geodynamic evaluation of accreted igneous layer in Narmada – Tapti Region (India). *Jour. Geodynamics*. Vol. 25. p. 129-141.

- Singh, A. P. and Meissner, R. (1995). Crustal configuration of the Narmada – Tapti region (India) from gravity studies. *Jour. Geodynamics*, Vol. 20(2), p. 111-127.
- Singh, D. D., Rastogi, B. K. and Gupta, H. K. (1975). Surface wave radiation pattern and source parameters of the Koyna earthquake of Dec. 10, 1967. *Bull. Seism. Soc. America*. Vol. 65. p. 711-731.
- Slemmons, D. B. (1991). Introduction. in the geology of North America, decade map, Vol. 1. Neotectonics of North America (edited by Slemmons, D. B., Engdahl, E. R., Zoback, M. D. and Blackwell, D. D.) *Geol. Soc. America, Boulder, Colorado*, p. 1-20.
- Solohub J. T. and Klovan J. E. (1970). Evaluation of grain-size parameters in lacustrine sediments. *Jour. Sed. Petrology*, Vol. 40. p. 81-101.
- Stewart, H. B. (1958). Sedimentary reflections on depositional environments in San Miguel Lagoon, Baja California, Mexico, *Amer. Assoc. Petrol. Geol. Bull.* Vol. 42, p. 2567-2618.
- Stewart, I. S. and Hancock, P. L. (1987). Neotectonics In : Continental deformation Hancock, P. L. (Ed.) *Pergamon Press*, p. 370-409.
- Sudhakar, R. and Roy, T. K. (1959). Progress report on the Geology of the Tertiary Formations of Broach and Surat Districts (1958-59). Unpubl. Report, ONGC.
- Sudhakar, R. and Basu, D. N. (1973). A reappraisal of Palaeogene stratigraphy of southern Cambay Basin. *Bull. ONGC*, Vol. 10, No. 1-2.
- Swift D. L. P. (1976). Coastal sedimentation, marine sediment transport and environment management, *John Wiley and Sons, New York*, p. 255-310.
- Sychanthavong, S. P. H. (1984). Crustal fracturing and neotectonics of Saurashtra and Kutch. *Proc. Symp. Quat. Episodes. Dept. Geol. M. S. University*, p. 109-127.
- Sykes, L. R. (1978). "Intra-plate seismicity, reactivation of pre-existing zones of weakness, alkaline magmatism, and other tectonism postdating continental fragmentation". *Review of Geophysics and Space Physics*, Vol. 16, p. 621-688.
- Tandon, A. N. and Chaudhry, H. M. (1968). Koyna earthquake of December 1967, India *Meteorological Dept. Scientific Report*, No. 59.
- Thompson, T. L. (1976). Plate Tectonics in oil and gas exploration of continental margin. *Am. Assoc. Pet. Geol. Bull.* Vol. 60, No. 9. p. 1463-1501.
- Tricart, J. (1974), *Structural Geomorphology* (Longman, London).
- Vashi, N. M. and Ganapathi S., (1982). Studies on Quaternary landforms coastal sediments and neotectonism along the mainland Gujarat coast between the rivers Tapi and Auranga. Unpubl. U. G. C. report, M. S. University of Baroda. p. 248-266.
- Vashi, N. M., Ganapathi, S. and Merh, S. S. (1988). Evolution of Quaternary landforms between Tapti – Ambica coastline, south Gujarat. *Silver Jubilee Issue Mineral Wealth Vol. XXI – I 1985*, p. 62-65.
- Veevers, J. J., Powell, C. Mc. A., and Johnson, B. D., (1980). Sea floor constraints on the reconstruction of Gondwanaland, *Earth and Planet Sci. Letters*, Vol. 51, p. 435-444.

- Verma, R. K. and Banerjee, P. (1992). Nature of continental crust along the Narmada – Son lineament, inferred gravity and deep seismic sounding data. *Tectonophysics*, Vol. 202, p. 375-397.
- Verma, R. K. and Mittal, G. S. (1974). Paleomagnetic study of vertical sequence of Traps, from Mt. Pavagarh, Gujarat. India. *Phys. Earth Planet. Inter.* Vol. 8, p. 63-74.
- Vrendenberg, G. (1906), Pleistocene movements as indicated by irregularity of gradient of the Narmada and other rivers in the Indian Peninsula, *Rec. Geol. Surv. India*, V. 33, p. 33-48.
- Vyas, J. P. (1984). “Geomorphic evolution of the Rajpipla hills and the neighboring coastal plains” Unpubl. Ph. D. Thesis. M. S. University of Baroda.
- Watts, N. L. (1980) Quaternary pedogenic calcretes from the Kalahari (southern Africa) mineralogy, genesis and diagenesis, *Sedimentology*, v. 27, pp. 661 – 686.
- Watts, A. B. and Cox, G. G. (1989). The Deccan trap, an interpretation in terms of progressive lithospheric flexure in response to a migrating load. *Earth Planet. Sci. Lett.* Vol. 93. p. 85-97.
- Wensink, H., (1973). The India-Pakistan sub-continent and the Gondwana reconstruction based on paleomagnetic results. In; D. H. Tarling and S. K. Runcorn (Eds.), *Implications of Continental Drift to the Earth Sciences*. Academic Press, London, p. 103-116.
- Wensink, H., and Klootwijk, C. T. (1971). Paleomagnetism of the Deccan Traps in the western ghats near Poona (India). *Tectonophysics*, Vol. 12. p. 175-190.
- West, W. D. (1962), The line of the Narmada and Son valleys. *Current Science*, V. 31(4), p. 143-144.
- Woolnough, W. G. (1927). Duricrusts of Australia. *Jour. Proc. Roy. Soc. New South Wales*. Vol. 61, p. 24-53.
- Zernitz, E. R. (1932). Drainage patterns and their significance; *Journal of Geology*, Vol. 40, p. 498-521.
- Ziegler, P. A., Cloetingh, S., van Wees, J. D., (1995). Dynamics of intraplate compressional deformation: the Alpine foreland and other examples. *Tectonophysics* Vol. 252, p. 7-59.
- Ziegler, P. A., van Wees, J. D., Cloetingh, S., (1998). Mechanical controls on collision-related compressional intraplate deformation. *Tectonophysics* Vol. 300, p. 103-129.
- Ziegler, P. A., Cloetingh, S., Guiraud, R., Stampfli, G. M., (2001). Peri-Tethyan platforms: constraints on dynamics of rifting and basin inversion. In: Ziegler, P. A., Cavazza, W., Robertson, A. H. F., Crasquin-Soleau, S. (Eds.), *Peri-Tethys Mem. 6: Peri-Tethyan Rift/Wrench Basins and Passive Margins*. Mem. Mus. Natl. Hist. Nat., Paris, Vol. 186, p. 9-49.