



REFERENCES



REFERENCES

1. Ahmadi, J., Doostparast, M., and Parsian, A. (2005): "Estimation and prediction in a two-parameter Exponential distribution based on k – record values LINEX loss function". *Communications in Statistics- Theory and Methods*, 34, 795 – 805.
2. Al-Bayyati, H. A. & Arnold, J. C. (1969): "Double stage shrunken estimator of variance". *JASA*, 7: 176 - 184.
3. Arnold, J. C., Al-Bayyati, H. A. (1970): "On double stage estimation of the mean using prior knowledge". *Biometrics*, 26: 787 - 800.
4. Bain, L. J. (1972): "Inferences based on censored sampling from the Weibull or extreme value distribution". *Technometrics*, 14: 693 – 702.
5. Bain, L. J. and Antle, C. E. (1967): "Estimation of parameters in the Weibull distribution". *Technometrics*, 9: 621 – 627.
6. Bancroft, T. A. (1944): "On biases in estimation due to the use of preliminary tests of significance". *Ann. Math. Stat.*, 15: 190 - 204.
7. Bancroft, T. A. (1975): "Testimating, testipredicting, testitesting in using Snedecor and Cochran's stastical methods". *Biometrics*, 31(2): 319 - 327.
8. Bartholomew, D. J. (1987): "A problem in life testing". *Jour. Amer. Statist. Assoc.*, 52: 350 - 355.
9. Basu, A. P. and Ebrahimi, N. (1991): "Bayesian approach to life testing and reliability estimation using asymmetric loss function". *Jour. of Statisti. Plann. Inf.*, 29: 21 - 31.
10. Bhattacharya S. K and Srivastava, V. K. (1974): "A Preliminary test procedure in life testing". *JASA*, 69: 726 - 729.

11. Calabria, R., Pulcini, G. (1994): "Bayes 2 sample prediction for the inverse Weibull distribution". *Communication in Statistics-Theory & Methods.*, 23(6): 1811-1824.
12. Calabria, R., Pulcini, G. (1996): "Point estimation under asymmetric loss function as for left-truncated exponential samples". *Communication in Statistics-Theory & Methods.*, 25(3): 585-600.
13. Canfield, R. V. (1970): "A Bayesian approach to reliability estimation using a loss function". *IEEE Trans. Reliab.*, 19: 13 - 16.
14. Charles, Stein (1945): "Two sample test for a linear hypothesis whose power is independent of the variance". *Ann. Math. Statist.*, 16: 245 – 258.
15. Cohen, A. C. (1965): "Maximum likelihood estimation in the Weibull distribution based on complete and censored sample". *Technometrics*, 7: 579 – 588.
16. Dey, D. K., Peri-San Liao Liu. (1992). "On comparison of estimators in a generalized life model". *Microelectron. Reliab.*, 32: 207 - 221.
17. Epstein, B. (1958): "Exponential distribution and its role in life testing ". *Ind. Qua. Control*, 15: 4 - 6.
18. Epstein, B. (1960): "Estimate of parameters of two parameter exponential distribution from censored samples". *Technometrics*, 12: 403 - 406.
19. Epstein, B and Sobel, M. (1954): "Some theorems relevant to life testing from an exponential distribution". *AMS*, 25:373-381.
20. Govindrajula, Z. (1964): "A Supplement to a bibliography on life testing and related topics". *JASA*, 59, 1231-1241.
21. Han, C.P., Bancroft, T. A. (1977): "Inferences based on conditional specification : A note and a bibliography". *Int. Statist. Rev.* 45: 117-127.

22. Han, C.P., Rao, C.V., Ravichandran, J., (1988): "Inferences based on conditional specification : A second bibliography". *Commun. Stat.-Theory Methods*, 17(6), 1945-1964.
23. Harter, H. L. and Moore, A. H. (1968): "Maximum likelihood estimation from doubly censored sample of the parameter of the first asymptotic distribution of extreme values". *JASA*, 63: 889 - 901.
24. Katti, S. K. (1962): "Use of some apriori knowledge in the estimation of mean from double samples". *Biometrics*, 18: 139 – 147.
25. Khan, R. A. (1968): "A note on estimating the mean of a normal population with known coefficient of variation". *JASA*, 63: 1039 – 1041.
26. Klebnov, L. B. (1972): "Universal Loss Function and Unbiased Estimation". *Dokl. Akad. Nank SSSR Soviet Maths. Dokl. T.*, 203, N6, 1249 – 1251.
27. Lindley, D. V. (1965): "Introduction to Probability and Statistics from a Bayesian View point (Parts 1 and 2)". Cambridge University Press.
28. Mann, N. R. (1968): "Point and interval estimation for the two parameter Weibull and extreme value distribution". *Technometrics*, 10: 231 – 256.
29. Mann, N. R. and Fertig, K. W. (1975): "Simplified efficient point and interval estimation for the Weibull parameters. *Technometrics* 17, 361 – 368.
30. Martz, Harry F. and Waller, Ray A. (1982): "Bayesian Reliability Analysis". J. Wiley, & Sons, New York.
31. Menon, M. V. (1963): "Estimation of the shape and scale parameters of the Weibull distribution". *Technometrics*, 15: 157 – 172.

32. Misra, N. and Meulen, E. C. V. D. (2003): "On estimating the mean of the selected Normal population under the LINEX loss function". *Metrika*, 173-184.
33. Neyman, J. (1937): "Outline of a theory of statistical estimation based on the classical theory of probability". *Phil. Trans. Roy. Soc. (A)* 236: 333-380.
34. Neyman, J. (1960): "Indeterminism in science and new demands on statisticians". *JASA*, 55.
35. Ojha, V. P., Srivastava, S. R. (1980): "A pretest double stage shrunken estimator for the mean of an exponential population". *Gujarat Statist. Rev.* 7: 50-56.
36. Pandey, B. N. (1979, a): "On shrinkage estimation of normal population variance". *Commun. Stat.-Theory Methods*, 8: 359 – 365.
37. Pandey, B. N. (1979, b): "Double stage estimation of population variance". *Ann. Inst. Statist. Math.*, 31: 225 – 233.
38. Pandey, B. N. (1980): "On the estimation of variance in normal distribution". *JISAS* 33.
39. Pandey, B. N., Malik, H. J. and Srivastava, R. (1988): "Shrinkage estimators for the variance of a normal distribution at a single and double stages". *Microelectronics Reliab.*, 28(6): 929 – 944.
40. Pandey, B. N. and Rai, O. (1992): "Bayesian estimation of mean and square of mean of Normal distribution using LINEX loss function". *Comm. Statist. Theory and Method.*, 21, 3396 - 3391.
41. Pandey, B. N. and Singh, J. (1977): "Estimation of variance of Normal population using apriori information". *Journal of Indian Statistical Association*, 15, 141-150.

42. Pandey, B. N. and Singh, K. N. (1983): "Comparison of shrunken estimators of scale parameter of an exponential density function". *JASA*, 35: 109 - 120.
43. Pandey, B. N. and Singh, K. N. (1984): "Estimating the shape parameter of weibull distribution by shrinking towards an interval". *South African Statistic Journal*, 18: 1 - 11.
44. Pandey, B. N. Srivastava, A. K. and Mishra G. C. (2004): "Invariant version of LINEX loss function and its applications in Exponential type II censored data ". *Aligarh Journal of Statistics*, 24, 1 -22.
45. Pandey, B. N. and Srivastava, R. (1985): "On shrinkage Estimation of the Exponential Scale Parameter". *IEEE Transactions on Reliability*, Vol. R-34, No.3, 1985.
46. Pandey, B. N. and Srivastava, R. (1987): "A Shrinkage testimator for scale parameter of an exponential distribution". *Microelectronics and Reliability*, 28(b): 929 - 944.
47. Pandey, M. (1983): "Shrinken estimators of Weibull Shape parameter in censored samples". *IEEE Trans. Reliability*, 32: 200 – 203.
48. Parsian, A., Sanjari Faripour, N. (1993): "On the admissibility and inadmissibility of estimator of scale parameters using an asymmetric loss function". *Communication in Statistics – Theory and Methods*, 22: 2877-2901.
49. Parsian, A. and Farsipour, N. S. (1999): "Estimation of the mean of the selected population under asymmetric loss function". *Metrika*, 89-107.
50. Prakash, G. and Pandey, B. N. (2007): "Shrinkage Testimation for the variance of a normal distribution under asymmetric loss function". *Journal of Statistical Research*, 41, No. 7, 17-35.

51. Prakash, G. and Singh, D. C. (2006): "Shrinkage estimators for the inverse dispersion of the inverse Gaussian distribution under the LINEX loss function". *Austrian Journal of Statistics*, 35(4), 463 - 470.
52. R. V. Hogg and S. A. Kingman (1984) Book: "Loss Distribution".
53. Schabe, H. (1991): "Bayes Estimates under Asymmetric Loss". *IEEE Transaction in Reliability*, R-40(1): 63 – 67.
54. Sclove, S. M. C. and Radhakrishnan, R. (1972): "Non-optimality of preliminary test estimators for mean of a multivariate normal distribution". *Ann. Math. Statist.*, 43: 1481 - 1490.
55. Searles, D. (1964): "The utilization of a known coefficient of variation in the estimation procedure". *JASA* 59, 1225 - 26.
56. Singh, D. C., Prakash, G., and Singh, P. (2007): "Shrinkage estimators for the shape parameter of Pareto distribution using the LINEX loss function". *Communication in Statistics – Theory and Methods*, 36(4): 741 – 753.
57. Singh, J. and Bhatkulikar, S. G. (1978): "Shrunken estimation in Weibull distribution". *Sankhya (B)* 39, 382 – 393.
58. Singh, U., Gupta, P. K. and Upadhyay, S. K. (2002): "Estimation of exponentiated Weibull shape parameters under LINEX loss function". *Communication in Statistics – Simulation and Computation*, 31(4): 523 – 537.
59. Smith, J. Q. (1980): "Bayes Estimates under Bounded Loss". *Biometrika*, 67: 629 – 638.
60. Shah, S. M. (1975): "Use of aprior information in the estimation of a parameter in life testing". *Communication in Statistics – Theory & Methds.*, 4: 177 – 184.

61. Srivastava, R. (1996): "Bayesian estimation of scale parameter and reliability in weibull distribution using asymmetric loss function". IAPQR Trans., 21: 143 - 148.
62. Srivastava, S. R. (1976): "A preliminary test estimator for the variance of a normal distribution". JISA, 19: 107 – 111.
63. Srivastava, Rakesh and Kapashi, Z. S. (1999): "Sometimes pool testimation via shrinkage". Jour. of Stat. Pl. & Inf., 79: 191 – 204.
64. Srivastava, Rakesh and Tank, Haresh (2001): "Sometimes pool testimation of mean life of exponential model under ASL". Cal. Stat. Assoc. Bull, 51: 105 - 111.
65. Srivastava, R. and Tanna, Vilpa (2001): "An estimation procedure for error variance incorporating PTS for random effects model under Linex Loss Function". Journal – Communication in Statistics – Theory and Methods, 30(15): 2583 - 2599.
66. Srivastava, R. and Tanna, Vilpa (2007): "Double stage shrinkage testimator of the scale parameter of an exponential life model under General Entropy Loss Function". Journal – Communication in Statistics – Theory and Methods, 36: 283 - 295.
67. Srivastava, R. and Tanna, Vilpa (2012): "Double Stage Shrinkage Testimator of the mean of an Exponential Life Model under Asymmetric Loss Function". Aligarh Journal of Statistics, 32: 11 – 28.
68. Srivastava, R. and Shah, Tejal (2010): "Shrinkage Testimators of Scale Parameter for Exponential model under Asymmetric Loss Function". Journal of Reliability and Statistical Studies, Vol. 3, 11 - 25.
69. Srivastava, R. and Shah, Tejal (2012): "Double Stage Shrunken Testimators of the Scale Parameter of an Exponential Distribution under General Entropy Loss Function". IAPQR Transactions, 37(2): 133 – 148.

70. Srivastava, R. and Shah, Tejal (Communicated): "Some improved shrinkage estimators for variance of Normal distribution under Asymmetric Loss Function".
71. Srivastava, R. and Shah, Tejal (Communicated): "On shrinkage Estimation of Exponential mean life under General Entropy Loss Function".
72. Srivastava, R. and Shah, Tejal (Communicated): "On weight functions for Double Stage Shrinkage Testimators of Exponential Scale Parameter under Asymmetric Loss Function".
73. Srivastava, R. and Shah, Tejal (Communicated): "On shrinkage Factors in Exponential Life Model Under Asymmetric Loss Function".
74. Srivastava, V. K. and Rao, B. B. (1992): "Estimation of disturbance variance in linear regression models under asymmetric loss function". *Jour. Quantitative Economics*, 8: 341 - 345.
75. Thompson, J. R. (1968, a): "Some Shrinkage techniques for estimating the mean". *JASA*, 63: 113 - 123.
76. Thompson, J. R. (1968, b): "Accuracy borrowing in the estimation of the mean by shrinkage to an interval". *JASA*, 63: 953 - 963.
77. Varian, H. R. (1975): "A Bayesian approach to real estate assessment". *Studies in Bayesian Econometrics and Statistics in Honour of L.J. Savage*, Eds. Feinberge, S. E., and Zellner, A., Amsterdam, North Holland, 195 - 208.
78. Waiker, V. B., Schuurinan, F. J. and Raghunandan, T. E. (1984): "On a two stage shrinkage estimator of the mean of a normal population". *Communication in Statistics*, 13: 1901 - 1913.

79. Waiker, V. B. and Katti, S. K. (1971): "On a two stage estimation of the mean". *JASA* 66, 75 - 81.
80. Xiao, Y., Takada, Y. and Shi, N. (2005): "Minimax confidence bound of the Normal mean under an Asymmetric loss function". *The Annals of Statistical Mathematics*, 57 (1): 167 – 182.
81. Zellner, A. (1986): "A Bayesian estimation and prediction using asymmetric loss function". *J. Amer. Statist. Assoc.*, 61: 446 - 451.