

Table of Contents:

Chapter 1	Introduction	1
	1.1. General	2
	1.2. Fluoride	2
	1.3. Uranium	4
	1.3.1. Speciation and transportation of uranium in groundwater	4
	1.3.2. Possible health hazards due to uranium	7
	1.4. Physico-chemical parameters	7
	1.5. Studies on Groundwater Quality in India	9
	1.6. Studies on Groundwater Quality in Gujarat	11
	1.7. Remediation Techniques	13
	1.8. Adsorption	13
	1.8.1. Biosorbents and other low-cost agro-based derived adsorbents	13
	1.8.2. Raw and neat agriculture byproducts	14
	1.8.3. Chitosan derivatives	15
	1.8.4. Other natural polymers	16
	1.8.5. Agrobased Biochar	17
	1.8.6. Metal-impregnated biochar	18
	1.8.7. Magnetic Biochar	19
	1.8.8. Synthetic sorbents	19
	1.8.9. Zirconium-based adsorbents	19
	1.8.10. Lanthanum-based adsorbents	20
	1.8.11. Metal oxide and hydroxide adsorbents	20
	1.8.12. Soil and minerals	20

Aim	21	
The main objectives of this research	22	
References	23	
Chapter 2	Groundwater Monitoring and Water Quality Assessment of Anand, Vadodara, Bharuch, and Narmada Districts of Gujarat	35
2.1. Introduction	36	
2.2. Materials and methodology	36	
2.2.1. General descriptions of the study area	37	
2.2.2. Hydrogeology of the study area	38	
2.2.3. Sample Collection	40	
2.3. Analysis of collected samples	41	
2.3.1. Measurement of in-situ parameters	41	
2.3.2. Laboratory analysis:	42	
2.3.2.1. Estimation of uranium	42	
2.3.2.2. Estimation of fluoride	42	
2.3.2.3. Analysis of associated physico-chemical parameters	43	
2.4. Statistical and spatial analysis	45	
2.5. Health Risk assessment of fluoride and nitrate	45	
2.6. Correlation analysis	47	
2.7. Results and Discussion	47	
2.7.1. Sources of drinking water in the study area	47	
2.7.2. Groundwater analysis of four districts of Gujarat	48	
2.7. 3. Pearson's Correlation Matrix analysis	63	
2.7.4. Principal Component Analysis (PCA)	75	

	2.7.4.1. Variation of PCA in groundwater of study area	75
	2.7.4.2. Hierarchical Cluster Analysis	78
	2.7.5. Health Hazards of Nitrate and Fluoride	82
	2.7.6. Spatial distribution of Uranium and Fluoride along with other parameters	83
	2.8. Gamma Radiation Dose Rate	87
	Conclusion	89
	References	91
Chapter 3	Synthesis of Adsorbents for the Removal of Uranium from Aqueous Solution	95
	3.1. Introduction	96
	3.2. Characterisation of the prepared adsorbents	98
	3.3. Batch adsorption experiment and adsorption parameters optimization	98
	3.4. Kinetics and Isotherms analysis for adsorption study	99
	3.5. Desorption study	102
Chapter 3A	Synthesis of Chitosan-DTPA for Removal of Uranium from Aqueous Solution	103
	3A.1. Materials and Methods	103
	3A.1.1. Materials and chemicals	103
	3A.1.2. Preparation of Chitosan DTPA	103
	3A.1.3. Preparation of uranium solution	103
	3A.1.4. Determination of uranium uptake capacity	103
	3A.2. Results and Discussion	104
	3A.2.1. Effect of pH on the uptake of uranium	104

3A.2.2. Effect of adsorbent dosage on the uptake of uranium	104
3A.2.3. Effect of contact time on the uptake of uranium	104
3A.2.4. Effect of concentration on the uptake of uranium	105
3A.2.5. Kinetic studies	105
3A.2.6. Adsorption Isotherms	106
3A.2.7. Thermodynamic parameters	109
3A.2.8. Reusability and recyclability study of CH-DTPA	109
3A.2.9. Effect of Electrolytes	109
3A.2.10. Application to real water sample (groundwater)	110
3A.3.Characterization of CH-DTPA and CH-DTPA after adsorption of uranium (CH-DTPAU)	111
3A.3.1. FT-IR analysis	111
3A.3.2.SEM analysis	112
3A.3.3.EDX analysis	112
3A.3.4. Thermal analysis (TGA)	113
3A.3.5.X-ray diffraction analysis (XRD)	114
3A.3.6.XPS analysis	115
Conclusion	118
Chapter 3B Synthesis of Biochar from Watermelon Rind for Removal of Uranium from Aqueous Solution	119
3B.1.Materials and Methodology	119
3B.1.1. Materials and chemicals	119
3B.1.2. Synthesis of adsorbent	119
3B.1.3. Proximate analysis WMPR and 4WMB	119

3B.2. Uranium adsorption studies	120
3B.3. Results and Discussion	120
3B.3.1. Proximate analysis	120
3B.3.2. Uranium adsorption studies	120
3B.3.2.1. Effect of pH on the adsorption of uranium	120
3B.3.2.2. Effect of adsorbent Dosage on uranium adsorption	121
3B.3.2.3. Effect of contact time on the adsorption of uranium	121
3B.3.2.4. Effect of concentration on the adsorption of uranium	122
3B.3.2.5. Effect of temperature on the adsorption of uranium	122
3B.3.2.6. Adsorption isotherms	122
3B.3.2.7. Adsorption thermodynamics	123
3B.3.2.8. Kinetic studies	124
3B.3.2.9. Application to groundwater samples and simulated water	125
3B.3.2.10. Reusability and effect of electrolytes on uranium adsorption by 4WMB	127
3B.4. Characterization of adsorbent before (4WMB) and after adsorption of uranium (4WMBU)	128
3B.4.1. FTIR	128
3B.4.2. TGA	129
3B.4.3. BET	130
3B.4.4. XRD	130
3B.4.5. SEM-EDX	130
3B.4.6. XPS	131
Conclusion	133

	References	135
Chapter 4	Synthesis and Fabrication of Adsorbents for the Removal of Fluoride from Aqueous Solutions	144
	4.1. Introduction	145
	4.2. Determination of fluoride content	147
	4.3. Characterization of the materials	148
	4.4. Batch adsorption experiment	148
	4.5. Adsorption parameters optimization	148
	4.6. Isotherms and kinetics analysis for fluoride adsorption	148
Chapter 4A	Preparation and Synthesis of Lanthanum Impregnated Biochar (WMB-LN) for the Removal of Fluoride from Aqueous Solution	149
	4A.1. Materials and Methodology	149
	4A.1.1. Chemical and other materials	149
	4A.1.2. Preparation and Synthesis of Lanthanum impregnated biochar	149
	4A.2. Results and Discussion	150
	4A.2.1. Batch study	150
	4A.2.2. Effect of solution pH on adsorption of fluoride	150
	4A.2.3. Effect of dose on adsorption of fluoride	150
	4A.2.4. Effect of Contact Time and Kinetics Study	151
	4A.2.5. Effect of initial concentration of fluoride and isotherm study for 3WMB-LN	152
	4A.2.6. Effect of temperature	155
	4A.2.7. Effect of competing anions	155
	4A.2.8. Reuse of adsorbent and application on real water sample	155

4A.3. Characterization of 3WMB-LN and 3WMB-LNF	156
4A.3.1. TGA	156
4A.3.2. FTIR	157
4A.3.3. XRD	158
4A.3.4. SEM and EDS	158
4A.3.5. BET	159
4A.3.6. XPS	160
Conclusion	163
Chapter 4B Preparation and Synthesis of Zirconium Cholate (Zr-CH)	164
Adsorbent for the Removal of Fluoride from Aqueous Solution	
4B.1. Materials and Experimental Methodology	164
4B.1.1. Materials and chemicals	164
4B.1.2. Synthesis of Zirconium cholate (Zr-CH)	164
4B.1.3. Batch experiment for fluoride uptake	165
4B.2. Results and discussion	165
4B.2.1. pH variation study	165
4B.2.2. Effect of dose variation	165
4B.2.3. Concentration variation and isotherm study	166
4B.2.4. Time study and adsorption kinetics	168
4B.2.5. Effect of competing anions	170
4B.2.6. Reuse of adsorbent and application on real water sample	171
4B.3. Characterization of Zr-CH before and after fluoride adsorption on Zr-CH	171
4B.3.1. FTIR	171

4B.3.2. XRD	174
4B.3.3. SEM-EDS	174
4B.3.4. TGA	175
4B.3.5. XPS	176
Conclusion	177
References	178
Chapter 5 Summary and Future Perspectives	183
Future Scope of Work	
Table of Tables:	
Table 1.1. Guideline values of uranium	5
Table 1.2. Drinking water guidelines	8
Table 1.3. Some representative metal-impregnated biochars for fluoride and uranium removal	18
Table 2.1. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Anand district (PRM).	65
Table 2.2. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Anand district (POM).	66
Table 2.3. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Vadodara district (PRM).	67
Table 2.4. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Vadodara district (POM).	68
Table 2.5. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Bharuch district (PRM).	71
Table 2.6. Pearson correlation matrix between uranium, fluoride, and various	72

physico-chemical parameters of groundwater samples from Bharuch district (POM).

Table.2.7. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Narmada district (PRM). 73

Table.2.8. Pearson correlation matrix between uranium, fluoride, and various physico-chemical parameters of groundwater samples from Narmada district (POM). 74

Table 2.9. Extracted values of various factor analysis parameters for all districts under the study area. 76

Table 2.10. Extracted eigenvectors. 77

Table 2.11. Variation range of HQ and non-carcinogenic risk obtained through deterministic methods in infants, children, teenagers, and adults age groups for all districts under the study area. 83

Table 2.12. Statistical summary of Gamma radiation dose rate data from Anand, Bharuch, Vadodara, and Narmada districts of Gujarat state, India. 88

Table 3.1. Models of isotherms and their applicability. 99

Table 3.2. Kinetic models with their applications. 101

Table 3A.1. Kinetic parameters for the removal of uranium by CH-DTPA. 106

Table 3A.2. Isotherm parameters for adsorption of uranium on CH-DTPA 107

Table 3A.3. Comparison with other reported chitosan derivatives as adsorbents. 107

Table 3A.4. Thermodynamic data of uranium on CH-DTPA 109

Table 3A.5. Physicochemical properties of groundwater sample. 111

Table 3B.1. Proximate parameters of watermelon rind. 120

Table 3B.2. Isotherm parameters of Langmuir and Freundlich for the adsorption of uranium by WMB 122

Table 3B.3. Comparison of Adsorption Capacities of various biochar and modified biochar adsorbents for uranium removal 123

Table 3B.4. Thermodynamic data of uranium on 4WMB.	124
Table 3B.5. Kinetic parameters of uranium adsorption on 4WMB	125
Table 3B.6. Composition of simulated seawater	126
Table 4A.1. Kinetics parameters of Pseudo- first- order, Pseudo -second-order models for the adsorption of fluoride onto 3WMB-LN	152
Table 4A.2. Isotherm parameters of Langmuir and Freundlich, for the adsorption of fluoride by 3WMB-LN.	153
Table 4A.3. Reported adsorbents and comparison for fluoride removal using biochar and Lanthanum based adsorbents	153
Table 4B.1. Isotherm parameters of Zr-CH	168
Table 4B.2. Literature Review for fluoride removal using Zirconium based adsorbents	168
Table 4B.3. Kinetic parameters and their numeric value of Zr-CH	170
 Table of Figures:	
Fig.1.1. Indian scenario: spatial distribution of fluoride (Mukherjee and Singh, 2018)	3
Fig.1.2. Health hazards of fluoride exposure route and dental fluorosis	3
Fig. 1.3. (a) Major uranium deposits across India (Gupta and Sarangi, 2005) and (b) uranium distribution beyond permissible limits in shallow groundwater across India (CGWB, 2020)	6
Fig.1.4. The primary exposure route and possible health risks of uranium in human body	7
Fig.1.5. Simplified illustration of adsorption mechanisms	14
Fig.1.6. List of some explored agricultural by-products as biosorbents	14
Fig. 2.1. Basic methodology followed in this work	37

Fig.2.2. location of the study area	38
Fig. 2.3. Sampling maps of the study area with grids	41
Fig. 2.4. Pictorial view of instruments used during water samples analysis (a) GPS, (b) LED fluorimeter, (c) Ion selective electrode, (d) Nephelometer, and (e) UV spectrophotometer	42
Fig. 2.5. Sources of drinking water in the study area.	48
Fig. 2.6. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with standard deviation (SD) and standard error (SE) for Anand district during PRM	51
Fig. 2.7. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Anand district during POM	52
Fig. 2.8. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Vadodara district during PRM	53
Fig. 2.9. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Vadodara district during POM	54
Fig. 2.10. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Bharuch district during PRM.	56
Fig. 2.11. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Bharuch district during POM	57
Fig. 2.12. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Narmada district during PRM	58
Fig. 2.13. Box plots for nitrate, pH, fluoride, sulphate, CaH, MgH, TDS, chloride, bicarbonate, TA, TH and EC with SD and SE for Narmada district during POM	59
Fig. 2.14. Data on water quality plotted in a scree plot for both seasons for all districts under the study area	77
Fig. 2.15. The square cosines for all variables for all districts under the study area (a) Correlation circle on PC1 and PC2 components (b) Correlation circle on PC1 and PC3 components during PRM	79

Fig. 2.16. The square cosines for all variables for the all districts under the study area (a) Correlation circle on PC1 and PC2 components (b) Correlation circle on PC1 and PC3 components during POM	80
Fig.2.17. Dendrogram with Ward's Linkage and correlation coefficient distance among all variables during PRM for all districts under the study area	81
Fig.2.18. Dendrogram with Ward's Linkage and correlation coefficient distance among all variables during POM for all districts under the study area	81
Fig.2.19. Spatial distribution of uranium during PRM and POM seasons across the study area	84
Fig.2.20. Spatial distribution of fluoride during PRM and POM seasons across the study area	84
Fig.2.21. Spatial distribution of pH during PRM and POM seasons across the study area	85
Fig.2.22. Spatial distribution of oxidation-reduction potential (ORP) during PRM and POM seasons across the study area	85
Fig.2.23. Spatial distribution of TDS during PRM and POM seasons across the study area	86
Fig.2.24. Spatial distribution of chloride during PRM and POM seasons across the study area	86
Fig.2.25. Spatial distribution of gamma radiation dose during PRM and POM seasons across the study area	88
Fig. 2.26. Control charts for gamma radiation dose rate (nSv/h) (a) PRM (b) POM	89
Fig. 3A.1. Synthesis of chitosan-DTPA	104
Fig. 3A.2. (a)Effect of pH (b)Effect of adsorbent dosage (c) Effect of contact time and (d) Effect of Concentration on the adsorption of Uranium by CH-DTPA	105
Fig. 3A.3. (a) and (b) Pseudo 1st order and Pseudo 2nd order kinetics plots for the sorption of uranium onto CH-DTPA (operating parameters: pH 7, conc. 30mg/L, dose 35mg, volume 0.025L, room temp.)	106

Fig. 3A.4. Adsorption Isotherms for uranium on CH-DTPA (operating parameters; 20 150mg/L, pH 7, time 60min, dose 35mg, room temp, volume 0.025L)	107
Fig. 3A.5. Uptake of uranium after consecutive 1st 2nd, 3rd, and 4th cycles using 1M Na ₂ CO ₃ as regenerant (Initial dose: 35 mg, initial U concentration: 30 mg/L, time: 60min. volume 0.025L)	110
Fig.3A.6. Effect of electrolytes on the adsorption capacity of uranium	110
Fig. 3A.7. FTIR spectra of CH-DTPA and CH-DTPAU	112
Fig. 3A.8. SEM images of (a) CH-DTPA and (b) CH-DTPAU	112
Fig.3A.9. EDS data of (a) CH-DTPA and (b) CH-DTPAU	113
Fig.3A.10. Thermogravimetric (TGA) curves for CH-DTPA and CH-DTPAU	114
Fig. 3A.11. XRD plots of (a) CH-DTPA and (b) CH-DTPAU	115
Fig. 3A.12. XPS s (a) survey spectra of CH-DTPA (b) survey spectra of CH-DTPAU, Deconvoluted spectra of (c) U4f in CH-DTPAU; C1s of (d) CH-DTPA, (e) CH-DTPAU; O1s of (f) CH-DTPA, (g) CH-DTPAU; N1s of (h) CH-DTPA, (i) N1s of CH-DTPA	117
Fig. 3B.1. Adsorption of Uranium (a) effect of pH (b) effect of dosage (c) effect of contact time (d) effect of concentration and (e) effect of temperature	121
Fig. 3B.2. Isotherms of uranium uptake by 4WMB at pH= 3, dose=0.8gm/L, equilibration time 3 h	122
Fig. 3B.3. Kinetics and thermodynamic of uranium uptake by 4WMB (circumstances: pH= 3, Ci=30 mg/L, dose=20mg, volume=0.025L)	125
Fig. 3B.4. Removal of uranium from simulated water (pH: 3, dose:20mg, volume:0.025L, time:3h)	126
Fig. 3B.5. (a) % removal of uranium after consecutive 1st 2nd 3rd and 4th cycles and (b) effect of electrolytes on % uptake of uranium	127
Fig. 3B.6. IR spectra of pristine (4WMB) and loaded with uranium (4WMBU)	128
Fig.3B.7. TGA spectra of (a) 4WMB and (b) 4WMBU	129

Fig.3B.8. XRD graphs of 4WMB and 4WMBU	130
Fig.3B.9. SEM images of (a) 4WMB and (b) 4WMBU, (c) EDX spectra of 4WMB (d) EDX spectra of 4WMBU	131
Fig.3B.10. XPS spectra depicting (a) survey spectra of 4WMB and 4WMBU, (b) deconvolution of the peak U4f in 4WMBU, (c&d) deconvoluted spectra of Carbon and Oxygen in 4WMB, (e&f) XPS peaks of carbon and oxygen 4WMBU respectively	132
Fig.3B.11. Plausible adsorption mechanism of uranium on 4WMB	133
Fig.4.1. Lanthanum-based adsorbents	146
Fig.4.2. Zirconium-based adsorbents	146
Fig. 4A.1. Synthesis of lanthanum-impregnated biochar	149
Fig. 4A.2. Effect of pH on removal of fluoride from 3WMB-LN (contact time: 3 h, dose: 0.05g, initial fluoride concentration: 25mg/L, volume:25mL)	150
Fig. 4A.3. Effect of (a) adsorbent dose (pH: 3, contact time: 3 h, fluoride concentration: 25mg/L), (b) conc. variation (pH: 3, contact time: 3 h, dose: 0.02g, initial), (c) contact time (pH: 3, dose: 0.02g, and fluoride concentration: 25mg/L), and (d) temperature (pH: 3, contact time: 3 h, dose: 0.02g, fluoride concentration: 25mg/L) on % uptake of fluoride in aqueous solution	151
Fig. 4A.4. Kinetics models for fluoride adsorption using 3WMB-LN	152
Fig. 4A.5. Isotherm models for uptake of fluoride using 3WMB-LN	153
Fig. 4A.6. (a) Uptake of fluoride after consecutive 1st 2nd and 3rd cycles using 0.05N NaOH as regenerant (Initial dose: 0.02 g, pH 3, initial fluoride concentration: 25 mg/L, volume 25mL), b) Effect of competing anion concentration on % uptake of fluoride	155
Fig. 4A.7. TGA graph of 3WMBP-LN	157
Fig. 4A.8. FT-IR spectra for 3WMB-LN and 3WMB-LNF	158
Fig. 4A.9. XRD spectra before and after fluoride adsorption on 3 WMB-LN	159

Fig. 4A.10. (a) & (b) SEM images and (c) & (d) EDS graphs of 3WMB-LN and 3WMB-LNF	160
Fig. 4A.11. (a) Survey spectrum of 3WMB-LN and 3WMB-LNF, (b) deconvoluted peak of C1s of 3WMB-LN, (c) deconvoluted peak of La3d of 3WMB-LN, (d) deconvoluted peak of O1s of 3WMB-LN, (e) deconvoluted peak of N1s of 3WMB-LN, (f) deconvoluted peak of C1s of 3WMB-LNF, (g) deconvoluted peak of La3d of 3WMB-LNF, (h) deconvoluted peak of F1s of 3WMB-LNF, (i) deconvoluted peak of O1s of 3WMB-LNF, and (j) deconvoluted peak of N1s of 3WMB-LNF	162
Fig. 4A.12. Plausible mechanism of fluoride adsorption on 3WMB-LN	163
Fig. 4B.1. Methodology for preparation of Zr-CH	164
Fig. 4B.2. The effect of pH on percentage uptake of fluoride onto Zr-CH (time;180minutes. dose;0.1g, conc.;25mg/L, volume; 25mL, temp: 25-30°C)	165
Fig. 4B.3. Effect of dose variation on % uptake of fluoride on Zr-CH (time: 180min, conc.: 25mg/L)	166
Fig. 4B.4. Fluoride adsorption percentage and initial fluoride concentration effects at neutral and 2 pH (time: 3 h, dose: 0.1g)	166
Fig. 4B.5. (a) & (b) Langmuir plots for Zr-CH at 2 and 7pH respectively, and (c) & (d) Freundlich plots at 2 and 7 pH respectively	167
Fig. 4B.6. Effect of contact time on % uptake of fluoride (pH 7, conc. 10mg/L, dose: 0.1g)	169
Fig. 4B.7. Kinetics plots of Zr-CH adsorbent for fluoride removal	169
Fig. 4B.8. Influence of fluoride adsorption percentage and competing anion concentration (parameters; pH-7, dose-0.1g, conc.-10mg/L, each of fluoride and competing anions under study, volume; 25mL and time- 3h)	170
Fig. 4B.9. Uptake of fluoride after consecutive 1st 2nd and 3rd cycles using 0.05N NaOH as regenerant (Initial dose: 0.1 g, pH 7, initial fluoride concentration: 10 mg/L, volume 25mL)	171
Fig. 4B.10. FT-IR spectra for sodium cholate, zirconyl, and Zr-CH before and after	173

adsorption of fluoride

Fig. 4B.11. XRD spectra of (a) Zirconyl chloride, (b) Sodium cholate, and (c) Zr-CHF and Zr-CH 174

Fig. 4B.12. (a) and (b) SEM images of Zr-CH and Zr-CHF, (c)&(d) EDS of Zr-CH and Zr CHF 175

Fig. 4B.13. TGA spectra of Zr-CH 175

Fig. 4B.14. XPS spectra (a) survey spectra of Zr-CH (b) deconvoluted spectra of zirconium of Zr-CH, (c) deconvoluted spectra of zirconium of Zr-CHF, and (d) deconvoluted spectra of fluoride of Zr-CHF 176