

## **REFERENCES**

---

## References

- Abdullah, A., Akhir, J. M., and Abdullah, I. (2010). Automatic mapping of lineaments using shaded relief images derived from digital elevation model (DEMs) in the Maran-Sungi Lembing area, Malaysia. *Electronic Journal of Geotechnical Engineering*, v. 15(6), pp. 949-958.
- Adriano, D. C., Weber, J., Bolan, N. S., Paramasivam, S., Koo, B. J., & Sajwan, K. S. (2002). Effects of high rates of coal fly ash on soil, turfgrass, and groundwater quality. *Water, Air, and Soil Pollution*, v. 139, pp. 1–4.
- Agarwal, C. S., & Garg, P. K. (2002). *Textbook on remote sensing in natural resources monitoring and management*. Wheeler Pub. p-93.
- Agarwal, R., Garg, P. K., & Garg, R. D. (2013). Remote sensing and GIS based approach for identification of artificial recharge sites. *Water resources management*, v. 27(7), pp. 2671-2689.
- Ahirwar, R., Malik, M. S., & Shukla, J. P. (2019). Prioritization of sub-watersheds for soil and water conservation in parts of Narmada River through morphometric analysis using remote sensing and GIS. *Journal of the Geological Society of India*, v. 94(5), pp. 515-524.
- Ahirwar, R., Malik, M. S., Ahirwar, S., & Shukla, J. P. (2021). Groundwater potential zone mapping of Hoshangabad and Budhni industrial area, Madhya Pradesh, India. *Groundwater for Sustainable Development*, v. 14, 100631.
- Ahirwar, S., Malik, M. S., Ahirwar, R., & Shukla, J. P. (2020). Identification of suitable sites and structures for artificial groundwater recharge for sustainable groundwater resource development and management. *Groundwater for Sustainable Development*, v. 11, 100388.
- Ahmed, A., El Ammawy, M., Hewaidy, A. G., Moussa, B., Abdel Hafz, N., & El Abd, E. S. (2019). Mapping of lineaments for groundwater assessment in the desert fringes east El-Minia, eastern desert, Egypt. *Environmental monitoring and assessment*, v. 191, pp. 1-22.
- Akinluyi, F. O., Olorunfemi, M. O., & Bayowa, O. G. (2018). Investigation of the influence of lineaments, lineament intersections and geology on groundwater yield in the basement complex terrain of Ondo State, Southwestern Nigeria. *Applied water science*, v. 8, pp. 1-13.
- Ali, S. M., Pervaiz, A., Afzal, B., Hamid, N., & Yasmin, A. (2014). Open dumping of municipal solid waste and its hazardous impacts on soil and vegetation diversity at waste dumping sites of Islamabad city. *Journal of King Saud University - Science*, v. 26(1), pp. 59-65.
- Anderson, J. R., Hardy, E. E., Roach, J. T., & Witmer, R. E. (1976). *Land Use and Land Cover Classification System for Use with Remote Sensor Data*. Geological Survey, Professional paper, 964. U.S. Government Printing Office, Washington D.C.
- Asfaw, D., Workineh, G. (2019). Quantitative analysis of morphometry on Ribb and Gumara watersheds: Implications for soil and water conservation. *International Soil and Water Conservation Research*, v. 7(2), pp. 150-157.

## References

- B. Ranganath, Rana, R.S., Gandhi, P., Bhagat, S.N. (2005). Specialised Thematic Mapping to Establish The Lava Stratigraphy Of Various Flows Of Deccan Traps In Dangas District, Gujarat. GSI Field Report.
- Babar, M. (2005). Hydrogeomorphology: fundamentals, applications and techniques. New India Publishing, pp-1-288.
- Babu, K. J., Sreekumar, S., & Aslam, A. (2016). Implication of drainage basin parameters of a tropical river basin of South India. *Applied Water Science*, v. 6(1), pp. 67-75.
- Badmus, B. S., Ozebo, V. C., Idowu, O. A., Ganiyu, S. A., & Olurin, O. T. (2014). Physico-chemical properties of soil samples and dumpsite environmental impact on groundwater quality in South Western Nigeria. *African Review of Physics*, v. 9, pp. 103-114.
- Bahuguna, I. M., Nayak, S., Tamilaran, V., & Moses, J. (2003). Groundwater prospective zones in basaltic terrain using remote sensing. *Journal of the Indian Society of Remote Sensing*, v. 31, pp. 101-105.
- Banerjee, A., Singh, P., & Pratap, K. (2017). Morphometric evaluation of Swarnrekha watershed, Madhya Pradesh, India: an integrated GIS-based approach. *Applied Water Science*, v. 7(4), pp. 1807-1815.
- Beguería, S. (2006). Validation and evaluation of predictive models in hazard assessment and risk management. *Natural Hazards*, v. 37(3), pp. 315-329.
- Bera, A., Mukhopadhyay, B. P., & Barua, S. (2020). Delineation of groundwater potential zones in Karha river basin, Maharashtra, India, using AHP and geospatial techniques. *Arabian Journal of Geosciences*, v. 13(15), pp. 1-21.
- Berhanu, K. G., & Hatiye, S. D. (2020). Identification of groundwater potential zones using proxy data: Case study of Megech watershed, Ethiopia. *Journal of Hydrology: Regional Studies*, v. 28, 100676.
- Bhardwaj, V., & Singh, D. (2011). Surface and groundwater quality characterization of Deoria District, Ganga Plain, India. *Environmental Earth Sciences*, v. 63(2), pp. 383-395.
- Bhattacharya, A., & Mankhand, H. R. (1979). Hydromorphology of a part of Azamgarh and Ghazipur districts, Uttar Pradesh. *Journal of the Indian Society of Photo-Interpretation and Remote Sensing*, v. 7, pp. 1-10.
- Bhattacharya, S. K., Froehlich, K., Aggarwal, P. K., & Kulkarni, K. M. (2003). Isotopic variation in Indian Monsoon precipitation: Records from Bombay and New Delhi. *Geophysical Research Letters*, v. 30(24), 2285.
- Bhattacharya, S. K., Gupta, S. K., & Krishnamurthy, R. V. (1985). Oxygen and hydrogen isotopic ratios in groundwaters and river waters from India. *Proceedings of the Indian Academy of Sciences - Earth and Planetary Sciences*, v. 94(3), pp. 283-295.
- BIS, (2012). Indian standard specification for drinking water (IS 10500: 2012)
- Bishop, M. P., & Shroder, J. F. (2000). Remote sensing and geomorphometric assessment of topographic complexity and erosion dynamics in the Nanga

- Parbat massif. Geological Society, London, Special Publications, v. 170 (1), pp. 181-200.
- Biswas, S. K. (1971). The miliolite rocks of Kutch and Kathiawar (western India). *Sedimentary Geology*, v. 5(2), pp. 147-164.
- Brady, N. C., Weil, R. R., (2008). *The nature and properties of soils*. Upper Saddle River, NJ: Prentice Hall. v. 13, pp. 152-156.
- Brown JL, Bennett JR, French CM (2017). SDMtoolbox 2.0: the next generation Python-based GIS toolkit for landscape genetic, biogeographic and species distribution model analyses. *Peer J*
- Bruning, J. N., Gierke, J. S., & Maclean, A. L. (2011). An approach to lineament analysis for groundwater exploration in Nicaragua. *Photogrammetric Engineering & Remote Sensing*, v. 77(5), pp. 509-519.
- Burley, T. M. (1961). Land use or land utilization? *Professional Geographer*, v. 13(6), pp. 18-20.
- Bushnell, T. M. (1945). The "Catena-Drainage Profile" Key-Form as a Frame of Reference in Soil Classification. *Soil Science Society of America Journal*, v. 9, pp. 219-222.
- Caliman, F. A., Robu, B. M., Smaranda, C., Pavel, V. L., & Gavrilescu, M. (2011). Soil and groundwater cleanup: Benefits and limits of emerging technologies. In *Clean Technologies and Environmental Policy*. v. 13(2), pp. 241-268.
- Campaore, J.T. (1988). Etude per photo-interpretation des sites favorables a l'implantation de forages d'eau. *Africa Pixel* pp. 67-79.
- Carson, M. A., Petley, D. J. (1970). The existence of threshold hillslopes in the denudation of the landscape. *Transactions of the Institute of British Geographers* v. 49, pp. 71-95.
- CGWB, (2011). *Guide on Artificial Recharge to Ground Water*, Ministry of Water Resources.
- CGWB, (2012). *Aquifer systems of India*. Central Ground Water Board, MoWR, RD&GR, Govt of India. <http://www.cgwb.gov.in/AQM/India.pdf>
- CGWB, (2013a). *Groundwater brochure Kuchchh district*, Government of India Ministry of Water Resources Central Ground Water Board West Central Region Ahmedabad.
- CGWB, (2013b). *Groundwater brochure Rajkot district*, Government of India Ministry of Water Resources Central Ground Water Board West Central Region Ahmedabad.
- CGWB, (2014a). *Groundwater brochure Panchmahal district*, Government of India Ministry of Water Resources Central Ground Water Board West Central Region Ahmedabad.
- CGWB, (2014b). *Groundwater brochure Narmada district*, Government of India Ministry of Water Resources Central Ground Water Board West Central Region Ahmedabad.

## References

- CGWB, (2014c). Groundwater brochure Sabarkantha district, Government of India Ministry of Water Resources Central Ground Water Board West Central Region Ahmedabad.
- CGWB, (2014d). Groundwater brochure Dangs district, Government of India Ministry of Water Resources Central Ground Water Board West Central Region Ahmedabad.
- Champion, H. G., & Seth, S. K. (1968). A revised survey of the forest types of India. Manager of publications Delhi-6.
- Chamyal, L. S., Maurya, D. M., & Raj, R. (2003). Fluvial systems of the drylands of western India: a synthesis of Late Quaternary environmental and tectonic changes. *Quaternary International*, v. 104(1), pp. 69-86.
- Chandra, P.C. (2018). Groundwater of Hard Rock Aquifers of India. In: Mukherjee, A. (eds) *Groundwater of South Asia*. Springer Hydrogeology. Springer, Singapore.
- Chandra, S., Rao, V. A., Krishnamurthy, N. S., Dutta, S., & Ahmed, S. (2006). Integrated studies for characterization of lineaments used to locate groundwater potential zones in a hard rock region of Karnataka, India. *Hydrogeology Journal*, v. 14, pp. 767-776.
- Chandrasekharan, H., Sarma, K. S. S., Das, D. K., Datta, D., Mookerjee, P., & Navada, S. V. (1992). Stable isotope contents of perched water under different landuse and salinization conditions in the canal command of arid western Rajasthan. *Journal of Arid Environments*, v. 23(4), pp. 365–378.
- Charon, J.E. (1974). Hydrogeological applications of ERTS satellite imagery. In: Proc. UN/FAO regional seminar on remote sensing of earth resources and environment, Cairo, pp. 439-56.
- Chatterji, P. C., & Singh, S. (1980). A proposed photohydrogeomorphic technique as an aid for faster exploration of groundwater potential areas in the Indian arid zone. *Annals of Arid Zone*, v. 19(1/2), pp. 58-64.
- Chatterji, P. C., Singh, S., & Qureshi, Z. H. (1978). Hydrogeomorphology of the central Luni basin, Western Rajasthan, (India). *Geoforum*, v. 9(3), pp. 211-224.
- Chopra, R., Dhiman, R. D., & Sharma, P. K. (2005). Morphometric analysis of sub-watersheds in Gurdaspur district, Punjab using remote sensing and GIS techniques. *Journal of the Indian Society of Remote Sensing*, v. 33, pp. 531-539.
- Clarke, J. I. (1966). *Morphometry from maps. Essays in geomorphology.*
- Clawson and Stewart (1965). *Land use information: A critical survey of U.S. Statistics including possibilities for greater uniformity.* Baltimore Md. The Johns Hopkins Press for resources for the future, Inc. 402 p.
- Coomar, P., & Mukherjee, A. (2021). Global geogenic groundwater pollution. In *Global Groundwater*. pp. 187-213. Elsevier.
- Coppock, J. T., & Ruthenberg, H. (1973). Farming Systems in the Tropics. *The Geographical Journal*, v. 139(1).
- Craig, H. (1961). Isotopic variations in meteoric waters. *Science*, 133(3465).

- CWC, J. (2019). Central Water Commission. <https://cwc.gov.in/water-info>
- Dabral, Sumit Trilokchandra (2009). Applied hydrogeological studies on the alluvial deposits between lower reaches of Mahi and Narmada rivers Gujarat. Unpubl. Ph.D. thesis, The Maharaja Sayajirao University of Baroda, <http://hdl.handle.net/10603/58701>
- Dahaan, S. A. M. Al, Al-Ansari, N., & Knutsson, S. (2016). Influence of Groundwater Hypothetical Salts on Electrical Conductivity Total Dissolved Solids. *Engineering*, v. 08(11), pp. 823-830.
- Dalai, T. K., Bhattacharya, S. K., & Krishnaswami, S. (2002). Stable isotopes in the source waters of the Yamuna and its tributaries: Seasonal and altitudinal variations and relation to major cations. *Hydrological Processes*, v. 16(17), pp. 3345-3364.
- Dar, M. A., Sankar, K., & Dar, I. A. (2010). Groundwater prospects evaluation-based on hydrogeomorphological mapping: a case study in Kancheepuram district, Tamil Nadu. *Journal of the Indian Society of Remote Sensing*, v. 38, pp. 333-343.
- Das, B. K., Kakar, Y. P., Moser, H., & Stichler, W. (1988). Deuterium and oxygen-18 studies in groundwater of the Delhi area, India. *Journal of Hydrology*, v. 98(1–2), pp. 133-146.
- Das, S. (2019). Comparison among influencing factor, frequency ratio, and analytical hierarchy process techniques for groundwater potential zonation in Vaitarna basin, Maharashtra, India. *Groundwater for Sustainable Development*, v. 8, pp. 617-629.
- Das, S., & Pardeshi, S. D. (2018). Morphometric analysis of Vaitarna and Ulhas river basins, Maharashtra, India: using geospatial techniques. *Applied Water Science*, v. 8(6), pp. 1-11.
- Das, S., Behera, S. C., Kar, A., Narendra, P., & Guha, S. (1997). Hydrogeomorphological mapping in ground water exploration using remotely sensed data—a case study in keonjhar district, orissa. *Journal of the Indian Society of Remote Sensing*, v. 25, pp. 247-259.
- Das, S., Gupta, A., & Ghosh, S. (2017). Exploring groundwater potential zones using MIF technique in semi-arid region: a case study of Hingoli district, Maharashtra. *Spatial Information Research*, v. 25(6), pp. 749-756.
- Dasgupta, S., & Mukherjee, S. (2019). Remote Sensing in Lineament Identification: Examples from Western India. v. 5, pp. 205-221.
- Datta, P. S., Bhattacharya, S. K., & Tyagi, S. K. (1996).  $^{18}\text{O}$  studies on recharge of phreatic aquifers and groundwater flow-paths of mixing in the Delhi area. *Journal of Hydrology*, v. 176(1–4), pp. 25-36.
- Datta, P. S., Deb, D. L., & Tyagi, S. K. (1996). Stable isotope ( $^{18}\text{O}$ ) investigations on the processes controlling fluoride contamination of groundwater. *Journal of Contaminant Hydrology*, v. 24(1), pp. 85-96.

## References

- Datta, P. S., Tyagi, S. K., & Chandrasekharan, H. (1991). Factors controlling stable isotope composition of rainfall in New Delhi, India. *Journal of Hydrology*, v. 128(1–4), pp. 223-236.
- Datta, P.S., Bhattacharya, S.K., Mookerjee, P. and Tyagi, S.K., (1994). Study of groundwater occurrence and mixing in Pushkar (Ajmer) valley, Rajasthan, with  $d^{18}O$  and hydrochemical data. *Journal Geological Society India*, v. 43, pp. 449–456.
- Deolankar, S. B. (1980). The Deccan Basalts of Maharashtra, India —Their Potential as Aquifers. *Groundwater*, v. 18(5), pp. 434-437.
- Deota, B. S. (1992), Geological Studies of the South –Gujarat Quaternary Landscape with Special Reference to Environmental Planning and Management. Unpubl. Ph.D. Thesis, The M.S. University of Baroda.
- Deota, Bhushan, Limaye, M., Mehta, Mandar, (2005). Probable Groundwater Potential Zones of Sasutan Watershed. Gujarat - GIS Approach. *Indian Mineralogist Spl. Vol. 1*, pp. 95-103.
- Deota, Bhushan, Nikhil, Desai, (1995). Slope Controlled Land Use Pattern: A Case Study of South Gujarat. *Proc. Recent Res. Geol. W. India*, pp. 225- 230.
- Deshpande, R. D., & Gupta, S. K. (2012a). Oxygen and hydrogen isotopes in hydrological cycle: New data from IWIN national programme. *Proceedings of the Indian National Science Academy*, 78(3).
- Deshpande, R. D., Bhattacharya, S. K., Jani, R. A., & Gupta, S. K. (2003a). Distribution of oxygen and hydrogen isotopes in shallow groundwaters from Southern India: Influence of a dual monsoon system. *Journal of Hydrology*, 271(1–4). Pp. 226-239.
- Deshpande, R. D., Maurya, A. S., Angasaria, R. C., Dave, M., Shukla, A. D., Bhandari, N., & Gupta, S. K. (2013). Isotopic studies of megacryometeors in western India. *Current Science*, v. 104(6), pp. 728-737.
- Deshpande, R. D., A. S. Maurya, B. Kumar, A. Sarkar, and S. K. Gupta (2010), Rain-vapor interaction and vapor source identification using stable isotopes from semiarid western India, *J. Geophys. Res.*, v. 115, D23311
- Deshpande, R. D., Maurya, A. S., Kumar, B., Sarkar, A., & Gupta, S. K. (2013a). Kinetic fractionation of water isotopes during liquid condensation under super-saturated condition. *Geochimica et Cosmochimica Acta*, v. 100, pp. 60-72.
- Deshpande, R.D., Dave, M., Laxmi, S.R. and Gupta, S.K., (2011). IWIN National Programm: New Hydrological Insights. In: S.K. Aggarwal, P.G. Jaison and A. Sarkar (Editors), Fourteenth ISMAS Symposium cum Workshop on Mass Spectrometry. Indian Society for Mass Spectrometry, Munnar, India, pp. 95-108.
- Dethier, D. P., & Colman, S. M. (1986). Weathering rates and the chemical flux from catchments in the Pacific Northwest, USA. *Rates of Chemical Weathering of Rocks and Minerals*, pp. 503-530.

- Díaz-Alcaide, S., & Martínez-Santos, P. (2019). Review: Advances in groundwater potential mapping. *Hydrogeology Journal*, v. 27(7), pp. 2307-2324.
- Domenico, P. A., & Schwartz, F. W. (1997). *Physical and chemical hydrogeology*. John Wiley & sons.
- Dongare, C. U., & Deota, B. S. (2023). Significance of geomorphic indicators for identification of groundwater recharge potential in the Khapri watershed of Deccan Volcanic Province (DVP), district Dangs, western India. *Groundwater for Sustainable Development*, v. 22. 100956.
- Dongare, C. U., Deota, B. S., & Deshpande, R. D. (2022). High resolution morphometric studies with special reference to hydrological setup of Khapri watershed, Dangs district, Gujarat, Western India. *Geocarto International*, v. 37(13), pp. 3697-3720.
- Drever, J. (1997). Redox conditions in natural waters. In *The Geochemistry of Natural Waters: Surface and Groundwater Environments*. pp. 159-174.
- Dunne T, Black RD. (1970). Partial area contributions to storm runoff in a small New England watershed. *Water Resources Research* v. 6, pp. 1296–1311.
- Eastman J.R., (1995). Decision Support. In: *Idrisi for Windows: User's guide version 1.0*. Clark Labs for Cartographic Technology and Geographic Analysis. Clark University, Worcester, Mass: 10.1.10.6
- Epstein, S., & Mayeda, T. (1953). Variation of O18 content of waters from natural sources. *Geochimica et cosmochimica acta*, v. 4(5), pp. 213-224.
- Eze, E.B., Efiog, J., (2010). Morphometric parameters of the Calabar River basin: implication for hydrologic processes. *J. Geogr. Geol.* v. 2 (1), pp. 18.
- Fenta, A. A., Yasuda, H., Shimizu, K., Haregeweyn, N., & Woldearegay, K. (2017) Quantitative analysis and implications of drainage morphometry of the Agula watershed in the semi-arid northern Ethiopia. *Applied Water Science*, v. 7(7), pp. 3825-3840.
- Fisher, P., & Unwin, D. (2005). *Land Use and land cover: Contradiction or Complement. Re-Presenting GIS*.
- Freeze, R.A. and Cherry, J.A. (1979) *Groundwater*. Prentice-Hall Inc., Englewood Cliffs, v. 7632, 604 p. 211.
- Gabale, S. M., & Pawar, N. R. (2015). Quantitative morphometric analysis of AmbilOdha (rivulet) in Pune, Maharashtra, India. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, v. 9(7), pp. 41-48.
- Gaines, T. P., & Gaines, S. T. (1994). Soil texture effect on nitrate leaching in soil percolates. *Communications in Soil Science and Plant Analysis*, v. 25(13–14), pp. 2561-2570.
- Gajbhiye, S., Mishra, S. K., & Pandey, A. (2014). Prioritizing erosion-prone area through morphometric analysis: an RS and GIS perspective. *Applied Water Science*, v. 4(1), pp. 51-61.
- Ganguly, S., & Ganguly, S. (2021). Implementation of managed aquifer recharge techniques in India. In *Current Science* v. 121(5), pp. 641-650.

## References

- Gardner, T. W., Sasowsky, K. C., & Day, R. L. (1990). Automated extraction of geomorphometric properties from digital elevation data. *Zeitschrift für Geomorphologie, Supplementband*, v. 80, pp. 57-68.
- Gautam A. (2000), *Geomorphology*, Sharda Pustak Bhavan, Allahabad. p. 288-299.
- Gibbs, R. J. (1970). Mechanisms controlling world water chemistry. *Science*, v. 170(3962), pp. 1088-1090.
- Gleeson, T., & Novakowski, K. (2009). Identifying watershed-scale barriers to groundwater flow: Lineaments in the Canadian Shield. *Geological Society of America Bulletin*, v. 121(3-4), pp. 333-347.
- Gleeson, T., Cuthbert, M., Ferguson, G., & Perrone, D. (2020). Global Groundwater Sustainability, Resources, and Systems in the Anthropocene. In *Annual Review of Earth and Planetary Sciences* v. 48, pp. 431-463.
- Gonfiantini, R. (1978). Standards for stable isotope measurements in natural compounds. *Nature*, v. 271, pp. 534-536.
- González, J. A. M., Comte, J. C., Legchenko, A., Offerdinger, U., & Healy, D. (2021). Quantification of groundwater storage heterogeneity in weathered/fractured basement rock aquifers using electrical resistivity tomography: Sensitivity and uncertainty associated with petrophysical modelling. *Journal of Hydrology*, v. 593, 125637.
- Gopinath, G., & Seralathan, P. (2004). Identification of groundwater prospective zones using IRS-ID LISS III and pump test methods. *Journal of the Indian Society of Remote Sensing*, v. 32, pp. 329-342.
- Gottschalk, L. C. (1964). Reservoir sedimentation. *Handbook of Applied Hydrology*. McGraw Hill Book Company, New York, Section, 7.
- Goudie, A. (Ed.). (2004). *Encyclopedia of geomorphology* (Vol. 2). Psychology Press.
- Gravelius H. (1914). *Flusskunde*, Goschen'sche Verlagshandlung. Berlin.
- Gregory, K. J., & Walling, D. E. (1973). *Drainage basin form and process*.
- Gujarat, Government, (1971). *Dangs District Gazetteer*
- Gupta, G., Patil, S. N., Padmane, S. T., Erram, V. C., & Mahajan, S. H. (2015). Geoelectric investigation to delineate groundwater potential and recharge zones in Suki river basin, north Maharashtra. *Journal of Earth System Science*, v. 124(7), pp. 1487-1501.
- Gupta, M., & Srivastava, P. K. (2010). Integrating GIS and remote sensing for identification of groundwater potential zones in the hilly terrain of Pavagarh, Gujarat, India. *Water International*, v. 35(2), pp. 233-245.
- Gupta, S. K., & Deshpande, R. D. (2003). Synoptic hydrology of India from the data of isotopes in precipitation. *Current Science*, v. 85(11), pp. 1591-1595.
- Gupta, S. K., & Deshpande, R. D. (2004). Water for India in 2050: First-order assessment of available options. In *Current Science*, v. 86(9), pp. 1216-1224.
- Gupta, S. K., & Deshpande, R. D. (2005). Groundwater isotopic investigations in India: What has been learned?, In *Current Science*, v. 89(5), pp. 825-835.

- Gupta, S. K., Deshpande, R. D., Bhattacharya, S. K., & Jani, R. A. (2005). Groundwater  $\delta^{18}\text{O}$  and  $\delta\text{D}$  from central Indian Peninsula: influence of the Arabian Sea and the Bay of Bengal branches of the summer monsoon. *Journal of Hydrology*, v. 303(1–4), pp. 38–55.
- Gupta, S.K. and Deshpande, R.D., (2005b). Isotopes for Water Resource Management in India. *Himalayan Geology*, v. 26(1), pp. 211–222.
- Hack JT, Goodlett JC. (1960). Geomorphology and forest ecology of a mountain region in the central Appalachians. *United States Geological Survey Professional Papers*, 347.
- Haggett, P., & Chorley, R. J. (1969). *Network analysis in geography*.
- Hajam, R. A., Hamid, A., & Bhat, S. (2013). Application of morphometric analysis for geo-hydrological studies using geo-spatial technology—a case study of Vishav Drainage Basin. *Hydrology Current Research*, v. 4(3), 1000157.
- Hashim, M. A., Mukhopadhyay, S., Sahu, J. N., & Sengupta, B. (2011). Remediation technologies for heavy metal contaminated groundwater. In *Journal of Environmental Management*, v. 92(10), pp. 2355-2388.
- Hem, J. D. (1985). Study and interpretation of the chemical characteristics of natural water. *US Geological Survey Water-Supply Paper*, 2254.
- Hem, J. D., & Steele, T. D. (1975). Water quality. *Reviews of Geophysics*, v. 13(3), pp. 461–468.
- Henriksen, H., & Braathen, A. (2006). Effects of fracture lineaments and in-situ rock stresses on groundwater flow in hard rocks: a case study from Sunnfjord, western Norway. *Hydrogeology journal*, v. 14, pp. 444-461.
- Hewlett JD, Hibbert AR. (1967). Factors affecting the response of small watersheds to precipitation in humid areas. In *Proceedings of the International Symposium on Forest Hydrology*, Sopper WE, Lull HW (eds). Pergamon: New York; pp. 275–290.
- Hobbs, W. H. (1904). Lineaments of the Atlantic border region. *Bulletin of the Geological Society of America*, v. 15(1), pp. 483-506.
- Hobbs, W. H. (1912). *Earth features and their meaning: an introduction to geology for the student and the general reader*. Macmillan. p-227.
- Horton, R. E. (1932). Drainage-basin characteristics. *Transactions, American geophysical union*, v. 13(1), pp. 350-361.
- Horton, R. E. (1945). Erosional development of streams and their drainage basins; hydrophysical approach to quantitative morphology. *Geological society of America bulletin*, v. 56(3), pp. 275-370.
- Houet, T., Loveland, T. R., Hubert-Moy, L., Gaucherel, C., Napton, D., Barnes, C. A., & Saylor, K. (2010). Exploring subtle land use and land cover changes: A framework for future landscape studies. *Landscape Ecology*, v. 25(2), pp.249-256.
- Huang, G., Song, J., Han, D., Liu, R., Liu, C., & Hou, Q. (2023). Assessing natural background levels of geogenic contaminants in groundwater of an urbanized

- delta through removal of groundwaters impacted by anthropogenic inputs: New insights into driving factors. *Science of the Total Environment*, v. 857(2), 159527.
- ICAR, (2015). *Compendium of Climate Resilient Technologies*.
- Rural Poverty Report, IFAD, (2010).
- Jagannadha Sarma, V. V., & Swamy, A. N. (1981). Groundwater quality in Visakhapatnam Basin, India. *Water, Air, and Soil Pollution*, v. 16(3), pp. 317–329.
- Jahan, C. S., Rahaman, M., Arefin, R., Ali, S., & Mazumder, Q. H. (2018). Morphometric analysis and hydrological inference for water resource management in Atrai-Sib River basin, NW Bangladesh using remote sensing and GIS technique. *Journal of the Geological Society of India*, v. 91(5), pp. 613-620.
- Jain, S. K. (1963). The vegetation of Dangs district in Gujarat. *Nelumbo*, v. 5(3-4), pp. 351-361.
- Jasmin, I., & Mallikarjuna, P. (2013). Morphometric analysis of Araniar river basin using remote sensing and geographical information system in the assessment of groundwater potential. *Arabian Journal of Geosciences*, v. 6(10), pp. 3683-3692.
- Javed, A., & Wani, M. H. (2009). Delineation of groundwater potential zones in Kakund watershed, Eastern Rajasthan, using remote sensing and GIS techniques. *Journal of the Geological Society of India*, v. 73, pp. 229-236.
- Johnson, D. (1939). *The origin of submarine canyons: a critical review of hypotheses*. Columbia University Press. v. 78(2), pp. 153-160.
- Kadam, A. K., Jaweed, T. H., Umrikar, B. N., Hussain, K., & Sankhua, R. N. (2017). Morphometric prioritization of semi-arid watershed for plant growth potential using GIS technique. *Modeling Earth Systems and Environment*, v. 3(4), pp. 1663-1673.
- Kadam, A. K., Patil, S. N., Gaikwad, S. K., Wagh, V. M., Patil, B. D., & Patil, N. S. (2023). Demarcation of subsurface water storage potential zone and identification of artificial recharge site in Vel River watershed of western India: integrated geospatial and hydrogeological modeling approach. *Modeling Earth Systems and Environment*, v. 9(3), pp. 3263-3278.
- Kaila, K. L., Murty, P. R. K., Rao, V. K., & Kharechko, G. E. (1981). Crustal structure from deep seismic soundings along the Koyna II (Kelsi-Loni) profile in the Deccan Trap area, India. *Tectonophysics*, v. 73(4), pp. 365-384.
- Kaka Thakur Sanjay Arora Sundeep Pandita Vikas Goyal. (2013). Infiltration characteristics of erosion prone soils of Balwal watershed in relation to soil loss and runoff. *Journal of Soil and Water Conservation*, v. 12(3), pp. 207–211.
- Kale, V. S., & Gupta, A. (2001). *Introduction to geomorphology*. Orient Longman.
- Kannan, D. (2018). Role of multiple stakeholders and the critical success factor theory for the sustainable supplier selection process. *International Journal of Production Economics*, v. 195, pp. 391-418.

- KARANTH, K.R. (1987) Groundwater Assessment, Development and Management, Tata McGraw Hill Publishing Co. Ltd., p. 455.
- Keller, E. A. (2007). Introduction to environmental geology. Prentice-Hall, Inc.
- Kelley, W. P. (1941). Permissible Composition and Concentration of Irrigation Water. Transactions of the American Society of Civil Engineers, v. 106(1), pp. 849-855.
- Khadri, S. F. R., & Pande, C. (2015). Remote sensing based hydro-geomorphological mapping of Mahesh River Basin, Akola, and Buldhana Districts, Maharashtra, india-effects for water resource evaluation and management. International Journal of Geology, Earth and Environmental Sciences, v. 5(2), pp. 178-187.
- Kim, Gyoo-Bum (2004). Construction of Lineament maps related to groundwater occurrence with ArcView and Avenue TM scripts. Computers & Geosciences, v. 30(9), pp. 1147-1126.
- King, L. C. (1950). The study of the world's plainlands: a new approach in geomorphology. Quarterly Journal of the Geological Society, v. 106(1-4), pp. 101-131.
- Kirkby, M. J., Chorley, R. J. (1967). Throughflow, overland flow and erosion. Bulletin of the International Association of Scientific Hydrology v. 12, pp. 5–21.
- Krishnamurthy, R.V. and Bhattacharya, S.K., (1991). Stable Oxygen and Hydrogen Isotope Ratios in Shallow Groundwaters from India and a Study of the Role of Evapotranspiration in the Indian Monsoon. The Geochemical Society, v. 3, pp. 187-193.
- Krishnan, M. S., (1982) Geology of India and Burma, 6th Edition, CBS, Publications, New Delhi, p. 536.
- Kulkarni, H., Deolankar, S. B., Lalwani, A., & Lele, V. A. (1994). Integrated Remote Sensing as an Operational Aid in Hydrogeological Studies of Deccan Basalt Aquifers: Asian-Pacific Remote Sensing Journal, v. 6., pp. 9-18.
- Kulkarni, H., Deolankar, S. B., Lalwani, A., Joseph, B., & Pawar, S. (2000). Hydrogeological framework of the Deccan basalt groundwater systems, west-central India. Hydrogeology Journal, v. 8(4), pp. 368-378.
- Kumar, A., & Pandey, A. C. (2016). Geoinformatics based groundwater potential assessment in hard rock terrain of Ranchi urban environment, Jharkhand state (India) using MCDM-AHP techniques. Groundwater for Sustainable Development, v. 2–3, pp. 27-41.
- Kumar, B., Athavale, R. N., & Sahay, K. S. N. (1982). Stable-isotope geohydrology of the Lower Maner Basin, Andhra Pradesh, India. Journal of Hydrology, v. 59 (3–4), pp. 315-330.
- Kumar, B., Rai, S. P., Kumar, U. S., Verma, S. K., Garg, P., Kumar, S. V. V., Jaiswal, R., Purendra, B. K., Kumar, S. R., & Pande, N. G. (2010). Isotopic characteristics of Indian precipitation. Water Resources Research, v. 46(12), W12548.

## References

- Kumar, R., Singh, R. D., & Sharma, K. D. (2005). Water resources of India. *Current Science*, v. 89(5), pp. 794-811.
- Lamoreaux, P.E., Newton, J.G. (1986) Catastrophic subsidence: An environmental hazard, shelby county, Alabama. *Environ. Geol. Water Sci* v. 8, pp. 25–40.
- Lattman, L. H. (1973). Evaluation of remote sensors for exploration geomorphology. *AAPG Bulletin*, v. 57(4), pp. 790-790.
- Leopold, L. B., Langbein, W. B., (1962). The concept of entropy in landscape evolution. *United States Geological Survey Professional Papers* 500-A
- Lewin, J. (1970). A note on stream ordering. *Area*, v. 2(2), pp. 32-35.
- Lillesand, T. M., & Kiefer, R. W. (1979). Remote sensing and image interpretation. *Remote Sensing and Image Interpretation*.
- Limaye, S. D. (2010). Review: Groundwater development and management in the Deccan Traps (basalts) of western India. *Hydrogeology Journal*, v. 18(3), pp. 543-558.
- Limaye, S. D., & Limaye, U. S. (1994). Groundwater resources at risk in the basalts (Deccan traps) of western India. *Future Groundwater Resources at Risk*.
- Lindsay, J. B., & Evans, M. G. (2008). The influence of elevation error on the morphometrics of channel networks extracted from DEMs and the implications for hydrological modelling. *Hydrological Processes: An International Journal*, v. 22(11), pp. 1588-1603.
- Magesh, N. S., Jitheshlal, K. V., Chandrasekar, N., & Jini, K. V. (2013). Geographical information system-based morphometric analysis of Bharathapuzha river basin, Kerala, India. *Applied Water Science*, v. 3(2), pp. 467-477.
- Mahala, A. (2020). The significance of morphometric analysis to understand the hydrological and morphological characteristics in two different morpho-climatic settings. *Applied Water Science*, v. 10(1), pp. 1-16.
- Mahanta, N., Mishra, I., Hatui, A., Mahanta, P. S., Sahoo, H. K., & Goswami, S. (2020). Geochemical appraisal of groundwater qualities and its uses in and around Maneswar Block of Sambalpur District, Odisha, India. *Environmental Earth Sciences*, 79(5).
- Mahmood, A. (1996). Lineaments as groundwater exploration guides in hard-rock terranes of arid regions. *Canadian journal of remote sensing*, v. 22(1), pp. 108-116.
- Maiti, S. K. (2003). *Handbook of methods in environmental studies*, v. 2, pp. 110-121.
- Manasi, S. & Raju, Konduru (2012). 'Water' – A Heritage Perspective.
- Maurya, A. S., Shah, M., Deshpande, R. D., Bhardwaj, R. M., Prasad, A., & Gupta, S. K. (2011). Hydrograph separation and precipitation source identification using stable water isotopes and conductivity: River Ganga at Himalayan foothills. *Hydrological Processes*, v. 25(10), pp. 1521-1530.

- Medlicott, H. B., Blanford, W. T., Ball, V., & Mallet, F. R. (1879). *A Manual of the Geology of India: Peninsular area*, by HB Medlicott and WT Blanford. Geological Survey Office.
- Merh, S. S. (1995). *Geology of Gujarat*. GSI Publications, 2(1).
- Miller, V. C. (1953). *A Quantitative Geomorphic Study of Drainage Basin Characteristics In The Clinch Mountain Area Virginia And Tennessee*. Columbia Univ New York.
- Mogaji, K. A., Aboyeji, O. S., & Omosuyi, G. O. (2011). Mapping of lineaments for groundwater targeting in the basement complex region of Ondo State, Nigeria, using remote sensing and geographic information system (GIS) techniques. *International Journal of water resources and environmental engineering*, v. 3(7), pp. 150-160.
- Moore, G. K., & Dakota, S. (1979). Prospecting for ground water with Landsat images. In *Proceedings of the Seminar on Remote Sensing Applications and Technology Transfer for International Development* (p. 43).
- Nag, S. K. (2005). Application of lineament density and hydrogeomorphology to delineate groundwater potential zones of Baghmundi block in Purulia district, West Bengal. *Journal of the Indian Society of Remote Sensing*, v. 33, pp. 521-529.
- Nag, S.K. (2008). Application of Remote Sensing and GIS in Groundwater Exploration. In: Ahmed, S., Jayakumar, R., Salih, A. (eds) *Groundwater Dynamics in Hard Rock Aquifers*. Springer, Dordrecht.
- Nag, S. K., & Ghosh, P. (2013). Delineation of groundwater potential zone in Chhatna Block, Bankura District, West Bengal, India using remote sensing and GIS techniques. *Environmental earth sciences*, v. 70, pp. 2115-2127.
- Nagamani, K., & Ramachandran, S. (2003). Land use/land cover in Pondicherry using remote sensing and GIS. In *Proceedings of the third international conference on environment and health, Chennai, India*, pp. 300-305.
- Nanda Sudeep Kumar (2001) *Dangs India - The Land of Ecstasy and Ethnicity*.
- Narany, T. S., Ramli, M. F., Fakharian, K., & Aris, A. Z. (2016). A GIS-index integration approach to groundwater suitability zoning for irrigation purposes. *Arabian Journal of Geosciences*, v. 9(7):502.
- Nassif, S. H., & Wilson, E. M. (1975). The Influence Of Slope And Rain Intensity On Runoff And Infiltration/L'influence de l'inclinaison de terrain et de l'intensité de pluie sur l'écoulement et l'infiltration. *Hydrological Sciences Journal*, v. 20(4), pp. 539-553.
- Nath, B., Ni-Meister, W., & Choudhury, R. (2021). Impact of urbanization on land use and land cover change in Guwahati city, India and its implication on declining groundwater level. *Groundwater for Sustainable Development*, v. 12, 100500.
- Gray, S. S., Moore, L. C., Opdkye B. N., Huges C.E. (2019). Identifying groundwater-surface water interactions and groundwater geochemistry in the Upper Murrumbidgee Catchment using surface water surveys, Australasian

- 
- Groundwater Conference: Groundwater in a Changing World. Flinders University.
- Naudet, V., Revil, A., Rizzo, E., Bottero, J. Y., & Bégassat, P. (2004). Groundwater redox conditions and conductivity in a contaminant plume from geoelectrical investigations. *Hydrology and Earth System Sciences*, v. 8(1), pp. 8-22.
- Navada, S. V., & Rao, S. M. (1991). Study of Ganga River – Groundwater Interaction Using Environmental Oxygen-18. *Isotopenpraxis Isotopes in Environmental and Health Studies*, v. 27(8), pp. 380-384.
- Navada, S. V., Nair, A. R., Rao, S. M., Paliwall, B. L., & Doshi, C. S. (1993). Groundwater recharge studies in arid region of Jalore, Rajasthan using isotope techniques. *Journal of Arid Environments*, v. 24(2), pp. 125-133.
- Nijampurkar, V., Rao, K., Sarin, M., & Gergan, J. (2002). Isotopic study on Dokriani Bamak glacier, central Himalaya: Implications for climatic changes and ice dynamics. *Journal of Glaciology*, v. 48(160), pp. 81-86.
- Nikumbh J D (1997), Geochemistry of groundwaters from Behedi Basin District Nasik Maharashtra, Unpubl. Ph.D. Thesis, Savitribai Phule Pune University <http://hdl.handle.net/10603/170648>
- Nir, D. (1957). The ratio of relative and absolute altitudes of Mt. Carmel: a contribution to the problem of relief analysis and relief classification. *Geographical Review*, v. 47(4), pp. 564-569.
- Nooka Ratnam, K., Srivastava, Y. K., Venkateswara Rao, V., Amminedu, E., & Murthy, K. S. R. (2005). Check dam positioning by prioritization of micro-watersheds using SYI model and morphometric analysis—remote sensing and GIS perspective. *Journal of the Indian society of remote sensing*, v. 33(1), pp. 25-38.
- NRSC (2015) Concepts of ground water prospects mapping for Rajiv Gandhi National Drinking Water Mission Project NRSC-RSAA-GSG-MARCH 2015-TR-686
- NRSC, (2010). Remote sensing application.
- Oh, H. J., Kim, Y. S., Choi, J. K., Park, E., & Lee, S. (2011). GIS mapping of regional probabilistic groundwater potential in the area of Pohang City, Korea. *Journal of Hydrology*, v. 399(3-4), pp. 158-172.
- Ojima, D. S., Galvin, K. A., & Turner, B. L. I. I. (1994). The global impact of land-use change. *BioScience*, v. 44(5), pp. 300-304.
- O'leary, D. W., Friedman, J. D., & Pohn, H. A. (1976). Lineament, linear, lineation: some proposed new standards for old terms. *Geological Society of America Bulletin*, v. 87(10), pp. 1463-1469.
- Onda Y. (1992). Influence of water storage capacity in the regolith zone on hydrological characteristics, slope processes, and slope form. *Zeitschrift für Geomorphologie, Neue Folge* v. 36, pp. 165-178.
- Onda Y. (1994). Seepage erosion and its implication to the formation of amphitheater valley heads: a case study at Obara, Japan. *Earth Surface Processes and Landforms* v. 19, pp. 627-640

- Oyedele, A. A. (2019). Use of remote sensing and GIS techniques for groundwater exploration in the basement complex terrain of Ado-Ekiti, SW Nigeria. *Applied Water Science*, v. 9, pp. 1-13.
- Oza, H., Padhya, V., Ganguly, A., Saikranthi, K., Rao, T. N., & Deshpande, R. D. (2020). Hydrometeorological processes in semi-arid western India: insights from long term isotope record of daily precipitation. *Climate Dynamics*, v. 54(5–6), pp. 2445-2757.
- Pagotto, C., Rémy, N., Legret, M., & Legret, M. (2001). Heavy metal pollution of road dust and roadside soil near a major rural highway. *Environmental Technology (United Kingdom)*, v. 22(3), pp. 307-319.
- Pancholi, V., Chaudhary, V., Lakhmapurkar, S., Patel, P., Rabari, R., Dongare, C., & Chopra, S. (2022). Estimation of groundwater potential zones using remote sensing and geographical information system technique- Waghai Taluka, Dang district, Gujarat, Western India. *Environmental Challenges*, v. 9. 100615.
- Panda, D. K., Mishra, A., & Kumar, A. (2012). Quantification of trends in groundwater levels of Gujarat in western India. *Hydrological sciences journal*, v. 57(7), pp. 1325-1336.
- Pande, C. B., Moharir, K. N., Singh, S. K., & Varade, A. M. (2020). An integrated approach to delineate the groundwater potential zones in Devdari watershed area of Akola district, Maharashtra, Central India. *Environment, Development and Sustainability*, v. 22(5), pp. 4867-4887.
- Pande, K., Padia, J. T., Ramesh, R., & Sharma, K. K. (2000). Stable isotope systematics of surface water bodies in the Himalayan and Trans-Himalayan (Kashmir) region. *Journal of Earth System Science*, v. 109, pp. 109-115.
- Pandey, A., Padhya, V., Ganguly, A., Chakra, S., & Deshpande, R. D. (2023). Surface water groundwater interaction in water-stressed semi-arid western India: Insights from environmental isotopes. *Journal of Arid Environments*, v. 208, 104879.
- Panigrahi, B., Nayak, A. K., & Sharma, S. D. (1995). Application of remote sensing technology for groundwater potential evaluation. *Water Resources Management*, v. 9(3), pp. 161-173.
- Patel, D. P., Dholakia, M. B., Naresh, N., & Srivastava, P. K. (2012). Water harvesting structure positioning by using geo-visualization concept and prioritization of mini-watersheds through morphometric analysis in the lower Tapi basin. *Journal of the Indian Society of Remote Sensing*, v. 40(2), pp. 299-312.
- Patel, D. P., Gajjar, C. A., & Srivastava, P. K. (2013). Prioritization of Malesari mini-watersheds through morphometric analysis: a remote sensing and GIS perspective. *Environmental earth sciences*, v. 69(8), pp. 2643-2656.
- Patil, N., Reddy, V. P., Patangray, A., & Singh, S. K. (2018). Mapping groundwater recharge potential using GIS approach in Darwha block. *Arabian Journal of Geosciences*, v. 11(1), pp. 1-15.

## References

- Paulson, R. W., Chase, E. B., Williams, J. S., & Moody, D. W. (1993). National water summary 1990-91: hydrologic events and stream water quality. US Geological Survey Water-Supply Paper, 2400.
- Piper, A. M. (1944). A graphic procedure in the geochemical interpretation of water-analyses. *Eos, Transactions American Geophysical Union*, v. 25(6), pp. 914-928.
- Piyooosh, A. K., & Ghosh, S. K. (2022). Analysis of land use land cover change using a new and existing spectral indices and its impact on normalized land surface temperature. *Geocarto International*, v. 37(8), pp. 2137-2159.
- Powar, K. B. (1987). Evolution of the Deccan Volcanic Province. In *CURRENT SCIENCE*, v. 56(5), pp. 222-223.
- Powar, K.B. (1981) Lineament fabric and dyke Patterns in the western part of the Deccan Volcanic Province, In *Deccan Volcanism*. (Eds, Subbara, K.V. and Sukheswala, B.R.N.) pp. 45-57.
- Prabhakar, A. K., Singh, K. K., Lohani, A. K., & Chandniha, S. K. (2019). Study of Champua watershed for management of resources by using morphometric analysis and satellite imagery. *Applied Water Science*, v. 9(5), pp. 1-16.
- Prakash, I., Gupta, K. S., Dey, A., Singh, P. K., Dhote, P., Basheer, H. S., ... & Modi, V. S. (2012). *Geology and Mineral Resources of Gujarat, Daman and DiU*. Geological Society of India, Miscellaneous Publication, (30 Part 14).
- Prakash, K., Rawat, D., Singh, S., Chaubey, K., Kanhaiya, S., & Mohanty, T. (2019). Morphometric analysis using SRTM and GIS in synergy with depiction: a case study of the Karmanasa River basin, North central India. *Applied Water Science*, v. 9(1), pp. 1-10.
- Praveen B. (2015), Studies on isotopic composition of precipitation in Kerala and its applications. Unpubl. Ph.D. Thesis, Kannur University. <http://hdl.handle.net/10603/132722>
- Puri, G. S., Meher-Homji, V. M., Gupta, R. K., & Puri, S. (1983). *Forest ecology. Volume I. Phytogeography and forest conservation. Forest ecology. Volume I. Phytogeography and forest conservation.*, (Ed. 2).
- Purushothaman, P., Rao, M. S., Kumar, B., Rawat, Y. S., Krishan, G., & Devi, P. (2014). Comparison of two methods for ground level vapour sampling and influence of meteorological parameters on its stable isotopic composition at Roorkee, India. *Hydrological Processes*, v. 28(3), pp. 882-894.
- Rai, P. K., Chandel, R. S., Mishra, V. N., & Singh, P. (2018). Hydrological inferences through morphometric analysis of lower Kosi river basin of India for water resource management based on remote sensing data. *Applied water science*, v. 8(1), pp. 1-16.
- Rai, S. P., Kumar, B., & Singh, P. (2009). Estimation of contribution of southwest monsoon rain to Bhagirathi River near Gaumukh, western Himalayas, India, using oxygen-18 isotope. *Current Science*, v. 97(2), pp. 240-245.
- Raju, A. T. R. (1968). Geological evolution of Assam and Cambay Tertiary basins of India. *AAPG Bulletin*, v. 52(12), pp. 2422-2437.

- Raju, K. C. B. (1998). Importance of recharging depleted aquifers: state of the art of artificial recharge in India. *Journal of the Geological Society of India*, v. 51(4), 429-454.
- Raju, N. J., & Reddy, T. V. K. (1998). Fracture pattern and electrical resistivity studies for groundwater exploration. *Environmental Geology*, v. 34, pp. 175-182.
- Ramakrishnan, M., & Vaidyanadhan, R. (2010). *Geology of India* (vol. 1 & 2). GSI Publications, 2(1).
- Ramesh, R., & Sarin, M. M. (1992). Stable isotope study of the Ganga (Ganges) river system. *Journal of Hydrology*, v. 139(1-4), pp. 49-62.
- Rao, D. P. (1978). Utility of landsat coverage in small scale geomorphological mapping-some examples from India. *Journal of the Indian Society of Photo-Interpretation*, v. 6, pp. 49-56.
- Rao, L. R. (1936). The deccan traps. In *Proceedings/Indian Academy of Sciences*, v. 4(3), pp. 208-223. New Delhi: Springer India.
- Rathore, M. S. (2005). Groundwater exploration and augmentation efforts in Rajasthan—a review. Institute of Development Studies, Jaipur, India.
- Ravi Shankar, M. N., & Mohan, G. (2005). A GIS based hydrogeomorphic approach for identification of site-specific artificial-recharge techniques in the Deccan Volcanic Province. *Journal of Earth System Science*, v. 114(5), 505-514.
- Raymahashay, B. C. (1986). Geochemistry of bicarbonate in river water. *Journal of the Geological Society of India*, v. 27(1), pp. 114-118.
- Reddy, S. S. (1989). Declining groundwater levels in India. *International Journal of Water Resources Development*, v. 5(3), pp. 183-190.
- Richards, L. A. (1954). *Diagnosis and Improvement of Saline and Alkali Soils*. Soil Science, v. 78(2).
- Rogers, R. J. (1989). Geochemical Comparison of Ground Water in Areas of New England, New York, and Pennsylvania. *Groundwater*, v. 27(5), pp. 690-712
- Roy, A. K. (1978). LANDSAT (MSS) imagery interpretation: A new perspective tool aiding regional hydromorphic mapping for groundwater exploration. *Journal of the Indian Society of Photo-Interpretation*, v. 6, pp. 79-86.
- Roy, S., Hazra, S., Chanda, A., & Das, S. (2020). Assessment of groundwater potential zones using multi-criteria decision-making technique: a micro-level case study from red and lateritic zone (RLZ) of West Bengal, India. *Sustainable Water Resources Management*, v. 6, pp. 1-14.
- Ruidas, D., Pal, S. C., Islam, A. R. M. T., & Saha, A. (2021). Characterization of groundwater potential zones in water-scarce hardrock regions using data driven model. *Environmental Earth Sciences*, v. 80(24), pp. 1-18.
- Saaty, R. W. (1987). The analytic hierarchy process-what it is and how it is used. *Mathematical Modelling*, v. 9(3-5), pp. 161-176.
- Saaty, T.L. (1970). *Optimization in Integers and Related Extremal Problems*, McGraw-Hill, New York.

## References

---

- Saaty T. L. (1980), *The Analytic Hierarchy Process*, McGraw-Hill, New York.
- Saha, D., Ray, R.K. (2019). Groundwater Resources of India: Potential, Challenges and Management. In: Sikdar, P. (eds) *Groundwater Development and Management*. Springer, Cham. pp. 19-42.
- Saha, D., Dwivedi, S. N., Roy, G. K., & Reddy, D. V. (2013). Isotope-based investigation on the groundwater flow and recharge mechanism in a hard-rock aquifer system: the case of Ranchi urban area, India. *Hydrogeology Journal*, v. 21(5), 1101.
- Saha, D., Sahu, S., & Chandra, P. C. (2011). Arsenic-safe alternate aquifers and their hydraulic characteristics in contaminated areas of Middle Ganga Plain, Eastern India. *Environmental monitoring and assessment*, v. 175(1), pp. 331-348.
- Saha, D., Sarangam, S. S., Dwivedi, S. N., & Bhartariya, K. G. (2010). Evaluation of hydrogeochemical processes in arsenic-contaminated alluvial aquifers in parts of Mid-Ganga Basin, Bihar, Eastern India. *Environmental Earth Sciences*, v. 61(4), pp. 799-811.
- Sahai, B. (1993). Remote sensing of deserts: the Indian experience. *Journal of arid environments*, v. 25(1), pp. 173-185.
- Sahai, B., Rajawat, A. S., Bahuguna, I. M., Arya, A. S., Sharma, A. K., Sharma, D. C., & Rathore, D. S. (1993). Hydrogeomorphological mapping of Jaisalmer and Bikaner districts (Rajasthan) at 1: 50,000 scale using satellite data. *Journal of arid environments*, v. 25(1), pp. 163-172.
- Sahu, U., Wagh, V., Mukate, S., Kadam, A., & Patil, S. (2022). Applications of geospatial analysis and analytical hierarchy process to identify the groundwater recharge potential zones and suitable recharge structures in the Ajani-Jhiri watershed of north Maharashtra, India. *Groundwater for Sustainable Development*, v. 17, 100733.
- Sammut, C., & Webb, G. I. (Eds.). (2011). *Encyclopedia of machine learning*. Springer Science & Business Media. p. 209.
- Sander, P. (2007). Lineaments in groundwater exploration: a review of applications and limitations. *Hydrogeology journal*, v. 15(1), pp. 71-74.
- Saraf, A. K., & Choudhury, P. R. (1998). Integrated remote sensing and gis for groundwater exploration and identification of artificial recharge sites. *International Journal of Remote Sensing*, v. 19(10), pp. 1825-1841.
- Sarin, M. M., Krishnaswami, S., Trivedi, J. R., & Sharma, K. K. (1992). Major ion chemistry of the Ganga source waters: Weathering in the high altitude Himalaya. *Proceedings of the Indian Academy of Sciences - Earth and Planetary Sciences*, v. 101(1), pp. 89-98.
- Sarkar, B. C., Deota, B. S., Raju, P. L. N., & Jugran, D. K. (2001). A geographic information system approach to evaluation of groundwater potentiality of shamri micro-watershed in the Shimla Taluk, Himachal Pradesh. *Journal of the Indian Society of Remote Sensing*, v. 29(3), pp. 151-164.
- Sauer, C. O. (1919). Mapping the Utilization of the Land. *Geographical review*, v. 8(1), pp. 47-54.

- Saurina, J., López-Aviles, E., Le Moal, A., & Hernández-Cassou, S. (2002). Determination of calcium and total hardness in natural waters using a potentiometric sensor array. *Analytica Chimica Acta*, v. 464(1), pp. 89-98.
- Scheidegger, A. E. (1965). The algebra of stream-order numbers. United States Geological Survey Professional Paper, v. 525, pp. 187-189.
- Scheidegger, A. E. (1973). Hydrogeomorphology. *Journal of Hydrology*, v. 20(3), pp. 193-215.
- Schumm, S. A. (1956). Evolution of drainage systems and slopes in badlands at Perth Amboy, New Jersey. *Geological society of America bulletin*, v. 67(5), pp. 597-646.
- Schumm, S. A., & Hadley, R. F. (1961). Progress in the application of landform analysis in studies of semiarid erosion.
- SEABER, P. R., & Trenton, N. J. (1962). B-124 Geological Survey Research 1962 51. Cation Hydrochemical Facies Of Ground Water In The Englishtown Formation, New Jersey. US Geological Survey Professional Paper, 124.
- Selvan, M. T., Ahmad, S. A. R. F. A. R. A. Z., & Rashid, S. M. (2011). Analysis of the geomorphometric parameters in high altitude glacierised terrain using SRTM DEM data in Central Himalaya, India. *ARP journal of science and technology*, 1(1), 22-27.
- Sengupta, S., & Sarkar, A. (2006). Stable isotope evidence of dual (Arabian Sea and Bay of Bengal) vapour sources in monsoonal precipitation over north India. *Earth and Planetary Science Letters*, v. 250(3-4), pp. 511-521.
- Shah, G. L., & Yadav, S. S. (1979). Contribution to the flora of Dangs forest in Gujarat: floristic composition, floristic elements and biological spectrum. *Indian journal of forestry*.
- Shah, G. L., Yadav, S. S., & Menon, A. R. (1981). Biological spectrum of the flora of Gujarat State. *Nelumbo*, v. 23(1-2), pp. 25-29.
- Shah, P. N. (2001). Hydrogeomorphological Mapping for Evaluation of Groundwater Prospect Zones in Mirzapur District, Uttar Pradesh, India using IRS-1A, LISSII Geocoded Data, Spatial Information Technology. *Remote sensing and Geographical Information Systems*, v. 2, pp. 447-453.
- Shankar, P. V., Kulkarni, H., & Krishnan, S. (2011). India's groundwater challenge and the way forward. *Economic and political Weekly*, pp. 37-45.
- Sharma, J.P, Giri, J.D., Shyampura, R.L., and Gajbhiye, K.S., (2006) "Soil Series of Gujarat" NBSS&LUP publ no. 120, NBSS&LUP, Nagpur-440010, pp. 309-329
- Shekhar, S., & Pandey, A. C. (2015). Delineation of groundwater potential zone in hard rock terrain of India using remote sensing, geographical information system (GIS) and analytic hierarchy process (AHP) techniques. *Geocarto International*, v. 30(4), pp. 402-421.
- Shivanna, K., Kulkarni, U. P., Joseph, T. B., & Navada, S. V. (2004). Contribution of storms to groundwater recharge in the semi-arid region of Karnataka, India. *Hydrological Processes*, v. 18(3), pp. 473-485.

## References

- Shivanna, K., Tirumalesh, K., Noble, J., Joseph, T. B., Singh, G., Joshi, A. P., & Khati, V. S. (2008). Isotope techniques to identify recharge areas of springs for rainwater harvesting in the mountainous region of Gaucher area, Chamoli District, Uttarakhand. *Current Science*, v. 94(8), pp. 1003-1011.
- Shreve, R. L. (1967). Infinite topologically random channel networks. *The Journal of Geology*, v. 75(2), pp. 178-186.
- Sidle, R. C., & Onda, Y. (2004). Hydrogeomorphology: overview of an emerging science. *Hydrological processes*, v. 18(4), pp. 597-602.
- Singh, A., Jani, R. A., & Ramesh, R. (2010). Spatiotemporal variations of the  $\delta^{18}\text{O}$ –salinity relation in the northern Indian Ocean. *Deep Sea Research Part I: Oceanographic Research Papers*, v. 57(11), pp. 1422–1431.
- Singh, D. K., & Singh, A. K. (2002). Groundwater situation in India: Problems and perspective. *International Journal of Water Resources Development*, v. 18(4), pp. 563-580.
- Sinha, D. D., Mohapatra, S. N., & Pani, P. (2012). Mapping and assessment of groundwater potential in bilrai watershed (Shivpuri District, MP)—A Geomatics Approach. *Journal of the Indian Society of Remote Sensing*, v. 40(4), pp. 649-668.
- Smith, K. G. (1950). Standards for grading texture of erosional topography. *American journal of Science*, v. 248(9), pp. 655-668.
- Soil and Landuse Survey of India (2012). Micro-watershed Atlas of India <https://slusi.dacnet.nic.in/dmwai/GUJARAT/District/Dangs.html>
- Sophocleous, M. A. (1991). Combining the soilwater balance and water-level fluctuation methods to estimate natural groundwater recharge: Practical aspects. *Journal of Hydrology*, v. 124(3–4), pp. 229-241.
- Sparks, B. W. (1960). Landform in arid and semi-arid climates; Geomorphology. Longman Group Ltd, pp. 335-341.
- Sreedevi, P. D., Subrahmanyam, K., & Ahmed, S. (2005). The significance of morphometric analysis for obtaining groundwater potential zones in a structurally controlled terrain. *Environmental Geology*, v. 47(3), pp. 412-420.
- SreeDevi, P., Srinivasulu, S., & Kesava Raju, K. (2001). Hydrogeomorphological and groundwater prospects of the Pageru river basin by using remote sensing data. *Environmental Geology*, v. 40(9), pp. 1088-1094.
- Srinivasavittala, S., Govindaiah, S., & Honne Gowda, H. (2005). Evaluation of groundwater potential zones in the sub-watersheds of North Pennar river basin around Pavagada, Karnataka, India using Remote Sensing and GIS techniques. *Journal of the Indian Society of Remote Sensing*, v. 33(4), pp. 483-493.
- Srivastav, A. L. (2020). Chemical fertilizers and pesticides: role in groundwater contamination. In *Agrochemicals Detection, Treatment and Remediation: Pesticides and Chemical Fertilizers*. pp. 143-159.

- Srivastava, R., Ramesh, R., & Rao, T. N. (2012). Relationship between stable isotope ratios and drop size distribution in tropical rainfall. *Journal of Atmospheric Chemistry*, v. 69(1), pp. 23-31.
- Srivastava, R., Ramesh, R., Jani, R. A., Anilkumar, N., & Sudhakar, M. (2010). Stable oxygen, hydrogen isotope ratios and salinity variations of the surface Southern Indian Ocean waters. *Current Science*, v. 99(10), pp. 1395-1399.
- Srivastava, R., Ramesh, R., Prakash, S., Anikumar, N., & Sudhakar, M. (2007). Oxygen isotope and salinity variations in the Indian sector of the Southern Ocean. *Geophysical Research Letters*, v. 34(24), L24603.
- Strahler, A. N. (1952). Hypsometric (area-altitude) analysis of erosional topography. *Geological society of America bulletin*, v. 63(11), pp. 1117-1142.
- Strahler, A. N. (1957). Quantitative analysis of watershed geomorphology. *Eos, Transactions American Geophysical Union*, v. 38(6), pp. 913-920.
- Strahler, A. N. (1958). Dimensional analysis applied to fluvially eroded landforms. *Geological Society of America Bulletin*, v. 69(3), pp. 279-300.
- Strahler, A. N. (1964). Part II. Quantitative geomorphology of drainage basins and channel networks. *Handbook of Applied Hydrology*: McGraw-Hill, New York, 4-39.
- Sukhija, B. S., Reddy, D. V., & Nagabhushanam, P. (1998). Isotopic Fingerprints of Paleoclimates during the Last 30,000 Years in Deep Confined Groundwaters of Southern India. *Quaternary Research*, v. 50(3), pp. 252-260.
- Surabuddin Mondal, M., Pandey, A. C., & Garg, R. D. (2008). Groundwater prospects evaluation based on hydrogeomorphological mapping using high resolution satellite images: a case study in Uttarakhand. *Journal of the Indian Society of Remote Sensing*, v. 36, pp. 69-76.
- Sykes (1833) <http://www.portal.gsi.gov.in>
- Tan, H., Liu, Z., Rao, W., Jin, B., & Zhang, Y. (2017). Understanding recharge in soil-groundwater systems in high loess hills on the Loess Plateau using isotopic data. *Catena*, v. 156, pp. 18-29.
- Te Chow, V. (1988). *Applied hydrology*. Tata McGraw-Hill Education. p 4.
- Teeuw, R. M. (1995). Groundwater Exploration Using Remote Sensing And A Low-Cost Geographical Information System. *Hydrogeology Journal*, v. 3(3), pp. 21-30.
- Teixeira, J., Chaminé, H. I., Carvalho, J. M., Pérez-Alberti, A., & Rocha, F. (2013). Hydrogeomorphological mapping as a tool in groundwater exploration. *Journal of Maps*, v. 9(2), pp. 263-273.
- Terajima, T., & Moroto, K. (1990). Stream flow generation in a small watershed in granitic mountain. *Trans. Jpn. Geomorphol. Union*, v. 11(2), pp. 75-96.
- Thakkar, A. K., & Dhiman, S. D. (2007). Morphometric analysis and prioritization of miniwatersheds in Mohr watershed, Gujarat using remote sensing and GIS

- techniques. *Journal of the Indian society of Remote Sensing*, v. 35(4), pp. 313-321.
- Thornbury, W. D. (1954). *Principles of geomorphology* (Vol. 78, No. 2, p. 157). LWW. p. 124
- Tiwari, A., & Rai, B. (1996). Hydromorphogeological mapping for groundwater prospecting using landsat-MSS images—a case study of part of Dhanbad District, Bihar. *Journal of the Indian Society of Remote Sensing*, v. 24, pp. 281-285.
- Todd, D. K., & Mays, L. W. (2004). *Groundwater hydrology*. John Wiley & Sons.
- Tomes, B. J. (1975). The use of SKYLAB and Landsat in a geohydrological study of the Palaeozoic section, west-central Bighorn Mts. Wyoming. In *Proc. NASA Earth Resources Survey Symp. NASA TMX 58168 1B Sect.W* pp. 2137-71.
- Tribhuvan, Priti R. (2016) *Hydrogeological studies of phulambri river mega watershed in aurangabad district with special reference to remote sensing and gis*. Unpubl. Ph.D. thesis, Dr. Babasaheb Ambedkar Marathwada University. <http://hdl.handle.net/10603/156137>
- Tsuboyama Y, Sidle RC, Noguchi S, Murakami S, Shimizu T. (2000). A zero-order basin—its contribution to catchment hydrology and internal hydrological processes. *Hydrological Processes* v. 14, pp. 387–401.
- Tsukamoto Y, Ohta T, Noguchi H. (1982). Hydrological and geomorphological study of debris slides on forested hillslope in Japan. In *Recent Development in the Explanation and Prediction of Sediment Yield*, Walling DE (ed.). IAHS Publication 137. IAHS Press: Wallingford, UK; 89–98.
- Tsukamoto Y, Ohta T. (1988). Runoff processes on a steep forested slope. *Journal of Hydrology* v. 102, pp. 165–178.
- Tsukamoto Y. (1981). Prediction of debris yield and geomorphological change of mountain slopes caused by shallow slips during heavy storms. *Transactions, Japanese Geomorphological Union* v. 2(1), pp. 31–35.
- Twidale, C. R. (1976). On the survival of paleoforms. *American Journal of Science*, v. 276(1), pp. 77-95.
- Umrikar, B. N. (2017). Morphometric analysis of Andhale watershed, Taluka Mulshi, District Pune, India. *Applied Water Science*, v. 7(5), pp. 2231-2243.
- Unnikrishnan Warriar, C., Praveen Babu, M., Manjula, P., Velayudhan, K. T., Shahul Hameed, A., & Vasu, K. (2010). Isotopic characterization of dual monsoon precipitation - evidence from Kerala, India. *Current Science*, v. 98(11), pp. 1487-1495.
- Valdiya, K. S. (2013). *Environmental Geology: Ecology, Resource and Hazard Management*. McGraw-Hill Education.
- Varade, A. M., Khare, Y. D., Yadav, P., Doad, A. P., Das, S., Kanetkar, M., & Golekar, R. B. (2018). 'Lineaments' the potential groundwater zones in hard rock area: a case study of basaltic terrain of WGKKC-2 watershed from Kalmeswar Tehsil of Nagpur District, Central India. *Journal of the Indian Society of Remote Sensing*, v. 46, pp. 539-549.

- Varni, M., Comas, R., Weinzettel, P., & Dietrich, S. (2013). Application of the water table fluctuation method to characterize groundwater recharge in the Pampa plain, Argentina. *Hydrological Sciences Journal*, v. 58(7), pp. 1445-1455.
- Venkatesan, A. (2014). Geoinformatics in fluvial geomorphological study of thoppaiyar sub basin Tamil Nadu India. Unpubl. Ph.D. Thesis Dept. of Geology, Periyar University <http://hdl.handle.net/10603/51184>
- Verma, R., & Dwivedi, P. (2013). Heavy metal water pollution- A case study. *Recent Research in Science and Technology*, v. 5(5), pp. 98-99.
- Verstappen, H. (1983). *The applied geomorphology*, International Institute for Aerial Survey and Earth Science (ITC). Enschede, The Netherlands. Amsterdam, Oxford, New York.
- Vivoni, E. R., Di Benedetto, F., Grimaldi, S., & Eltahir, E. A. (2008). Hypsometric control on surface and subsurface runoff. *Water Resources Research*, v. 44(12), W12502.
- Withers, P. J. A., & Lord, E. I. (2002). Agricultural nutrient inputs to rivers and groundwaters in the UK: Policy, environmental management and research needs. *Science of the Total Environment*, v. 282–283, pp. 9-24.
- Woldenberg, M. J. (1969). Spatial order in fluvial systems: Horton's laws derived from mixed hexagonal hierarchies of drainage basin areas. *Geological Society of America Bulletin*, v. 80(1), pp. 97-112.
- Yadav, D. N. (1997). Oxygen isotope study of evaporating brines in Sambhar Lake, Rajasthan (India). *Chemical Geology*, v. 138(1–2), pp. 109–118.
- Yadav, S. K., Dubey, A., Singh, S. K., & Yadav, D. (2020). Spatial regionalisation of morphometric characteristics of mini watershed of Northern Foreland of Peninsular India. *Arabian Journal of Geosciences*, v. 13(12), pp. 1-16.
- Yadav, S. K., Singh, S. K., Gupta, M., & Srivastava, P. K. (2014). Morphometric analysis of Upper Tons basin from Northern Foreland of Peninsular India using CARTOSAT satellite and GIS. *Geocarto International*, v. 29(8), pp. 895-914.
- Zaidi, F. K. (2011). Drainage basin morphometry for identifying zones for artificial recharge: A case study from the Gagas River Basin, India. *Journal of the Geological Society of India*, v. 77(2), pp. 160-166.
- Zernitz, E. R. (1932). Drainage patterns and their significance. *The Journal of Geology*, v. 40(6), pp. 498-521.
- Zhang, Z., Liu, X., & Yang, S. (2009). A note on the 1-9 scale and index scale in ahp. *Communications in Computer and Information Science*, v. 35. Springer, Berlin, Heidelberg.